

Quicksilver™ Corner Bead (CBS)

Hot-dipped Metal Corner Bead

Quicksilver™ corner bead is a hot-dipped, highly durable galvanized bead that offers superior corrosion protection. This bead is ideal for humid, moisture-prone conditions and high-traffic areas subject to more than normal abuse.

Recognized as a superior corrosion-resistant drywall finishing corner bead, Quicksilver™ corner bead provides a high-quality finish and solid protection at drywall corners. This traditional drywall finishing product is nailed, stapled, screwed or clinched into place. Flanges are deeply knurled and perforated for excellent joint compound adhesion.

Product Data & Ordering Information

Material: 0.0125" min. thickness, G30 hot-dipped galvanized steel
 Dimensions: 1-1/4" leg x 1-1/4" leg

Width	Length	Wt./Ctn.	Pcs./Ctn.
1-1/4" x 1-1/4"	6'-9"	56 lbs	75
1-1/4" x 1-1/4"	6'-10"	57 lbs	75
1-1/4" x 1-1/4"	7'	56 lbs	72
1-1/4" x 1-1/4"	8'	56 lbs	63
1-1/4" x 1-1/4"	9'	56 lbs	56
1-1/4" x 1-1/4"	10'	55 lbs	50
1-1/4" x 1-1/4"	12'	56 lbs	42


ASTM & Code Standards

- ASTM C1047
- SDS & Product Certification Information is available at www.clarkdietrich.com/SupportDocs


Storage

All stored materials shall be kept dry. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather.

09.22.00 (Support for Plaster & Gypsum Board)



- Strong metal reinforcement for drywall corners
- Exposed nose of the bead resists impact and forms a screed for finishing



Sustainability Credits:

For more details and LEED letters contact Technical Services at 888-437-3244 or visit www.clarkdietrich.com/LEED

LEED v4 MR Credit -- Building Product Disclosure and Optimization: EPD (1 point) - Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).

LEED 2009 Credit MR 2 & MR 4 -- ClarkDietrich's steel products are 100% recyclable and have a national average recycled content of 34.2% (19.8% post-consumer and 14.4% pre-consumer). If seeking a higher number to meet Credit MR 5, please contact us at (info@clarkdietrich.com / 888-437-3244)

Project Information

Name:
Address:

Contractor Information

Name:
Contact:
Phone:
Fax:

Architect Information

Name:
Contact:
Phone:
Fax: