prevention&awareness Products





vol. 55

CONTENTO	DAOF
CONTENTS REFLECTIVE HARD HAT DECAL KITS	PAGE
GATOR GRIP® PREMIUM GRADE ANTI-SLIP TAPE	3
GATOR GRIP® PREMIUM GRADE ANTI-SLIP CLEATS	5
TRUE GRIP® CONTRACTOR GRADE ANTI-SLIP TAPE	6
GRIT TAPE APPLICATOR ROLLER	6
TRUE GRIP® CONTRACTOR GRADE ANTI-SLIP CLEATS GATOR GRIP® PREMIUM GRADE COLORED ANTI-SLIP TAPE	
GATOR GRIP® PREMIUM GRADE 'WATCH YOUR STEP' ANTI-SLIP TAPE	
GATOR GRIP® FOIL BACKED ANTI-SLIP TAPE	9
GATOR GRIP® HEAVY DUTY (36-GRIT) ANTI-SLIP TAPE	10
GATOR GRIP® SUPER COARSE XP (24-GRIT) ANTI-SLIP TAPE MOPPERS FRIEND SLIP-RESISTANT TAPE	
SOFTEX COARSE RESILIENT SLIP-RESISTANT TAPE	12 13
GATOR GRIP® STADIUM TRACK "HIGH VISIBILITY"	14
GATOR GRIP® PHOTOLUMINESCENT ANTI-SLIP TAPE	
PHOTOLUMINESCENT TAPE - HAZARD & SAFETY GLOW PHOTOLUMINESCENT TAPE - DIRECTIONAL FIRE EXIT	
PRIME GUARD BARRICADE TAPE	
WOVEN POLYPROPYLENE BARRICADE TAPE	
REFLECTIVE FIBERGLASS PROPERTY MARKERS	21
DIRECTIONAL FLOW ARROW TAPE	22
PIPE MARKER ROLLS SAFETY FLOOR SIGNS ANTI-SLIP	
GLOW-IN-THE-DARK SIGNS ANTI-SLIP	24 25
ARMOR SIGNS ULTRA DURABLE FLOOR SIGNS	26-27
ARMOR STRIPE ULTRA DURABLE LEAN/5S WORKPLACE MARKERS	
TEXTURED VINYL LEAN/S5 WORKPLACE MARKERS	
TUFF MARK® ULTRA DURABLE FLOOR MARKING TAPE	30-31
CLEAR OVER-LAMINATION	
TAPE DISPENSER	
HAZARD WARNING CONFORMABLE & LAMINATED TAPE	
CHECKERBOARD LAMINATED TAPE ARMADILLO® HEAVY DUTY FLOOR MARKING TAPE	
WORDED FLOOR SAFETY TAPE	
COLORED VINYL ARROWS & DOTS	
ENGINEER GRADE REFLECTIVE TAPE	
FLEXIBLE ENGINEER VEHICLE GRADE REFLECTIVE TAPE	
CONSPICUITY DOT-C2 REFLECTIVE TAPE REFLEX REFLECTIVE STICK-ON REFLECTORS	41 42
HIGH INTENSITY REFLECTIVE TAPE	
PTAK POLYETHYLENE TAPE	44-45
DOUBLE SIDED MATTING TAPE	
DOT SHIPPING LABELS DANGEROUS GOODS PLACARDS	
HAZCOM 2012 WORKERS TRAINING VIDEO	
SDS POCKET BOOKLET	
GHS WALLET CARDS	
GHS TRAINED IRON-ON FABRIC PATCHES	
SMALL & MEDIUM BUSINESS COMPLIANCE KIT	51 51
HAZCOM 2012 INFORMATION WALL CHART	
HAZCOM 2012 PICTOGRAM WALL CHART	
HAZCOM 2012 SIMPLIFIED PICTOGRAM WALL CHART	
HAZCOM 2012 INFORMATION STATION	
SAFETY DATA SHEET BINDER	
SDS AWARENESS VINYL DECALS	
METAL SDS STORAGE CASE	
HAZCOM 2012 INFORMATION DECALS GHS HAZARD CLASS & PPE PICTOGRAM LABELS	
GHS HAZARD CLASS & PPE PICTOGRAM LABELS	
GHS PICTOGRAM PLACARDS 10.75" X 10.75"	
GHS PICTOGRAM LABELS 4" X 4"	
GHS PICTOGRAM LABELS 2" X 2"	
GHS SIGNAL WORD SIGNS HAZCOM 2012 SECONDARY WORKPLACE TAGS AND LABEL	
MAKE YOUR OWN HAZCOM 2012 WORKPLACE TAGS AND LABEL	
MAKE YOUR OWN LASER LABELS	
MAKE YOUR OWN THERMAL TRANSFER LABELS	

Featured New Product

Reflective Hard Hat Decal Kits







Improve the safety of your employees with our selection of reflective hard hat decals. The reflective and colorful properties of these adhesive markers will help get your employees noticed both day and night.

Superbrite

High Intensity product has a reflective value of over 4 times that of our standard engineer grade products. Product meets or exceeds ASTM D-4956 Type III. Simply peel from liner and apply.

Each decal kit contains the following: 16 pcs (4" x 1")

MENGINEER de

The material is an ASTM D-4956-99 Type 1 reflective sheeting with a permanent adhesive. Simply peel from liner and apply.

Each decal kit contains the following: 2 pcs (6" x 1"), 2 pcs (2.5" x 1"), 3 pcs (2" diam circles).

Custom printing and designs available to suit your specific applications.


Stock No.	Description	Qty. Pkg.
HHD92ØWH	White Reflective Superbrite Decals (16/pkg)	16 decals/pkg
HHD92ØRD	Red Reflective Superbrite Decals (16/pkg)	16 decals/pkg
HHD92ØYL	Yellow Reflective Superbrite Decals (16/pkg)	16 decals/pkg
HHD92ØGR	Green Reflective Superbrite Decals (16/pkg)	16 decals/pkg
HHD92ØBL	Blue Reflective Superbrite Decals (16/pkg)	16 decals/pkg
HHD9ØØWH	White Reflective Engineer Grade Assorted Kit	5 sheets/pkg
HHD9ØØRD	Red Reflective Engineer Grade Assorted Kit	5 sheets/pkg
HHD9ØØYL	Yellow Reflective Engineer Grade Assorted Kit	5 sheets/pkg
HHD9ØØGR	Green Reflective Engineer Grade Assorted Kit	5 sheets/pkg
HHD9ØØBL	Blue Reflective Engineer Grade Assorted Kit	5 sheets/pkg



High Traction Surface • Premium Quality Construction • Aggressive Adhesive
 System • Durable Mineral Abrasive Grit Water-Proof Construction • Chemical
 & Oil Resistance • 60-Grit Anti-Slip Surface • Long Term Weatherability
 • NFSI Certified "High Traction" • Indoor & Outdoor Applications

Premium Grade Anti-Slip

Таре







Gator Grip® Traction Tape is our premium brand anti-slip system to help ensure an OSHA compliant workplace. Constructed from a thick PVC base layer impregnated with an aggressive 60-grit mineral abrasive compound. The backing has an aggressive acrylic adhesive system for longevity that will form a strong, water-proof bond to most any clean, dry surface while still being temporarily repositionable during the application process.

Gator Grip® is a great choice for both indoor and outdoor environments offering our highest wear resistance and weatherability. Recommended product for long term and OEM applications. Gator Grip® Traction Tape is certified by the National Flooring Safety Institute 101-A "High- Traction", and meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1. Gator Grip® offers excellent chemical and oil resistance for a wide variety of applications.

Stock No.	Description	Size
SG31Ø1B	Black Gator Grip® Anti-slip Tape	1" x 60'
SG31Ø2B	Black Gator Grip® Anti-slip Tape	2" x 60'
SG31Ø3B	Black Gator Grip® Anti-slip Tape	3" x 60'
SG31Ø4B	Black Gator Grip® Anti-slip Tape	4" x 60'
SG31Ø6B	Black Gator Grip® Anti-slip Tape	6" x 60'
SG3112B	Black Gator Grip® Anti-slip Tape	12" x 60'
SG3118B	Black Gator Grip® Anti-slip Tape	18" x 60'
SG3124B	Black Gator Grip® Anti-slip Tape	24" x 60'
SG3136B	Black Gator Grip® Anti-slip Tape	36" x 60'



W

w

w

o m c

o m

 Rounded Corners For Longevity • Durable Mineral Abrasive Grit • Indoor/ Outdoor Applications • 60-Grit Anti-Slip Surface • High Traction Surface
 • Premium Quality Construction • Long Term Weatherability • Chemical & Oil Resistance • Water-Proof Construction • Custom Options Available



LIGHT MEDIUM HEAVY TEXTURE







Our Gator Grip® die cut shapes are made from the same material as our other Gator Grip® products, but pre-cut to give a finished look on your floor or equipment. All cleats come with rounded corners to reduce tape lifting and flagging. The acrylic adhesive system forms a strong bond to most any clean, dry surface. Gator Grip® cleats work well in both indoor and outdoor applications. Water, chemical and oil resistant for indoor and outdoor usage. Custom die cut shapes and printing are available to suit your application.

Gator Grip® cleats are NFSI certified as a "High Traction" surface and meet or exceed OSHA 1910.24 and 1910.26

SPECIALTY CLEATS

Stock No.	Description	Qty. Pkg.	Size
SG3126BHV	High Visibility Yellow Stripe	10	6" x 24"
SG3126BGL	Glow-in-the-Dark Stripe	10	6" x 24"
SG3126REF	Reflective Yellow Stripe	10	6" x 24"
SG3126WYS	WATCH YOUR STEP	10	6" x 24"
SG3126CAU	CAUTION	10	6" x 24"

FOOTPRINT CLEATS

	ULLAIU		
Stock No.	Description	Qty. Pkg.	Size
SG311ØFTP	Black Footprint	24	4" x 10"
SG331ØFTP	Yellow Footprint	24	4" x 10"
SG421ØFTP	Glow-in-the-Dark Footprint	24	4" x 10"


PLAIN BLACK CLEATS

Stock No.	Description	Qty. Pkg.	Size
SG3125BS	Black Gator Grip® Anti-slip Cleats	50	3/4" x 24"
SG3132BS	Black Gator Grip® Anti-slip Cleats	50	3" x 24"
SG3126BS	Black Gator Grip® Anti-slip Cleats	50	6" x 24"
SG3134BS	Black Gator Grip® Anti-slip Cleats	50	6" x 30"
SG3127BS	Black Gator Grip® Anti-slip Squares	50	5-1/2" x 5-1/2"
SG313ØBS	Black Gator Grip® Anti-slip Circles	50	5-1/2" dia

High Traction Surface • Aggressive Adhesive System • Durable Abrasive Grit • Water Resistance • 46-Grit Anti-Slip Surface • Custom Slit Widths • Indoor/Outdoor Applications

Contractor Grade

Anti-Slip Tape







Grit Tape Applicator Roller Stock No. GTR100

6



True Grip® Traction Tape is an excellent choice for most general purpose applications. The tape is constructed of a durable 46-grit mineral abrasive compound for excellent longevity in both indoor & outdoor applications.

We employ the use of a solvent based acrylic adhesive system to allow for adhesion over a wide variety of surfaces, while offering good water and chemical resistance.

Our adhesive system allows for good initial bonding, yet still removes cleanly for replacement. Custom slit widths and die-cut cleats also available. Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.


Stock No.	Description	Size
SG7ØØ1CB	Black True Grip® Anti-Slip Tape	1" x 60'
SG7ØØ2CB	Black True Grip® Anti-Slip Tape	2" x 60'
SG7ØØ3CB	Black True Grip® Anti-Slip Tape	3" x 60'
SG7ØØ4CB	Black True Grip® Anti-Slip Tape	4" x 60'
SG7ØØ6CB	Black True Grip® Anti-Slip Tape	6" x 60'
SG7Ø12CB	Black True Grip® Anti-Slip Tape	12" x 60'
SG7Ø18CB	Black True Grip® Anti-Slip Tape	18" x 60'
SG7Ø24CB	Black True Grip® Anti-Slip Tape	24" x 60'
SG7Ø36CB	Black True Grip® Anti-Slip Tape	36" x 60'

INCOM www.incomdirect.com

46-Grit Anti-Slip Surface • Rounded Corners • Custom Die Cut Available • High Traction Surface • Aggressive Adhesive System • Durable Aluminum Oxide Grit • Water Resistance

Contractor Grade

Cleats










True Grip® Traction Tape is available in pre-cut cleats to give a professional look to any installation. These cleats are made from the same quality product as our tape substrate and are available in a variety of stock sizes. All cleats come with rounded corners to reduce tape lifting and flagging.

We also offer custom die cutting and printing for your specific application. Suitable for indoor & outdoor applications.

Our True Grip® cleats meet or exceed OSHA 1910.24, 1910.26 and ANSI B101.1.

Description	Qty. Pkg.	Size
Black True Grip® Anti-Slip Cleats	50	3/4" x 24"
Black True Grip® Anti-Slip Cleats	50	3" x 24"
Black True Grip® Anti-Slip Cleats	50	6" x 24"
Black True Grip® Anti-Slip Cleats	50	6" x 30"
Black True Grip® Anti-Slip Squares	50	5-1/2" x 5-1/2"
Black True Grip® Anti-Slip Circles	50	5-1/2" dia
	Black True Grip® Anti-Slip Cleats Black True Grip® Anti-Slip Cleats Black True Grip® Anti-Slip Cleats Black True Grip® Anti-Slip Cleats Black True Grip® Anti-Slip Squares	Black True Grip® Anti-Slip Cleats50Black True Grip® Anti-Slip Cleats50Black True Grip® Anti-Slip Cleats50Black True Grip® Anti-Slip Cleats50Black True Grip® Anti-Slip Squares50



COM

Water-Proof Construction • Chemical & Oil Resistance • Durable Mineral Abrasive Grit • Indoor/Outdoor Applications • Custom Slit Widths • High Traction Surface • Vibrant Color Options • Aggressive Adhesive System

Premium Grade Colored Anti-Slip

Tape

MEDIUM

TEXTURE

"WATCH YOUR STEP" Anti-Slip Tape

Stock No. SG8903PT Size 3" x 60

HEAV

LIGHT



GATOR GRIPtape

Our line of Gator Grip® Colored anti-slip products are an effective way to offer visual warning of a slip and fall hazards, while offering the same aggressive premium grit features found on our Gator Grip® products.

The surface is an aggressive mineral abrasive compound on a thick PVC liner. Tape will adhere to most any clean, dry surface with an acrylic adhesive system. Tape and adhesive are water, chemical and oil resistant for use in both indoor & outdoor applications.

Try our popular yellow/black hazard striped tape for maximum visual warning and anti-slip protection on stair nosings.

Tape meets NFSI 101-A "High Traction" and meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.

Color	2" x 60'	4" x 60'	6" x 60'
Yellow/Black	SG39Ø2YB	SG39Ø4YB	SG39Ø6YB
Red/White	SG38Ø2RW	SG38Ø4RW	SG38Ø6RW
Green	SG32Ø2G	SG32Ø4G	SG32Ø6G
Yellow	SG33Ø2Y	SG33Ø4Y	SG33Ø6Y
Gray	SG34Ø2GY	SG34Ø4GY	SG34Ø6GY
Red	SG35Ø2R	SG35Ø4R	SG35Ø6R
Clear	SG36Ø2CL	SG36Ø4CL	SG36Ø6CL
Blue	SG37Ø2BL	SG37Ø4BL	SG37Ø6BL
Brown	SG43Ø2BR	SG43Ø4BR	SG43Ø6BR
White	SG45Ø2WH	SG45Ø4WH	SG45Ø6WH

С

0

m



w

w

w

n

С

0


m

d

8

СОМ

Water-Proof Construction • Chemical & Oil Resistance • Long Term Durability Durable Aluminum Oxide • Indoor/Outdoor Product • 46-Grit Anti-Slip Surface • Premium Quality Construction • Conformable Foil Backing • Aggressive Adhesive System



Anti-Slip

Tape

Foil Backed





w

GATOR GRIPtape

Our conformable foil backed anti-slip tape is designed specifically for heavy duty textured surface and stair nosing applications. The foil carrier allows for excellent conformability and will hold its shape to most any embossed or textured surface with its aggressive adhesive.

This product works great on metal tread plate, stair nosing, uneven concrete and most uneven surfaces. Tape has an coarse 46-grit surface.

Great for indoor and outdoor applications with excellent weatherability and water resistance.

Custom slit widths and die cut applications also available. Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.

ALL DATE OF THE OWNER.		Salar States and States
Stock No.	Description	Size
SG41Ø2AL	Black Conformable Foil Backed Gator Grip® Anti-Slip Tape	2" x 60'
SG41Ø4AL	Black Conformable Foil Backed Gator Grip® Anti-Slip Tape	4" x 60'
SG41Ø6AL	Black Conformable Foil Backed Gator Grip® Anti-Slip Tape	6" x 60'
SG39Ø2ALS	Yellow/Black Conformable Foil Backed Gator Grip® Anti-Slip Tape	2" x 60'
SG39Ø4ALS	Yellow/Black Conformable Foil Backed Gator Grip® Anti-Slip Tape	4" x 60'
SG39Ø6ALS	Yellow/Black Conformable Foil Backed Gator Grip® Anti-Slip Tape	6" x 60'
SG4132ALS	Black Conformable Foil Backed Gator Grip® Anti-Slip Cleats (50 per pack)	3" x 24"
SG4126ALS	Black Conformable Foil Backed Gator Grip® Anti-Slip Cleats (50 per pack)	6" x 24"

INCOM 9

 Water-Proof Construction • Chemical & Oil Resistance • Long Term Durability Durable Aluminum Oxide • Indoor/Outdoor Product • Extreme Traction
 • Premium Quality Construction • Extra Coarse 36-Grit • Ideal For Heavy Soiled Conditions • Aggressive Adhesive System

Heavy Duty 36-Grit Anti-Slip Tape

LIGHT MEDIUM HEAVY TEXTURE





COM



Heavy foot traffic and dirty work environments can clog up standard grit products with mud, oil, saw dust, liquids and grease. Our Extra Coarse Gator Grip® offers a very deeply textured (36-grit) surface to continue to offer non-slip protection, even in the dirtiest conditions. Tape can even be spray painted and still maintain a anti-slip surface.

Tape is water-proof for both indoor and outdoor applications, and offers excellent hydrocarbon resistance. This tape has a very aggressive grit surface and is recommended for areas with heavy debris only.


Custom slitting and die cut shapes for OEM applications also available. Great for mud, saw dust, snow and other outdoor applications. Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.

Stock No.	Description	Size
SG65Ø2B	Black Heavy Duty Gator Grip® Anti-Slip Tape (36-grit)	2" x 50'
SG65Ø4B	Black Heavy Duty Gator Grip® Anti-Slip Tape (36-grit)	4" x 50'
SG65Ø6B	Black Heavy Duty Gator Grip® Anti-Slip Tape (36-grit)	6" x 50'
SG6512B	Black Heavy Duty Gator Grip® Anti-Slip Tape (36-grit)	12" x 50'
SG6524B	Black Heavy Duty Gator Grip® Anti-Slip Tape (36-grit)	24" x 50'
SG6536B	Black Heavy Duty Gator Grip® Anti-Slip Tape (36-grit)	36 " x 50'
SG6126BS	Black Heavy Duty Gator Grip® Anti-Slip Cleats (36-grit) (50 per pack)	6" x 24"
SG6134BS	Black Heavy Duty Gator Grip® Anti-Slip Cleats (36-grit) (50 per pack)	6" x 30"

www.incomdirect.com

24-Grit mineral abrasive surface offers our highest level of traction on virtually any surface. Great choice for applications where standard grit profiles do not offer the required level of surface friction for safety.

Super Coarse XP 24-Grit Anti-Slip Tape







Looking for the ultimate in high traction? Choose our Super Coarse XP non-skid. This product has a large (24-grit) mineral abrasive surface offering a high level of slip resistance.

Super Coarse XP is a great choice for areas where large amounts of debris are present resulting in reduced surface traction. Tape is suitable for both indoor and outdoor applications and has an aggressive permanent pressure sensitive adhesive system.

Meets or exceeds OSHA 1910.24, 1910.26 and ANSI B101.1.

A CONTRACTOR OF THE OWNER	Contraction of the second s	
Stock No.	Description	Size
SG24Ø2B	Black Gator Grip® Super Coarse XP (24-grit)	2" x 40'
SG24Ø4B	Black Gator Grip® Super Coarse XP (24-grit)	4" x 40'
SG24Ø6B	Black Gator Grip® Super Coarse XP (24-grit)	6" x 40'
SG2412B	Black Gator Grip® Super Coarse XP (24-grit)	12" x 40'



Water-Proof Construction • Excellent Durability • Chemical & Oil Resistance • Medium Traction Surface • "Mop Friendly" Product • Aggressive Adhesive System

'Mop Friendly' Slip-Resistant Tape







Looking to provide an enhanced level of anti-slip protection, but still need to mop the surface for cleaning? Choose our "Moppers Friend" slip-resistant product. We have taken our premium grade anti-slip tape and modified the grit particles to allow a mop to pass over without "catching" strings.

Childhalada

Tape has an aggressive acrylic adhesive system that will bond to most any clean, dry surface and offers a virtually water-proof long term bond.

An excellent product choice for marine and boating industries, or areas where frequent cleaning by mopping is common.

Stock No.	Description	Size
SG51Ø2MB	Black Moppers Friend Slip-Resistant Tape	2" x 60'
SG51Ø4MB	Black Moppers Friend Slip-Resistant Tape	4" x 60'
SG51Ø6MB	Black Moppers Friend Slip-Resistant Tape	6" x 60'



COM


12

www.inc<u>omdirect.com</u>

Virtually Water-Proof • Bare Foot Applications • Mop Compatible Surface • Resilient PVC Texture • Semi-Flexible Surface • Aggressive Adhesive • Deeply Embossed Non-Abrasive

Soft Coarse Resilient Slip-Resistant

Tape





SOF**TEXXX**

13

SoftTex Coarse Resilient Slip-Resistant Tape works great in the office, plant, locker room or areas with bare foot traffic.

This product is not like bath products you would see at the hardware store. This surface has a deep embossed surface that will perform in heavier duty applications while still being comfortable for bare foot traffic.

We recommend this product in office environments and light plant uses, it can be very easily cleaned and will not trap dirt the way normal grit products can.

Stock No.	Description	Size
PFX23Ø2K	Black Resilient Slip-Resistant Tape	2" x 60'
PFX23Ø4K	Black Resilient Slip-Resistant Tape	4" x 60'
PFX23Ø6K	Black Resilient Slip-Resistant Tape	6" x 60'
PFX2326KBS	Black Resilient Slip-Resistant Cleats (50 per pack)	6" x 24"
PFX21Ø2G	Gray Resilient Slip-Resistant Tape	2" x 60'
PFX21Ø4G	Gray Resilient Slip-Resistant Tape	4" x 60'
PFX21Ø6G	Gray Resilient Slip-Resistant Tape	6" x 60'
PFX2126GBS	Gray Resilient Slip-Resistant Cleats (50 per pack)	6" x 24"
omo	direct com	IN COM



n

Chemical & Oil Resistance • Long Term Durability • Indoor/Outdoor Product • 46-Grit Anti-Slip Surface • High Visibility Color • Aggressive Adhesive • Water-Proof Construction

Stadium Track

High Visibility Anti-Slip







Public buildings, stadiums, arenas and parking garages are major areas of concern for slip and fall accidents. Our Stadium Track Tape was developed for these high traffic, high visibility applications. The tape has a muted yellow appearance that adds a visible safety feature, and it maintains its appearance because of the black particles mixed in with the yellow surface. Even after heavy foot traffic the tape will still not look dirty.

The 46-grit anti-slip surface offers a high level of traction and durability. If public safety is part of your program, this is a great product choice. Great for both indoor and outdoor applications and offers excellent water and weather resistance. Meets or exceeds ANSI B101.1.

Stock No.	Description	Size
SG62Ø2Y	Yellow Gator Grip® Stadium Track Tape	2" x 60'
SG62Ø4Y	Yellow Gator Grip® Stadium Track Tape	4" x 60'
SG62Ø6Y	Yellow Gator Grip® Stadium Track Tape	6" x 60'

o

m

w

n

O


m

14

COM

46-Grit Anti-Slip Construction • Aggressive Adhesive • Glow-In-The-Dark • Adds Safety In Low-Light • High Traction

Photoluminescent Anti-Slip



Tape





w

This product has a similar surface and adhesion to our colored and black Gator Grip® anti-slip products, but with an added safety glow feature.

Our tape offers a "GLOW" that is readily visible to the light adjusted eye for up to 6 hours, with the strongest results in the first 60-minutes.

Product has an aggressive acrylic adhesive system that will bond to most any clean dry surface.

MEETS OR EXCEEDS STANDARDS:

- DIN 67510
- ASTM 2072
- ISO 15370
- IMO Resolution A. 752 (18)
- PSPA Class B

Stock No.	Description	Size					
SG42Ø2PH	Glow-in-the-Dark Anti-Slip Tape	2" x 60'					
SG42Ø4PH	Glow-in-the-Dark Anti-Slip Tape	4" x 60'					
SG42Ø6PH	Glow-in-the-Dark Anti-Slip Tape	6" x 60'					

GATOR GRIPtane


ww.incomdirect.com

INCOM 15

Meets IMO, ISO & ASTM Standards • Non-Radioactive • Premium Grade 6+ Hours of Glow • Egress Markings • Emergency Equipment • Exit Doors, Staircase & Routing

Hazard & Safety

Glow Tape





Protect your workers during blackouts and evacuations. Our Glow-in-the-Dark Tapes will "GLOW" 6+ hours. This product comes with an aggressive permanent pressure sensitive adhesive that will adhere to most any clean, dry surface.

Tape absorbs any ambient or UV light source, then releases this stored energy in darkness. Our Glow-In-The-Dark tape offers 6+ hours of Glow to the light adjusted eye. Please see data sheets on our website for complete details of specifications and standards.

MEETS OR EXCEEDS STANDARDS:

- PSPA Standard 002 Part 2 1993, Class A+B Rev 2
- IMO Resolution A. 752 (18)
- ISO 15370
- ASTM / E 162 / E 648 / E 662
- ASTM E 2072-00 / E 2073-00
- DIN 67510 Parts 1-4

Color	1" x 30'	2" x 30'	3" x 30'	4" x 30'	6" x 30'
Plain Safety Glow	523521P	523522P	523523P	523524P	523526P
Black Hazard Safety Glow	GT13ØBK	GT23ØBK	GT33ØBK	GT43ØBK	GT63ØBK
Red Hazard Safety Glow	GT13ØRD	GT23ØRD	GT33ØRD	GT43ØRD	GT63ØRD

Exit Doors, Staircase & Routing • Non-Radioactive • Premium Grade 6+ Hours of Glow • Egress Markings • Emergency Equipment

FIRE

Directional Fire Exit Glow Tape





Help ensure people get out fast. Our new directional emergency exit tape is intended to be installed close to ground level, where a person would be crawling under smoke. The direction to the nearest exit is graphically shown to be easily understood in the chaos of an evacuation.

Our die cut arrows and dots can be used to further augment your escape routing program. All products are made from a premium safety grade photoluminescent material. Please see data sheets for complete details of specifications and standards.

MEETS OR EXCEEDS STANDARDS:

- PSPA Standard 002 Part 2 1993, Class A+B Rev 2
- IMO Resolution A. 752 (18)
- ISO 15370
- ASTM / E 162 / E 648 / E 662
- ASTM E 2072-00 / E 2073-00
- DIN 67510 Parts 1-4

Stock No.	Description	Size
GT13ØEXL	Glow Exit Left Tape	1" x 30'
GT13ØEXR	Glow Exit Right Tape	1" x 30'
GTAR4Ø	Glow Arrows 100/Roll	4"
GTCL3Ø	Glow Circle 100/Roll	3"

Barricade

Tape

Choose the grade for your Barricade Tape job. All rolls are 3" x 1,000' and sold full case only (12 rolls per case). Check our website for product specifications www.incomdirect.com



PRIMEGUARD

Sold full cases only

VALUE	Legend and Color	Value	Contractor	Plus	Heavy Duty
	CAUTION	BT5Ø58	BT1Ø58	BT4Ø58	BT3Ø58
Our best value thinner gauge film for general purpose usage.	CAUTION DO NOT ENTER	BT5Ø44	BT1Ø44	BT4Ø44	BT3Ø44
3" x 1,000' and packaged 12	CAUTION OPEN TRENCH	BT5Ø28	BT1Ø28	BT4Ø28	BT3Ø28
rolls per case.	CAUTION KEEP OUT	BT5Ø26	BT1Ø26	BT4Ø26	BT3Ø26
	FIRE LINE DO NOT CROSS	BT5Ø47	BT1Ø47	BT4Ø47	BT3Ø47
	POLICE LINE DO NOT CROSS	BT5Ø48	BT1Ø48	BT4Ø48	BT3Ø48
CONTRACTOR	SHERIFF LINE DO NOT CROSS	BT5Ø49	BT1Ø49	BT4Ø49	BT3Ø49
CONTRACTOR	CAUTION HIGH VOLTAGE	BT5Ø25	BT1Ø25	BT4Ø25	BT3Ø25
A great blend of performance	CAUTION HYDROBLASTING	BT5Ø35	BT1Ø35	BT4Ø35	BT3Ø35
and value for the contractor	CAUTION CONSTRUCTION AREA	BT5Ø37	BT1Ø37	BT4Ø37	BT3Ø37
markets. 3" x 1,000' and packaged 12 rolls per case.	CAUTION ASBESTOS HAZARD	BT5Ø72	BT1Ø72	BT4Ø72	BT3Ø72
	CAUTION WORK OVERHEAD	BT5Ø55	BT1Ø55	BT4Ø55	BT3Ø55
	CAUTION LEAD HAZARD	BT5Ø38	BT1Ø38	BT4Ø38	BT3Ø38
	CAUTION WET PAINT	BT5Ø3Ø	BT1Ø3Ø	BT4Ø3Ø	BT3Ø3Ø
		BT5Ø31	BT1Ø31	BT4Ø31	BT3Ø31
A medium thickness film built	(BLANK)	BT5Ø8Ø	BT1Ø8Ø	BT4Ø8Ø	BT3Ø8Ø
for extended stability in windy	DANGER	BT5Ø57	BT1Ø57	BT4Ø57	BT3Ø57
conditions. 3" x 1,000' and	DANGER KEEP OUT	BT5Ø42	BT1Ø42	BT4Ø42	BT3Ø42
packaged 12 rolls per case.	DANGER DO NOT ENTER	BT5Ø61	BT1Ø61	BT4Ø61	BT3Ø61
	DANGER ASBESTOS	BT5Ø6Ø	BT1Ø6Ø	BT4Ø6Ø	BT3Ø6Ø
\sim	DANGER ASBESTOS HAZARD	BT5Ø85	BT1Ø85	BT4Ø85	BT3Ø85
(HD)HEAVY DUTY	DANGER HIGH VOLTAGE AREA	BT5Ø64	BT1Ø64	BT4Ø64	BT3Ø64
	DANGER LEAD	BT5Ø84	BT1Ø84	BT4Ø84	BT3Ø84
Our thickest grade poly film	DANGER CONFINED SPACE	BT5Ø71	BT1Ø71	BT4Ø71	BT3Ø71
for the best durability in a wide range of applications.	DANGER HYDROBLASTING	BT5Ø7Ø	BT1Ø7Ø	BT4Ø7Ø	BT3Ø7Ø
3" x 1,000' and packaged 12 rolls per case.	(BLANK)	BT5Ø67	BT1Ø67	BT4Ø67	BT3Ø67

www.P65Warnings.ca.gov.

e

С

WARNING: Cancer and Reproductive Harm -

m

REINFORCED

Our Toughest Barricade Tape. Our reinforced PrimeGuard barricade tape offers the ultimate in durability on the jobsite. Printed on a material similar to that used in manufacturing sandbags, these tapes do not stretch or break under normal stress conditions. PrimeGuard reinforced will keep their shape in the rain and can withstand very strong winds. Currently available in both CAUTION and DANGER legends. Rolls sold in full case only, 3" x 500' 12 rolls/case. CAUTION NGRA

CAUTION REBT2Ø58 DANGER REBT2Ø57

UTILITY

Underground Barricade Tape is used to quickly color code and identify the existence of buried lines and cables. Our thickest grade poly film for use in above and underground utility applications. Rolls sold in full case only, 3" x 1,000' 12 rolls/case or 6" x 1,000' 6 rolls/case.



3" x 1,000'

CAUTION BURIED WATER LINE BELOW UT33Ø1	CAUTION BURIED S	EWER LINE BELOW 3Ø2	CAUTION BURIED ELI UT33		CAUTION BURIED	HIGH VOLTAGE BELOW 33Ø6	CAUTION BURIED TELEPHONE LINE BELOW UT33Ø4
CAUTION BURIED FIBER OP		AUTION BURIED GAS LI	NE BELOW (AUTION BURIED ELECT		CAUTION BURIED O	
UT33Ø5		UT33Ø7		UT330	Ĵ8	UT33)	09
6" x 1,000'							
CAUTION CAUTION BURIED WATER LINE BELOW	CAUTION BURIED SEWER	CAUTION R LINE BELOW	CAUTION Buried Electri	CAUTION C LINE BELOW	CAUTION BURIED HIGH	CAUTION VOLTAGE BELOW	CAUTION CAUTION BURIED TELEPHONE LINE BELOW
UT36Ø1	UT3	6Ø2	UT36	Ø3	UT	36Ø6	UT36Ø4
CAUTION BURIED FIBER O	CAUTION PTIC LINE BELOW	CAUTION C Buried gas Lin	AUTION NE BELOW	CAUTION BURIED ELECTRI	CAUTION C LINE BELOW	CAUTION BURIED OIL LI	CAUTION Ne below
UT	UT36Ø5		17	UT3	6Ø8	UT36	ð9

Custom

Custom Printed Barricade Tape. Add a distinctive touch to your job site while promoting your company at the same time. We offer a complete customization program. Add your company's name and logo to your barricade tape with your choice of message.

Please contact your customer service representative to start your custom barricade tape project today.



Chemical & Oil Resistance • Long Term Durability • Indoor/Outdoor Product

Woven Polypropylene Barricade

Tape





Woven polypropylene barrier tape offers a strong, reusable product to help mark safety hazards in the workplace. This tape is made from a thick woven polypropylene scrim that will withstand high winds and offer long-term durability in outdoor applications. Material complies with UL 723, data sheet available on request.

Due to the strong nature of this product it can be reused to save cost and reduce environmental impact.



Stock No.	Description	Size
BTW150YB	Yellow/Black Woven Barricade Tape	3/4" x 150'
BTW250YB	Yellow/Black Woven Barricade Tape	2" x 150'
BTW267YB	Yellow/Black Woven Barricade Tape	2" x 200'
BTW150RB	Red/Black Woven Barricade Tape	3/4" x 150'
BTW250RB	Red/Black Woven Barricade Tape	2" x 150'
BTW267RB	Red/Black Woven Barricade Tape	2" x 200'
and the second second second		E CALLEN & Swedter Station



20

NCOM www.incomdir<u>ect.com</u>

Long Term Durability • Indoor/Outdoor Product • High Visibility Color

Reflective Fiberglass

Property Markers





W

w



Our line of markers and reflectors are made with high visibility reflective for easy identification of hazards and boundaries both day and night from all directions.

These rods are made from extra strong rigid fiberglass with an engineer grade reflective for extended outdoor use. Markers come with a protective cap plus pointed tapered end for easy installation. Reflective band is viewable from 360°.

Used for: walkways, parking lots, location for underground sprinklers, driveways snow removal areas.

Stock No.	Description	Size
DWM41ØYR	Yellow Fiberglass Marker with Red Reflective Head)	48"
RE8851	White Fiberglass Marker with Orange Reflective Head	48"
RE8821	White Fiberglass Marker with Blue Reflective Head	48"
RE8812	White Fiberglass Marker with Red Reflective Head	48"
TILOGTE		

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

С

0

d


INCOM

Pipe banding enhances durability of pipe markers and improves worker safety. Durable vinyl construction with over-laminated print.

Directional Flow Arrow Tape







Use our directional flow arrow tape to easily and effectively mark pipe flow direction. Our arrow tape is made from a durable vinyl base stock with an aggressive adhesive and clear over-lamination to protect the printed surface and offer years of service.

All our banding tape has a continuous print design with no white line every foot, which allows for a professional looking installation.

All colors meet the ANSI 535.1 and Z535.1 Safety Color Chart. They also comply with ANSI / ASME A13.1 standard for pipe markings including the new colors introduced under ANSI/ASME A13.1-2007.

Size	Blue White	Green White	Orange Black	Red White	Yellow Black	Brown White	White Purple	White Gray	Black White	White Black
1" x 54'	PMA1Ø1	PMA1Ø2	PMA1Ø3	PMA1Ø4	PMA1Ø5	PMA1Ø6	PMA1Ø1Ø	PMA1Ø11	PMA1Ø12	PMA1Ø9
2" x 54'	PMA2Ø1	PMA2Ø2	PMA2Ø3	PMA2Ø4	PMA2Ø5	PMA2Ø6	PMA2Ø1Ø	PMA2Ø11	PMA2Ø12	PMA2Ø9
4" x 54'	PMA4Ø1	PMA4Ø2	PMA4Ø3	PMA4Ø4	PMA4Ø5	PMA4Ø6	PMA4Ø1Ø	PMA4Ø11	PMA4Ø12	PMA4Ø9
1" x 108'	PMA151	PMA152	PMA153	PMA154	PMA155	PMA156	PMA151Ø	PMA1511	PMA1512	PMA159
2" x 108'	PMA251	PMA252	PMA253	PMA254	PMA255	PMA256	PMA251Ø	PMA2511	PMA2512	PMA259
4" x 108'	PMA451	PMA452	PMA453	PMA454	PMA455	PMA456	PMA451Ø	PMA4511	PMA4512	PMA459
2 INCO	M	v w v	/ . i	nc	o m c	dir	ec	t.c	o m	

Pipe Marker Rolls

Our pipe markers are made from durable adhesive backed synthetic stock with a protective overlamination. These markers are perforated every 9" inches between each legend for easy use as singles, or allowing larger strips for longer applications. Once applied to a clean, dry surface, these markers will offer a long term marking solution for your facility. Required directional flow arrows sold separately.

Available in 1" x 54' and 2" x 54' rolls.







ACID	PMR1005					
AIR	PMR1012	DRAIN	PMR1102	MAKE UP WATER	PMR12Ø9	STEAM
AIR	PMR1010	EXHAUST	PMR1108	MEDIUM PRESSURE STEAM	PMR136Ø	STEAM
AMMONIA	PMR1Ø18	FILTERED WATER	PMR1114	MEDIUM PRESSURE STEAM	PMR1361	STEAM RET
ASBESTOS FREE INSULATION	PMR1Ø25	FIRE PROTECTION WATER	PMR1118	NATURAL GAS	PMR1215	STEAM SUP
BOILER FEED WATER	PMR1Ø35	FIRE SPRINKLER WATER	PMR112Ø	NITROGEN	PMR1219	STEAM SUP
CARBON DIOXIDE	PMR1Ø4Ø	FUEL OIL	PMR1126	NON-POTABLE WATER	PMR1362	STORM DR
CAUSTIC	PMR1Ø43	GAS	PMR113Ø	NON-POTABLE WATER	PMR1224	STORM WA
CHILLED WATER	PMR1050	GLYCOL	PMR1136	OIL	PMR1225	SUPPLY
CHILLED WATER RETURN	PMR1Ø51	HEATING	PMR1145	OXYGEN	PMR1232	SUPPLY
CHILLED WATER SUPPLY	PMR1Ø52	HEATING RETURN	PMR1354	OXYGEN	PMR1230	SUPPLY
CIRCULATING WATER	PMR1Ø55	HEATING RETURN	PMR115Ø	PLUMBING VENT	PMR1237	TEMPERED WA
CITY WATER	PMR1Ø58	HEATING SUPPLY	PMR1355	POTABLE WATER	PMR1241	TEMPERED WA
COLD WATER	PMR1060	HEATING SUPPLY	PMR1151	PROCESS WATER	PMR1244	TOWER WA
COLD WATER RETURN		HIGH PRESSURE AIR	PMR1155	PROCESS WATER	PMR1243	TREATED WAT
COLD WATER SUPPLY	PMR1Ø63	HIGH PRESSURE CONDENSATE	PMR1157	PROPANE GAS	PMR1363	VACUUN
COMPRESSED AIR	PMR1Ø65	HIGH PRESSURE STEAM	PMR1356	RAIN WATER	PMR1252	VACUUN
COMPRESSED AIR	PMR1Ø64	HIGH PRESSURE STEAM	PMR1163	RAW WATER	PMR1254	VENT
CONDENSATE	PMR1352	HOT WATER	PMR1169	REFRIGERATED LIQUID	PMR1259	VENT
CONDENSATE	PMR1Ø67	HOT WATER	PMR1168	REFRIGERATED SUCTION	PMR126Ø	WASTE
CONDENSATE RETURN	PMR1353	HOT WATER RETURN	PMR1171	RETURN	PMR1265	WASTE
CONDENSATE SUPPLY	PMR1Ø74	HOT WATER RETURN	PMR1170	RETURN	PMR1264	WASTE WAT
CONDENSATE WATER		HOT WATER SUPPLY	PMR1173	RETURN	PMR1262	WATER
CONDENSATE WATER RETURN	PMR1Ø76	HOT WATER SUPPLY	PMR1172	RETURN	PMR1263	WATER
CONDENSATE WATER SUPPLY	PMR1Ø77	INDUSTRIAL WATER		ROOF DRAIN	PMR1266	WELL WAT
DEIONIZED WATER	PMR1Ø81	LOW PRESSURE AIR	PMR1357	SANITARY DRAIN	PMR1268	$\rightarrow \rightarrow \rightarrow$
DOMESTIC COLD WATER	PMR1090	LOW PRESSURE CONDENSATE		SANITARY SEWER	PMR1269	$\rightarrow \rightarrow \rightarrow$
DOMESTIC HOT WATER	PMR1Ø94	LOW PRESSURE STEAM		SPRINKLER FIRE	PMR1287	$\rightarrow \rightarrow \rightarrow$
DOMESTIC HOT WATER	PMR1Ø93	LOW PRESSURE STEAM	PMR1359	SPRINKLER WATER	PMR1288	+ + +

STEAM PMR1364 STEAM RETURN PMR1290 STEAM RETURN PMR1290 STEAM SUPPLY PMR1291 STORM DRAIN PMR1292 STORM DRAIN PMR1294 SUPPLY PMR1302 SUPPLY PMR1302 SUPPLY PMR1300 TEMPERED WATER PMR1306 TREATED WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1316 WASTE PMR1320 WASTE PMR1320 WASTE PMR1323 WELL WATER PMR1323 WELL WATER PMR1334 + + PMR1333 + + PMR1334		
STEAM RETURNPMR1290STEAM SUPPLYPMR1365STEAM SUPPLYPMR1291STORM DRAINPMR1292STORM WATERPMR1294SUPPLYPMR1302SUPPLYPMR1301SUPPLYPMR1300TEMPERED WATERPMR1305TEMPERED WATERPMR1304TOWER WATERPMR1308TREATED WATERPMR1311VACUUMPMR1315VACUUMPMR1314VENTPMR1316WASTEPMR1320WASTEPMR1320WASTEPMR1323WELL WATERPMR1323++++PMR1334++++WATERPMR1334++PMR1329	STEAM	PMR1364
STEAM SUPPLYPMR1365STEAM SUPPLYPMR1365STEAM SUPPLYPMR1291STORM DRAINPMR1292STORM WATERPMR1302SUPPLYPMR1301SUPPLYPMR1300TEMPERED WATERPMR1305TEMPERED WATERPMR1304TOWER WATERPMR1311VACUUMPMR1315VACUUMPMR1317VENTPMR1316WASTEPMR1320WASTEPMR1320WASTEPMR1321WATERPMR1323WELL WATERPMR1323PMELL WATERPMR1334++PMR1333++PMR1329	STEAM	PMR1289
STEAM SUPPLY PMR1291 STORM DRAIN PMR1292 STORM WATER PMR1294 SUPPLY PMR1302 SUPPLY PMR1300 TEMPERED WATER PMR1305 TEMPERED WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1317 VENT PMR1320 WASTE PMR1320 WASTE PMR1322 WASTE PMR1323 WELL WATER PMR1323 → → → PMR1333 → → PMR1329	STEAM RETURN	PMR1290
STORM DRAIN PMR1292 STORM WATER PMR1294 SUPPLY PMR1302 SUPPLY PMR1301 SUPPLY PMR1300 TEMPERED WATER PMR1305 TEMPERED WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1317 VENT PMR1316 WASTE PMR1320 WASTE PMR1322 WATER PMR1323 WELL WATER PMR1323 → → → → → → WATER PMR1323 WELL WATER PMR1334 → → → WATER PMR1329	STEAM SUPPLY	PMR1365
STORM WATER PMR1294 SUPPLY PMR1302 SUPPLY PMR1301 SUPPLY PMR1300 TEMPERED WATER PMR1305 TEMPERED WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1317 VENT PMR1316 WASTE PMR1320 WASTE PMR1322 WATER PMR1323 WELL WATER PMR1324 + + + PMR1334 + + + + + PMR1333 + + + PMR1329	STEAM SUPPLY	PMR1291
SUPPLY PMR1302 SUPPLY PMR1301 SUPPLY PMR1300 TEMPERED WATER PMR1305 TEMPERED WATER PMR1304 TOWER WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1314 VENT PMR1316 WASTE PMR1320 WASTE PMR1322 WASTE PMR1323 WELL WATER PMR1323 + + + + PMR1333 PMR1334	STORM DRAIN	PMR1292
SUPPLYPMR1301SUPPLYPMR1300TEMPERED WATERPMR1305TEMPERED WATERPMR1304TOWER WATERPMR1308TREATED WATERPMR1308TREATED WATERPMR1311VACUUMPMR1315VACUUMPMR1314VENTPMR1316WASTEPMR1366WASTEPMR1320WASTEPMR1322WATERPMR1323WELL WATERPMR1323WELL WATERPMR1334++PMR1329	STORM WATER	PMR1294
SUPPLY PMR1300 TEMPERED WATER PMR1305 TEMPERED WATER PMR1304 TOWER WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1317 VENT PMR1316 WASTE PMR1320 WASTE PMR1322 WASTE PMR1323 WELL WATER PMR1323 PMELL WATER PMR1334 + + PMR1329 PMR1329	SUPPLY	PMR13Ø2
TEMPERED WATER PMR1305 TEMPERED WATER PMR1308 TOWER WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1314 VENT PMR1316 WASTE PMR1320 WASTE PMR1322 WASTE PMR1323 WELL WATER PMR1323 WELL WATER PMR1333 + + PMR1329	SUPPLY	PMR13Ø1
TEMPERED WATER PMR1304 TOWER WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1314 VENT PMR1316 WASTE PMR1366 WASTE PMR1320 WASTE WATER PMR1322 WASTE WATER PMR1323 WELL WATER PMR1323 → → → → → → → → → → → → PMR1333 → → → → →	SUPPLY	PMR1300
TOWER WATER PMR1308 TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1314 VENT PMR1317 VENT PMR1316 WASTE PMR1366 WASTE PMR1320 WASTE WATER PMR1322 WATER PMR1323 WELL WATER PMR1325 + + + + PMR1333 PMR1329	TEMPERED WATER	PMR13Ø5
TREATED WATER PMR1311 VACUUM PMR1315 VACUUM PMR1314 VENT PMR1317 VENT PMR1316 WASTE PMR1320 WASTE PMR1320 WASTE PMR1322 WASTE PMR1323 WATER PMR1323 WELL WATER PMR1334 + + PMR1333 PMR1329	TEMPERED WATER	PMR13Ø4
VACUUM PMR1315 VACUUM PMR1314 VENT PMR1317 VENT PMR1316 WASTE PMR1320 WASTE PMR1320 WASTE PMR1322 WASTE PMR1323 WALL WATER PMR1323 PMR1323 WELL WATER PMR1334 + + WATER PMR1333 > + WATER PMR1325	TOWER WATER	PMR13Ø8
VACUUM PMR1314 VENT PMR1317 VENT PMR1316 WASTE PMR1326 WASTE PMR1320 WASTE PMR1322 WASTE PMR1324 WATER PMR1323 WELL WATER PMR1325 + + + + PMR1333 PMR1329	TREATED WATER	PMR1311
VENT PMR1317 VENT PMR1316 WASTE PMR1366 WASTE PMR1320 WASTE PMR1322 WASTE PMR1322 WASTE PMR1323 WELL WATER PMR1325 PMR1325 PMELL PMR1334 PMR1323 PMR1323	VACUUM	PMR1315
VENT PMR1316 WASTE PMR1366 WASTE PMR1320 WASTE PMR1322 WASTE PMR1324 WATER PMR1323 WELL WATER PMR1325 + + + + PMR1333 PMR1329	VACUUM	PMR1314
WASTE PMR1366 WASTE PMR1320 WASTE WATER PMR1322 WATER PMR1324 WATER PMR1323 WELL WATER PMR1325 + + + + + + WR1323 PMR1325	VENT	PMR1317
WASTE PMR1320 WASTE WATER PMR1322 WATER PMR1324 WATER PMR1323 WELL WATER PMR1325 + + + + + PMR1334 + + + + + PMR1333 + + + + + PMR1329	VENT	PMR1316
WASTE WATER PMR1322 WATER PMR1324 WATER PMR1323 WELL WATER PMR1325 + + + + + + + + WR1333 PMR1329	WASTE	PMR1366
WATER PMR1324 WATER PMR1323 WELL WATER PMR1325 + + + PMR1333 PMR1333 + + + PMR1329 PMR1329		PMR132Ø
WATER PMR1323 WELL WATER PMR1325 +> +> PMR1334 +> +> +> PMR1333 +> +> +> PMR1329	WASTE WATER	PMR1322
WELL WATER PMR1325 + + PMR1334 + + PMR1333 + + PMR1329	WATER	PMR1324
Image: Provide the second se	WATER	PMR1323
→ → → → PMR1333 → → → → PMR1329	WELL WATER	PMR1325
PMR1329	$\rightarrow \rightarrow \rightarrow \rightarrow$	PMR1334
	$\rightarrow \rightarrow \rightarrow \rightarrow$	PMR1333
🔶 🔶 🔶 PMR1331	$\rightarrow \rightarrow \rightarrow \rightarrow$	PMR1329
		DMD1221

HOW TO ORDER:

HOW TO URDER:					
SELECT MARKER - PMR1ØØØ	SELECT SIZE CODE - D	ADD TOGETHER PMI	R1ØØØD		
Size Code	Marker Size	Diameter of Pipe	Letter Height	Roll Length	Legends per Roll
D	1" x 9"	3/4" to 2"	3/4"	1" x 54'	72
F	2" x 9"	2-1/2" to 6"	1-1/2"	2" x 54'	72
Size Code	Marker Size	Diameter of Pipe	Arrow Height	Roll Length	Arrows per Roll
D	1" x 3"	3/4" to 2"	3/4"	1" x 54'	216
F	2" x 3"	2-1/2" to 6"	1-1/2"	2" x 54'	216
w w	w.in	c o m d	irect	<u> </u>	NCOM

Safety Floor Signs Anti-Slip

These high visibility graphic floor signs provide a constant reminder to your employees about important Workplace Hazard, Safety Requirement and General Notice information details.

Constructed from a high quality adhesive vinyl, we laminate a thick textured vinyl to these signs for added durability as well as slip resistance. The sub-surface printed images provide extended durability and will stand up to heavy pedestrian traffic. The aggressive adhesive will adhere to most smooth, clean and dry floors.

17" maximum diameter.











Glow-In-The-Dark

Floor Signs Anti-Slip





Enhance your emergency exit routing with our Glow in the Dark floor signs. These signs combine a thick textured vinyl for durability and slip resistance, to our Glow in the Dark material for visibility in low light conditions. The clear graphics are easily understood and are highly visible. Our luminous signs will maintain visibility to the light adjusted eye for up to 6-hours. 17" maximum diameter.

MEETS OR EXCEEDS STANDARDS:

- PSPA Standard 002 Part 2 1993, Class A+B Rev 2
- IMO Resolution A. 752 (18)
- ISO 15370
- ASTM / E 162 / E 648 / E 662
- ASTM E 2072-00 / E 2073-00
- DIN 67510 Parts 1-4

Ultra Durable Floor Signs



Armor Stripe offers an extremely durable system to aid in floor safety signage. These products are made from an ultra durable plastic without the use of print. This special process ensure that the image will remain legible through the entire life of the floor signing system.

These floor signs are made from a through-color solid 0.055" thick rigid polyethylene surface with an ultra tacky heavy coat weight adhesive backing. They will adhere to most any clean smooth surface with a very high tack bond while offering a low residue removal from most applications. Complies with ANSI B101.1 SCOF (Dry) and ANSI A137.1 (Dry) for use in dry floor applications.

Edges for signs have been tapered to reduce wheel impact from forklift and pallet jack traffic.

Available in an assortment of stock sizes and colors with custom options available.



Size: 17" x 17"



ASM3006 Size: 17" x 17"



ASM3012 Size: 17" x 17"



I.H.

ASM3007

Size: 17" x 17"

ASM3013

Size: 17" x 17"



ASM3002 Size: 17" x 17"



ASM3008 Size: 17" x 17"



ASM3014 Size: 17" x 17"



HEARING

PROTECTION

ASM3003

Size: 17" x 17"

STOP

ASM3009

Size: 17" x 17"

ASM3015 Size: 17" x 17"



Size: 23" x 35"



ASM3004 Size: 17" x 17"



Size: 17" x 17"



ASM3010 Size: 17" x 17"





Size: 17" x 17"





Size: 23" x 35"

o m

С



Size: 23" x 35"













Edges of all shapes have been tapered to reduce wheel impact. Solid throughcolor plastic offers extended durability.





NCOM

Ultimate Durability • Directing Workflow, Sorting & Organization • Clean Removal From Most Applications • Assisting in 5S Compliance • Thick Rigid Plastic Construction • Heavy Coat Weight High Tack Adhesive



Ultra Durable Lean/5S Workplace Markers

Edges of all shapes have been tapered to reduce wheel impact. Solid through-color plastic offers extended durability.





28

ArmorStripe offers an extremely durable system to aid in floor layout, sorting and workflow for 5S Lean manufacturing standards.

These markers are made from a through-color solid 0.055" thick rigid polyethylene surface with an ultra tacky heavy coat weight adhesive backing. They will adhere to most any clean smooth surface with a very high tack bond while offering a low residue removal from most applications.


Available in an assortment of stock sizes and colors with custom options available.

Color						35"
White	ASM1ØØW	ASM11ØW	ASM12ØW	ASM13ØW	ASM19ØW	ASM21ØW
Black	ASM1ØØK	ASM11ØK	ASM12ØK	ASM13ØK	ASM19ØK	ASM21ØK
Yellow	ASM1ØØY	ASM11ØY	ASM12ØY	ASM13ØY	ASM19ØY	ASM21ØY
Red	ASM1ØØR	ASM11ØR	ASM12ØR	ASM13ØR	ASM19ØR	ASM21ØR
Blue	ASM1ØØB	ASM11ØB	ASM12ØB	ASM13ØB	ASM19ØB	ASM21ØB
Green	ASM1ØØG	ASM11ØG	ASM12ØG	ASM13ØG	ASM19ØG	ASM21ØG
Orange	ASM1ØØN	ASM11ØN	ASM12ØN	ASM13ØN	ASM19ØN	ASM21ØN

m

INCOM www.incomdirect.co

Improved Durability • Marking Product Locations • Directing Workflow • Sorting & Organization Assisting in 5S Compliance Flexible opaque solid color vinyl Removable liner to aid in application



Textured Vinyl Lean/5S Workplace

Markers



New and improved thicker material now with a durable textured surface.



Our markers are specifically designed for use in Lean/5S Workplace Organization aiding in floor layout, sorting and workflow.

These markers are made from a vinyl film with a thick textured anti-slip lamination. This combination provides extended durability and will stand up to heavy pedestrian traffic. The aggressive adhesive backing will work on most clean, dry and smooth floors. Sold 25 pieces per pack.

СОМ

m

Color				T		6"	3"		4	6"	3
White	LM1ØØW	LM11ØW	LM12ØW	LM13ØW	LM14ØW	LM15ØW	LM16ØW	LM17ØW	LM18ØW	LM19ØW	LM2ØØW
Black	LM1ØØK	LM11ØK	LM12ØK	LM13ØK	LM14ØK	LM15ØK	LM16ØK	LM17ØK	LM18ØK	LM19ØK	LM2ØØK
Yellow	LM1ØØY	LM11ØY	LM12ØY	LM13ØY	LM14ØY	LM15ØY	LM16ØY	LM17ØY	LM18ØY	LM19ØY	LM2ØØY
Red	LM1ØØR	LM11ØR	LM12ØR	LM13ØR	LM14ØR	LM15ØR	LM16ØR	LM17ØR	LM18ØR	LM19ØR	LM2ØØR
Blue	LM1ØØB	LM11ØB	LM12ØB	LM13ØB	LM14ØB	LM15ØB	LM16ØB	LM17ØB	LM18ØB	LM19ØB	LM2ØØB
Green	LM1ØØG	LM11ØG	LM12ØG	LM13ØG	LM14ØG	LM15ØG	LM16ØG	LM17ØG	LM18ØG	LM19ØG	LM2ØØG
Orange	LM1ØØN	LM11ØN	LM12ØN	LM13ØN	LM14ØN	LM15ØN	LM16ØN	LM17ØN	LM18ØN	LM19ØN	LM2ØØN
										Stanger C	

Withstands Forklift Traffic • Abrasion Resistant • Low Profile • Easy to Install • Cleans Easily • Pedestrian Friendly • Removes Cleanly

Ultra Durable Floor Marking Tape

Tuff Mark® provides a long lasting solution for marking floors, aisles, walkways and work flow in your facilities. This extra-tough, low profile, easy to apply Floor Marking product is made with heavy duty materials making this tape highly durable, as well as abrasion and chemical resistant.

The rigid construction makes this tape easy to install as well as easy to clean and maintain. The aggressive adhesive will bond to most floors making this tape resistant to tearing, wrinkling or lifting even under heavy forklift traffic. Once applied, the low profile design makes this tape a great choice for use in areas with forklift, hand truck or pedestrian traffic. Removes from most floor surfaces cleanly without chipping, tearing or leaving unsightly adhesive residue.

Tuff Mark® is available in a wide selection of sizes and can be customized with a printed message or specific color.

*Tuff Mark® Standards:


- ANSI Standard Z535.1 for color
- Average dry BPN: 125 (Dynamic slip resistance using ASTM E303-93 (2013) pendulum test method)
- Average dynamic coefficient of friction: Overall average: Dry 0.60 (ANSI A137.1 flooring slip resistance test)

*See Data Sheet for complete details.









Polyester Over Lamination Durable Abrasion and chemical resistant

Safety Color

2 Satery Color ANSI Standard Z535.1 for color

Aggressive Adhesive

Bonds to most floor types and removes cleanly

Removable Liner

For ease of application

Size	Safety Green	Safety White	Safety Red	Safety Blue	Safety Orange	Safety Yellow	Safety Black	Red/ White	Yellow/ Black	White/ Black
2" x 100'	TM11Ø2G	TM11Ø2W	TM11Ø2R	TM11Ø2B	TM11Ø2N	TM11Ø2Y	TM11Ø2K	TM12Ø2RW	TM12Ø2YB	TM12Ø2BW
3" x 100'	TM11Ø3G	TM11Ø3W	TM11Ø3R	TM11Ø3B	TM11Ø3N	TM11Ø3Y	TM11Ø3K	TM12Ø3RW	TM12Ø3YB	TM12Ø3BW
4" x 100'	TM11Ø4G	TM11Ø4W	TM11Ø4R	TM11Ø4B	TM11Ø4N	TM11Ø4Y	TM11Ø4K	TM12Ø4RW	TM12Ø4YB	TM12Ø4BW
	\A/ \A/	\M/	inc	o m	d i	rec	+	c o r	n	

3

Aisle Marking Conformable

Tape

We offer a wide selection of quality aisle marking and pipe banding tapes. Our Aisle Marking PVC (vinyl) Tapes are made from a durable vinyl film with a rubber adhesive system that will adhere to most any clean, dry surface.

Vinyl offers a matte smooth conformable tape that is great for marking hazards on floors, walls and equipment. Commonly used in aisle demarcation, color coding and pipe banding applications. All tapes are made in a wide array of OSHA colors that meet ANSI Z535.1 and offer excellent durability and chemical resistance.

For added durability and a slip resistant surface, see our Clear Over-Lamination tape on the opposite page.

COLOR	DESIGNATION	APPLICATIONS
RED	FIRE	To designate the location of protection equipment and apparatus, including fire-alarm boxes, fire-blanket boxes, fire extinguishers, fire-exit signs, fire hose locations, fire hydrants and fire pumps.
	DANGER	To identify safety cans or other portable containers of flammable liquids, lights at barricades and at temporary obstructions, danger signs.
	STOP	To mark emergency stop bars on hazardous machines, stop buttons.
ORANGE	HAZARDOUS/BIOHAZARD	To mark dangerous parts of machines and equipment that may cut, crush, shock or otherwise injure. Intermediate level of hazard. Fluorescent orange or orange-red are used to signify biological hazards.
YELLOW, Yellow/Black	CAUTION	To mark physical hazards which might result in stumbling, falling, tripping, striking against or being caught between.
GREEN	SAFETY	To mark the location of first aid and safety equipment.
BLUE	WARNING	To warn against starting, using or moving equipment under repair. Also used for designating information such as informational signs and bulletin boards.
BLACK/WHITE	BOUNDARIES	To designate traffic aisles, housekeeping markings, stairways (risers, direction and border limit lines) and directional signs.
WARNING: Car www.P65Warnir	ncer and Reproductive Ha ngs.ca.gov.	rm -

С

0

m

d

С

0

m

COM

w

w

w

Large Color Selection • Hazard Identification • Durable PVC Film • Rubber Adhesive • Any Slit Widths • 36 Yard Lengths • 60 Yard Lengths





Clear Over-Lamination

Looking for additional durability for your aisle marking project? Our Floor Tape Lamination will extend the life of your floor markings, while enhancing slip resistance. This product provides a slip resistant surface in compliance with UL 410-COF For Floor Graphics.



Tape DispenserUse our aisle tape dispenser to quicklyinstall large aisle marking projects.Maximum 4" wide rolls.WTD2ØØ



Size	Safety	Safety	Emerald	Safety	Light							
	Yellow	Green	Green	Red	White	Black	Gray	Brown	Orange	Purple	Blue	Blue
1" x 108'	PST11Ø	PST111	PST123	PST112	PST113	PST115	PST116	PST117	PST118	PST122	PST121	PST124
2" x 108'	PST21Ø	PST211	PST223	PST212	PST213	PST215	PST216	PST217	PST218	PST222	PST221	PST224
3" x 108'	PST31Ø	PST311	PST323	PST312	PST313	PST315	PST316	PST317	PST318	PST322	PST321	PST324
4" x 108'	PST41Ø	PST411	PST423	PST412	PST413	PST415	PST416	PST417	PST418	PST422	PST421	PST424
6" x 108'	PST61Ø	PST611	PST623	PST612	PST613	PST615	PST616	PST617	PST618	PST622	PST621	PST624
1" x 180'	PST11ØXL	PST111XL	PST123XL	PST112XL	PST113XL	PST115XL	PST116XL	PST117XL	PST118XL	PST122XL	PST121XL	PST124XL
2" x 180'	PST21ØXL	PST211XL	PST223XL	PST212XL	PST213XL	PST215XL	PST216XL	PST217XL	PST218XL	PST222XL	PST221XL	PST224XL
3" x 180'	PST31ØXL	PST311XL	PST323XL	PST312XL	PST313XL	PST315XL	PST316XL	PST317XL	PST318XL	PST322XL	PST321XL	PST324XL
4" x 180'	PST41ØXL	PST411XL	PST423XL	PST412XL	PST413XL	PST415XL	PST416XL	PST417XL	PST418XL	PST422XL	PST421XL	PST424XL
6" x 180'	PST61ØXL	PST611XL	PST623XL	PST612XL	PST613XL	PST615XL	PST616XL	PST617XL	PST618XL	PST622XL	PST621XL	PST624XL




Hazard Identification • Aisle Marking • Durable PVC Film

Hazard Warning Conformable & Laminated










We take our PVC Hazard Marking Tape and apply a durable, clear laminating film on top. The smooth gloss finish will resist wear and is easily cleaned. The over lamination improves the ability of the tape to withstand heavy abrasion. The gloss surface also adds a premium "finished" look to your application.



CONFORMABLE

Color	2"x 54'	3" x 54'	4" x 54'	2" x 108'	<i>3" x 108'</i>	4" x 108'
Yellow/Black	VHT21Ø	VHT31Ø	VHT41Ø	WT211Ø	WT213Ø	WT214Ø
Red/White	VHT211	VHT311	VHT411	WT22ØØ	WT221Ø	WT222Ø
Black/White	VHT212	VHT312	VHT412	WT23ØØ	WT231Ø	WT232Ø
Green/White	VHT213	VHT313	VHT413	WT24ØØ	WT241Ø	WT242Ø
LAMINA	TED				Contra and	
Color	2"x 54'	3" x 54'	4" x 54'	2" x 108'	3" x 108'	4" x 108'
Yellow/Black	LWT21Ø	LWT31Ø	LWT41Ø	LWT22Ø	LWT32Ø	LWT42Ø
Red/White	LWT211	LWT311	LWT411	LWT221	LWT321	LWT421
Black/White	LWT212	LWT312	LWT412	LWT222	LWT322	LWT422
Green/White	LWT213	LWT313	LWT413	LWT223	LWT323	LWT423



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

m

Hazard Identification • Visual Awareness • Durable Synthetic Film • Protective Lamination

Checkerboard Laminated Tape





A unique way to draw attention to your workplace hazards. Our Checkerboard Tape has 1" square pattern and is constructed with a PVC film with a protective clear lamination.

All Checkerboard Tapes have an aggressive adhesive system that will adhere to most any clean, dry surface.



w

LAMINA	TED					
Color	2"x 54'	3" x 54'	4" x 54'	2" x 108'	<i>3" x 108'</i>	4" x 108'
Yellow/Black	LCB21Ø	LCB31Ø	LCB41Ø	LCB22Ø	LCB32Ø	LCB42Ø
Red/White	LCB211	LCB311	LCB411	LCB221	LCB321	LCB421
Black/White	LCB212	LCB312	LCB412	LCB222	LCB322	LCB422
Green/White	LCB213	LCB313	LCB413	LCB223	LCB323	LCB423

Chemical Resistant • Easily Cleaned • Assorted Colors • Aggressive Adhesive
Indoor or Outdoor Durable • Reinforced Film Carrier • Abrasion Resistant
• Low-Profile • Slip-Resistant Surface • Low Level Reflectivity

Heavy Duty Outdoor Safety Marking Tape







Looking for the long term safety tape solution? Try our Heavy Duty Armadillo® floor marking tape. Designed with both safety and durability in mind, Armadillo® tape is constructed on a thick reinforced carrier with an aggressive permanent weather-proof adhesive system. Suitable for indoor and outdoor applications. The surface is mildly abrasive to offer slip resistance that is still easy to clean. The tape's vibrant color and low level reflective surface also provides an effective warning of potential hazard areas.

Tape will adhere to a wide variety of industrial surfaces including smooth concrete, asphalt, wood and steel. The low profile design of the tape makes it a great option in areas with fork truck traffic or pedestrians. Tape can be easily cleaned with standard industrial cleaning machines and procedures.

Description	Size
Yellow Armadillo Tape	3" x 108'
Green Armadillo Tape	3" x 108'
Red Armadillo Tape	3" x 108'
White Armadillo Tape	3" x 108'
Blue Armadillo Tape	3" x 108'
	Yellow Armadillo Tape Green Armadillo Tape Red Armadillo Tape White Armadillo Tape



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.



Meets UL 410 COF For Anti-Slip Surface • Long-Term Durability • Exit Doors, Routing, Protective Equipment, Work Zones, Egress Markings, Emergency Equipment

Worded Floor Safety Tape



Worded floor tapes are a great way to effectively and permanently communicate safety messages and hazards to your employees and visitors.

WETPROTE

F001

These tapes are made from a totally synthetic construction for long term durability. All tapes have a slip resistant clear over-lamination to offer long-term protection to the printed messages.


All tapes provide a slip resistant surface in compliance with UL 410-COF For Floor Graphics. Custom graphics also available. Roll Size: $3" \times 54'$

K SLIPPERY WHEN WET SAFETY GLASSES SAFETY I WTP1ØØ WTP1Ø1 WTP1	FOOTWEAR
WTP1Ø3 WTP1Ø4 WTP1	
🚸 FIRE AISLE - KEEP CLEAR 🛛 🔀 EMERGENCY EXIT 🛛 🦻 ARC FLASH	BOUNDARY
WTP1Ø5 WTP1Ø6 WTP1	1Ø7
IN AUTHORIZED PERSONNEL ONLY & FIRE EQUIPMENT	\rightarrow
WTP1Ø9 WTP11Ø WTP	111

Easily Applied • Assorted Colors • Custom Color & Size • Solid Colored Vinyl Film • Aggressive Adhesive • Low Profile • Chemical Resistant

Colored Vinyl Arrows & Dots





Our colored vinyl arrows and dots make a great choice for marking direction of travel or demarcation of hazards. Commonly used for production work flow, inventory management and pedestrian directional aids.

Arrows and dots are all made from a durable solid colored vinyl so there is no print to wear off, with an adhesive backing. Choose from a wide selection of stock colors. We also offer custom sizes and colors as special request.

Stock No.	Description	Qty/Roll
VA4ØØW	White 4" Vinyl Arrow	100
VA4ØØK	Black 4" Vinyl Arrow	100
VA4ØØG	Green 4" Vinyl Arrow	100
VA4ØØR	Red 4" Vinyl Arrow	100
VA4ØØB	Blue 4" Vinyl Arrow	100
VA4ØØY	Yellow 4" Vinyl Arrow	100
VC3ØØW	White 3" Vinyl Dots	500
VC3ØØK	Black 3" Vinyl Dots	500
VC3ØØG	Green 3" Vinyl Dots	500
VC3ØØR	Red 3" Vinyl Dots	500
VC3ØØB	Blue 3" Vinyl Dots	500
VC3ØØY	Yellow 3" Vinyl Dots	500



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

7 Year Durability • Assorted Colors • Custom Printing Options • Aggressive Adhesive • Engineer Grade • Glass Bead Technology • Meets ASTM D-4956-99 Reflectivity Type I

Engineer Grade Reflective

Tape





Looking for increased awareness? Try our line of Engineer Grade Reflective Tapes. These tapes offer vibrant daytime visibility with reflective properties for nighttime use.

All solid color tape is rated for use outdoors for a 7-year life span. Tape has an aggressive adhesive that will adhere to almost any clean, dry, smooth surface and meets ASTM D-4956-99 type 1.

Hazard striped products have a protective lamination to ensure the printed stripe will not wear off. Tape comes with removable release liner. These tapes are not intended for vehicle application, please refer to our vehicle grade product on page 40.

Custom printing and conversion also available. We also offer our entire range of reflective products in large format rolls. Striped product is not intended for long-term outdoor applications.

<u>a</u>								
Stock No.	1" x 30'	2" x 30'	3" x 30'	4" x 30'	1" x 150'	2" x 150'	3" x 150'	4" x 150'
Green	RST11Ø	RST1ØØ	RST13Ø	RST14Ø	RST511	RST512	RST513	RST514
White	RST111	RST1Ø1	RST131	RST141	RST521	RST522	RST523	RST524
Red	RST112	RST1Ø2	RST132	RST142	RST531	RST532	RST533	RST534
Blue	RST113	RST1Ø3	RST133	RST143	RST541	RST542	RST543	RST544
Yellow	RST114	RST1Ø4	RST134	RST144	RST551	RST552	RST553	RST554
Orange	RST115	RST1Ø5	RST135	RST145	RST561	RST562	RST563	RST564
Red/White	RST117	RST1Ø7	RST137	RST147	RST571	RST572	RST573	RST574
Yellow/Black	RST116	RST1Ø6	RST136	RST146	RST581	RST582	RST583	RST584
Orange/White	RST119	RST1Ø9	RST139	RST149	RST591	RST592	RST593	RST594
White/Black	RST111Ø	RST1Ø1Ø	RST131Ø	RST141Ø	RST51Ø1	RST51Ø2	RST51Ø3	RST51Ø4



INCOM 39

For use as Fleet Graphics • 7 Year Durability • Assorted Colors Custom Printing Options • Aggressive Adhesive • Engineer Grade • Glass Bead Technology

Flexible Vehicle Grade Reflective

Tape









Our Flexible Engineering Grade (RVG) Retro-Reflective sheeting is a product manufactured primarily for use as fleet markings, vehicle markings, stickers & decals, etc. However, it can also be used on commercial signs and various labels and highly resistant against the extremes of hot, cold, dry, and humid weathering conditions. The sheeting is formulated specifically to have greater flexibility but still capable of offering high retro-reflective surface. The tape comes with a release liner to allow easier handling and to protect the pressure sensitive permanent adhesive. Best results are obtained when applied to flat surfaces, but it can be applied successfully to corrugated materials. When the RVG series retro-reflective sheeting is handled and applied properly it will have a performance life of 7 years when exposed vertically.


Due to the wide variety of applications, we recommend that only professionals with experience in fleet or vehicle graphics install this product. Once installed it becomes very difficult to remove or augment and may cause damage to the surface applied to. We are not liable for any damages resulting from the use of this product.

Color	Black	Blue	Gold	Green	Orange	Red	White	Yellow
1" x 50'	RVG15ØBK	RVG15ØBL	RVG15ØGL	RVG15ØGR	RVG15ØNG	RVG15ØRD	RVG15ØWH	RVG15ØYL
2" x 50'	RVG25ØBK	RVG25ØBL	RVG25ØGL	RVG25ØGR	RVG25ØNG	RVG25ØRD	RVG25ØWH	RVG25ØYL
4" x 50'	RVG45ØBK	RVG45ØBL	RVG45ØGL	RVG45ØGR	RVG45ØNG	RVG45ØRD	RVG45ØWH	RVG45ØYL
6" x 50'	RVG65ØBK	RVG65ØBL	RVG65ØGL	RVG65ØGR	RVG65ØNG	RVG65ØRD	RVG65ØWH	RVG65ØYL
			IX					
NCOM	W/ 1		i n c	o m d	i r e	c t	c o m	

Imprint Your Own Logo • Meets DOT-C2 Specifications • 750+ Candlepower Highest Night Time Visibility

Conspicuity DOT-C2 Reflective

Tape



Require the highest standard in reflectivity on the market? Try our line of Conspicuity reflective tapes. They exceed the requirements of NHTSA (49 CFR 571), and every strip carries the DOT-C2 legal certification for compliance. The modular pattern of reflective prisms allows the tape to be mounted in any position while maintaining reflective performance. Typical brightness of 750+ candlepower. This conspicuity tape meets the industry's highest visibility guidance in wet or dry weather conditions with full reflective strength from distances of 1,000 feet or more. Easy to apply, our tape sticks to a variety of surfaces including fiberglass, aluminum and painted steel (please make sure surface is clean, dry and oil free before application).



w

Please contact customer service for information on our custom imprint program. We are able to add your company name or logo to any of our conspicuity products.

Stock No.	Description	Size
V572Ø3	Conspicuity Tape (Red & White) 11"/ 7" Pattern	2" x 150'
V572Ø3SR	Conspicuity Tape (Red & White) 11"/7" Pattern	2" x 30'
V572Ø36	Conspicuity Tape (Red & White) 6"/ 6" Pattern	2" x 150'
V572ØWH	Conspicuity Tape (Solid White)	2" x 150'

Stick-on reflectors mount to any clean surface • Low profile - can't be knocked off like molded reflectors • All reflectors marked with SAE A DOT • Easy application and long term durability

Reflex Reflective



Our reflectors are designed with highly prismatic lenses secured to a durable transparent resin base. Produced on a clear poly liner, the rolls are easy to work with and the reflectors peel cleanly for application.

Each reflector is marked with the SAE A DOT certification. These reflectors are easy to install and are a cost effective alternative to plastic models. Meets or exceeds SAE J592 A.





INCOM www.incomdirect.com

High Intensity Reflective • Fluorescent Day Time • Long Distance Viewing • 10 Year Durability • Aggressive Adhesive • Easily Applied • Assorted Colors • Custom Color and Size Options







Superbrite

Super Brite is an excellent choice for marking anything that requires a high level of night time visibility, and a with a long term life cycle. The tape has an excellent entrance angularity and high intensity micro-prismatic surface. An aggressive adhesive system that will adhere to most any clean, dry surface. High Intensity product has a reflective value of over 4 times that of our standard engineer grade products. Intended for application on relatively flat surfaces only. Product meets or exceeds ASTM D-4956 Type III.

Neonbrite

Neonbrite fluorescent reflective is the newest high visibility product from INCOM. This product not only offers the highest levels of night time reflectivity, it is coupled with an extremely fluorescent lime color that stands out in day time applications as well. The tape has an aggressive adhesive backing with 10 year durability. Product meets or exceeds ASTM D-4956 Type VIII.

Color	2" x 30'	2" x 150"
Green	HRT23ØGR	HRT215ØGR
White	HRT23ØWH	HRT215ØWH
Red	HRT23ØRD	HRT215ØRD
Blue	HRT23ØBL	HRT215ØBL
Yellow	HRT23ØYL	HRT215ØYL
Orange	HRT23ØOR	HRT215ØOR
Yellow/Black	HRT23ØYB	HRT215ØYB
Red/White	HRT23ØRW	HRT215ØRW
Neonbrite	HRT23ØDB	HRT215ØDB

43

Abatement Polyethylene Tape

Our PTAK 33-series Poly Tape is designed specifically for the Abatement industry. The thick polyethylene offers a durable working surface while the synthetic rubber adhesive will bond well to most surfaces, even in lower temperatures. Ideal for use with poly sheeting in abatement applications. Tape will also remove cleanly from most surfaces in temporary application. Tape comes with a serrated "pinked" edge for easy tearing, even with gloves on.



High-Tack Polyethylene Tape

Our PTAK 39-series Poly Tape has a natural rubber adhesive with a high initial tack for quick bonding in difficult adherence applications. The tape is ideally suited for hanging or seaming polyethylene sheeting applications. Due to the aggressive nature of the adhesive, it may not remove cleanly after use, leaving some adhesive residue behind on temporary applications. Tape comes with a serrated "pinked" edge for easy tearing, even with gloves on.





Heavy-Duty Polyethylene Tape

Our PTAK 36-series Poly Tape is out most durable and versatile polyethylene tape product. The heavy coat weight of adhesive allows for a high adhesion to surfaces. This tape is effective for general patching as well heat shrink applications, and is used in truck manufacturing for isolating dissimilar metals. Adhesive is very strong and designed for permanent applications and may leave residue if removed.





Stucco UV Polyethylene Tape

Our PTAK 34-series Poly Tape is a UV stabilized product that offers solid outdoor durability even after prolonged exposure to sunlight. This tape is primarily used in the Stucco industry for building preparation. Once the job is finished, this tape will remove cleanly from most surfaces. Can also be used in winter watercraft storage or temporary storm sealing on buildings.







Good for hanging and seaming poly sheeting in abatement applications

Stock No.	Description	Size
PTK33R48SE	Red Abatement Tape	2" x 180'
PTK33R72SE	Red Abatement Tape	3" x 180'
The second se		



Natural rubber adhesive offering a high tack initial bond

Stock No.	Description	Size
PTK39NOR48SE	Orange High-Tack Tape	2" x 180'
PTK39NOR72SE	Orange High-Tack Tape	3" x 180'



Our thickest most durable grade for bundling and repair

and the second	And the second	the second s
Stock No.	Description	Size
PTK36C48	Clear Heavy-Duty Tape	2" x 180'
PTK36C72	Clear Heavy-Duty Tape	3" x 180'

Tape is UV stabilized offering cleanremoval from most surfaces

Stock No.	Description	Size
PTK34NR48	Red Stucco Tape	2" x 180'
PTK34NR72	Red Stucco Tape	3" x 180'

STRAIQHA

Improve Matting Safety • Reduce Slip, Trip and Fall Hazards

Double Sided Matting

Таре



Adheres with a strong adhesive to a wide variety of matting material and floor surfaces. Improve the appearance and safety of your workplace. Use our premium grade high-tack double sided matting tape to help hold your floor mats safely in place. Tape is constructed of a thick heavy cloth carrier with a aggressive adhesive coating on both sides.

Offers a high initial tack to a wide variety of matting materials and floor surfaces, while providing clean removal for most applications.

Description

Double Sided Matting Tape

Size

3" x 12'

m



Tape offers a strong instant bond between most floors and matting, while still removing cleanly in typical applications.

Stock No.

DCM312


D.O.T. Shipping Labels

CLASS 2

Shipping labels are essential for packages that contain dangerous goods. Our shipping labels are designed to meet and comply with D.O.T. regulations and ensure clear identification of hazardous contents.

D.O.T. shipping labels are printed with fade resistant inks and are available in two materials, paper for indoor applications and vinyl for extended outdoor usage.

Our shipping labels are manufactured to meet specifications under Title 49, Subtitle B, Chapter I, Subchapter C, Part 172 of the CFR.



Placards Dangerous

Placards are displayed on vehicles and tanks to identify the risk of products being transported. We manufacture our entire placard line to meet Department of Transport (DOT) guidelines and offer them in your choice of material. Our paper tagboard placards offer a cost effective single use; or rigid plastic placards offer multiple use even under severe weather conditions; and our adhesive backed vinyl placards is perfect for permanent marking.

Other DOT legends and custom UN numbered placards also available, please call for details.

Adhesive Vinyl

Goods


Intended for permanent application on the transport vehicle. They are constructed with an outdoor grade 4-MIL vinyl with an aggressive permanent adhesive backing. Once applied these placards provide a permanent DOT marking solution. 100/pack

Rigid Plastic

Manufactured on durable plastic able to withstand repeated usage under any weather conditions. The ink is applied using a silk screen process to ensure print quality and resist fading. Intended for use with placard holders. 100/pack

Tagboard

Made from a semi-rigid paper card stock with a water resistant coating on both sides. This material is intended for single trip usage, at an economical price. Intended for use with placard holders. 100/pack





i n c 0 d r e ct.c 0 m

HAZCOM 2012 Worker Training DVD

Our GHS Worker Training DVD is a 30 minute video presentation that focuses solely on GHS and what the changes mean to the end user in your work place. During this DVD, students will learn what GHS is and how it affects them. The video explains the GHS Pictograms, Signal Words, the three main Hazard classes, as well as the Hazard and Pre-Cautionary Statements. It also reviews how the Labeling and Safety Data Sheets (SDS) have changed, what they will look like, and how it will impact the end user in your workplace.

This video is currently available in English and Spanish (each language is sold separately).

WorkerTra	Video Training Program
Nation Production Fair Cartie	Gebally Harmonized System
dea for CHIS	Globally Harmond Read (CON) Worker Training Video The Charles Human Read (CON) Constraint Human Read (Soft) Size Store Video Training Program
witten by Da	In M. Rabar Ph.D. CHI. Intel. Cont.
Automotion pin terr	Market Har
	The second secon

Stock No.	Description
GHS2Ø11EN	Worker Training Video - English
GHS2Ø11SP	Worker Training Video - Spanish

SDS Pocket Booklet

Our SDS Pocket Booklet is designed as a quick reference guide to the new style Safety Data Sheets (SDS) under GHS. This booklet provides an alphabetical list of terms and definitions for all the relevant GHS terminology, sections of the SDS. GHS symbols as well as a table breakdown of Acute Toxicity Classes. The booklet also provides a full color index of GHS hazard symbols and their meanings. Designed to fit easily in a shirt pocket or desk-top for easy reference.

The booklets are 3-5/8" x 4-7/8" and sold 10/pkg (English edition - 42 pages).

W

W

W


HAZCOM Wallet Cards

Our GHS Wallets Cards are a quick and easy reference to the new GHS pictograms and their meanings. One side of the card provides the complete set of GHS pictograms with a detailed description of each. The other side contains the list of information required to be found on an SDS (Safety Data Sheet) as well as the images of the various Precautionary Statement Pictograms.

0

m

Each card is 4-1/4" x 2-1/2". Sold in packages of 50.



С

GHS Trained Iron-On Fabric Patches

Our GHS Safety Trained badges give your staff a visual reminder for the information they have been trained on. These embroidered badges measure 2.5" in diameter and come with an iron on adhesive backing for easy application to uniforms.

10 per pack



GHS Trained Vinyl Stickers

Our GHS Safety Trained Stickers feature the same design as our Fabric Patches. These decals are great handouts at the completion of your GHS training sessions. 2.5" in diameter and printed on peel and stick vinyl, these decals come 2 per sheet, 5 sheets per package.

10 per pack



Small and Medium Business Compliance Kit

Our Business Training Kit provides the components to assist your workforce in preparation for the changes that GHS brings to HAZCOM This kit has been designed for the small business where HAZCOM training is needed for light chemical use.

Included in this kit with our GHS Information Center, are the support materials to help get your workplace ready. Our informative Workers Training Video is a 30 minute video presentation that focuses solely on GHS and what the changes mean to the end user in your work place.

Also included in this kit are our SDS Pocket Booklets, GHS Wallet Cards and GHS Trained vinyl stickers. Perfect items for training reminders and quick reference while on the job.



English		
GHS2Ø15	Small Business Kit Includes (En)	Qty
	GHS Information Station (18" x 24")	1
	Workers Training Video	1
	SDS Pocket Booklet	10
	GHS Wallet Cards	10
	GHS Trained Vinyl Stickers	10
	Quiz Certificate	10
GHS2Ø17	Medium Business Kit Includes (En)	Qty
	GHS Information Station (24" x 36")	1
	Workers Training Video	1
	SDS Pocket Booklet	25
	GHS Wallet Cards	25
	GHS Trained Vinyl Stickers	25
	Quiz Certificate	25

Span	ish
------	------------

GHS2Ø19	Small Business Kit Includes (Es)	Qty
	GHS Information Station (18" x 24")	1
	Workers Training Video	1
	SDS Pocket Booklet	10
	GHS Wallet Cards	10
	Quiz Certificate	10
GHS2Ø18	Medium Business Kit Includes (Es)	Qty
	GHS Information Station (24" x 36")	1
	Workers Training Video	
SDS Pocket Booklet		25
	GHS Wallet Cards	25
	Quiz Certificate	25

HAZCOM 2012 Information Wall Chart

Our GHS Wall Chart provides a comprehensive overview of new GHS labeling requirements. The chart details the 3 main hazard groups; Physical, Health & Environmental. The requirements for supplier labels when decanting or transferring hazardous chemicals; visual representations of the precautionary statement pictograms; and a list of the information required on a Safety Data Sheet. Mount this durable, pliable plastic chart in a prominent place to help refresh your employee's knowledge of the GHS requirements. Available in two sizes and bilingual languages.



Stock No.	Description
GHS1ØØ3	Wall Chart (24" x 36")
GHS1ØØ4	Wall Chart (18" x 24")
GHS1Ø29	Wall Chart - English/Spanish (24" x 36")

HAZCOM 2012 Pictogram Wall Chart

Our GHS Pictogram Poster is a quick and easy way to convey the new GHS pictograms in the workplace. This wall chart clearly displays the new pictograms and arranges them by their hazard group under the GHS: Physical, Health & Environmental hazards. The wall chart also provides a detailed description of the related hazards. Printed in full color on durable, pliable plastic, this chart is easily mounted on any wall. Units are 24" x 36".

HAZCOM 2012 Simplified Pictogram Wall Chart

Our Simplified Pictogram Chart quickly illustrates the GHS hazard pictograms in a large bold format. The large sized pictograms are easily read from a distance making it a handy reference for any work environment. Printed in full color on a durable, pliable plastic, this chart is easily mounted on any wall. Available in two sizes.





Stock No.	Description
GHS1Ø27	Wall Chart (24" x 36")
GHS1Ø28	Wall Chart (18" x 24")

HAZCOM 2012 Information Station

Our GHS Information Station provides a central place to easily access all SDS sheets as well as the basic information required for the GHS system. The board is printed with the 3 main hazard groups; Physical, Health & Environmental. The requirements for supplier labels when decanting or transferring hazardous chemicals; visual representations of the precautionary statement pictograms; and a list of the information required on a Safety Data Sheet. The station is printed in full color on a mounting board and comes with a sturdy metal pocket. Each station also comes with a standard 3 ring SDS printed binder with A - Z alphabetical dividers to sort all of your Safety Data Sheets. The mounting board is constructed of rigid plastic with 4 mounting holes to provide easy mounting and years of durability. Available in two sizes and bilingual options.

Stock No.	Description
GHS1ØØ1	Station with 2 binders (24" x 36")
GHS1ØØ2	Station with 1 binder (18" x 24")
GHS1Ø38	Station with 2 binders - English/Spanish (24" x 36")

SDS Information Station

Our Safety Data Sheet Information Station provides a central place to easily access all SDS sheets for your plant or office. The Station comes with a sturdy metal pocket designed to hold the included binder. The mounting board is constructed of rigid plastic with 4 mounting holes to provide easy mounting and years of durability. Each station comes with a standard 3 ring SDS printed binder with A - Z alphabetical dividers to sort all of your Safety Data Sheets. Available in three sizes and bilingual options.

Stock No.	Description
GHS1Ø11	Station with 2 binders (24" x 36")
GHS1Ø32	Station with 2 binders - English/Spanish (24" x 36")
GHS1Ø12	Station with 1 binder (18" x 24")
GHS1Ø33	Station with 1 binder - English/Spanish (18" x 24")
GHS1Ø84	Station with 1 binder (17.5" x 15.5")

Safety Data Sheet Binder

Organize and access your Safety Data Sheets quickly and easily with our Safety Data Sheet Binders. Our binders come in two sizes. The regular size binders come with a standard 1-1/2" D-slant format ring. Our Large binder comes with a 3" D-slant ring for easy storage of large numbers of SDS sheets. All our binders come with sturdy A-Z alphabetical reinforced dividers to sort and organize your Safety Data Sheets.

Stock No.	Description
GHS1Ø49	Large SDS Binder with A-Z Dividers
GHS1ØØ8	SDS Binders with A-Z Dividers
GHS1Ø13	SDS Binders with A-Z Dividers - English/Spanish

0

W





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.





SDS Awareness Vinyl Decals

These SDS decals can be used on the binder pockets of our Information Stations or simply add it to a wall or storage area for your SDS information. Decals are 4" x 4" (100mm x 100mm) and come in sheets with 10 per pack. Printed on peel and stick vinyl. Available in SDS and FDS formats.

	HAZARDOUS PRODUCTS INFORMATION
SDS	Safety Data Sheets
000	SDS
FDS	

Stock No.	Description
GHS13Ø1	SDS Decal (English)
GHS13Ø2	FDS Decal (Spanish)

Metal SDS Storage Case

Our Metal SDS Storage Case provides a durable, protective, and secure area for storage of all your SDS records. Units have two metal closure latches. Our SDS Storage Case has 4 pre-drilled holes and is easily mounted to any wall in your facility. This highly visible case will accommodate any of our SDS binders (sold separately).

Inside Dimensions: 13.75"H x 13.875"W x 5"D

Stock No.	Description
GHS1Ø46	Metal SDS Storage Case

HAZCOM 2012 Information Decals

This GHS Information decal is a great choice for mounting inside delivery vehicles and on equipment. It covers topics important to employees dealing with product identified under the new GHS standards including the 5 main sections of a GHS Supplier Label and the GHS formatted pictograms, including the optional Environment picto. The decals are 8.5" wide, by 11" tall, printed on adhesive backed vinyl.

10 Decals/pack.



SIUCK NU.	Description
GHS1Ø47	Information Decal



Provide your employees with a quick and easy way to identify Hazard Classes and Personal Protective Equipment requirements. Our labels are manufactured on high gloss paper stock with a permanent pressure sensitive adhesive for ease of application and longer durability. Make clean, professional looking labels in minutes. Printed in sheets and padded with a cardboard backer for ease of use. Each sheet is perforated to allow removal when completed.

GE 0000 21 21 2 DEGREASEAL DEGREASEALINE 2 23 DANGER N 0 DANGER 123 23 23 23 23 23 2 23 23 23 23 2 23 23 Labels are sold in pads. PERMANENT 000 1" are 1,120 labels per pad ADHESIVE 000 1/2" are 1,820 labels per pad GHS1209 - 1" GHS1208 - 1" GHS1210 - 1" GHS1211 - 1" GHS1212 - 1" GHS1226 - ½' GHS1227 - 1/2' GHS1228 - 1/2' GHS1225 - 1/2' GHS1229 - 1/2" GHS1214 - 1" GHS1215 - 1" GHS1216 - 1" GHS1213 - 1" GHS1231 - 1/2" GHS1232 - ½"" GHS1233 - 1/2"" GHS1230 - 1/2" GHS1220 - 1" GHS1217 - 1" GHS1218 - 1" GHS1219 - 1" GHS1234 - ½' GHS1235 - 1/2" GHS1236 - 1/2" GHS1237 - 1/2" GHS1222 - 1" GHS1224 - 1" GHS1221 - 1" GHS1223 - 1"

GHS1240 - 1/2"

GHS1239 - ½'

GHS Hazard Pictogram Variety Pack

These Hazard Class Variety Packs provide an assortment of all the GHS hazard class pictograms in one convenient pack. The labels are manufactured on high gloss paper stock with removable adhesive. This makes is easy to peel cleanly from most surfaces including glass and plastic.

GHS1238 - 1/2'

A great choice for use in laboratory settings.

W

Stock No. Description GHS1299 1" Hazard Class Variety Pack (1,120 assorted labels per pad) GHS13ØØ 1/2" Hazard Class Variety Pack (1.820 assorted labels per pad)



GHS1241 - 1/2"

GHS Pictogram Placards 10³/₄" x 10³/₄"

These large format GHS Pictograms are 10.75" x 10.75" (273 mm x 273 mm) and perfect for marking your containment vessels or tanks. Printed on peel and stick vinyl, these pictograms are easily visable due to their large size. They come with a back split liner for easy application.



	Stock No.	
ste		10¾" x 10¾"
<u> (</u>)	GHS1257	4" x 4"
	GHS13Ø3	2" x 2"
\wedge	GHS1267	10¾" x 10¾"
$\langle - \rangle$	GHS1258	4" x 4"
\sim		2" x 2"
	GHS1268	10¾" x 10¾"
	GHS1259	4" x 4"
\sim	GHS13Ø5	2" x 2"
\wedge	GHS1269	10¾" x 10¾"
	GHS126Ø	4" x 4"
\sim	GHS13Ø6	2" x 2"
	GHS127Ø	10¾" x 10¾"
< 🖑 >		4" x 4"
	GHS13Ø7	2" x 2"
		10¾" x 10¾"
		4" x 4"
	GHS13Ø8	2" x 2"
\wedge	GHS1272	10¾" x 10¾"
$\langle I \rangle$		4" x 4"
	GHS13Ø9	2" x 2"
	GHS1273	10¾" x 10¾"
	GHS1264	4" x 4"
\sim	GHS131Ø	2" x 2"
ALK I	GHS1274	10¾" x 10¾"
< 些₂>	GHS1265	4" x 4"
$\overline{}$	GHS1311	2" x 2"

GHS Pictogram Labels 4" x 4"

Quickly and easily mark your goods for shipping with our GHS Hazard Pictograms. These pictograms are 4" x 4" (100 mm x 100 mm) and come in rolls of 500 labels. Printed on gloss paper with a peel and stick adhesive, these labels are easily applied to metal or plastic containers.

500 labels/roll

GHS Pictogram Labels 2" x 2"

Need a smaller format of GHS Pictograms for labelling your goods or documents? Our 2" x 2" GHS pictogram labels come in rolls of 500. Printed on gloss paper with peel and stick adhesive, these labels will apply easily to metal and plastic containers.

500 labels/roll





Signal Words are an important part of hazard identification in the GHS. These highly visible Signal Word placards are designed to be used with our GHS Pictograms. Available in 6.25" x 15.75" and printed on outdoor grade peel and stick vinyl using durable fade resistant inks. They come with a back split liner for easy application.


Stock No.	Description
GHS1275	DANGER Signal Work Sign
GHS1276	WARNING Signal Work Sign



56	INCOM	W W	. W	in c	omd	irec	t.cor

HAZCOM 2012 Secondary Workplace Tags and Labels

These labels and tags offer an easy to use design to correctly identify the hazard information for labeling secondary containers in your workplace. The tags are made from a waterproof synthetic stock that can easily be printed on. The labels are made using an premium peel and stick vinyl with a permanent adhesive. Both tags and labels come with a self laminating protective shield that is installed after completing the information, making them chemical and scuff resistant.



Make Your Own HAZCOM 2012 Workplace Tags

Our GHS tags offer a simple template design to build your tag on. The tags are made from a waterproof synthetic stock that can easily be printed on and the tags are sized to work with $\frac{1}{2}$ " pictograms and PPE label pads (sold separately). Build your own tags on demand that look professional and communicate your message clearly. Tags are 3" x 6" made from a durable rip-resistant waterproof stock with a reinforcing metal grommet.




Stock No.	Description	Size
GHS1Ø43	Self-Laminated Tag (25/pkg)	3" x 6"
GHS1Ø42	Tag (25/pkg)	3" x 6"

Make Your Own Laser Labels

Our laser printer templates make it easy for you to make your own label for the new GHS requirements. These paper laser printer ready sheets come with a pre-printed red boarder and pre-cut labels. Use any desktop publishing package to quickly make your own professional looking labels. Made from laser printable paper with permanent peel and stick backing. If color printing is not an option, use our Hazard Class and Personal Protective Equipment labels (sold separately) to complete your labels. Laser labels are sold in packages of 100 sheets.

Stock No.	Description
GHS1277LP	8.5" x 14" (1 per/sheet)
GHS1278LP	8.5" x 11" (1 per/sheet)
GHS1279LP	8.5" x 5.5" (2 per/sheet)
GHS128ØLP	4.25" x 5.5" (4 per/sheet)
GHS1281LP	2.83" x 2.75" (12 per/sheet)



Make Your Own Thermal Transfer Labels

Need an open format label for your GHS requirements? Try our generic GHS label system. Labels are Thermal Transfer paper with a permanent adhesive and can be hand printed or used in any standard Thermal Transfer printer. Use any standard desktop publishing package to quickly make your own Professional looking labels. Enhance the label with our Hazard Class and Personal Protective Equipment labels (sold separately). Labels sold by the roll.

Stock No.	Description
GHS12Ø4	4" X 2" (1000/roll)
GHS12Ø5	4" X 6" (500/roll)
GHS12Ø6	6" X 7.125" (250/roll)
GHS12Ø7	8" X 8" (250/roll)

NOTES



e-mail distributor@incomdirect.com online www.incomdirect.com