



HOME PRODUCTS

PRODUCT CATALOG

ROOF DRAINAGE SYSTEMS



MOISTURE PROTECTION



VENTILATION PRODUCTS



OUTDOOR LIVING PRODUCTS




SNOW RETENTION SYSTEMS



DIAMOND



Gutter Shield™



- **Pressure Fit Design Makes Installation Easy - No Fasteners Needed**
- **Easy to Handle 3 and 4 Foot Sections**
- **Compatible with Asphalt, Tile or Metal Roof System**
- **Drip Lip Reduces Tiger Striping**
- **Tested to Handle the Heaviest of Rainfall - Up to 40" per Hour**

- **Aluminum with High Impact Powder Coat Finish Reduces Scratching and Cracking**
- **Available in White, Brown and Black**
- **Available for 5" and 6" K Style Gutters**



For more product details see page 27.


Scan this tag to view product video.

US Patent Pending

For more information on the Diamond Gutter Shield visit DiamondGutterShield.com

Roof Drainage Systems

PAGE 5



- | | | | | |
|-------------------------------|---------------------------------|-----------------------------------|----------------------------|--------------------------|
| 5 Special Order Gutter Colors | 19 Hangers K Style | 24 Downspout Fasteners | 29 Co-Polymer Gutter Guard | 36 Flex Elbow™ |
| 6 Gutter Systems | 21 Hangers Half Round | 26 Gutter Protection | 29 Leaf Guard Plus | 36 Clip-Up Diverter Kit |
| 6 K Style Aluminum | 22 Shanks K Style & Half Round | 27 Gutter Guards | 29 Leaf Guard | 36 Vinyl Dripper Flipper |
| 8 Half Round Aluminum | 22 Strainers | 27 Gutter Shingle | 29 Gusher Guard | FLEX-Drain® |
| 9 K Style Galvanized | 23 Outlets K Style & Half Round | 27 Diamond Gutter Shield | | |
| 10 Half Round Galvanized | 23 Eave Boxes | 27 Gutter Cover | 30 Accessories | |
| 12 Freedom Gray Copper | 24 Funnels | 27 Snap-In Filter | 32 Flex-A-Spout® | |
| 13 Copper Rain Chains | 24 Downspout Tubes & Extensions | 28 Snap-In Guard | 32 Extend-A-Spout™ | |
| 14 K Style Copper | | 28 Lock-On Gutter Guard | 32 Rodent Guard | |
| 15 Half Round Copper | | 28 Hinged Gutter Guard | 32 Rodent Guard | |
| 16 Vinyl Traditional | | 29 Hinged Half Round Gutter Guard | 33 Splash Blocks | |
| 17 Vinyl Contemporary | | | 33 SuperScoop™ | |
| | | | 33 Gutter Wedge | |

Lawn Drainage System


PAGE 35



35 FLEX-Drain®

Moisture Protection

PAGE 37



- | | | |
|----------------------------|--------------------------------------|---------------------------------|
| 37 Roof Edge & Trim | 49 Window & Door Caps | 57 Deck Ledger Flashing |
| 37 A, B & C Style | 51 West Coast Roof Edges | 57 Roll Valley Flashing |
| 40 D & E Style | 51 Grip Edge | 57 Copper Flashing |
| 41 Overhanging Roof Edge | 51 Drip Edge | 58 Step Flashing |
| 41 F Style Vinyl | 52 Flashing Angle | 58 Termite Shield |
| 42 Vinyl Drip Edge | 53 Area Walls, Covers & Grates | 59 Corner Flex Flashing |
| 47 ODE Style | 53 Galvanized Area Walls | 59 W Valley |
| 47 FHA | 53 Galvanized Mini Area Walls | 59 Z Bar |
| 47 Miscellaneous Roof Edge | 54 Plastic Cover | 60 Miscellaneous Flashing |
| 47 H Style | 54 Translucent Cover | 60 Galvanized Ridge Roll Cap |
| 48 Vented Roof Edge | 54 Modular Egress Window Well System | 60 Aluminum Flashing Angle |
| 48 Roof Apron | 54 Galvanized Egress Area Wall | 60 Aluminum Rain Diverter |
| 48 Brick Molding | 54 Escape Ladder | 60 Galvanized Kick Out Diverter |
| | 57 Trim Coil Painted Aluminum | |

Ventilation Products

PAGE 61



- | | |
|---------------------------------|------------------------|
| 61 Pro-Master Ridge Vent™ | 63 Soffit Hanger |
| 61 AccuVent® | 63 J Channel |
| 61 Soffit & Fascia | 63 F Channel |
| 61 T4 Aluminum Soffit | 63 Crown Moulding |
| 62 D6 Aluminum Soffit | 63 Double Channel |
| 62 12"x12' Aluminum Soffit | 63 Fascia Aluminum 12' |
| 62 16"x12' Center Vent | |
| 4 Panel Aluminum Soffit | |
| 62 10"x12' QLOK Alum. Soffit | |
| 62 15"x12' QLOK Alum. Soffit | |
| 62 12"x12' TrapLok Alum. Soffit | |

Outdoor Living Products

PAGE 65



- | |
|-----------------------------------|
| 65 Vinyl Railing Systems |
| 65 Railing Kits |
| 65 Posts, Caps & Trim |
| 67 Optional Accessories |
| 68 Continuous Handrail Systems |
| 68 Continuous Handrail Components |

Snow Retention Systems

PAGE 70



- | |
|--|
| 70 Snow Guards for Shingle, Slate, Synthetic Slate, Tile & Shake Roofing |
| 71 Snow Guards for Metal Roofs |
| 74 Aluminum Snow Panels |

Miscellaneous

PAGE 75



- | |
|--|
| 75 Corner Bead |
| 76 Caulks & Sealants |
| 76 Touch-Up Paint |
| 77 Rivets, Nails & Screws |
| 78 Metal Bender & Blades, Wall Ties & Utility Sheet, Utility Trim & Starter Strip, Siding Corners, Wind T Bracing & Joist Bridging |

Appendix

PAGE A1



- | |
|----------------------------|
| A1 Gutter Assembly |
| A3 Rainfall Intensity Map |
| A3 Popular Hanger Choices |
| A4 Ventilation |
| A5 Snow Guard Technical |
| A7 Gutter FAQ's |
| A8 Gutter Glossary |
| A9 Roof Edge & Trim Styles |
| A10 Terms & Conditions |
| A11 Aluminum Color Program |



Amerimax Home Products, Lancaster, PA

Lancaster, Pennsylvania

450 Richardson Drive, Lancaster, PA 17603
Phone (800) 347-2586 (717) 299-3711
Fax (717) 299-2194

Duluth, Georgia

4455 River Green Parkway, Duluth, GA 30096
Phone (800) 735-6493
Fax (678) 377-0825

Grand Prairie, Texas

3125 N. Great Southwest Parkway, Suite 300
Grand Prairie, TX 75050
Phone (800) 726-4578 (972) 522-0148
Fax (888) 258-3298

Nappanee, Indiana

2341 E. Market Street, Nappanee, IN 46550
Phone (800) 729-5369
Fax (888) 396-2689

Sacramento, California

1835 Diesel Drive, Sacramento, CA 95838
Phone (800) 733-5684
Fax (877) 268-9328

Barrie, Ontario, Canada

26 Lorena Street, Barrie, Ontario, Canada L4N 4P4
Phone (800) 461-5706
Fax (800) 731-0385



© Shipping Locations

Roof Drainage Systems

Full Range of Special Order Gutter Colors Available!

*Call Amerimax for Details



| 5" Gutter System | |
|---|------------------|
| Gutter: Sold 10' sections (5") | 24002 ___* |
| Downspout: 10' (2"x3") | 24019 ___* |
| Inside Miter: (5") | 5INM ___* |
| Outside Miter: (5") | 5OTM ___* |
| Right End: (5") | 5ENR ___* |
| Left End: (5") | 5ENL ___* |
| Seamer: 2 per pack with 1 oz. SeamerMate® (Available in 5" only) | 25008 ___* |
| Hidden Hanger with Hex Head Screw: (5") | 210121 |
| Hidden Hanger with Roof Strap: 4 pack, nails included. Use when no Fascia Board available (5" only) | 21030PK |
| Unpainted Outlet: (2"x3")*** | 21051 |
| "A" Style Elbow: (2"x3") | 3AE ___* |
| "B" Style Elbow: (2"x3") | 3BE ___* |
| Downspout Bands | DPB ___* |
| SeamerMate® 10 oz. Cartridge | 85148 or 85150** |
| Sheet Metal Screws: 8 Per Pack | 85354 ___* |
| Touch-Up Paint: 12 oz. can, 12 Per Carton | 13TUP ___* |

| 6" Gutter System | |
|---|------------|
| Gutter: Sold 10' sections (6") | 44002 ___* |
| Downspout: 10' (3"x4") | 44011 ___* |
| Inside Strip Miter: (6") | 6ISM ___* |
| Outside Strip Miter: (6") | 6OSM ___* |
| Right End: (6") | 6ENR ___* |
| Left End: (6") | 6ENL ___* |
| Hidden Hanger with Hex Head Screw: (6") | 47814 |
| Unpainted Outlet: (3"x4") | 47251 |
| "A" Style Elbow: (3"x4") | 4AE ___* |
| "B" Style Elbow: (3"x4") | 4BE ___* |
| Downspout Bands | DPB ___* |
| SeamerMate® 10 oz. Cartridge | 85148 |
| Sheet Metal Screws: 8 Per Pack | 85354 ___* |
| Touch-Up Paint: 12 oz. can, 12 Per Carton | 13TUP ___* |

Important Notes:

Allow two week lead time

10' Gutter Sections available only

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

End with Drop not available in this program

***21051 Unpainted Outlets are not visible after installation

6" Seamer not available. Installation requires overlap of gutter, screw, and seal with SeamerMate®

Color Fandecks Available



Use the Color Designation below to indicate preferred color:

| | |
|--------------------|------------|
| 30° White | 010 or 30W |
| 80° White | 020 or 80W |
| Alcoa Musket Brown | AMB |
| Almond | 069 or AL |
| AMP Dark Bronze | ADB |
| Black | 025 or BL |
| Bone Linen | 230 or LI |
| Dark Bronze | 051 or DBZ |
| Grecian Green | 217 or GG |
| Herringbone | 220 or HE |
| Heritage Cream | 027 or HC |

| | |
|------------------|-----------|
| Light Maple | 028 or LM |
| Musket Brown | 059 or MB |
| Natural Clay | 790 or NC |
| Pearl Gray | 053 or PG |
| Pebblestone Clay | PB |
| Red | 221 or RE |
| Royal Brown | 015 or RB |
| Savannah Wicker | 460 or SW |
| Terra Bronze | 200 or BZ |
| Tuxedo Gray | 056 or TG |

K Style Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | White 30° | Brown | Natural Clay | High Gloss White 80° | Royal Brown |
|--|--|------------|-----------|----------|--------------|----------------------|-------------|
| | Straight Back Gutter **10' | | | | | | |
| | 5" .0185" | 10 | 26006 | 2400619 | 2400679 | - | - |
| | 5" .0255" | 10 | 26002 | 2400219 | - | - | - |
| | 5" .0305" | 10 | 26003 | - | - | - | - |
| | 6" .0255" | 5 | 46002 | - | - | - | - |
| | Hem Back Gutter **10' | | | | | | |
| | 5" .0255" | 8 | 26004 | - | - | - | - |
| | 5" .027" | 5 | - | - | - | K10HG5 | K10BR5 |
| | 5" .032" | 10 | - | - | - | K10325 | K10B35 |
| | 6" .032" | 5 | - | - | - | K10326 | K10BR6 |
| | Miter, Inside | | | | | | |
| | 5" | 20 | - | - | - | 5INM80W | 5INMRB |
| | 5" | 10 | 27201 | 2520119 | 25001079 | - | - |
| | 6" | 10 | 47001 | - | - | 6INM80W | 6INMRB |
| | Miter, Outside | | | | | | |
| | 5" | 20 | - | - | - | 5OTM80W | 5OTMRB |
| | 5" | 10 | 27202 | 2520219 | 25002079 | - | - |
| | 6" | 10 | 47002 | - | - | - | - |
| | 6" | 20 | - | - | - | 6OTM80W | 6OTMRB |
| | Strip Miter, Inside | | | | | | |
| | 5" | 20 | - | - | - | 5ISM80W | 5ISMRB |
| | 6" | 20 | - | - | - | 6ISM80W | 6ISMRB |
| | Bay Strip Miter, Inside | | | | | | |
| | 5" | 20 | - | - | - | 5ISMBG80W | - |
| | 6" | 20 | - | - | - | 6ISMBG80W | - |
| | Strip Miter, Outside | | | | | | |
| | 5" | 20 | - | - | - | 5OSM80W | 5OSMRB |
| | 6" | 20 | - | - | - | 6OSM80W | 6OSMRB |
| | | | | | | | |
| | Bay Strip Miter, Outside | | | | | | |
| | 5" | 20 | - | - | - | 5OSMBGS80W | - |
| | 6" | 20 | - | - | - | 6OSMB80W | - |
| | | | | | | | |
| | End w/Drop 5" | | | | | | |
| | 2" x 3" Drop | 12 | 27010 | 2501019 | 2501079 | - | - |
| | 2" x 3" Drop | 20 | - | - | - | KEPHG5 | KEPBR5 |
| | 3" x 4" Drop* | 12 | 27080* | 2508019* | - | - | - |
| | End w/Drop 6" | | | | | | |
| | 3" x 4" Drop* | 10 | 47080* | - | - | - | - |
| | *Includes two pieces. Assembly required. | | | | | | |
| | Left End | | | | | | |
| | 5" | 50 | 27005 | - | - | 5ENL80W | 5ENLRB |
| | 5" | 15 | 27205 | 2520519 | 25005079 | - | - |
| | 6" | 50 | 47005 | - | - | 6ENL80W | 6ENLRB |
| | Right End | | | | | | |
| | 5" | 50 | 27006 | - | - | 5ENR80W | 5ENRRB |
| | 5" | 15 | 27206 | 2520619 | 25006079 | - | - |
| | 6" | 50 | 47006 | - | - | 6ENR80W | 6ENRRB |
| | Connector | | | | | | |
| | 5" | 50 | - | - | - | KSJHG5 | KSJBR5 |
| | 5" | 30 | 27209 | 2520919 | 2500979 | - | - |
| | Seamer with 1 oz. SeamerMate® | | | | | | |
| | 5", 2/bag | 25 | 27008 | 2500819 | 25008079PK | - | - |
| | 6", 2/bag | 25 | 4700825 | - | - | - | - |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. **Available in longer lengths.

K Style Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | Unpainted | White 30° | Brown | Natural Clay | High Gloss White 80° | Royal Brown |
|--|---|------------|-----------|-----------|-----------|--------------|----------------------|-------------|
|  | Hidden Hanger w/Screw | | | | | | | |
| | 5" - Aluminum | 100 | 210121 | - | - | - | - | - |
| | 5" - Aluminum | 250 | 21812 | - | - | - | - | - |
| | See pages 19-22 for more hanger choices. | | | | | | | |
|  | Gutter Screws and Ferrules 10/Pack | | | | | | | |
| | 7" - Galvanized | 12 pks | - | 33047PK | 3304719PK | - | - | - |
| | Gutter Screws only Bulk | | | | | | | |
| | 7" - Galvanized | 250 | - | 33246 | - | - | - | - |
| | See pages 19-22 for more hanger choices. | | | | | | | |
|  | Downspout 10' Square Corrugated | | | | | | | |
| | 2" x 3" .0145" | 10 | DSSCPMF3 | 26010 | 2401019 | 2401079 | - | - |
| | 2" x 3" .0175" | 10 | - | 26011 | 2401119 | - | - | - |
| | 2" x 3" .019" | 10 | - | - | - | - | 24019020 | 24019015 |
| | 2" x 3" .024" | 10 | - | DSSC24H3 | DSSC24B3 | - | - | - |
| | 3" x 3" .024" | 10 | - | L4061 | L4161 | - | - | - |
| | 3" x 4" .024" | 10 | - | 46011 | 4401119 | - | - | - |
| | 3" x 4" .024" | 10 | DSSCPMF4 | - | - | - | DS4102480W | DS41024RB |
|  | Downspout Extension 15" | | | | | | | |
| | 2" x 3" | 24 | - | 27075 | 2507519 | 25075079 | - | - |
| | 3" x 4" | 14 | - | 47075 | 4507519 | - | - | - |
|  | Downspout Band • Fits 2" x 3" and 3" x 4" downspouts | | | | | | | |
| | | 200 | - | 27229 | 2522919 | - | - | - |
| | | 100 | - | - | - | 25029079 | DPB80W | DPBRB |
|  | Front Elbow "A" (75 degree) Square Corrugated | | | | | | | |
| | 2" x 3" | 30 | - | 27064 | - | - | 3AE80W | 3AERB |
| | 2" x 3" | 15 | - | 27264 | 2526419 | 25064079 | - | - |
| | 3" x 3" | 10 | - | L4066 | L4166 | - | - | - |
| | 3" x 4" | 10 | - | 47264 | 4526419 | - | - | - |
| | 3" x 4" | 15 | - | - | - | - | 4AE80W | - |
| | 3" x 4" | 15 | - | - | - | - | - | 4AERB |
|  | Front Elbow "A" (90 degree) Square Corrugated | | | | | | | |
| | 2" x 3" | 30 | - | - | - | - | 3AES80W90 | 3AESRB90 |
| | 3" x 4" | 15 | - | - | - | - | 4AES80W90 | 4AESRB90 |
|  | Front Elbow "A" (60 degree) Square Corrugated | | | | | | | |
| | 2" x 3" | 30 | - | - | - | - | 3AES80W60 | 3AESRB60 |
| | 3" x 4" | 30 | - | - | - | - | 4AES80W60 | 4AESRB60 |
|  | Side Elbow "B" (75 degree) Square Corrugated | | | | | | | |
| | 2" x 3" | 30 | - | 27065 | - | - | 3BE80W | 3BERB |
| | 2" x 3" | 15 | - | 27265 | 2526519 | 25065079 | - | - |
| | 3" x 4" | 15 | - | - | - | - | 4BE80W | 4BERB |
| | 3" x 4" | 10 | - | 47265 | 4526519 | - | - | - |
|  | Side Elbow "B" (90 degree) Square Corrugated | | | | | | | |
| | 2" x 3" | 30 | - | - | - | - | 3BES80W90 | 3BESRB90 |
| | 3" x 4" | 30 | - | - | - | - | 4BES80W90 | 4BESRB90 |
|  | Side Elbow "B" (60 degree) Square Corrugated | | | | | | | |
| | 2" x 3" | 30 | - | - | - | - | 3BES80W60 | 3BESRB60 |
| | 3" x 4" | 30 | - | - | - | - | 4BES80W60 | 4BESRB60 |
|  | Vinyl Transition Elbow • Transitions from "A" style to "B" style • Can be used with metal and vinyl gutter systems. | | | | | | | |
| | 2" x 3" | 30 | - | 37064 | - | - | - | - |
| | 3" x 4" | 12 | - | 37065 | - | - | - | - |

Refer to page 23 for Outlets

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Half Round Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | Unpainted | White 30° | High Gloss White 80° | Royal Brown |
|--|---|------------|-----------|-----------|----------------------|-------------|
| | Single Bead **10' | | | | | |
| | 5" .027" | 10 | - | - | L10HG5 | L10BR5 |
| | 5" .032" | 10 | - | - | L10325 | L10B35 |
| | 6" .032" | 10 | - | - | L10HG6 | L10BR6 |
| | Miter, Inside | | | | | |
| | 5" | 20 | - | - | LISHG5 | LISBA5 |
| | 6" | 20 | - | - | LISHG6 | LISBA6 |
| | Miter, Outside | | | | | |
| | 5" | 20 | - | - | LOSHG5 | LOSBA5 |
| | 6" | 20 | - | - | LOSHG6 | LOSBA6 |
| | End w/Outlet | | | | | |
| | 5" | 20 | - | - | DEPHG5 | DEPBA5 |
| | "B" Wide Flange Outlet | | | | | |
| | 3" - Aluminum | 50 | - | - | WBOHG3 | WBOBA3 |
| | 4" - Aluminum | 50 | - | - | WBOHG4 | WBOBA4 |
| | "B" Outlet | | | | | |
| | 3" - Aluminum | 50 | - | - | RBOHG3 | RBOBA3 |
| | 4" - Aluminum | 50 | - | - | RBOHG4 | RBOBA4 |
| | End | | | | | |
| | 5" | 50 | - | - | CENHG5 | CENBA5 |
| | 6" | 50 | - | - | CENHG6 | CENBA6 |
| | Connector | | | | | |
| | 5" | 50 | - | - | SCNHG5 | SCNBA5 |
| | 6" | 50 | - | - | SCNHG6 | SCNBA6 |
| | #10 Combination Circle & Shank w/Spring Clip | | | | | |
| | 5" - Aluminum | 50 | - | - | CBCHG5 | CBCBA5 |
| | 6" - Aluminum | 50 | - | - | CBCHG6 | CBCBA6 |
| | Spring Clip for #10 Combination Hanger | | | | | |
| | One Size - Aluminum | 50 | - | - | SPCLWA | SPCLBA |
| | See pages 19-22 for more hanger choices. | | | | | |
| | Shank for Adjustable Pitch Rafters | | | | | |
| | #30 - Aluminum | 50 | - | - | SHHG30 | SHBA30 |
| | See pages 19-22 for more hanger choices. | | | | | |
| | Downspout 10' Plain Round | | | | | |
| | 3" .019" | 10 | - | DSPRPSW3 | DSPRPHG3 | DSPRPBR3 |
| | 3" .024" | 10 | DSPRPMF3 | - | - | - |
| | 4" .019" | 10 | DSPRPMF4 | DSPRPSW4 | DSPRPHG4 | DSPRPBR4 |
| | 4" .024" | 10 | DSPRPMF4 | - | DSPRPHG4 | DSPRPBR4 |
| | Downspout 10' Round Corrugated | | | | | |
| | 3" .019" Individually UPC'd | 10 | - | - | 46026 | - |
| | 3" .019" | 10 | - | - | DSRCPHG3 | DSRCPBR3 |
| | 4" .024" Individually UPC'd | 10 | - | - | 46018 | - |
| | 4" .024" | 10 | - | - | DSRCPHG4 | DSRCPBR4 |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. **Available in longer lengths.

Half Round Aluminum Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | White 30° | High Gloss White 80° | Royal Brown |
|--|---|------------|-----------|----------------------|-------------|
| | Elbow (75 degree) Plain Round (Also available in 90, 60, 45 & 30 degrees) | | | | |
| | 3" .019" | 30 | - | PR3HG3 | PR3BR3 |
| | 4" .024" | 30 | - | PR3HG4 | PR3BR4 |
| | Elbow (75 degree) Round Corrugated (Also available in 90, 60, 45 & 30 degrees) | | | | |
| | 3" .019" | 30 | - | RC3HG3 | RC3BR3 |
| | 3" .019" | 15 | - | 473741 | - |
| | 4" .024" | 8 | - | 470781 | - |
| | 4" .024" | 30 | - | RC3HG4 | RC3BR4 |

K Style Galvanized Gutter

| | Description | Carton Qty | White 30° | Brown | Unpainted |
|--|--------------------------------------|------------|-----------|---------|-----------|
| | Gutter **10' | | | | |
| | 4" 32 ga. | 10 | 18007 | 1800719 | 14007 |
| | 5" 32 ga. | 10 | 32007 | 3200719 | 28008 |
| | 5" 30 ga. | 10 | - | - | 28007 |
| | Miter, Inside | | | | |
| | 4" | 10 | 19201 | 1920119 | 15201 |
| | 5" | 10 | 33201 | 3320119 | 29201 |
| | Miter, Outside | | | | |
| | 4" | 10 | 19202 | 1920219 | 15202 |
| | 5" | 10 | 33202 | 3320219 | 29202 |
| | End w/Drop | | | | |
| | 4" | 12 | 19010 | 1901019 | 15010 |
| | 5" | 12 | 33010 | 3301019 | 29010 |
| | Left End | | | | |
| | 4" 28 ga. | 50 | 19005 | - | - |
| | 4" 28 ga. | 15 | - | 1920519 | 15205 |
| | 5" 28 ga. | 50 | 33005 | - | - |
| | 5" 28 ga. | | - | 3320519 | 29205 |
| | Right End | | | | |
| | 4" 28 ga. | 50 | 19006 | - | - |
| | 4" 28 ga. | 15 | - | 1920619 | 15206 |
| | 5" 28 ga. | 50 | 33006 | - | - |
| | 5" 28 ga. | 15 | - | 3320619 | 29206 |
| | Connector | | | | |
| | 4" | 30 | 19209 | 1920919 | 15209 |
| | 5" | 30 | 33209 | 3320919 | 29209 |
| | Seamer with 1 oz. SeamerMate® | | | | |
| | 4" | 25 | 19008 | 1900819 | 15008 |
| | 5" | 25 | 33008 | 3300819 | 29008 |


Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

K Style Galvanized Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | White 30° | Brown | Unpainted |
|---|---|----------------------------|-------------------------------|-----------------------------|---|
|  | Snap Lok Bracket (Call for information on top bars, snap straps, and cross bars) 5" Bulk - Galvanized | 50 | 33022 | 3302219 | 29022 |
| | See pages 19-22 for more hanger choices. | | | | |
|  | Fascia Bracket, 4/pack 5" - Galvanized 4" - Galvanized | 12 pks 12 pks | 33020PK 19020 | 3302019PK 1902019 | 29020PK 15020 |
| | See pages 19-22 for more hanger choices. | | | | |
|  | Downspout 10' Square Corrugated 2" x 2" 26 ga. 2" x 3" 32 ga. 2" x 3" 30 ga. 3" x 4" 30 ga. | 10 10 10 10 | - 32014 - | - 3201419 - | DSSCP262 28014 28017 48014 |
| | Downspout Extension 15" 2"x3" 32 ga. | 24 | 33075 | 3307519 | - |
|  | Downspout Band • Fits 2" x 3" and 3" x 4" downspouts | 200 100 | 33229 - | 3322919 - | - 29029 |
|  | Front "A" Elbow (75 degree) Square Corrugated (Also available in 90, 60, 45 & 30 degrees) 2" x 3" 2" x 3" 2" x 3" 3" x 4" 3" x 4" | 30 30 15 30 20 | 33064 - - - 51064 | - - 3326419 - - | - SA63P3 29264 SA63P4 49064 |
|  | Side "B" Elbow (75 degree) Square Corrugated (Also available in 90, 60, 45 & 30 degrees) 2" x 3" 2" x 3" 2" x 3" 3" x 4" 3" x 4" | 30 30 15 20 30 | 33065 - - 51065 - | - - 3326519 - - | - SB63P3 29265 49065 SB63P4 |
|  | Vinyl Transition Elbow • Transitions from "A" style to "B" style • Can be used with metal and vinyl gutter systems. 2" x 3" 3" x 4" | 30 12 | 37064 37065 | - - | - - |

Half Round Galvanized Gutter

| | Description | Carton Qty | Unpainted |
|--|---|------------|------------------|
|  | 5" Single Bead **10' 26 ga. 28 ga. | 5 10 | L10265 L10285 |
| | 6" Single Bead **10' 26 ga. | 10 | L10266BX |
|  | Miter, Inside 5" 6" | 20 20 | LIS265 LIS266 |
|  | Miter, Outside 5" 6" | 20 20 | LOS265 LOS266 |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. **Available in longer lengths.

Half Round Galvanized Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Pack Qty. | Unpainted |
|---|---|-----------|------------|
|  | End w/Outlet | | |
| | 5" | 20 | DE2653 |
| | 6" | 20 | DE2664 |
|  | "B" Outlet, Wide Flange | | |
| | 3" | 50 | RBOMF3 |
|  | WB Pop Rivet Style Outlet | | |
| | 3" | 50 | WBP263 |
|  | "B" Style Outlet | | |
| | 3" | 50 | RBO263 |
| | 4" | 50 | RBO264 |
| | 5" | 25 | RBO265 |
| | 6" | 25 | RBO266 |
|  | End | | |
| | 5" 28 ga. | 50 | CEN265 |
| | 6" 28 ga. | 50 | CEN266 |
|  | Connector | | |
| | 5" | 50 | SCN265 |
| | 6" | 50 | SCN266 |
|  | #10 Combination Circle & Shank w/Spring Clip | | |
| | 5" - Galvanized | 50 | CCS105 |
| | 6" - Galvanized | 50 | CCS106 |
| | Spring Clip for #10 Combination Hanger | | |
| | One Size - Galvanized | 50 | SPCLGL |
| | See pages 19-22 for more hanger choices. | | |
|  | Rival Strap Hanger | | |
| | 5" - Galvanized | 50 | RIVGL5 |
| | 6" - Galvanized | 50 | RIVGL6 |
| | See pages 19-22 for more hanger choices. | | |
|  | Downspout Plain Round | | |
| | 2" 26 ga. | 10 | 42016 |
| | 2" 26 ga. | 5 | DSPRP262 |
| | 3" 26 ga. | 5 | DSPRP263BX |
| | 3" 28 ga. | 5 | DSPRP283BX |
| | 4" 28 ga. | 5 | DSPRP284BX |
|  | Downspout 10' Round Corrugated | | |
| | 2" 26 ga. | 5 | DSRCP262 |
| | 3" 26 ga. | 6 | 40016 |
| | 3" 28 ga. | 6 | DSRCP283 |
| | 4" 26 ga. | 5 | DSRCP264BX |
| | 4" 28 ga. | 5 | DSRCP284 |
|  | Elbow (75 degree) Plain Round (Also available in 90, 60, 45 & 30 degrees) | | |
| | 2" 26 ga. | 20 | PR63P2 |
| | 3" 26 ga. | 20 | PR63P3 |
| | 4" 26 ga. | 20 | PR63P4 |
|  | Elbow (75 degree) Round Corrugated (Also available in 90, 60, 45 & 30 degrees) | | |
| | 2" 26 ga. | 20 | RC63P2 |
| | 3" 26 ga. | 15 | 410651 |
| | 3" 26 ga. | 20 | RC63P3 |
| | 4" 26 ga. | 20 | RC63P4 |
|  | Downspout Band | | |
| | Round 2" | 100 | 43029 |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

FreedomGray® Copper

ROOF DRAINAGE SYSTEMS

Durable, Attractive and Environmentally Friendly FreedomGray® Copper Half Round Gutter Systems Complement any Architectural Style!

- ✦ *Environmentally friendly alternative to lead-coated copper*
- ✦ *Attractive earth-tone gray finish*
- ✦ *Durable & corrosion resistant*
- ✦ *Revere copper substrate per ASTM B370*
- ✦ *Easily cut, bent, formed and installed with same tools as used for copper*
- ✦ *Solders using readily available materials*
- ✦ *25 year warranty*



**For More Information,
Call Amerimax 800-347-2586**

FreedomGray® Copper
ROOF DRAINAGE SYSTEMS

K Style Copper Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | Copper 16 oz | | | |
|--|---|------------|--------------|-----------|-----------|-----------|
| | Straight Back Gutter **10' | | | | | |
| | 5" | 5 | K10CP5 | | | |
| | 6" | 5 | K10CP6 | | | |
| | Bay Mitre, Inside | | | | | |
| | 5" | 20 | KISCP5 | | | |
| | 6" | 20 | KISCP6 | | | |
| | Bay Strip Mitre, Inside | | | | | |
| | 5" | 20 | 5ISMBC | | | |
| | 6" | 20 | 6ISMBC | | | |
| | Bay Mitre, Outside | | | | | |
| | 5" | 20 | KOSCP5 | | | |
| | 6" | 20 | KOSCP6 | | | |
| | Bay Strip Mitre, Outside | | | | | |
| | 5" | 20 | 5OSMBC | | | |
| | 6" | 20 | 6OSMBC | | | |
| | K Oval Outlet with Lock-in | | | | | |
| | 2" | 50 | OKOCP3 | | | |
| | 3" | 50 | OKOCP4 | | | |
| | Left End | | | | | |
| | 5" | 50 | ENLCP5 | | | |
| | 6" | 50 | ENLCP6 | | | |
| | Right End | | | | | |
| | 5" | 50 | ENRCP5 | | | |
| | 6" | 50 | ENRCP6 | | | |
| | Connector | | | | | |
| | 5" | 50 | KSJCP5 | | | |
| | K Hidden Hanger w/Screw (Straight Back) | | | | | |
| | 5" | 100 | HIDC5S | | | |
| | 6" | 75 | HIDC6S | | | |
| | See pages 19-22 for more hanger choices. | | | | | |
| | Premium K Fascia Hanger w/Crossbar | | | | | |
| | 5" | 50 | 5PFCCP | | | |
| | 6" | 50 | 6PFCCP | | | |
| | See pages 19-22 for more hanger choices. | | | | | |
| | Downspout Square Corrugated | | | | | |
| | 2" x 3" | 5 | DSSCPCP3 | | | |
| | 3" x 4" | 5 | DSSCPCP4 | | | |
| | Downspout Plain Square | | | | | |
| | 2" x 3" | 5 | PSCP23EA | | | |
| | 3" x 4" | 5 | PSCP34EA | | | |
| | | | 75 degree | 90 degree | 60 degree | 45 degree |
| | Front "A" Elbow Square Corrugated | | | | | |
| | 2" x 3" | 10 | SA3CP3 | SA4CP3 | SA2CP3 | SA1CP3 |
| | 3" x 4" | 10 | SA3CP4 | SA4CP4 | SA2CP4 | SA1CP4 |
| | Side "B" Elbow Square Corrugated | | | | | |
| | 2" x 3" | 10 | SB3CP3 | SB4CP3 | SB2CP3 | SB1CP3 |
| | 3" x 4" | 10 | SB3CP4 | SB4CP4 | SB2CP4 | SB1CP4 |



Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. **Available in longer lengths.

Half Round Copper Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | Copper 16 oz | | | |
|---|---|------------|--------------|--------|--------|--------|
|  | Single Bead **10' | | | | | |
| | 5" | 5 | L10CP5EA | | | |
|  | Double Bead **10' | | | | | |
| | 5" | 5 | L10DC5 | | | |
|  | Mitre, Inside | | | | | |
| | 5" | 20 | LISCP5 | | | |
|  | Mitre, Outside | | | | | |
| | 5" | 20 | LOSCP5 | | | |
|  | End w/Drop | | | | | |
| | 5" | 20 | DECP53 | | | |
|  | "B" Outlet | | | | | |
| | 3" | 50 | RBOCP3 | | | |
|  | End | | | | | |
| | 5" | 50 | CENCP5 | | | |
|  | Connector | | | | | |
| | 5" | 50 | SCNCP5 | | | |
|  | #10 Combination Circle & Shank w/Spring Clip | | | | | |
| | 5" | 50 | CCC105 | | | |
|  | Rival Strap Hanger | | | | | |
| | 5" | 50 | RIVCP5 | | | |
|  | Downspout Plain Round | | | | | |
| | 2" | 5 | DSPRP2 | | | |
|  | Downspout Round Corrugated | | | | | |
| | 3" | 5 | DSRC3 | | | |
|  | Elbow Plain Round | | | | | |
| | 2" | 20 | PR3CP2 | PR4CP2 | - | PR1CP2 |
|  | Elbow Round Corrugated | | | | | |
| | 3" | 10 | RC3CP3 | RC4CP3 | RC2CP3 | RC1CP3 |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

5" Traditional Style Vinyl Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | White | Brown | |
|---|--|------------|------------------|------------|---|
|  | Gutter 10' 5" | 8 | M0573 | M1573 |  |
|  | Inside Corner 5" | 4 | M0504 | M1504 | |
|  | Outside Corner 5" | 4 | M0503 | M1503 | |
|  | End w/ Outlet 2" x 3" Outlet 3" x 4" Outlet | 6 6 | M0506-6 M0706 | M1506 - | |
|  | End (Pair) 5" | 14 | M0611 | M1611 | |
|  | Connector 2 pc 5" | 50 | M0608 | M1608 | |
|  | Hidden Hook 1 pc 5" | 200 | M0622B | M1622B | |
|  | Hidden Hook 2 pc 5" | 50 | M0521 | M1521 | |
|  | Downspout 10' 2" x 3" 3" x 4" | 6 6 | M0593 M0793 | M1593 - | |
|  | Downspout Extension 15" 2" x 3" 3" x 4" | 9 5 | M0594 M0794 | - - | |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. **Available in longer lengths.

Roof Drainage Systems

Traditional Style Vinyl Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | White | Brown |
|---|--|------------|-------|---------|
|  | Connector | | | |
| | 2" x 3" | 20 | M0623 | M1623 |
| | 3" x 4" | 16 | M0723 | - |
|  | Diverter | 20 | M0642 | M1642 |
|  | Downspout Band • Plastic bands for use with metal or vinyl downspouts | | | |
| | 2" x 3" - Plastic | 60 | M0634 | M1634 |
| | 3" x 4" - Plastic | 24 | 39029 | 3902919 |
|  | "A" Elbow | | | |
| | 2" x 3" | 20 | M0627 | M1627 |
| | 3" x 4" | 24 | M0727 | - |
|  | "B" Elbow | | | |
| | 2" x 3" | 20 | M0628 | M1628 |
| | 3" x 4" | 10 | M0728 | - |
|  | Transition Elbow • Transitions from "A" style to "B" style • Can be used with metal and vinyl gutter systems. | | | |
| | 2" x 3" | 30 | 37064 | - |
| | 3" x 4" | 12 | 37065 | - |

Contemporary Style Vinyl Gutter

| | Description | Carton Qty | White | Brown |
|---|----------------------------------|------------|-------|-------|
|  | Gutter 10" | | | |
| | 4" | 8 | T0473 | T1473 |
| | 5" | 8 | T0573 | T1573 |
|  | Vinyl Corner Contemporary | | | |
| | 4" | 10 | T0403 | T1403 |
| | 5" | 10 | T0503 | T1503 |
|  | End w/Outlet | | | |
| | 4" | 10 | T0409 | T1409 |
| | 5" | 10 | T0509 | T1509 |
|  | Center Outlet | | | |
| | 4" | 10 | T0406 | T1406 |
| | 5" | 10 | T0506 | T1506 |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Contemporary Style Vinyl Gutter

See page A1 in the Appendix for "Gutter Facts You Should Know Before Purchasing Your Roof Drainage Systems"

| | Description | Carton Qty | White | Brown | |
|---|---|------------|----------------|----------------|---|
|  | End 4" 5" | 20 20 | T0411 T0511 | T1411 T1511 |  |
|  | Connector 4" 5" | 25 25 | T0405 T0505 | T1405 T1505 | |
|  | Hidden Hook 5" | 50 | T0520 | T1520 | |
|  | Hidden Hook 2 pc. 4" | 50 | T0421 | T1421 | |
|  | Exterior Hook 4" 5" | 50 50 | T0419 T0519 | T1419 T1519 | |
|  | Gutter Hanger Steel Roof Rafter (for houses with no fascia board) Unpainted | 50 | L3250 | | |
|  | 2" Square Downspout 10' | 6 | T0583 | T1583 | |
|  | 2" Square Downspout Connector | 10 | T0523 | T1523 | |
|  | 2" Square Diverter | 20 | T0642 | T1642 | |
|  | 2" Square Downspout Clip | 30 | T0534 | T1534 | |
|  | Square Elbow | 20 | T0525 | T1525 | |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. **Available in longer lengths.

Hangers - K Style

See page A3 in the Appendix for information on popular hanger choices.

| | Description | Carton Qty | White 30° | Brown | High Gloss White 80° | Royal Brown | Unpainted | Copper |
|-----------------------|---|------------|-----------|-----------|----------------------|-------------|-----------|--------|
| | #40 K Hanger w/Strap | | | | | | | |
| | 5" - Aluminum | 50 | - | - | 40KWA5 | 40BRA5 | - | - |
| | 6" - Aluminum | 50 | - | - | 40KWA6 | 40BRA6 | - | - |
| | 5" - Galvanized | 50 | 40KGL5 | - | - | - | - | - |
| | 6" - Galvanized | 50 | 40KGL6 | - | - | - | - | - |
| | 5" - Copper | 50 | - | - | - | - | - | 40KCP5 |
| 6" - Copper | 50 | - | - | - | - | - | 40KCP6 | |
| | #41 K Hanger w/Strap | | | | | | | |
| | 5" - Aluminum | 50 | - | - | 41KWA5 | 41BRA5 | - | - |
| | 6" - Aluminum | 50 | - | - | 41KWA6 | 41BRA6 | - | - |
| | 5" - Copper | 50 | - | - | - | - | - | 41KCP5 |
| 6" - Copper | 50 | - | - | - | - | - | 41KCP6 | |
| | Premium K Fascia Hanger w/Crossbar | | | | | | | |
| | 5" - Aluminum | 50 | - | - | 5PFHGC | 5PFBRC | - | - |
| | 6" - Aluminum | 50 | - | - | 6PFHGC | 6PFBRC | - | - |
| | 5" - Copper | 50 | - | - | - | - | - | 5PFCCP |
| 6" - Copper | 50 | - | - | - | - | - | 6PFCCP | |
| | Fascia Strap Hanger | | | | | | | |
| 5" - Aluminum | 100 | - | - | - | - | 21028 | - | |
| | Fascia Bracket | | | | | | | |
| 5", 4/pack - Aluminum | 12 pks | 25020PK | 2502019 | - | - | - | - | |
| | Fascia Bracket, 4/pack | | | | | | | |
| | 5" - Galvanized | 12 pks | 33020PK | 3302019PK | - | - | 29020PK | - |
| 4" - Galvanized | 12 pks | 19020 | 1902019 | - | - | 15020 | - | |
| | Snap Lok Bracket (Call for information on top bars, snap straps, and cross bars) | | | | | | | |
| | 5" Bulk - Galvanized | 50 | 33022 | 3302219 | - | - | 29022 | - |
| | Snap Lok Bracket (Call for information on top bars, snap straps, and cross bars) | | | | | | | |
| | 5" Bulk - Aluminum | 50 | 25022 | 2502219 | - | - | - | - |
| | 5", 4/pack - Aluminum | 12 pks | 25024 | 2502419 | - | - | - | - |
| | Hidden Hanger w/Screw | | | | | | | |
| | 5" - Aluminum | 100 | - | - | - | - | 210121 | - |
| | 5" - Aluminum | 250 | - | - | - | - | 21812 | - |
| 4" - Galvanized | 125 | - | - | - | - | 150121 | - | |
| | K Hidden Hanger w/Screw (Hem Back) | | | | | | | |
| | 5" - Aluminum | 100 | - | - | - | - | HID5SH | - |
| 6" - Aluminum | 75 | - | - | - | - | HID6SH | - | |
| | K Hidden Hanger w/Screw (Straight Back) | | | | | | | |
| | 5" - Aluminum | 100 | - | - | - | - | HID5S | - |
| | 6" - Aluminum | 75 | - | - | - | - | HID6S | - |
| | 6" - Aluminum | 50 | - | - | - | - | 47814 | - |
| | 5" - Copper | 100 | - | - | - | - | - | HIDC5S |
| 6" - Copper | 75 | - | - | - | - | - | HIDC6S | |
| | Hidden Hanger | | | | | | | |
| | 5", 10/PK - Aluminum | 25 pks | - | - | - | - | 21016PK | - |
| | 5", 50/PK - Aluminum | 5 pks | - | - | - | - | 21018 | - |
| 6" Bulk - Aluminum | 50 | - | - | - | - | 47018 | - | |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Hangers - K Style

See page A3 in the Appendix for information on popular hanger choices.

| | Description | Carton Qty | White 30° | Brown | Natural Clay | High Gloss White 80° | Royal Brown | Unpainted | Copper |
|---------------------|--|------------|-----------|-----------|--------------|----------------------|-------------|-----------|--------|
| | K Hidden Hanger Straight or Hem Back | | | | | | | | |
| | 5" - Aluminum | 100 | - | - | - | - | - | HHMF-5-U | - |
| | 6" - Aluminum | 100 | - | - | - | - | - | HHMF-6 | - |
| | Hidden Hanger w/Roof Strap | | | | | | | | |
| | 5", 4/pack - Aluminum | 15 pks | - | - | - | - | - | 21030PK | - |
| | 4", 4/pack - Galvanized | 15 pks | - | - | - | - | - | 15030 | - |
| | FF Combo Hanger | | | | | | | | |
| | 5" - Aluminum | 100 | - | - | - | - | - | 21027 | - |
| | Strap Hanger | | | | | | | | |
| | 5" - Galvanized | 100 | - | - | - | - | - | 29023 | - |
| | K Wrap Around Hanger | | | | | | | | |
| | 5" - Aluminum | 50 | - | - | - | KWHWA5 | KWHBR5 | - | - |
| | 6" - Aluminum | 50 | - | - | - | KWHWA6 | KWHBR6 | - | - |
| | 5" - Copper | 50 | - | - | - | - | - | - | KWHCP5 |
| | 6" - Copper | 50 | - | - | - | - | - | - | KWHCP6 |
| | Spikes & Ferrules 10/packs Aluminum | | | | | | | | |
| | 7" Spikes & 5" Ferrules | 25 pks | 25043 | 2504319 | 2504344 | - | - | - | - |
| | 8" Spikes & 6" Ferrules | 16 pks | 4504416 | - | - | - | - | - | - |
| | Spikes & Ferrules 10/packs Galvanized | | | | | | | | |
| | 7" Spikes & 5" Ferrules | 25 pks | 33044 | 3304419 | - | - | - | 29044 | - |
| | 7" Spikes & 4" Ferrules | 25 pks | 19044 | 1904419 | - | - | - | 15044 | - |
| | Gutter Screws and Ferrules 10/Pack | | | | | | | | |
| | 7" - Galvanized | 12 pks | 33047PK | 3304719PK | - | - | - | - | - |
| | Gutter Screws only Bulk | | | | | | | | |
| | 7" - Galvanized | 250 | 33246 | - | - | - | - | - | - |
| | Spikes only | | | | | | | | |
| | 7" Bulk - Aluminum | 250 | 25040 | 2504019 | - | - | - | - | - |
| | 7" Bulk - Aluminum | 500 | - | - | - | SPKWA7 | SPKBR7 | - | - |
| | 8" Bulk - Aluminum | 250 | 25046 | - | - | - | - | - | - |
| | 8" Bulk - Aluminum | 500 | - | - | - | SPKWA8 | SPKBR8 | - | - |
| | 7" Bulk - Galvanized | 250 | 33040 | 3304019 | - | - | - | 29040 | - |
| | 7" 50# Box - Galvanized | 1 | - | - | - | - | - | 29041BX | - |
| | 7" 25# Box - Copper | 1 | - | - | - | - | - | - | SPKCP7 |
| 8" 25# Box - Copper | 1 | - | - | - | - | - | - | SPKCP8 | |
| | Ferrule | | | | | | | | |
| | 5" - Aluminum | 100 | - | - | - | - | - | FERMF5 | - |
| | 6" - Aluminum | 100 | - | - | - | - | - | FERMF6 | - |
| | 4" - Plastic | 250 | - | - | - | - | - | 15060 | - |
| | 5" - Plastic | 250 | - | - | - | - | - | 21060 | - |
| | 6" - Plastic | 500 | - | - | - | - | - | 47042 | - |
| | 5" - Galvanized | 100 | - | - | - | - | - | FERGL5 | - |
| | 6" - Galvanized | 100 | - | - | - | - | - | FERGL6 | - |
| 5" - Copper | 100 | - | - | - | - | - | - | FERCP5 | |
| 6" - Copper | 100 | - | - | - | - | - | - | FERCP6 | |

Colors shown are for reference only.

Hangers - Half Round

See page A3 in the Appendix for information on popular hanger choices.

| | Description | Carton Qty | High Gloss White 80° | Royal Brown | Unpainted | Copper |
|---|---|------------|----------------------|-------------|-----------|--------|
|  | #10 Combination Circle & Shank w/Spring Clip | | | | | |
| | 5" - Aluminum | 50 | CBCHG5 | CBCBA5 | - | - |
| | 6" - Aluminum | 50 | CBCHG6 | CBCBA6 | - | - |
| | 5" - Galvanized | 50 | - | - | CCS105 | - |
| | 6" - Galvanized | 50 | - | - | CCS106 | - |
| | 5" - Copper | 50 | - | - | - | CCC105 |
| | 6" - Copper | 50 | - | - | - | CCC106 |
|  | #10 Circle w/Spring Clip, Nut, & Bolt | | | | | |
| | 5" - Aluminum | 50 | CIRHG5 | CIRBA5 | - | - |
| | 6" - Aluminum | 50 | CIRHG6 | CIRBA6 | - | - |
| | 5" - Galvanized | 50 | - | - | CIRCS5 | - |
| | 6" - Galvanized | 50 | - | - | CIRCS6 | - |
| | 5" - Copper | 50 | - | - | - | CIRCP5 |
| | 6" - Copper | 50 | - | - | - | CIRCP6 |
|  | Spring Clip for #10 Combination Hanger | | | | | |
| | One Size - Aluminum | 50 | SPCLWA | SPCLBA | - | - |
| | One Size - Galvanized | 50 | - | - | SPCLGL | - |
| | One Size - Brass | 50 | - | - | SPCLBR | - |
|  | Rival Strap Hanger | | | | | |
| | 5" - Aluminum | 50 | RIVHG5 | RIVBA5 | - | - |
| | 6" - Aluminum | 50 | RIVHG6 | RIVBA6 | - | - |
| | 5" - Galvanized | 50 | - | - | RIVGL5 | - |
| | 6" - Galvanized | 50 | - | - | RIVGL6 | - |
| | 5" - Copper | 50 | - | - | - | RIVCP5 |
| | 6" - Copper | 50 | - | - | - | RIVCP6 |
|  | Regal Bar Hanger | | | | | |
| | 5" - Mill Finished Aluminum | 50 | - | - | REGMF5 | - |
| | 6" - Mill Finished Aluminum | 50 | - | - | REGMF6 | - |
| | 5" - Galvanized | 50 | - | - | REGGL5 | - |
| | 6" - Galvanized | 50 | - | - | REGGL6 | - |
| | 5" - Copper | 50 | - | - | - | REGCP5 |
| | 6" - Copper | 50 | - | - | - | REGCP6 |

Roof Drainage Systems



Colors shown are for reference only.

Shanks - K Style & Half Round

| | Description | Carton Qty | High Gloss White 80° | Royal Brown | Unpainted | Copper |
|--|---|------------|----------------------|-------------|-----------|--------|
|  | Nut & Bolt for Shanks #10, 24 thread x 3/4" long | | | | | |
| | Galvanized | 50 | - | - | BN-S | - |
| | Brass | 50 | - | - | BN-CP | - |
|  | Shank Plate for Fascia | | | | | |
| | #1 - Aluminum | 50 | SHHG-1 | SHBA-1 | SHMF-1 | - |
| | #1 - Galvanized | 50 | - | - | SHCS-1 | SHCP-1 |
| | #1 - Copper | 50 | - | - | - | SHCP-1 |
|  | Shank for Ogee or Crown Moulding | | | | | |
| | #6 - Aluminum | 50 | SHHG-6 | SHBA-6 | - | - |
| | #6 - Galvanized | 50 | SHWS-6 | SHBS-6 | - | - |
| | #6 - Copper | 50 | - | - | - | SHCP-6 |
|  | Shank for Cornice | | | | | |
| | #8 - Mill Finish Aluminum | 50 | - | - | SH-CM8 | - |
|  | Shank for Fascia | | | | | |
| | #10 - Galvanized | 50 | SHWS10 | SHBS10 | SHCS10 | - |
| | #10 - Copper | 50 | - | - | - | SHCP10 |
|  | Shank for Nailing to Exposed Rafter | | | | | |
| | #11 - Aluminum | 50 | SHHG11 | SHBA11 | SHCS11 | - |
| | #11 - Copper | 50 | - | - | - | SHCP11 |
|  | Shank for Nailing to Sheeting | | | | | |
| | #12 - Aluminum | 50 | SHHG12 | SHBA12 | SHMF12 | - |
| | #12 - Galvanized | 50 | SHWS12 | SHBS12 | SHCS12 | - |
| | #12 - Copper | 50 | - | - | - | SHCP12 |
| | #25 - Copper | 50 | - | - | - | SHCP25 |
|  | Shank for Adjustable Pitch Rafters | | | | | |
| | #30 - Aluminum | 50 | SHHG30 | SHBA30 | - | - |
| | #30 - Galvanized | 50 | - | - | SHCS30 | - |
| | #30 - Copper | 50 | - | - | - | SHCP30 |
|  | Shank Extension | | | | | |
| | Aluminum | 50 | SHHGEX | SHBAEX | - | - |
| | Copper | 50 | - | - | - | SHCPEX |

Strainers

| | Description | Carton Qty | Unpainted | Copper |
|---|----------------------------------|------------|-----------|--------|
|  | Wire Strainers, Round | | | |
| | 2" - Galvanized | 50 | RWSGL2 | - |
| | 3" - Galvanized | 50 | RWSGL3 | - |
| | 4" - Galvanized | 50 | RWSGL4 | - |
| | 2" - Aluminum | 50 | RWSMF2 | - |
| | 3" - Aluminum | 50 | RWSMF3 | - |
| | 4" - Aluminum | 50 | RWSMF4 | - |
| | 2" - Copper | 50 | - | RWSCP2 |
| | 3" - Copper | 50 | - | RWSCP3 |
| | 4" - Copper | 50 | - | RWSCP4 |
| | 6" - Copper | 50 | - | RWSCP6 |
|  | Leaf Strainer- Expandable | | | |
| | 3" - Aluminum | 48 | 21048 | - |
| | 3" - Aluminum | 18 | 21059 | - |
| | 4" - Aluminum | 24 | 21248 | - |
| | 3" - Galvanized | 18 | 29059 | - |
| | 3" - Galvanized | 48 | 29348 | - |
| | 4" - Galvanized | 48 | 29448 | - |
|  | Strainer Plastic | 24 | 85059 | - |

Colors shown are for reference only.

Outlets - K Style & Half Round

| | Description | Carton Qty | White 30° | High Gloss White 80° | Royal Brown | Unpainted | Copper |
|---|---|------------|-----------|----------------------|-------------|-----------|--------|
|  | "C" Wide Flange 2" x 3" for 5" gutter - Galvanized | 30 | 33051 | - | - | 29051 | - |
| | 2" x 3" for 4" gutter - Galvanized | 30 | - | - | - | 15051 | - |
|  | "C" Wide Flange 2" x 3" - Aluminum | 30 | 25051 | - | - | 21051 | - |
| | "K" Oval 3" - Aluminum | 50 | - | - | - | WKOMF3 | - |
|  | Flange Outlet 3" x 3" Aluminum | 10 | L4063 | - | - | - | - |
| | 3" x 4" Aluminum | 20 | - | - | - | 47251 | - |
| | 3" x 4" Galvanized | 50 | - | - | - | 49051 | - |
|  | "C" Vinyl Outlet 2" x 3" Plastic | 30 | - | - | - | 85051 | - |
|  | "B" Narrow Flange 2" x 3" - Galvanized | 30 | - | - | - | 29050 | - |
|  | Round Outlet 2" - Galvanized | 50 | - | - | - | 43051 | - |
|  | K Oval Outlet with Lock-in 2" - Copper | 50 | - | - | - | - | OKOCP3 |
| | 3" - Copper | 50 | - | - | - | - | OKOCP4 |
|  | WB Pop Rivet Style Outlet 3" - Galvanized | 50 | - | - | - | WBP263 | - |
|  | "B" Style Outlet 3" - Galvanized | 50 | - | - | - | RBO263 | - |
| | 4" - Galvanized | 50 | - | - | - | RBO264 | - |
| | 5" - Galvanized | 25 | - | - | - | RBO265 | - |
| | 6" - Galvanized | 25 | - | - | - | RBO266 | - |
|  | "B" Half Round Outlet 3" - Aluminum | 50 | - | RBOHG3 | RBOBA3 | - | - |
| | 4" - Aluminum | 50 | - | RBOHG4 | RBOBA4 | - | - |
|  | "B" Outlet 3" - Copper | 50 | - | - | - | - | RBOCP3 |
| | 4" - Copper | 50 | - | - | - | - | RBOCP4 |
|  | "B" Wide Flange Half Round Outlet 3" - Galvanized | 50 | - | - | - | RBOMF3 | - |
| | 3" - Aluminum | 50 | - | WBOHG3 | WBOBA3 | - | - |
| | 4" - Aluminum | 50 | - | WBOHG4 | WBOBA4 | - | - |

Eave Boxes

| | Description | Carton Qty | White 80° Aluminum | Copper |
|---|----------------|------------|--------------------|--------|
|  | Regular (Open) | | | |
| | 3" x 12" | 12 | EBWA32 | EBCP32 |
| | 3" x 16" | 12 | EBWA36 | EBCP36 |
| | 4" x 12" | 12 | EBWA42 | EBCP42 |
| | 4" x 16" | 12 | EBWA46 | EBCP46 |
| | Closed | | | |
| | 3" x 16" | 12 | CBWA36 | CBCP36 |
| | 4" x 16" | 12 | CBWA46 | CBCP46 |
| | Sloped | | | |
| | 3" x 16" | 12 | SBWA36 | SBCP36 |
| 4" x 16" | 12 | SBWA46 | SBCP46 | |

Colors shown are for reference only.

Funnels

| | Description | Carton Qty | White 30° | High Gloss White 80° | Brown | Unpainted | Copper |
|------------------------------------|--|------------|-----------|----------------------|--------|-----------|--------|
| | Vinyl • Connects two downspouts into one 2" x 3" | 4 | 85208 | - | 85209 | - | - |
| | Oval • Connects two downspouts into one | | | | | | |
| | 3" - Aluminum | 12 | - | FUNWA3 | FUNBR3 | - | - |
| | 4" - Aluminum | 12 | - | FUNWA4 | FUNBR4 | - | - |
| | 3" - Galvanized | 12 | - | - | - | FUNGL3 | - |
| | 4" - Galvanized | 12 | - | - | - | FUNGL4 | - |
| | 3" - Copper | 12 | - | - | - | - | FUNCP3 |
| | Square "Y" | | | | | | |
| | 2" x 3" - Aluminum | 12 | SCYLG3 | SCYHG3 | - | - | - |
| | 3" x 4" - Aluminum | 12 | SCYLG4 | SCYHG4 | SCYBR4 | - | - |
| Square Cutoff with Diverter | | | | | | | |
| 2" x 3" - Aluminum | 12 | SACLG3 | SACWA3 | SACBA3 | - | - | |
| 3" x 4" - Aluminum | 12 | SACLG4 | SACWA4 | SACBA4 | - | - | |

Downspout Tubes & Extensions

| | Description | Carton Qty | White 30° | Brown | Natural Clay | High Gloss White 80° | Unpainted | Copper |
|--|--------------------------------|------------|-----------|---------|--------------|----------------------|-----------|--------|
| | Downspout Tube w/Flange | | | | | | | |
| | 2" x 10" - Aluminum | 12 | - | - | - | DSTWA2 | - | - |
| | 3" x 10" - Aluminum | 12 | - | - | - | DSTWA3 | - | - |
| | 4" x 10" - Aluminum | 12 | - | - | - | DSTWA4 | - | - |
| | 2" x 10" - Galvanized | 12 | - | - | - | - | DSTGL2 | - |
| | 3" x 10" - Galvanized | 12 | - | - | - | - | DSTGL3 | - |
| | 4" x 10" - Galvanized | 12 | - | - | - | - | DSTGL4 | - |
| | 2" - Copper | 12 | - | - | - | - | - | DSTCP2 |
| | 3" - Copper | 12 | - | - | - | - | - | DSTCP3 |
| | 4" - Copper | 12 | - | - | - | - | - | DSTCP4 |
| | Downspout Extension 15" | | | | | | | |
| | 2" x 3" - Aluminum | 24 | 27075 | 2507519 | 25075079 | - | - | - |
| | 3" x 4" - Aluminum | 14 | 47075 | 4507519 | - | - | - | - |
| | 2" x 3" - Galvanized | 24 | 33075 | 3307519 | - | - | - | - |
| | 2" x 3" - Vinyl | 9 | M0594 | - | - | - | - | - |
| | 3" x 4" - Vinyl | 5 | M0794 | - | - | - | - | - |

Downspout Fasteners

| | Description | Carton Qty | White | Brown | Natural Clay | Royal Brown | Unpainted | Copper |
|--|-------------------------------------|------------|--------|-------|--------------|-------------|-----------|--------|
| | #0 Mortar Drive | | | | | | | |
| | Bronze | 50 | - | - | - | - | DR-BR0 | - |
| | Galvanized | 50 | - | - | - | - | DRCS-0 | - |
| | #4 Wood Drive | | | | | | | |
| | Copper | 50 | - | - | - | - | - | DRCP-4 |
| | Galvanized | 50 | - | - | - | - | DRCS-4 | - |
| | #5 Wood Drive | | | | | | | |
| | Malleable Iron | 50 | - | - | - | - | DR-CM5 | - |
| | #6 Drive | | | | | | | |
| | Aluminum | 50 | DRWA-6 | - | - | DRBRA6 | - | - |
| | Copper | 50 | - | - | - | - | - | DRCP-6 |
| | Galvanized | 50 | - | - | - | - | DRCS-6 | - |
| | Rack and Key | | | | | | | |
| | Aluminum | 50 | RAK-WA | - | - | RAKBRA | - | - |
| | (2/Pack) Aluminum | 25 | 85117 | - | - | - | - | - |
| | Copper | 50 | - | - | - | - | - | RAK-CP |
| | Galvanized | 50 | - | - | - | - | RAK-CS | - |
| | Key | | | | | | | |
| | Aluminum (use with Alum. and Steel) | 50 | - | - | - | - | KEY-MF | - |
| | Bronze (used with Copper) | 50 | - | - | - | - | - | KEY-BR |

Colors shown are for reference only.

Downspout Fasteners

| | Description | Carton Qty | White | Brown | Natural Clay | Royal Brown | Unpainted | Copper |
|--|--|------------|------------|--------------|---------------|-------------|------------|--------|
| | Universal Conductor Band | | | | | | | |
| | Aluminum | 50 | WA12CB | - | - | BA12CB | - | - |
| | Copper | 50 | - | - | - | - | - | CP12CB |
| | Galvanized | 50 | - | - | - | - | GA12CB | - |
| | 4" Metco Ornamental Band | | | | | | | |
| | Aluminum | 50 | METHG4 | - | - | METBR4 | - | - |
| | Copper | 50 | - | - | - | - | - | METCP4 |
| | Galvanized | 50 | - | - | - | - | METGA4 | - |
| | 3" Metco Ornamental Band | | | | | | | |
| | Aluminum | 50 | METHG3 | - | - | METBR3 | - | - |
| | Copper | 50 | - | - | - | - | - | METCP3 |
| | Galvanized | 50 | - | - | - | - | METGA3 | - |
| | Downspout Band • Fits 2" x 3" and 3" x 4" downspouts | | | | | | | |
| | Aluminum | 200 100 | 27229 - | 2522919 - | - 25029079 | - - | - - | - - |
| | Downspout Band • Fits 2" x 3" and 3" x 4" downspouts | | | | | | | |
| | Galvanized | 200 100 | 33229 - | 3322919 - | - - | - - | - 29029 | - - |
| | #31 Pipe Cleat | | | | | | | |
| | Aluminum | 50 | PCHG31 | - | - | PCBR31 | - | - |
| | Copper | 50 | - | - | - | - | - | PCCP31 |
| | Conductor Bracket | | | | | | | |
| | Aluminum 3" | 45 | 3PC30W50U | - | - | 3PCRB | - | - |
| | Aluminum 4" | 36 | 4PC30WU | - | - | - | - | - |
| | Copper | 50 | - | - | - | - | - | 3PCC |
| | Round 2" Downspout Band | | | | | | | |
| | Galvanized | 100 | - | - | - | - | 43029 | - |
| | Downspout Clip • Plastic bands for use with metal or vinyl downspouts | | | | | | | |
| | 2" x 3" - Plastic | 60 | M0634 | M1634 | - | - | - | - |
| | 3" x 4" - Plastic | 24 | 39029 | 3902919 | - | - | - | - |
| | 2" Square Downspout Clip | | | | | | | |
| | Vinyl | 30 | T0534 | T1534 | - | - | - | - |
| | Round Brick Hook | | | | | | | |
| | 3" - Galvanized | 50 | BPRWS3 | - | - | - | BPRGL3 | - |
| | 4" - Galvanized | 50 | BPRWS4 | - | - | - | BPRGL4 | - |
| | Square Brick Hook | | | | | | | |
| | 2" x 3" - Galvanized | 50 | BPSWS3 | - | - | - | BPSGL3 | - |
| | 3" x 4" - Galvanized | 50 | BPSWS4 | - | - | - | BPSGL4 | - |
| | Round Wood Hook | | | | | | | |
| | 3" - Galvanized | 50 | PWHWS3 | - | - | PBRSH3 | PWHGL3 | - |
| | 3" (2/Pack) - Galvanized | 12 pks | - | - | - | - | 85108 | - |
| | 4" - Galvanized | 50 | PWHWS4 | - | - | PBRSH4 | PWHGL4 | - |
| | 4" (2/Pack) - Galvanized | 12 pks | 85104 | - | - | - | - | - |
| | Square Wood Hook | | | | | | | |
| | 2" x 3" - Galvanized | 50 | SSWWS3 | - | - | - | SSWGL3 | - |
| | 2" x 3" (2/Pack) - Galvanized | 12 pks | 85121 | - | - | - | - | - |
| | 3" x 4" - Galvanized | 50 | SSWWS4 | - | - | - | SSWGL4 | - |
| | Plain Round Hinged Downspout Hook | | | | | | | |
| | 3" - Copper Plated Zinc Alloy | 50 | - | - | - | - | - | HHPRC3 |
| | 4" - Copper Plated Zinc Alloy | 50 | - | - | - | - | - | HHPRC4 |
| | Round Corrugated Hinged Downspout Hook | | | | | | | |
| | 3" - Copper Plated Zinc Alloy | 50 | - | - | - | - | - | HHRCC3 |
| | 4" - Copper Plated Zinc Alloy | 50 | - | - | - | - | - | HHRCC4 |
| | Square Wired Wood/Brick Hook | | | | | | | |
| | 2" X 3" - Copper | 50 | - | - | - | - | - | WFHC23 |
| | 3" X 4" - Copper | 50 | - | - | - | - | - | WFHC34 |
| | Downspout Anchors • Anchors for 2" x 3" downspouts | | | | | | | |
| | 2/Pack - Plastic | 6 pks | - | - | - | - | 85210 | - |

Colors shown are for reference only.

Gutter Protection

The widest range of products available!

Plastic



Snap-in Filter

- Fine Mesh Screen
- Fits all Residential Gutters



High Debris Filtration
New & Existing Roofs

Metal



Diamond Gutter Shield

- Solid Expanded Aluminum
- Locks securely into place



Snap-in Guard

- High Water flow
- Fits all Residential Gutters



Excellent water flow
New & Existing Roofs



Lock-On Gutter Guard

- Heavy Duty Steel Screen
- Easily snaps into position



Gutter Guard Roll

- Durable Co-Polymer
- Use with Gutter Girders



Great Value
Easy to Install



Hinged Gutter Guard

- Metal Screen with clips
- Affordable, Classic design



Gutter Cover

- Solid Heavy Duty PVC
- Fits 4" - 7" systems

Professional

Commercial quality
Ideal for New Roofs





Gutter Shingle

- Powder Coated Steel
- Fits 4" - 7" systems

Gutter Guards

| Gutter Shingle | | Description | Carton Qty | Weatherwood | Copper |
|---|---|---------------------|------------|-------------|--------|
|  <p>THE Gutter Shingle GUTTER COVER</p> |  | 3' x 7 1/8", Steel | 20 | 85246 | - |
| | | 3' x 7 1/8", Copper | 20 | - | GGSKCP |
| <ul style="list-style-type: none"> • Fine mesh screen helps block small debris • Textured paint blends with the shingles • Contractor quality with simple installation • Can be installed on any pitch roof • Powder Coated Steel Weatherwood can be used with steel or aluminum systems • Can be used with 4", 5" or 6" K gutter | | | | | |

| Diamond Gutter Shield | | Description | Carton Qty | White | Brown | Black |
|--|--|-------------------------|------------|---------|---------|---------|
|  <p>DIAMOND Gutter Shield™</p> |  | 3' section, 5" | 50 | 85200BX | 85219BX | 85235BX |
| | | 3' section, 6" | 50 | 86200BX | 86219BX | 86235BX |
| | | 4' section, 5" - 25 pcs | (1) CP | 85400BX | 85419BX | - |
| | | 4' section, 6" - 25 pcs | (1) CP | 86400BX | 86419BX | - |
| <ul style="list-style-type: none"> • Pressure Fit Design Makes Installation Easy - No Fasteners Needed • Compatible with Asphalt, Tile or Metal Roof System • Drip Lip Reduces Tiger Striping • Tested to Handle the Heaviest of Rainfall - Up to 40" per Hour • Aluminum with High Impact Powder Coat Finish Reduces Scratching and Cracking | | | | | | |

| Gutter Cover | | Description | Carton Qty | White | Clay |
|--|---|---------------------|------------|---------|---------|
|  |  | 4' Plastic | 50 | 85320 | 85322 |
| | | 4' Plastic - 25 pcs | (1) CP | 85304BX | 85314BX |
| <ul style="list-style-type: none"> • Flex design made of rigid PVC accommodates many different pitched roofs • Solid Bull Nose Design allows water to roll into the gutter through the process of surface adhesion • Easy to install 4 foot sections fit standard 4", 5" and 6" metal gutters | | | | | |

| Snap-In Filter | | Description | Carton Qty | White | Brown |
|--|---|--------------------|------------|-------|-------|
|  |  | 3' Plastic | 75 | 86370 | 86379 |
| | | 3' Plastic- 25 pcs | (1) CP | 86670 | 86679 |
| <ul style="list-style-type: none"> • Fits 4", 5" & 6" Gutters • Made of high quality, rigid PVC • Snap-In design will not collapse under debris • Install with screen facing the sky | | | | | |

Gutter Guards


Roof Drainage Systems

| Snap-In Guard | Description | Carton Qty | White | Brown | Black |
|--|---|-------------------|--------------|--------------|--------------|
|  | 3' Plastic | 75 | 85370 | 85379 | 85375 |
| | 3' Plastic | 50 | 85470 | 85479 | 85475 |
| | 3' Plastic - 25 pcs | (1) CP | 85670 | 85679 | 85675 |
| | <ul style="list-style-type: none"> • Fits 4", 5" & 6" Gutters • Made of high quality, rigid PVC • Snap-in design for easy installation | | | | |

| Lock-On Gutter Guard | Description | Carton Qty | Black |
|---|--------------------------------------|-------------------|--------------|
|  | 3' Galvanized, 5" K Style, 5/pack | 5 packs | 441-253 |
| | 3' Galvanized, 5" K Style, Black | 75 | 441-503 |
| | 3' Galvanized, 5" K Style, Brown | 75 | 441-503BR |
| | 4' Galvanized, 5" K Style, Standard | 25 | GG5KKDI |
| | 4' Galvanized, 6" K Style, Standard | 25 | GG6KKDI |
| | 4' Galvanized, 5" K Style, Fine Mesh | 25 | GG5KKDIFM |
| | 4' Galvanized, 6" K Style, Fine Mesh | 25 | GG6KKDIFM |
| <ul style="list-style-type: none"> • Fits 5" & 6" Gutters • Made of wire mesh (Standard and Fine) | | | |

| Hinged Gutter Guard | Description | Carton Qty | White | Brown | Black | Unpainted | |
|---|--|-------------------|--------------|--------------|--------------|------------------|--|
|  | 6"x3' Galvanized | 75 | - | - | - | 85280BX | |
| | 6"x3' Galvanized | 25 | - | - | - | 852802 | |
| | 5/pk | 10 pks | - | - | - | 852805 | |
| | 5/pk | 45 pks | - | - | - | 852806 | |
| | 6"x3' Galv. Premium Powder Coated | | | | | | |
| | | 50 | 85416BX | 85389BX | 85295 | - | |
| | | 25 | 854162 | 853892 | - | - | |
| | 5"x3' Galvanized | 75 | - | - | - | GGGLK5 | |
| | 5/pk | 30 pks | - | - | - | 854054 | |
| | 6"x3' Aluminum No UPC | 75 | - | - | - | GGAK-6 | |
| Hinged Guard Clips Stainless Steel, 8/pack | 8/pk | 25 pks | - | - | - | 85341 | |
|  | <ul style="list-style-type: none"> • Convex hinged design provides strength and allows access to gutters • Three foot sections come in sizes that fit any standard style "K" gutters • Made of long lasting galvanized steel, aluminum or copper. Powder coated steel also available • Hinged Guard Clips for standard style "K" gutters only <p>8/pack</p> | | | | | | |

Gutter Guards

| Hinged Half Round Gutter Guard | Description | Carton Qty | Part No. |
|--|------------------------|------------|----------|
|  | Hinged Aluminum | | |
| | 5" x 3' | 50 | GGAR-5 |
| | 6" x 3' | 50 | GGAR-6 |
| | Hinged Copper | | |
| | 5" x 3' | 25 | GGCR-5BX |
| | 6" x 3' | 25 | GGCR-6BX |
| <ul style="list-style-type: none"> • Convex hinged design provides strength and allows access to gutters • Three foot sections come in sizes that fit any standard style Half Round gutters • Made of long lasting aluminum or copper | | | |

| Co-Polymer Gutter Guard | Description | Carton Qty | Part No. |
|--|-------------------------|------------|----------|
|  | Co-Polymer 6"x20' rolls | 24 | 85198 |
| | Gutter Guard Girders | | |
| | 8/Pack | 12 pks | 85175 |
| <ul style="list-style-type: none"> • Installs easily in aluminum or galvanized gutter systems • Fits 5" K-Style gutters • Economical 6 inch x 20 foot rolls • 8 rolls needed for average home • Durable co-polymer material - black | | | |

| Leaf Guard Plus | Description | Carton Qty | White | Brown |
|--|---|------------|-------|-------|
|  | 6' sections | 20 | TA010 | TA110 |
| | <ul style="list-style-type: none"> • Leaf guard with added drip protection • Installs easily onto vinyl gutter system hooks • No tools required • For vinyl gutter systems only | | | |

| Leaf Guard | Description | Carton Qty | White | Brown |
|--|---|------------|-------|-------|
|  | 5' sections | 20 | T0402 | - |
| | <ul style="list-style-type: none"> • Economical leaf guard • Installs easily onto vinyl gutter system hooks • No tools required • For vinyl gutter systems only | | | |

| Gusher Guard | Description | Carton Qty | White | Brown |
|--|---|------------|-------|---------|
|  | Aluminum 3/Pack | 10 pks | 25074 | 2507419 |
| | <ul style="list-style-type: none"> • Attach to front top lip of gutter where overflows occur • Requires screw or rivet attachment • Use on inside miters | | | |

Note:

The purpose of our Gutter Guard product line is to stop leaves or reduce debris from entering the gutter/eavestrough. Product performance can vary depending on proper installation, product selection, gutter orientation, roof material and slope. Winter weather may cause snow and ice to accumulate at roof eaves. Ice damming can result from improper roof ventilation and inadequate insulation. Heat radiating from below the roof and sun radiation melt snow and it freezes again when temperatures drop below freezing. Icicles can be formed on roof edges due to these conditions whether or not gutters or guards are installed. This is a natural process beyond the manufacturers control and we accept no responsibility for ice and snow accumulation or related consequences.

Leaf Guards are sold as debris protection devices. The manufacturer assumes no responsibility for any other result of this product use.

Colors shown are for reference only.



FLEX-A-SPOUT™ SYSTEM

KEEPS DESTRUCTIVE RAINWATER AWAY FROM FOUNDATIONS

Quickly connect to any size downspout
Easily divert through your landscape
Easily add length
Cover it up
Choose colors that match

Connect Downspout Adapter or Downspout Extension **Choose** Extension Covered Splash Block + Low Profile Extender Splash Block

FLEX-A-SPOUT™ System allows connection of 2 or more components creating unique drainage solutions! Quick and easy to install, no special tools required - Extend, Bend & Connect

| | | | |
|--|-------------------------------|---|--|
|  <i>Available in white, green, brown and tan</i> | <h3>DOWNSPOUT EXTENSION</h3> | <ul style="list-style-type: none"> Fits all standard residential downspouts Easy Installation! Extend, Bend, Connect & Bury | <ul style="list-style-type: none"> Connects to other FLEX-A-SPOUT™ accessories |
|  <i>Available in white</i> | <h3>DOWNSPOUT ADAPTER</h3> | <ul style="list-style-type: none"> Connects 2x3 and 3x4 inch downspouts to 3 or 4 inch drainpipes Extends up to 16 inches | <ul style="list-style-type: none"> Easy Installation! Extend, Bend & Connect Connects to other FLEX-A-SPOUT™ accessories |
|  <i>Available in white, green, brown and tan</i> | <h3>EXTENSION</h3> | <ul style="list-style-type: none"> Adds up to 80 inches to Downspout Extension Redirects water for lawn and garden | <ul style="list-style-type: none"> Easy Installation! Extend, Bend, Connect & Bury Connects to other FLEX-A-SPOUT™ accessories |
|  <i>Available in brown</i> | <h3>COVERED SPLASH BLOCK</h3> | <ul style="list-style-type: none"> Easy to hide under light ground cover | <ul style="list-style-type: none"> Connects to other FLEX-A-SPOUT™ accessories |
|  <i>Available in brown</i> | <h3>LOW PROFILE EXTENDER</h3> | <ul style="list-style-type: none"> Connects to Covered Splash Block Telescoping Extender adds 9 to 28 inches | <ul style="list-style-type: none"> Easy to hide under light ground cover |
|  <i>Available in brown, green and tan</i> | <h3>SPLASH BLOCK</h3> | <ul style="list-style-type: none"> Integrated design stays in place Prevents erosion from runoff water | <ul style="list-style-type: none"> Connects to other FLEX-A-SPOUT™ accessories |

Colors shown are for reference only.

fax 717.299.2194

phone 800.347.2586

| Item Number | Description | Color | Carton Qty |
|-------------|---------------------------|-------|------------|
| 85010 | Downspout Extension | White | 12 |
| 85011 | Downspout Extension | Green | 12 |
| 85014 | Downspout Extension | Tan | 12 |
| 85019 | Downspout Extension | Brown | 12 |
| ADP53229 | Downspout Adapter 2" x 3" | White | 15 |
| ADP53129 | Downspout Adapter 3" x 4" | White | 15 |
| 86011A | Extension | Green | 10 |
| 86019A | Extension | Brown | 10 |
| 86014A | Extension | Tan | 10 |
| 86010A | Extension | White | 10 |
| 88219A | Covered Splash Block | Brown | 4 |
| 88119A | Low Profile Extender | Brown | 6 |
| 89014 | Splash Block | Tan | 6 |
| 89019 | Splash Block | Brown | 6 |
| 89011 | Splash Block | Green | 6 |



Colors shown are for reference only.

Accessories

Roof Drainage Systems

| Extend-A-Spout™ | | Description | Carton Qty | Black |
|--|--|---|------------|-------|
|  | | Low Profile Drainage System | 12 | 81035 |
| | | Extender | 6 | 88100 |
|  <p>Unassembled Low Profile Drainage System</p> | | | | |
|  <p>Assembled Low Profile Drainage System</p> <p>Optional Extender</p> | | <ul style="list-style-type: none"> • Works with A or B elbow, 2" x 3" or 3" x 4" • Snap-fit technology for easy installation • Unobstructed interior flow to prevent clogging • Beaded seal to avoid leakage • ½" Dam to eliminate backflow • Optional Extender increases overall length capacity an additional 30 inches • Snap-fit design secures the extender in place for long term positioning • Telescoping feature allows owner to adjust the length that best suits their application | | |

| Catch-A-Raindrop™ | | Description | Carton Qty | White |
|--|---|-------------|------------|-------|
|  | | 2" x 3" | 6 | 37042 |
| | | 3" x 4" | 4 | 37043 |
| | <ul style="list-style-type: none"> • Fits most standard residential downspouts • Small, discrete, and worry-free • Affordable way to conserve water • Plants love the pH neutral, fluoride- and chlorine-free water • Diverts water away from your home's foundation • Attach to regular garden hose or use cap | | | |

| Rodent Guard | | Description | Carton Qty | White |
|--|--|-------------|------------|-------|
|  | | 2" x 3" | 12 | 37552 |
| | | 3" x 4" | 12 | 37553 |
| | <ul style="list-style-type: none"> • Rodent Guard attaches to the downspout to prevent rodents and other pests from climbing up the downspout and into gutters and entering the attic • Made of ultra-tough molded Polycarbonate, won't rust • Won't discolor from sun or chemicals • Easy to install • Easy to clean | | | |

Colors shown are for reference only.


Accessories

| | | | | |
|--|---|---|--|---|
|  <p>Splash Blocks</p> <p>12/bundle</p> |  |  |  |  |
| | Brown | Green | Stone | Slate |
| | 3001-12 | 3002-12 | 3003-12 | 3004-12 |



- 11.5" Wide x 24" Long
- Colors will blend in with any landscape scheme

Roof Drainage Systems

| SuperScoop™ | Description | Carton Qty | BLACK |
|--|--|-------------------|--|
|  <p>SUPERSCOOP™</p> | Multi Purpose Scoop | 12 | LY306 |
| | <ul style="list-style-type: none"> • Made of durable plastic resin for long life • Multi-use around the home • Rock salt spreading in winter • Potting soil in summer • Removes debris from gutters | | <ul style="list-style-type: none"> • Use with any style gutter (metal or vinyl) • Measurement units inside scoop and handle for use in various residential tasks |
|  | | | |


| Gutter Wedge | Description | Carton Qty | White | Brown |
|---|---|-------------------|--------------|--------------|
|  | Fascia Fixer | 50 | T0539 | T1539 |
| | <ul style="list-style-type: none"> • Do away with sagging gutters • Use with 5" or 6" gutters • Use when fascia board or roof truss is slanted or sloped | | | |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Accessories

Roof Drainage Systems

| Flex-Elbow™ | | Description | Carton Qty | White | Brown |
|---|---|--------------------|-------------------|--------------|--------------|
|  |  | 2" x 3" Plastic | 24 | 37084 | 3708419 |
| <ul style="list-style-type: none"> • Expands 8" to 18" • Use with Aluminum, Steel, or Vinyl • Fits 2" x 3" downspout and 4" and 5" gutters • Easily bends and holds its shape | | | | | |

| Clip-Up Diverter Kit | | Description | Carton Qty | White | Brown |
|---|--|--------------------|-------------------|--------------|--------------|
|  |  | - | 9 | KM9030-9 | - |
| <ul style="list-style-type: none"> • For vinyl or metal 2" x 3" downspouts • 30 inches long | | | | | |

| Vinyl Dripper Flipper | | Description | Carton Qty | White | Brown |
|---|---|--------------------|-------------------|--------------|--------------|
|  |  | - | 12 | 37030 | 3703019 |
| <ul style="list-style-type: none"> • For vinyl or metal 2" x 3" downspouts • 30 inches long | | | | | |

FLEX-Drain System

FLEX-Drain®

Professional Grade Drainage Solutions

Versatility. Flexibility. Durability. FLEX-Drain® is simply a better solution from every angle. Our innovative yard drainage system features expandable pipes that outperforms every other brand. FLEX-Drain fittings easily connect systems and make installation a snap. Widely compatible with 3" and 4" corrugated pipe and 4" PVC, FLEX-Drain is designed to work hard and bend easy.

Using no-break copolymers and 100% "virgin" grade material, FLEX-Drain is made with seamless extrusion technology for enhanced performance and durability. With a simple snap, our integrated, soil-tight fittings lock securely and stay connected during backfilling. FLEX-Drain exceeds ASTM standards, delivering greater strength and joint integrity than standard corrugated pipe. For more information, visit Flex-Drain.com.



Solid Pipe

- Available in 8', 12', 25' and 50' lengths
- Great for diverting water from one place to another
- Water will not seep out until it reaches the end of the pipe



Perforated Pipe

- Available in 8', 12', 25' and 50' lengths
- Ideal for ground water drainage like french drains
- Use this pipe where surrounding soil is coarse and debris is minimal



Perforated Pipe with Sock

- Available in 25' and 50' lengths
- Pipe has spaced slits, covered by a removable polyester sock
- Use this pipe where surrounding soil or sand is fine and requires filtration or where debris is present



Flexible Downspout Adapter

- Available in sizes 2" x 3" and 3" x 4"
- Adapter fits 3" or 4" corrugated pipe and 4" PVC
- Its flexibility allows an easier connection with more versatility than rigid adapters



Coupler

- Female coupler for joining two cut pieces of FLEX-Drain® together
- Used to adapt FLEX-Drain® to some wyes and tees to improve the fit and function of the overall system



Flexible Elbow/Connector™

- Expands up to 21", connects 3" or 4" corrugated pipe and 4" PVC
- Creates any angle or turn, expands to reach pipes that have been cut short and is an excellent repair piece for damaged sections of pipe



Flexible T/Y™

- Eliminates the need to use rigid wyes and tees, because it flexes to become either
- Works with 3" or 4" corrugated pipe and 4" PVC.
- Flexes and bends to fit most any angle



Universal Pipe Connector

- Features an inner dimension that connects to 3" pipe and an outer dimension that connects to 4" pipe
- The most economical solution for connecting FLEX-Drain, 3" and 4" corrugated pipe and 4" PVC

FLEX-Drain Pipe

| Description | Carton Qty | Black |
|---------------------------|------------|--------|
| Solid | | |
| 4"x8" | 16 | 54021 |
| 4"x12' | 12 | 51710 |
| 4"x 25' | 6 | 51110 |
| 4" 25' | 3 | 52110D |
| 4"x 50' | 1 | 52001 |
| 4"x 50' | 4 | 52011 |
| Perforated | | |
| 4"x8" | 16 | 54022 |
| 4"x 12' | 12 | 51910 |
| 4"x 25' | 6 | 51310 |
| 4" 25' | 3 | 52310D |
| 4"x 50' | 1 | 52002 |
| 4"x 50' | 4 | 52012 |
| Perforated w/ sock | | |
| 4"x25" | 6 | 51510 |
| 4"x25" | 3 | 52510D |
| 4"x 50' | 1 | 52003 |
| 4"x 50' | 4 | 52013 |

FLEX-Drain Fittings

| Description | Carton Qty | Black |
|----------------------------------|------------|----------|
| Downspout Adapter | | |
| 2" x 3" x 4" | 10 | ADP53202 |
| 2" x 3" x 3" | 8 | ADP53602 |
| 3" x 4" x 4" | 10 | ADP53102 |
| Coupler | | |
| 4" | 20 | 55020 |
| Flexible Elbow/Connector™ | | |
| 4" | 10 | 57010 |
| Flexible T/Y™ | | |
| 4" | 4 | ADP53702 |
| Universal Pipe Connector | | |
| 4" | 16 | ADP53302 |

Features & Benefits

Universal Fit

Compact Size

Less Parts and Tools Required

Versatility and Variety



Compatible with Other Brands of Pipe and Fittings



Easy Transport



Faster Installation




Adapts to Any Install Situation

**Flex-Drain.com**




Roof Edge & Trim

See page A4 in the Appendix for product information



A Style - 10'

| A5 | Aluminum | | |
|---|-------------|--------|-------------|
| | Mill Finish | White | Royal Brown |
|  | A-5MF2 | A-5WA2 | A-5BA2 |
| | (50) | (50) | (50) |
| | .0125" | .0125" | .0125" |

B Style - 10'

| B4 1/2 | Aluminum | |
|---|----------|---|
|  | White |  |
| | 55002 | |
| | (50) | |
| | .0175" | |
| B5 1/2 | Aluminum | |
|  | White | Brown |
| | 55003 | 5500319 |
| | (50) | (50) |
| | .0175" | .0175" |
| B5 1/2 | Aluminum | |
|  | White | Brown |
| | 55013 | 5501319 |
| | (50) | (50) |
| | .0145" | .0145" |

C Style - 10'

| Hemmed C | Galvanized | | | | Galvanized (Embossed) | | | |
|---|-------------|--------|---------|-------------|-----------------------|------------|--------|--------|
| | Unpainted | White | Brown | Gray/Bronze | White | Brown | | |
|  | 56003 | 57103 | 5710319 | 5710333 | 57203 | 5720319 | | |
| | (40) | (25) | (25) | (25) | (25) | (25) | | |
| | 32 ga. | 32 ga. | 32 ga. | 32 ga. | 32 ga. | 32 ga. | | |
| C3 | Aluminum | | | | | Galvanized | | |
|  | Mill Finish | | White | | Royal Brown | Unpainted | | |
| | 54004 | C-3MFB | C-3WAB | C-3WA2 | 55004 | C-3BAB | 56004 | 56704 |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (25) |
| | .014" | .0175" | .0175" | .0125" | .019" | .0175" | 32 ga. | 28 ga. |

Moisture Protection

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. () Carton Quantity

Roof Edge & Trim

See page A4 in the Appendix for product information

| C Style - 10' (cont.) | | | | | | | | | |
|-----------------------|--------------|-------------|--------------|--------------|------------|-----------------------|--------|--------------|--|
| | Galvanized | | | | | | | | |
| | White | White | Brown | | | | | | |
| | 57004 | 57704 | 5770419 | | | | | | |
| | (50) | (25) | (25) | | | | | | |
| | 32 ga. | 28 ga. | 28 ga. | | | | | | |
| | Aluminum | Galvanized | | | | | | | |
| | White | Unpainted | | | | | | | |
| | 55104 | 56104 | 56705 | | | | | | |
| | (50) | (50) | (25) | | | | | | |
| | .019" | 32 ga. | 28 ga. | | | | | | |
| | Galvanized | | | | | Galvanized (Embossed) | | | |
| | Unpainted | White | Brown | Gray/ Bronze | | White | | | |
| | 56071 | 57171 | 5717119 | 5717133 | 5761233 | 57271 | | | |
| | (25) | (25) | (25) | (25) | (25) | (25) | | | |
| | 32 ga. | 32 ga. | 32 ga. | 32 ga. | 26 ga. | 32 ga. | | | |
| | Aluminum | | | | | | | | |
| | White | | | | Brown | Royal Brown | | Musket Brown | |
| | C35WA6 | C35WAB | C35WA2 | 55005 | 5500519 | C35BA6 | C35BAB | C35MBB | |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) | |
| | .016" | .0175" | .0125" | .0175" | .0175" | .016" | .0175" | .0175" | |
| | Aluminum | | | | | | | | |
| | Bright White | Light Maple | Natural Clay | Musket Brown | Pearl Gray | Savannah Wicker | Black | Dark Bronze | |
| | C35BWB | C35LMB | C35NCB | C35AMB | C35PGB | C35SWB | C35BKB | C35DBB | |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) | |
| | .0175" | .0175" | .0175" | .0175" | .0175" | .0175" | .0175" | .0175" | |
| | Galvanized | | | | | | | | |
| | Unpainted | Copper | | | | | | | |
| 56005 | C35CPB | | | | | | | | |
| (50) | (20) | | | | | | | | |
| 32 ga. | 16 oz. | | | | | | | | |
| | Aluminum | | | | | | | | |
| | White | | | Brown | | | | | |
| | 55125 | 55225 | 5512519 | | | | | | |
| | (50) | (50) | (50) | | | | | | |
| | .0145" | .019" | .0145" | | | | | | |

Moisture Protection

Roof Edge & Trim

See page A4 in the Appendix for product information

C Style - 10' (cont.)

| C4 | | Galvanized | | | | | | | |
|-----------|--------|--------------------|--------------------|--------------------|---------------------|--------------------|--------------|---------------------|---------------|
| | | Unpainted | White | Brown | Copper | | | | |
| | | 56622 | 57622 | 5762219 | C-4CPBD | | | | |
| | | (25) | (25) | (25) | (20) | | | | |
| | | 28 ga. | 29 ga. | 29 ga. | 16 oz. | | | | |
| CS4 | | Aluminum | | | | | | | |
| | | Mill Finish | White | Royal Brown | Copper | | | | |
| | | CS4MF2 | CS4WAB | CS4WA2 | CS4BAB | CS4BA2 | CS4CPB | | |
| | | (50) | (50) | (50) | (50) | (50) | (20) | | |
| | | .0125" | .019" | .0125" | .019" | .0125" | 16 oz. | | |
| | | | | | | | | | |
| C4 Hemmed | | Galvanized | | | | | | | |
| | | Unpainted | White | Brown | Gray/Bronze | | | | |
| | | 56002 | 57002 | 5700219 | 5700233 | | | | |
| | | (25) | (25) | (25) | (25) | | | | |
| | | 32 ga. | 32 ga. | 32 ga. | 32 ga. | | | | |
| C4 1/2 | | Aluminum | | | | | | | |
| | | White | | | | Royal Brown | Black | Musket Brown | |
| | | C45WAB | C45W24 | C45WA6 | C45WA2 | C45BAB | C45BA6 | C45BKB | C45MBB |
| | | (50) | (25) | (50) | (50) | (50) | (50) | (50) | (50) |
| | | .019" | .024" | .016" | .0125" | .019" | .016" | .019" | .019" |
| | | | Aluminum | | Galvanized | | | | |
| | | | White | Brown | Unpainted | Copper | | | |
| | | 55006 | 5500619 | 56006 | C45CPB | | | | |
| | | (50) | (50) | (25) | (20) | | | | |
| | | .0175" | .0175" | 32 ga. | 16 oz. | | | | |
| | C5 1/2 | | Aluminum | | | | | | |
| | | White | | | | | Brown | Royal Brown | |
| | | C55W3B | C55W24 | C55WAB | C55WA6 | 55007 | C-5WA2 | 5500719 | C-5BA2 |
| | | (25) | (25) | (50) | (50) | (50) | (50) | (50) | (50) |
| | | .032" | .024" | .019" | .016" | .0175" | .0125" | .0175" | .0125" |
| | | | Aluminum | | | Galvanized | | | |
| | | | Royal Brown | | Musket Brown | Unpainted | White | Royal Brown | Copper |
| | | C55B3B | C55BAB | C55BA6 | C55MBB | C55GLB | C55WSB | C55BSB | C55CPB |
| | | (25) | (50) | (50) | (50) | (20) | (50) | (50) | (20) |
| | | .032" | .019" | .016" | .019" | 27 ga. | 28 ga. | 28 ga. | 16 oz. |

Moisture Protection

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. () Carton Quantity

Roof Edge & Trim

See page A4in the Appendix for product information

C Style - 10' (cont.)

| C6 | Aluminum | | | | Galvanized | | | Copper |
|--------|-------------------|-------|-------------|-------------|------------|--------|--------|--------|
| | Mill Finish | White | Dark Bronze | Royal Brown | Unpainted | White | White | |
| | 54733 | 55733 | C-63DZ | C-63BA | C-6GLB | 57733 | C-6WSB | C-6CPB |
| | (25) | (25) | (25) | (25) | (10) | (10) | (10) | (10) |
| | .032" | .032" | .032" | .032" | 28 ga. | 27 ga. | 27 ga. | 16 oz. |
| | Galvanized | | | | | | | |
| C7 | Unpainted | | | | | | | |
| | 56640 | | | | | | | |
| | (20) | | | | | | | |
| | 32 ga. | | | | | | | |
| C8 | Galvanized | | | | | | | |
| | White | | | | | | | |
| | 57644 | | | | | | | |
| | (10) | | | | | | | |
| 29 ga. | | | | | | | | |

D & E Style - 10'

| D3 | Aluminum | | Galvanized |
|--------|--------------------|-------------|------------|
| | White | Royal Brown | Unpainted |
| | D-3WAB | D-3BAB | 56008 |
| | (50) | (50) | (50) |
| | .019" | .019" | 32 ga. |
| | Aluminum | | |
| D4 | White | | |
| | Royal Brown | | |
| | D-4WAB | D-4BAB | |
| | (50) | (50) | |
| .019" | | .019" | |
| D5 | Galvanized | | |
| | Unpainted | | |
| | 56625 | | |
| | (25) | | |
| 29 ga. | | | |
| | Galvanized | | |
| | Unpainted | | |
| | 56253 | | |
| | (15) | | |
| 31 ga. | | | |



Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. () Carton Quantity

Moisture Protection

Roof Edge & Trim

See page A4 in the Appendix for product information

| D & E Style - 10' (cont.) | | | | | | | |
|---------------------------|--------------------|--------------|--------------------|--------------------|--------|-------------------|--------|
| Aluminum | | | | | | | |
| | White | | Royal Brown | | | | |
| | E-3WA6 | E-3WAB | E-3BAB | | | | |
| | (50) | (50) | (50) | | | | |
| | .016" | .019" | .019" | | | | |
| E4 | Aluminum | | | | | Galvanized | |
| | Mill Finish | White | | Royal Brown | | Unpainted | |
| | E-4MFB | E-4WA6 | E-4WAB | E-4BA6 | E-4BAB | 56012 | 56624 |
| | (50) | (50) | (50) | (50) | (50) | (25) | (25) |
| | .019" | .016" | .019" | .016" | .019" | 32 ga. | 29 ga. |
| E6 | Galvanized | | | | | | |
| | Unpainted | | | | | | |
| | 56626 | | | | | | |
| | (20) | | | | | | |
| | 29 ga. | | | | | | |
| E9 | Copper | | | | | | |
| E-9CPBD | | | | | | | |
| (10) | | | | | | | |
| 16 oz. | | | | | | | |

Moisture Protection

Overhanging Roof Edge

| F Style Vinyl - 10' | | | |
|-----------------------|--------------|--------------|--|
| Vinyl | | | |
| | White | Brown | |
| | 37154 | 3715419 | |
| | (25) | (25) | |
| | .035" | .035" | |
| F4 1/2 | | | |
| Vinyl Drip Edge - 10' | | | |
| Vinyl | | | |
| | White | | |
| | T0401 | | |
| | (25) | | |
| | - | | |
| T0401 | | | |

Overhanging Roof Edge

See page A11 in the Appendix for product information

F Style - 10'

| F4 1/2 Metal | | Aluminum | | | | | | | |
|---------------------|--------------------|--------------|--------------|------------------|-------------------|---------------------|---------------|---------------|--|
| | Mill Finish | White | | Brown | | Natural Clay | Bronze | | |
| | 54014 | 55099 | 55054 | 5509919 | 5505419 | 5505479 | 5505433 | | |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | | |
| | .014" | .011" | .0145" | .011" | .0145" | .0145" | .0145" | | |
| | Aluminum | | | | Galvanized | | | | |
| | Black | Red | Green | Unpainted | | White | Brown | Black | |
| | 5505435 | 55054180 | 55054181 | 56014 | 56214 | 57014 | 5701419 | 5701435 | |
| | (50) | (50) | (50) | (25) | (25) | (25) | (25) | (25) | |
| | .0145" | .0145" | .0145" | 32 ga. | 30 ga. | 32 ga. | 32 ga. | 32 ga. | |
| | Galvanized | | | | | | | Copper | |
| | | | | | | | F45CPB | | |
| | | | | | | | (20) | | |
| | | | | | | | 16 oz. | | |
| F4 1/2 Hemmed | | Aluminum | | | | | | | |
| | White | | | | Brown | Royal Brown | | | |
| | F45WA2 | F45WA6 | F45WAB | 55199 | 5519919 | F45BA2 | F45BA6 | F45BAB | |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) | |
| | .0125" | .016" | .019" | .0125" | .0125" | .0125" | .016" | .019" | |
| | Aluminum | | | | | | | | |
| Musket Brown | Mill Finish | Black | | | | | | | |
| F45MBB | F45MFB | F45BKB | | | | | | | |
| (50) | (50) | (50) | | | | | | | |
| .0175" | .019" | .019" | | | | | | | |
| F4 1/2 Open Hemmed | | Galvanized | | | | | | | |
| | Unpainted | White | Brown | Bronze | Black | | | | |
| | 56114 | 57224 | 5722419 | 5722433 | 5722435 | | | | |
| | (25) | (25) | (25) | (25) | (25) | | | | |
| | 32 ga. | 31 ga. | 31 ga. | 31 ga. | 31 oz. | | | | |
| F4 1/2 Modified | | Aluminum | | | | | | | |
| | White | | | | | | | | |
| | 55024 | | | | | | | | |
| | (50) | | | | | | | | |
| | .019" | | | | | | | | |

Moisture Protection



Overhanging Roof Edge

See page A4 in the Appendix for product information

F Style - 10' (cont.)

| F5 | | Aluminum | | | | | | |
|--------------------------|--------------------|--------------------|--------------|------------------|-------------------|--------------------|-------------------|---------|
| | Mill Finish | White | | | | | Brown | |
| | 54015 | F-5MFB | 55055 | 55015 | F-5WAB | F-5W24 | F-5WA6 | 5505519 |
| | (50) | (50) | (50) | (50) | (50) | (25) | (50) | (50) |
| | .014" | .019" | .0145" | .019" | .019" | .024" | .016" | .0145" |
| | Aluminum | | | | | | Galvanized | |
| | Brown | Royal Brown | | | Black | Musket Brown | Unpainted | |
| | 5501519 | F-5BAB | F-5B24 | F-5BA6 | F-5BKB | F-5MBB | 56015 | |
| | (50) | (50) | (25) | (50) | (50) | (50) | (25) | |
| | .019" | .019" | .024" | .016" | .019" | .019" | 32 ga. | |
| | Galvanized | | | | | | | |
| Unpainted | | White | | | | Brown | | |
| 56215 | F-5GLB | 57015 | 57215 | 57615 | F-5WSB | 5701519 | 5721519 | |
| (25) | (20) | (25) | (25) | (25) | (20) | (25) | (25) | |
| 30 ga. | 28 ga. | 32 ga. | 30 ga. | 29 ga. | 29 ga. | 32 ga. | 31 ga. | |
| Galvanized | | | | | | | | |
| Brown | Copper | | | | | | | |
| 5761519 | F-5CPB | | | | | | | |
| (25) | (15) | | | | | | | |
| 29 ga. | 16 oz. | | | | | | | |
| F5 Open Faced | | Aluminum | | | Galvanized | | | |
| | Mill Finish | White | Brown | Unpainted | Copper | | | |
| | 54017 | 55057 | 5505719 | 56217 | F50CPB | | | |
| | (50) | (50) | (50) | (15) | (10) | | | |
| | .014" | .0145" | .0145" | 32 ga. | 16 oz. | | | |
| F5 Open Hemmed | | Aluminum | | | | | | |
| | Mill Finish | | White | | | Royal Brown | | |
| | F5OMF2 | F5OMFB | F50WA2 | F50WA6 | F50WAB | F50BA2 | F50BA6 | F50BAB |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) |
| | .0125" | .019" | .0125" | .016" | .019" | .0125" | .016" | .019" |
| F5 1/2 Open Faced | | Aluminum | | | | | | |
| | White | | | | | | | |
| | 55058 | | | | | | | |
| | (50) | | | | | | | |
| | .0145" | | | | | | | |

Moisture Protection

Overhanging Roof Edge

See page A4 in the Appendix for product information

| F Style - 10' (cont.) | | | | | | | | |
|-----------------------|--------------|--------------|----------------|--------------|-----------------|-------------|---------------|------------|
| | Aluminum | | | | | | | |
| | Mill Finish | White | | | Royal Brown | | | |
| | F55OMF | F55OW2 | F55OW6 | F55OWB | F55OB2 | F55OB6 | F55OBB | |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | |
| | .019" | .0125" | .016" | .019" | .0125" | .016" | .019" | |
| | Aluminum | | | | | | | |
| | Light Maple | Natural Clay | A Musket Brown | Pearl Gray | Savannah Wicker | Black | | |
| | F55OLM | F55ONC | F55OAMB | F55OPG | F55OSW | F55OBK | | |
| | (50) | (50) | (50) | (50) | (50) | (50) | | |
| | .019" | .019" | .019" | .019" | .019" | .019" | | |
| | Aluminum | | | | | | | |
| | White | Brown | | | | | | |
| | 55085 | 5508519 | | | | | | |
| | (50) | (50) | | | | | | |
| .019" | .019" | | | | | | | |
| | Aluminum | | | | | | | |
| | White | | | Brown | | Royal Brown | | |
| | 55045 | F5MWA6 | F5MWAB | 55046 | 5504519 | 5504619 | F5MBA6 | F5MBAB |
| | (50) | (50) | (50) | (35) | (50) | (35) | (50) | (50) |
| | .0145" | .016" | .019" | .022" | .0145" | .022" | .016" | .019" |
| | Aluminum | | | | | | | |
| | Natural Clay | | Bronze | Musket Brown | Bright White | White | Bright White | Black |
| | 5504579 | | 5564533 | F5MABB | 55045182 | 55645 | 5564514 | 5504535 |
| | (50) | | (50) | (50) | (50) | (50) | (50) | (50) |
| | .0145" | | .019" | .019" | .0145" | .019" | .019" | .0145" |
| | Aluminum | | | | | | | Galvanized |
| | Light Maple | Natural Clay | Musket Brown | Pearl Gray | Savannah Wicker | Black | Sterling Gray | Unpainted |
| | 5564528 | 5564579 | 5564559 | 5564553 | 5564546 | 5564535 | 5564531 | F5MGLB |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (25) |
| | .019" | .019" | .019" | .019" | .019" | .019" | .019" | 28 ga. |
| | Galvanized | | | | | | | |
| | White | | | Brown | | Royal Brown | Bronze | Black |
| | 5734500 | 57245 | 57045 | 5724519 | 5704519 | 57345015 | 5734533 | 5734535 |
| (25) | (25) | (25) | (25) | (25) | (25) | (25) | (25) | |
| 26 ga. | 30 ga. | 32 ga. | 30 ga. | 32 ga. | 26 ga. | 26 ga. | 26 ga. | |

Moisture Protection

Overhanging Roof Edge

See page A4 in the Appendix for product information

| F Style - 10' (cont.) | | | | | | | | |
|-----------------------|--------------|-------------|-----------------|---------------|--------------|----------------|-------------------|-----------------|
| | Galvanized | | Aluminum | | | | | |
| | Green | Copper | Royal Brown | Grecian Green | Cert Cypress | Heritage Cream | Granite Gray | |
| | 57345181 | F5MCPB | 55645015 | 5564518 | 5564526 | 5564527 | 5564547 | |
| | (25) | (15) | (50) | (50) | (50) | (50) | (50) | |
| | 28 ga. | 16 oz. | .019" | .019" | .019" | .019" | .019" | |
| | Aluminum | | | | | | | |
| | White | Brown | | | | | | |
| | 55041 | 5504119 | | | | | | |
| | (40) | (40) | | | | | | |
| | .0175" | .0175" | | | | | | |
| | Aluminum | | | | | | | |
| | White | Brown | Bright White | Light Maple | Natural Clay | Musket Brown | Pearl Gray | Savannah Wicker |
| | 55155 | 5515519 | 55155182 | 5515528 | 5515579 | 5515559 | 5515553 | 5515546 |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) |
| | .0145" | .0145" | .0145" | .0145" | .0145" | .0145" | .0145" | .0145" |
| | Aluminum | | Galvanized | | | | | |
| | Royal Brown | Black | White | Brown | Bronze | Black | | |
| | 5515515 | 5515535 | 57155 | 5715519 | 5715533 | 5715535 | | |
| | (50) | (50) | (25) | (25) | (25) | (25) | | |
| | .0145" | .0145" | 32 ga. | 32 ga. | 32 ga. | 32 ga. | | |
| | Galvanized | | | | | | | |
| | White | Brown | | | | | | |
| | 57157 | 5715719 | | | | | | |
| | (25) | (25) | | | | | | |
| | 32 ga. | 32 ga. | | | | | | |
| | Aluminum | | | | | | | |
| | White | Brown | Green | Brown | Black | Bronze | Royal Brown | |
| | 55056 | 55116 | 5505619 | 55056181 | 5511719 | 5511735 | 5511733 | 5511715 |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) |
| | .0145" | .0175" | .0145" | .0145" | .0175" | .0175" | .0175" | .0175" |
| | Aluminum | | | | | | | Galvanized |
| | Bright White | Light Maple | Savannah Wicker | Pearl Gray | Musket Brown | Natural Clay | Pebble-stone Clay | White |
| | 5511714 | 5511728 | 5511746 | 5511753 | 5511759 | 5511779 | 5511785 | 57656 |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (25) |
| | .0175" | .0175" | .0175" | .0175" | .0175" | .0175" | .0175" | 29 ga. |







Moisture Protection

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. () Carton Quantity

Overhanging Roof Edge

See page A4 in the Appendix for product information

F Style - 10' (cont.)

| F5 1/2 S Hemmed (Cont.) | | Galvanized | | | | | | |
|--|--------------------|------------------------|--------------|------------------|---------------------|--|---------------------|--|
|  | Brown | | | | | | | |
| | 5765619 | | | | | | | |
| | (25) | | | | | | | |
| | 29 ga. | | | | | | | |
| F6M Hemmed | | Galvanized | | | | | | |
|  | Unpainted | White | Brown | | | | | |
| | 56242 | 57042 | 5704219 | | | | | |
| | (20) | (20) | (20) | | | | | |
| | 32 ga. | 32 ga. | 32 ga. | | | | | |
| F8 Open Faced | | Aluminum | | | Galvanized | | | |
|  | Mill Finish | White | Brown | Unpainted | White |  | | |
| | 54018 | 55017 | 5501719 | 56220 | 57219 | | | |
| | (50) | (25) | (25) | (15) | (15) | | | |
| | .014" | .0145" | .0145" | 32 ga. | 32 ga. | | | |
| F8 | | Aluminum | | | Galvanized | | | |
|  | Mill Finish | White | Brown | Unpainted | | | | |
| | 54219 | 55219 | 5521919 | 56019 | 56219 | | | |
| | (25) | (25) | (25) | (15) | (15) | | | |
| | .0167" | .0175" | .0175" | 32 ga. | 32 ga. | | | |
| F8 Open Hemmed | | Aluminum | | | | | | |
|  | Mill Finish | | | White | | | | |
| | F-8MF2 | F-8MFB | 54217 | F-8WA2 | F-8WAB | F-8W24 | 55217 | |
| | (25) | (25) | (25) | (25) | (25) | (25) | (25) | |
| | .0125" | .019" | .0167" | .0125" | .019" | .024" | .0175" | |
| Aluminum | | | | | | | | |
| Brown | Royal Brown | | | Black | Bright White | Light Maple | Natural Clay | |
| 5521719 | F-8BA2 | F-8BAB | 5521715 | F-8BKB | 5521714 | 5521728 | 5521779 | |
| (25) | (25) | (25) | (25) | (25) | (25) | (25) | (25) | |
| .0175" | .0125" | .019" | .0175" | .019" | .0175" | .0175" | .0175" | |
| Aluminum | | | | | Galvanized | | | |
| Musket Brown | Pearl Gray | Savannah Wicker | | Black | Unpainted | Copper | | |
| 5521759 | 5521753 | 5521746 | | 5521735 | F-83GL | F-8CPB | | |
| (25) | (25) | (25) | | (25) | (20) | (10) | | |
| .0175" | .0175" | .0175" | | .0175" | 32 ga. | 16 oz. | | |

Moisture Protection

Overhanging Roof Edge

See page A4 in the Appendix for product information

| ODE Style - 10' | | | | | | | | |
|-----------------|-------------|--------------|-------------|--------------|----------------|------------|-----------------|-------------|
| | Aluminum | | | | | | | |
| | LG 30 White | Bright White | Light Maple | Natural Clay | A Musket Brown | Pearl Gray | Savannah Wicker | Royal Brown |
| | ODE-WA | ODE-BW | ODE-LM | ODE-NC | ODE-AMB | ODE-PG | ODE-SW | ODE-BA |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (50) |
| | .019" | .019" | .019" | .019" | .019" | .019" | .019" | .019" |
| | Aluminum | | | | | | | |
| | Black | LG 30 White | Royal Brown | Cooper | Dark Bronze | | | |
| | ODE-BK | ODEWA6 | ODE-BA6 | ODE-CP | ODE-DB | | | |
| | (50) | (50) | (50) | (10) | (50) | | | |
| | .019" | .0145" | .0145" | 16 oz. | .019" | | | |

| F.H.A. - 10' | |
|--------------|------------|
| | Galvanized |
| | Unpainted |
| | 56645 |
| | (20) |
| | 29 ga. |

Miscellaneous

| H Style - 10' | | | | | | | | |
|---------------|-------------|------------|--------|-----------|-------------|--------|--------------|------------|
| | Aluminum | | | | | | | Galvanized |
| | Mill Finish | White | | | Royal Brown | | Musket Brown | Unpainted |
| | H55MFB | H55WA6 | 55021 | H55WAB30W | H55BA6 | H55BAB | H55MBB | 56021 |
| | (50) | (50) | (50) | (50) | (50) | (50) | (50) | (25) |
| | .019" | .016" | .0175" | .019" | .016" | .019" | .019" | 32 ga. |
| | Aluminum | | | | | | | |
| | White | Copper | | | | | | |
| | H55WSB | H55CPB | | | | | | |
| | (20) | (10) | | | | | | |
| | 27 ga. | 16 oz. | | | | | | |
| | Aluminum | Galvanized | | | | | | |
| | White | Unpainted | | | | | | |
| | 55224 | 56324 | | | | | | |
| | (50) | (20) | | | | | | |
| .019" | 28 ga. | | | | | | | |



Moisture Protection

Miscellaneous

See page A4 in the Appendix for product information

H Style - 10' (cont.)

| H6F Slag Stop | Aluminum | | | | | | | | |
|---------------|--------------|--------|--------|--------|--------|-------------|--------|--------|--|
| | Mill Finish | | White | | | Royal Brown | | | |
| | H6FMFB | H6FM3B | H6FWA6 | H6FW24 | H6FW3B | H6FBA6 | H6FBAB | H6FB3B | |
| | (50) | (25) | (50) | (25) | (25) | (50) | (50) | (25) | |
| | .019" | .032" | .016" | .024" | .032" | .016" | .019" | .032" | |
| | Aluminum | | | | | | | | |
| | Musket Brown | Copper | | | | | | | |
| | H6FMBB | H6FCPB | | | | | | | |
| (50) | (15) | | | | | | | | |
| .019" | 16 oz. | | | | | | | | |

Vented Roof Edge - 10'

| Vented D.E. | Aluminum | | | |
|-------------|-------------|--------|-------------|--------|
| | Mill Finish | White | Royal Brown | Copper |
| | VDE-MF | VDEHGU | VDE-BR | VDE-CP |
| | (20) | (20) | (20) | (10) |
| | .027" | .027" | .027" | 16 oz. |
| | | | | |

Roof Apron - 10'

| Roof Apron | Aluminum | | | | | Galvanized | | |
|------------|-------------|-------|--------------|-------------------|---------|------------|--------|---------|
| | Mill Finish | White | Musket Brown | Pebble-stone Clay | Bronze | Unpainted | White | Brown |
| | 54075 | 55075 | 5507559 | 5507585 | 5507533 | 56075 | 57075 | 5707519 |
| | (50) | (40) | (40) | (40) | (40) | (25) | (25) | (25) |
| | .011" | .019" | .019" | .019" | .019" | 32 ga. | 32 ga. | 32 ga. |
| | | | | | | | | |

Brick Molding

| | Aluminum |
|--------|----------|
| | White |
| BMCWA9 | |
| (25) | |
| .019" | |

Moisture Protection

Window & Door Cap

See page A4 in the Appendix for product information

| Window & Door Cap - 10' | | | | | | |
|-------------------------|-------------|---------------|---------------|---------------|---------|--------|
| | Aluminum | | | | | |
| | Mill Finish | HiGloss White | | | | |
| | 54221 | 5522120 | | | | |
| | (100) | (50) | | | | |
| | .011" | .011" | | | | |
| | Aluminum | | | | | |
| | Mill Finish | | | | | |
| | 54520 | 54520 | 54520 | | | |
| | (50) 42" | (50) 4' | (100) 8' | | | |
| | .011" | .011" | .011" | | | |
| | Aluminum | | | | | |
| | Mill Finish | White | HiGloss White | Brown | | |
| | 54231 | 55231 | 5523120 | 5523119 | | |
| | (100) | (100) | (50) | (100) | | |
| | .011" | .011" | .011" | .011" | | |
| | Aluminum | | | | | |
| | White | HiGloss White | | | | |
| | 55321 | 5532120 | | | | |
| | (100) | (50) | | | | |
| | .011" | .011" | | | | |
| | Aluminum | | | | | |
| | Mill Finish | | HiGloss White | White | Copper | |
| | 54521 | 54251 | 5525120 | 55251 | XDCC56 | |
| | (50) 42" | (100) | (50) | (100) | (20) | |
| | .011" | .011" | .011" | .011" | 16 oz. | |
| | Mill Finish | | White | HiGloss White | Brown | Copper |
| | 54241 | 54241 | 55241 | 5524120 | 5524119 | XDCC18 |
| | (100) | (50) 42" | (100) | (50) | (100) | (20) |
| | .011" | .011" | .011" | .011" | .011" | 16 oz. |
| | Aluminum | | | | | |
| | Mill Finish | | White | HiGloss White | | |
| | 54049 | 54049 | 55049 | 5504920 | | |
| | (100) | (50) 42" | (50) | (50) | | |
| | .011" | .011" | .0175" | .011" | | |


Moisture Protection

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. () Carton Quantity

Window & Door Cap

See page A4 in the Appendix for product information

| Window & Door Cap - 10' (cont.) | | | | | | |
|---------------------------------|----------------|-------------------|------------------|----------------|-----------------|--|
| | Aluminum | | | | | |
| | Mill Finish | | | White | HiGloss White | |
| | 54261 (100) | 54261 (50) 42" | 54261 (50) 8' | 55261 (100) | 5526120 (50) | |
| | .011" | .011" | .011" | .011" | .011" | |
| 1 5/8" x 10' | Galvanized | Aluminum | | | | |
| | Unpainted | White | | | | |
| | 56060 | 55060 | | | | |
| | (50) | (50) | | | | |
| | 32 ga. | .0175" | | | | |
| DC1 - 10' | Aluminum | | | | | |
| | White | | Royal Brown | | | |
| | DC1WA2 | DC1WA6 | DC1BA2 | DC1BA6 | | |
| | (50) | (50) | (50) | (100) | | |
| | .0125" | .0145" | .0145" | .0125" | | |
| DC3 - 10' | Aluminum | | | | | |
| | White | | | | | |
| | DC3WA2 | DC3WA6 | | | | |
| | (50) | (50) | | | | |
| | .0125" | .0145" | | | | |
| DC3 - 8' | Aluminum | | | | | |
| | White | | | | | |
| | 55034 | | | | | |
| | (63) | | | | | |
| | .0175" | | | | | |



West Coast Roof Edges

| Grip Edge - 10' | | | |
|-----------------|---------------|---------------|-----------------|
| | Galvanized | | |
| | Unpainted | White | Brown |
| | 56787 (20) | 57787 (20) | 5778719 (20) |
| | 28 ga. | 28 ga. | 28 ga. |

Moisture Protection

West Coast Roof Edges

See page A4 in the Appendix for product information

| Grip Edge - 10' (cont.) | |
|-------------------------|-------------------|
| | Galvanized |
| | Unpainted |
| | 56788 |
| | (20) |
| | Galvanized |
| | Unpainted |
| | 56782 |
| | (20) |
| 28 ga. | |






| Drip Edge - 10' | | | | |
|-----------------|-------------------|--------------|--------------|--------------------|
| | Galvanized | | | |
| | Unpainted | White | Brown | Weatherwood |
| | 56616 | 57616 | 5761619 | 5761634 |
| | (20) | (20) | (20) | (20) |
| 28 ga. | | | | |
| | Galvanized | | | |
| | Unpainted | White | Brown | Black |
| | 56602 | 57602 | 5760219 | 5760235 |
| | (20) | (20) | (20) | (20) |
| 28 ga. | | | | |
| | Galvanized | | | |
| | Unpainted | | | |
| | 56673 | | | |
| | (10) | | | |
| 28 ga. | | | | |
| | Galvanized | | | |
| | Unpainted | | | |
| | 56671 | | | |
| | (20) | | | |
| 28 ga. | | | | |
| | Galvanized | | | |
| | Unpainted | | | |
| | 56742 | | | |
| | (10) | | | |
| 28 ga. | | | | |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. () Carton Quantity

Flashing Angle

See page A4 in the Appendix for product information


Flashing Angle - 10'

| | | |
|---|--------------------|---|
| | Galvanized | |
|  | Unpainted | |
| | 56633 | |
| | (10) | |
| | 28 ga. | |
| | Galvanized | |
|  | Unpainted | |
| | 56644 | |
| | (10) | |
| | 28 ga. | |
| | Galvanized | |
|  | Unpainted | |
| | 56664 | |
| | (10) | |
| | 28 ga. | |
| | Galvanized | |
|  | Unpainted | |
| | 56620 | |
| | (10) | |
| | 28 ga. | |
| | Galvanized | |
|  | Unpainted | |
| | 56646 | |
| | (10) | |
| | 28 ga. | |
| | Aluminum | |
|  | Mill Finish | <ul style="list-style-type: none"> • Rust-free aluminum 120 degree angle, used where roof and walls meet. Angle helps weatherproof this area |
| | 54450 | |
| | (10) | |
| | .0167" | |

Moisture Protection

Area Walls, Covers & Grates

| Plastic Area Walls | Size | Pack Qty. | Part No. |
|--|------|-----------|----------|
|  | 12" | 3/bundle | 75204 |
| | 18" | 3/bundle | 75208 |
| | 24" | 3/bundle | 75210 |
|  <ul style="list-style-type: none"> • Combine units for added heights | | | |
|  <ul style="list-style-type: none"> • Units are pre-drilled and can be bolted together | | | |

| Galvanized Area Walls | Size | Pack Qty. | Part No. |
|--|------|-------------------------|----------|
|  | 12" | 5/bundle | 75004 |
| | 18" | 5/bundle | 75008 |
| | 24" | 5/bundle | 75010 |
| | | 22 ga. Non-stackable | |

| Galvanized Mini Area Wall | Pack Qty. | Part No. |
|--|-----------|----------|
|  | 5/bundle | 75016 |
| <p>12" height</p> <p>Mini - (for Foundation Vents)</p> | | |

| Plastic Grate | Pack Qty. | Part No. |
|---|-----------|----------|
|  | 3/bundle | 75250 |
| <ul style="list-style-type: none"> • Load Bearing - holds over 500 lbs. • Fits plastic and galvanized area walls • Easy to install | | |

| Translucent Cover | Pack Qty. | Part No. |
|---|-----------|----------|
|  | 3/bundle | 75260 |
| <ul style="list-style-type: none"> • Can be used on metal and plastic area walls with a width of 37" and projection of 16" | | |

Area Walls, Covers & Grates

Plastic Modular Egress Window Well System and Hinged Window Well Cover

| Window Well | Height | Pack Qty. | Part No. | Hinged Cover | Pack Qty. | Part No. |
|---|---------|-----------|----------|---|---|----------|
| stacked sections shown  43" projection | 20 7/8" | 1 | 75447 |  | 1 | 75449 |
| | | | | | clear plastic | |
| | | | | | size: 59" Wide 44 1/2" Depth 6" High | |
| | | | | | weight: 11 lbs. | |
| <ul style="list-style-type: none"> Accommodates all egress windows from 32" to 48" wide 43" projection from the wall Complies with IRC 2000 Egress Code Multiple well heights available | | | | <ul style="list-style-type: none"> Individual sections are 20 7/8" in height; when stacked, each additional section adds 14" to the overall height; continue stacking until desired height is reached Hinged cover is clear to allow light in | | |

| Escape Ladder (for Egress Area Wall) | Size | Pack Qty. | Part No. | Galvanized Egress Area Wall | Size | Pack Qty. | Part No. |
|--|----------------|-----------|----------|---|---------------------------------------|-----------|----------------|
|  14" Wide | 48 1/2" height | 1 | 75450 |  42" / 36" | 48" height 60" height | 1 1 | 75448 75460 |
| | | | | | 16 ga. inside clearance shown here | | |
| <ul style="list-style-type: none"> For use with egress area walls with a height of 48" - 60" IRC 310.2.1 compliant for egress Welded steel construction | | | | <ul style="list-style-type: none"> 36" projection from the wall Coated with hot-dipped galvanized Mounting holes for attachment to area wall | | | |

- Bring Safety to Your Basement
- Protect Below Grade Openings in Foundation Walls
- Provides an Emergency Exit from Basement (when used with Egress Window)

- Permit Daylight and Air Flow in Basement
- Covers Help Prevent Children and Pets from Falling into Opening




Dig



Mount



Back Fill



Cover

Moisture Protection

Trim Coil - Painted Aluminum

| | Smooth Finish (.018") 24" x 50' 1 roll per carton - 24 cartons per skid | PVC Finish (.021") 24" x 50' 1 roll per carton |
|---------------------------------|---|---|
| Color | Part No. | Part No. |
| Brown | 69124 | 6912497 |
| Royal Brown | 6912415 | 6912468 |
| ALC Musket Brown | 6912459 | 6912425 |
| Cert Musket Brown | 6912430 | 6912452 |
| AMP Dark Bronze | 6912451 | 6912423 |
| AMP Dark Bronze/ Sable Brown | ADBSAB-24 | - |
| Autumn Yellow | 6912434 | 6912443 |
| Black/Black | 204-24 | - |
| Black | 6912435 | 6912441 |
| Black/Royal Brown | 6912436 | - |
| Buckskin | 6912421 | - |
| Glacier Blend | 6912437 | 6912456 |
| Cypress | 69124239 | 6912454 |
| Desert Tan | 6912477 | 6912478 |
| Granite Gray | 6912447 | 6912413 |
| Grecian Green | 69124217 | 6912460 |
| Heritage Cream | 69124027 | 6912462 |
| Herringbone | 69124220 | 6912463 |
| Ivy Green | 6912461 | 6912464 |
| Light Maple | 69124028 | 6912465 |
| Natural Clay | 69124079 | 6912439 |
| Pacific Blue | 6912438 | 6912466 |
| Oxford Blue | 6912493 | 6912494 |
| Pearl Gray | 6912453 | - |
| Pebble Stone Clay | 6912485 | 6912486 |
| Sable Brown | 69124033 | 6912470 |
| Sandstone Beige | 6912474 | 6912471 |
| Savannah Wicker | 69124046 | 6912472 |
| Silver Ash | 6912432 | 6912475 |
| Colonial White | 6912491 | 6912492 |
| Snow White | 6912484 | 6912480 |
| Sterling Gray | 6912431 | 6912481 |
| Tuxedo Gray | 6912488 | 6912489 |
| Lomar White | 6912455 | 6912457 |
| Bright White | 69124182 | 6912458 |
| Bronze | 6912433 | - |
| Lighthouse Red | 69124180 | - |

| | Smooth Finish (.018") 24" x 50' 1 roll per carton - 24 cartons per skid | PVC Finish (.021") 24" x 50' 1 roll per carton |
|-------------------------|---|---|
| Color | Part No. | Part No. |
| Almond | 6912469 | - |
| Autumn Red | 69124101 | - |
| Ber Dark Bronze | 69124051 | - |
| Berger Musket Brown | 69124059 | - |
| Bermuda Blue | 69124102 | - |
| Bone Linen | 69124230 | - |
| Charcoal Gray | 69124103 | - |
| Flagstone | 69124107 | - |
| Forest | 69124105 | - |
| Green Tea | 69124104 | - |
| Harbor Blue Crane | 69124238 | - |
| Hearthstone | 69124108 | - |
| Linen | 69124106 | - |
| Mountain Cedar | 69124109 | - |
| Pearl Crane | 69124237 | - |
| Regatta Blue Crane | 69124240 | - |
| Rye Crane | 69124242 | - |
| Saddle | 69124244 | - |
| Sandpiper | 69124110 | - |
| Seagrass | 69124111 | - |
| Spruce | 69124112 | - |
| Storm Crane (Greystone) | 6912440 | - |
| Suede | 69124113 | - |
| Terra Cotta | 69124114 | - |
| Wheat Crane | 69124243 | - |

Moisture Protection

Flame Spread: self-extinguishing - A.S.T.M. D568



Note: All inside rolls are painted white unless specified

For trim nails to color coordinate with painted trim coil, see page 77


Trim Coil - Painted Aluminum

| Aluminum (.018") 1 roll/ctn | | | | | | |
|-----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Color | Part No. | | | | | |
| | 10" x 50' | 12" x 50' | 14" x 50' | 16" x 50' | 18" x 50' | 20" x 50' |
| Brown/White | 69110 | 69112 | 69114 | 69116 | 69118 | 69120 |
| Black/White | 6911035 | - | 6911435 | - | - | 6912035 |
| White/White | - | - | 6911455 | - | - | - |
| Royal Brown/Lomar White | - | - | 6911415 | - | - | - |
| Lomar White/Lomar White | - | 69112551 | - | - | - | - |
| Black/Royal Brown | - | - | 6911436 | - | - | - |
| Bright White/Bright White | - | - | 69114182 | - | - | - |
| A Musket Brown | - | - | 6911487 | - | - | - |
| Black/Royal Brown | - | 6911236 | - | - | - | - |

| Aluminum (.0112") | | | |
|-------------------|---------------------------|---------------------------|--------------------------|
| Color | Part No. | | |
| | 10" x 10' 12 rolls/ctn | 14" x 10' 12 rolls/ctn | 24" x 10' 1 rolls/ctn |
| Brown/White | 69410 | 69414 | 69424 |

Note: All inside rolls are painted white unless specified

Deck Ledger Flashing

| 8' Deck Ledger Flashing Cap | Pack Qty. | Painted Steel White | Painted Steel Brown | Plastic Gray |
|---|-----------|--|---------------------|--------------|
|  <p>Plastic Deck Ledger</p> | 20 | 57028 | 5702819 | - |
| | 40 | - | - | 37028 |
| <ul style="list-style-type: none"> • Fits over ledger board and behind siding to protect from water damage • Use asphalt paper between metal and pressure-treated lumber • Plastic Deck Ledger recommended for use with pressure-treated lumber • Plastic Deck Ledger has slots for nailing | | | | |
|  | |  <p>Siding Ledger Board</p> | | |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. CP = Contractor Pack

Moisture Protection

Trim Coil - Painted Aluminum

| Aluminum (.018") 1 roll/ctn | | | | | | |
|-----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Color | Part No. | | | | | |
| | 10" x 50' | 12" x 50' | 14" x 50' | 16" x 50' | 18" x 50' | 20" x 50' |
| Brown/White | 69110 | 69112 | 69114 | 69116 | 69118 | 69120 |
| Black/White | 6911035 | - | 6911435 | - | - | 6912035 |
| White/White | - | - | 6911455 | - | - | - |
| Royal Brown/Lomar White | - | - | 6911415 | - | - | - |
| Lomar White/Lomar White | - | 69112551 | - | - | - | - |
| Black/Royal Brown | - | - | 6911436 | - | - | - |
| Bright White/Bright White | - | - | 69114182 | - | - | - |
| A Musket Brown | - | - | 6911487 | - | - | - |
| Black/Royal Brown | - | 6911236 | - | - | - | - |


| Aluminum (.0112") | | | |
|-------------------|---------------------------|---------------------------|--------------------------|
| Color | Part No. | | |
| | 10" x 10' 12 rolls/ctn | 14" x 10' 12 rolls/ctn | 24" x 10' 1 rolls/ctn |
| Brown/White | 69410 | 69414 | 69424 |

Note: All inside rolls are painted white unless specified

Deck Ledger Flashing

| 8' Deck Ledger Flashing Cap | Pack Qty. | Painted Steel White | Painted Steel Brown | Plastic Gray |
|---|-----------|---------------------|---------------------|--------------|
|  <p>Plastic Deck Ledger</p> | 20 | 57028 | 5702819 | - |
| | 40 | - | - | 37028 |

- Fits over ledger board and behind siding to protect from water damage
- Use asphalt paper between metal and pressure-treated lumber
- Plastic Deck Ledger recommended for use with pressure-treated lumber
- Plastic Deck Ledger has slots for nailing



2 15/16"

1 9/16"

1/2"

Siding

Ledger Board

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches. CP = Contractor Pack

Moisture Protection

Roll Valley Flashing

| Size | Aluminum | | | | Galvanized |
|-----------|----------------|------------------|------------------|---------------------|------------------|
| | Versa (.0078") | Economy (.0092") | Standard (.014") | Commercial (.0167") | Standard (32 ga) |
| 4" x 50' | 66004 | - | 68104 | - | 70004 |
| 6" x 50' | 66006 | 68006 | 68106 | - | 70006 |
| 8" x 50' | 66008 | 68008 | 68108 | - | 70008 |
| 10" x 50' | 66010 | 68010 | 68110 | - | 70010 |
| 12" x 50' | 66012 | 68012 | 68112 | - | 70012 |
| 14" x 50' | 66014 | 68014 | 68114 | 68214 | 70014 |
| 16" x 50' | 66016 | 68016 | 68116 | - | 70016 |
| 18" x 50' | 66018 | 68018 | - | - | 70018 |
| 20" x 50' | 66020 | 68020 | 68120 | 68220 | 70020 |
| 24" x 50' | 66024 | - | 68124 | - | 70024 |
| 28" x 50' | - | - | 68128 | - | 70028 |
| 30" x 50' | - | - | - | - | 70030 |
| 36" x 50' | - | - | - | - | 70036 |
| 4" x 10' | 66304 | - | - | - | 70404 |
| 6" x 10' | 66306 | 68306 | - | - | 70406 |
| 8" x 10' | 66308 | 68308 | - | - | 70408 |
| 10" x 10' | 66310 | 68310 | - | - | 70410 |
| 12" x 10' | 66312 | 68312 | - | - | 70412 |
| 14" x 10' | 66314 | 68314 | 68414 | - | 70414 |
| 16" x 10' | - | - | - | - | 70416 |
| 18" x 10' | - | - | - | - | 70418 |
| 20" x 10' | 66320 | 68320 | 68420 | - | 70420 |
| 24" x 10' | 66324 | - | - | - | 70424 |
| 6" x 25' | 66506 | - | - | - | - |
| 8" x 25' | - | - | - | - | 70508 |
| 10" x 25' | 66510 | 68510 | - | - | 70510 |
| 12" x 25' | - | - | - | - | 70512 |
| 14" x 25' | 66514 | 68514 | - | - | 70514 |
| 16" x 25' | - | - | - | - | 70516 |
| 20" x 25' | 66520 | 68520 | - | - | 70520 |
| 24" x 25' | - | - | - | - | 70524 |

Color Coded Labels to easily identify gauges!



DuraFlash™ Vinyl Flashing

| Color | Part No. | Size | Pack Qty | Skid |
|-------|----------|-----------|----------|------|
| White | 143018W | 14" x 30' | 8 | 240 |

Copper Nails 1 1/4"

| Pack Qty. | Part No. |
|-----------|----------|
| 12/ctn | 67003PK |

3/8" diameter head approximately 50 nails/pack 1/4 lb./pack

Copper Flashing

| 16 oz. - 1 roll/ctn .021" | | Laminated 3 oz. - 4 roll/ctn .0144" | |
|---------------------------|-----------|-------------------------------------|-----------|
| Part No. | Size | Part | Size |
| 67514 | 14" x 25' | 850678 | 8" x 20' |
| 67520 | 20" x 25' | 85067 | 10" x 20' |
| 67314 | 14" x 10' | 8506712 | 12" x 20' |
| 67320 | 20" x 10' | 850698 | 8" x 60' |
| | | 85069 | 10" x 60' |
| | | 8506912 | 12" x 60' |

Recommended for use with pressure-treated lumber.

Copper Valley Flashing Rolls
16 oz. 100 lb. Rolls

Lengths are approximate depending on the actual weight of the roll.

| Part No. | Size | Length |
|----------|------|--------|
| CPEV08 | 8" | 149 ft |
| CPEV10 | 10" | 119 ft |
| CPEV12 | 12" | 100 ft |
| CPEV14 | 14" | 85 ft |
| CPEV16 | 16" | 75 ft |
| CPEV18 | 18" | 66 ft |
| CPEV20 | 20" | 60 ft |
| CPEV24 | 24" | 50 ft |

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Step Flashing

Unpainted unless otherwise noted

Prebent Step Flashing



Unpainted unless otherwise noted

| Pack qty. | Part no. | Description |
|---|-----------------|------------------------------|
| 5" x 7" | | |
| Bulk Packed | | |
| 500 | 68800BX | Aluminum .011 |
| 100 | 70800 | Galvanized 32 ga. |
| 500 | STFLBB "No UPC" | Black/Brown Alum. .011 |
| 100 | 69857 | Brown one side Aluminum .011 |
| 100 | STFLCP | Copper 16 oz. |
| 5" x 7" | | |
| Contractor Packed 100/bundle | | |
| 5 Bundles | 68899 | Aluminum .011 |
| 5" x 7" | | |
| 10 Pack | | |
| 20/packs | 85068 | Aluminum .011 |
| 20/packs | 85070 | Galvanized 32 ga. |
| 5" x 8" | | |
| 100 | 70658 | Galvanized 30 ga. |
| 75 | 7095819 | Brown Galvanized 28 ga. |
| 6" x 8" | | |
| 500 | STMF68 | Aluminum .011 |
| 500 | 6986836 | Brown/Black Aluminum .011 |
| 8" x 8" | | |
| 100 | 68888 | Aluminum .011 |
| 100 | 70688 | Galvanized 32 ga. |
| 100 | 7068833 | Bronze 32 ga. |
| 100 | 69888 | Brown/White Alum. .011 |
| 100 | 7068819 | Brown Galvanized 32 ga. |
| 100 | 7068835 | Black Galvanized 32 ga. |
| 100 | 69889 | Black/Storm .011 |
| 8" x 10" | | |
| 500 | SFM810 | Aluminum .011 |
| 8" x 12" | | |
| 50 | 70981 | Galvanized 28 ga. |
| 50 | 7098119 | Brown Galvanized 32 ga. |

| Pack qty. | Part no. | Description |
|-------------------------|-----------------|-----------------------------------|
| 2" x 3" x 7" | | |
| 500 | SFM237 | Aluminum .011 |
| 500 | SFB237 | Royal Brown Aluminum .011 |
| 100 | SFC237 | Copper 16 oz. |
| 2.5" x 2.5" x 7" | | |
| 100 | 68707 | Aluminum .011 |
| 100 | 70707BX | Galvanized 32 ga. |
| 100 | 69707 | Brown Aluminum .011 |
| 500 | SFK227 "No UPC" | Black Aluminum .011 |
| 100 | SFC227 | Copper 16 oz. |
| 4" x 4" x 7" | | |
| 100 | SFG447B | Aluminum .011 |
| 100 | SFG447 | Galvanized 32 ga. |
| 5" x 5" x 7" | | |
| 100 | SFM557B | Aluminum .011 |
| 100 | SFG557 | Galvanized 32 ga. |
| 4" x 4" x 8" | | |
| (1) CP | 68768 | Aluminum .011. - 100 pcs |
| 100 | 68708BX | Aluminum .011 |
| (1) CP | 70718 | Galvanized 32 ga. - 50 pcs |
| 100 | 70708 | Galvanized 32 ga. |
| 100 | 70608 | Galvanized 28 ga. |
| 100 | 7070819 | Brown Galvanized 32 ga. |
| 75 | 7090819 | Brown Galvanized 28 ga. |
| (1) CP | 7071835 | Black Galvanized 32 ga. - 50 pcs |
| 100 | 7070835 | Black Galvanized 32 ga. |
| 100 | 6876835 | Black Aluminum .011 |
| (1) CP | 6878835 | Black Aluminum .011 - 50 pcs |
| 100 | 6876833 | Bronze Aluminum .011 |
| (1) CP | 6878833 | Bronze Aluminum .011 - 50 pcs |
| (1) CP | 7071833 | Bronze Galvanized 32 ga. - 50 pcs |
| 100 | 7070833 | Bronze Galvanized 32 ga. |
| (1) CP | 7071819BX50 | Brown Galvanized 32 ga. - 50 pcs |
| 3" x 4" x 7" | | |
| 250 | 68743BX | Aluminum .011 |
| 100 | 70607 | Galvanized 28 ga. |
| 500 | SFM347 | Aluminum .011 |
| 250 | 6974311 | White Aluminum .011 |
| 250 | 6974335BX | Black Aluminum .011 |
| 250 | 6974319BX | Brown Aluminum .011 |
| 500 | SFB347 | Brown Aluminum .011 |
| 4" x 4" x 12" | | |
| 50 | 70612 | Galvanized 28 ga. |
| 50 | 7091219 | Brown Galvanized 32 ga. |

Termite Shield

Unpainted Galvanized (30 ga.)



| Size | Pack Qty. | Part No. |
|----------|-----------|----------|
| 8" x 8" | 25/bundle | 85488 |
| 9" x 17" | 25/bundle | 85497 |

- Termite shields protect home built on block supports.
- These shields cap the blocks that raise the structure off of the ground.
- Good for the Gulf States and other places where termites are prevalent.

Moisture Protection

Corner Flex® Flashing

| Description | Pack Qty. | Part No. |
|-------------------------|-----------|----------|
| Unpainted Aluminum .012 | 20 | 68720 |

Corner Flex®
Flashing



W-Valley & Z-Bar

W-Valley

Z-Bar



Unpainted unless
otherwise noted

| Unpainted Commercial Galvanized (28 ga.) 10/skid | |
|--|----------|
| Size | Part no. |
| 18" x 10' | 56718 |
| 20" x 10' | 56720 |
| 24" x 10' | 56724 |

| Galvanized Economy Profile (32 ga.) 50/pk | |
|---|----------|
| Size | Part no. |
| 1/2" x 10' | 56512 |
| 3/8" x 10' | 56514 |
| 5/8" x 10' | 56515 |
| 7/16" x 10' | 56516 |

| Unpainted Standard Galvanized (30 ga.) 10/skid | |
|--|----------|
| Size | Part no. |
| 18" x 10' | 56124 |
| 20" x 10' | 56120 |
| 24" x 10' | 56240 |

| Galvanized Standard Profile (30 ga.) 50/pk | |
|--|-----------|
| Size | Part no. |
| 1/2" x 10' | 56502 |
| 3/8" x 10' | 56510 |
| 3/8" x 8' | 566100096 |
| 5/8" x 10' | 56511 |

| Painted Galvanized (30 ga.) 10/skid | | |
|-------------------------------------|------------|--------|
| Size | Part no. | Color |
| 24" x 10' | 57124 | White |
| 20" x 10' | 5712019 | Brown |
| 24" x 8' | 5712419096 | Brown |
| 24" x 10' | 5712419 | Brown |
| 20" x 10' | 5712033 | Bronze |
| 18" x 10' | 5711833 | Bronze |
| 24" x 10' | 5712433 | Bronze |
| 20" x 10' | 5712035 | Black |
| 24" x 8' | 5712435096 | Black |
| 18" x 10' | 5711835 | Black |
| 24" x 10' | 5712435 | Black |

| Aluminum Economy Profile (.0145") 50/pk | | |
|---|----------|-------|
| Pack qty. | Part no. | Color |
| 7/16" x 10' | 54516 | - |
| 1/2" x 10' | 55512 | White |
| 5/8" x 10' | 55515 | White |
| 1/2" x 10' | 5551219 | Brown |
| 5/8" x 10' | 5551519 | Brown |

| Painted Aluminum (.018") 10/skid | | |
|----------------------------------|----------|-------------|
| Size | Part no. | Color |
| 18" x 10' | 5511835 | Black |
| 18" x 10' | 55118015 | Royal Brown |

| Aluminum Standard Profile (.0145") 100/pk | | |
|---|----------|-------|
| Pack qty. | Part no. | Color |
| 5/8" x 10' | 54511 | - |
| 5/8" x 10' | 55511 | White |
| 5/8" x 10' | 5551119 | Brown |

| Copper (16 oz.) 10/skid | |
|-------------------------|----------|
| Size | Part no. |
| 18" x 10' | 67118 |
| 24" x 10' | 67124 |

| Z-Bar Profiles | | | | | |
|----------------|-------|------|------|----------|------|
| Economy | | | | Standard | |
| 3/8" | 7/16" | 1/2" | 5/8" | 3/8" | 5/8" |
| | | | | | |

Moisture Protection

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Miscellaneous Flashing

| Unpainted Galvanized Ridge Roll Cap (29 ga.) | | <i>Description</i> | <i>Pack Qty.</i> | <i>Part No.</i> |
|---|--|--------------------|------------------|-----------------|
|  | 10' x 9" | 10 | 56070 | |
| | <ul style="list-style-type: none"> • Use over doorways where no gutter is in place • Prevents roof runoff from waterfaling • Rust-free aluminum with hemmed edges for strength and safety | | | |

| Unpainted Aluminum Rain Diverter (.020") | | <i>Description</i> | <i>Pack Qty.</i> | <i>Part No.</i> |
|---|--|--------------------|------------------|-----------------|
|   | 60" x 7½" x 2½" | 10 | 54020 | |
| | <ul style="list-style-type: none"> • Use over doorways where no gutter is in place • Prevents roof runoff from waterfaling • Rust-free aluminum with hemmed edges for strength and safety | | | |

| Kick-Out Diverter (29 ga.) | | <i>Description</i> | <i>Pack Qty.</i> | <i>Part No.</i> |
|---|--|--------------------|------------------|-----------------|
|  | White Steel | 12 | KOWH | |
| | Black Steel | 12 | KOBL | |
| | <ul style="list-style-type: none"> • Meets the IRC 2009 code R905.2.8.3 that requires a 4" vertical Kickout Diverter Sidewall Flashing • Diverts roof drainage away from wall into gutter. Avoids a source of mold problems and foundation damage • Eliminates wall stains at roof line due to uncontrolled rainwater • Electro galvanized steel or powder coated finish to suit your application • Symmetrical construction can be used as Left or Right Diverter • Easy step instructions attached to every KOD flashing bottom face | | | |

Pro-Master Ridge Vent™

See page A5 in the Appendix for more product information.



| Description | Pack Qty. | Part No. |
|-----------------|----------------------------|----------|
| 10½" x ¾" x 20' | 1 roll/ctn, 36 ctn/skid | PMRV20 |
| 10½" x ¾" x 50' | 1 roll/ctn, 16 ctn/skid | PMRV50 |

- An economic and efficient way to ventilate your attic
- Easy to install and nail
- Nails included - both hand and power

AccuVent®

For proper airflow, an attic requires soffit vents at the eaves and a ridge vent at the roof peak. If soffits are blocked with insulation, airflow is blocked. Accuvents help ensure proper attic ventilation by keeping soffits clear of insulation.




| Description | Pack Qty. | Part No. |
|--------------------------|-----------------------------------|----------|
| Soffit Insulation Baffle | 50 pcs/bundle, 56 bundles/skid | ACCUVENT |

- AccuVent is 22.5" x 41" and is designed for all attic applications
- Installs with just 6 staples
- Perforated to adapt for varied roof truss spacing
- Provides efficient airflow
- Quick & easy installation, reduces costs of labor
- Prevents insulation drifting
- Prevents callbacks
- 100% Recycled PVC
- Meets new state building code requirements in MA, NH & RI specifying exterior wind wash barrier

Soffit & Fascia MAINTENANCE FREE OVERHANG

T4 Aluminum Soffit (.019") 16/ctn

| Color | Solid Part No. | Vented Part No. |
|-----------------|--|--|
| | T4SSGP _____ (add 2-5 digits for color) | T4VSGP _____ (add 2-5 digits for color) |
| LG 30 White | WTHP | WTHP |
| Bright White | BWHHP | BWHHP |
| AHP Brown | BRHP | BRHP |
| Light Maple | LM | LM |
| Natural Clay | NC | NC |
| A Musket Brown | AMB | AMB |
| Pearl Gray | PG | PG |
| Savannah Wicker | SW | SW |
| Royal Brown | RB | RB |
| Black | BL | BL |
| Sable Brown | SAB | SAB |
| Grecian Green | GG | GG |
| Dark Bronze | ADB | ADB |
| Heritage Cream | HC | HC |
| Sandstone Beige | SB | SB |
| Herringbone | HEHP | HEHP |
| Almond | AL | AL |
| Cert Cypress | CYP | CYP |
| Granite Gray | GGR | GGR |
| Terra Bronze | BZ | BZ |
| Dark Bronze | DBZ | DBZ |
| Tuxedo Gray | TG | TG |
| Sterling Gray | SGR | SGR |



Solid



Vented

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Soffit & Fascia

MAINTENANCE FREE OVERHANG

~Air Flow for Vented Soffit is 6 square inches per 1 square foot.


| D6 Aluminum Soffit (.0185") 16/ctn | | | D6 12"x12' Aluminum Soffit (0.188") 20/ctn | | | 12" x 12' Aluminum Soffit (.0185") 20/ctn | | | |
|------------------------------------|---------------------------------|---------------------------------|--|------------------|----------------|---|------------------|----------------|-----------------|
| Color | Solid Part No. | Vented Part No. | Part No. Perforated (full round ventilation) | Color | Solid Part No. | Vented Part No. | Color | Solid Part No. | Vented Part No. |
| | SSGP (add 2-3 digits for color) | VSGP (add 2-3 digits for color) | | | | | | | |
| LG 30 White | WH | WH | White 77202 | LG 30 White | 77101 | 77102 | LG 30 White | 77101 | 77102 |
| Bright White | BW | BW | Pebblestone Clay 7720285 | Bright White | 77101182 | 77102182 | Bright White | 77101182 | 77102182 |
| AHP Brown | BR | BR | | Bright Green | 77101181 | 77102181 | Bright Green | 77101181 | 77102181 |
| Light Maple | LM | LM | Musket Brown 7720259 | Pebblestone Clay | 7710185 | 7710285 | Pebblestone Clay | 7710185 | 7710285 |
| Natural Clay | NC | NC | AHP Brown 7720219 | AHP Brown | 7710119 | 7710219 | AHP Brown | 7710119 | 7710219 |
| A Musket Brown | AMB | AMB | | Bronze | 7710133 | 7710233 | Bronze | 7710133 | 7710233 |
| Pearl Gray | PG | PG | | Natural Clay | 7710179 | 7710279 | Natural Clay | 7710179 | 7710279 |
| Savannah Wicker | SW | SW | | A Musket Brown | 7710159 | 7710259 | A Musket Brown | 7710159 | 7710259 |
| Royal Brown | RB | RB | | | | | | | |
| Black | BL | BL | | | | | | | |
| Sable Brown | SAB | SAB | | | | | | | |
| Greclan Green | GG | GG | | | | | | | |
| Dark Bronze | ADB | ADB | | | | | | | |
| Heritage Cream | HC | HC | | | | | | | |
| Sandstone Beige | SB | SB | | | | | | | |
| Almond | AL | AL | | | | | | | |
| Terra Bronze | BZ | BZ | | | | | | | |
| Dark Bronze | DBZ | DBZ | | | | | | | |
| Herringbone | HE | HE | | | | | | | |
| Bone Linen | LI | LI | | | | | | | |
| Tuxedo Gray | TG | TG | | | | | | | |



Note - When product is installed in Florida see Approval # NOA #06-0119.07 for installation with specific adherence to the 2004 Floric Building Code.


16" x 12' Aluminum Center Vent 4 Panel Soffit (.0185") 12/ctn (actual product shown below at right)

| Color | Solid Part No. | Vented Part No. |
|-------|----------------|-----------------|
| White | - | 77117 |
| Brown | - | 7711719 |



10" x 12' QLOK Aluminum Soffit (.019") 10/ctn (profile below, actual product not shown)

| Color | Solid Part No. | Vented Part No. |
|--------------|----------------|-----------------|
| White | QS10WA | QV10WA |
| Royal Brown | QS10BA | QV10BA |
| Natural Clay | QS10NC | QV10NC |
| Dark Bronze | QS10DB | QV10DB |




15" x 12' QLOK Aluminum Soffit (.019") 12/ctn (profile below, actual product not shown)

| Color | Solid Part No. | Vented Part No. |
|-------------|----------------|-----------------|
| White | QS15WA | QV15WA |
| Royal Brown | QS15BA | QV15BA |



12" x 12' TRAPLOK Aluminum Soffit (.019") 10/ctn (profile below, actual product not shown)

| Color | Solid Part No. | Vented Part No. |
|-------------|----------------|-----------------|
| White | SV12WA | LV12WA |
| Royal Brown | SV12BA | LV12BA |
| Dark Bronze | SV12DB | LV12DB |




Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Soffit & Fascia


HANGER CHOICES FOR ALUMINUM SOFFIT - ALUMINUM CHANNEL 12'

| Color | ½" J Channel 50/ctn | ¾" J Channel 50/ctn | ½" F Channel 25/ctn | Crown Moulding 25/ctn |
|------------------|------------------------|------------------------|------------------------|-----------------------------|
| | (.019") | (.019") | (.0175") | |
| White | JA50EW | J-34WA | 77014 | 77010 |
| Royal Brown | JA50BA | - | FA50-B* | - |
| Dark Bronze | JA50DB | - | FA50DB* | - |
| Brown | - | - | 7701419 | 7701019 |
| Musket Brown | - | - | FA50MB* | - |
| Natural Clay | JA50NC | - | - | - |
| A Musket Brown | - | - | 7701459 | - |
| Pebblestone Clay | - | - | 7701485 | - |


* 7/8" F Channel Soffit



| Color | ½" J Channel 50/ctn | ½" F Channel 25/ctn |
|------------------|------------------------|------------------------|
| | (.0175") | (.0175") |
| LG 30 White | 77012 | 77814 ♦ |
| Bright White | 77012182 | 77814182 ♦ |
| AHP Brown | 7701219 | 7781419 ♦ |
| Light Maple | 7701228 | 7781428 ♦ |
| Natural Clay | 7701279 | 7781479 ♦ |
| Cert Cypress | 7701226 | 7781426 ♦ |
| Pearl Gray | 7701253 | 7781453 ♦ |
| Savannah Wicker | 7701246 | 7781446 ♦ |
| Royal Brown | 7701215 | 7781415 ♦ |
| Black | 7701235 | 7781435 ♦ |
| Sable Brown | 77012033 | 77814033 ♦ |
| Grecian Green | 7701218 | 7781418 ♦ |
| Dark Bronze | 7701251 | 7781451 ♦ |
| Sterling Gray | 7701231 | 7781431 ♦ |
| Granite Gray | 7701247 | 7781447 ♦ |
| Heritage Cream | 7701227 | 7781427 ♦ |
| Herringbone | 77012220 | 77814220 ♦ |
| Pebblestone Clay | 7701285 | - |



♦ Painted on Both Sides



Soffit & Fascia


FASCIA - ALUMINUM 12'

| Color | Size | (.024") 12/ctn Hemmed |
|-----------------|------|--------------------------|
| LG 30 White | 6" | 77223 |
| | 8" | 77224 |
| Bright White | 6" | 77223182 |
| | 8" | 77224182 |
| AHP Brown | 6" | 7722319 |
| | 8" | 7722419 |
| Light Maple | 6" | 7722328 |
| | 8" | 7722428 |
| Natural Clay | 6" | 7722379 |
| | 8" | 7722479 |
| A Musket Brown | 6" | 7722359 |
| | 8" | 7722459 |
| Pearl Gray | 6" | 7722353 |
| | 8" | 7722453 |
| Savannah Wicker | 6" | 7722346 |
| | 8" | 7722446 |
| Royal Brown | 6" | 7722315 |
| | 8" | 7722415 |
| Black | 6" | 7722335 |
| | 8" | 7722435 |
| Sable Brown | 6" | 77223033 |
| | 8" | 77224033 |
| Grecian Green | 6" | 7722318 |
| | 8" | 7722418 |
| Dark Bronze | 6" | 7722351 |
| | 8" | 7722451 |
| Desert Tan | 6" | 77223077 |
| | 8" | 77224077 |
| Cert Cypress | 6" | 7722326 |
| | 8" | 7722426 |
| Heritage Cream | 6" | 7722327 |
| | 8" | 7722427 |
| Sandstone Beige | 6" | 7722374 |
| | 8" | 7722474 |
| Bronze 33 | 6" | 7722333 |
| | 8" | 7722433 |
| Sterling Gray | 6" | 7722331 |
| | 8" | 7722431 |
| Granite Gray | 6" | 7722347 |
| | 8" | 7722447 |

| Color | Size | (.0175") 12/ctn | (.024") 25/ctn | (.019") 25/ctn |
|-------------|------|--------------------|-------------------|-------------------|
| White | 4" | 77106 | FAS4WA | - |
| | 6" | 77103 | FAS6WA | FA96WA |
| | 8" | 77104 | FAS8WA | - |
| | 10" | 77105 | FAS1WA | - |
| Royal Brown | 4" | - | FAS4BA | - |
| | 6" | - | FAS6BA | - |
| | 8" | - | FAS8BA | - |
| | 10" | - | FAS1BA | - |
| Brown | 4" | 7710619 | - | - |
| | 6" | 7710319 | - | - |
| | 8" | 7710419 | - | - |
| Bronze | 6" | 7710333 | - | - |

Hemmed Wood Grain
Fascia- Aluminum 12'

| Color | Size | (.018") 12/ctn |
|--------------|------|-------------------|
| White 30 deg | 4" | 77114WG |
| | 6" | 77223WG |
| | 8" | 77224WG |
| Brown | 4" | 7711419WG |
| | 6" | 7722319WG |
| | 8" | 7722419WG |



Fascia application

Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Vinyl Railing





RAILING KITS



| | Description | White | Clay | Sand |
|-----------------------------------|---------------------|-----------|-----------|-----------|
| COLONIAL TURNED SPINDLE | 6' x 36" Line Rail | KS0L6-36 | KS3L6-36 | - |
| | 8' x 36" Line Rail | KS0L8-36 | KS3L8-36 | - |
| | 10' x 36" Line Rail | KS0L10-36 | KS3L10-36 | - |
| | 6' x 42" Line Rail | KS0L6-42 | KS3L6-42 | - |
| | 8' x 42" Line Rail | KS0L8-42 | KS3L8-42 | - |
| | 10' x 42" Line Rail | KS0L10-42 | KS3L10-42 | - |
| | 6' x 36" Stair Rail | KS0S6-36 | KS3S6-36 | - |
| | 8' x 36" Stair Rail | KS0S8-36 | KS3S8-36 | - |
| CLASSIC SQUARE BALUSTER | 6' x 36" Line Rail | KB0L6-36 | KB3L6-36 | KB5L6-36 |
| | 8' x 36" Line Rail | KB0L8-36 | KB3L8-36 | KB5L8-36 |
| | 10' x 36" Line Rail | KB0L10-36 | KB3L10-36 | KB5L10-36 |
| | 6' x 42" Line Rail | KB0L6-42 | KB3L6-42 | KB5L6-42 |
| | 8' x 42" Line Rail | KB0L8-42 | KB3L8-42 | KB5L8-42 |
| | 10' x 42" Line Rail | KB0L10-42 | KB3L10-42 | KB5L10-42 |
| | 6' x 36" Stair Rail | KB0S6-36 | KB3S6-36 | KB5S6-36 |
| | 8' x 36" Stair Rail | KB0S8-36 | KB3S8-36 | KB5S8-36 |

POSTS, CAPS & TRIM



| | Description | White | Clay | Sand |
|--|---|--------|--------|--------|
|  P0W16R  P0W14R | • 4" x 4" Classic posts, sleeve over 4x4 lumber, available in 5 heights | | | |
| | • Post Wraps - easy retrofit with 2-piece design, includes trim and fasteners | | | |
| | 39" Classic Post | P0U36 | P3U36 | P5U36 |
| | 45" Classic Post | P0U42 | P3U42 | P5U42 |
| | 60" Classic Post | P0U60 | - | - |
| | 96" Classic Post | P0U96 | - | - |
| | 120" Classic Post | P0U120 | P3U120 | P5U120 |
| | 39" Classic Half Post | P0H36 | P3H36 | P5H36 |
| | 45" Classic Half Post | P0H42 | P3H42 | P5H42 |
| | 4" x 4" x 108" Post Wrap | P0W14R | P3W14R | P5W14R |
| | 6" x 6" x 108" Post Wrap | P0W16R | P3W16R | P5W16R |

Vinyl Railing



VINYL RAILING SYSTEM BY YARDCRAFTERS™

POSTS, CAPS & TRIM

Colonial Turned Posts

- 4x4 Colonial posts available in 2 heights
- Heavy duty premium vinyl
- Only mounts on KP0SP4 Anchors, not over 4x4 wood post



| Description | White | Clay | Sand |
|-------------------|-------|------|------|
| 39" Colonial Post | P0C36 | - | - |
| 45" Colonial Post | P0C42 | - | - |

Structural Porch Posts



- 5" x 5" x 108" Structural Porch Posts
- Includes painted mounting plates and all fasteners
- Meets building code requirements for load bearing and uplift resistance


| Description | White | Clay | Sand |
|-------------|--------|--------|--------|
| Classic | P0PP22 | P3PP22 | P5PP22 |
| Colonial | P0PP21 | P3PP21 | P5PP21 |

Post Caps and Trim



- Universal Post Trim and Solar Lighted Cap fit 4" x 4" and 5" x 5" posts
- Solar Lighted Cap backed by 2-year warranty!
- Four LEDs, over-sized solar panel - up to 12 hours of night lighting!

| Description | White | Clay | Sand |
|---------------------------|--------|--------|--------|
| Universal Post Trim | P0F1U | P3F1U | P5F1U |
| 4" x 4" One Piece Trim | R0PTF2 | R3PTF2 | R5PTF2 |
| 5" x 5" Porch Post Trim | R0PPF1 | - | - |
| 4" x 4" Square Cap | P0C14 | P3C14 | P5C14 |
| 4" x 4" New England Cap | P0C24 | P3C24 | P5C24 |
| 4" x 4" Ball Cap | P0C34 | P3C34 | P5C34 |
| Premium Solar Lighted Cap | P0C44 | - | - |



Vinyl Railing




VINYL RAILING SYSTEM BY YARDCRAFTERS™

OPTIONAL ACCESSORIES

| Connectors and Adapters | | | | • 1 Connector set included with each Railing Kit | • Order extra Connector sets when cutting rails into multiple sections | | |
|---|---|---|---|--|--|--------------|--------------|
| | | | | Description | White | Clay | Sand |
|  |  |  |  | Line Connectors (Set of 4) | R0WB2 | R3WB2 | R5WB2 |
| | | | | 22½° Line Adapters (Set of 4) | A0AL1 | A3AL1 | A5AL1 |
| | | | | 45° Line Adapters (Set of 2) | A0AL2 | A3AL2 | A5AL2 |
| | | | | Round Line Adapters (Set of 2) | A0AL3 | A3AL3 | A5AL3 |
| | | | | Stair Connectors (Set of 4) | A0CS2 | A3CS2 | A5CS2 |
|  |  |  | | 3° Stair Adapters (Set of 4) | A0AS1 | A3AS1 | A5AS1 |
| | | | | Round Stair Adapters (Set of 2) | A0AS2 | A3AS2 | A5AS2 |

| Anchors and Hardware | | • Anchoring systems for wood and concrete surfaces | • Heavy duty galvanized steel anchors for 4" x 4" vinyl posts | | | | | | |
|---|---|---|--|------------|-----------------|---------|--|-------------|------------|
|  <p>KP0SP4W</p> | <p>Fastening to Wood</p> <ul style="list-style-type: none"> • Includes all hardware for surface mount on wood • Corrosion resistant galvanized hardware • Includes ACQ protective gaskets • Easy to plumb, no shimming required! |  | <p>Fastening to Concrete</p> <ul style="list-style-type: none"> • Includes all hardware for surface mount on concrete • Corrosion resistant galvanized hardware • Easy to plumb, no shimming required! | | | | | | |
| | <table border="1"> <thead> <tr> <th>Description</th> <th>Light Duty</th> </tr> </thead> <tbody> <tr> <td>Post Anchor Kit</td> <td>KP0SP4W</td> </tr> </tbody> </table> | | Description | Light Duty | Post Anchor Kit | KP0SP4W | <table border="1"> <thead> <tr> <th>Description</th> <th>Heavy Duty</th> </tr> </thead> <tbody> <tr> <td>Post Anchor Kit</td> <td>KP0SP4C</td> </tr> </tbody> </table> | Description | Heavy Duty |
| Description | Light Duty | | | | | | | | |
| Post Anchor Kit | KP0SP4W | | | | | | | | |
| Description | Heavy Duty | | | | | | | | |
| Post Anchor Kit | KP0SP4C | | | | | | | | |

| Line Rail for Glass Panel System | | | |
|--|---------------|---------------|---------------|
|  | | | |
| <p>Actual length 67-13/16" - Installs on 6' post centers</p> | | | |
| Description | White | Clay | Sand |
| 6' Line Rail (for Glass Panel) | R0LP16 | R3LP16 | R5LP16 |

Outdoor Living Products

Vinyl Railing




"YARDCRAFTERS"

CONTINUOUS HANDRAIL SYSTEM



- Meets all ADA and building code requirements
- Provides accessibility to ramps, stairwells, and staircases

- For use in residential and commercial applications
- Maintenance free
- Guaranteed for life



CONTINUOUS HANDRAIL COMPONENTS

| | | Description | White |
|--|---------|-----------------------------------|---------|
| | R0H15 | 1-1/2" x 104" Reinforced Handrail | R0H15 |
| | R0HOC | Outside Corner | R0HOC |
| | R0HIB | Inside Corner Bracket | R0HIB |
| | R0HLB | Line Bracket | R0HLB |
| | R0HR90 | 90° Return | R0HR90 |
| | R0HIC | Inside Corner | R0HIC |
| | R0HPL | "P" Loop | R0HPL |
| | R0HE36 | 36° Elbow | R0HE36 |
| | R0HE32 | 32° Elbow | R0HE32 |
| | R0HE5 | 5° Elbow | R0HE5 |
| | RDHLC | Line Connector | RDHLC |
| | RDHAC | Adjustable Connector | RDHAC |
| | R0HC-PR | End Caps (pair) | R0HC-PR |
| | RCHMB | Mounting Block | RCHMB |


Berger Snow Rail for Standing Seam Metal Roofing

SNOW RAIL FOR STANDING SEAM METAL ROOFS



Mullane Snow Guards - Specialty Snow Retention for Traditional Slate Roofing

SNOW GUARDS FOR SLATE, TILE, SHINGLE & SHAKE ROOFS



TWO & THREE RAIL PRODUCTS FOR SHINGLE, SLATE & SPECIALTY TILE ROOFS



For More Information on Our Complete Line of Snow Retention Products, Call Amerimax 800-347-2586


fax 717.299.2194

phone 800.347.2586

Snow Guards for Shingle, Slate, Synthetic Slate, Tile and Shake Roofing

See page A7 in the Appendix for information on snow guard installation and warranty.

Snow Guards are intended to prevent snow movement and provide for the controlled melt and breakdown of the snow mass into smaller sections, reducing the potential for snow and ice damage to gutters, foundation plantings, parked vehicles, adjacent roofs and equipment, and injury to pedestrians.


| Description | Pack Qty. | Available Colors and Part Numbers | |
|--|---|-----------------------------------|----------------------------|
| | | Part Number | Available Colors/Materials |
|  <p>#100 HP</p> | 12 | 85072009 | Stainless Steel |
| | 12 | SGC100HP | Copper |
| <p>#100HP - This economical guard is attached to a shorter, solid bar/strap, and is designed for easy installation on shingle roofs</p> | | | |
|  <p>#100 Snow Guard Assembly</p> | 50 | SGC100 | Copper |
| | 50 | SGS100 | Stainless Steel |
| | 50 | SGG100 | Galvanized |
| <p>#100 Assembly - This guard has eliminated the necessity of removing slate, avoiding the possibility of breakage. Simply insert the slotted bar under the slate or shingle, engage a nail with one of the conveniently placed slots and pull down to fully secure bar. This style snow guard provides fast installation and is ideal for existing or new construction applications with asphalt shingled roofs.</p> | | | |
|  <p>Pro 100 Snow Guard Assembly for Slate & Asphalt Roofs</p> | 50 | SGCP100 | Copper |
| | 50 | SGSP100 | Stainless Steel |
| | <p>Pro#100 - This heavy-duty snow guard is available in copper and stainless steel for corrugated, flat, slate and asphalt shingled roofs. The superior design of the Pro 100 includes a 1-inch gusset that reinforces the shoe, which makes this snow guard 5 times stronger than traditional residential snow guards. Simply insert the slotted bar under the slate or shingle, engage a nail with one of the conveniently placed slots and pull to fully secure the bar. This style guard provides fast installation and is ideal for existing or new construction application with asphalt shingled roofs.</p> | | |
|  <p>#2 Snow Guard Assembly for Slate Roofs (Heavy Duty)</p> | 50 | SGML-2 | Galvanized Malleable Iron |
| | 50 | SGBR-2 | Bronze |
| | <p>#2 - This heavy-duty snow guard is available galvanized malleable iron and bronze. It is normally installed during the slate roof application, but is fit for use with wood shake, tile and mineral surfaced shingles. This is not a retrofit product.</p> | | |
|  <p>#95 Snow Guard Assembly for Slate Roofs (Heavy Duty Ornamental)</p> | 30 | SGML95 | Galvanized Malleable Iron |
| | 30 | SGBR95 | Bronze |
| | 30 | SGAL95 | Aluminum |
| | <p>#95 - This heavy-duty guard with Gothic styling designed to transfer snow and ice loads more effectively to reduce cracking of the slate. It is normally installed during the slate roof application, but is fit for use with wood shake, tile and mineral surfaced shingles. Excellent in areas that receive heavy snows! This is not a retrofit product.</p> | | |



Snow Guards for Shingle, Slate, Synthetic Slate, Tile and Shake Roofing

See page A7 in the Appendix for information on snow guard installation and warranty.

Typical spacing for shingle, slate, synthetic slate, tile and shake roofing



Do not place Snow Guards beyond the bearing wall on an extended roof section. Appendix page A7 for general installation information.

Snow Guards for Metal Roofs

| Description | Pack Qty. | Available Colors and Part Numbers | | |
|---|---|-----------------------------------|----------------------------|--|
| | | Part Number | Available Colors/Materials | |
|  <p>RT Snow Guard (For Standing Seam Metal Roofs- Seam Mounted) RT-200 - 0.188" (3/16") wide and 1.125" tall RT300 - 0.28" (9/32") wide and 1.125" tall</p> | 100 | RT200M | Mill Finish Aluminum | |
| | 100 | RT200E | E-Coat Black Primer | |
| | 100 | RT200B | Bronze | |
| | 100 | RT200C | Custom Colors | |
| | 100 | RT300M | Mill Finish Aluminum | |
| | 100 | RT300E | E-Coat Black Primer | |
| | 100 | RT300B | Bronze | |
| | 100 | RT300C | Custom Colors | |
| | <i>Custom Color Orders have a three week lead time</i> | | | |
| | <p>RT Snow Guards are non-penetrating devices which are secured to the standing seams of metal roofs utilizing stainless steel set screws to clamp them in place and will not restrict thermal movement. Available in mill finish, primer finish and cast bronze (for copper roofs), they are particularly suited to double-lock and mechanically seamed metal roofing.</p> <p>RT-200: will accommodate seams up to 0.188" (3/16") wide and 1.125" tall. RT-300: will accommodate seams up to 0.28" (9/32") wide and 1.125" tall</p> | | | |

Snow Retention Systems

Snow Guards for Metal Roofs

See page A5 in the Appendix for information on snow guard installation and warranty.

| Description | Pack Qty. | Available Colors and Part Numbers | |
|---|--|-----------------------------------|----------------------------|
| | | Part Number | Available Colors/Materials |
|  <p>AP Snow Guard AP-400 0.40" (3/8") wide and 1.75" tall</p> <p>AP-516 0.516 (1/2") wide and 1.75" tall</p> | 50 | AP400M | Mill Finish Aluminum |
| | 50 | AP400E | E-Coat Black Primer |
| | 50 | AP400C | Custom Colors |
| | 50 | AP516M | Mill Finish Aluminum |
| | 50 | AP516E | E-Coat Black Primer |
| <p>50 AP516C Custom Colors</p> <p><i>Custom Color Orders have a three week lead time</i></p> <p>AP Snow Guards are non-penetrating devices which are secured to the standing seams of metal roofs utilizing stainless steel set screws to clamp them in place and will not restrict thermal movement. The wide, deep blade design makes it particularly effective in retaining snow with the higher seams and wider panel widths common in preformed architectural roofing. AP-400M will accommodate seams up to 0.40" (3/8") wide and 1.75" tall AP-516M will accommodate seams up to 0.516" (1/2") wide and 1.75" tall</p> | | | |
|  <p>SL-1 Snow Guard</p> | 50 | SL-1MF | Mill Finish Aluminum |
| | 50 | SL-1EBK | E-Coat Black Primer |
| | 50 | SL-1C | Custom Colors |
| | <p><i>Custom Color Orders have a three week lead time</i></p> <p>SL-1- This popular snow retention product is designed to fit 1" Snap Lock Panel. The throat width has been increased to 4 1/64" (0.64") and a leg lip has been added to allow the guard to "snap" over the seam for a smooth and quick installation.</p> | | |
|  <p>SM Snow Guard Surface Mount (Surface Mounted)</p> | 50 | SMMFSG | Mill Finish Aluminum |
| | 50 | SMEASG | E-Coat Primer |
| | 50 | SMCASG | Custom Colors |
| | <p><i>Custom Color Orders have a three week lead time</i></p> <p>SM- Surface Mount Snow Guards are manufactured of cast aluminum and are designed to be adhered to the pan surface of prefinished metal roofs using either a high strength construction adhesive or a combination of mechanical fasteners and an adhesive/sealant. They are particularly effective in retaining snow and ice on metal roofs where there are no suitable seams to which a seam mounted device can be fastened, including batten and cap seam panels.</p> | | |
|  <p>640 Snow Guard</p> | | 640M | Mill Finish Aluminum |
| | | 640E | E-Coat Black Primer |
| | | 640C | Custom Colors |
| <p><i>Custom Color Orders have a three week lead time</i></p> <p>640 - These are designed to fit between the stiffening ribs of residential metal roof panels. They have a low visibility and can be custom painted to blend with roof materials. They can be attached with adhesives, screws or a combination of both. Not for use with panels with seams or ribs more than 12 inches apart.</p> | | | |
| <p>Structural Rib</p>  <p>Surface Mount</p>  | 50 | 8505022 | Clear Plastic |
| | 50 | 8505011 | Clear Plastic |
| <p>Clear Snow Guards are manufactured in a high clarity polycarbonate plastic with U.V. stabilizers which provide strength and longevity. The Structural Rib guard is designed to fit over stiffening rib on residential panels. The Surface Mount are particularly effective in retaining snow and ice on metal roofs where there are no suitable seams to which a seam mounted device can be fastened, including batten and cap seam panels. Both have a low visibility and blend with roof materials and can be attached with adhesives, screws or a combination of both.</p> | | | |
|  <p>#100 Snow Guard for Flat Metal Roofs (Surface Mounted)</p> | 50 | SG-CPS | Copper |
| | 50 | SG-SSS | Stainless Steel |
| | <p>#100 Shoe- Ideal for mounting to ribbed or flat roof panels. Available in stainless steel and copper (for copper roofs) they can be mechanically fastened or soldered. Do not use adhesives to secure, only to keep water out. Not for use with panels with seams or ribs more than 12 inches apart.</p> | | |
|  <p>#20 Snow Guards for Metal Corrugated Roofs (Surface Mounted)</p> | 100 | SGBR20 | Bronze |
| | 100 | SGML20 | Galvanized Malleable Iron |
| | <p>#20- Designed to fit the on the crown (top) of 1-1/4" or 2-1/2" rounded corrugated roofing. Use neoprene washer screws to fasten. This is also available in bronze for use on copper roofs. Do not use adhesives to secure, only to keep water out.</p> | | |


Snow Guards for Metal Roofs

See page A5 in the Appendix for information on snow guard installation and warranty.

| Description | Pack Qty. | Available Colors and Part Numbers | |
|---|-----------|-----------------------------------|----------------------------|
| | | Part Number | Available Colors/Materials |
|  <p>Mini Snow Guard Plastic</p> | 100 | 85040 | Clear Plastic |
| <p>Mini CLear Snow Guards are manufactured in a high clarity polycarbonate plastic with U.V. stabilizers which provide strength and longevity. These are designed to fit between the stiffening ribs of residential metal roof panels. They have a low visibility and blend with roof materials. They can be attached with adhesives, screws or a combination of both. Not for use with panels with seams or ribs more than 12 inches apart.</p> | | | |
|  <p>SB-190 Surebond Everseal</p> | 12 | SB-190 | - |
| <p>SB-190 is a field proven sealant adhesive. This unique formula possesses up to 2000 lbs. of tensile strength, but requires 28 consecutive days (672 consecutive hours) with temperatures of 50 degrees Fahrenheit or greater to fully cure. Under certain conditions, temporary measures may need to be employed to hold the snow guard in place until initial set of adhesive has taken place. One tube will adhere 8-10 CL Snow Guards and 14-16 RTMINI Guards.</p> <p>The adhesives are offered for the convenience of the user who assumes full responsibility for its use. These adhesives are used throughout the industry for adhering snow guards with successful results utilizing the directions of the adhesive manufacturer. Adhesive failure does not constitute Amerimax products defect and is not the responsibility of Amerimax.</p> | | | |

Typical spacing for shingle, slate, synthetic slate, tile and shake roofing

Typical Spacing for Metal Roofing



Horizontal spacing will be dictated but how far apart the metal seams or ribs. Shown is a typical RTMINI application on a 9" or 12" center rib panel. Do not place Snow Guards beyond the bearing wall on an extended roof section. Please see Appendix page A5 for general installation information.

Aluminum Snow Panels



| | | |
|--|----|---------|
| Snow Panel - 30" x 34 ³ / ₄ " (.018) | 12 | 53025 |
| Rake Cap 36" | 12 | 53027 |
| Hardware Pack | 12 | 53029PK |
| SeamerMate® Sealant | 12 | 85148 |

Aluminum Snow Panels are used to reduce ice damming at the roof's edge. Not for use in valley sections of shingle roofs.



Completed Snow Panel Installation



• Helps Prevent Snow and Ice Dams along Roof Line • Helps Extend Roof Life



Use SeamerMate® sealant (page 76 for more information)



Wide Flange Pliers Metal Bender (page 78 for more information) being used to crimp panels together.



Corner Bead

PVC (.035")



Bull Nose Archway

| Description | Pack Qty. | Part No. |
|----------------------|-----------|----------|
| 3/4" x 8' (slotted) | 50 | 37138 |
| 3/4" x 10' (slotted) | 50 | 37140 |



Bull Nose

| Description | Pack Qty. | Part No. |
|-------------|-----------|----------|
| 3/4" x 8' | 50 | 37188 |
| 3/4" x 10' | 50 | 37190 |



J Bead

| Description | Pack Qty. | Part No. |
|-------------|-----------|----------|
| 1/2" x 8' | 60 | 37110 |
| 1/2" x 10' | 60 | 37120 |
| 5/8" x 8' | 50 | 37128 |
| 5/8" x 10' | 50 | 37130 |



Corner Bead

| Description | Pack Qty. | Part No. |
|--------------|-----------|----------|
| 1 1/4" x 8' | 50 | 37102 |
| 1 1/4" x 10' | 50 | 37100 |



L Bead

| Description | Pack Qty. | Part No. |
|----------------------|-----------|----------|
| 1/2" 10' (Peel-Away) | 50 | 37150 |
| 5/8" x 10' | 80 | 37170 |



Archway Bead

| Description | Pack Qty. | Part No. |
|-----------------------|-----------|----------|
| 1 1/4" x 8' (slotted) | 50 | 37178 |

Miscellaneous

Galvanized (30 ga)



Corner Bead Galvanized

| Description | Pack Qty. | Part No. |
|-----------------------|-----------|----------|
| 1 1/4" x 1 1/4" x 8' | 63 | 58102 |
| 1 1/4" x 1 1/4" x 9' | 50 | 58090 |
| 1 1/4" x 1 1/4" x 10' | 50 | 58100 |



J Bead Galvanized

| Description | Pack Qty. | Part No. |
|-------------|-----------|----------|
| 1/2" x 8' | 63 | 58110 |



Bull Nose Galvanized

| Description | Pack Qty. | Part No. |
|-------------|-----------|----------|
| 8' | 30 | 58188 |
| 10' | 25 | 58190 |

Caulks & Sealants

| FlashMate® | | Color | Pack Qty. | Part No. |
|---|-------|--|------------------|-----------------|
|  <ul style="list-style-type: none"> • Professional grade brushable sealant for flashing applications now available in a convenient quart size can! • All weather application, will not freeze • Withstands water contact immediately to stop leaks • Stays flexible, will not crack • Mildew resistant and paintable • Prevents rust on any metal surface • VOC compliant | Clear | 12 - 10 oz. cartridges/ctn | 85228 | |
| | Clear | 6 - 1 quart cans/ctn | 85229 | |
| | |  <p>cartridge</p> | | |

| SeamerMate® | Pack Qty. | Description | Part No. |
|---|--|----------------------------------|---|
|  | 12 | 10 oz. Cartridge, 4% VOC CONTENT | 85148 |
| | 24 | 1 oz. Tubes *CARB VOC compliant | 85127 |
| | 24 | 5 oz. Resealable Tubes White | 85151A |
| | 24 | 5 oz. Resealable Tubes Gray | 85152A |
| | <ul style="list-style-type: none"> • Permanent Bond Guaranteed • Semi-self leveling • Paintable | | <ul style="list-style-type: none"> • Works on wet surfaces • UV Resistant |
| * Meets California VOC requirements | | | |

Touch-Up Paint

| Spray Paint | Pack Qty. | Description | Part No. |
|--|------------------|--------------------|-----------------|
|  | 12 | White | 85241 |
| | 12 | Brown | 85242 |
| | 12 | 80° Hi Gloss White | 8524020 |
| | 12 | Musket Brown A | 8524059 |
| | 12 | Pebblestone Clay | 8524085 |
| <ul style="list-style-type: none"> • Great for touching up scratches • Protects metal from weather • Dries quickly • 4.5 ounce spray can | | | |

15 other colors in 12 oz. cans to match any decor available through special order
Add 2 or 3 digit color code to 13TUP _ _ _

| | | | |
|-----|-----------------------|-----|--------------------|
| 80W | ○ 80° Hi Gloss White | *MB | ● Musket Brown |
| 30W | ○ 30° Low Gloss White | *NC | ● Natural Clay |
| *BL | ● Black | *PG | ● Pearl Gray |
| BRN | ● Brown | *RB | ● Royal Brown |
| *DB | ● Dark Bronze | HE | ○ Herringbone |
| *GG | ● Grecian Green | LI | ○ Bone Linen |
| *HC | ○ Heritage Cream | *SW | ● Savannah Wicker |
| *LM | ○ Light Maple | PB | ● Pebblestone Clay |
| DB | ● AMP Dark Bronze | RE | ● Red |
| MB | ● A Musket Brown | TG | ● Tuxedo Gray |
| AL | ○ Almond | BZ | ● Terra Bronze |

Miscellaneous

Rivets, Nails & Screws

| Rivets | Description | Pack Qty. | White | Brown | Natural Clay | High Gloss White | Royal Brown | Pebble-stone Clay | Musket Brown | Copper |
|--|------------------------------|-----------|-------|-------|--------------|------------------|-------------|-------------------|--------------|--------|
|  | Aluminum 1½" Long #42 | | | | | | | | | |
| | 1,000 per carton | 1 | - | - | - | A42ABW | PRRBBX | - | - | - |
| | Aluminum 1½" Long #42 | | | | | | | | | |
| | 100/pack | 10 pks | 84025 | 84034 | 84079PK | 84020 | - | 84085 | 84059 | - |
| | Copper #42 | | | | | | | | | |
| | 500 per carton | 1 | - | - | - | - | - | - | - | A42CPB |



1 1/4" Trim Nails To match Trim Coil or Soffit. 1/4 # Pack (approx. 320 nails)

| Color | Part No. | Pack Qty. | Color | Part No. | Pack Qty. | Color | Part No. | Pack Qty. |
|-------------------|----------------|-----------|------------------|-----------|-----------|-----------------|-----------|-----------|
| Brown | 7769019 | 6/ctn | Sandstone Beige | 7709074s | 2/ctn | Flagstone | 77090107S | 2/ctn |
| Royal Brown | 7709015s | 2/ctn | Silver Ash | 7709032s | 2/ctn | Hearthstone | 77090108S | 2/ctn |
| ALC Musket Brown | 2/ctn 7769059 | 6/ctn | Sterling Gray | 7709031s | 2/ctn | Mountain Cedar | 77090109S | 2/ctn |
| | 2/ctn 7709059s | 2/ctn | Savannah Wicker | 77090046s | 2/ctn | Sandpiper | 77090110S | 2/ctn |
| AMP Dark Bronze | 7709051s | 2/ctn | Lomar White | 77090PK | 24/ctn | Seagrass | 77090111S | 2/ctn |
| Black | 7709035s | 2/ctn | Bright White | 77090182 | 2/ctn | Spruce | 77090112S | 2/ctn |
| | 7769035 | 6/ctn | Pacific Blue | 7769020 | 6/ctn | Suede | 77090113S | 2/ctn |
| Glacier Blend | 7709037s | 2/ctn | Granite Gray | 7709038s | 2/ctn | Terra Cotta | 77090114S | 2/ctn |
| | 7769037 | 6/ctn | Cypress | 7709047s | 2/ctn | Lighth-ouse Red | 77090180S | 2/ctn |
| Musket Brown | 7709030s | 2/ctn | Ivy Green | 7709054s | 2/ctn | Buckskin | 7709021S | 2/ctn |
| Grecian Green | 7709018 | 2/ctn | Desert Tan | 7709061s | 2/ctn | Bone Linen | 77090230S | 2/ctn |
| | 77090027s | 2/ctn | Tuxedo Gray | 7709077s | 2/ctn | Pearl | 77090237S | 2/ctn |
| Heritage Cream | 77690027 | 6/ctn | Autumn Yellow | 7709088s | 2/ctn | Harbor Blue | 77090238S | 2/ctn |
| | 77090022s | 2/ctn | Berger DK Bronze | 7709034s | 2/ctn | Regatta Blue | 77090240S | 2/ctn |
| Light Maple | 77090028s | 2/ctn | Musket Brown | 77090051S | 2/ctn | Rye | 77090242S | 2/ctn |
| Natural Clay | 7709079s | 2/ctn | Autumn Red | 77090059S | 2/ctn | Wheat | 77090243S | 2/ctn |
| Pebble Stone Clay | 7709053s | 2/ctn | Bermuda Blue | 77090101S | 2/ctn | Saddle | 77090244S | 2/ctn |
| | 7709085s | 2/ctn | Charcoal Gray | 77090102S | 2/ctn | Storm | 7709040S | 2/ctn |
| Sable Brown | 7769085 | 6/ctn | Green Tea | 77090103S | 2/ctn | Almond | 7709069S | 2/ctn |
| | 77090033s | 2/ctn | Forest | 77090104S | 2/ctn | Oxford Blue | 7709093S | 2/ctn |
| 77690033 | 6/ctn | Linen | 77090105S | 2/ctn | | | | |
| | | | | 77090106S | 2/ctn | | | |

Miscellaneous

| Copper Nails 1 1/4" | Pack Qty. | Part No. |
|--|--|----------|
|  | 12/ctn | 67003PK |
| | 3/8" diameter head approximately 50 nails/pack 1/4 lb/pack | |

| Sheet Metal Screws | Description | Pack Qty. | White | Brown | Natural Clay |
|--------------------|---|-----------|-------|-------|--------------|
| | 8/card | 25 | 85354 | 85355 | 85364 |
| | 100/pack | 24 | 85361 | 85369 | - |
| Screws | Description | Pack Qty. | White | | |
| | 1 1/2" | 25 | L0615 | | |
| | <ul style="list-style-type: none"> • For vinyl gutter hooks • Self tapping wood screw | | | | |


Colors shown are for reference only. All thicknesses are inches unless otherwise noted. Tolerance is ± .002 inches.

Metal Bender & Blades

| Metal Bender | Description | Pack Qty. | Part No. |
|---|---------------------------|-----------|----------|
|  | Pliers 3 1/2" Wide Jaw | 12/ctn | 85028 |


| Bender Accessory Blades | Description | Pack Qty. | Part No. |
|--|--|-----------|----------|
|  | 7" & 10" • Replacement/accessory blades • Includes one 7" and one 10" blade • Compatible with Metal Bender Pliers (85028) | 12/ctn | 85030 |

Wall Ties & Utility Sheet

| Galvanized Wall Ties | Description | Pack Qty. | Part No. |
|--|-------------------|-----------|----------|
|  | 7/8" x 7" (28 ga) | 500/ctn | 85131 |

| Roof Rafter Brackets | Pack Qty. | White |
|--|-----------|-------|
|  | 50 | L3250 |
| <ul style="list-style-type: none"> • Allow gutter hanger installation where no fascia exists • Screws to rafters • Bends to desired angle | | |

Utility Trim & Starter Strip


| Aluminum Utility Trim | Description | Pack Qty. | High Gloss White |
|---|-------------|-----------|------------------|
|  | (.017") | 50/ctn | UT19WA |

| Siding Starter Strip | Description | Pack Qty. | Part No. |
|--|--------------------------|-----------|----------|
|  | 118" Galvanized (No UPC) | 20/ctn | 56280 |
| | 118" Aluminum | 40/ctn | 54280 |
| | 10' Galvanized | 20/ctn | 56280 |

Siding Corners

| Aluminum Siding Corners | Description | Pack Qty. | Part No. |
|--|--------------|-----------|----------|
|  | 8" Embossed | 100/ctn | 61008 |
| | 9" Smooth | 100/ctn | 61025 |
| | 12" Embossed | 100/ctn | 61012 |
| | 12" Smooth | 100/ctn | 61026 |

Wind T Bracing & Joist Bridging

| Wind T Bracing | Description | Pack Qty. | Part No. |
|--|---|-----------|----------|
|  | 11' x 3/4" Galvanized (20 ga) | 12/ctn | 56617 |
| |  | | |

| Joist Bridging | Description | Pack Qty. | Part No. |
|--|------------------------|-----------|----------|
|  | 20" Galvanized (24 ga) | 200/ctn | 85225 |

Colors shown are for reference only.

Miscellaneous

Point of Purchase

Amerimax offers extensive support with informative POP signage, literature, displays and samples to support selling products at retail.

We can help you customize a planogram to suit your needs.



Gutter & Accessories Store Sets

- Includes Gutter, downspouts and all system components
- Signage providing installation images

- Tear Pads show installation steps and all system and accessory parts for a complete gutter installation



Point of Purchase



Flashing & Trim Coil Store Sets

- Extensive color choices and gauges
- Tools and adhesives for installation also available
- Color match for popular vinyl siding and window manufacturers



Gutter Guard Store Sets

- Gutter Guards for every type of gutter and price point
- Attractive signage
- Great 3 or 4 foot end-cap opportunity




Gutter Accessories Store Sets

- Gutter Accessories for effective drainage and foundation protection
- Attractive signage
- Great 3 or 4 foot end-cap opportunity

Gutter Assembly

See pages 5-32 for product ordering information.




Things to Consider When Planning Your Roof Drainage System

- 2" round downspout drains 75 gallons a minute
- Standard (2x3) downspout drains 186 gallons a minute
- Commercial (3x4) downspout drains 434 gallons per minute
- 5" gutter systems can use 2x3 or 3x4 downspouts
- 6" gutter systems use 3x4 downspouts only
- Increasing the size or number of downspouts is recommended for large roof areas and/or regions with high rainfall
- See page A3 for Rainfall Intensity Map

For more information visit AmerimaxHP.com

See Roof Drainage Systems section, starting on page 5


| Gutter Guards Needed |
|--|
| 110 Total Feet = 37 pieces of 3' Gutter Guards |
| 120 Total Feet = 40 pieces of 3' Gutter Guards |
| 140 Total Feet = 47 pieces of 3' Gutter Guards |
| Avg of 3 jobs = 42 pieces of 3' Gutter Guards |



| | Number of Pieces Needed | Number of Pieces Needed | Number of Pieces Needed | Average of three jobs | Number of Pieces Needed | | |
|---|-------------------------|-------------------------|-------------------------|-----------------------|-------------------------|-----------------|-----------------|
| 1. Gutter 10' | 11 | 12 | 14 | 13 | 195 | 130 | 65 |
| 2. Downspout 10' | 4 | 4 | 4 | 4 | 60 | 40 | 20 |
| 3. Inside Miter | 2 | 0 | 0 | 2 | 30 | 20 | 10 |
| 4. Outside Miter | 2 | 0 | 4 | 4 | 60 | 40 | 20 |
| 5. Left End Cap | 2 | 4 | 0 | 4 | 60 | 40 | 20 |
| 6. Right End Cap | 2 | 4 | 0 | 4 | 60 | 40 | 20 |
| 7. Downspout Bands | 8 | 8 | 8 | 8 | 120 | 80 | 40 |
| 8. Connectors/Seamers™ | 19 | 12 | 18 | 17 | 255 | 170 | 85 |
| 9. End with Drops | 4 | 4 | 4 | 4 | 60 | 40 | 20 |
| 10. Downspout Extension | 4 | 4 | 4 | 4 | 60 | 40 | 20 |
| 11. Front Elbow | 12 | 12 | 12 | 12 | 180 | 120 | 60 |
| 12. Side Elbow | 2 | 2 | 2 | 2 | 30 | 20 | 10 |
| Spikes & Ferrules Screws & Ferrules Fascia Brackets Hidden Hangers Roof Hanger w/Strap Snap Lok Brackets | Every 24" 50 | Every 24" 60 | Every 24" 70 | 60 | 900 Brackets | 600 Brackets | 300 Brackets |
| Outlets | 4 | 4 | 4 | 4 | 60 | 40 | 20 |
| Rivets | 60 | 60 | 60 | 60 | 900 | 600 | 300 |
| Screws | | | | | | | |
| SeamerMate® | 3 | 3 | 3 | 3 | 45 | 30 | 15 |
| Splashblocks | 4 | 4 | 4 | 4 | 60 | 40 | 20 |

Appendix

Rainfall Intensity Map



Appendix

Rainfall intensity is measured in inches per hour. Capacity of residential gutters should be planned to handle the most intense five minute burst of rain that is likely to occur. Find the maximum rainfall intensity for your area on the map.



Popular Hanger Choices

See pages 19-21 for product ordering information.

Hidden Hanger w/ Screw



1/4" hex head screw, power drive in fascia board.

Hidden Hanger



Requires nail or screw.

Hidden Hanger w/Roof Strap



Only use when no fascia board exists. Follow directions printed on hanger bag.

Fascia Bracket



4 per pack includes hanging nails.

Snap Lok Bracket



Nails or screws required. Fasten to fascia board along sloped string guide line. Place gutter into bracket, snap top bar into slot and front bracket.

Spike and Ferrule



Insert ferrule into gutter and hammer spike through gutter, ferrule and fascia board.

Screw and Ferrule



Insert ferrule into gutter and using the bit provided, drill the screw through the gutter, ferrule and fascia board.

Gutter FAQ's

- 1. WHY DO I NEED GUTTERS?**
 - Gutters control roof runoff, protecting your home's foundation from erosion damage
 - Gutters prevent water damage to exterior walls and basements
 - Gutters add value to your home
- 2. HOW OFTEN SHOULD I CHECK MY GUTTERS?**
 - You should check your gutters every Spring and Fall for clogs, leaks and gutter pulling away from the house
- 3. HOW DO I KNOW WHAT I NEED?**
 - Start with the "Gutter Installation Sheet," available at your local store. It explains:
 1. Gutter System components
 2. How to measure
 3. How to install
- 4. WHAT ARE EAVESTROUGHS AND LEADERS?**
 - Other names for gutters and downspout
- 5. WHAT ARE SEAMLESS GUTTERS?**
 - Gutters formed at the jobsite from a continuous piece of metal, cut to the required length
 - Seamless gutter is the same profile as stick gutter
- 6. WHAT ARE STICK GUTTERS?**
 - Pre-formed gutter sections; typically sold in 10' lengths
 - May also be available in 16', 21' and longer lengths
- 7. WHAT IS "K" STYLE?**
 - Most-common gutter profile; also called "Ogee."
 - Half-round profile is also available
- 8. CAN I MIX METALS (ALUMINUM, STEEL, COPPER) IN MY GUTTER SYSTEM?**
 - Not recommended. Mixing metals can cause a "galvanic reaction" between the metals, leading to corrosion and premature component failure
- 9. HOW MUCH PITCH IS REQUIRED FOR GUTTER RUNS?**
 - Minimum slope of 1/4" for every 10' of gutter
- 10. HOW MANY DOWNSPOUTS DO I NEED?**
 - Recommend one downspout per 20' of gutter. Larger roof areas and/or heavy-rainfall areas may require more downspout
- 11. HOW MANY DOWNSPOUT BANDS/BRACKETS DO I NEED?**
 - Two for every 10' of downspout
- 12. HOW DO I CUT ALUMINUM GUTTERS AND DOWNSPOUTS?**
 - A hacksaw or tin snips will work very well
- 13. WHAT'S THE BEST WAY TO HANG GUTTER?**
 - There are many options. The best one for you depends on where you live and the construction style of your home. Consult an installation professional to determine the best option for you
 - The easiest option is to use a hidden hanger with screw. This is an all-in-one hanger that is easily installed, resists loosening over time, provides a hanging solution that is invisible from ground level and is easily maintained
- 14. DO I NEED CAULK AND HOW MUCH?**
 - Aluminum gutters require SeamerMate® sealant on all seams. Typical usage is 1/2 oz. per seam
 - Vinyl gutter connections are self sealing; they don't require any additional sealant
- 15. WHAT'S THE DIFFERENCE BETWEEN A & B ELBOWS?**
 - A (front) elbows direct water forward or back from the gutter outlet
 - B (side) elbows direct water left or right from the gutter outlet
- 16. HOW DO I KEEP MY GUTTERS CLEAN?**
 - There are lots of easy-to-install options to keep leaves and debris out
 - Popular choices include strainers and plastic or metal gutter guards and covers
- 17. HOW DO I REPAIR LEAKING GUTTERS?**
 - Start by watching the tutorial video in the "How-To" section of our website AmerimaxHP.com
- 18. CAN I PAINT MY GUTTERS?**
 - Both aluminum and steel gutters can be painted. The most important step is to be sure the gutter surface is properly prepared. Use a surface prep solution like Wil-Bond™ to assure proper paint adhesion
 - Consult your local painting professional for the right type of paint for your gutter system
 - Vinyl gutters should not be painted
- 19. WHAT'S WARRANTY ON AMERIMAX® GUTTERS?**
 - See page A12 in the Appendix section of this literature.
- 20. WHERE CAN I BUY AMERIMAX PRODUCTS?**
 - Amerimax products are carried in many leading home centers and hardware retailers throughout the United States and Canada

Gutter Glossary

Apron Gutter Gutter with an additional mounting flange angled behind the top back edge of the gutter.

"B" Style Outlet Type of outlet with a narrow-flange top edge. Flat edge for K gutter and radius or curved top to fit the diameter of Half Round Gutter.

Box Gutter In residential applications, same as Yankee-built gutter. In commercial applications, a large gutter with plain vertical angled profile and a box bead front edge.

Clean Out A section of downspout with a door flap and internal strainer that provides access to clean debris from downspout.

Combo Hanger Semi-circle hanger with a riveted mounting plate. Used to hang Half Round Gutter.

Conductor Head Fabricated metal casting or molded box, funnel, or ornate shape with a wide top opening. Used to improve the water flow of gutter systems. Sometimes called a scupper.

Cutoff A downspout diverter where an external lever controls an internal diverter flap. Directs the water equally to both sides or closes one side off.

Diverter Metal or plastic device that changes the flow direction of rain water.

Downspout Vertical tube connected to the gutter or drain outlet. Removes water in a downward flow.

Drop Another term for a gutter outlet tube.

Eavestrough Another term for gutter.

Elbow A short section of downspout that has been bent across the midpoint to form an angle that changes the direction of water flow.

End Cap Component contoured to match gutter shape and close the open end of a gutter.

End Drop A short section of gutter with a preassembled outlet. Typically used to terminate a gutter section. Can also be used to connect long sections of gutter where a midpoint outlet is required.

Extension A short length of downspout that is used to extend the downspout either horizontally or vertically.

Free Floating Term applied to gutter systems designed to support the gutter without limiting the gutter's ability to expand or contract.

Funnel Tapered component that funnels rainwater from two or more higher downspouts into a single lower downspout.

Gutter Formed channel or trough that collects rainwater from a roof section and directs it to a drain.

Hook Back Open hem on the top back edge of a gutter that accepts a hanger support, allowing gutter to float.

Half Round Gutter Gutter style that is formed in a semi-circle. Can be Single Bead (SB), Double Bead (DB) or Reversed Bead (RB).

K Style Gutter Gutter style with an Ogee curved face, a box top bead and a stepped face bottom.

Miter Gutter component that forms the corner at wall intersections.

Offset Formed section of downspout with two angles. Used to get around obstacles such as wall ledges.

Ogee A reverse curve shape. Another term for "K" style gutter.

Outlet Shaped round, oval or rectangular gutter component that protrudes from the gutter bottom and connects to the downspout or elbow.

Plug-in Outlet European style hopper outlet used with Half Round Gutter.

Connector Component used to connect two pieces of gutter.

Straight Back A gutter with a straight back vertical form and no open hook edge. It can be plain or have a flat hem.

Tile Adaptor Used to connect downspout into PVC, cast or tile ground drain pipes.

Tube Shaped connector that drains the gutter into an elbow or pipe. See outlet.

Yankee Gutter A gutter that is built into the roof below the roof plane or a gutter that is built on top of a cornice at the eave.


DrySnap® Under Deck Rain Carrying System See page 61 for product ordering information.

The DrySnap® system is an easy way to create a great outdoor space under residential and light commercial decking.*

Its five components snap together for maximum efficiency and cost savings.

Warning:

Barbeque grills, portable propane heaters, fire pits and outdoor fireplaces should not be used under the living space protected by DrySnap®. Heat generated from these devices can damage the DrySnap®.



Step #1
Screw joist brackets with pitch spacers attached into joist. Use #8 zip screws (sold separately) to attach dovetail connections.



Step #2
Snap starter channel to joist bracket.



Step #3
Snap panels into place and finish with trim cap.



Component Calculations What Do You Need To Buy?

| Deck Size | | | Combo Panel | Starter Channel | Trim Cap | Joist Bracket | Pitch Spacers 32/bag | 2.5" Screws 50/packs | 3" Screws 50/packs | 6½" Gutter Screws & Ferrules, 10/pack | Zip Screws | | |
|-----------|-------|--------|----------------|-----------------|----------------|----------------|----------------------|----------------------|--------------------|---------------------------------------|------------------|------------------------|------------------------|
| Width | Depth | Sq.Ft. | Part No. 37324 | Part No. 37325 | Part No. 37320 | Part No. 37321 | Part No. 37331 | Part No. 37341 | Part No. 37351PK | Part No. 84178PK | Part No. 84179PK | Part No. 84181PK | Part No. 84182 |
| | | | Pkg.qty 12 | Pkg.qty 9 | Pkg.qty 12 | Pkg.qty 12 | Pkg.qty 12 | Pkg.qty 36 | Pkg.qty 12 bags | Pkg.qty 8/ctn | Pkg.qty 8/ctn | Pkg.qty 12/pack-10/ctn | Pkg.qty 40/pack-25/ctn |
| | | | 12 ft. Pcs. | 16 ft. Pcs. | 12 ft. Pcs. | 16 ft. Pcs. | 12 ft. Pcs. | Pcs. | Bags | Screws | Screws | Gutter Screws | Zip Screws |
| 10' | 10' | 100 | 15 | - | 1 | - | 3 | 36 | 5 | 1 | 1 | 1 | 1 |
| 12' | 10' | 120 | 18 | - | 1 | - | 3 | 42 | 5 | 1 | 1 | 1 | 2 |
| 16' | 10' | 160 | 24 | - | 1 | - | 4 | 54 | 6 | 1 | 1 | 1 | 2 |
| 20' | 10' | 200 | 30 | - | 1 | - | 4 | 66 | 8 | 1 | 1 | 1 | 2 |
| 12' | 12' | 144 | 18 | - | 1 | - | 3 | 49 | 7 | 1 | 1 | 1 | 2 |
| 16' | 12' | 192 | 24 | - | 1 | - | 4 | 63 | 7 | 1 | 1 | 1 | 2 |
| 20' | 12' | 240 | 30 | - | 1 | - | 4 | 77 | 11 | 2 | 2 | 1 | 2 |
| 24' | 12' | 288 | 36 | - | 1 | - | 4 | 91 | 13 | 2 | 2 | 1 | 3 |
| 12' | 14' | 168 | - | 19 | - | 1 | 4 | 56 | 9 | 1 | 1 | 1 | 2 |
| 16' | 14' | 224 | - | 25 | - | 1 | 4 | 72 | 12 | 1 | 1 | 1 | 2 |
| 20' | 14' | 280 | - | 31 | - | 1 | 4 | 88 | 14 | 2 | 2 | 1 | 3 |
| 24' | 14' | 336 | - | 37 | - | 1 | 5 | 104 | 17 | 2 | 2 | 1 | 3 |
| 12' | 16' | 192 | - | 19 | - | 1 | 4 | 63 | 12 | 1 | 1 | 1 | 2 |
| 16' | 16' | 256 | - | 25 | - | 1 | 4 | 81 | 15 | 1 | 1 | 1 | 3 |
| 20' | 16' | 320 | - | 31 | - | 1 | 5 | 99 | 18 | 2 | 2 | 1 | 3 |
| 24' | 16' | 384 | - | 37 | - | 1 | 5 | 117 | 22 | 2 | 2 | 1 | 3 |

For custom deck sizes, gutter installation guidelines, fan/light installation instructions, go to DrySnap.com.

For caulking seams, we recommend Amerimax FlashMate®.

*Standard code approved decking is less than 30 ft. above ground.

Ventilation

See page 61 for product ordering information.

HOW IMPORTANT IS THE AIR WE BREATHE?

Facts

In the US, about 17 million people have asthma and up to 30% of them are sensitive to molds and fungal allergens. (Western Roofing 2001)


It is estimated that 25% of airways disease and 60% of interstitial lung disease may be associated with moisture in the home or work environment, (HUD 2001) and where there is moisture, there is most definitely mold.

Symptoms

A poorly ventilated attic means...

- Increased moisture → Prime condition for the growth of molds and fungal allergens
- Less effective insulation → Higher heating bills due to moisture
- Excessive heat build-up → Higher cooling bills
- Shorter lifespan for the roof → Long-term structural degradation of the attic structure

Pro-Master Ridge Vent™



- | | | |
|--------------------------|-------------------------|----------------------|
| 1. Roof Sheathing | 3. Cap Shingle | 5. Negative Pressure |
| 2. Roof Saver Ridge Vent | 4. Hot, Moist Attic Air | 6. Exhaust Air |


Air flow across the exterior roof ridge draws hot, moist attic air out through the Ridge Vent and pulls fresh air into the attic through the soffit vents. Removal of hot, moist air from the attic reduces cooling costs and eliminates potential damage to your roof.

In today's market homeowners need to know the air they breathe is safe. Clean Air Begins in the Attic. Pro-Master Ridge Vent™

Pro-Master Ridge Vent™ Benefits

- Deters the growth of mold and mildew
- Keeps attic dry deterring rot and structural degradation
- Green Product- made with RECYCLED post industrial fiber.
- No maintenance or operating cost
- UL Class A Fire Rating
- Eliminates unsightly fans and vents.
- Protects roof and shingles from damage due to excessive heat or condensation.

- Installs quickly - grips the roof!
- Passes 110 mph independent wind driven rain test.
- Non Clogging AC132 dust exposure test
- Most economic and efficient way to ventilate your attic.
- Nails included- both hand and power
- Net free area 15.2 sq. in./lineal foot
- Won't deteriorate or corrode from wind, snow, rain or ice.
- Meets attic ventilation requirements for all nationally recognized building codes
- 40-year warranty



Vent must be used on roofs with a minimum 3/12 pitch.

Appendix

Snow Guard Technical

See pages 69-74 for product ordering information.

**THIS DOCUMENT CONTAINS IMPORTANT SAFETY, WARRANTY AND PRODUCT INFORMATION
– READ IT CAREFULLY!**

RETAIL SNOW GUARD INSTALLATION GUIDELINES

The purpose of a Snow Guard is to help reduce a slide, not stop it. Snow Guards are intended to reduce the potential for snow and ice damage to gutters, foundation plantings, parked vehicles, adjacent roofs and equipment, and injury to pedestrians. Snow Guards are attached to the roof structure in order to uniformly retain and hold snow in place on the roof area. The Snow Guards need to be applied in sufficient quantity and according to a prescribed pattern in order to be effective. Snow Guards are intended to prevent snow movement and provide for the controlled melt and breakdown of the snow mass into smaller sections.

Snow Guard placement will vary from region to region and will be influenced by roof pitch, the lengths of roof runs and roof features. Placement should be determined by a qualified professional. Placement recommendations can be found in Sheet Metal and Air Conditioning Contractor's National Association (SMACNA) Architectural Sheet Metal Manual and other industry standards. The best practice with any installation is to develop a layout aimed at retaining the snow in place rather than trying to stop it at the eaves after it has begun to slide. This principal is particularly important where adhesive mounted devices are to be used. Always consult building codes, architects and/or engineers when roof pitch exceeds 12:12.

A qualified roofing contractor should be employed to install these products. Roofing professionals have the proper equipment, knowledge and ability to complete the task in a safe and satisfactory manner. The installer is responsible for compliance with all governing building and safety regulations. Prior to application, the installer should evaluate all products in order to determine fitness for use.

Positioning of Berger snow guards required for effective use:

The best positioning will vary depending on the particular roof. In general, snow guards should be placed 1 every 40 inches over entire roof or in 2 groups of 3 staggered rows on 30 inch centers with 1 group at the eave and 1 group midway on roof slope. On long slopes, multiple groups with 6 ft. space separation maximum.

- Do not place Snow Guards beyond the bearing wall on an extended roof section. This can result in ice damming and structural damage to the roof.
- Do not use Snow Guards on low-slope roofs (those with pitches less than 3:12). Snow guards help reduce the momentum of a potential snow slide. On low-slope roofs, snow does not typically slide off in the same manner. Under these circumstances, it is often better to allow the snow to naturally clear itself from the roof as quickly as possible or to manually remove it. Therefore, snow guards are not recommended for low-slope roof applications. Check with the roof manufacturer for specific product application limits and, as always, observe all roof safety guidelines.
- Always check metal roofing warranty before mechanically fastening snow guards. Use of mechanically through fastened snow guards on metal roofing may void metal roofing manufacturer's watertight warranty.
- Do not use competing, or dissimilar metals. Galvanic corrosion will occur when dissimilar metals are in contact in the presence of an electrolyte. Water in the form of condensation, rain or snow is an electrolyte. Water that flows over copper becomes electronegative and will cause corrosion of aluminum or steel. Copper, brass or stainless steel fasteners or nails must be used with copper or brass applications. Make sure rivets are solid copper; do not use copper plated steel rivets in copper or brass assembly. Do not use aluminum or galvanized nails to secure any copper products.

Corrosion will be more rapid in the presence of salts such as ocean coastal areas or chlorinated water, acid rain, and polluted industrial atmospheres. Accelerated corrosion will occur when a larger area of an electronegative (cathode/protected) element contacts a small electropositive (anodic/corroded) element.

SAFETY WARNINGS

- Roofing can be hazardous! Professional installation is recommended. Observe and comply with all OSHA and other safety standards and codes that apply to roof safety.
- Always use personal safety equipment and work shoes designed for roof traction when roofing to reduce the likelihood of falling.
- In order to reduce the likelihood of falling, always use roof jacks, work supports or platforms to assure safe footing while working on steep pitched roofs.

To prevent roofing materials from slipping or falling off the roof, always ensure roof material staging devices such as roof jacks, storage platforms and toe boards are securely fastened to the deck substructure.

When working with ladders, always follow the ladder safety standards and regulations, observe the locations of all power lines and take precaution to avoid any contact with the workers or equipment

To avoid exposure to hazardous conditions, do not work on the roof during inclement weather (including but not limited to lightning storms, high winds, rain, ice and snow conditions). To avoid heat injuries, ensure adequate rest breaks and drink plenty of water when working in high temperatures.

Snow Guard Technical

AMERIMAX HOME PRODUCTS, INC.

SNOW GUARD LIMITED ONE YEAR WARRANTY AND LIMITATION OF LIABILITY

Amerimax Home Products (hereinafter "AHP" or "Seller") warrants that this product (excluding the adhesives) shall be free from defects in material and workmanship for one (1) year from the date of purchase. Should any of the products prove defective, the obligation of AHP under this warranty shall be limited to replacement of the defective product, or at its option, the cost of the product originally shipped. Replacement of defective product shall not extend the duration of this limited warranty.

CONDITIONS OF THE WARRANTY

NO WARRANTIES, EXPRESS OR IMPLIED, SHALL APPLY IF THIS PRODUCT IS INSTALLED ONTO COMPETING OR DISSIMILAR METALS. Galvanic corrosion will occur when dissimilar metals are in contact in the presence of an electrolyte. Water in the form of condensation, rain or snow is an electrolyte. Water that flows over copper becomes electronegative and will cause corrosion of aluminum or steel.

- Copper, brass or stainless steel fasteners or nails must be used with copper or brass applications. Make sure rivets are solid copper;
- Do not use copper plated steel rivets in copper or brass assembly. Do not use aluminum or galvanized nails to secure any copper products.

Corrosion will be more rapid in the presence of salts such as ocean coastal areas or chlorinated water, acid rain, and polluted industrial atmospheres. Accelerated corrosion will occur when a larger area of an electronegative (cathode/protected) element contacts a small electropositive (anodic/corroded) element.

BUYER'S OBLIGATION

Buyer shall inspect all materials prior to installation so as to mitigate unnecessary expense involved in repairing or replacing defective Snow Guards.

EXCLUSIVE REMEDY

If, upon inspection by the Seller, it is determined to Seller's reasonable satisfaction that the product is defective, Seller shall have the right to either repair or replace the defective product utilizing such normal materials, methods and workmanship as are needed to fulfill the original performance guarantee but without extending the duration thereof. Seller's liability and Buyer's exclusive remedy under this warranty shall be limited to repair or replacement at the Seller's election. IN FULFILLMENT OF ITS GUARANTEE, SELLER SHALL IN NO EVENT BE LIABLE TO INCUR COSTS WHICH EXCEED SELLER'S COST OF THE DEFECTIVE PRODUCT.

BUYER HEREBY WAIVES ALL REMEDIES NOT EXPRESSLY PROVIDED HEREIN INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR INJURY TO PERSON OR PROPERTY AND INCIDENTAL AND CONSEQUENTIAL DAMAGES.

NO WARRANTY OF FITNESS FOR PARTICULAR PURPOSE

Due to differences in roof geometry, structural strength, climatic conditions and snow melt rate, the manufacturer does not warrant the suitability of this product for use on a particular structure.

EXCLUSION OF WARRANTIES

THE LIMITED WARRANTY DESCRIBED HEREIN SHALL BE EXCLUSIVE AND IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE SELLER ALSO DISCLAIMS AND BUYER WAIVES ANY LIABILITY OF SELLER IN TORT, STRICT OR OTHERWISE, OR OTHERWISE IN LAW, FOR DAMAGES, DIRECT, INCIDENTAL OR CONSEQUENTIAL, RESULTING FROM A DEFECT IN DESIGN, MATERIAL, WORKMANSHIP, OR MANUFACTURE, WHETHER OR NOT OCCASIONED BY SELLER'S NEGLIGENCE. BBPI IS IN NO EVENT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER THE CLAIM IS BASED ON WARRANTIES, CONTRACT, NEGLIGENCE OR OTHERWISE.

Seller is also not liable for misapplication or modification of this product or incorrect material or defects that were open and obvious at time of installation. AHP is not liable for any consequential damage, schedule delays, additional labor, and or equipment rental costs as a result of open and obvious defects during installation. All warranty claims are limited to AHP's cost of material of the product determined to have a manufacturing defect.

AHP DOES NOT WARRANT THE ADHESIVE INCLUDED WITH THIS PRODUCT. WITH RESPECT TO THE ADHESIVE, AHP DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The adhesives are solely for the convenience of the user. BBPI DISCLAIMS ANY RESPONSIBILITY FOR DEFECTS OR FAILURE IN THE ADHESIVES AND THE BUYER HEREBY ASSUMES FULL RESPONSIBILITY FOR ITS USE. The adhesive provided is used throughout the industry for adhering snow guards with successful results when utilized in accordance with the adhesive manufacturer's instructions. Use of the adhesive is recommended only when weather conditions permit, and proper curing is possible per the manufacturer's instructions.

Terms and Conditions

Prices

1. Prices quoted for materials covered hereby are subject to adjustment by Amerimax Home Products, Inc. (hereinafter referred to as "Seller"), at its shipping points, and will be accepted only upon the conditions as shown in the paragraphs hereafter.
2. Price quoted, unless otherwise indicated, do not include sales, excise or other taxes payable on account of this transaction (except income tax) and such taxes now or hereafter levied applicable to this transaction shall be paid by Buyer.
3. All prices will be P.I.E., price in effect at time of shipment.

Product Availability

Certain products listed in this catalog are not offered at all of the Seller's locations. The product offering is subject to discretion of the Seller.

Freight Terms

1. Buyer's orders will be shipped freight collect from Seller's plant location unless orders are in excess of dollar values stipulated by Seller.
2. No freight costs will be paid by Seller for any Buyer's pickups.

Delivery And Shipment

1. Unless otherwise specified upon delivery of materials f.o.b. Seller's plant, all risk of loss, damage and other incidents of ownership shall immediately pass to Buyer. Bill of Lading or carrier delivery receipt must be signed if shipment is damaged or short.
2. Any routing specified by Buyer will be observed, but Seller shall not be liable for freight allowances, if any, other than that of most economical route. Freight allowances will be made in accordance with Seller's current published price list. Seller reserves the right at all times to control routing.

Payment

1. Standard payment terms of sale are Net 30 Days from date of invoice.
2. All invoices will be dated the day of shipment.
3. Remittance Address: Amerimax Home Products Inc., Dept. #3479, PO Box 2153, Birmingham, AL 35287-3479
4. Payment terms begin aging on the invoice date, not the day the invoice is received.

Delays

1. Seller shall not be liable for delay or failure in performance hereof arising from any cause not within Seller's control, including, but not limited to, accidents, breakdowns or mechanical failure of plant machinery or equipment arising from any cause whatsoever, strikes or other labor troubles; labor shortage, fire, flood, war acts of the public enemy, acts of God, priorities, allocations, limitations or other acts required or requested by Federal or local Governments; or failure of usual sources of supply of materials.

Standard Tolerances

Seller will produce and ship this order within Seller's limitations as to size, gauge, temper and quality, in accordance with the Seller's current pricing.


Limited Warranty

1. Seller warrants [to the original consumer purchaser] all materials sold hereunder to be free from defects in materials and workmanship at time of purchase. THIS WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE, INCLUDING ANY WARRANTY THAT MATERIALS ARE SUITABLE FOR BUYER'S REQUIREMENTS OR SPECIAL USE AND THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OF PURPOSE. SOME STATES DO NOT ALLOW THE ABOVE LIMITATIONS ON THE APPLICABILITY OF AN IMPLIED WARRANTY, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. IN CONSIDERATION OF THIS WARRANTY, IT IS AGREED THAT SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSION OR LIMITATION MAY NOT APPLY TO YOU. This warranty also does not cover, and Seller hereby disclaims all liability for, any product which has been subject to abuse, alteration, modification, neglect, misuse, abnormal use, or to which parts, not supplied by Seller, have been added, or to defects caused by depreciation or normal wear. [This warranty applies only if Seller's materials are installed and maintained according to Seller's recommended practices and installation instructions.] The suitability of a product for an intended use shall be the sole responsibility of the user. Seller's liability shall in no event exceed the purchase price paid for product only. No person has the authority to change these terms and there are no warranties except as stated herein. Any claim on account of defective materials or for any other cause shall be deemed waived by Buyer unless written notice of such claims is received by Seller within sixty (60) days after date of receipt of materials by Buyer. Seller shall be given a reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer or written shipping instructions. Seller shall have the option of replacing or repairing any defective materials, refunding the purchase price, or granting a reasonable allowance on account of such defects, and Seller's liability and Buyer's remedies for defective materials shall be limited solely and exclusively as above. This warranty gives you specific legal rights and you may also have other legal rights which vary from state to state.
2. A 20% handling charge plus incurred freight will be made on all material returned without written authorization by Seller.
3. Some returns may be subject to a 20% restocking fee at the discretion of the Seller.

Roof Edge & Trim Styles


See pages 33-48 for product ordering information.

A & B Style




- Used on the rakes of gable roof ends
- Affords neat even finish
- For replacement and new roofs
- Covers and protects exposed wood sheathing edges from moisture deterioration

F Style




- Overhang gives maximum protection from roof run-off
- Directs run-off into gutters
- Used along gutter line of roof edge
- Protects and covers roof edge
- For new construction and reroofs
- Acts as a starter strip for a true edge to align shingles

C Style




- Used along gutter line of roof's edge
- Drip leg extends run-off away from fascia
- Helps direct run-off into gutters
- Covers and protects wood sheathing edges
- Affords neat even finish

Vinyl




- Slotted every 30" for nailing
- Notched for splicing

D & E Style




- Metal edges with a 1" to 3" drop
- Protect exposed wood sheathing edges
- For new construction or reroofs

H Style



- For flat roofs
- Keep gravel from washing off
- Protect wall roof connections
- Gives neat finished appearance

Roof Apron



- Used with or without gutter
- Slips under shingles
- Extended drop with a drip lip for fascia board protection

Window & Door Caps



Capping of Window Capping of Door

- Metal edges cap over door and window frames
- Protect against moisture damage

Appendix



Aluminum Color Program

| Color* | Matches | Trim Coil | Gutter & Components | Soffit & Accessories | Fascia | Dr |
|-----------------------------------|-------------------|-----------|---------------------|----------------------|--------|----|
| 30 White | Berger | | ● | ● | ● | |
| 80 White | Berger | | ● | | | |
| Almond | Berger | ● | ● | ● | ● | |
| AMP Dark Bronze | Berger | ● | ● | | | |
| Autumn Red NEW | CertainTeed | ● | | | | |
| Autumn Yellow | CertainTeed | ● | | | | |
| Bermuda Blue NEW | CertainTeed | ● | | | | |
| *Black/Black or Black/Royal Brown | Berger | ● | ● | ● | ● | |
| Bone Linen | Berger | ● | ● | ● | ● | |
| *Bright White/Bright White | Crane/Berger | ● | | ● | ● | |
| Brown | Crane/Berger | ● | ● | | ● | |
| Buckskin | CertainTeed | ● | | | | |
| Charcoal Gray NEW | CertainTeed | ● | | | | |
| *Colonial White/Colonial White | CertainTeed | ● | | | | |
| Cypress | CertainTeed/Crane | ● | | | | |
| *Dark Bronze/Sable Brown | Berger | ● | ● | ● | ● | |
| Desert Tan | CertainTeed | ● | | ● | ● | |
| Flagstone NEW | CertainTeed | ● | | | | |
| Forest NEW | CertainTeed | ● | | | | |
| Glacier Blend | CertainTeed | ● | | | | |
| Granite Gray | CertainTeed | ● | | ● | ● | |
| Grecian Green | Crane/Berger | ● | ● | ● | ● | |
| Green Tea NEW | CertainTeed | ● | | | | |
| Greystone | Crane | ● | | | ● | |
| Harbor Blue | Crane | ● | | | ● | |
| Hearthstone NEW | CertainTeed | ● | | | | |
| Heritage Cream | CertainTeed/Crane | ● | ● | ● | ● | |
| Herringbone | Crane/Berger | ● | ● | | ● | |
| Ivy Green | CertainTeed | ● | | | | |
| Light Maple | CertainTeed | ● | ● | ● | ● | |
| Lighthouse Red | Crane/Berger | ● | ● | | ● | |
| Linen NEW | CertainTeed | ● | | | | |
| Lomar White | Berger | ● | | | | |
| Mountain Cedar NEW | CertainTeed | ● | | | | |
| Musket Brown | Berger | ● | ● | ● | ● | |
| Musket Brown A | Alcoa | ● | ● | ● | ● | |
| Musket Brown C | CertainTeed | ● | | | | |
| Natural Clay | CertainTeed/Crane | ● | ● | ● | ● | |
| Oxford Blue | CertainTeed | ● | | | | |
| Pacific Blue | CertainTeed | ● | | | | |
| Pearl | Crane | ● | | | ● | |
| Pearl Gray | Berger | ● | ● | ● | ● | |
| Pebblestone Clay | Alcoa | ● | ● | ● | ● | |
| Regatta | Crane | ● | | | ● | |
| Royal Brown | Berger | ● | ● | ● | ● | |
| Rye | Crane | ● | | | ● | |
| Sable Brown | CertainTeed | ● | | | | |
| Saddle | Crane | ● | | | ● | |
| Sandpiper NEW | CertainTeed | ● | | | | |
| Sandstone Beige | CertainTeed | ● | | ● | ● | |
| Savannah Wicker | CertainTeed/Crane | ● | ● | ● | ● | |
| Seagrass NEW | CertainTeed | ● | | | | |
| Silver Ash | CertainTeed/Crane | ● | | | | |
| Snow White | CertainTeed | ● | | | | |
| Spruce NEW | CertainTeed | ● | | | | |
| Sterling Gray | CertainTeed/Crane | ● | | ● | ● | |
| Suede NEW | CertainTeed | ● | | | | |
| Terra Bronze | Berger | ● | ● | ● | ● | |
| Terra Cotta NEW | CertainTeed | ● | | | | |
| Tuxedo Gray | Berger | ● | ● | ● | ● | |
| Wheat | Crane | ● | | | ● | |



Color Accents

by **Amerimax**

OVER 60 COLOR CHOICES TO MATCH POPULAR SIDING AND WINDOW MANUFACTURERS

- *Fascia is available in 6" and 8" profiles. Soffit is available in D6 and T4 profiles (12" width)*
- *Drip Edge is available in popular C, F, and ODE profiles*
- *Trim Coil colors include matching Finishing Nails*