



# Safety Products Paint Catalog





### Why safety?

Know your risks. Put safety on your list. That means choosing the right safety products before the project begins. Did you know that work-related injuries in the U.S. cost \$55.4 billion a year — that's almost \$1 billion a week.\* That's why 3M offers professionals a comprehensive portfolio of respiratory, eye and hearing products designed to help them be prepared, focused and protected on the job.

### Why 3M?

As a recognized leader in research and development, 3M sells thousands of innovative products for dozens of diverse markets. Our teams are focused on delivering strategic growth opportunities that exceed our customers' expectations.

This unique blend of innovation and experience, married with product excellence, makes 3M the professionals' trusted choice in personal safety solutions. 3M strives to give professionals confidence — confidence that they are using reliable products from a trusted brand, so they can stay focused on the task at hand, not on their safety products.

### Know your risks. Put safety on your list.

3M is more than just a product line. It is a commitment to increasing public awareness for the use of safety products through education and advocacy programs.

3M stands behind its products and reinforces the pledge to help professionals be prepared, focused and safe.

\* 2011 Liberty Mutual Workplace Safety Index.

**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.



<b>Respiratory Protection</b>	<b>5 - 14</b>
<b>Eye Protection</b>	<b>15 - 19</b>
<b>General Safety Protection</b>	<b>20 - 22</b>
<b>Chemical Safety Protection</b>	<b>23 - 25</b>
<b>Warnings and Cautions</b>	<b>26</b>

Unless otherwise noted, products are designated for both professional and DIY use.



## Respiratory Protection



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.



## Paint Project Full Respirator

### 6000 Series

- Use for certain paint spraying, solvents and pesticides
- For workplace/occupational applications only
- Balanced design for more comfort
- Swept back cartridges for improved visibility
- Contains 1 facepiece, 1 pair 6001 cartridges, 1 pair 501 retainers and 2 pair 5P71 filters
- NIOSH approved: OV/P95

- x1 1 pack Small 67P71PA1-A**
- x1 1 pack Medium 68P71PA1-A**
- x1 1 pack Large 69P71PA1-A**

## Professional Paint Respirator

### 7500 Series

- Use for certain paint spraying, solvents and pesticides
- For workplace/occupational applications only
- 3M™ Cool Flow™ Valve technology for heat reduction and easier breathing
- Silicone facepiece for soft, secure fit
- Kit contains 1 facepiece, 1 pair 6001 cartridges, 1 pair 501 retainers and 2 pair 5P71 filters
- NIOSH approved: OV/P95

- x1 1 pack Small 7511PA1-A**
- x1 1 pack Medium 7512PA1-A**
- x1 1 pack Large 7513PA1-A**

## Paint Project Respirator

### 6000 Series

- Use for certain paint spraying, solvents and pesticides
- For workplace/occupational applications only
- Balanced design for more comfort
- Swept back cartridges for improved visibility
- Kit contains 1 facepiece, 1 pair 6001 cartridges, 1 pair 501 retainers and 2 pair 5P71 filters
- NIOSH approved: OV/P95

- x1 1 pack Small 6111PA1-A**
- x1 1 pack Medium 6211PA1-A**
- x1 1 pack Large 6311PA1-A**



## Disposable Paint Project Respirator

### 5000 Series

- Use for certain paint spraying, solvents and pesticides
- For workplace/occupational applications only
- Balanced design for more comfort
- Swept back cartridges for improved visibility
- 3M™ Organic Vapor Cartridges are permanently attached
- Kit contains 1 facepiece, 1 pair 6001 cartridges, 1 pair 501 retainers and 1 pair 5P71 filters
- NIOSH approved: OV/P95

- x1 1 pack Medium 52P71PC1-B**
- x1 1 pack Large 53P71PC1-B**

## Mold and Lead Paint Removal Respirator

### 6297

- Use for mold remediation in accordance with US-EPA Guidelines and sanding and scraping lead-based paint
- For workplace/occupational applications only
- Helps reduce exposure to mold spores and odors
- Important educational information included
- NIOSH approved: P100

- x1 1 pack 6297PA1-A**



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.

# Respiratory Protection



## Organic Vapor Cartridge

### 6001

- Use for certain organic vapors (solvents)
- For workplace/occupational applications only
- Fits 3M™ 6000, 7000 and FF-400 series facepieces

**x1 1-pair/pack 6001PB1-1**

**x3 3-pair/pack 6001PB1-3**



## Respirator Supply Kit

### 6023

- Use for certain paint spraying, solvents and pesticides
- For workplace/occupational applications only
- Fits 3M™ 6000, 7000 and FF-400 series facepieces
- Kit contains 1 pair 6001 cartridges, 1 pair 501 retainers and 2 pair 5P71 filters
- NIOSH approved: OV/P95

**x1 1 kit 6023PA1-A**



## Supply Kit

### 6022

- Use for certain paint spraying, solvents and pesticides
- For workplace/occupational applications only
- Fits 3M™ 6000, 7000 and FF-400 series facepieces
- Kit contains 1 pair 6001 cartridges and 2 pair 5P71 filters
- NIOSH approved: OV/P95

**x1 1 kit 6022PA1-A**

# Respiratory Protection



## Particulate Filter

### 2097

- Use for mold remediation in accordance with US-EPA Guidelines, and sanding and scraping lead-based paint
- For workplace/occupational applications only
- Fits 3M™ 6000, 7000 and FF-400 series facepieces
- Carbon layer for odor reduction
- NIOSH approved: P100

**x2 2 pair/pack 2097PA1-A**



## Particulate Filter

### 2091

- Use for sanding and scraping lead-based paint in accordance with US-EPA Guidelines
- For workplace/occupational applications only
- Fits 3M™ 6000, 7000 and FF-400 series facepieces
- NIOSH approved: P100

**x1 1 pair/pack 30 packs/case 2091PC1-3OB**

**x2 2 pair/pack 5 packs/case 2091PA1-A**

**WARNING! See use applications and warnings on inside back cover.**

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.

# Respiratory Protection




## Particulate Filter P95

### 5P71

- Fits 3M™ 501 Filter Retainer on 3M™ 6000 Series Cartridges only
- For workplace/occupational applications only
- NIOSH approved: P95

**x10 10 filters/pack, 10 packs/case 5P71PB1-B**



## Lens Cover

### 6885

- Fits 3M™ 6000 Series full facepiece
- For workplace/occupational applications only
- Helps prolong lens life
- Helps protect lens from scratches, paint over-spray and debris

**x25 25 lens/pack, 4 packs/case 6885PC1-B**

# Respiratory Protection



## Paint Sanding Valved Respirator

### 8511

- Use for non-harmful dusts from sanding, grinding, sawing and insulating particles
- 3M™ Cool Flow™ Valve for heat reduction and easier breathing
- M-noseclip allows for fewer pressure points and greater comfort
- Advanced filter media for easier breathing
- NIOSH approved: N95

**x1 1 pack 8511PA1-A**

**x2 2 pack 8511PA1-2A**

**x5 5 pack 8511PB6-B**

**x10 10 pack 8511PB1-A**

## Drywall Sanding Valved Respirator Version

**x10 10 pack 8511DB1**



## Paint Sanding Respirator

### 8210

- Use for non-harmful dusts from sanding, grinding, sawing and insulating particles
- Advanced filter media for easier breathing
- NIOSH approved: N95

**x2 2 pack 8210PA1-A**

**x10 10 pack 8210PB6-B**

**x20 20 pack 8210PB1-A**

## Drywall Sanding Respirator Version

**x2 2 pack 8210DA1-A**

**x20 20 pack 8210DB1-A**

**WARNING! See use applications and warnings on inside back cover.**

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.

# Respiratory Protection



## VFlex™ Pleated Respirator

9105

- Use for non-harmful dusts from sanding, grinding, sawing and insulating particles
- Pleats help provide very low breathing resistance
- Spacious inside
- 3M proprietary filter media helps make breathing easier
- NIOSH approved: N95

**x2** 2 pack 9105PC1-A

**x20** 20 pack 9105PB1-A



## Home Dust Mask

8661

- Use for relief from non-harmful household dust
- For common, light household chores
- **Not** NIOSH approved

**x5** 5 pack 8661PC1-A

**x15** 15 pack 8661PC1-15A

# Respiratory Protection



## Lead Paint Removal Respirator

8233

- Use for certain lead paint removal. Use for mold remediation in accordance with US-EPA Guidelines, and sanding and scraping lead-based paint.
- For workplace/occupational applications only
- 3M™ Cool Flow™ Valve for heat reduction and easier breathing
- Soft face seal for long lasting comfort
- Heavy duty adjustable straps
- Advanced filter media for easier breathing
- NIOSH approved: N100

**x1** 1 pack 8233PA1-A Retail Blister Pack

**x1** 1 pack 8233PC1-B Poly Bag



## Paint Odor Valved Respirator

8577

- Use for nuisance level latex paint, stain and solvent odors
- 3M™ Cool Flow™ Valve for heat reduction and easier breathing
- M-noseclip allows for fewer pressure points and greater comfort
- Carbon layer for odor reduction
- Advanced filter media for easier breathing
- NIOSH approved: P95

**x2** 2 pack 8577PA1-A

## Paint Odor Respirator

8247

- Use for latex paint odors
- Carbon layer for odor reduction
- Advanced filter media for easier breathing
- Can be used in oil and non-oil containing environments
- NIOSH approved: R95

**x1** 1 pack 8247PA1-A



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.

# Respiratory Protection

## Reference

A respirator generally covers the mouth and nose and helps to reduce the wearer's exposure to certain airborne contaminants.



Respirators may include filters that trap airborne particles and/or chemical cartridges that remove nuisance odors, certain organic vapors and/or acid gases. In the U.S., professional users must comply with all aspects of Occupational Safety and Health Administration (OSHA) regulation 1910.134 if respiratory protection is required. Do-it-yourselfers cannot be assured respiratory protection, as they are not regulated by OSHA regarding proper respirator selection and usage and are not part of respiratory protection program as required by OSHA.

## NIOSH Certification

In the U.S., all respirators must be certified by the National Institute for Occupational Safety and Health (NIOSH) and must be used in accordance with the terms of that certification. All filters, cartridges and canisters must be labeled with the appropriate NIOSH approval label. The label must not be removed or defaced while it is in use.

3M N95, R95, P95 and P100 filters meet NIOSH 42CFR 84 regulations regarding the filter classifications indicated. These filters differ by filter efficiency levels and to the extent, if any, they are degraded by oily materials.

## NIOSH Ratings

### N95

N95 means that the filter provides at least 95% filtration efficiency against solid and liquid aerosols that do not contain oil.

### R95

R95 means that the filter provides at least 95% filtration efficiency against solids and liquid aerosols and is somewhat resistant to oils.

### P95

P95 means that the filter provides at least 95% filtration efficiency against solids and liquid aerosols and is strongly resistant to oils.

### P100

P100 indicates that the filter provides a minimum of 99.97% filtration efficiency against solid and liquid aerosols, including oils.

### OV

NIOSH approval: Certain organic vapors.

### AG

NIOSH approval: Chlorine, hydrogen chloride, and sulfur dioxide or chlorine dioxide or hydrogen sulfide (escape only).

### OV/AG

NIOSH approval: Certain organic vapors, chlorine, hydrogen chloride, and sulfur (escape only) or hydrogen fluoride.

## Maintenance and Care

Respiratory recommendations are for typical activities carried out in open, well-ventilated areas. It is important to read, understand and follow the warnings provided in the User Instructions before any of these products are worn.

Always inspect the respirator prior to use for cleanliness and defects. Replace any respirator with cracks, dents, tears or loose parts immediately. See product user instructions for additional information on use and care.



# Eye Protection



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.



# Eye Protection



## SecureFit™ Safety Eyewear

**SF200** – Clear lens  
**SF201** – Tinted lens

- Comfortable, secure fit
- Anti-fog lens coating
- High impact resistant lenses absorb up to 99.9% UV
- Meets requirements of ANSI Z87.1-2010



## General Purpose Safety Eyewear

**90780** – Clear lens, clear/black frame

- Anti-fog coating
- One-piece wraparound construction provides front and side protection
- Built-in side shields
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



# Eye Protection



## Chemical Splash/Impact Goggle

**91252**

- Vents are designed to help reduce fogging
- Helps protect eyes from certain airborne particulates and chemical splash
- Chemical-resistant headband
- Meets the requirements of ANSI Z87.1-2010

## Virtua™ Safety Eyewear

**90551** – Clear lens

**90552** – Gray lens

- Lightweight - weighs less than 1 oz.
- High impact and scratch resistant lenses absorb up to 99.9% UV
- Meets the requirements of ANSI Z87.1-2010



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.


# Eye Protection

## Materials and Protection

In the United States, eye injuries are the second-leading cause of visual impairment<sup>1</sup> after cataracts.

According to the epidemiology of serious eye injuries from the United States Eye Injury Registry, an estimated 1,400 of every 100,000 U.S. citizens will sustain an eye injury in their lifetime<sup>2</sup>.

According to the American Academy of Ophthalmology (AAO) and the American Society of Ocular Trauma, there are 2.5 million eye injuries in the United States annually, more than half of which (1.5 million) happen at home, usually during work around the home. Despite the fact that 90 percent<sup>3</sup> of these injuries could be prevented by using appropriate eyewear, a survey by AAO showed that only 35 percent of people wear protective eyewear when working at home.



<sup>1</sup> "Eye Trauma Epidemiology and Prevention." Welcome to USEIR Online. United States Eye Injury Registry, 2007. Web. 24 June 2010. <http://www.useironline.org/Prevention.htm>

<sup>2</sup> The epidemiology of serious eye injuries from the United States Eye Injury Registry. Graefes Arch Clin Exp Ophthalmol. 2000 Feb;238(2):153-7

<sup>3</sup> "Eye Injuries at Home: EyeSmart." American Academy of Ophthalmology. Feb. 2009. Web. 24 June 2010. <http://www.aao.org/eyesmart/injuries/home.cfm>

## UV Protection

What do sunburns and cataracts have in common? Both are attributed to exposure to UV light. Ultraviolet light is a form of radiation invisible to the human eye. Exposure to UVA and UVB light — components of UV light — has been linked to eye cataracts and other eye disorders, such as macular degeneration. 3M safety eyewear provides protection from 99.9% of UV rays.

## Lens and Frame Materials


### Lens Materials

3M non-prescription or plano safety eyewear use polycarbonate lenses — the strongest, most impact-resistant eyewear lens material available. Polycarbonate lenses are lightweight and provide 99.9% UV protection. In addition, polycarbonate material used in conjunction with anti-fog coatings is less likely to fog than other lens materials.



## Choosing a Lens Color

3M consumers benefit from an extensive Safety Eyewear collection, including a variety of materials and lens colors. For some, a choice in lens simply reflects a personal preference. However, a lens color can denote suitability for a particular task or application.



### Clear

Use for indoor applications and for outdoors when a tinted lens is not desired or glare is not a factor.

- Provides the highest Visible Light Transmission (VLT)
- Most commonly used lens for indoor use

### Yellow/Amber

Filters out hazy light. Excellent UV absorption. Increases contrast. Good for detail work, inspections, electronic work. Use for dawn/dusk applications or for hazy, overcast or foggy days. Do **NOT** use yellow lenses for night driving.

- Filters out hazy light
- Excellent UV absorption
- Increases contrast
- Do **not** use yellow lenses for night driving

### Gray

Helps protect against glare, bright light (such as sunlight), and transmits colors evenly without distortion.

- Helps protect against glare, bright light (such as sunlight)
- Transmits colors evenly without distortion

### Silver Color Mirror/Blue Mirror/Red Mirror

Reduces glare and decreases visual brightness. Ideal for most outdoor applications. Mirror reflects light and reduces amount of light passing through lens.

- Help reduce glare and decrease visual brightness
- Reflects light
- Reduces the amount of light passing through the lens

### Indoor-Outdoor

Provides excellent vision in both outdoor and normal indoor lighting.

- Provides excellent vision in both outdoor and normal indoor lighting
- Ideal for tasks that require frequent movement from indoors to outdoors and vice versa.
- Useful when trying to reduce excessively bright or glaring light without significant dimming as a gray lens might cause

# Eye Protection

## Frame Materials

3M frames use premium materials that not only help keep you safe and protected, but also maximum comfort, style and durability. All eyewear frames and housings must comply with the high-impact requirement while retaining the lens.

## Choosing the Correct Frame

3M consumers benefit from an extensive Safety Eyewear collection, including contemporary and classic frame styles. Lightweight frames are durable and flexible for adjustability and comfort. ForceFlex is a premium quality line of eyewear that employs multi-injection technology to fuse lens to the frame.

## Levels of Eye Protection

There are two levels of eye protection as defined by the ANSI Z87.1 Standards that apply to frames and lenses – Basic and High Impact.

### Basic Impact Lens Requirements:

Must pass the ball drop test. A 1" diameter steel ball is dropped on the lens from a height of 50".

### High Impact Lens Requirements:

Must pass high-velocity testing where 1/4" steel balls are shot at different velocities.

Eyewear: 150 ft./sec.

Goggles: 250 ft./sec.

Face Shields: 300 ft./sec.

In addition, lenses must pass a high-mass impact test where a 1.1 lb. pointed projectile is dropped onto the lens from a height of 50".

## Frames

All eyewear (spectacles, goggles, faceshields and welding helmets) frames/housings must comply with the high-impact requirement while retaining the lens.

## Additional Information

### Product Markings

All spectacles, goggles and faceshields must be marked with appropriate level of protection.

### Eyewear Lenses

Basic Impact :: Manufacturer's Mark and ANSI Standard = 3MZ87

High Impact :: Mfr's Mark, ANSI Standard and Plus Sign = 3MZ87+

Specialty Lens :: Mfr's Mark, ANSI Standard and "S" = 3MZ87+S

### Goggle & Faceshield Lenses

Basic Impact :: Manufacturer's Mark and ANSI Standard = 3MZ87

High Impact :: Mfr's Mark, ANSI Standard and Plus Sign = 3MZ87+

Note: 3M highly recommends wearing eye protection when wearing headgear faceshields.

## Maintenance & Care

Safety eyewear should be inspected prior to use since excessive scratching, pitting and cracking will reduce the eyewear integrity. Any eyewear with cracking or other defects should be replaced immediately. Also, any eyewear worn during an eye accident should be replaced. Eyewear should be put on and removed with two hands to prevent bowing or misalignment of the temples and should not be stored in sunlight.

### Tips to Improve Safety Eyewear Lifespan

- :: Never wipe or clean eyewear lenses when they are dirty. Wash or blow off dust or grit
- :: Never use paper products, such as facial tissues, on eyewear lenses since wood fibers may scratch the lenses
- :: Wash lenses in warm water and let air dry or pat with soft cloth
- :: Keep eyewear in protective case or storage bag
- :: Don't rest the eyewear face down (on lenses) on a flat surface

**WARNING! See use applications and warnings on inside back cover.**

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.



# General Safety Protection



# General Safety Protection

## Renovation Coverall

### 94565

- Helps provide particulate protection against lead dust, certain liquid sprays and contaminants
- White with red taped seams provide protection from liquids leaking onto clothing
- Three-panel hood design offers compatibility with complementary PPE
- Two-way zipper makes it easy to put on and remove coveralls quickly
- Extra material included in the arms and legs for increased comfort
- Sealable storm flaps, seamless shoulders and sleeve tops help reduce liquid entry points helping to keep clothing clean
- Knit cuff for additional comfort
- Elastic ankle helps prevent dirt and dust from getting under pant legs and helps keep clothing clean



## Paint Spray Coverall

### 94540

- Helps provide barrier protection against paint overspray and hazardous dust
- Breathable back panel to help improve air ventilation and comfort
- Three panel hood design
- Knit cuffs with elastic waist and ankles for increased comfort and freedom of movement
- Two-way zipper with sealable storm flap



## Paint Coverall

### 94510

- Helps provide basic protection against certain light liquid splashes and hazardous dusts
- Elastic waist and ankles offer a snug seal and comfort
- Two-way zipper with sealable storm flap
- Durable laminated material



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.

# General Safety Protection



## Nitrile Gloves

90011T – Medium  
90012T – Large

- Use to help protect hands from most solvents
- Puncture resistant
- Natural rubber, latex free



## Refinishing Gloves

90016T – Large  
90017T – X-Large

- Use to help protect hands from polishes and stains
- Flocked cotton lining
- Textured palm for gripping



## Household Cleaning Gloves

90018T – Medium  
90019T – Large

- Use for most common cleaning projects



## Heavy Duty Chemical Gloves

90021T – Large

- Use to help protect hands from most chemicals
- Heavy duty cotton flocked lined for comfort
- Anti-slip pattern and textured grip
- Extended cuff for additional protection

### Tested Chemicals

	Household Chemical	Auto Solvent Resistant	Heavy Duty Chemical	Refinishing
Acetic acid glacial	Green	Green	Green	Green
Acetic acid, 25%	Green	Green	Green	Green
Acetone	Black	Green	Yellow	Yellow
Aniline	Green	Green	Green	Green
Auto-diesel	Green	Green	Green	Green
Butanol, pure	Green	Green	Green	Green
Cutting oil	Green	Green	Green	Green
Dimethylformamide	Green	Green	Green	Green
Ethanol, 98%	Yellow	Green	Green	Green
Ethanol, absolute	Green	Green	Green	Green
Ethyl acetate	Green	Green	Yellow	Green
Ethyl ether	Green	Green	Green	Green
Ethylene glycol	Green	Green	Green	Green
Formaldehyde, 37%	Black	Green	Green	Green
Furfural	Green	Green	Green	Green
Hydrochloric acid, 10%	Green	Green	Green	Green
Hydrochloric acid, 37%	Green	Green	Green	Green
Hydrogen peroxide, 30%	Green	Yellow	Green	Green
Iso octane	Green	Green	Green	Green
Isopropyl alcohol	Green	Green	Green	Green
Kerosene	Green	Green	Green	Green
Lacquer Solvent	Black	Black	Black	Black
Methanol	Yellow	Yellow	Yellow	Yellow
Methyl t-butyl ether	Green	Green	Green	Green
Methylene Chloride	Black	Black	Black	Black
Methylamine	Green	Green	Green	Green
Naptha solvent	Green	Green	Green	Green
n-Heptane	Green	Yellow	Yellow	Green
Nitromethane	Green	Green	Green	Green
octyl alcohol	Green	Green	Green	Green
Petroleum ether	Green	Green	Green	Green
Sodium hydroxide, 20%	Green	Green	Green	Green
Sodium hydroxide, 40%	Green	Yellow	Green	Green
Sulphuric acid, 50%	Green	Green	Green	Green
Sulphuric acid, 96%	Yellow	Green	Green	Green
Toluene	Green	Black	Green	Green
Turpene (D-Limonene)	Green	Green	Green	Green
Turpentine	Black	Green	Green	Green
Unleaded petrol	Black	Green	Black	Black

Glove Permeation tested against EN374-1:2003.

Not Recommended
Good
Best



# Chemical Safety Protection



**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.



## Professional Multi-Purpose Respirator

**62023D**

- Use for certain mold, lead and sprays from coatings and sealants
- For workplace/occupational use only
- Drop down feature
- Balanced design for more comfort
- Sweptback cartridges for improved visibility
- NIOSH approved: OV/AG/P100

**x1 1 assembly 62023DCA1-C**



## Chemical Odor Valved Respirator

**8577**

- Use for nuisance level latex paint, stain and solvent odors
- 3M™ Cool Flow™ Valve for heat reduction and easier breathing
- M-noseclip allows for fewer pressure points and greater comfort
- Carbon layer for odor reduction
- Advanced filter media for easier breathing
- NIOSH approved: P95

**x2 2 pack 8577CA1-C**



## Nitrile Gloves

**90011T** – Medium

**90012T** – Large

- Use to help protect hands from many solvents
- Puncture resistant
- Not made with natural rubber latex



## Refinishing Gloves

**90016T** – Large

**90017T** – X-Large

- Use to help protect hands from polishes and stains
- Flocked cotton lining
- Textured palm for gripping



## Household Cleaning Gloves

**90018T** – Medium

**90019T** – Large

- Use for most common cleaning projects



## Heavy Duty Chemical Gloves

**90021T** – Large

- Use to help protect hands from most chemicals
- Heavy duty cotton flocked lined for comfort
- Anti-slip pattern and textured grip
- Extended cuff for additional protection

**WARNING!** See use applications and warnings on inside back cover.

3M products shown in this brochure must be used in accordance with OSHA regulations or other applicable standards, the user instructions, warnings and limitations accompanying each product.

# Warnings and Cautions

## For Do-it-Yourself/Homeowner Applications:

### ⚠️ WARNING

#### Respirator Products Warning

These respirator products help keep non-harmful dusts and certain particles out of your nose, mouth and lungs. **Misuse may adversely affect your health.** For proper use, see packaging, *User Instructions*, or call 3M in the U.S.A. at 1-800-247-3941. In Canada, call 1-800-267-4414.

#### Eye and Face Products Warning

This product helps provide limited eye protection against certain flying particles. **Misuse may result in serious and permanent eye injury, including blindness or death.** For proper use and limitations, see packaging or call 3M in the U.S.A. at 1-800-243-4630. In Canada, call Technical Services at 1-800-267-4414.

### ⚠️ WARNING

#### Coverall Products Warning

These products help provide barrier protection against certain contaminants. **Misuse could lead to overexposure and may cause sickness or death.** For proper use and limitations, see packaging or call 3M in the U.S.A. at 1-800-243-4630. In Canada, call Technical Services at 1-800-267-4414.

#### Government Approval

NIOSH certification means the respirator has passed stringent government performance standards including filtration efficiency testing and provides at least 95% filtration efficiency against solid and liquid particles that do not contain oil. When choosing a respirator for your home improvement project or activity, consider looking for the NIOSH approval (e.g. N95, P95 or P100) to identify government-approved products.

#### Use For

Non-harmful dusts and certain particles encountered during sanding projects (bare wood, non-lead painted surfaces or drywall); sweeping; installations of fiberglass insulation; pollen; and mold spores; and non-harmful dusts encountered during outdoor activities such as: gardening, cutting firewood, raking and mowing. Always use in well-ventilated areas.

#### Do Not Use For

Any toxic or harmful substance such as lead and asbestos.

## For Workplace/Occupational Applications:

### ⚠️ WARNING

#### Respirator Products Warning

These respirator products help reduce exposures to certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see package instructions, supervisor, or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

### ⚠️ WARNING

#### Eye and Face Products Warning

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

### ⚠️ WARNING

#### Coverall Products Warning

These products help provide barrier protection against certain contaminants. **Misuse could lead to overexposure and may cause sickness or death.** For proper use and limitations, see supervisor, packaging or call 3M in the U.S.A. at 1-800-243-4630. In Canada, call Technical Services at 1-800-267-4414.





**3M**

**Construction and Home  
Improvement Markets Division**

3M Center, Building 223-4S-02  
St. Paul, MN 55144-1000  
1 800 494-3552  
[www.3M.com](http://www.3M.com)  
[www.3Msafety.com](http://www.3Msafety.com)

3M, Cool Flow and VFlex are trademarks of  
3M Company. Used under license in Canada.

Please recycle. Printed in U.S.A.  
© 3M 2014. All rights reserved.  
70-0717-0289-1