

3M Science.
Applied to Life.™

3M Personal Safety Division
3M Cross Divisional Products

Making lives better, easier and more complete.



3M Story

Our beginnings were humble rocks, but after more than 100 years, we know how to rock science. Every day at 3M, we explore, we connect and we invent. And we've opened the door to show the world the unique, multi-dimensional ways 3M science can touch your life.

We've started the conversation with a fresh new look and new way of talking about ourselves that makes us excited to share. We've always been storytellers and inventors at heart, but now we will show you why we do what we do. And while we may look different, we're still the same 3M, ready to connect and work together with you to create the future. So explore with us. We think you will be amazed by all the ways 3M science impacts your life.

How can science change the world?

Carrying more power to more people with lighter power lines. Helping manufacturers make more with less through leaner processes. Automating health care data so the right people get the right information to take action. These are some of the ways we're working to support stronger communities and sustainable development across the globe. We see the world's challenges clearly, and unite the people that dare to solve them. We innovate with purpose and use science every day to create real impact in every life around the world.





Worker Safety & Operational Products

03

3M™ Abrasives

- 05 3M™ Cubitron™ II Wheels
- 07 3M™ Silver Depressed Center Grinding Wheels
- 08 3M™ Silver Cut-off Wheels
- 09 Scotch-Brite™ Discs
- 10 3M™ Cubitron™ II Roloc™ Discs
- 11 3M™ Roloc™ and Scotch-Brite™ Roloc™ Discs
- 12 3M™ Cubitron™ II Fibre Discs
- 13 3M™ Fibre Discs
- 14 3M™ Cubitron™ II Flap Discs
- 16 Scotch-Brite™ Discs & Wheels
- 17 3M™ Belts
- 19 Scotch-Brite™ Hand Pads
- 20 Accessories for 3M™ Right Angle Disc Systems
- 21 Accessories for Roloc™ Systems

22

3M™ Facility Maintenance & Organization

- 23 3M™ Doodlebug™ Cleaning Pads
- 23 Scotch-Brite™ Scouring Pads
- 24 Scotch-Brite™ Hand Pads
- 25 Cloths, Mops & Dusters
- 27 Environmental Safety Products
- 28 Mounting Products
- 28 3M™ Lead Testing
- 28 Post-it® Extreme Notes

29

3M™ Tapes & Adhesives

- 30 3M™ Duct Tapes
- 31 3M™ Duct Tapes & Cloth Tape
- 32 3M™ Masking Tapes
- 34 Scotch-Blue™ Painter's Tape
- 34 Scotch® Box Sealing Tape Dispensers
- 35 Scotch® Box Sealing Tapes
- 35 Scotch® Vinyl Electrical Tape
- 36 3M™ Marking and Safety Tapes
- 38 3M™ Aerosol Adhesives
- 39 3M™ Cleaners & Lubricants
- 40 3M™ Hand-Masker™ Products

42

3M™ Spray Equipment for Coatings

- 43 Paint Booth Wall, Floor & General Surface Protection
- 44 Accuspray™ ONE Spray Gun System with PPS™ Starter Kits
- 45 PPS™ Cups & Collars
- 46 PPS™ Lids & Liners
- 47 PPS™ Accessories
- 48 Accuspray™ ONE Spray Guns

49

3M™ Matting & Treads

- 50 3M™ Safety-Walk™ Slip-Resistant Tapes & Treads
- 53 3M™ Nomad™ Entrance Matting
- 57 3M™ Safety-Walk™ Cushion Matting
- 58 3M™ Clean-Walk Matting

59

3M™ Purification Solutions

- 60 NB Series
- 60 DF Series
- 61 High Flow Series
- 61 Micro-Klean RT Series
- 62 Water Filtration Products
- 63 3M™ Aqua-Pure™ System

64

3M™ Braces and Supports

- 65 Ace™ Brand Products

3M™ Abrasives



CUBITRON™ II

For speed, long life and ease of use, nothing comes close to the power of Cubitron II abrasives.

For grinding, weld blending, deburring and other tough metal finishing jobs, 3M™ Cubitron™ II Abrasives outperform other discs in their class – thanks to a breakthrough 3M technology that re-writes the rules for speed, consistency and abrasive life.

The secret lies in the revolutionary precision-shaped ceramic grain technology pioneered by 3M. As the triangular shaped grain wears, it continuously fractures to form sharp points and edges that slice through metal, and provide a fast cut, long life and smooth-running feel.

Optimized for applications including:

- Grinding
- Weld removal
- Deburring
- Beveling
- Cutting
- Blending

Used in industries such as:


- Ship building
- Structural steel
- General metal fabrication
- Oil and gas
- Agricultural, industrial and construction machinery
- Stainless steel fabrication

Choose the right disc for the job.




	Fibre Discs	Cut & Grind Wheels	Flap Discs	Cut-Off Wheels	Depressed Center Grinding Wheels
Cutting		●		●	
Notching		●			
Gouging		●			●
Fillet Weld Removal		●			●
Beveling	●	●	●		●
Flame Cut Smoothing	●	●	●		●
Scale Removal	●	●	●		●
Weld Removal	●	●	●		●
Contoured Areas	●		●		

● Recommended application
 ● Additional application



3M precision-shaped grain uses 3M microreplication technology to form sharp peaks that easily “slice” through metal — cutting cooler, faster and lasting longer than conventional abrasive grain.



Conventional ceramic abrasive grain tends to “plow” through the metal, causing heat to build up in the workpiece and the abrasive — resulting in a slower cut and shorter disc life.

3M™ Cubitron™ II Depressed Center Grinding Wheels



Go the Distance

Cubitron II Depressed Center Grinding Wheels are fast cutting, long lasting and require less pressure. These cool cutting wheels are ideal for heavy grinding and weld removal. Specially formulated for use on stainless and mild steel. Available with quick change attachment.

DO NOT USE ON TOOLS WITHOUT GUARDS.



New improved construction offers even greater durability and longer life. Same smooth-running feel.

3M™ Cubitron™ II Depressed Center Grinding Wheel — T27

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051115-78469-9	4" x 1/4" x 3/8"	15,300	10/20
051115-78468-2	4" x 1/4" x 5/8"	15,300	10/20
051115-78466-8	4 1/2" x 1/4" x 7/8"	13,300	10/20
051115-78467-5	5" x 1/4" x 7/8"	12,250	10/20
076308-64314-0	6" x 1/4" x 7/8"	10,200	10/20
076308-64315-7	7" x 1/4" x 7/8"	8,500	10/20
076308-64316-4	9" x 1/4" x 7/8"	6,650	10/20

3M™ Cubitron™ II Depressed Center Grinding Wheel — T27 Quick Change

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
076308-64320-1	4 1/2" x 1/4" x 5/8" - 11"	13,300	10/20
076308-64317-1	5" x 1/4" x 5/8" - 11"	12,250	10/20
076308-64318-8	6" x 1/4" x 5/8" - 11"	10,200	10/20
076308-64319-5	7" x 1/4" x 5/8" - 11"	8,500	10/20
051125-87153-2	9" x 1/4" x 5/8" - 11"	6,650	10/20

3M™ Cubitron™ II Cut & Grind Wheels



Cut. Grind. Done.

These versatile wheels are designed to be used both as a depressed center grinding wheel and as a cut-off wheel — making them ideal for cutting, grinding, gouging and more.

3M™ Cubitron™ II Cut & Grind Wheels — T27

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
4046719-82276-8	4" x 1/8" x 3/8"	15,300	10/20
4046719-82277-5	4" x 1/8" x 5/8"	15,300	10/20
4046719-82278-2	5" x 1/8" x 7/8"	12,250	10/20
4046719-82279-9	4 1/2" x 1/8" x 7/8"	13,300	10/20
051141-28758-4	6" x 1/8" x 7/8"	10,200	10/20
051141-28760-7	7" x 1/8" x 7/8"	8,500	10/20
051141-28761-4	9" x 1/8" x 7/8"	6,650	10/20

3M™ Cubitron™ II Cut & Grind Wheels — T27 Quick Change

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051141-28762-1	4 1/2" x 1/8" x 5/8" - 11"	13,300	10/20
051141-28763-8	5" x 1/8" x 5/8" - 11"	12,250	10/20
051141-28764-5	6" x 1/8" x 5/8" - 11"	10,200	10/20
051141-28765-2	7" x 1/8" x 5/8" - 11"	8,500	10/20
051141-28766-9	9" x 1/8" x 5/8" - 11"	6,650	10/20

3M™ Cubitron™ II Cut-Off Wheels




Cut to the chase

Cubitron II Cut-Off Wheels are designed to provide high cut rates on all types of ferrous metals, stainless steels, alloy steels and cast iron. They offer long life to help reduce cost. Plus, their fast, cool cutting action helps make your job easier!



New, improved construction for an even faster cut ... longer life!

We've made the best – even better!



3M™ Cubitron™ II Cut-Off Wheel — T1

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051115-66513-4	3" x .035" x ¼"	25,465	25/50
051115-66514-1	3" x .035" x ⅜"	25,465	25/50
051115-66516-5	3" x .06" x ⅜"	25,465	25/50
051115-66518-9	4" x .035" x ⅜"	19,100	25/50
051115-66520-2	4" x .06" x ⅜"	19,100	25/50
051115-66524-0	4" x .125" x ⅜"	19,100	25/50
051125-86929-4	4 ½" x .040" x ⅞"	13,300	25/50
051115-66525-7	4 ½" x .045" x ⅞"	13,300	25/50
051125-86930-0	5" x .040" x ⅞"	12,250	25/50
051115-66526-4	5" x .045" x ⅞"	12,250	25/50
051115-66527-1	6" x .045" x ⅞"	10,200	25/50
051115-66528-8	7" x .045" x ⅞"	8,500	25/50

3M™ Cubitron™ II Cut-Off Wheel — T27

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051125-86946-1	4 ½" x .040" x ⅞"	13,300	25/50
051115-66531-8	4 ½" x .045" x ⅞"	13,300	25/50
051115-66535-6	4 ½" x .125" x ⅞"	13,300	25/50
051125-86945-4	5" x .040" x ⅞"	12,250	25/50
051115-66537-0	5" x .045" x ⅞"	12,250	25/50
051115-66539-4	5" x .09" x ⅞"	12,250	25/50
051115-66541-7	6" x .045" x ⅞"	10,200	25/50
051115-66543-1	7" x .09" x ⅞"	8,500	25/50

3M™ Cubitron™ II Cut-Off Wheel — T27

Quick Change

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051115-66530-1	4 ½" x .045" x ⅝ – 11"	13,300	25/50
051115-66532-5	4 ½" x .09" x ⅝ – 11"	13,300	25/50
051115-66534-9	4 ½" x .125" x ⅝ – 11"	13,300	25/50
051115-66540-0	6" x .045" x ⅝ – 11"	10,200	25/50
051115-66542-4	7" x .09" x ⅝ – 11"	8,500	25/50

3M™ Silver Depressed Center Grinding Wheels



NEW!

The next-best thing to a 3M™ Cubitron™ II Wheel. *And it still beats the competition, hands-down.*

3M Silver Depressed Center Grinding Wheels (DCGW) represent a new class of long lasting right angle abrasives — powered by the legendary speed and long life of 3M Precision-Shaped Grain and engineered to offer an outstanding value, when abrasive cost takes precedence over reducing total production time. They are an ideal choice for applications like weld removal, beveling, edge chamfering and more — offering a longer life and faster cut than aluminum oxide, alumina zirconia and conventional ceramic abrasives.

3M™ Silver Depressed Center Grinding Wheel — T27

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051125-87455-7	4" x ¼" x ⅝"	15,300	10/20
051125-87456-4	4" x ¼" x ⅝"	15,300	10/20
051125-87453-3	4½" x ¼" x ⅞"	13,300	10/20
051125-87454-0	5" x ¼" x ⅞"	12,250	10/20
051125-87450-2	6" x ¼" x ⅞"	10,200	10/20
051125-87451-9	7" x ¼" x ⅞"	8,500	10/20
051125-87452-6	9" x ¼" x ⅞"	6,650	10/20

3M™ Silver Depressed Center Grinding Wheel — T27 Quick Change

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051125-87397-0	4½" x ¼" x ⅝" – 11"	13,300	10/20
051125-87446-5	5" x ¼" x ⅝" – 11"	12,250	10/20
051125-87447-2	6" x ¼" x ⅝" – 11"	10,200	10/20
051125-87448-9	7" x ¼" x ⅝" – 11"	8,500	10/20
051125-87449-6	9" x ¼" x ⅝" – 11"	6,650	10/20

Bonded wheel product comparisons

Speed and Durability rated on a scale of 1 to 5, with 5 stars being the best.



Attributes	Aluminum oxide	Alumina zirconia	Silver	3M™ Cubitron™ II
Durability/Life	★★	★★★	★★★★★	★★★★★
Speed of Cut	★	★★	★★★★	★★★★★
Feel: Smooth	★★	★★★	★★★★	★★★★★
Contaminant-free* (for stainless/inox)	varies	varies	yes	yes
Mineral	aluminum oxide	alumina zirconia	blend of precision-shaped grain	ceramic precision-shaped grain
Abrasive Cost per Job	\$\$\$	\$\$	\$	\$\$
Total Cost of Job (Abrasive, Labor, Processes)	\$\$\$\$	\$\$\$	\$\$	\$

*Contains less than 0.1% Fe, S and Cl

3M™ Silver Cut-off Wheels



NEW!

A cut above the ordinary

3M™ Silver Cut-off Wheels are a new kind of premium performance wheel designed to be affordable for everyday use. Featuring 3M Precision-Shaped Grain technology, these innovative wheels deliver fast, smooth cutting action on all types of ferrous metals, stainless steels and alloy steels. Plus they last longer than aluminum oxide and alumina zirconia wheels. That means fewer wheel changes and more finished parts per wheel, to help improve shop productivity and control your costs.


3M™ Silver Cut-off Wheels — Type 1

UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051125-87457-1	3" x .035" x ¼"	25,465	25/50
051125-87458-8	3" x .035" x ⅜"	25,465	25/50
051125-87459-5	3" x .060" x ⅜"	25,465	25/50
051125-87460-1	4" x .035" x ¼"	19,100	25/50
051125-87461-8	4" x .035" x ⅜"	19,100	25/50
051125-87462-5	4" x .060" x ⅜"	19,100	25/50
051125-87657-5	4" x .125" x ⅜"	19,100	25/50
051125-87464-9	4.5" x .040" x ⅞"	13,300	25/50
051125-87465-6	4.5" x .045" x ⅞"	13,300	25/50
051125-87467-0	5" x .045" x ⅞"	12,250	25/50
051125-87469-4	6" x .045" x ⅞"	10,200	25/50
051125-87471-7	7" x .045" x ⅞"	8,500	25/50

3M™ Silver Cut-off Wheels — Type 27


UPC No.	Dia. x Thickness x Arbor Hole	Max. RPM	Qty. (Inner/CS)
051125-87466-3	4.5" x .045" x ⅞"	13,300	25/50
051125-87659-9	4.5" x .093" x ⅞"	13,300	25/50
051125-87468-7	5" x .045" x ⅞"	12,250	10/20
051125-87470-0	6" x .045" x ⅞"	10,200	10/20

Wheel Life



Internal 3M testing on 304L stainless steel sheet (11 gauge) using a 13 amp electric tool. Wheels are tested to end of life.

Scotch-Brite™ Clean & Strip XT Discs




The name says it all.
Tough Clean & Strip XT discs cut fast and resist loading without damaging the metal underneath. Ideal for removing rust, paint and other coatings. Use with TN Quick Change backup pad or fibre disc hub and face plate.

Scotch-Brite™ Clean & Strip XT Disc — TN Quick Change

UPC No.	Dia. x Thickness x Arbor Hole	Grade	Max. RPM	Qty./CS
048011-33194-2	4½" x ½" x ⅝" – 11"*	S XCS	13,300	10
048011-33196-6	7" x ½" x ⅝" – 11"*	S XCS	8,600	5

*Quick Change Tinneman Nut Attachment

Scotch-Brite™ Light Grinding & Blending Discs



For light grinding & blending.
A durable disc constructed with 3M ceramic aluminum oxide blend abrasive grain, for an aggressive cut, long life and consistent finish. Resistant to edge wear. Ideal for light grinding applications to produce a burr-free and paintable finish.

Scotch-Brite™ Light Grinding & Blending Disc — TN Quick Change

UPC No.	Diameter x Center Hole	Grade	Max. RPM	Qty./CS
048011-60349-0	4½" x ⅝" – 11"*	A CRS SD	13,000	50
048011-60348-3		A CRS HD	13,000	50
048011-60351-3	5" x ⅝" – 11"*	A CRS SD	12,000	50
048011-60350-6		A CRS HD	12,000	50
048011-60353-7	7" x ⅝" – 11"*	A CRS SD	8,600	25
048011-60352-0		A CRS HD	8,600	25

SD = Super Duty, HD = Heavy Duty
*Quick Change Tinneman Nut Attachment

Scotch-Brite™ Light Grinding & Blending Disc — Center Hole Disc

UPC No.	Diameter x Center Hole	Grade	Max. RPM	Qty./CS
048011-60333-9†	4½" x ⅞"	A CRS SD	10,000	50
048011-60332-2†		A CRS HD	10,000	50
048011-60341-4	5" x ⅞"	A CRS SD	10,000	50
048011-60336-0		A CRS HD	10,000	50
048011-60344-5	7" x ⅞"	A CRS SD	6,000	25
048011-60347-6		A CRS HD	6,000	25

SD = Super Duty, HD = Heavy Duty
†Made-to-Order

▶ Tech Tips

Use for light stock removal and aggressive blending operations.

2- Step Weld Removal & Prep for Paint

- ✓ **Step 1:** Remove the weld with 3M™ Cubitron™ II Fibre Disc 982C grade 36+
- ✓ **Step 2:** Finish with Scotch-Brite™ LGB SD Disc
- ✓ **Ready for paint** (>3 mil)

NOTE: For best results, use with red (extra hard) or black (hard) 3M™ Disc Face Plates

3M™ Cubitron™ II Roloc™ Discs



3M Precision-Shaped Grain Technology

The 3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A features 3M Precision-Shaped Ceramic Grain. This technology features triangular shaped ceramic minerals. As those minerals wear during use, they fracture at angles that continually form sharp points. This allows the minerals to keep slicing through the substrate with ease, while helping the grain wear more evenly.


3M™ Cubitron™ II Roloc™ Durable Edge Disc TR 947A

UPC No. (051141-)	Size	Grade	Max. RPM	Qty./CS
54240-9	2"	40+	25,000	50/200
54241-6	3"	40+	20,000	50/200
54242-3	4"	40+	12,000	25/100
54248-5	2"	60+	25,000	50/200
54249-2	3"	60+	20,000	50/200
54250-8	4"	60+	12,000	25/100
54256-0	2"	80+	25,000	50/200
54257-7	3"	80+	20,000	50/200
54258-4	4"	80+	12,000	25/100
54264-5	2"	120+	25,000	50/200
54265-2	3"	120+	20,000	50/200
54266-9	4"	120+	12,000	25/100

3M™ Cubitron™ II Roloc™ Durable Edge Disc TSM 947A

UPC No. (051141-)	Size	Grade	Max. RPM	Qty./CS
54244-7	2"	40+	25,000	50/200
54245-4	3"	40+	20,000	50/200
54246-1	4"	40+	12,000	25/100
54252-2	2"	60+	25,000	50/200
54253-9	3"	60+	20,000	50/200
54254-6	4"	60+	12,000	25/100
54260-7	2"	80+	25,000	50/200
54261-4	3"	80+	20,000	50/200
54262-1	4"	80+	12,000	25/100
54268-3	2"	120+	25,000	50/200
54269-0	3"	120+	20,000	50/200
54270-6	4"	120+	12,000	25/100

Our new lineup for 3M™ Cubitron™ II Abrasive Discs



3M™ Cubitron™ Roloc™ Durable Edge Disc 984F

Made with revolutionary 3M precision shaped grain technology. Features a durable edge backing and a grinding aid.

UPC No.	Diameter	Grade	Max. RPM	Min./CS
Roloc TR (Plastic Button)				
051144-27701-1	2"	36+	25,000	50/200
051144-27709-7	2"	60+	25,000	50/200
051144-27717-2	2"	80+	25,000	50/200
051144-27702-8	3"	36+	20,000	50/200
051144-27710-3	3"	60+	20,000	50/200
051144-27718-9	3"	80+	20,000	50/200
051144-27703-5	4"	36+	12,000	25/100
051144-27711-0	4"	60+	12,000	25/100
051144-27719-6	4"	80+	12,000	25/100
Roloc TSM (Metal Button)				
051144-27705-9	2"	36+	25,000	50/200
051144-27713-4	2"	60+	25,000	50/200
051144-27721-9	2"	80+	25,000	50/200
051144-27706-6	3"	36+	20,000	50/200
051144-27714-1	3"	60+	20,000	50/200
051144-27722-6	3"	80+	20,000	50/200
051144-27707-3	4"	36+	12,000	25/100
051144-27715-8	4"	60+	12,000	25/100
051144-27723-3	4"	80+	12,000	25/100

Accessories

UPC No.	Needed Accessories	Recomm. Tool 1 (051141-)	Recomm. Tool 2 (051141-)
051144-14212-5	Roloc Disc Pad TSM, Hard, 2" ¼ – 20 Internal*	20231-0	28341-8
051144-14216-3	Roloc Disc Pad TSM, Hard, 3" ¼ – 20 Internal*	20231-0	20232-7
051141-28578-8	Roloc Disc Pad TSM, Hard, 4" ½ – 11 Internal	28408-8	
051144-14212-5	Roloc Disc Pad TSM, Hard, 2" ¼ – 20 Internal*	20231-0	28341-8
051144-14216-3	Roloc Disc Pad TSM, Hard, 3" ¼ – 20 Internal*	20231-0	20232-7
051141-28578-8	Roloc Disc Pad TSM, Hard, 4" ½ – 11 Internal	28408-8	
051144-14212-5	Roloc Disc Pad TSM, Hard, 2" ¼ – 20 Internal*	20231-0	28341-8
051144-14216-3	Roloc Disc Pad TSM, Hard, 3" ¼ – 20 Internal*	20231-0	20232-7
051141-28578-8	Roloc Disc Pad TSM, Hard, 4" ½ – 11 Internal	28408-8	
051144-14211-8	Roloc Disc Pad TSM, Medium, 2" ¼ – 20 Internal*	20231-0	28341-8
051144-14215-8	Roloc Disc Pad TSM, Medium, 3" ¼ – 20 Internal*	20231-0	20232-7
051141-28578-8	Roloc Disc Pad TSM, Hard, 4" ½ – 11 Internal	28408-8	

*Roloc shank, ¼" shank ¼-20 external: 051144-45102-9

3M™ Roloc™ & Scotch-Brite™ Roloc™ Discs



3M™ Roloc™ Cloth Disc 361F

Great everyday value. Aluminum oxide 3M™ Roloc™ Cloth Discs constructed on a durable polyester backing for coarse grinding. Resin bonded for heat resistance. Available in a full range of attachment systems. Roloc TR featured in this offering.

UPC No.	Size	Grade	Qty./CS
Roloc TR Attachment System			
051144-11000-1	2"	24	50/200
051144-22398-5	2"	36	50/200
051144-22399-2	2"	50	50/200
051144-22400-5	2"	60	50/200
051144-22401-2	2"	80	50/200
051144-22402-9	2"	P100	50/200
051144-22403-6	2"	P120	50/200
051144-14559-1	2"	P150	50/200
051144-13873-9	2"	P180	50/200
051144-11419-1	2"	P240	50/200
051144-22392-3	3"	24	50/200
051144-22393-0	3"	36	50/200
051144-22394-7	3"	50	50/200
051144-22395-4	3"	60	50/200
051144-22404-3	3"	80	50/200
051144-22405-0	3"	P100	50/200
051144-22406-7	3"	P120	50/200
051144-82244-7	3"	P150	50/200
051144-11418-4	3"	P240	50/200

Scotch-Brite™ Roloc™ AL Surface Conditioning Discs TR

Combining the most advanced blending and finishing capabilities, these non-woven surface conditioning discs give you a finish that can meet the highest standards of quality control. The unique, open web construction resists loading, providing up to twice the service life with an easy-to-handle blend of aluminum, oily carbon and other soft metal surfaces.

UPC No.	Size	Grade	Max. RPM	Qty./CS
051141-54137-2	2" x NH	A CRS	25,000	50/200
051141-54140-2	3" x NH	A CRS	18,000	25/100
051141-54113-6	4" x NH	A CRS	12,000	25/100
051141-54124-2	1" x NH	A MED	30,000	50/200
051141-54136-5	2" x NH	A MED	25,000	50/200
051141-54139-6	3" x NH	A MED	18,000	25/100
051141-54112-9	4" x NH	A MED	12,000	25/100
051141-54123-5	1" x NH	A VFN	30,000	50/200
051141-54135-8	2" x NH	A VFN	25,000	50/200
051141-54138-9	3" x NH	A VFN	18,000	25/100
051141-54111-2	4" x NH	A VFN	12,000	25/100

Scotch-Brite™ Roloc™ AL Surface Conditioning Discs TS

UPC No.	Size	Grade	Max. RPM	Qty./CS
051141-54114-3	2" x NH	A CRS	25,000	50/200
051141-54117-4	3" x NH	A CRS	18,000	25/100
051141-54120-4	4" x NH	A CRS	12,000	25/100
051141-54115-0	2" x NH	A MED	25,000	50/200
051141-54118-1	3" x NH	A MED	18,000	25/100
051141-54121-1	4" x NH	A MED	12,000	25/100
051141-54116-7	2" x NH	A VFN	25,000	50/200
051141-54119-8	3" x NH	A VFN	18,000	25/100
051141-54122-8	4" x NH	A VFN	12,000	25/100



3M™ Roloc™ Disc 777F

When you need more cutting power and less heat, these 3M™ Roloc™ Discs contain 3M™ Ceramic Grain on a durable polyester backing. They feature a grinding aid which runs cooler on heat-sensitive metals. Available in a full range of attachment systems. Roloc TR and TSM-metal featured in this offering.

UPC No.	Size	Grade	Qty./CS
Roloc TR Attachment System			
051144-76629-1	2"	36	50/200
051144-76630-7	2"	50	50/200
051144-76433-4	2"	60	50/200
051144-14661-1	2"	80	50/200
051144-80508-2	2"	P100	50/200
051144-80512-9	2"	P120	50/200
051144-76631-4	3"	36	50/200
051144-76632-1	3"	50	50/200
051144-76633-8	3"	60	50/200
051144-76634-5	3"	80	50/200
051144-80509-9	3"	P100	50/200
051144-80513-6	3"	P120	50/200



Scotch-Brite™ Roloc™ Surface Conditioning Disc

Scotch-Brite™ Roloc™ Discs are the metalworking industry's top choice for cleaning, finishing, blending and deburring applications. Available in a full range of attachment systems. Roloc TR featured in this offering.

UPC No.	Size	Grade	Color	Qty./CS
Roloc TR Attachment System				
048011-05523-7	2" x NH	A VFN	Blue	50/200
048011-05527-5	2" x NH	A MED	Maroon	50/200
048011-05528-2	2" x NH	A CRS	Brown	50/200
048011-05530-5	3" x NH	A VFN	Blue	25/100
048011-05531-2	3" x NH	A MED	Maroon	25/100
048011-05532-9	3" x NH	A CRS	Brown	25/100
048011-12952-5	4" x NH	A VFN	Blue	25/100
048011-12953-2	4" x NH	A MED	Maroon	25/100
048011-12954-9	4" x NH	A CRS	Brown	25/100

Abrasives

3M™ Cubitron™ II Fibre Discs

Grinding reinvented

Cubitron II Fibre Discs are engineered to cut faster, cooler and with less grinding pressure than conventional abrasives. And they are long-lasting for increased productivity! Choose Cubitron II fibre discs 987C for cool cutting on stainless steel, high nickel alloys and superalloys. For carbon steel applications, try our Cubitron II Fibre Discs 982C.



TN

3M™ Cubitron™ II Fibre Disc 982C

For carbon steel.

UPC No.	Diameter	Grade	Max. RPM	Qty./CS
051141-27400-3		36+	13,300	25/100
051141-27631-1	4 ½" x 7/8"	60+	13,300	25/100
051141-27635-9		80+	13,300	25/100
051141-27425-6		36+	13,300	25/100
051141-27639-7	4 ½" x TN*	60+	13,300	25/100
051141-27642-7		80+	13,300	25/100
051141-27401-0		36+	12,000	25/100
051141-27632-8	5" x 7/8"	60+	12,000	25/100
051141-27636-6		80+	12,000	25/100
051141-27404-1		36+	12,000	25/100
051141-27640-3	5" x TN*	60+	12,000	25/100
051141-27643-4		80+	12,000	25/100
051141-27402-7		36+	8,600	25/100
051141-27633-5	7" x 7/8"	60+	8,600	25/100
051141-27637-3		80+	8,600	25/100
051141-27405-8		36+	8,600	25/100
051141-27641-0	7" x TN*	60+	8,600	25/100
051141-27644-1		80+	8,600	25/100


*Quick Change Attachments

3M™ Fibre Disc 381C

Good value from a general purpose fibre grinding disc. Constructed using a quality aluminum oxide mineral.



UPC No.	Size	Grade	Qty./CS
051144-77595-8	4 ½" x 7/8"	24	25
051144-77596-5	4 ½" x 7/8"	36	25
051144-77597-2	4 ½" x 7/8"	50	25
051144-77598-9	4 ½" x 7/8"	60	25
051144-77599-6	4 ½" x 7/8"	80	25
051144-81369-8	5" x 7/8"	24	25
051144-81372-8	5" x 7/8"	36	25
051144-81375-9	5" x 7/8"	50	25
051144-01727-0	5" x 7/8"	60	25
051144-20054-2	5" x 7/8"	80	25
051144-81370-4	7" x 7/8"	24	25
051144-81373-5	7" x 7/8"	36	25
051144-81376-6	7" x 7/8"	50	25
051144-01741-6	7" x 7/8"	60	25
051144-01740-9	7" x 7/8"	80	25



TN

3M™ Cubitron™ II Fibre Disc 987C

For stainless steel and other heat-sensitive alloys.

UPC No.	Diameter	Grade	Max. RPM	Qty./CS
051141-27447-8		36+	13,300	25/100
051141-27653-3	4 ½" x 7/8"	60+	13,300	25/100
051141-27657-1		80+	13,300	25/100
051141-27469-0		36+	13,300	25/100
051141-27661-8	4 ½" x TN*	60+	13,300	25/100
051141-27664-9		80+	13,300	25/100
051141-27448-5		36+	12,000	25/100
051141-27654-0	5" x 7/8"	60+	12,000	25/100
051141-27658-8		80+	12,000	25/100
051141-27467-6		36+	12,000	25/100
051141-27662-5	5" x TN*	60+	12,000	25/100
051141-27665-6		80+	12,000	25/100
051141-27449-2		36+	8,600	25/100
051141-27655-7	7" x 7/8"	60+	8,600	25/100
051141-27659-5		80+	8,600	25/100
051141-27468-3		36+	8,600	25/100
051141-27663-2	7" x TN*	60+	8,600	25/100
051141-27666-3		80+	8,600	25/100

*Quick Change Attachments



3M™ Fibre Disc 501C


A versatile, mid-range fibre disc option that works well on mild steel but can also be used with good results on stainless steel. Alumina zirconia.

UPC No.	Size	Grade	Qty./CS
051111-50409-3	4 ½" x 7/8"	24	100
051111-50413-0	4 ½" x 7/8"	36	100
051111-50414-7	4 ½" x 7/8"	50	100
051111-50415-4	4 ½" x 7/8"	60	100
051111-50416-1	4 ½" x 7/8"	80	100
051111-50410-9	5" x 7/8"	24	100
051111-50412-3	5" x 7/8"	36	100
051111-50420-8	5" x 7/8"	50	100
051111-50421-5	5" x 7/8"	60	100
051111-50411-6	7" x 7/8"	24	100
051111-50426-0	7" x 7/8"	36	100
051111-50425-3	7" x 7/8"	50	100
051111-50427-7	7" x 7/8"	60	100
051111-50428-4	7" x 7/8"	80	100

Other sizes available upon request

3M™ Fibre Discs 782C and 787C

An unbeatable combination of performance and value
 3M Fibre Discs 782C and 787C represent a new class of high-performance right angle abrasives – powered by the legendary speed and long life of 3M Precision-Shaped Grain. They are an ideal choice for applications like weld removal, beveling, edge chamfering and more – offering a faster cut and longer life than alumina zirconia (AZ) and conventional ceramic abrasives. **3M™ Fibre Disc 782C** is an ideal choice for carbon steel. **3M™ Fibre Disc 787C** is optimized for stainless steel and non-ferrous metals like aluminum.



3M™ Fibre Disc 782C for carbon steel

UPC No.	Diameter*	Grade	Max. RPM	Qty. (Inner/CS)
76308-89589-1		36+	13,300	25/100
76308-89598-3	4½" x 7⁄8"	60+	13,300	25/100
76308-89607-2		80+	13,300	25/100
76308-89590-7		36+	12,000	25/100
76308-89599-0	5" x 7⁄8"	60+	12,000	25/100
76308-89608-9		80+	12,000	25/100
76308-89591-4		36+	8,600	25/100
76308-89600-3	7" x 7⁄8"	60+	8,600	25/100
76308-89609-6		80+	8,600	25/100
TN Quick Change				
76308-89595-2		36+	13,300	25/100
76308-89604-1	4½" x 5⁄8"-11*	60+	13,300	25/100
76308-89613-3		80+	13,300	25/100
76308-89596-9		36+	12,000	25/100
76308-89605-8	5" x 5⁄8"-11*	60+	12,000	25/100
76308-89614-0		80+	12,000	25/100
76308-89597-6		36+	8,600	25/100
76308-89606-5	7" x 5⁄8"-11*	60+	8,600	25/100
76308-89615-7		80+	8,600	25/100



3M™ Fibre Disc 787C for stainless steel non-ferrous metals

UPC No.	Diameter*	Grade	Max. RPM	Qty. (Inner/CS)
Roloc TR Attachment System				
76308-89627-0		36+	13,300	25/100
76308-89636-2	4½" x 7⁄8"	60+	13,300	25/100
76308-89645-4		80+	13,300	25/100
76308-89654-6		120+	13,300	25/100
76308-89628-7		36+	12,000	25/100
76308-89637-9	5" x 7⁄8"	60+	12,000	25/100
76308-89646-1		80+	12,000	25/100
76308-89655-3		120+	12,000	25/100
76308-89629-4		36+	8,600	25/100
76308-89638-6	7" x 7⁄8"	60+	8,600	25/100
76308-89647-8		80+	8,600	25/100
76308-89656-0		120+	8,600	25/100
TN Quick Change				
76308-89633-1		36+	13,300	25/100
76308-89642-3	4½" x 5⁄8"-11**	60+	13,300	25/100
76308-89651-5		80+	13,300	25/100
76308-89658-4		120+	13,300	25/100
76308-89634-8		36+	12,000	25/100
76308-89643-0	5" x 5⁄8"-11**	60+	12,000	25/100
76308-89652-2		80+	12,000	25/100
76308-89659-1		120+	12,000	25/100
76308-89635-5		36+	8,600	25/100
76308-89644-7	7" x 5⁄8"-11**	60+	8,600	25/100
76308-89653-9		80+	8,600	25/100
76308-89660-7		120+	8,600	25/100

*Other sizes available upon request. **Quick Change Tinneman Nut Attachment

3M™ Cubitron™ II Flap Discs



NEW!

3M™ Cubitron™ II Flap Discs 967A

Constructed with a poly-cotton backing that exposes fresh mineral as it wears, for a fast, forgiving cut. Performs well on many common applications, offering a great balance of fast cut and long life.

Type 27

UPC No.	Dia. x Ctr. Hole	Grade	Max. RPM (MOS)	Qty./CS
051141-55602-4		40+		
051141-55603-1	4 ½" x ⅝" - 11"	60+	13,300	10
051141-55604-8		80+		
051141-55632-1		40+		
051141-55633-8	4 ½" x ⅝" - 11" GIANT	60+	13,300	10
051141-55634-5		80+		
051141-55605-5		40+		
051141-55606-2	4 ½" x ⅞"	60+	13,300	10
051141-55607-9		80+		
051141-55635-2		40+		
051141-55636-9	4 ½" x ⅞" GIANT	60+	13,300	10
051141-55637-6		80+		
051141-55608-6		40+		
051141-55609-3	7" x ⅝" - 11"	60+	8,600	5
051141-55610-9		80+		
051141-55611-6		40+		
051141-55612-3	7" x ⅞"	60+	8,600	5
051141-55613-0		80+		

Type 29

UPC No.	Dia. x Ctr. Hole	Grade	Max. RPM (MOS)	Qty./CS
051141-55620-8		40+		
051141-55621-5	4 ½" x ⅝" - 11"	60+	13,300	10
051141-55622-2		80+		
051141-55644-4		40+		
051141-55645-1	4 ½" x ⅝" - 11" GIANT	60+	13,300	10
051141-55646-8		80+		
051141-55623-9		40+		
051141-55624-6	4 ½" x ⅞"	60+	13,300	10
051141-55625-3		80+		
051141-55647-5		40+		
051141-55648-2	4 ½" x ⅞" GIANT	60+	13,300	10
051141-55649-9		80+		
051141-55626-0		40+		
051141-55627-7	7" x ⅝" - 11"	60+	8,600	5
051141-55628-4		80+		
051141-55629-1		40+		
051141-55630-7	7" x ⅞"	60+	8,600	5
051141-55631-4		80+		

3M™ Cubitron™ II Flap Discs 969F


Featuring a tough polyester backing, to hold up under demanding applications like heavy grinding, edge deburring and beveling.

Type 27

UPC No.	Dia. x Ctr. Hole	Grade	Max. RPM (MOS)	Qty./CS
076308-64373-7		40+		
076308-64374-4	4 ½" x ⅝" - 11"	60+	13,300	10
076308-64375-1		80+		
076308-64403-1		40+		
076308-64404-8	4 ½" x ⅝" - 11" GIANT	60+	13,300	10
076308-64405-5		80+		
076308-64376-8		40+		
076308-64377-5	4 ½" x ⅞"	60+	13,300	10
076308-64378-2		80+		
076308-64406-2		40+		
076308-64407-9	4 ½" x ⅞" GIANT	60+	13,300	10
076308-64408-6		80+		
076308-64379-9		40+		
076308-64380-5	7" x ⅝" - 11"	60+	8,600	5
076308-64381-2		80+		
076308-64382-9		40+		
076308-64383-6	7" x ⅞"	60+	8,600	5
076308-64384-3		80+		

Type 29

UPC No.	Dia. x Ctr. Hole	Grade	Max. RPM (MOS)	Qty./CS
076308-64391-1		40+		
076308-64392-8	4 ½" x ⅝" - 11"	60+	13,300	10
076308-64393-5		80+		
076308-64415-4		40+		
076308-64416-1	4 ½" x ⅝" - 11" GIANT	60+	13,300	10
076308-64417-8		80+		
076308-64394-2		40+		
076308-64395-9	4 ½" x ⅞"	60+	13,300	10
076308-64396-6		80+		
076308-64418-5		40+		
076308-64419-2	4 ½" x ⅞" GIANT	60+	13,300	10
076308-64420-8		80+		
076308-64397-3		40+		
076308-64398-0	7" x ⅝" - 11"	60+	8,600	5
076308-64399-7		80+		
076308-64400-0		40+		
076308-64401-7	7" x ⅞"	60+	8,600	5
076308-64402-4		80+		



3M™ Flap Discs 566A

A versatile flap disc for a great balance of cut and life on any metalworking application. YF-weight cloth backing. Alumina zirconia works on all metals.

UPC No.	Dia. x Ctr. Hole	Grade	Max. RPM	Qty./CS
Type 27				
051141-55362-7	4 ½" x ⅝" – 11"*	40	13,300	10
051141-55363-4	4 ½" x ⅝" – 11"*	60	13,300	10
051144-55364-1	4 ½" x ⅝" – 11"*	80	13,300	10
051144-55366-5	4 ½" x ⅞"	40	13,300	10
051144-55367-2	4 ½" x ⅞"	60	13,300	10
051144-55368-9	4 ½" x ⅞"	80	13,300	10
051144-55370-2	7" x ⅝" – 11"*	40	8,600	5
051144-55371-9	7" x ⅝" – 11"*	60	8,600	5
051144-55372-6	7" x ⅝" – 11"*	80	8,600	5
051144-55374-0	7" x ⅞"	40	8,600	5
051144-55375-7	7" x ⅞"	60	8,600	5
051144-55376-4	7" x ⅞"	80	8,600	5
Type 29				
051141-55402-0	4 ½" x ⅝" – 11"*	40	13,300	10
051141-55403-7	4 ½" x ⅝" – 11"*	60	13,300	10
051141-55404-4	4 ½" x ⅝" – 11"*	80	13,300	10
051141-55406-8	4 ½" x ⅞"	40	13,300	10
051141-55407-5	4 ½" x ⅞"	60	13,300	10
051141-55408-2	4 ½" x ⅞"	80	13,300	10
051141-55410-5	7" x ⅝" – 11"*	40	8,600	5
051141-55411-2	7" x ⅝" – 11"*	60	8,600	5
051141-55412-9	7" x ⅝" – 11"*	80	8,600	5
051141-55414-3	7" x ⅞"	40	8,600	5
051141-55415-0	7" x ⅞"	60	8,600	5
051141-55416-7	7" x ⅞"	80	8,600	5

*Quick Change Hub Attachment

3M™ Flap Discs 577F

Versatile alumina zirconia mineral works on a variety of metals and applications. Durable YF-weight polyester backing designed for long life on the most heavy duty grinding applications.

UPC No.	Dia. x Ctr. Hole	Grade	Max. RPM	Qty./CS
Type 29				
051141-30983-5	4 ½" x ⅝" – 11"*	36	13,300	10
051141-30984-2	4 ½" x ⅝" – 11"*	40	13,300	10
051144-30985-9	4 ½" x ⅝" – 11"*	60	13,300	10
051144-30986-6	4 ½" x ⅝" – 11"*	80	13,300	10
051144-30987-3	4 ½" x ⅞"	36	13,300	10
051144-30988-0	4 ½" x ⅞"	40	13,300	10
051144-30989-7	4 ½" x ⅞"	60	13,300	10
051144-30990-3	4 ½" x ⅞"	80	13,300	10
051144-30991-0	7" x ⅝" – 11"*	36	8,600	5
051144-30992-7	7" x ⅝" – 11"*	40	8,600	5
051144-30993-4	7" x ⅝" – 11"*	60	8,600	5
051144-30994-1	7" x ⅝" – 11"*	80	8,600	5
051144-30995-8	7" x ⅞"	36	8,600	5
051144-30996-5	7" x ⅞"	40	8,600	5
051144-30997-2	7" x ⅞"	60	8,600	5
051144-30998-9	7" x ⅞"	80	8,600	5
Type 27				
051141-30951-4	4 ½" x ⅝" – 11"*	36	13,300	10
051141-30952-1	4 ½" x ⅝" – 11"*	40	13,300	10
051141-30953-8	4 ½" x ⅝" – 11"*	60	13,300	10
051141-30954-5	4 ½" x ⅝" – 11"*	80	13,300	10
051141-30955-2	4 ½" x ⅞"	36	13,300	10
051141-30956-9	4 ½" x ⅞"	40	13,300	10
051141-30957-6	4 ½" x ⅞"	60	13,300	10
051141-30958-3	4 ½" x ⅞"	80	13,300	10
051141-30963-7	7" x ⅝" – 11"*	36	8,600	5
051141-30964-4	7" x ⅝" – 11"*	40	8,600	5
051141-30965-1	7" x ⅝" – 11"*	60	8,600	5
051141-30966-8	7" x ⅝" – 11"*	80	8,600	5
051141-30959-0	7" x ⅞"	36	8,600	5
051141-30960-6	7" x ⅞"	40	8,600	5
051141-30961-3	7" x ⅞"	60	8,600	5
051141-30962-0	7" x ⅞"	80	8,600	5

*Quick Change Hub Attachment



Deburr & Finish PRO Unitized Disc



Versatile performance from factory to field

Scotch-Brite™ Deburr & Finish PRO Unitized Wheels are ideal for both OEM use and for maintenance operations. They are soft, to reduce defects, yet wear like iron, for fewer wheel changeouts. These hard-working, high-performance products quickly blast through dirt, corrosion and other contaminants without loading and without changing part geometry — helping you get the job done faster.

Scotch-Brite™ Roloc™ TR Deburr & Finish PRO Unitized Wheel

UPC No.	Dia. x Thickness x Center Hole	Grade	Max. RPM	Density	Qty./ CS
076308-77116-4	3" x ¼" x NH	MED+	15,100	4C	40
048011-65084-5	3" x ½" x NH	MED+	15,100	6C	40
048011-65083-8	3" x ¼" x NH	MED+	15,100	6C	40
076308-77197-3	3" x ½" x NH	CRS+	15,100	8C	40
076308-77199-7	3" x ¼" x NH	CRS+	15,100	8C	40

Scotch-Brite™ Deburr & Finish PRO Unitized Disc

UPC No.	Dia. x Thickness x Center Hole	Grade	Max. RPM	Density	Qty./ CS
076308-77122-5	4½" x ⅞"	MED+	12,100	6C	5
076308-77200-0	4½" x ⅞"	CRS+	12,100	8C	5

Scotch-Brite™ Deburr & Finish PRO Unitized Wheel

UPC No.	Dia. x Thickness x Center Hole	Grade	Max. RPM	Density	Qty./ CS
048011-65021-0	3" x ½" x ¼"	MED+	18,100	6C	40
076308-77111-9	3" x ¼" x ¼"	MED+	18,100	4C	40
048011-65004-3	3" x ½" x ¼"	MED+	18,100	6C	40
076308-77110-2	3" x ½" x ¼"	MED+	18,100	4C	20
048011-65007-4	3" x ½" x ¼"	MED+	18,100	6C	20
076308-90127-1	3" x ½" x ¼"	CRS+	18,100	8C	40
076308-90120-2	3" x ¼" x ¼"	CRS+	18,100	8C	40
076308-90122-6	3" x ½" x ¼"	CRS+	15,100	8C	20
076308-90132-5	3" x ½" x ⅜"	CRS+	15,100	8C	20
076308-90131-8	6" x ½" x 1"	CRS+	7,500	8C	4

Typical use: on backstand or bench motor

048011-65074-6	6" x ½" x ½"	MED+	7,500	6C	4
048011-65076-0	6" x ½" x 1"	MED+	7,500	6C	4
048011-65097-5	6" x 1" x ½"	MED+	7,500	6C	2
048011-65075-3	6" x 1" x 1"	MED+	7,500	6C	2

Available in 3 densities:

4C MED+ for finishing and blending

6C MED+ for deburring

8C CRS+ for heavy deburring


Wheels



Scotch-Brite™ Roloc™ EXL Unitized Wheel

Great choice for deburring. This conformable wheel will handle edges with ease. Use on a disc sander with a 3M™ Roloc™ TR Disc Pad or with a Roloc™ + Holder on straight-shaft tool.

UPC No.	Size	Grade	Max. RPM	Color	Qty./CS
Roloc TR Attachment System					
048011-17185-2	2" x NH	2A MED	22,100	Gray/Black	60
048011-17183-8	2" x NH	2S FIN	22,100	Gray/Purple	60
048011-17190-6	2" x NH	6A MED	22,100	Tan/Red	60
048011-17192-0	2" x NH	8A MED	22,100	Tan/Orange	60
048011-17194-4	2" x NH	8A CRS	22,100	Tan	60
048011-17186-9	3" x NH	2A MED	15,100	Gray/Black	40
048011-17184-5	3" x NH	2S FIN	15,100	Gray/Purple	40
048011-17191-3	3" x NH	6A MED	15,100	Tan/Red	40
048011-17193-7	3" x NH	8A MED	15,100	Tan/Orange	40



Scotch-Brite™ Roloc™ Bristle Disc

An easy way to remove coatings and sealants, Scotch-Brite™ Bristle Discs can be used to deburr, blend, finish, polish, clean and to remove coatings, defects, scratches and rust. Select as a replacement for wire brushes without the hazards of wire filaments.

UPC No.	Size	Grade	Color	Qty./CS
048011-18730-3	2" x ⅝"	50	Green	40
048011-18732-7	2" x ⅝"	80	Yellow	40
048011-18733-4	2" x ⅝"	120	White	40
048011-18734-1	3" x ⅝"	50	Green	40
048011-18736-5	3" x ⅝"	80	Yellow	40
048011-18737-2	3" x ⅝"	120	White	40

Scotch-Brite™ Convolute Wheels for Deburring

Scotch-Brite™ EXL-PRO Deburring Wheels

Optimized performance, particularly in off-hand applications. Longest life of any Scotch-Brite™ Deburring Wheel. Smooth, even wear — helps control the workpiece. More cut with less pressure required — without sacrificing finish. Easy to use, comfortable for operators.



UPC No.	Dia. x W x AH	Grade	Max. RPM	Qty./CS
051125-94904-5	6" x ½" x 1"	9S FIN	6,000	4
051125-94905-2	6" x 1" x 1"	9S FIN	6,000	3
051125-94907-1	8" x ½" x 3"	9S FIN	4,500	4
051125-94908-8	8" x 1" x 3"	9S FIN	4,500	3
051125-94913-2	12" x 1" x 5"	9S FIN	3,000	1
051125-94914-9	12" x 2" x 5"	9S FIN	3,000	1

3M™ General Purpose Abrasive Belt



3M™ Cubitron™ II Abrasive Belt



3M™ 384F Abrasive Belt

AKA: The Workhorse

Workhorse for general purpose metalworking applications. Consistent performance on all metals at a great value. Waterproof X-weight polyester backing. Available in grades 36+ to 240+; P320-400.

UPC No.	Size	Grade	Qty./CS
076308-45587-3		60+	
076308-45588-0	½" x 18"	80+	50/200
076308-45586-6		120+	
076308-45583-5		60+	
076308-45584-2	¾" x 18"	80+	50/200
076308-45585-9		120+	
076308-45579-8		80+	
076308-45580-4	1" x 42"	120+	200/600
076308-45575-0		60+	
076308-45574-3	2" x 60"	80+	50/150
076308-45581-1		60+	
076308-45582-8	6" x 48"	80+	20/60
076308-45573-6	6" x 264"	80+	20/60
076308-45577-4		80+	2/6
076308-45576-7	37" x 60"	120+	5/15
076308-45578-1	37" x 75"	120+	5/15

Available in sizes 36+ to 400+
 *3M ID - Custom size made to order

3M™ Cubitron™ II 784F Abrasive Belt

AKA: Mr. Versatility

Excellent in medium pressure applications in a variety of different metals. Strong value for medium pressure grinding and dimensioning. Polyester waterproof backing. Available in grades 36+ to 180+.

UPC No.	Size	Grade	Qty./CS
076308-45559-0		60+	
076308-45563-7	½" x 18"	80+	50/200
076308-45567-5		120+	
076308-45556-9		60+	
076308-45565-1	½" x 24"	80+	50/200
076308-45568-2		120+	
076308-45555-2		60+	
076308-45562-0	¾" x 18"	80+	50/200
076308-45572-9		120+	
076308-45554-5	1" x 132"	50+	50/150
076308-45570-5		60+	
076308-45571-2	2" x 48"	80+	50/150
076308-45557-6		60+	
076308-45569-9	2" x 72"	120+	
076308-45552-1		36+	
076308-45561-3	2" x 132"	60+	50/150
076308-45553-8		36+	
076308-45560-6	3" x 132"	60+	50/150
076308-45564-4		80+	
076308-45558-3		60+	
076308-45566-8	6" x 48"	80+	20/60

Available in sizes 36+ to 180+
 *3M ID - Custom size made to order

3M™ Cloth Belts



3M™ Cloth Belt 777F

Take a step toward improved productivity with 3M™ Cloth Belt 777F featuring 3M™ Ceramic Grain for long life and fast cut. Coated on a YF-wt, water resistant polyester backing for use wet or dry, 777F contains a grinding aid for cooler running. An ideal belt for running on heat-sensitive metals like stainless steel. Also recommended offhand and pressure grinding on all exotic metal alloys.

UPC No.	W x L	Grade	Qty./CS
051144-84403-6	¼" x 18"	60	200
051144-85318-2	¼" x 18"	80	200
051115-19579-2	¼" x 18"	P120	200
051144-80253-1	¼" x 24"	60	200
051144-77642-9	¼" x 24"	80	200
051144-82229-4	¼" x 24"	P120	200
051111-69457-2	½" x 12"	60	200
051144-85372-4	½" x 12"	80	200
051111-69604-0	½" x 12"	P120	200
051144-84301-5	½" x 18"	36	200
051144-80551-8	½" x 18"	60	200
051144-80232-6	½" x 18"	80	200
051144-84304-6	½" x 18"	P120	200
051144-77643-6	½" x 24"	36	200
051144-77065-6	½" x 24"	60	200
051144-77491-3	½" x 24"	80	200
051144-81064-2	½" x 24"	P120	200
051144-84302-2	¾" x 18"	36	200
051144-84404-3	¾" x 18"	60	200
051144-77992-5	¾" x 18"	80	200
051125-17057-4	¾" x 18"	P100	200
051144-84303-9	¾" x 18"	P120	200
051144-80486-3	¾" x 20½"	60	200
051144-80686-7	¾" x 20½"	80	200
051111-67928-9	¾" x 20½"	P120	200
051125-23897-7	1" x 18"	60	200
051144-85319-9	1" x 18"	80	200
051141-30705-3	1" x 18"	120	200
051144-76519-5	2" x 48"	60	50
051144-14896-7	2" x 48"	80	50
051144-85393-9	2" x 48"	P120	50
051144-76733-5	6" x 48"	80	20

Scotch-Brite™ Surface Conditioning Belts




Scotch-Brite™ Durable Flex (DF) Surface Conditioning Belt

Durable flex belt has great edge durability. Aggressive and long lasting non-woven belt for deburring, finishing, blending and cleaning. The reinforced low-stretch backing offers good flexibility.

UPC No.	W x L	Grade	Color	Qty./CS
048011-64472-1	¼" x 18"	A CRS	Brown	20
048011-64455-4	¼" x 18"	A MED	Maroon	20
048011-64464-6	¼" x 18"	A FIN	Green	20
048011-64473-8	¼" x 24"	A CRS	Brown	20
048011-64456-1	¼" x 24"	A MED	Maroon	20
048011-64465-3	¼" x 24"	A FIN	Green	20
048011-64474-5	½" x 12"	A CRS	Brown	20
048011-64457-8	½" x 12"	A MED	Maroon	20
048011-64466-0	½" x 12"	A FIN	Green	20
048011-64475-2	½" x 18"	A CRS	Brown	20
048011-64458-5	½" x 18"	A MED	Maroon	20
048011-64467-7	½" x 18"	A FIN	Green	20
048011-64476-9	½" x 24"	A CRS	Brown	20
048011-64459-2	½" x 24"	A MED	Maroon	20
048011-64468-4	½" x 24"	A FIN	Green	20
048011-64477-6	¾" x 18"	A CRS	Brown	20
048011-64460-8	¾" x 18"	A MED	Maroon	20
048011-64469-1	¾" x 18"	A FIN	Green	20
048011-64489-9	2¾" x 15½"	A CRS	Brown	10
048011-64482-0	2¾" x 15½"	A MED	Maroon	10
048011-64486-8	3" x 10 ¹¹ / ₁₆ "	A CRS	Maroon	10
048011-64480-6	3" x 10 ¹¹ / ₁₆ "	A MED	Green	10
048011-64488-2	3" x 18"	A CRS	Brown	10
048011-64483-7	3" x 18"	A MED	Maroon	10
048011-64484-4	3" x 18"	A FIN	Green	10
048011-64487-5	3" x 24"	A CRS	Brown	10
048011-64481-3	3" x 24"	A MED	Maroon	10
048011-64485-1	3" x 24"	A FIN	Green	10
048011-64479-0	3" x 132"	A CRS	Brown	5
048011-64462-2	3" x 132"	A MED	Maroon	5
048011-64471-4	3" x 132"	A FIN	Green	5
048011-64478-3	3½" x 15½"	A CRS	Brown	10
048011-64461-5	3½" x 15½"	A MED	Maroon	10
048011-64470-7	3½" x 15½"	A FIN	Green	10

Scotch-Brite™ Hand Pads



Scotch-Brite™ General Purpose Hand Pad 7447

Worldwide standard for surface conditioning. Clean, blend, finish and deburr faster, easier, and with better results than conventional abrasives. Performance similar to steel wool grade 1.

UPC No.	W x L	Grade	Color	Qty./CS
048011-04029-5	6" x 9"	A VFN	Maroon	60



Scotch-Brite™ Heavy Duty Hand Pad 7440

Most durable and aggressive pad for quick stock removal. Cuts fast to remove contaminants and oxides in demanding cleaning and finishing applications. Performance similar to steel wool grade 4.

UPC No.	W x L	Grade	Color	Qty./CS
048011-04050-9	6" x 9"	A MED	Gray	40



Scotch-Brite™ Ultra Fine Hand Pad 7448

Ultra fine consistent finishes on metals, woods, plastics and composites. Performance similar to steel wool grade 00.

UPC No.	W x L	Grade	Color	Qty./CS
048011-04028-8	6" x 9"	S ULF	Gray	60



Scotch-Brite™ Durable Flex Hand Pads

High performance pads are packed with tightly graded abrasive mineral for more consistent, fast cut. Flexible pad cleans, blends and finishes where conformability is needed. Ideal for prepping surfaces for primer and color coat, general scuffing, cleaning and hand blending. S Ultra Fine (S ULF) produces a finish similar to steel wool grade 00. A Very Fine (A VFN) produces a finish similar to steel wool grade 1.

UPC No.	W x L	Grade	Color	Qty./CS
048011-64659-6	4½" x 9"	A VFN	Maroon	100
048011-64660-2	4½" x 9"	S ULF	Gray	100

Scotch-Brite™ Hand Pads 7447 PRO

High performance pad takes less time to prep surface and lasts longer. Tightly graded abrasive particles for consistent, uniform scratch throughout life of the hand pad. New, long lasting pad made with durable non-woven nylon web is flexible enough to get into hard-to-sand places; specially coated to minimize loading. Ideal for everyday uses like prepping surfaces for color coat; general scuffing, cleaning and hand blending. Center perforated for convenience.



UPC No.	W x L	Grade	Color	Qty./CS
048011-64926-9	6" x 9"	A VFN	Maroon	20
048011-64933-7	Trial Pack — Includes one each: 7447 PRO and 7448 PRO			



Scotch-Brite™ Hand Pads 7448 PRO

High performance pad takes less time to prep surface and lasts longer. Tightly graded abrasive particles for consistent, uniform scratch throughout life of the hand pad. New, long lasting pad made with durable non-woven nylon web is flexible enough to get into hard-to-sand places; specially coated to minimize loading. Ideal for everyday uses like prepping surfaces for color coat; general scuffing, cleaning and hand blending. Center perforated for convenience.



UPC No.	W x L	Grade	Color	Qty./CS
048011-64935-1	6" x 9"	S ULF	Gray	20
048011-64933-7	Trial Pack — Includes one each: 7447 PRO and 7448 PRO			

Scotch-Brite™ Multi-Flex Sheet Rolls

Highly conformable non-woven web roll is perforated to easily tear into sixty 8" x 4" sheets. Excellent sharpness and conformability for cleaning and finishing surfaces by hand.

UPC No.	W x L	Grade	Color	Qty./CS
051131-07521-4	8" x 20'	A VFN	Maroon	2
051131-07522-1	8" x 20'	S ULF	Light Gray	2

Accessories for 3M™ Right Angle Disc Systems

3M™ Disc Pad Hubs



UPC No.	Size/Description	For Use With	Max. RPM	Qty./CS
051141-28442-2	2½" Diameter; ⅜ – 24 metal insert	Short shaft tools	N/A	10
051144-45205-7	2½" Diameter; ⅜ – 11 metal insert	3M™ Disc Pad Face Plates (all sizes)	N/A	10
051144-88743-9	2½" Diameter; ⅜ – 11 metal insert	3M™ Disc Pad Face Plates (all sizes, tool shaft length ½" or less)	N/A	10
051144-11824-3	2½" Diameter; ⅜ – 11 metal insert	3M™ Disc Pad Face Plates (4" – 9")	N/A	1
051144-11823-6	4½" Diameter; ⅜ – 11 metal insert	3M™ Disc Pad Face Plates (7" – 9")	N/A	1
051144-45190-6	4½" Diameter; ⅜ – 11 metal insert	3M™ Disc Pad Face Plates (7" – 9")	N/A	10



3M™ Low Profile Disc Pad Hub

UPC No.	Size/Description	For Use With	Max. RPM	Qty./CS
051141-28476-7	2½" Diameter; ⅜ – 11 metal insert	3M™ Disc Pad Face Plates (all sizes, tool shaft length ½" or less; ⅜" or more)	N/A	10



3M™ Disc Pad Face Plates

UPC No.	Size/Description	For Use With	Max. RPM	Qty./CS
051144-13325-3	4½" Diameter; Smooth; Medium – Gray	Fibre Discs	13,300	10
051144-14270-5	4½" Diameter; Smooth; Hard – Black	Fibre Discs	13,300	10
051144-81734-4	5" Diameter; Ribbed; Medium – Gray	Fibre Discs	12,000	10
051144-81733-7	5" Diameter; Ribbed; Hard – Black	Fibre Discs	12,000	10
051144-80516-7	7" Diameter; Ribbed; Medium – Gray	Fibre Discs	8,600	10
051144-80515-0	7" Diameter; Ribbed; Hard – Black	Fibre Discs	8,600	10



3M™ Disc Retainer Nuts

UPC No.	Size/Description	For Use With	Max. RPM	Qty./CS
051111-51047-6	⅝" Depth; ⅜ – 11 Thread	3M™ Disc Pad Face Plates and Disc Pad Hubs	N/A	10
051144-05622-4	⅜" Depth; ⅜ – 11 Thread	3M™ Disc Pad Face Plates and Disc Pad Hubs	N/A	10
051144-05621-7	½" Depth; ⅜ – 11 Thread	3M™ Disc Pad Face Plates and Disc Pad Hubs	N/A	10
051144-05620-0	⅝" Depth; ⅜ – 11 Thread	3M™ Disc Pad Face Plates and Disc Pad Hubs	N/A	10

Accessories for Roloc™ Systems



1/4" Threaded Shaft

UPC No.	Size/Description	For Use With	Max. RPM	Qty./CS
051144-45102-9	1/4" x 1/4" – 20 Thread	3M™ Roloc™ Disc Pads with 1/4"–20 INT	N/A	50



3M™ Roloc™ TR Disc Pads

UPC No.	Size/Description	For Use With	Max. RPM	Qty./CS
051144-45099-2	1 1/2" Diameter; Medium; 1/4" – 20 INT	3M™ Roloc™ TR Discs	30,000	5
051144-45100-5	1 1/2" Diameter; Hard; 1/4" – 20 INT	3M™ Roloc™ TR Discs	30,000	5
051144-45095-4	2" Diameter; Medium; 1/4" – 20 INT	3M™ Roloc™ TR Discs	25,000	5
051144-45096-1	2" Diameter; Hard; 1/4" – 20 INT	3M™ Roloc™ TR Discs	25,000	5
051144-45092-3	3" Diameter; Medium; 1/4" – 20 INT	3M™ Roloc™ TR Discs	18,000	5
051144-45091-6	3" Diameter; Hard; 1/4" – 20 INT	3M™ Roloc™ TR Discs	20,000	5
051144-45179-1	4" Diameter; Medium; 1/4" – 20 INT	3M™ Roloc™ TR Discs	12,000	5
051144-28474-3	4" Diameter; Hard; 3/8" – 24 INT	3M™ Roloc™ TR Discs	12,000	5



3M™ Tools & Accessories for use with Wheels with Center Hole

UPC No.	Product Description	Max. RPM	Qty./CS
048011-04018-9	936 Unitized Mandrel for 1" x 1" x 3/16" Wheels	22,200	5
051141-28847-5	28847 Unitized Wheel Mandrel 1 1/2" x 1/4" x 3/4" x 1/8"	22,100	5
051141-28848-2	28848 Unitized Wheel Mandrel 1 5/8" x 1/4" x 3/4" x 1/4"	22,100	5
051141-28849-9	28849 Unitized Wheel Mandrel 1 7/8" x 1/4" x 3/4" x 1/2"	22,100	5
051141-28850-5	28850 Unitized Wheel Mandrel 2 1/8" x 1/4" x 3/4" x 3/4"	18,100	5
051141-28851-2	28851 Unitized Wheel Mandrel 2 3/8" x 1/4" x 3/4" x 1"	18,100	5

3M™ Facility Maintenance & Organization



3M™ Doodlebug™ Cleaning Pads



3M™ Doodlebug™ Pad Holder with Pads 6472 — Kit

Orange plastic holder with special grippers that hold 4.625" x 10" 3M™ Doodlebug™ Cleaning Pads (sold separately). Holder swivels in all directions. The threaded socket attaches to any standard threaded U.S. broom handle. Four kits per case. Each kit includes one 3M™ Doodlebug™ White Cleansing Pad 8440 and one 3M™ Doodlebug™ Brown Scrub 'n Strip Pad 8541.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-08542-0	6472	-	CS	4



3M™ Doodlebug™ Scrub 'n Strip Pad 8541

Designed for tough jobs like removing finish and wax buildup from baseboards and floor edges. A great way to strip stairs. Fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-08004-3	8541	4.625" x 10"	CS	20

3M™ Doodlebug™ White Cleansing Pad 8440

For cleaning delicate surfaces. Fits 3M™ Doodlebug™ Pad Holder 6472 or 3M™ Doodlebug™ Handblock Pad Holder 6473.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-08003-6	8440	4.625" x 10"	CS	20




Scotch-Brite™ Scouring Pads

Scotch-Brite™ Power Sponge No. 3000

Two cleaning tools in one: Scotch-Brite™ Power Pad combined with a sponge. Patented antimicrobial protection is locked-in to resist odors in the sponge.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-23163-6	3000	2.8" x 4.5" x 0.6"	CS	20





Scotch-Brite™ Medium Duty Hand Pads

Scotch-Brite™ General Purpose Scouring Pad No. 96

Synthetic scouring pad is excellent for common cleaning jobs. Performs well on kitchen equipment, walls, railings, floors, desks, stairways, counters and maintenance equipment.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-08293-1	96	6" x 9"	CS	20 Pads per Box/ 3 Boxes per Case
0-00-48011-26563-1	96-20	6" x 9"	CS	20 Pads per Case
0-00-48011-20501-9	96CC	6" x 9"	CS	10 Pads per Pack/ 6 Packs per Case

Scotch-Brite™ General Purpose Scrubbing Pad 9650

A thicker, hand-size version of the Scotch-Brite™ General Purpose Scouring Pad 96. Eliminates the need to cut or fold pad. Use on kitchen equipment, walls, ceilings, desks and more.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-59166-7	9650	3" x 4.5"	CS	40 Pads per Box/ 2 Boxes per Bundle

Scotch-Brite™ Power Pad 2000

Scours 2–4 times faster than conventional commercial scouring pads, and is 6–10 times less abrasive than other medium/heavy-duty commercial scouring products to reduce scratching. Unique bow-tie shape.

UPC No.	ID	Size	Units	Qty./CS
5-00-48011-23162-9	2000	5.5" x 3.9"	CS	20

Scotch-Brite™ Purple Scour Pad 2020

Scours 3 times faster than conventional commercial scouring pads, and is 6–10 times less abrasive. Food debris rinses out of the pad easily. Unique web construction stands up to your toughest jobs.

UPC No.	ID	Size	Units	Qty./CS
5-00-48011-59033-7	2020	2.8" x 4.5"	CS	24

Scotch-Brite™ Heavy-Duty Hand Pads

Scotch-Brite™ Heavy-Duty Scouring Pad No. 86

Use in the kitchen to replace scrapers, steel wool and metal sponges. Tough fibers and abrasives clean grills and ovens and remove baked-on food from pots and pans.

UPC No.	ID	Size	Units	Qty./CS
0-00-48011-05509-6	86	6" x 9"	CS	12 Pads per Box/ 3 Boxes per Case
0-00-48011-20502-6	86CC	6" x 9"	CS	10 Pads per Pack/ 6 Packs per Case

Scotch-Brite™ Extra Duty Pot 'n Pan Handler 88

The most aggressive scouring pad. Quickly removes stubborn dirt and grime from kitchen and maintenance equipment. Removes heavily encrusted baked-on food from pots and pans. For use in place of metal sponges. Dark gray.

UPC No.	ID	Size	Units	Qty./CS
5-00-48011-08292-4	88	3.5" x 5"	CS	40

Cloths, Mops & Dusters



Scotch-Brite® Microfiber Kitchen Cloth 9032

Scotch-Brite® Microfiber Kitchen Cloth will make you want to push your paper towels and old cotton cloths to the side. It soaks up as much as 50% more than ordinary cotton cloths, it rinses clean and dries quickly for fast re-use. Every kitchen should have one!

UPC No.	ID	Size	Color	Units	Qty./CS
0-00-21200-97497-7	9032-2-M	11.5" x 12.5"	Multi	CS	2 Cloths per Pack/ 12 Packs per Case

Scotch-Brite® Dusting Cloth 9026

Thanks to the Scotch-Brite® Dusting Cloth there is no need for sprays and polishes — all you need is the cloth! Its micro-texture lifts and traps dust, dirt and fingerprints. Plus, it's durable, machine washable and safe to use on your most delicate objects.

UPC No.	ID	Size	Color	Units	Qty./CS
0-00-51131-83092-9	9026	12.5" x 14"	Blue	CS	1 Cloth per Pack/ 12 Packs per Case

Scotch-Brite® Microfiber Cloth 9070

The Scotch-Brite® Microfiber Kitchen Cloth absorbs up to 50% more than ordinary cotton Dishcloths!* It dries quickly, rinses & wrings easily. It's perfect for drying dishes, countertops and more!

UPC No.	ID	Size	Color	Units	Qty./CS
0-00-51141-92805-0	9070	11.8" x 11.8"	Multi	CS	1 Cloth per Pack/ 12 Packs per Case

*Internal 3M lab test measuring liquid gram per fiber absorption against representative sample of cotton dishcloths sold at retail.

Scotch-Brite® High Performance Cloth 2011

The Scotch-Brite® High Performance Cloth is specifically designed with a unique combination of bi-component microfibers and knit construction. This combination provides excellent dust, oil and water pickup with minimal linting. The bi-component aspect of the microfibers allows for both oil and water absorption while the microfibers' ribbon-like shape provides the maximum surface area for the collection of dust, oil and water. The unique knit pattern of tufts and valleys allows both small and large particulates to be trapped within the Scotch-Brite® High Performance Cloth. The combination of microfiber and knit construction provides a versatile non-scratching tool allowing the Scotch-Brite® Cloth to be used on a wide variety of substrates including delicate surfaces.

UPC No.	ID	Size	Color	Units	Qty./CS
0-00-48011-23589-9	2011-BLU	12.5" x 14"	Blue	CS	10 Cloths per Pack/ 5 Packs per Case
0-00-48011-23651-8	2011-YEL	12.5" x 14"	Yellow	CS	10 Cloths per Pack/ 5 Packs per Case
0-00-48011-23649-0	2011-WHT	12.5" x 14"	White	CS	10 Cloths per Pack/ 5 Packs per Case

3M™ Perfect-It™ Auto Detailing Cloths 2021

Ribbon-shaped fibers lift dirt and grease instead of rolling over it. Dirt and particles are trapped within knitted tufts of the fibers. Rows and rows of tufts and valleys trap large and small particles.

UPC No.	ID	Size	Color	Units	Qty./CS
5-00-48011-26224-1	2021	17" x 19.5"	White	CS	50 Cloths per Pack/ 1 Pack per Case

3M™ Perfect-It™ Auto Detailing Cloths

Non-scratching cloth, quickly and completely removes oily or filmy residues including waxes, polishes, glazes, and fingerprints.

UPC No.	ID	Size	Color	Units	Qty./CS
0-00-51131-06016-6	6016	12" x 14"	Yellow	CS	6 Cloths per Pack/ 6 Packs per Case
0-00-51131-06020-3	6020	12" x 14"	Blue	CS	6 Cloths per Pack/ 6 Packs per Case
0-00-51131-06017-3	6017	12" x 14"	Yellow	CS	50 Cloths per Pack/ 1 Pack per Case



3M™ Electronics Microfiber Cleaning Cloth

Soft microfiber cloth perfect for cleaning screens and other delicate electronics. Lifts dust, smudges, and fingerprints. No sprays or chemicals needed.

UPC No.	ID	Size	Color	Units	Qty./CS
0-00-51131-67608-4	9027	12.5" x 14.0"	Gray	CS	1 Cloth per Pack/ 20 Packs per Case
5-00-51111-11169-2	9021	7.0" x 6.3"	Gray	CS	1 Cloth per Pack/ 20 Packs per Case



3M™ Easy Trap™ Sweep & Dust Sheets

Traps up to 8X more dirt, dust and sand than conventional flat fringed cotton dust mops or a competitive sweeping dust cloth brand.

UPC No.	ID	Size	Units	Qty./CS
5-00-51125-85919-1	55654W	8" x 125'	CS	1
5-00-51125-85920-7	55655W	5" x 125'	CS	2



3M™ Easy Trap™ Flip Holder

Holder works with standard threaded U.S. broom handle. Easy to flip holder clamps onto the 3M™ Easy Trap™ Sweep & Dust Sheets and allows the customer to easily use both sides of the cloth without bending over. The "A" shape allows the user to plow large debris without it tumbling over the holder.

UPC No.	ID	Size	Units	Qty./CS
5-00-48011-59247-8	59247	23"	CS	6

Environmental Safety Products

Maintenance Sorbents

Designed to absorb non-aggressive liquids*, making them ideal for plant maintenance. Lightweight and versatile and take just minutes to put in place. Dust-free and contain no abrasive granules that can damage expensive equipment.



UPC No.	ID	Size	Capacity	Qty./CS
Sorbent Folded, High Capacity				
5-00-51131-07172-3	M-FL550DD	5" x 50'	31.5 Gallons/Case	3 Boxes/Case
Sorbent Pads, High Capacity				
5-00-51131-07164-8	M-PD1520DD	15½" x 20½"	37.5 Gallons/Case	100
Sorbent Rolls, High Capacity				
5-00-51131-07166-2	M-RL15150DD	15½" x 150'	31 Gallons/Case	1
Sorbent Pads, Medium Capacity				
5-00-51125-85864-4	85864	17" x 15"	18 Gallons/Case	100
Sorbent Rolls, Medium Capacity				
5-00-51125-85867-5	85867	15" x 150'	19 Gallons/Case	1
5-00-51125-85870-5	85870	25" x 150'	30 Gallons/Case	1
Sorbent Mini Boom				
5-00-51138-21526-7	M-MB304	3" x 4'	12 Gallons/Case	12
5-00-51138-21527-4	M-MB308	3" x 8'	12 Gallons/Case	6
Sorbent Rug, Coated				
0-00-51138-29003-0	M-RGC36100E	36" x 100'	10.5 Gallons/Rug	1

*Non-aggressive liquids are those used in daily operations which do not require the use of personal protective equipment, and include: oils, coolants, cutting fluids, aqueous-based liquids and petroleum-based products.

Petroleum Sorbents

Used extensively for controlling, cleaning up, and recovering oil and petroleum-based liquids from effluent discharge, streams, ponds, lakes, rivers, and other bodies of water. Also used for in-plant spills under leaking equipment and machinery. Dust-free and contain no abrasive granules that can damage expensive equipment.



UPC No.	ID	Size	Capacity	Qty./CS
Sorbent Pads, High Capacity				
0-00-51138-28991-6	HP-156	17" x 19"	37.5 Gallons/Bale	100
0-00-51138-28992-3	HP-255	17" x 19"	33 Gallons/Bale	50
Sorbent Roll, High Capacity				
0-00-51138-28990-4	HP-100	38" x 144'	73 Gallons/Roll	1
Sorbent Folded, High Capacity				
5-00-51131-17073-0	P-FL550DD	5" x 50'	31.5 Gallons/Case	3 Boxes/Case
Sorbent Mini Pillow				
5-00-51138-21545-8	T-30	7" x 15"	8 Gallons/Case	16
Sorbent Pads				
0-00-21200-16049-3	T-151	17" x 19"	43.5 Gallons/Bale	200
Sorbent Pads, Medium Capacity				
5-00-51125-85864-4	85864	17" x 15"	18 Gallons/Case	100
Sorbent Rolls, Medium Capacity				
5-00-51125-85866-8	85866	15" x 150'	19 Gallons/Case	1
5-00-51125-85869-9	85869	25" x 150'	30 Gallons/Case	1
Sorbent Booms				
0-00-21200-16054-7	T-270	8" Diameter x 10'	20 Gallons/Boom	4
Sorbent Pillows				
0-00-21200-16053-0	T-240	5" x 14" x 25"	3.5 Gallons/Pillow	10

Facility Maintenance & Organization



Mounting Products

3M™ Command™ Large Hook Value Pack 17003-3ES

The mounting solution that holds firmly and removes cleanly. They leave no surface damage and are reusable, creating an easy and affordable way to organize and decorate! Each hook holds up to 5 lbs.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-94941-6	17003-3ES	3 Hooks, 6 Strips	PK	12

3M™ Command™ Medium Hook Value Pack 17001-6ES

The mounting solution that holds firmly and removes cleanly. They leave no surface damage and are reusable, creating an easy and affordable way to organize and decorate! Each hook holds 3 lbs.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-94937-9	17001-6ES	6 Hooks, 12 Strips	PK	12

3M™ Command™ Small Wire Hooks Value Pack 17067-9ES

The mounting solution that holds firmly and removes cleanly. It leaves no surface damage, creating an easy and affordable way to organize and decorate. Each hook holds ½ lb.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-94949-2	17067-9ES	9 Hooks, 12 Strips	PK	12

3M™ Lead Testing

3M™ LeadCheck™ Swabs

3M™ LeadCheck™ Swabs are self-contained test units that provide a rapid, easy-to-use, specific test for lead on any surface. The 3M™ LeadCheck™ Swabs are based on the reactivity of lead with certain compounds capable of forming strongly colored complexes with lead. When the 3M™ LeadCheck™ Swabs are used, a pink color that is specific for lead develops within 30 seconds and is stable for hours. 3M™ LeadCheck™ Swabs are easy to use, disposable, odorless and non-staining. 3M™ LeadCheck™ Swabs come in convenient packaging so renovation companies with multiple crews can ensure the entire company maintains compliance.



UPC No.	ID	Description	Units	Packs/CS
0-07-17834-20910-2	LC-8S10C	8 Swabs	PK	10
0-00-51141-93685-7	LC-48SCP3C	48 Swabs	PK	3

Post-it® Extreme Notes

Post-it® Extreme Notes

Post-it® Extreme Notes with Dura-Hold™ Paper and Adhesive stick on rough surfaces in all sorts of tough conditions. Water resistant. Durable and writable. Holds in hot and cold environments. Use indoor/outdoor.



UPC No.	ID	Size	Color	Qty./CS
0-06-38060-07572-2	EXTRM33-3TRYMX	3" x 3"	Yellow, Orange, Green	3/PK
0-06-38060-07573-9	EXTRM33-3TRYGN	3" x 3"	Green	3/PK
0-06-38060-07571-5	EXTRM33-3TRYOG	3" x 3"	Orange	3/PK
0-06-38060-07580-7	EXTRM33-12TRYX	3" x 3"	Yellow, Mint, Orange, Green	12/PK
0-06-38060-07581-4	EXTRM33-12TRYG	3" x 3"	Green	12/PK
0-06-38060-07579-1	EXTRM33-12TRYO	3" x 3"	Orange	12/PK
0-06-38060-08164-8	EXTRM33-CNTRTP	3" x 3"	Yellow, Mint, Orange, Green	2 Pads/PK 24 PK/CS
0-06-38060-08134-1	EXTRM33-32CBNT	3" x 3"	Yellow, Mint, Orange, Green	32/PK

3M™ Tapes & Adhesives



Duct Tapes. Simplified. We've got this pegged.

Three tapes that handle 90% of your projects.



3M™ All Purpose Duct Tape, Heavy Duty Duct Tape & Super Duty Duct Tape

3M DT Series Duct Tapes. Right Performance. Right Price.

New 3M Duct Tapes that do everything you need. This trio can handle the full range of duct tape strengths needed to tackle any job. Multilingual, individually wrapped rolls are color-coded by performance level, and hand tearable for ease of use.

3M™ All Purpose Duct Tape DT8

Conformable with instant bond. The most stretchable of 3M's duct tapes. Its unique design offers high instant adhesion coupled with maximum conformability.

- Great for contoured surfaces and quick labeling
- Tightly woven scrim with high tensile strength for light-duty bundling
- Use for poly abatement, quick repairs, and fast attachments

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-76308-98118-1	Ind. Wrapped	48 mm x 54.8 m	Silver	Roll	24

3M™ Heavy Duty Duct Tape DT11

Versatility with holding power. High holding power with a broad attribute performance for demanding jobs.

- Sticks immediately and stays on irregular surfaces without lifting—even on plastics
- Polyethylene, water-resistant backing resists wear and light abrasion—great for securing temporary floor coverings
- Long-lasting, moisture-resistant seal in many containment situations, such as attaching heavy poly draping and pipe sealing

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-76308-98119-8	Ind. Wrapped	48 mm x 54.8 m	Black	Roll	24
0-00-76308-98120-4	Ind. Wrapped	48 mm x 54.8 m	Silver	Roll	24

3M™ Super Duty Duct Tape DT17

Super thick for super tough jobs. Ultra-thick, water-resistant backing resists wear and abrasion yet tears easily by hand.

- Aggressive, natural rubber adhesive grips instantly to a variety of surfaces including metal, glass, plastic and sealed concrete
- Excellent for repairing, seaming and protecting metal parts and surfaces
- Maximum strength for the most demanding applications

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-76308-98121-1	Ind. Wrapped	48 mm x 32 m	Black	Roll	24



8.0 mil



11.0 mil



17.0 mil

GO-TO
TAPE

3M™ Duct Tapes & Cloth Tape



10.0 mil



8.6 mil



12.1 mil

UP TO 6 MONTHS
CLEAN REMOVAL



UP TO 6 MONTHS
CLEAN REMOVAL

3M™ Extra Heavy Duty Duct Tape 6969

This industrial strength tape is ideal for heavy bundling, joining and sealing.

- Aggressive rubber adhesive provides a strong bond and clean removal, up to 3 months
- Water-resistant polyethylene backing seals out moisture; resists abrasion and wear
- Thick tape handles easily and tears cleanly and evenly without splintering
- Meets burn test requirements for UL 723, ASTM E-84, NFPA 255, UBC 8-1

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-22773-8	Ind. Wrapped	48 mm x 54.8 m	Black	Roll	24
0-00-21200-22780-6	Ind. Wrapped	48 mm x 54.8 m	Olive	Roll	24
0-00-51131-06969-5	Ind. Wrapped	48 mm x 54.8 m	Silver	Roll	24
0-00-21200-85635-8	Bulk	72 mm x 54.8 m	Silver	Roll	12

3M™ Heavy Duty Duct Tape 3939

Has the tensile strength and adhesion for splicing, masking, patching, seaming, hanging poly sheeting, sealing PVC pipes, covering trip hazards and a host of other industrial applications.

- High tensile strength for a secure hold under stress
- Thick rubber adhesive bonds to most rough and smooth surfaces for a tight seal
- Silver polyethylene surface resists wear, abrasion and water

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-85561-0	Bulk	24 mm x 54.8 m	Silver	Roll	36
0-00-51131-06975-6	Ind. Wrapped	48 mm x 54.8 m	Silver	Roll	24
0-00-21200-85562-7	Bulk	72 mm x 54.8 m	Silver	Roll	12
0-00-21200-85563-4	Bulk	96 mm x 54.8 m	Silver	Roll	12

3M™ Performance Plus Duct Tape 8979

Designed for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application.

- Resists UV, sunlight, and weather—stays on up to one year without deterioration
- Special adhesive sticks immediately and reliably to most surfaces
- Protects against light abrasion including overspray from bead blasting, sand blasting and shot peening
- Good choice for hanging polyethylene drapes for containment activities
- Protects against grime, UV and weather, then removes cleanly

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-48011-53922-5	Bulk	24 mm x 54.8 m	Slate Blue	Roll	48
0-00-48011-53918-8	Ind. Wrapped	48 mm x 54.8 m	Black	Roll	24
0-00-51131-17819-9	Ind. Wrapped	48 mm x 54.8 m	Olive	Roll	24
0-00-48011-53851-8	Ind. Wrapped	48 mm x 22.8 m	Slate Blue	Roll	12
0-00-21200-56468-0	Ind. Wrapped	48 mm x 54.8 m	Slate Blue	Roll	24
0-00-21200-56469-7	Bulk	72 mm x 54.8 m	Slate Blue	Roll	12
0-00-21200-56470-3	Bulk	96 mm x 54.8 m	Slate Blue	Roll	12
0-00-48011-58183-5	Bulk	144 mm x 54.8 m	Slate Blue	Roll	6

3M™ Performance Plus Duct Tape Nuclear Grade 8979N

A unique construction of high tensile cloth and aggressive adhesive. Ideal for demanding duct tape applications in the nuclear power plant, shipbuilding and stainless steel fabrication industries. UV Resistance for up to one year.

- Complies with MIL-STD-2041D(SH), Notice 2 for leachable halides and sulfur

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-48011-58130-9	Bulk	24 mm x 54.8 m	Red	Roll	48
0-00-48011-53914-0	Bulk	48 mm x 54.8 m	Red	Roll	24
0-00-48011-53915-7	Bulk	72 mm x 54.8 m	Red	Roll	12
0-00-21200-74328-3	Bulk	72 mm x 54.8 m	Slate Blue	Roll	12
0-00-21200-74327-6	Bulk	48 mm x 54.8 m	Slate Blue	Roll	24

Masking made simple.

Now it's easy to choose the best tape to get industrial jobs done right. This simplified 5-tape system is built on increasing levels of performance and the common goal of helping you finish jobs worth finishing.



3M™ Value Masking Tape

101+

The basic tape for basic jobs. Marking, temporary holding, wrapping and sealing.

3M™ General Use Masking Tape

201+

The tough tape for everyday jobs. Bundling, labeling and identifying.

3M™ Performance Yellow Masking Tape

301+

The dependable choice for industrial performance. Paint masking, marking, color coding and sealing.

3M™ High Performance Green Masking Tape

401+

Industrial strength with clean removal. Ideal for two-tone paint applications on vehicles.

3M™ Specialty High Temperature Purple Masking Tape

501+

The highest degree of industrial performance. Super-sharp paint lines for high temperature masking jobs.

3M™ Masking Tapes



5.1 mil

3M™ Value Masking Tape 101+

A cost-effective crepe paper tape that holds, bundles, seals and performs other non-critical taping jobs where a pressure-sensitive tape is needed.

- Crepe paper backing provides easy tearing
- Provides conformability on irregular surfaces and around corners

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-51115-68707-5	Bulk	18 mm x 55 m	Tan	Roll	48
0-00-51115-68708-2	Bulk	24 mm x 55 m	Tan	Roll	36
0-00-51115-68709-9	Bulk	36 mm x 55 m	Tan	Roll	24
0-00-51115-68710-5	Bulk	48 mm x 55 m	Tan	Roll	24
0-00-51115-68711-2	Bulk	72 mm x 55 m	Tan	Roll	12
0-00-51115-68712-9	Bulk	96 mm x 55 m	Tan	Roll	8



4.4 mil

3M™ General Use Masking Tape 201+

Sticks and holds to a variety of surfaces such as paper, fiberboard, glass, rubber, plastic and metal and removes cleanly with no residue.

- Crepe paper backing is hand tearable, medium conformability
- Unwinds smoothly for easy to control application and removal
- Dependable for use in temperatures up to 200°F (93°C) for 30 minutes

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-51115-64739-0	Bulk	18 mm x 55 m	Tan	Roll	48
0-00-51115-64740-6	Bulk	24 mm x 55 m	Tan	Roll	36
0-00-51115-64741-3	Bulk	36 mm x 55 m	Tan	Roll	24
0-00-51115-64742-0	Bulk	48 mm x 55 m	Tan	Roll	24
0-00-51115-64743-7	Bulk	72 mm x 55 m	Tan	Roll	12
0-00-51115-64744-4	Bulk	96 mm x 55 m	Tan	Roll	8
0-00-51115-64746-8	Ind. Wrap	24 mm x 55 m	Tan	Roll	36
0-00-51115-64747-5	Ind. Wrap	36 mm x 55 m	Tan	Roll	24
0-00-51115-64748-2	Ind. Wrap	48 mm x 55 m	Tan	Roll	24



6.3 mil



6.7 mil



7.3 mil

7.3 mil

3M™ Performance Yellow Masking Tape 301+

An industrial strength masking tape that sticks instantly to most surfaces including metal, rubber, glass, plastic and removes easily to create sharp paint lines.

- Easily identifiable, industrial-strength tape for paint masking, bundling, holding and identifying
- Proprietary, solvent-free adhesive sticks to most surfaces and removes cleanly in one piece
- Thick backing resists bleed through
- Yellow color improves visibility during masking process
- Crepe-paper backing conforms over irregular surfaces, contours and around corners
- Withstands surface temperatures up to 225°F (107°C) for 30 minutes in paint bake operations

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-51115-64750-5	Bulk	18 mm x 55 m	Yellow	Roll	48
0-00-51115-64751-2	Bulk	24 mm x 55 m	Yellow	Roll	36
0-00-51115-64752-9	Bulk	36 mm x 55 m	Yellow	Roll	24
0-00-51115-64753-6	Bulk	48 mm x 55 m	Yellow	Roll	24
0-00-51115-64754-3	Bulk	72 mm x 55 m	Yellow	Roll	12
0-00-51115-64755-0	Bulk	96 mm x 55 m	Yellow	Roll	8
0-00-51115-64756-7	Ind. Wrap	24 mm x 55 m	Yellow	Roll	36
0-00-51115-64757-4	Ind. Wrap	36 mm x 55 m	Yellow	Roll	24
0-00-51115-64758-1	Ind. Wrap	48 mm x 55 m	Yellow	Roll	24

3M™ High Performance Green Masking Tape 401+

Ideal for critical paint masking applications where strong holding and high temp performance is required.

- Adhesive formula removes cleanly in one piece with no adhesive residue
- Remains in place around corners, over contours and irregular surfaces
- Resists paint bleed-through to help create sharp paint lines
- Green backing improves visibility and accuracy during paint masking
- Withstands surface temperatures up to 250°F (121°C) for 30 minutes in paint bake operations

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-51115-69109-6	Bulk	6 mm x 55 m	Green	Roll	96
0-00-51115-64759-8	Bulk	12 mm x 55 m	Green	Roll	48
0-00-51115-64760-4	Bulk	18 mm x 55 m	Green	Roll	48
0-00-51115-64761-1	Bulk	24 mm x 55 m	Green	Roll	36
0-00-51115-64762-8	Bulk	36 mm x 55 m	Green	Roll	24
0-00-51115-64763-5	Bulk	48 mm x 55 m	Green	Roll	24
0-00-51115-64764-2	Bulk	72 mm x 55 m	Green	Roll	12
0-00-51115-64765-9	Bulk	96 mm x 55 m	Green	Roll	8
0-00-51115-64769-7	Ind. Wrap	48 mm x 55 m	Green	Roll	24

3M™ Specialty High Temperature Masking Tape 501+

A premium, high performance crepe paper masking tape designed to create super-sharp paint lines in most industrial painting situations.

- Provides instant adhesion to metal and other surfaces and resists lifting or curling for super-sharp paint lines
- Conforms and maintains integrity when formed around a corner
- Backing is easy to tear, resists slivering and provides one piece removal
- Smooth, controlled unwind dispenses evenly and is less likely to tear off roll
- Tape is heat resistant for high-temperature paint bake cycles up to 300°F (149°C) for 30 minutes

UPC No.	Packaging	Size	Color	Units	Qty./CS
3M™ Specialty High Temperature Tan Masking Tape 501+					
0-00-51115-64773-4	Bulk	18 mm x 55 m	Tan	Roll	48
0-00-51115-64774-1	Bulk	24 mm x 55 m	Tan	Roll	36
0-00-51115-64775-8	Bulk	36 mm x 55 m	Tan	Roll	24
0-00-51115-64776-5	Bulk	48 mm x 55 m	Tan	Roll	24
0-00-51115-64777-2	Bulk	72 mm x 55 m	Tan	Roll	12
3M™ Specialty High Temperature Purple Masking Tape 501+					
0-40-54596-11630-6	Bulk	18 mm x 55 m	Purple	Roll	48
0-40-54596-11635-1	Bulk	24 mm x 55 m	Purple	Roll	36
0-40-54596-11637-5	Bulk	36 mm x 55 m	Purple	Roll	24
0-40-54596-11639-9	Bulk	48 mm x 55 m	Purple	Roll	24
0-40-54596-11645-0	Bulk	72 mm x 55 m	Purple	Roll	12
0-40-54596-11647-4	Bulk	96 mm x 55 m	Purple	Roll	8

ScotchBlue™ Painter's Tape



ScotchBlue™ ORIGINAL Painter's Tape

Ideal for long-term masking projects when tape must be left on for up to 14 days. Removes cleanly and easily for up to 14 days without leaving adhesive residue.

UPC No.	Size	Color	Units	Qty./CS
Shrink Wrap				
0-00-51115-03681-1	.94" x 60 yd.	ScotchBlue™	Roll	24
0-00-51115-03682-8	1.41" x 60 yd.	ScotchBlue™	Roll	24
0-00-51115-03683-5	1.88" x 60 yd.	ScotchBlue™	Roll	24
0-00-21200-98031-2	2.83" x 60 yd.	ScotchBlue™	Roll	12
Bulk				
0-00-51115-09171-1	.94" x 60 yd.	ScotchBlue™	Roll	36
0-00-51115-09221-3	1.41" x 60 yd.	ScotchBlue™	Roll	24
0-00-51115-09168-1	1.88" x 60 yd.	ScotchBlue™	Roll	24

Scotch® Box Sealing Tape Dispensers

These durable dispensers can also be used with filament tapes.

RETRACTABLE
BLADE



Scotch® Box Sealing Tape Dispenser HR80

- One-hand, pistol-grip design allows for easy application
- Tack, roll, buff and tear in one fluid motion
- Plastic and metal construction creates a rugged, durable tool
- Retractable metal blade provides added safety when not in use

UPC No.	Max Tape Width	Units	Qty./CS
0-00-51111-91575-2	2" (48 mm)	CS	6

RETRACTABLE
BLADE



Scotch® Box Sealing Tape Dispenser HR83

- Adjustable tape brake for controlled tape tension and delivery
- High-impact plastic construction provides durability
- Retractable blade prevents accidental nicks and cuts
- Dispenses tapes up to 3" wide

UPC No.	Max Tape Width	Units	Qty./CS
0-00-51111-91589-9	3" (72 mm)	CS	6

Scotch® Box Sealing Tape Dispenser H100

- Lightweight, compact hand-held dispenser
- Built-in brake for tight, precise package sealing
- High-impact plastic construction provides durability
- Available in three stand-out colors



UPC No.	Max Tape Width	Color	Units	Qty./CS
0-00-76308-86239-8	2" (48 mm)	Blaze Orange	CS	6
0-00-76308-86227-5	2" (48 mm)	Lime Green	CS	6
0-00-76308-86226-8	2" (48 mm)	Hot Pink	CS	6

Scotch® Box Sealing Tapes

GO-TO
HOT MELT



1.8 mil Hot Melt

Scotch® Box Sealing Tape 371

An economical and reliable, medium duty sealing tape popular with manufacturers of food and beverages, sporting goods, piping, metal fabrications, automotive parts and furniture. Securely closes regular slotted containers (RSC) and packages used for moving, shipping and distribution.

- Rubber resin adhesive sticks quickly to a variety of materials, including fiberboard
- Tape resists nicks, abrasions, moisture and scuffing for long lasting hold
- Backing conforms around edges and rough areas for a tight seal
- Resists edge tears and splits to help keep contents secure

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-13679-5	Bulk	48 mm x 50 m	Clear	Roll	36
0-00-21200-15873-5	Bulk	48 mm x 100 m	Clear	Roll	36
0-00-21200-19279-1	Bulk	72 mm x 50 m	Clear	Roll	24
0-00-21200-19280-7	Bulk	72 mm x 100 m	Clear	Roll	24



2.5 mil Hot Melt

Scotch® Box Sealing Tape 373

Securely closes double and triple walled corrugated cartons, including those with high recycled content, saving time and reducing closure failures. Suitable for use on large cartons weighing up to 100 lbs., shipped individually.

- Adhesive sticks quickly to a variety of materials, including corrugated fiberboard
- Bonds instantly and resists tearing and splitting for added security
- High performance tape resists nicks, abrasions, moisture and scuffing
- Conformable backing ensures a tight seal around corners and rough areas

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-72368-1	Bulk	48 mm x 50 m	Clear	Roll	36
0-00-21200-69605-5	Bulk	72 mm x 50 m	Clear	Roll	24

MRO BEST
SELLER



3.1 mil Hot Melt

Scotch® Box Sealing Tape 375

The very best performer in the Scotch® Brand packaging tape line. The tape's high strength, combined with its quick stick and resistance to splitting or tearing, makes it popular for overseas and export shipping.

- Ideal for tightly sealing over-packed and heavy-weight packages
- Adhesive sticks to a variety of surfaces on contact, including recycled content
- Backing resists nicks, abrasions, moisture and scuffing for lasting hold
- Easily conforms around edges and on rough surfaces for a tight seal

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-72406-0	Bulk	48 mm x 50 m	Clear	Roll	36
0-00-21200-72407-7	Bulk	72 mm x 50 m	Clear	Roll	24

Scotch® Vinyl Electrical Tape



Scotch® Super 33+™ Vinyl Electrical Tape

Scotch® Super 33+™ Vinyl Electrical Tape, a black, 7 mil tape, on a 1 inch core, combines the flexibility of a PVC backing with excellent electrical insulating properties to provide primary electrical insulation for splices up to 600V. Abrasion, corrosion, and UV-resistant, it makes an excellent protective jacketing for high voltage cables and wire harnessing. UL Listed, it resists alkalis and acids, and is flame-retardant. Excellent all-weather performance in cold 0°F (-18°C) or hot to 221°F (105°C).

UPC No.	Size	Color	Units	Qty./CS
0-00-54007-06132-8	¾" x 66'	Black	Roll	100

3M™ Marking & Safety Tapes



Scotch® Barricade Tapes 300 Series

Scotch® Barricade Tapes 300 Series are not only effective but economical as well. One roll has sufficient length to designate a large area. The tapes are constructed of durable polyethylene plastic that is designed to help prevent tearing. Bold two-inch black characters on bright backgrounds are designed to attract attention and provide a warning message that is clearly visible.

UPC No.	Packaging	Size	Color	Print Legend	Units	Qty./CS
0-00-51128-53042-9	Bulk	3" x 1000'	Yellow	Caution	Roll	8
0-00-51128-53460-1	Bulk	3" x 300'	Yellow	Caution	Roll	16
0-00-51128-57767-7	Bulk	3" x 300'	Red	Danger	Roll	16
0-00-51128-57764-6	Bulk	3" x 1000'	Red	Danger	Roll	8



Scotch® Repulpable Barricade Tapes 500 Series

Made of tightly woven cotton fibers, these reusable tapes are an excellent alternative to standard barricade tapes for areas where plastics are prohibited. Also appropriate for clean rooms and recycling areas, these non-conductive tapes measure 3 in wide x 150 ft long and are supplied on rolls.

UPC No.	Packaging	Size	Color	Print Legend	Units	Qty./CS
0-00-51128-57788-2	Bulk	3" x 150'	Red	Danger	Roll	8
0-00-51128-57787-5	Bulk	3" x 150'	Yellow	Caution	Roll	8



5.5 mil

3M™ Safety Stripe Tape 5700

Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The clear vinyl over the colored stripes help protect tape from abrasion. The 5.5 mil total tape thickness resists snagging often associated with thicker products.

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-04367-3	Bulk	2" x 36 yd.	Black/White	Roll	24



5.5 mil

3M™ Safety Stripe Tape 5702

Ideal for marking lanes, hazardous areas, protruding equipment, and low hanging objects in factories, warehouses and hospitals. Yellow and black color is embedded into the tape construction to provide long-term high visibility and abrasion resistance.

- One-piece, clean removal from many surfaces helps reduce clean-up and labor costs
- Unique stretch properties enable tape to remain stretched to conform to uneven surfaces without lifting and retracting

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-42892-0	Bulk	1" x 36 yd.	Black/Yellow	Roll	36
0-00-21200-04585-1	Bulk	2" x 36 yd.	Black/Yellow	Roll	24
0-00-21200-03951-5	Bulk	3" x 36 yd.	Black/Yellow	Roll	12



3M™ Lane Marking Applicator M-1

Helps you apply safety tape to floors quickly, easily and perfectly. Our handy walk-behind tape dispenser is the easiest way to mark warehouse traffic lanes and hazard areas without crawling around on the floor. Use this applicator to dispense 3M™ Safety Stripe and Vinyl Tapes to help improve workplace safety.

UPC No.	Units	Qty./CS
0-00-51115-80886-9	EA	1

FOR USE WITH SAFETY STRIPE AND VINYL TAPES



32.0 mil

**GO-TO
TAPE**



5.2 mil

OSHA Regulations Color Guide

The colors and applications shown here comply with OSHA Specification 1910-144, and are recommended by the American National Standards Institute, Inc. (Color scheme from booklets ANSI Z53.1-1979 and ANSI A13.1-1981)



Lane Marking

Black/white or black/yellow diagonal striped, and black and yellow solid colored tapes are the basic colors for lane marking.



Fire Safety

Red immediately identifies fire protection equipment and apparatus, including fire alarm boxes, fire blanket boxes, fire extinguishers, and emergency stop bars, buttons and switches.



Physical Hazards

Yellow or yellow/black stripes is used for marking physical hazards, such as low pipes, beams, handrails, pillars, posts and fixtures that extend into work areas. Yellow is also used to warn against using equipment under repair.



Danger

Orange identifies dangerous machine and equipment parts that may cause serious injury. Orange should be used to mark hazardous parts that are exposed when enclosure doors are open or guards are removed.



Safety/First Aid

Green designates safety and first-aid equipment, such as air tanks, eye washes and first-aid kits.

3M™ Vinyl Tape Safety & 5S Color Coding Pack

A pack of eight 2 in x 36 yd rolls of our Go-To vinyl tapes. Ideal for organizing and identifying traffic lanes, material areas, and areas of potential health risks for employees. Colors include: Yellow, orange, red, green, blue, black, black/yellow, black/white.

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-76308-97971-3	Ind. Labeled	2" x 36 yd.	Variety	Roll	8

3M™ Ultra Durable Floor Marking Tape 971

3M™ Ultra Durable Floor Marking Tape 971 is comprised of a Polylactic Acid (PLA) backing with a rubber adhesive. The tough, thick PLA backing resists pallet drag and high forklift traffic. This tape is designed for long-term floor marking, yet can still come up clean, in one piece, after several years on the floor.

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-76308-14095-3	Bulk	2" x 36 yd.	Yellow	Roll	1
0-00-76308-14096-0	Bulk	3" x 36 yd.	Yellow	Roll	1
0-00-76308-14097-7	Bulk	4" x 36 yd.	Yellow	Roll	1
0-00-76308-14098-4	Bulk	2" x 36 yd.	Blue	Roll	1
0-00-76308-14099-1	Bulk	3" x 36 yd.	Blue	Roll	1
0-00-76308-14100-4	Bulk	4" x 36 yd.	Blue	Roll	1
0-00-76308-14101-1	Bulk	2" x 36 yd.	Red	Roll	1
0-00-76308-14102-8	Bulk	3" x 36 yd.	Red	Roll	1
0-00-76308-14103-5	Bulk	4" x 36 yd.	Red	Roll	1
0-00-76308-14104-2	Bulk	2" x 36 yd.	White	Roll	1
0-00-76308-14105-9	Bulk	3" x 36 yd.	White	Roll	1
0-00-76308-14107-3	Bulk	4" x 36 yd.	White	Roll	1

3M™ Vinyl Tape 471

Solve a variety of challenges, including floor and safety marking, color coding and industrial applications with this durable tape designed to resist wear, scrapes and moisture. Unique stretch properties enable tape to remain stretched to conform to uneven surfaces without lifting and retracting. One-piece, clean removal from many surfaces helps reduce clean-up and labor costs.

Identify hazards with colors that comply with OSHA & ANSI

Occupational Safety and Health Act, American National Standards Institute, Inc.

UPC No.	Packaging	Size	Color	Units	Qty./CS
0-00-21200-03106-9	Bulk	¾" x 36 yd.	Red	Roll	48
0-00-21200-03107-6	Bulk	1" x 36 yd.	Red	Roll	36
0-00-21200-04305-5	Bulk	2" x 36 yd.	Red	Roll	24
0-00-21200-06469-2	Bulk	3" x 36 yd.	Red	Roll	12
0-00-21200-03120-5	Bulk	¾" x 36 yd.	Blue	Roll	48
0-00-21200-03121-2	Bulk	1" x 36 yd.	Blue	Roll	36
0-00-21200-04308-6	Bulk	2" x 36 yd.	Blue	Roll	24
0-00-21200-03122-9	Bulk	3" x 36 yd.	Blue	Roll	12
0-00-21200-03135-9	Bulk	¾" x 36 yd.	White	Roll	48
0-00-21200-03136-6	Bulk	1" x 36 yd.	White	Roll	36
0-00-21200-04311-6	Bulk	2" x 36 yd.	White	Roll	24
0-00-21200-06466-1	Bulk	3" x 36 yd.	White	Roll	12
0-00-21200-03127-4	Bulk	¾" x 36 yd.	Yellow	Roll	48
0-00-21200-03128-1	Bulk	1" x 36 yd.	Yellow	Roll	36
0-00-21200-04310-9	Bulk	2" x 36 yd.	Yellow	Roll	24
0-00-21200-06470-8	Bulk	3" x 36 yd.	Yellow	Roll	12
0-00-21200-03131-1	Bulk	4" x 36 yd.	Yellow	Roll	8
0-00-21200-03114-4	Bulk	¾" x 36 yd.	Black	Roll	48
0-00-21200-03115-1	Bulk	1" x 36 yd.	Black	Roll	36
0-00-21200-04306-2	Bulk	2" x 36 yd.	Black	Roll	24
0-00-21200-06467-8	Bulk	3" x 36 yd.	Black	Roll	12
0-00-21200-04309-3	Bulk	2" x 36 yd.	Brown	Roll	24
0-00-21200-04312-3	Bulk	2" x 36 yd.	Orange	Roll	24
0-00-21200-03145-8	Bulk	1" x 36 yd.	Green	Roll	36
0-00-21200-04313-0	Bulk	2" x 36 yd.	Green	Roll	24
0-00-21200-03100-7	Bulk	1" x 36 yd.	Transparent	Roll	36

LEAD
PRODUCT



3M™ Aerosol Adhesives

3M™ Super 77™ Multipurpose Spray Adhesive

An extremely versatile, fast-drying spray adhesive that bonds a wide range of lightweight materials. Our permanent bond provides fast results to keep projects moving ahead.

- Fast, aggressive tack for a quick bond that reduces set time
- Extended bond time allows 15 seconds to 30 minutes after application before attaching surfaces
- Bonds paper, cardboard, fabric, insulation, plastic, metal, wood and more

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-21200-21210-9	24 fl oz	16.75 oz	Clear	CN	12
0-00-76308-86234-3	20 fl oz	13.44 oz	Clear	CN	12
0-00-21200-96474-9	6 fl oz	4.4 oz	Clear	CN	12

Not for Retail/Consumer sale or use in CA & other states. Consult local air quality rules before use.

3M™ Super 77™ CA Multipurpose Spray Adhesive — Low VOC <25%

This fast-drying adhesive bonds a wide range of lightweight materials quickly.

A low-VOC version of 3M™ Super 77™.

- Low soak-in and long open time
- Bonds paper, cardboard, fabric, cushion foam, plastic, metal, wood and more
- Low VOC, <25%, aerosol is GREENGUARD Children and Schools CertifiedSM meets CARB, OTC and LADCO requirements, and helps contribute to LEED[®] credits

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-51111-97956-3	24 fl oz	18 oz	Clear	CN	12

For industrial/occupational use only. Not for consumer sale or use.

3M™ Hi-Strength 90 Spray Adhesive

A versatile, fast-drying adhesive that forms extremely strong bonds on a wide array of materials and works well with plastic, metal, wood and much more.

- A very aggressive tack for high initial grab plus sufficient open time to position materials properly
- Variable-width spray pattern for more control, minimum waste
- Provides higher coverage than competing spray adhesives
- Creates soft, non-dimpling glue lines for clean appearance

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-21200-30023-3	24 fl oz	17.6 oz	Clear	CN	12
0-00-76308-86235-0	20 fl oz	12.23 oz	Clear	CN	12
0-00-51111-07278-3	24 fl oz	17.6 oz (Inverted)	Clear	CN	12

Not for Retail/Consumer sale or use in CA & other states. Consult local air quality rules before use.

3M™ Hi-Strength 90 CA Spray Adhesive — Low VOC <25%

An all-around adhesive capable of forming extremely strong bonds on a wide array of materials.

A low VOC version of 3M™ High Strength 90.

- Bonds woods, laminates, polyethylene, polypropylene, metals and more
- High coverage, variable-width lace spray pattern
- Low VOC, <25%, aerosol is GREENGUARD Children and Schools CertifiedSM meets CARB, OTC and LADCO requirements, and helps contribute to LEED[®] credits

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-51111-97957-0	24 fl oz	19 oz	Clear	CN	12

For industrial/occupational use only. Not for consumer sale or use.



3M Low-VOC Line

Meets California Air Resources Board (CARB), Ozone Transport Commission (OTC) and Lake Michigan Air District Consortium (LADCO) VOC requirements, is GREENGUARD Children & Schools CertifiedSM and helps contribute to LEED[®] credits.

For industrial or professional use only.



LEAD
PRODUCT



3M™ Foam Fast 74 Spray Adhesive

A fast-drying spray adhesive that bonds foam and fabric to a wide range of substrates. Its permanent bond provides fast results to keep projects moving ahead.

- Non-yellowing formula dispenses easily in a lace-spray pattern optimized for foam bonding
- Provides professional, industrial strength for demanding applications
- Offers a fast, aggressive tack for a quick assembly of high-stress bonds
- Allows for a bond time of 15 seconds to 30 minutes

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-21200-50045-9	24 fl oz	16.9 oz	Clear	CN	12
0-00-21200-82242-1	24 fl oz	16.9 oz	Orange	CN	12
0-00-51111-07277-6	24 fl oz	16.9 oz (Inverted)	Orange	CN	12

Not for Retail/Consumer sale or use in CA & other states. Consult local air quality rules before use.

3M™ Foam Fast 74 CA Spray Adhesive — Low VOC <25%

A low-VOC version of 3M™ Foam & Fabric 74 used for bonding flexible urethane or latex foam together and to bond other materials such as wood, metal and plastics.

- Non-yellowing formula dispenses easily in a lace-spray pattern optimized for foam bonding
- Low VOC, <25%, aerosol is GREENGUARD Children and Schools CertifiedSM meets CARB, OTC and LADCO requirements, and helps contribute to LEED® credits

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-51111-97967-9	24 fl oz	19 oz	Clear	CN	12
0-00-51111-97958-7	24 fl oz	19 oz	Orange	CN	12

For industrial/occupational use only. Not for consumer sale or use.

3M™ Hi-Strength 94 ET Spray Adhesive — Low VOC <20%

Creates an aggressive, postformable bond for attaching decorative laminate, metal and some rubber substrates.

- Features longer open time and more aggressive tack than comparable adhesives
- Effectively bond metals, wood, rubber, carpet and flooring
- Low VOC, <20%, aerosol is GREENGUARD Children and Schools CertifiedSM meets CARB, OTC and LADCO requirements, and helps contribute to LEED® credits

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-51111-97977-8	24 fl oz	19.8 oz	Clear	CN	12

For industrial/occupational use only. Not for consumer sale or use.

3M™ Cleaners & Lubricants

3M™ Adhesive Remover — Low VOC <20%

A low-VOC version of 3M™ Adhesive Remover. Removes a variety of adhesives and other substances. Non-corrosive formula is safe for most equipment.

- Cleans oil, grease, tar, and grime quickly and easily to keep processes moving forward
- Low VOC, <20%, aerosol is GREENGUARD Children and Schools CertifiedSM meets CARB, OTC and LADCO requirements, and helps contribute to LEED® credits

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-51111-97974-7	24 fl oz	18.7 oz	Clear	CN	12

For industrial/occupational use only. Not for consumer sale or use.

3M™ 5-Way Penetrant

3M™ 5-Way Penetrant is a multi-purpose aerosol spray designed to free unmovable parts that have become rusty or frozen.

- Displaces moisture and “dries out” electronics
- Light duty lubricant works well with delicate precision instruments

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-21200-21305-2	24 fl oz	16.8 oz	Amber	CN	12

3M™ Citrus Base Cleaner

3M™ Citrus Base Cleaner helps soften and loosen grease, oil and grime.

- Provides mold-release agents
- Removes adhesive without damaging the surface underneath

UPC No.	Size	Net Wt.	Color	Units	Qty./CS
0-00-21200-76394	24 fl oz	18.5 oz	Transparent	CN	12

3M™ Hand-Masker™ Products



3M™ Hand-Masker™ Advanced Masking Film

Ideal for multiple-coat paint applications.

- Hassle-free fold to prevent film from getting caught in tape
- Static cling keeps film in place when using spray equipment and in windy conditions
- Ultra paint flake-resistant
- Helps prevent liquids from bleeding through
- Available in 24", 48", 72" and 99"

UPC No.	ID	Size	Units	Qty./CS
0-00-51141-95255-0	AMF24	24" x 180'	RL	12
0-00-51141-90038-4	AMF48	48" x 180'	RL	12
0-00-51141-90039-1	AMF72	72" x 90'	RL	12
0-00-51141-90040-7	AMF99	99" x 90'	RL	12



3M™ Hand-Masker™ Contractors Plastic

Ideal for single-coat paint application, such as EIFS, stucco, drywall, texturing, dust containment and ceiling texturing.

- Hassle-free fold to prevent film from getting caught in tape
- Helps prevent liquids from bleeding through
- Available in 4', 6', 9' and 12'

UPC No.	ID	Size	Units	Qty./CS
0-00-51131-86806-9	CP4	4' x 180'	RL	12
0-00-51131-79683-6	CP6	6' x 90'	RL	12
0-00-51131-79684-3	CP9	9' x 90'	RL	12
0-00-51141-97559-7	CP12	12' x 60'	RL	12



3M™ Hand-Masker™ Masking Plastic

Ideal replacement for masking paper.

- Resists bleed-through*
- Water and flake resistant
- Easy to wrap around objects
- Use like masking paper
- Translucent—allows light to shine through
- 2x more per roll*

UPC No.	ID	Size	Units	Qty./CS
0-00-76308-72594-5	MPL6	6" x 120 yd.	RL	12
0-00-76308-72595-2	MPL9	9" x 120 yd.	RL	12
0-00-76308-72593-8	MPL12	12" x 120 yd.	RL	12

*Compared to 3M™ Hand-Masker™ General Purpose Masking Paper.



3M™ Hand-Masker™ Painter's Plastic Plus

Specialty treated film alternative to boxed plastic or film.

- Treated film for paint anchorage and flake resistant
- Static cling keeps product in place
- Helps prevent liquids from bleeding through
- Used for dust containment

UPC No.	ID	Size	Units	Qty./CS
0-00-51141-90366-8	MFB-9	9' x 400'	CS	1
0-00-51141-90387-3	MFB-12	12' x 400'	CS	1



3M™ Hand-Masker™ Dispenser

Applies tape to film or paper in one continuous application. Fast and efficient way to apply plastic or paper over surfaces or openings to protect from paint splatter and dust.

- Light and compact
- Easy-grip handle

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-77385-1	M3000	M3000 Dispenser	EA	4

3M™ Hand-Masker™ Blades

Film blades and Straight cut blades cut masking film when used with the 3M™ Hand-Masker™ M3000 dispenser. Paper Blade cuts masking paper when used with the 3M™ Hand-Masker™ M3000 dispenser.

- Delivers a straight cut time after time to save even more time masking
- Durable stainless steel blade
- Molded blade assembly
- Available in 9" or 12" blade, can also be used for cutting paper

UPC No.	ID	Size	Units	Qty./CS
Straight Cut Masking Film Blade				
0-00-51141-59803-1	FB12-SC	12"	EA	6
Masking Film Blade				
0-00-51131-06802-5	FB12	12"	EA	6
Paper Blades				
0-00-51131-06795-0	PB9	9"	EA	6
0-00-51131-06796-7	PB12	12"	EA	6

3M™ Spray Equipment for Coatings



Paint Booth Wall, Floor & General Surface Protection



3M™ Dirt Trap 14" Film Dispenser

Metal dispenser for application of 3M™ Dirt Trap Film. Designed with high strength magnets that secure dispenser on a vertical metal surface while 3M™ Dirt Trap Clear Film is dispensed and applied. For use with 3M™ Dirt Trap Film.

UPC No.	ID	Qty./CS
0-00-51131-36863-7	36863	1

3M™ Dirt Trap 28" Material Dispenser

Metal dispenser for application of 3M™ Dirt Trap Material. Designed with high strength magnets that secure dispenser on a vertical metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material.

UPC No.	ID	Qty./CS
0-00-51131-36862-0	36862	1

3M™ Dirt Trap Material Wall Applicator

Metal dispenser for application of 28" wide 3M™ Dirt Trap Protection Material 36852. Adjustable wall applicator for one person installation.

UPC No.	ID	Qty./CS
0-00-51131-36866-8	36866	1

3M™ Dirt Trap Material 28" Floor Applicator

Metal dispenser for fast and easy application of 28" wide 3M™ Dirt Trap Protection Material 36852.

UPC No.	ID	Qty./CS
0-00-51131-36865-1	36865	1

3M™ Dirt Trap Material Floor Applicator Dispenser

Applicator/Dispenser used to apply 3M™ Dirt Trap Protection Material to floors. Dispenser designed to hold a maximum width of 56" Dirt Trap Material. Durable metal construction.

UPC No.	ID	Qty./CS
0-00-51131-36864-4	36864	1

3M™ Dirt Trap Protection Material

White or clear non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt, and paint overspray. The durable adhesive backed material brightens work areas and controls dust.

UPC No.	ID	Color	Size	Units	Qty./CS
0-00-51131-36851-4	36851	White	14" x 300'	Roll	1
0-00-51131-36852-1	36852	White	28" x 300'	Roll	1
0-00-51131-36853-8	36853	White	56" x 300'	Roll	1
0-00-51131-36856-9	36856	Clear	18" x 100'	Roll	1
0-00-51131-37852-0	37852	Gray	28" x 300'	Roll	1
0-00-51131-37853-7	37853	Gray	56" x 300'	Roll	1

3M™ Welding & Spark Deflection Paper

3M™ Welding and Spark Deflection Paper is a flame-retardant, repositionable, adhesive-backed paper product used to protect vertical surfaces from damage caused by welding spatter and grinding sparks. It is designed for use on vertical surfaces, such as:

- Automotive glass
- Painted sheet metal
- Automotive light fixtures
- Many other vertical surfaces

UPC No.	ID	Description	Qty./CS
0-00-51131-05916-0	05916	Paper, 24" x 150'	2
0-00-51131-05912-2	05912	Dispenser	1

Spray Equipment for Coatings

Accuspray™ ONE Spray Gun System with PPS™ Starter Kits



3M™ Accuspray™ Spray Gun System with PPS™ 16580

All-in-one spraying solution providing the equivalent of multiple brand new spray guns, for a fraction of the cost. Kit contains 1 each Accuspray™ ONE Spray Gun with color indicator rings, 4 Accuspray™ atomizing heads in sizes 1.2, 1.3, 1.4, and 1.8 mm, an airflow control valve, 5 each liners and lids (1 each w/125 micron filter, 4 each w/200 micron filter), 1 each standard size 22 oz. PPS™ hard cup and retaining ring, 1 mixing/measuring insert, and an instruction manual.

UPC No.	ID	Qty./CS
0-00-51131-16580-9	16580	4



3M™ PPS™ Starter Kit, Standard 16172

Standard size 3M™ PPS™ 6-pack starter kit with 6 disposable lids & liners with 200 micron filters, 1 standard size cup & collar, 1 standard size generic mix ratio insert, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16172-6	16172	22 fl. oz. (or 650 mL)	4



3M™ PPS™ Starter Refill Pack, Standard 16173

Standard size 3M™ PPS™ 12-pack refill, 12 disposable lids & liners with 200 micron filters, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16173-3	16173	22 fl. oz. (or 650 mL)	4



3M™ PPS™ Starter Kit, Large 16182

Large size 3M™ PPS™ 6-pack starter kit with 6 disposable lids & liners with 200 micron filters, 1 large size cup & collar, 1 large size generic mix ratio insert, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16182-5	16182	28 fl. oz. (or 850 mL)	4



3M™ PPS™ Starter Refill Pack, Large 16183

Large size 3M™ PPS™ 12-pack refill, 12 disposable lids & liners with 200 micron filters, and 10 sealing plugs.

UPC No.	ID	Size	Qty./CS
0-00-51131-16183-2	16183	28 fl. oz. (or 850 mL)	4

PPS™ Cups & Collars



3M™ PPS™ Mini Cup & Collar

Hard cup that supports and holds the PPS™ mini flexible liner (holds PN 16114). If filled to the top, this cup will hold 6 fl. oz. Mix ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16115-3	16115	6 oz.	2 Cups per Box/ 4 Boxes per CS



3M™ PPS™ Midi Cup & Collar

Midi hard cup that supports and holds the PPS™ flexible liners (PN 16112). Mix Ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16122-1	16122	13.5 oz.	2 Cups per Box/ 4 Boxes per CS



3M™ PPS™ Standard Cup & Collar

Standard hard cup that supports and holds the PPS™ flexible liners (PN 16301, 16000). Mix ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16001-9	16001	22 oz.	2 Cups per Box/ 4 Boxes per CS



3M™ PPS™ Large Cup & Collar

Large hard cup that supports and holds the PPS flexible liners (PN 16024, 16324 and 16325). Mix ratio inserts sold separately.

UPC No.	ID	Size	Qty./CS
0-00-51131-16023-1	16023	28 oz.	1 Cup per Box/ 4 Boxes per CS



3M™ PPS™ Type H/O Pressure Cup

This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun or spray gun regulator. Mix ratio inserts sold separately.

UPC No.	ID	Description	Size	Qty./CS
0-00-51131-16121-4	16121	Mini	6 oz.	1 Cup per Box/ 4 Boxes per CS
0-00-51131-16124-5	16124	Large	28 oz.	1 Cup per Box/ 2 Boxes per CS

Spray Equipment for Coatings

PPS™ Lids & Liners



3M™ PPS™ Kit, Micro 16028

Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Note: mix ratio insert sold separately. For use with PN 16115 or 16121 (H/O pressure cup). The 200 micron filters are recommended for traditional solvent-based paint or industrial applications.

UPC No.	ID	Size	Qty./CS
0-00-51131-16028-6	16028	3 oz.	1



3M™ PPS™ Kit, Mini 16114

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent-based paint or industrial applications. Graduated measurement to 5-½ oz. when used with generic mix ratio film insert (mix ratio inserts sold separately). Max. capacity of 6 fl. oz. For use with PN 16115.

UPC No.	ID	Size	Qty./CS
0-00-51131-16114-6	16114	6 oz.	1



3M™ PPS™ Kit, Midi 16112

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent or Industrial applications. Mix ratio inserts sold separately. Max capacity 13.5 oz. For use with Midi Cup & Collar PN 16112.

UPC No.	ID	Size	Qty./CS
0-00-51131-16112-1	16112	13.5 oz.	1



3M™ PPS™ Kit, Standard 16000

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent or Industrial applications. Mix ratio inserts sold separately. Max capacity 22 oz. For use with Standard Cup & Collar PN 16001.

UPC No.	ID	Size	Qty./CS
0-00-51131-16000-2	16000	22 oz.	1



3M™ PPS™ Kit, Large 16024

Kit contains 25 disposable lids with 200 micron filters, 25 disposable liners, and 10 sealing plugs. The 200 micron filters are recommended for traditional solvent-based paint or industrial applications. Graduated measurement to 28 oz./840 mL when used with mix ratio film insert (mix ratio film inserts are sold separately). For use with PN 16023 or 16124.

UPC No.	ID	Size	Qty./CS
0-00-51131-16024-8	16024	28 oz.	1

3M™ PPS™ Liners (Liners ONLY)

UPC No.	ID	Description	Size	Qty./CS
0-00-51131-16348-5	16348	Mini	6 oz.	100
0-00-51131-16350-8	16350	Standard	22 oz.	100
0-00-51131-16351-5	16351	Large	28 oz.	100

3M™ PPS™ Lids (Lids ONLY)

UPC No.	ID	Description	Size	Qty./CS
0-00-51131-16201-3	16201	Mini/Micro	3 oz./6 oz.	25
0-00-51131-16204-4	16204	Midi	13.5 oz.	25
0-00-51131-16200-6	16200	Standard/Large	22 oz./28 oz.	25



PPS™ Accessories



PPS™ Liner Dispenser

Wall mount dispenser fits Midi (13.5 oz.), Standard (22 oz.), Large (28 oz.) liners. Includes 3M™ double-sided tape for mounting.

UPC No.	ID	Size	Qty./CS
0-00-51131-16219-8	16219	Midi, Standard, Large	1

PPS™ Lid Dispenser

Wall mount dispenser that fits Midi (13.5 oz.), Standard (22 oz.), Large (28 oz.) lids. Includes 3M™ double-sided tape for mounting.

UPC No.	ID	Size	Qty./CS
0-00-51131-16299-0	16299	Midi, Standard, Large	1

PPS™ Mini/Micro Lid & Liner Dispenser

Wall mount dispenser that fits the Micro (3 oz.) and Mini (6 oz.) lids and liners. Includes 3M™ double-sided tape for mounting.

UPC No.	ID	Size	Qty./CS
0-00-51131-16298-3	16298	Micro, Mini	1

PPS™ Mixing Ratio Inserts

PPS™ Mixing Ratio Inserts to allow mixing inside of the PPS™ cup.

UPC No.	ID	Size	Qty./CS
3M™ PPS™ Mini Mix Ratio Insert			
0-00-51131-16066-8	16066	6 oz.	10 per Pack/ 5 Packs per CS
3M™ PPS™ Midi Mix Ratio Insert			
0-00-51131-16155-9	16155	13.5 oz.	10 per Pack/ 10 Packs per CS
3M™ PPS™ Standard Mix Ratio Insert			
0-00-51131-16065-1	16065	22 oz.	100 per Pack/ 1 Box per CS
3M™ PPS™ Large Mix Ratio Insert			
0-00-51131-16091-0	16901	28 oz.	10 per Pack/ 10 Packs per CS

Spray Equipment for Coatings

Spray Equipment for Coatings



Accuspray™ ONE Spray Guns

3M™ Accuspray™ ONE Spray Gun Kit HGP

An HVLP gravity pressurized spray gun, to be used with a pressurized H/O cup system to provide superior application of high viscosity coatings. Kit contains one each HGP spray gun and four atomizing heads — two each 1.8 mm nozzles and two each 2.0 mm nozzles.

UPC No.	ID	Qty./CS
0-00-51131-16587-8	16587	1

3M™ Accuspray™ ONE Spray Gun Kit

HVLP spray gun system that offers the performance of multiple spray guns via replaceable atomizing heads. Kit includes atomizing heads in 1.2, 1.3, 1.4, 1.8, 2.0 mm sizes, air flow control valve and gun hanger.

UPC No.	ID	Size	Qty./CS
0-00-51131-16578-6	16578	1.2, 1.3, 1.4, 1.8, 2.0 mm	4

3M™ Accuspray™ Atomizing Head

Replaceable atomizing heads for use with any 3M™ Accuspray™ Spray Gun with replaceable atomizing head technology. Refill kits contain four atomizing heads.

UPC No.	ID	Color	Size	Qty./CS
0-00-51131-16609-7	16609	Red Opaque	2.0 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16611-0	16611	Clear	1.8 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16612-7	16612	Orange	1.4 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16614-1	16614	Green	1.3 mm	4 Heads per Kit/ 6 Kits per CS
0-00-51131-16615-8	16615	Blue	1.2 mm	4 Heads per Kit/ 6 Kits per CS

3M™ Accuspray™ Atomizing Head Single

Replaceable atomizing heads for use with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun. The transparent atomizing head offers visual confirmation that the gun is clean. Head can be removed, discarded and replaced for the performance of a brand new spray gun on demand.

UPC No.	ID	Color	Size	Qty./CS
0-00-51131-16582-3	16582	Blue	1.2 mm	10
0-00-51131-16583-0	16583	Green	1.3 mm	10
0-00-51131-16584-7	16584	Orange	1.4 mm	10
0-00-51131-16585-4	16585	Clear Transparent	1.8 mm	10

3M™ Accuspray™ Fluid Needle 16571

Replaceable fluid needle for 3M™ Accuspray™ Atomizing Head Spray Guns.

UPC No.	ID	Qty./CS
0-00-51131-16571-7	16571	1

3M™ Accuspray™ System HVLP Test Air Cap

Used to test Accuspray™ Spray Guns for HVLP Compliance.

UPC No.	ID	Qty./CS
0-00-51131-16572-4	16572	1

3M™ Accuspray™ Air Flow Control Valve

Replacement air flow control valve for Accuspray™ spray guns.

UPC No.	ID	Qty./CS
0-00-51131-16573-1	16573	1

3M™ Matting & Treads



3M™ Safety-Walk™ Slip-Resistant Tapes & Treads



3M™ Safety-Walk™ Slip-Resistant Coarse Tapes & Treads — 700 Series

Extra-large mineral particles and more durable construction provide additional slip resistance in the most extreme conditions.

UPC No.	ID	Size	Units	Qty./CS
Black				
0-00-48011-34730-1	710	4" x 30'	CS	1
0-00-48011-34729-5	710	6" x 24"	CS	25
0-00-48011-34731-8	710	6" x 30'	CS	1
0-00-48011-34734-9	710	24" x 30'	CS	1
Gray				
0-00-48011-59240-4	770	24" x 30'	CS	1



3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes & Treads — 600 Series

This mineral-coated, slip-resistant material features a highly durable surface. Low-profile design helps reduce trip hazard. Vivid black and yellow stripes for high visibility and easy identification of hazard areas.

UPC No.	ID	Size	Units	Qty./CS
Black				
5-00-48011-19217-3	610	.75" x 24"	CS	50
5-00-48011-19218-0	610	6" x 24"	CS	50
5-00-48011-19219-7	610	.75" x 60'	CS	4
5-00-48011-19220-3	610	1" x 60'	CS	4
5-00-48011-19221-0	610	2" x 60'	CS	2
5-00-51125-86021-0	610	3" x 60'	CS	1
5-00-48011-19223-4	610	4" x 60'	CS	1
5-00-48011-19224-1	610	6" x 60'	CS	1
5-00-48011-19235-7	610	12" x 60'	CS	1
5-00-48011-19238-8	610	18" x 60'	CS	1
5-00-48011-19236-4	610	24" x 60'	CS	1
5-00-48011-19239-5	610	36" x 60'	CS	1
5-00-48011-19237-1	610	48" x 60'	CS	1
Black/Yellow Stripe				
5-00-51125-85962-7	613	1" x 60'	CS	4
5-00-51125-85963-4	613	2" x 60'	CS	2
5-00-51125-85964-1	613	3" x 60'	CS	1
5-00-51125-85965-8	613	4" x 60'	CS	1
5-00-51125-85966-5	613	6" x 24"	CS	50
5-00-51125-85967-2	613	6" x 60"	CS	1
Clear				
5-00-48011-26417-7	620	1" x 60'	CS	4
5-00-48011-26419-1	620	2" x 60'	CS	2
5-00-48011-26418-4	620	4" x 60'	CS	1
Safety Yellow				
5-00-48011-26422-1	630	1" x 60'	CS	4
5-00-48011-26421-4	630	2" x 60'	CS	2
5-00-48011-26420-7	630	4" x 60'	CS	1





3M™ Safety-Walk™ Slip-Resistant Conformable Tapes & Treads — 500 Series

This high-friction slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces.

UPC No.	ID	Size	Units	Qty./CS
Black				
5-00-48011-19280-7	510	2" x 60'	CS	2
5-00-48011-19281-4	510	4" x 60'	CS	1
5-00-48011-19279-1	510	6" x 24"	CS	50
5-00-48011-19282-1	510	6" x 60'	CS	1
5-00-48011-19283-8	510	12" x 60'	CS	1
5-00-48011-19284-5	510	18" x 60'	CS	1
5-00-48011-19285-2	510	24" x 60'	CS	1
Safety Yellow				
5-00-48011-19288-3	530	2" x 60'	CS	2
5-00-48011-19289-0	530	4" x 60'	CS	1
5-00-48011-19290-6	530	6" x 60'	CS	1



3M™ Safety-Walk™ Slip-Resistant Medium Resilient Tapes & Treads — 300 Series

A resilient, non-mineral, slip-resistant material. Soft surface is suitable for bare feet.

UPC No.	ID	Size	Units	Qty./CS
Black				
5-00-48011-19293-7	310	1" x 60'	CS	4
5-00-48011-19294-4	310	2" x 60'	CS	2
5-00-48011-19296-8	310	4" x 60'	CS	1
5-00-48011-19292-0	310	6" x 24"	CS	50
5-00-48011-19297-5	310	6" x 60'	CS	1
5-00-48011-19298-2	310	12" x 60'	CS	1
5-00-48011-19299-9	310	18" x 60'	CS	1
5-00-48011-19300-2	310	24" x 60'	CS	1
5-00-48011-19301-9	310	36" x 60'	CS	1
5-00-48011-19302-6	310	48" x 60'	CS	1
Gray				
5-00-48011-19321-7	370	1" x 60'	CS	4
5-00-48011-19323-1	370	2" x 60'	CS	2
5-00-48011-19322-4	370	4" x 60'	CS	1
5-00-48011-19324-8	370	6" x 60'	CS	1
5-00-48011-19325-5	370	12" x 60'	CS	1
5-00-48011-19326-2	370	18" x 60'	CS	1
5-00-48011-19327-9	370	24" x 60'	CS	1
5-00-48011-19328-6	370	36" x 60'	CS	1




3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes & Treads — Photoluminescent

After charging with a light source, 3M™ Safety-Walk™ Photoluminescent Traction Products provide an abrasive surface that is designed to help anyone find their way to safety in a dark environment. Whether walking in interior stairwells or navigating an egress during a power outage, it provides safety you can see.

UPC No.	ID	Size	Units	Qty./CS
Black with Photoluminescent Stripe				
5-00-51125-85972-6	690	2" x 30'	CS	2
5-00-51125-86022-7	690	3" x 30'	CS	1
5-00-51125-85973-3	690	4" x 30'	CS	1
5-00-51125-85975-7	690	6" x 24"	CS	10
5-00-51125-85974-0	690	6" x 30'	CS	1





Gray



Brown

3M™ Nomad™ Entrance Matting

3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250

Entrance vinyl scraper matting designed for medium traffic applications. The vinyl Z construction allows dirt and moisture to flow through, becoming trapped at the backing. Integral edging* on 4-sides is standard on 3' x 5' and 4' x 6.' Medium traffic — up to 400,000 people per year. NFSI-National Floor Safety Institute certified for high traction.

UPC No.	ID	Color	Units	Qty./CS
3' x 5'				
5-00-48011-20234-6	6250	Gray	CS	1
5-00-48011-20223-0	6250	Brown	CS	1
4' x 6'				
5-00-48011-20237-7	6250	Gray	CS	1
5-00-48011-20226-1	6250	Brown	CS	1
Custom 3' x 2' to 50' (1' increments) non-stocked size or color				
Special Order	6250	Gray	CS	1
Special Order	6250	Brown	CS	1
Custom 4' x 2' to 50' (1' increments) non-stocked size or color				
Special Order	6250	Gray	CS	1
Special Order	6250	Brown	CS	1

Custom lengths:

Widths: 3' or 4' (0.9 m or 1.2 m).

Lengths: 2' to 60' in 1' increments (0.6 m to 9.1 m in 0.3 m increments).

*Integral edging comes standard on all lengths and is available upon request on shorter ends if specified with order. If you want all four sides with integral edging, you must state "with nosing."




Matting & Treads



Brown

Black

Gray



Blue

Green

Red

3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100

Entrance coiled vinyl scraper matting designed for heavy-traffic applications. The construction allows dirt and moisture to flow through the matting so it is not retracted into the building. Grease- and oil-resistant. Integral edging* is standard on 3' x 5' and 4' x 6'. Heavy traffic — up to 1,000,000 people per year. NFSI-National Floor Safety Institute certified for high traction.

UPC No.	ID	Color	Units	Qty./CS
3' x 5'				
5-00-48011-26506-8	8100	Brown	CS	1
0-00-48011-29466-7	8100	Black	CS	1
5-00-48011-26503-7	8100	Gray	CS	1
3' x 20'				
0-00-48011-26291-8	8100	Gray	CS	1
4' x 6'				
5-00-48011-26518-1	8100	Brown	CS	1
0-00-48011-29468-1	8100	Black	CS	1
5-00-48011-26515-0	8100	Gray	CS	1
4' x 20'				
0-00-48011-34635-9	8100	Gray	CS	1
3' wide non-stocked				
Special Order	8100	Blue	NA	1
Special Order	8100	Green	NA	1
Special Order	8100	Red	NA	1
Special Order	8100	Brown	NA	1
Special Order	8100	Black	NA	1
Special Order	8100	Gray	NA	1
4' wide non-stocked				
Special Order	8100	Blue	NA	1
Special Order	8100	Green	NA	1
Special Order	8100	Red	NA	1
Special Order	8100	Brown	NA	1
Special Order	8100	Black	NA	1
Special Order	8100	Gray	NA	1

Custom lengths:

Widths: 3' or 4' (0.9 m or 1.2 m).

Lengths: 2' to 60' in 1' increments (0.6 m to 9.1 m in 0.3 m increments).

*Integral edging comes standard on all lengths and is available upon request on shorter ends if specified with order.






Brown




Black




Gray



Blue



Green



Red

3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150

Entrance coiled vinyl scraper matting designed for heavy-traffic applications. The solid vinyl backing retains dirt and moisture. Grease- and oil-resistant. Integral edging* on 4-sides is standard on 3' x 5' and 4' x 6'. Heavy traffic—up to 1,000,000 people per year. NFSI-National Floor Safety Institute certified for high traction.

UPC No.	ID	Color	Units	Qty./CS
3' x 5'				
5-00-48011-26467-2	8150	Brown	CS	1
0-00-48011-29473-5	8150	Black	CS	1
5-00-48011-26464-1	8150	Gray	CS	1
3' x 20'				
0-00-48011-34562-8	8150	Gray	CS	1
4' x 6'				
5-00-48011-26480-1	8150	Brown	CS	1
0-00-48011-29470-4	8150	Black	CS	1
5-00-48011-26477-1	8150	Gray	CS	1
4' x 20'				
0-00-48011-34557-4	8150	Gray	CS	1
3' wide non-stocked				
Special Order	8150	Blue	CS	1
Special Order	8150	Green	CS	1
Special Order	8150	Red	CS	1
Special Order	8150	Brown	CS	1
Special Order	8150	Black	CS	1
Special Order	8150	Gray	CS	1
4' wide non-stocked				
Special Order	8150	Blue	CS	1
Special Order	8150	Green	CS	1
Special Order	8150	Red	CS	1
Special Order	8150	Brown	CS	1
Special Order	8150	Black	CS	1
Special Order	8150	Gray	CS	1

Custom lengths:

Widths: 3' or 4' (0.9 m or 1.2 m).


Lengths: 2' to 60' in 1' increments (0.6 m to 9.1 m in 0.3 m increments).

*Integral edging comes standard on all lengths and is available upon request on shorter ends if specified with order.






Black



Gray



Brown

3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100

Entrance vinyl scraper matting designed for heavy-traffic recessed well applications. The vinyl Z construction allows dirt and moisture to fall through, becoming trapped in the well. Extreme traffic — over 1,000,000 people per year. NFSI-National Floor Safety Institute certified for high traction.

UPC No.	ID	Color	Units	Qty./CS
2' x 20'				
5-00-48011-09563-4	9100	Gray	CS	1
3' x 5'				
5-00-48011-16106-3	9100	Black	CS	1
5-00-48011-20240-7	9100	Gray	CS	1
5-00-48011-20243-8	9100	Brown	CS	1
3' x 20'				
5-00-48011-15389-1	9100	Black	CS	1
5-00-48011-20242-1	9100	Gray	CS	1
5-00-48011-20245-2	9100	Brown	CS	1
2' wide non-stocked				
Special Order	9100	Black	CS	1
Special Order	9100	Gray	CS	1
Special Order	9100	Brown	CS	1
3' wide non-stocked				
Special Order	9100	Black	CS	1
Special Order	9100	Gray	CS	1
Special Order	9100	Brown	CS	1

Custom lengths without edging (for recessed well applications):
 Widths: 2' or 3' (0.6 m or 0.9 m).
 Lengths: 2' to 30' in 1' increments (0.6 m to 9.1 m in 0.3 m increments).

Custom lengths with 4-sided edging (for non-recessed well applications):
 Widths: 2' or 12' (0.6 m or 3.6 m).
 Lengths: 2' to 30' (0.6 m to 9.1 m).





3M™ Safety-Walk™ Cushion Matting

3M™ Safety-Walk™ Cushion Matting 3270

- Spring-coiled vinyl compresses uniformly and continually, helping provide greater comfort and less fatigue
- Textured top surface provides a high coefficient of friction for slip resistance
- Coils are permanently fixed to the top surface and will not delaminate or separate when wet like foam mats
- Lightweight for easy moving and positioning
- Ideal for light industrial and light to medium commercial applications where people stand for extended periods of time
- NFSI-National Floor Safety Institute certified for high traction

UPC No.	ID	Desc.	Units	Qty./CS
Black				
0-00-48011-34826-1	3270E	3' x 5' w/edging	CS	1
0-00-48011-34828-5	3270E	3' x 10' w/edging	CS	1
0-00-48011-34821-6	3270	3' x 10' no edging	CS	1
0-00-48011-34830-8	3270E	3' x 20' w/edging	CS	1
0-00-48011-34823-0	3270	3' x 20' no edging	CS	1
0-00-48011-34827-8	3270E	4' x 6' w/edging	CS	1
0-00-48011-34829-2	3270E	4' x 10' w/edging	CS	1

3M™ Safety-Walk™ Cushion Matting 5270

- Spring-coiled vinyl compresses uniformly and continually, helping provide greater comfort and less fatigue
- Textured top surface provides a high coefficient of friction for slip resistance
- Solid top allows debris to stay on top of the mat for easy cleaning
- Special grease- and oil-resistant coating keeps mat resilient over time, providing continuous comfort
- Ideal for the workplace where people stand for extended periods of time
- Designed for medium to heavy industrial use
- NFSI-National Floor Safety Institute certified for high traction

UPC No.	ID	Desc.	Units	Qty./CS
Black				
0-00-48011-54576-9	5270E	3' x 2' w/edging	CS	1
0-00-48011-54577-6	5270E	3' x 5' w/edging	CS	1
0-00-48011-54579-0	5270E	3' x 20' w/edging	CS	1
0-00-48011-55946-9	5270E	4' x 6' w/edging	CS	1
0-00-48011-55921-6	5270E	4' x 20' w/edging	CS	1
Custom 3' x 2' to 60' (1' increments) non-stacked size				
Special Order	5270YE	Black with Yellow Edge*	CS	1
Custom 4' x 2' to 60' (1' increments) non-stacked size				
Special Order	5270YE	Black with Yellow Edge*	CS	1

*Yellow edging on length sides only.

3M™ Clean-Walk Matting



3M™ Clean-Walk Mat

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back. Contains antimicrobial properties that help inhibit fungal growth in the mat. Framed mats are ideal for carpeted surfaces.

UPC No.	ID	Size	Units	Sheets	Qty./CS
Unframed White					
0-00-21200-55728-6	5830	25" x 45"	CS	30/Mat	4 Mats
0-00-21200-96835-8	5830	18" x 46"	CS	30/Mat	4 Mats
0-00-21200-55730-9	5830	18" x 36"	CS	30/Mat	4 Mats
0-00-21200-55725-5	5836	25" x 45"	CS	60/Mat	4 Mats
0-00-21200-96836-5	5836	18" x 46"	CS	60/Mat	4 Mats
0-00-21200-55727-9	5836	18" x 36"	CS	60/Mat	4 Mats
0-00-21200-95742-0	5836	36" x 46"	CS	60/Mat	4 Mats
0-00-21200-95740-6	5836	24" x 36"	CS	60/Mat	4 Mats
Unframed Blue					
0-00-21200-99489-0	5836	25" x 45"	CS	60/Mat	4 Mats
Framed White					
0-00-21200-55723-1	5840	31.5" x 25.5"	CS	60/Pad	1 Frame; 1 Pad
Framed Black					
0-00-21200-55724-8	5840	31.5" x 25.5"	CS	60/Pad	1 Frame; 1 Pad
Replacement White					
0-00-21200-55722-4	5842	30" x 24"	CS	60/Pad	2 Pads



3M™ Purification Solutions



NB Series



3M™ NB Series Filter Bag

3M™ Series NB Polypropylene & Polyester bag filters leverage 3M's filtration experience and manufacturing expertise to provide cost effective solutions for applications where nominally rated bag filtration is appropriate. 3M Series NB bags are offered in Size #1 and #2 configurations in grades from 1 to 200 microns and fit into standard bag filter baskets and housings.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-18094-1	NB0001PPS2C	7" x 32"	1	50
0-00-16145-18100-9	NB0005PPS2C	7" x 32"	5	50
0-00-16145-18106-1	NB0010PPS2C	7" x 32"	10	50
0-00-16145-18112-2	NB0025PPS2C	7" x 32"	25	50
0-00-16145-18118-4	NB0050PPS2C	7" x 32"	50	50
0-00-16145-18124-5	NB0100PPS2C	7" x 32"	100	50

DF Series



3M™ DF Series Filter

The 3M™ DF series filter element is a proven alternative to most conventional bag filters. Our filter is a true graded porosity media structure that provides a 62% increase in surface area compared to a standard #2 bag and up to 4 times more service life.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-06918-5	DFG001PP2R	7" x 28"	1	16
0-00-16145-06922-2	DFG005PP2R	7" x 28"	5	16
0-00-16145-06926-0	DFG010PP2R	7" x 28"	10	16
0-00-16145-08293-1	DFG025PP2R	7" x 28"	25	16
0-00-16145-08299-3	DFG050PP2R	7" x 28"	50	16
0-00-16145-06936-9	DFG100PP2R	7" x 28"	100	16

High Flow Series

We specifically designed 3M™ High Flow Series Filter Housings to deliver all of the filtration benefits in a compact footprint. Housings are available in standard designs, as well as customizable configurations to suit your specific needs. All standard 3M High Flow Series Filter Housings are designed, manufactured, tested, and code stamped in accordance with ASME Section VIII, Division 1.



3M™ High Flow Series Filter Cartridge - 10"

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-17942-6	HF10PP001D01	6.5" x 10"	1	1
0-00-16145-17943-3	HF10PP002D01	6.5" x 10"	2	1
0-00-16145-17944-0	HF10PP005D01	6.5" x 10"	5	1
0-00-16145-17945-7	HF10PP010D01	6.5" x 10"	10	1
0-00-16145-17947-1	HF10PP025D01	6.5" x 10"	25	1
0-00-16145-17948-8	HF10PP040D01	6.5" x 10"	40	1
0-00-16145-17949-5	HF10PP070D01	6.5" x 10"	70	1



3M™ High Flow Series Filter Cartridge - 40"

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-15028-9	HF40PP001D01	6.5" x 40"	1	1
0-00-16145-15036-4	HF40PP002D01	6.5" x 40"	2	1
0-00-16145-15044-9	HF40PP005D01	6.5" x 40"	5	1
0-00-16145-15052-4	HF40PP010D01	6.5" x 40"	10	1
0-00-16145-15060-9	HF40PP015D01	6.5" x 40"	15	1
0-00-16145-15068-5	HF40PP025D01	6.5" x 40"	25	1
0-00-16145-15076-0	HF40PP040D01	6.5" x 40"	40	1
0-00-16145-15084-5	HF40PP070D01	6.5" x 40"	70	1



3M™ High Flow Series Filter Cartridge - 60"

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-15092-0	HF60PP001D01	6.5" x 60"	1	1
0-00-16145-15100-2	HF60PP002D01	6.5" x 60"	2	1
0-00-16145-15108-8	HF60PP005D01	6.5" x 60"	5	1
0-00-16145-15116-3	HF60PP010D01	6.5" x 60"	10	1
0-00-16145-15123-1	HF60PP015D01	6.5" x 60"	15	1
0-00-16145-15131-6	HF60PP025D01	6.5" x 60"	25	1
0-00-16145-15139-2	HF60PP040D01	6.5" x 60"	40	1
0-00-16145-15147-7	HF60PP070D01	6.5" x 60"	70	1

Micro-Klean RT Series

3M™ Micro-Klean™ RT Series Filter - 30"

Micro-Klean™ RT series filters are all-polypropylene depth filter cartridges offering consistent particle reduction efficiencies, increased surface life, low initial pressure drop and high particle reduction efficiencies. The filter's extended service life results in fewer filter change-outs.



UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-08810-0	RT30B16G20NN	2.6" x 30"	5	25
0-00-16145-08812-4	RT30C16G20NN	2.6" x 30"	10	25
0-00-16145-08814-8	RT30F16G20NN	2.6" x 30"	25	25
0-00-16145-08816-2	RT30L16G20NN	2.6" x 30"	50	25
0-00-16145-08817-9	RT30Q16G20NN	2.6" x 30"	75	25
0-00-16145-08819-3	RT30Y16G20NN	2.6" x 30"	1	25

Water Filtration Products

3M™ Water Filtration Products - Retrofit 9000 Series Replacement Cartridge

3M™ Water Filtration Products Model CFS9112-S Retrofit 9000 Series Replacement Cartridge provides Recipe Quality Water™ for clear and consistent quality ice, coffee and tea by reducing undesirable sediment*, chlorine taste and odor, and scale*. This cartridge fits most Everpure® commercial foodservice heads, allowing you to choose the 9000 Series cartridge that best suits your filtration needs.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-51128-88973-2	CFS9112-S	3¾" x 14¾"	1	12

*As tested and verified by manufacturer's laboratory.

3M™ Water Filtration Products For Ice Machines - High Flow Series

3M™ Water Filtration Products High Flow Series System for Ice Applications featuring Valve-in-Head Design, Scale Inhibition & Cyst Reduction is designed for commercial ice machines and helps to reduce sediment*, chlorine taste and odor, cyst** and scale*. The Sanitary Quick Change (SQC) design allows for no contact with the filter media during cartridge change-out.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-80118-1	ICE120-S	4" x 17"	0.50	6

*As tested and verified by manufacturer's laboratory. **Based on the use of Cryptosporidium parvum oocysts.

3M™ Water Filtration Products For Ice Machines - High Flow Series S Model

3M™ Water Filtration Products High Flow Series (-S) model filter system provide Recipe Quality Water™ for commercial ice machines and commercial steam tables by reducing the effects of sediment*, chlorine taste and odor and scale* while helping you protect your equipment.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-80119-8	ICE125-S	4" x 17"	1.0	6

*As tested and verified by manufacturer's laboratory.

3M™ Water Filtration Products For Cold Beverage Dispensers

We offer the 3M™ Water Filtration Products High Flow Series systems to provide Recipe Quality Water™ for product consistency and equipment protection.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-80103-7	BEV140	4" x 13⅝"	0.2	2
0-00-16145-80102-0	BEV145	4" x 13⅝"	3	2
0-00-54007-97135-1	HF165-CL	4⅝" x 15⅞"	5	1

3M™ Water Filtration Products For Brewed Coffee & Hot Tea Machines

3M™ Water Filtration Products High Flow Series System for Brewed Coffee & Hot Tea Applications featuring Valve-in-Head Design, Scale Inhibition & Cyst Reduction provides you with Recipe Quality Water™ for a consistent quality hot beverage that can help increase repeat business, protect your equipment and elevate profitability.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-80116-7	BREW120-MS	4" x 15½"	0.50	6
0-00-16145-80113-6	BREW125-MS	4" x 15½"	1.0	6



3M™ Aqua-Pure™ System



3M™ Aqua-Pure™ Lead Reduction Filter System

3M™ Under Sink Full Flow Water Filter System 3MFF100 is one of several options in a complete product portfolio delivering cleaner, clearer drinking water. This under sink filtration system is NSF listed to reduce particulate, chlorine taste and select VOCs such as benzene, p-Dichlorobenzene and toxaphene. This system connects to the primary kitchen or bath water faucet.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-23311-1	3MFF100	4½" x 16"	0.2	6



3M™ Aqua-Pure™ Drinking Water System

3M™ Aqua-Pure™ AP Easy Complete Cooler Water Filter System is a great choice in water filtration. This system is NSF listed to reduce particulate, chlorine taste and odor, asbestos, parasitic protozoan cysts, lead, mercury, and select VOCs. The compact AP Easy Complete Cooler system connects to a water cooler.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-51128-89432-3	AP Easy Complete Cooler	2¾" x 10½"	0.5	6



3M™ Aqua-Pure™ Whole House Water Filtration System

3M™ Aqua-Pure™ Whole House Sanitary Quick Change Water Filter System AP904 is an activated carbon filter system with a nominal heavy duty particulate reduction rating of 5 microns and 100,000 gallon capacity. It reduces sediment, and chlorine taste and odor. We also combine scale inhibition media to help prevent scale build-up and corrosion in hot water-using appliances and pipes.

UPC No.	ID	Size	Micron Rating	Qty./CS
0-00-16145-26699-7	AP904	4½" x 25¼"	5	1

3M™ Braces & Supports



Ace™ Brand Products



ACE™ Brand Adjustable Neoprene Ankle Support

The ACE™ Brand Adjustable Neoprene Ankle Support serves as a comfortable compression wrap or ankle brace to protect against and help relieve ankle pain. So you can keep feeling and performing at your best.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-19806-7	207248	Adjustable – One Size	EA	12

ACE™ Brand Adjustable Back Brace

Put in a hard day's work with an ACE™ Brand Adjustable Back Brace. The adjustable brace supports your lumbar and abdominal area with a comfortable, custom fit every time. Lightweight and low-profile design allows comfortable fit for all day wear. Mesh panels allow for excess heat and moisture transfer.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-20810-0	207744	Dual Straps for Adjustment – One Size	EA	12

ACE™ Brand Adjustable Knee Support

The ACE™ Brand Adjustable Knee Support is designed in comfortable neoprene to provide optimal support and help relieve knee pain whatever your knee needs to do. Provides support for weak, arthritic or injured knees. Soft, neoprene blend material allows excess heat and moisture to escape to keep you cooler and drier.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-19815-9	207247	Adjustable – One Size	EA	12

ACE™ Brand Tennis Elbow Support

The ACE™ Brand Tennis Elbow Support provides optimal support for tennis injuries and assures proper fit and comfort before, during and after the big game. Air cushion provides targeted compression. Helps reduce pain and elbow strain.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-19804-3	205323	Adjustable – One Size	EA	12

ACE™ Brand Work Belt

The ACE™ Brand Work Belt features removable suspenders, a streamlined, custom fit and maximum support to help relieve lower back pain. Designed to provide support for work on the jobsite and around the house. Contoured design for comfort. Constructed with breathable materials.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-20423-2	208605	Dual Straps for Adjustment – One Size	EA	12

ACE™ Brand Wrap Around Wrist Support

This adjustable support helps relieve symptoms from arthritis and general soreness. Heat retention helps improve circulation and promotes healing. Helps limit wrist motion. Fits right or left wrist.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-20385-3	207220	Adjustable – One Size	EA	12

ACE™ Brand Hot & Cold Multi-Purpose Wrap

Experience portable, reusable hot or cold therapy with the convenient ACE™ Brand Hot & Cold Multi-Purpose Wrap. Insulating, neoprene-blend wrap material secures the pack, which maintains the correct heating temperature and adjusts to allow treatment on a variety of body parts.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-20403-4	203961	Hot or Cold Gel Pack	EA	12

ACE™ Brand Self-Adhering Elastic Bandage

ACE™ Brand Self-Adhering Elastic Bandages need no clips or fasteners and are designed to provide comfortable support for extended periods of time. Provides compression for strenuous activities. Use for sprains, strains, swelling, general soreness. Can be washed and reused.

UPC No.	ID	Description	Units	Qty./CS
0-00-51131-20369-3	207461	3" Width	EA	72

Ask your 3M Representative for a complete listing of all ACE™ Brand products.



IMPORTANT NOTICE TO PURCHASER

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

For More Information

Technical Assistance in US: 1-800-243-4630
Technical Assistance in Canada: 1-800-267-4414
www.3M.com/workersafety

3M, Accuspray, Ace, Aqua-Pure, Command, Cubitron, Doodlebug, Dura-Hold, Easy Trap, Hand-Masker, LeadCheck, Micro-Klean, Nomad, Perfect-It, Post-it, PPS, Recipe Quality Water, Roloc, Safety-Walk, Scotch, ScotchBlue, Scotch-Brite, Super 33+ and Super 77 are all trademarks of 3M. All other trademarks are the property of their respective owners.

Please recycle. Printed in USA. © 3M 2018.
70-0716-7232-6

April 2018



Personal Safety Division
3M Center
Building 235-2NW-70
St. Paul, MN 55144-1000

3M Canada Company PSD
P.O. Box 5757
London, Ontario N6A 4T1
Canada