Page: 1 of 8 Printed: 04/03/2015 Revision: 04/03/2015

1. Product and Company Identification

Product Code: ACE DRAIN CLNR
Product Name: ACE Drain Cleaner

Company Name: Fas-Pak

401 Darlington St (219)325-3455

Phone Number:

La Porte, IN 46350

Web site address: http://www.fas-pak.com

Information: EH&S Manager (219)325-3455 243

Product Category: Household Products
Intended Use: Toliet Bowl Cleaner

2. Hazards Identification

Acute Toxicity: Inhalation, Category 3
Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 1

Acute Toxicity: Oral, Category 3





Danger

Danger

GHS Hazard Phrases: H301: Toxic if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

GHS Precaution Phrases: P260: Do not breathe fumes/gas/mist/vapors/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a

POISON CENTER or doctor/physician.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment included in this SDS.

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal

Phrases:

P403+233: Store container tightly closed in well-ventilated place - if product is as volatile

as to generate hazardous atmosphere.

P405: Store locked up.

P501: Dispose of contents/container to approved locations in compliance with all

applicable regulations.

Page: 2 of 8 Printed: 04/03/2015 Revision: 04/03/2015

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects May cause severe chemical burns to the eyes, skin, gastrointestinal tract, and respiratory

(Acute and Chronic): system.

Inhalation: Hydrogen chloride gas, mist and vapor can cause irritation of respiratory tract, with

burning, choking, coughing, headaches and rapid heartbeat. Levels of 10 to 35 ppm can cause irritation of throat and 50-100 ppm is nearly unbearable for 1 hour. Inflammation,

destruction of nasal passage and breathing difficulties can occur with higher concentrations and may be delayed in onset. 1000-2000 ppm can be fatal.

Skin Contact: Liquid hydrogen chloride or concentrated vapors can rapidly cause burning of skin.

Repeated or prolonged contact with dilute solutions, and concentrated vapors, can

cause irritations and dermatitis.

Eye Contact: Liquid or concentrated vapors can cause eye irritations, severe burns and permanent

damage including blindness.

Ingestion: Can cause severe burns of mouth, esophagus and stomach. Nausea, pain and vomiting

frequently occur. Depending upon amounts swallowed, holes in the intestinal tract,

kidney inflammation, shock and death can occur.

Medical Conditions Generally Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis. **Aggravated By Exposure:**

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration		
7732-18-5	Water	89.0 -91.0 %		
7647-01-0	Hydrochloric acid	8.5 -9.5 %		
NA	Proprietary alkoxylated amine compound	0.4 %		
67-63-0	Isopropyl alcohol	0.23 %		
64-19-7	Acetic acid	0.069 %		
111-46-6	Diethylene glycol	0.007 -0.01 %		
68603-67-8	Amines, polyethylenepoly-, reaction products with benzyl chloride	0.003 -0.007 %		
128-37-0	Butylated hydroxytoluene	0.003 %		
61791-14-8	Polyethoxylated (15) cocamine	0.001 -0.003 %		
105-55-5	N,N'-Diethylthiourea	0.001 %		

4. First Aid Measures

Emergency and First Aid

Procedures:

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

In Case of Inhalation: If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

In Case of Skin Contact: Immediately flush with cool water for 15 minutes while removing contaminated clothing

and shoes. Discard or wash well before reuse. Obtain medical advice immediately.

In Case of Eye Contact: Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

In Case of Ingestion: Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Obtain medical attention.

Signs and Symptoms Of The product causes burns of eyes, skin and mucous membranes.

Page: 3 of 8 Printed: 04/03/2015 Revision: 04/03/2015

Exposure:

Note to Physician: Symptoms may be delayed.

5. Fire Fighting Measures

Nonflammable Liquid

NΡ Flash Pt:

Explosive Limits: LEL: No data. UEL: No data.

NΡ **Autoignition Pt:**

Suitable Extinguishing Media: Treat for surrounding material.

Firefighters should wear full protective clothing including self contained breathing Fire Fighting Instructions:

apparatus.

Flammable Properties and

Non-flammable liquid.

Hazards:

6. Accidental Release Measures

Protective Precautions. Protective Equipment and Emergency Procedures:

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental Precautions:

Do not discharge into lakes, streams, ponds or public waters.

Steps To Be Taken In Case Material Is Released Or

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Spilled:

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Precautions To Be Taken in Handling:

Use good industrial hygiene practices in handling this material. Do not get in eyes, on skin or on clothing. Use only with adequate ventilation. Avoid breathing vapors or mists of this product. Keep container tightly closed. Wash thoroughly after handling.

Precautions To Be Taken in Storing:

Keep out of the reach of children. Store in a closed container away from incompatible

materials.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7732-18-5	Water	No data.	No data.	No data.
7647-01-0	Hydrochloric acid	CEIL: 5 ppm	CEIL: 2 ppm)	No data.
NA	Proprietary alkoxylated amine compound	No data.	No data.	No data.
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
64-19-7	Acetic acid	PEL: 10 ppm	TLV: 10 ppm STEL: 15 ppm	No data.
111-46-6	Diethylene glycol	No data.	No data.	No data.
68603-67-8	Amines, polyethylenepoly-, reaction products with benzyl chloride	No data.	No data.	No data.
128-37-0	Butylated hydroxytoluene	No data.	TLV: 2 mg/m3 (Inhalation)	No data.
61791-14-8	Polyethoxylated (15) cocamine	No data.	No data.	No data.
Licensed to FAS	-PAK, INC.			GHS format

Page: 4 of 8 Printed: 04/03/2015 Revision: 04/03/2015

105-55-5 N,N'-Diethylthiourea No data. No data. No data. No data.

Respiratory Equipment

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

(Specify Type):

Eye Protection: Where splashing is possible, wear safety glasses with side shields or chemical safety

goggles.

Protective Gloves: Wear gloves that cannot be penetrated by chemicals. Neoprene, nitrile, polyvinyl alcohol

(PVA), polyvinyl chloride and polyurethane gloves may prevent skin contact.

Other Protective Clothing: No special protective clothing is normally required. Select protective clothing depending

on industrial operations.

Engineering Controls

(Ventilation etc.):

Use only with adequate ventilation.

Work/Hygienic/Maintenance

Practices:

Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking and using the lavatory. Appropriate techniques should be used to

remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Environmental Exposure

Controls:

Local or general exhaust required when using at elevated temperatures that generate

vapors or mists.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear to pale yellow liquid with an acidic odor.

Melting Point:No data.Boiling Point:No data.Autoignition Pt:NPFlash Pt:NP

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): 1.04 - 1.06 at 70.0 F (21.1 C)

Density: 8.72 - 8.81 LBS/GAL at 70.0 F (21.1 C)

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: No data.

Solubility in Water: Soluble

Viscosity: 25 - 50 CPS at 70.0 F (21.1 C)

pH: < 1.0
Percent Volatile: No data.</pre>

10. Stability and Reactivity

Reactivity: Reacts vigorously with alkaline material. This product may react with reducing agents.

Contact with common metals produces hydrogen which may form explosive mixtures with air. Thermal decomposition may release corrosive hydrogen chloride gas. Contact

with strong oxidizers may produce chlorine gas.

Stability:Unstable []Stable [X]Conditions To Avoid -Do not mix with other chemicals.

Instability:

Incompatibility - Materials To Bases. Reducing agents.

Avoid:

Hazardous Decomposition Or May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Ammonia.

Byproducts: Hydrogen chloride. Other low molecular weight hydrocarbons

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Page: 5 of 8 Printed: 04/03/2015 Revision: 04/03/2015

Conditions To Avoid - Hazardous Reactions:

Under normal conditions of storage and use, hazardous polymerization is not expected

to occur.

11. Toxicological Information

Toxicological Information: May cause severe chemical burns to the eyes, skin, gastrointestinal tract, and respiratory

system.

CAS# 67-63-0:

Acute toxicity, LD50, Oral, Rat, 5045. MG/KG.

Result:

Behavioral: Altered sleep time (including change in righting reflex).

Behavioral: Somnolence (general depressed activity).

- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow

113095 Russia, Vol/p/yr: 43(1),8, 1978

Acute toxicity, LD50, Oral, Mouse, 3600. MG/KG.

Result:

Behavioral: Altered sleep time (including change in righting reflex).

Behavioral: Somnolence (general depressed activity).

- Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow

113095 Russia, Vol/p/yr: 43(1),8, 1978

Irritation or Corrosion: Eye: Causes chemical burns. May cause blindness.

Skin Causes chemical burns.

Inhalation May cause respiratory tract irritation or chemical burns.

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and

stomach.

Sensitization: Not a skin sensitizer.

Carcinogenicity/Other

Information:

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:

Hydrochloric acid can be acutely toxic to aquatic life through reduction in aqueous pH to toxic levels. Typically most aquatic species are intolerant of pH levels lower than 5.5 for any extended length of time. Reduction of pH levels may also cause the liberation of

metals such as aluminum, which will also contribute to, exhibited toxicity.

CAS# 7647-01-0:

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 282000. UG/L, 96 H, Mortality,

Water temperature: 21.00 C (69.8 F) - 23.00 C (73.4 F) C, pH: 8.20; Toxicity to

Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer,

and R. Lasater, 1957

CAS# 67-63-0:

LC50, Water Flea (Daphnia magna), 10000. MG/L, 24 H, Intoxication,, Water

temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.70, Hardness: 16.00 dH.

Result:

Age Effects.

- Results of the Damaging Effect of Water Pollutants on Daphnia magna (Befunde der Schadwirkung Wassergefahrdender Stoffe Gegen Daphnia magna), Bringmann, G., and

R. Kuhn, 1977

Page: 6 of 8 Printed: 04/03/2015 Revision: 04/03/2015

Results of PBT and vPvB

No testing has been performed by the manufacturer.

assessment:

Persistence andThis product is not expected to persist in the environment.

Degradability:

Bioaccumulative Potential: This product is not expected to bioaccumulate.

Mobility in Soil: Spillages may penetrate the soil causing ground water contamination.

13. Disposal Considerations

Waste Disposal Method: The generation of waste should be avoided or minimized wherever possible. Empty

containers or liners may retain some product residues. Dispose of spilled or waste product in accordance with all local, state and federal environmental regulations.

Waste Disposal Method: D002

14. Transport Information

GHS Classification: Acute Toxicity: Inhalation, Category 3 - Danger! Toxic if inhaled

Skin Corrosion/Irritation, Category 1A - Danger! Causes severe skin burns and eye

damage

Serious Eye Damage/Eye Irritation, Category 1 - Danger! Causes serious eye damage

Acute Toxicity: Oral, Category 3 - Danger! Toxic if swallowed

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquids, n.o.s. (Hydrogen Chloride) (Hydrochloric acid)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN1760 Packing Group: III

CORROSIVE 8

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Corrosive liquids, n.o.s. (Hydrogen Chloride)

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Corrosive liquids, n.o.s. (Hydrogen Chloride)

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Corrosive liquids, n.o.s. (Hydrogen Chloride)

UN Number: 1760 Packing Group: III

Hazard Class: 8 - CORROSIVE

IMDG MFAG Number:

IMDG EMS Page: Marine Pollutant: No

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Corrosive liquids, n.o.s. (Hydrogen Chloride)

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7732-18-5	Water	No	No	No
7647-01-0	Hydrochloric acid	Yes 500 LB	Yes 5000 LB	Yes
NA	Proprietary alkoxylated amine compound	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes
64-19-7	Acetic acid	No	Yes 5000 LB	No
111-46-6	Diethylene glycol	No	No	No

Page: 7 of 8 Printed: 04/03/2015 Revision: 04/03/2015

68603-67-8	Amines, polyethy benzyl chloride	rlenepoly-, reaction	products with	No	No	No	
128-37-0	Butylated hydroxytoluene			No	No	No	
61791-14-8	Polyethoxylated (15) cocamine			No	No	No	
105-55-5	N,N'-Diethylthiou	rea		No	No	No	
This material	meets the EPA	[X] Yes [] No	Acute (imme	ediate) Hea	alth Hazard		
Hazard Categories' defined [X]		[X] Yes [] No	Chronic (delayed) Health Hazard				
for SARA Title III Sections [] Yes [X] No		Fire Hazard					
311/312 as indicated : [] Yes [X] No		Sudden Release of Pressure Hazard					
		[] Yes [X] No	Reactive Ha	zard			

16. Other Information

Revision Date: 04/03/2015 Preparer Name: CRR

Hazard Rating System:





HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is based on our current knowledge of the underlying data and is intended to describe the product for the purpose of health, safety and environmental requirements only. No warranty or guarantee is expressed or implied regarding the accuracy of these data or the results to be obtained from the use of the product.