

Agri-Fab® Lawn Care Made Easy®



Our Products Make Lawn Care Easy

Agri-Fab®

Lawn Care Made Easy®

Four Simple Tools to Make **LAWN CARE EASY.**

DE-THATCHER

Promotes new growth by removing dead stems and grass.



SWEEPER

Just like a rake, it cleans up everything on your lawn.



SPREADER

It has precise controls to evenly spread your fertilizer.

AERATOR

Creates holes in your lawn to allow the fertilizer to easily feed the roots.

LAWN CARE CALENDAR



SPRING

- Sweep up winter lawn debris to prevent mold.
- Roll lawn to level out uneven areas caused by freezing and thawing soil.
- Aerate to open up compacted soil.
- Overseed bare areas.
- Apply pre-emergent herbicide in early spring.
- Start mowing only after grass has started to actively grow again. (Mower height depends on your species of grass and your climate, but a general rule is to mow slightly lower in the spring and fall; higher in the summer.)
- Apply a light dressing of low-nitrogen fertilizer in late spring.



SUMMER

- Apply grub control product in early summer.
- Mow grass regularly. (Adjust mower height in weather extremes: In drought conditions, mow higher and less often; in a wet season, mow slightly lower and more often.)
- Trim grass edges.
- Fertilize and feed if necessary, but do not use these products during dry spells.
- Water grass as needed. Water deeply and only when really needed.



FALL

- De-thatch and sweep up debris.
- Aerate compacted soil if you didn't do this in the spring.
- Overseed bare areas if you didn't do this in the spring. Apply seed about a month before first frost.
- Apply a light dressing of fertilizer once in early fall, and again in late fall.
- Remove leaves.
- For final mowing, raise the mower height slightly.
- Spray perennial weeds.



WINTER

- Perform maintenance on lawn care equipment according to your owner's manuals.
- Sharpen mower blades.
- Remove fallen branches and winter debris as necessary.
- Apply fungicide in late winter/early spring.



3Yr Warranty

Agri-Fab® Consumer Limited Warranty Agri-Fab® Consumer Attachments are **warranted for three (3) years** with the exception of wear parts. This warranty does not cover misuse, negligent handling or lack of reasonable

maintenance and product care. For more information regarding this limited warranty or other Agri-Fab® family product warranties, please contact our Customer Care Department at 800-448-9282 or visit our **website at www.agri-fab.com**.

Exception... Agri-Fab® engine-powered products are warranted for one (1) year excluding wear parts. Actual engines on Agri-Fab® engine-powered products are covered by the engine manufacturer.* Product used in commercial applications warranted for 90 days.

*Wear parts are subject to change without notice.

This document is protected under the U.S. Copyright Laws and the copyright laws of foreign countries, pursuant to the Universal Copyright Convention and the Berne Convention. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, or by any information storage or retrieval system, without the express written permission of Agri-Fab®, Inc. Unauthorized uses and/or reproductions of this document will subject such unauthorized user to civil and criminal penalties as provided by the United States Copyright Laws.

SWEEPERS

6



SPREADERS

12



CARTS

24



GROOMERS

32



ROLLERS

44



GROUND ENGAGING

48



SPRAYERS

52



VACS


56



SpeedEPart®

SpeedEPart® is the easiest way to order Agri-Fab® or the Agri-Fab® family of parts. SpeedEPart® is available when you need to order parts, 24 hours, 7 days a week, 365 days a year. Most part orders are shipped within the following 24 hours, with the exception of holidays and weekends. To order parts under warranty, please contact our Customer Care Department at 800-448-9282.

Sweepers



Why Use A Sweeper?

Many people are unaware of the benefits of a lawn sweeper. Most use a rake to clear away leaves, grass clippings, debris, even pine cones. That's hard work. It's also time consuming. With a lawn sweeper, the job becomes much easier on you and your lawn. It also works smoothly with its durable brushes, so your grass never gets damaged while cleaning your lawn.



Sweepers also have certain advantages over a bagger. The sweeper holds almost twice as much as a bagger so you don't have to empty the contents as often. You can also empty the sweeper bag without ever getting off the tractor.



Product Features



No Tool Assembly
Easy to assemble -
No Tools Required!!



Extra-Large Flow Through Bag
So you don't have to dump
as often.



Adjustable Hitch
Easily, quickly adjusts to the
height of the tractor hitch.

44" Lawn Sweeper



MODEL 45-0492 Patent 8,640,294 & 8,646,141

STD. Pk. 1 • Wt. Ea. 92.6 lbs. • Assembled Product Size 78" x 55" x 52" • UPS Y • Pkt. Qty. 8
Carton Size L x W x H 53.2" x 17.2" x 18.9" • UPC Code Ref. 052613103630



Brush Height Adjustment
Easy to adjust brushes to correct sweeping height. Built in gauge to measure the depth for precise cleaning.



Patented Off-Set Hitch
Allows you to sweep and mow at the same time.



Easy Storage
The 44" sweeper collapses for easy storage.



42" Tow Lawn Sweeper



*



MODEL 45-0320

STD. Pk. 1 • Wt. Ea. 68 lbs. • Assembled Product Size 67" x 51" x 24" • UPS Y • Plt. Qty. 21
Carton Size L x W x H 51.75" x 12.625" x 11.5" • UPC Code Ref. 052613453209

38" Tow Lawn Sweeper



MODEL 45-0331

STD. Pk. 1 • Wt. Ea. 63 lbs. • Assembled Product Size 72" x 45" x 23" • UPS Y • Plt. Qty. 21
Carton Size L x W x H 46.25" x 18.75" x 12.5" • UPC Code Ref. 052613453315

Product Features



Less Work

Easy height adjustment and strong brushes make cleaning up your lawn easier than a rake.



Durable

With stamped steel housing, it will last season after season.



Versatile

Easily and quickly attaches to all tractors.

26" Push Lawn Sweeper



Product Features

Durable

Made with sturdy lasting parts, this Sweeper will last season after season.

Handles Easily

It's lightweight so you can do the clean up job quickly and better than a rake.

Easy Storage

It folds up to fit comfortably in your garage.

MODEL 45-0218

STD. Pk. 1 • Wt. Ea. 25 lbs. • Assembled Product Size 52.5" x 31" x 33" • UPS Y • Pkt. Qty. 30 • Carton Size L x W x H 33.2" x 12.4" x 15.7" • UPC Code Ref. 052613452189



Agri-Fab® *Lawn Care Made Easy®*

Spreaders



Why Fertilize?

Your spreader is designed to evenly fertilize your lawn with nutrients it needs for growth, color, root strength and overall health. The active ingredients in lawn fertilizer are important for plant growth, root vitality and overall health. Late summer and early fall are the best times of the year



to fertilize your lawn. The summer is an excellent time to give your lawn a healthy boost. In the fall, fertilizing gives your lawn extra strength to help it through the winter.



130 lb. Push Spreader



MODEL 45-0502 Patent D602,045 & Patent Pending

**STD. Pk. 1 • Wt. Ea. 38 lbs. • Assembled Product Size 48" x 27.125" x 33.625" • UPS Y
Plt. Qty. 12 • Carton Size L x W x H 27" x 25.5" x 15.5" • UPC Code Ref. 052613103708**

Product Features



Coverage

130 lb. capacity covers about 1/2 acre (25,000 sq. ft.).**



Grate

The provided grate improves material flow and spreader performance.



Included

The cover and deflector keep material dry and narrows the spread pattern.

130 lb. Push Spreader



*



MODEL 45-0462 Patent D602,045 & Patent Pending

STD. Pk. 1 • Wt. Ea. 37 lbs. • Assembled Product Size 48" x 27.125" x 33.625" • UPS Y
Plt. Qty. 12 • Carton Size L x W x H 27" x 25.5" x 15.75" • UPC Code Ref. 052613102411



Pro Kit

Includes adjustable shield, cushioned handles and hopper cover.

MODEL 67660

STD. Pk. 1 • Wt. Ea. TBD • UPS Y
Carton Size L x W x H 13.75" x 3.69" x 4.69"
UPC Code Ref. 052613103272

130 lb. Tow Spreader



*



MODEL 45-0463 Patent D602,045 & Patent Pending

STD. Pk. 1 • Wt. Ea. 37 lbs. • Assembled Product Size 46" x 27.125" x 31.5" • UPS Y
Plt. Qty. 12 • Carton Size L x W x H 27" x 25.5" x 15" • UPC Code Ref. 052613102428



Grate Kit

Optional spreader grate kit which improves material flow and performance.

MODEL 67663

STD. Pk. 1 • Wt. Ea. 5 lbs. • UPS Y
Carton Size L x W x H 18" x 18" x 1/2"
UPC Code Ref. 052613103258

Product Features



Coverage
130 lb. capacity covers about 1/2 acres (25,000 sq. ft.).**



Durable
Enclosed gearbox.



Maneuverable
Equipped with large pneumatic tires.

175 lb. Tow Drop Spreader



MODEL 45-0288

STD. Pk. 1 • Wt. Ea. 46 lbs. • Assembled Product Size 33" x 50" x 28" • UPS Y • Plt. Qty. 9
Carton Size L x W x H 53" x 15" x 21" • UPC Code Ref. 052613452882

Product Features



Coverage

175 lb. capacity covers about 1 acre (40,000 sq. ft.).**



Durable

Galvanized steel agitator is rust resistant and easy to clean.



Maneuverable

Pneumatic tires allow for smooth transport.

175 lb. Tow Spiker/Seeder/Drop Spreader



MODEL 45-0301

STD. Pk. 1 • Wt. Ea. 83 lbs. • Assembled Product Size 33" x 55" x 28" • UPS N
Plt. Qty. 6 • Carton Size L x W x H 55.375" x 19.25" x 22.75" • UPC Code Ref. 45301

Product Features



Coverage

175 lb. capacity covers about 1 acre (40,000 sq. ft.).**



Durable

Rustproof poly hopper increases product life.



Convenience

You can aerate and seed in one pass with this combined design.

100 lb. Tow Spiker/Seeder/Spreader



MODEL 45-0309

STD. Pk. 1 • Wt. Ea. 46 lbs. • Assembled Product Size 36" x 42" x 20" • UPS Y
Plt. Qty. 12 • Carton Size L x W x H 36" x 18.5" x 14" • UPC Code Ref. 052613453094

Product Features



Coverage

100 lb. capacity covers about 1/3 acre (17,500 sq. ft.).**



Durable

Rustproof poly hopper increases product life.



Convenience

You can aerate and seed in one pass with this combined design.

85 lb. Tow Spreader



MODEL 45-0315

*



STD. Pk. 1 • Wt. Ea. 19 lbs. • Assembled Product Size 35" x 22" x 24" • UPS Y • Plt. Qty. 40
Carton Size L x W x H 24" x 16" x 14" • UPC Code Ref. 052613453155

Product Features



Coverage

85 lb. capacity covers about 1/4 acre (14,000 sq. ft.).**



Durable

Rust-proof poly hopper and spreader plate increases product life.



Maneuverable

Pneumatic tires let you go anywhere to get the job completely done.

100 lb. Tow Spreader



*

MODEL 45-0215

STD. Pk. 1 • Wt. Ea. 28 lbs. • Assembled Product Size 39" x 28" x 27" • UPS Y • Pkt. Qty. 10
Carton Size L x W x H 26.5" x 26.5" x 14.5" • UPC Code Ref. 052613452158

Product Features



Coverage

100 lb. capacity covers about 1/3 acre (17,500 sq. ft.).**



Durable

Rust-proof poly hopper and spreader plate increases product life.



Maneuverable

Pneumatic tires let you go anywhere to get the job completely done.

175 lb. Tow Spreader



*



MODEL 45-0329

STD. Pk. 1 • Wt. Ea. 57 lbs. • Assembled Product Size 43" x 38" x 41" • UPS N
Pkt. Qty. 10 • Carton Size L x W x H 33" x 35" x 19" • UPC Code Ref. 052613453292



Product Features



Coverage

175 lb. capacity covers about 1 acre (40,000 sq. ft.).**



Easy Operation

Raised on/off control accessible from ATV/UTV seat.



Maneuverable

Extra-large 15" x 6" pneumatic tires with ball bearings and a gear disengage feature that allows for higher transport speeds.



Rust-proof Hopper

Rust-proof poly hopper with poly cover for keeping spreading material dry.



Spreader Grate

Spreader grate which improves material flow and performance.



Durable

Enclosed gearbox with grease zerk.

85 lb. Push Spreader



MODEL 45-0388

STD. Pk. 1 • Wt. Ea. 20 lbs. • Assembled Product Size 35" x 22" x 33" • UPS Y • Pkt. Qty. 20
Carton Size L x W x H 24" x 16" x 14" • UPC Code Ref. 052613100394

Product Features



Coverage

85 lb. capacity covers about 1/4 acre (14,000 sq. ft.).**



Durable

Rust-proof poly hopper and spreader plate increases product life.



Maneuverable

Pneumatic tires let you go anywhere to get the job completely done.



Deflector Kit

Agri-Fab® deflector kit* #65353 narrows the spread width to 4 feet, controlling the flow of material and protecting areas from unwanted distribution.

Fits all Agri-Fab® push or tow spreaders with 100 lb. capacity or higher.
* Does not fit 130 lb. spreaders.



Hopper Cover

Agri-Fab's® hopper covers are ideal for keeping spreading material dry.

40825: Fits Agri-Fab® 125 lb.–175 lb. broadcast spreaders.

40883: Fits Agri-Fab® 85 lb.–100 lb. broadcast spreaders.

41316: Fits Agri-Fab® 130 lb. spreaders.

100 lb. Push Spreader

See page 19 for
Optional Hopper
Cover and
Deflector Kit



MODEL 45-0214

STD. Pk. 1 • Wt. Ea. 29 lbs. • Assembled Product Size 37" x 26" x 31" • UPS Y • Pkt. Qty. 10
Carton Size L x W x H 27.4" x 26.7" x 15.7" • UPC Code Ref. 052613452141



Product Features



Coverage

100 lb. capacity covers about 1/3 acre (17,500 sq. ft.).**



Durable

Rust-proof poly hopper and spreader plate increase product life.



Maneuverable

Pneumatic tires let you go anywhere to get the job completely done.

50 lb. Push Spreader



MODEL 45-0409

STD. Pk. 1 • Wt. Ea. 8 lbs. • Assembled Product Size 31.9" x 17" x 34" • UPS Y • Pkt. Qty. 36
Carton Size L x W x H 16" x 16.9" x 24.2" • UPC Code Ref. 052613101124

Product Features



Coverage

Compact size for smaller lawns.



Durable

Rust-proof poly hopper and spreader plate increases product life.



Maneuverable

Durable poly wheels.

Hand-Held Spreader



MODEL 45-0282

STD. Pk. 6 • Wt. Ea. 2 lbs. • Assembled Product Size 10" x 9" x 9" • UPS Y • Plt. Qty. 360
Carton Size L x W x H 26.5" x 18.25" x 14.75" • UPC Code Ref. 052613452820

Product Features



Pre-assembled
Ready to go. Just take it out of the box.



Precise
Control device spreads just the right amount.



Easy to Operate
Just fill and turn the knob to spread.



Why, When and How to fertilize.

FERTILIZING

WHY fertilize?

Fertilizer is designed to feed your lawn with the nutrients it needs for growth, color, root strength and overall health. The active ingredients in lawn fertilizer are Nitrogen, Phosphorus and Potassium (N, P, K). Each of these elements has a different, important purpose: Nitrogen for plant growth and healthy foliage; Phosphorus for growth and vitality of the root system; Potassium for strong cells throughout the plant tissue and overall health. When these nutrients are applied properly, your lawn will look great and be more resistant to diseases, pests and weather extremes.

WHAT type of fertilizer should I use?

Fertilizers are available in various formulations, with different ratios of the ingredients mentioned above. Since the ingredients are always listed in the N-P-K order, it's easy to tell what each formulation will do for your lawn. If you want lush foliage at the top of the plant, choose a formulation with a high N number, such as 12-4-8. To strengthen the root system, choose a formulation with a high P number, such as 5-10-5. A good all-around fertilizer would be 10-10-10. An easy way to remember which number is which is to think "up, down, all around."

WHEN should I fertilize?

Late summer and early fall are the best times of year to fertilize your lawn.

Some people like to fertilize in the spring to get the lawn off to a healthy start. However, we suggest using caution at the beginning of the growing season because early spring applications of high nitrogen products can cause a growth surge that's bad for the lawn in spite of the lush-looking results. (During a growth surge, most of the plant's energy goes to the top of the grass, at the cost of the root system.) If you want to fertilize in the spring, use a low-nitrogen product.

Fertilizing during the summer gives your lawn the strength to thrive during its main growing season. Not only is growth itself demanding on the plant chemistry, but mowing, raking, aerating, etc., all apply added stress to your lawn. A healthy, well-fed lawn will do better with these stresses, as well as with extremes in weather and possible pest damage.

In the fall, fertilizing gives your lawn an extra boost to help it through the winter. This application also provides valuable prep for next spring, helping the grass resume growth and green-up early in the season, without the growth surge discussed above.


HOW do I apply fertilizer?

A good system is to start at the edges of your lawn first. For a square or rectangular lawn, make two passes at opposite ends of the lawn; for an irregular or circular lawn, make two passes around the perimeter. Then move back and forth in straight lines between the edges, making sure to turn the spreader off when turning around. With a drop spreader, overlap the path of the wheel to avoid striping.

After fertilizing, water the lawn thoroughly but not too heavily. The idea is to wash the nutrients off of the grass leaves and gently into the soil.

HOW MUCH fertilizer should I use?

Refer to the instruction on your fertilizer bag for application rates, spreader settings and coverage amounts. This varies from product to product, because of the size of granules and the broadcast medium.



HOW TO MEASURE THE SIZE OF YOUR LAWN

You'll need to know the size of your lawn to determine fertilizer, herbicide and pesticide application. It also helps when choosing lawn equipment.

- For a rectangular or square lawn, simply multiply the length times the width for total square feet.
- If your lawn is a triangle, multiply the length of the base times the height, and divide that number by 2.
- If your lawn is circular (or close), measure the distance from the center of the lawn to the edge. This is the radius. Multiply that number by itself (r^2), and then multiply by pi (3.14).
- If your lawn is irregular, you can either break it up into smaller areas, figure those sizes, then add them up. Or you can estimate using averages. Measure the width of your lawn every 10 feet or so along the length, then calculate the average width. (Add the measurements together and divide the total by the number of measurements you made.) Do this same exercise in the other direction to arrive at an *average length*. Then multiply your average width by your average length to get a fairly accurate estimate of total square feet.
- Convert square footage to acreage by dividing your total area by 43,560, the number of square feet in a single acre.



SPREADERS

There are two basic types of fertilizer spreaders: drop and broadcast spreader. The charts below will help you decide which type of spreader is best for your job, and the size you need based on yard size.

Recommended Type of Spreader

TYPE	MATERIAL			
	Grass Seed	Fertilizer	Granular Herbicide	Ice Melt
DROP	better	good	best	good
BROADCAST	good	best	good	best

(Hand-held spreaders are useful tools also, and are good for overseeding or fertilizing small areas, or for applying ice melt to driveways and sidewalks.)

Recommended Spreader Sizes

YARD SIZE	SPREADER SIZE
Approx. 1 acre/40,000 sq. ft.	175 lb.
Approx. ½ acre/25,000 sq. ft.	130 lb.
Approx. ⅓ acre/14,500 sq. ft.	100 lb.
Approx. ¼ acre/10,800 sq. ft.	85 lb.



1 acre = 43,560 sq. ft.

Carts



Why Use A Cart?

It's the best way to save your back. There's no need to carry a big load by yourself. It's also not necessary to go back and forth to get your bags of fertilizer, mulch or any load from one place to another. A cart can do that for you – most of the time in one trip!



And, by choosing an Agri-Fab® cart you can be sure it's the best you can buy. All Agri-Fab® carts are made to last and made to efficiently and easily carry the load.

800 lb. Poly Cart



MODEL 45-0464 Patent Pending

STD. Pk. 1 • Wt. Ea. 111 lbs. • Assembled Product Size 72" x 41" x 29.5" • UPS N
Plt. Qty. 5 • Carton Size L x W x H 58.3" x 41.3" x 14.5" • UPC Code Ref. 052613102176

Product Features



Easy Dumping
Foot lever lets you unload in one easy step.



Versatility
Tailgate makes for easy dumping.



Mobility
Pneumatic tires make it easy to go where you want.

350 lb. Convertible Poly Cart



MODEL 45-0345

STD. Pk. 1 • Wt. Ea. 66 lbs. • Assembled Product Size 56" x 33" x 30" • UPS N • Plt. Qty. 7
Carton Size L x W x H 45.2" x 35.4" x 11.4" • UPC Code Ref. 052613453452



*

Product Features



Versatility
Push and pull capability.



Goes Anywhere
Pneumatic tires let you go where you want.



Durable
Poly bed made to last.





350 lb. Steel Cart



*

MODEL 45-0303

STD. Pk. 1 • Wt. Ea. 73 lbs. • Assembled Product Size 60" x 33" x 28" • UPS Y • Plt. Qty. 10
Carton Size L x W x H 42" x 17.3" x 14" • UPC Code Ref. 052613453032

Product Features



Easy Dumping
Quick release lever for easy dumping.



Dependable
Strong steel bed holds up to 350 lbs.



Maneuverable
Pneumatic tires let you go anywhere.

750 lb. Steel Cart



MODEL 45-0101-999

STD. Pk. 1 • Wt. Ea. 95 lbs. • Assembled Product Size 70" x 33" x 29" • UPS Y • Plt. Qty. 10
Carton Size L x W x H 48.4" x 19.3" x 14" • UPC Code Ref. 052613451014

Product Features



Easy Dumping
Quick release lever for easy dumping.



Durable
Strong steel bed holds up to 750 lbs.



Maneuverable
Pneumatic tires let you go anywhere.

1,200 lb. Steel Cart



MODEL 45-0240

STD. Pk. 1 • Wt. Ea. 141 lbs. • Assembled Product Size 70" x 37" x 33" • UPS Y • Pkt. Qty. 8
Carton Size L x W x H 48.5" x 21" x 16.5" • UPC Code Ref. 052613452400

Product Features



Easy Dumping
Quick release lever for easy dumping.



Durable
Strong steel bed holds up to 1,200 lbs.



Maneuverable
Pneumatic tires let you go anywhere.

1,200 lb. Steel Cart (ATV/UTV)



MODEL 45-0240-ATV

STD. Pk. 1 • Wt. Ea. 151 lbs. • Assembled Product Size 70" x 46" x 36" • UPS N • Pkt. Qty. 8
Carton Size L x W x H 50" x 21.5" x 19" • UPC Code Ref. 052613103227



Product Features



Easy Dumping
Quick release lever for easy dumping.



Durable
Strong steel bed holds up to 1,200 lbs.



Maneuverable
Pneumatic tires let you go anywhere.

650 lb. Poly Cart (ATV/UTV)



MODEL 45-0175

STD. Pk. 1 • Wt. Ea. 93 lbs. • Assembled Product Size 70" x 47" x 32" • UPS N • Pkt. Qty 7
 Carton Size L x W x H 51.7" x 33.2" x 12.9" • UPC Code Ref. 051613451755

Product Features



Easy Dumping
 Quick release lever for easy dumping.



Durable
 Strong poly bed holds up to 650 lbs.



Maneuverable
 Pneumatic tires let you go anywhere.

1,000 lb. Four-Wheel Steel Cart (ATV/UTV)



MODEL 45-0350 Patent D544, 409 & D513, 717

STD. Pk. 1 • Wt. Ea. 240 lbs. • Assembled Product Size 80" x 52" x 36" • UPS N • Pkt. Qty. 6
 Carton Size L x W x H 60.8" x 23" x 22.5" • UPC Code Ref. 052613453506

Product Features



Durable
 Strong steel bed holds up to 1,200 lbs.



Maneuverable
 Pneumatic wheels and two axle design lets you go anywhere.



Easy Dumping
 Quick release lever for easy dumping.

Groomers



Why Aerate?

When you aerate your lawn, you are opening up the soil surface to let grass roots get the air and moisture it needs for healthy growth.



Why De-thatch?

Your mower creates a layer of dead grass between the soil and leaves of the grass plant. Too much dead grass weakens the grass roots. The Agri-Fab® de-thatcher effectively loosens and lifts thatch for healthy lawn growth.



Related Products



SmartLINK™ Tine De-thatcher



SmartLINK™ Plug Aerator

SmartLINK™ Master Platform



Product Features



Easy Attachments
Accepts all SmartLINK™ attachments easily.



Durable Deck
Durable steel deck and universal hitch.



Easy Storage
Easy, stand up storage capability.

*



MODEL 45-0473 Patent 7,604,066

SMARTLINK

STD. Pk. 1 • Wt. Ea. 65 lbs. • Assembled Product Size 55" x 53" x 19" • UPS Y • Pkt. Qty. 16 • Carton Size L x W x H 17" x 47.3" x 7.2" • UPC Code Ref. 052613102633



SmartLINK™ Curved Blade Aerator



SmartLINK™ Poly Roller

SmartLINK™ Tine De-thatcher



SMARTLINK

MODEL 45-0457 Patent 7,604,066 & 7,073,317

STD. Pk. 1 • Wt. Ea. 20 lbs. • Assembled Product Size 42" x 9" x 9" • UPS Y • Plt. Qty. 12
Carton Size L x W x H 43" x 10.3" x 10.8" • UPC Code Ref. 052613102107

Product Features



Attaches Without Tools
Attaches to the SmartLINK™ Master Platform.



Healthier Lawn
Easily cleans away thatch build up for a healthy lawn.



Durable
Twenty heat-treated spring tines for durability.

SmartLINK™ Plug Aerator



SMARTLINK

MODEL 45-0474 Patent 7,604,066

STD. Pk. 1 • Wt. Ea. 29 lbs. • Assembled Product Size 42" x 13" x 13" • UPS Y • Plt. Qty. 30
Carton Size L x W x H 42.3" x 9" x 8.3" • UPC Code Ref. 052613102640

Product Features



SmartLINK™ Attachment
Attaches to the SmartLINK™ Master Platform.



Durable
24 rustproof aerator knives for strength and durability.



Efficient
Knives create ground plugs which allow air, water and nutrients to reach the soil.

SmartLINK™ Curved Blade Aerator



*

MODEL 45-0458 Patent 7,604,066 & D519,526

SMARTLINK

STD. Pk. 1 • Wt. Ea. 20 lbs. • Assembled Product Size 41" x 8" x 8" • UPS Y • Pkt. Qty. 25
Carton Size L x W x H 42.5" x 10" x 11.8" • UPC Code Ref. 052613102091

Product Features



SmartLINK™ Attachment
Attaches to the SmartLINK™ Master Platform.



Durable
Ten galvanized blades designed for thorough soil penetration.



Usage
Excellent for use in lightly compacted soil.

SmartLINK™ Poly Roller



*

MODEL 45-0459 Patent 7,604,066

SMARTLINK

STD. Pk. 1 • Wt. Ea. 23 lbs. • Assembled Product Size 42" x 14" x 14" • UPS Y • Pkt. Qty. 24
Carton Size L x W x H 43.8" x 16" x 14.8" • UPC Code Ref. 052613102084

Product Features



SmartLINK™ Attachment
Attaches to the SmartLINK™ Master Platform.



Durable
Platform and roller drum combine to hold 400 lbs.



Performance
Levels sod and uneven ground.

48" Plug Aerator



MODEL 45-0299

STD. Pk. 1 • Wt. Ea. 95 lbs. • Assembled Product Size 35" x 60" x 36" • UPS Y • Pkt. Qty. 12
Carton Size L x W x H 49.9" x 16.9" x 8" • UPC Code Ref. 052613452998

Product Features



Usage
32 galvanized knives to penetrate the soil easily.



Durable
Durable pneumatic tires allow for smooth transport.



Easy Transport
Transport handle for easy raising and lowering of the aerator knives.

40" Turf Shark™ Curved Blade Aerator



MODEL 45-0369 Patent D519,526 & 7,063,165

STD. Pk. 1 • Wt. Ea. 54 lbs. • Assembled Product Size 40" x 41" x 41" • UPS Y • Pkt. Qty. 24
Carton Size L x W x H 43.2" x 11.7" x 3.5" • UPC Code Ref. 052613100189



Product Features



Usage
Twelve galvanized curve blades for thorough soil penetration.



Durable
40" weight tray holds up to 100 lbs. for excellent soil penetration.



Easy Transport
Transport handle for easy raising and lowering of the Turf Shark™ curved aerator blades.


36" Spike Aerator



MODEL 45-0510

STD. Pk. 1 • Wt. Ea. 32.6 lbs. • Assembled Product Size 32" x 44.5" x 20.5" • UPS Y • Plt. Qty. 32
Carton Size L x W x H 37.5" x 8.75" x 4.25" • UPC Code Ref. 052613104033

Product Features



Usage

Heavy-duty spikes penetrate up to 2½" for deep soil penetration.



Durable

10 gauge steel is extremely durable.



Strength

36" weight tray holds up to 100 lb. For increased soil penetration.

Push Spike Aerator



MODEL 45-0365 Patent D510,687

STD. Pk. 1 • Wt. Ea. 17 lbs. • Assembled Product Size 17" x 8" x 38" • UPS Y • Plt. Qty. 54
Carton Size L x W x H 18.2" x 13.5" x 3.7" • UPC Code Ref. 052613100172

Product Features



Maneuverability

16" aerator width is easy to maneuver on small lawns.



Usage

7" aerator disc diameter provides for a 2.5" soil penetration depth.



Durable

Wide weight tray holds a patio brick for increased soil penetration.

Electric De-thatcher



MODEL 45-0472

Product color may change.

STD. Pk. 1 • Wt. Ea. 39 lbs. • Assembled Product Size 55.5" x 24.75" x 29.5" UPS Y • Pkt. Qty. 20
Carton Size L x W x H 19.25" x 25" x 11" • UPC Code Ref. 052613102619

Product Features



Usage
20" width is ideal for 1,000 sq. ft. lawns.



Adjustable
Easy height adjustment.



Comfort
Cushioned handle for a comfortable grip.

Universal Front Mount De-thatcher



MODEL 45-0343

STD. Pk. 1 • Wt. Ea. 12 lbs. • Assembled Product Size N/A • UPS Y • Pkt. Qty. 42 • Carton Size L x W x H 45.1" x 13.9" x 3.3" • UPC Code Ref. 052613453438

Product Features



Durability
Fourteen durable spring tines loosen thatch for a healthy lawn.



Attaches Easily
Easily attaches to most lawn sweepers.



40" Tine De-thatcher



*

MODEL 45-0294 Patent 7,073,317

STD. Pk. 1 • Wt. Ea. 33 lbs. • Assembled Product Size 40" x 41" x 41" • UPS Y • Plt. Qty. 24
Carton Size L x W x H 40.9" x 11.4" x 4.5" • UPC Code Ref. 052613452943

Product Features



Durability

Twenty durable spring tines for easy thatch removal.



Usage

40" tray holds up to 70 lbs. for added soil penetration.



Transport

Transport handle for easy raising and lowering of the tines.

48" Tine De-thatcher



MODEL 45-0295 Patent 7,073,317

STD. Pk. 1 • Wt. Ea. 37 lbs. • Assembled Product Size 40" x 48" x 41" • UPS Y • Plt. Qty. 18
Carton Size L x W x H 50.6" x 11.4" x 4.5" • UPC Code Ref. 052613452950

Product Features



Durability

Twenty-four durable spring tines for easy thatch removal.



Usage

48" tray holds up to 70 lbs. for added soil penetration.



Transport

Transport handle for easy raising and lowering of the tines.

THATCH

Thatch is a layer of dead organic matter that exists between the soil and the leaves of the grass plant.

THE GOOD NEWS . . .

A little thatch is natural in any lawn. And the right amount can actually help the grass and the soil, by protecting roots from heat and sun damage while creating an environment for beneficial soil and surface organisms.

AND THE BAD NEWS...

Too much thatch can mean problems. A thick layer of thatch blocks the movement of air and nutrients to the soil. Grass roots often migrate from the soil up into the thatch, where they become weak and fall victim to extreme heat or cold, as well as disease and pests. (And when roots die off, they add even more thatch to the layer!) Too much thatch can exaggerate moisture problems as well, holding too much moisture during a wet season and repelling water during a dry season.

WHAT CAUSES THATCH?

Very often, too much thatch can be traced back to well-intentioned actions on the part of the homeowner. Watering, fertilizing, weed and pest control are all important in moderation, but can result in the development of excess thatch.

Here's why:

Overfertilizing: Too much growth leads to weak roots and excess lawn debris.

In addition, too much nitrogen can be harmful to the organisms that naturally control thatch buildup.

Overwatering: Too much constant moisture creates a low-oxygen environment that is harmful to soil organisms.

Shallow, frequent watering: This practice can cause roots to move up into the thatch to reach the water source. (It's best to water infrequently and deeply, only when your lawn really needs it.)

Herbicides and pesticides: While controlling harmful pests and weeds, using too much of these chemicals can harm the overall ecosystem in your lawn, killing off earthworms and soil microbes.



HOW CAN I CONTROL THATCH?

- First, correct any practices listed above that may be adding to the problem.
- **De-thatch your lawn —**
The best times to de-thatch are late summer and early fall. It's easiest to de-thatch when the ground and grass are slightly moist. Before you de-thatch, mow your lawn at a slightly lower height. It's best to make at least two passes over your lawn, and even better if you use a different pattern each time. After de-thatching, sweep or rake up the debris. Now is a good time to fertilize lightly, and water the lawn.
- **Aerate —**
While de-thatching removes thatch, aeration helps break down the thatch layer. Aeration is less traumatic for your lawn, and is best for controlling thatch before it gets too out of hand. (See below to learn the difference between plug and spike aerators.)
- **Adjust soil pH —**
If your soil chemistry is off, your grass will be weak and more likely to create (and suffer from) excess thatch. It's easy to test soil chemistry with a do-it-yourself kit from your garden center. If your soil's too acidic, add lime; too alkaline, add sulfur. Use a drop spreader for either additive, and apply according to label directions.



AERATING

When you aerate your lawn, you are essentially punching holes in the soil surface. This helps loosen compacted soil and helps more air, water and nutrients to reach the roots. The best time to aerate is in the spring at the start of the growing season. Late summer or fall aeration can also be beneficial.

Plug vs. Spike Aerators

A plug aerator actually pulls out small plugs of grass and soil. A spike or blade aerator cuts deep grooves in the soil. Both types are beneficial, but there are differences. Plug aerators are more disruptive and messier, but are more thorough for a lawn that needs attention. Spike aerators are less invasive, and the process lets the grass recover more quickly. These machines are best for regular maintenance.

Rollers



About Rollers

If you're looking for that perfect lawn, an Agri-Fab® Lawn Roller could be your answer. It's one of the best and easiest ways to make your lawn look great. One reason is after a long winter a roller levels out your lawn, removing all those bumps and depressions that have naturally occurred.



A roller is also good for new sod and freshly seeded lawns by flattening the soil to promote stronger root growth. Agri-Fab® has a wide range of rollers to meet your every need.

Available in Steel or Poly.

18" x 24" Push/Tow Poly Roller



MODEL 45-0267

STD. Pk. 1 • Wt. Ea. 40 lbs. • Assembled Product Size 50" x 30" x 18" • UPS Y • Plt. Qty. 15 • Carton Size L x W x H 31.5" x 20" x 18.8" • UPC Code Ref. 052613452677

18" x 36" Poly Tow Roller



MODEL 45-0268

STD. Pk. 1 • Wt. Ea. 45 lbs. • Assembled Product Size 50" x 42" x 18" • UPS Y
Plt. Qty. 15 • Carton Size L x W x H 43.5" x 20" x 18.75" • UPC Code Ref. 052613452684

18" x 48" Poly Roller



MODEL 45-0269

STD. Pk. 1 • Wt. Ea. 58 lbs. • Assembled Product Size 50" x 54" x 18" • UPS N
Plt. Qty. 10 • Carton Size L x W x H 54" x 20" x 20" • UPC Code Ref. 052613452691
* Additional oversized fees will apply

Product Features



Durability

Weight filled with water added
250 lb. capacity, 18" diameter, 24" wide.
400 lb. capacity, 18" diameter, 36" wide.
550 lb. capacity, 18" diameter, 48" wide.



Performance

Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.



Easy to Operate

Roller drain/fill plug empties easily and fills with a regular garden hose.

24" x 36" Steel Tow Roller



MODEL 45-0179

STD. Pk. 4 per pallet • Wt. Ea. 110 lbs. • Assembled Product Size 40" x 51" x 24" • UPS N • Pkt. Qty. 4 • Carton Size L x W x H 50" x 40" • UPC Code Ref. 052613451793

24" x 48" Steel Tow Roller



MODEL 45-0216

STD. Pk. 4 per pallet • Wt. Ea. 165 lbs. • Assembled Product Size 52" x 51" x 24" • UPS N • Pkt. Qty. 4 • Carton Size L x W x H 53" x 52" • UPC Code Ref. 052613452165

Product Features



Durability

Weight filled with water added
640 lb. capacity, 24" diameter, 36" wide
910 lb. capacity, 24" diameter, 48" wide.



Performance

Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.



Easy to Operate

Roller drain/fill plug empties easily and fills with a regular garden hose.

Ground Engaging



About Ground Engaging

Agri-Fab® produces a variety of durable ground engaging products that allow you to groom your property effectively.



Sleeve Hitch Disc Cultivator



MODEL 45-0266

STD. Pk. 1 • Wt. Ea. 61 lbs. • Assembled Product Size 28" x 36" x 15" • UPS Y
 Pkt. Qty. 18 • Carton Size L x W x H 33" x 12.2" x 6" • UPC Code Ref. 052613452660

Product Features



Durable
 8 durable, 11" steel discs.



Flexible
 Adjustable working width for 30" to 38".

Note: Requires sleeve hitch for operation; consult your tractor manufacturer for sleeve hitch attachment.

Multi-Fit Tow Behind Tiller



MODEL 45-0308

STD. Pk. 1 • Wt. Ea. 261 lbs. • Assembled Product Size 56" x 38" x 32" • UPS N • Pkt. Qty. 3
 Carton Size L x W x H 54" x 43.5" x 38" • UPC Code Ref. 052613453087

Product Features



Durable
 Six, double edge heavy duty tines make tilling your seed beds easy.



Flexible
 Forward rotating tines prepare seed beds quickly.



Dependable
 Briggs & Stratton® engine for dependable performance.

Sleeve Hitch Scraper Box



MODEL 45-0265

STD. Pk. 1 • Wt. Ea. 81 lbs. • Assembled Product Size 27" x 45" x 18" • UPS Y
Plt. Qty. 15 • Carton Size L x W x H 45.4" x 13.6" x 8.6" • UPC Code Ref. 052613452653

Product Features



Durable
3/16" steel blade for hardworking, hard-wearing strength.



Flexible
42" working width for time saving scraping coverage.

Note: Requires sleeve hitch for operation; consult tractor manufacturer for sleeve hitch.

Sleeve Hitch Row Crop Cultivator



MODEL 45-0264

STD. Pk. 1 • Wt. Ea. 44 lbs. • Assembled Product Size 32" x 41" x 15" • UPS Y
Plt. Qty. 24 • Carton Size L x W x H 40.9" x 13.6" x 5.3" • UPC Code Ref. 052613452646

Product Features



Durable
7 durable, spring steel tangs and adjustable skid depth.



Flexible
Adjustable working width from 18" to 42".

Note: Requires sleeve hitch for operation; consult your tractor manufacturer for sleeve hitch attachment.

Sleeve Hitch Rock Rake



MODEL 45-0366

STD. Pk. 1 • Wt. Ea. 73 lbs. • Assembled Product Size 50.5" x 12.5" x 7.5" • UPS Y
Plt. Qty. 18 • Carton Size L x W x H 50.5" x 12.5" x 7.5" • UPC Code Ref. 052613100066

Product Features



Durable
1/4" heat-treated steel tangs spaced for thorough coverage.



Flexible
48" working width for coverage of large areas.
Note: Requires sleeve hitch for operation; consult your tractor manufacturer for sleeve hitch attachment.

Agri-Fab® *Lawn Care Made Easy*®

Sprayers



About Sprayers

Liquid fertilizers, herbicides and pesticides are convenient and effective for large lawn applications. Agri-Fab® sprayers are available in two sizes and include a hand wand for targeted spraying around trees and bushes.





Product Features



Capacity
15 gallon capacity.
25 gallon capacity.



Durability
No clog spray nozzle.



Flexibility
Hand wand sprays up to 30 feet for hard to reach trees and bushes.

15 Gallon Tow Sprayer



MODEL 45-0292

STD. Pk. 1 • Wt. Ea. 40 lbs. • Assembled Product Size 55" x 24" x 18" • UPS Y • Plt. Qty. 12 • Carton Size L x W x H 37.5" x 16.3" x 15.1" • UPC Code Ref. 052613452929

25 Gallon Tow Sprayer



MODEL 45-0293

STD. Pk. 1 • Wt. Ea. 53 lbs. • Assembled Product Size 55" x 26" x 20" • UPS Y • Plt. Qty. 8 • Carton Size L x W x H 40.4" x 18.4" x 23.5" • UPC Code Ref. 052613452936




Vacs



Why Use A Mow-N-Vac?

Designed for home owners with large lawns with lots of trees; the Agri-Fab® Mow-N-Vac™ and Chip-N-Vac™ are ideal for maintaining large properties with trees.



The Chip-N-Vac™ easily chips tree branches up to 2" in diameter. Additional hose kit needed for use with zero-turn mowers. (Part #65640)



Product Features



Capacity
32 cubic foot capacity.



Versatile
Deck adapter fits most popular tractor mower decks.



Durability
Durable vented hard top design reduces airborne dust.

Hard Top Mow-N-Vac™



*



MODEL 55188

**STD. Pk. 1 • Wt. Ea. 326 lbs. • Assembled Product Size 96" x 33" x 62" • UPS N • Plt. Qty. 1
Carton Size L x W x H 52" x 34" x 59" • UPC Code Ref. 052613551882**

* Prior to towing anything with your zero-turn mower, please review your mower's owner's manual.



Hose Kit
Attaches quickly and easily.
12' hose for great reach.
Fits Mow-N-Vac™ and Chip-N-Vac™

MODEL 45-0253

**STD. Pk. 1 • Wt. Ea. 22 lbs.
Assembled Product Size N/A • UPS Y • Plt. Qty. 12
Carton Size L x W x H 48.5" x 19.5" x 12.8"
UPC Code Ref. 052613452530**

Hard Top Chip-N-Vac™



*



MODEL 55249

STD. Pk. 1 • Wt. Ea. 357 lbs. • Assembled Product Size 96" x 33" x 62" • UPS N • Plt. Qty. 1 • Carton Size L x W x H 52" x 34" x 60" • UPC Code Ref. 052613101629

* Prior to towing anything with your zero-turn mower, please review your mower's owner's manual.

Agri-Fab® *Lawn Care Made Easy*®

We make lawn care easy



Agri-Fab® lawn care products are designed for homeowners who want a beautiful lawn and want the job of lawn care to be easy.

In order to achieve this objective, Agri-Fab® constantly asks you, our customers, how we can improve our current lawn care products. We invite your comments, so please call 1-800-448-9282 or e-mail us at info@agri-fab.com. We look forward to hearing from you.

Above all of this, is our dedication to building quality and durability into the products we make. We can assure you that our products are made with the very best components to ensure lasting performance. As proof of this commitment, all of our lawn care products come with an exclusive three-year limited warranty.

You can be sure when purchasing Agri-Fab® lawn care products it will help you make Lawn Care Easy.

Mike Cohan
President

Agri-Fab®
Lawn Care Made Easy®

agri-fab.com • 800-448-9282

809 South Hamilton Street • Sullivan, IL 61951 • info@agri-fab.com