

 **ANCRA**  
CONSUMER / INDUSTRIAL GROUP  
CARGO MANAGEMENT SOLUTIONS™



**MAKING CARGO TRANSPORTATION  
EASIER & MORE SECURE**



# CONSUMER/INDUSTRIAL DIVISION

## Welcome to Ankra International's NEW Consumer/Industrial Division!

40 years ago, Ankra introduced the "Original" cam buckle tie-down as a safe and convenient way to transport motorcycles. Today, under the ownership of The Heico Companies, the Ankra Group of businesses has become the largest supplier of Heavy Duty Cargo Control and Load Securement Systems in North America. Through our acquisition and merger of the S-Line business, we are now better positioned than ever to serve and support the cargo control needs of the retail and industrial channels.

In addition to our core offering of quality, heavy duty, professional grade products, we have expanded and improved our assortment of retail packaged goods to make sourcing your cargo control program more convenient and affordable. Whether it's a Tie-down, Winch Strap, Winch, Bungee Cord, Tarp Tie, Chain Assembly, Chain Binder, Cable Puller, Auto Tie-down, Tie-down Anchor, Recovery Strap or basic Lifting Sling, we have it available. As you page through our catalog, please take special note of the following product enhancements:

- *New Cable Puller and Fencing Installation products*
- *Upgraded and expanded Bungee Cord program*
- *Commercial and Trucker's Grade Tarp Ties made in USA*
- *Expanded offering of Polyester and Nylon Vehicle Recovery Straps*
- *New tri-lingual artwork on clamshell packaged tie-downs*
- *New Retractable Ratchet tie-down line-up*
- *New economical 1 inch by 1,000 lbs working load Contractor Ratchet Straps*
- *New economical 2x27 Ratchet straps in a shelf display box*
- *New Event Tent tie-downs*






















Thank you for taking the time to explore our product offering and the value Ankra International provides. We look forward to earning your business!

Sincerely,

Larry Bethel  
President, Ankra Cargo Division  
Ankra International, LLC




## Index

	<b>BUNGEE CORDS</b> .....	<b>4-5</b>
	<b>CABLE PULLERS &amp; FENCING PRODUCTS</b> .....	<b>2-3</b>
	<b>CARGO BARS &amp; LOGISTIC STRAPS</b> .....	<b>28</b>
	<b>CHAIN BINDERS</b> .....	<b>31</b>
	<b>FLAGS &amp; BANNERS</b> .....	<b>34</b>
	<b>GLOSSARY &amp; PLANOGRAM SUPPORT</b> .....	<b>38-39</b>
	<b>HOOKS &amp; SHACKLES</b> .....	<b>32-33</b>
	<b>INDEX BY PART NUMBER</b> .....	<b>40-41</b>
	<b>LIFTING SLINGS</b> .....	<b>35-37</b>
	<b>NETS &amp; BLANKETS</b> .....	<b>7</b>
	<b>RECOVERY STRAPS</b> .....	<b>12-14</b>
	<b>TARP TIES</b> .....	<b>6</b>
	<b>TIE DOWNS</b> .....	<b>15-24</b>
	<b>CONSUMER</b> .....	<b>(16-17)</b>
	<b>COMMERCIAL</b> .....	<b>(18-21)</b>
	<b>INDUSTRIAL GRADE TIE DOWNS</b> .....	<b>(22-23)</b>
	<b>TENT STRAPS</b> .....	<b>(24)</b>
	<b>TIRE BONNETS, AXLE STRAPS &amp; AUTO TIE DOWNS</b> .....	<b>10-11</b>
	<b>TRANSPORT CHAIN</b> .....	<b>30</b>
	<b>TRUCK &amp; TRAILER HARDWARE</b> .....	<b>8-9</b>
	<b>WINCH STRAPS, WINCHES &amp; WINCH BARS</b> .....	<b>26-27</b>



# SECURING CARGO


## WHAT HAPPENS WHEN YOU DON'T



### ROAD DEBRIS

#### ACCIDENT FATALITIES & INJURIES

In 2010 there were more than 51,000 incidents involving road debris from fallen cargo loads. Over 10,000 incidents caused injury, and more than 440 deaths were reported.




### UNSECURED LOAD

#### STATE FINES & PENALTIES

All 50 U.S. States, plus the District of Columbia, have fines ranging from \$10-\$5,000 for loads that are not properly secure. 15 states also add possible imprisonment.

20 lbs + 55 mph = 1,000 lbs



### FORCE OF IMPACT

#### STATIONARY VS MOVING

A 20-pound object traveling at 55 mph hits with the force of 1,000 pounds at the time of impact.

# CABLE PULLER & FENCING INSTALLATION PRODUCTS

Ankra Cable pullers are available in different sizes with pulling capabilities ranging from 1,500 to 8,000 pounds. A variety of pullers are available to make pulls easier and more efficient. In addition to cable pullers, Ankra offers Wire Grips, Fence Pliers, and Wire Stretchers for your convenience. Replacement ropes, cables, & straps available.





All products meet  
ANSI / ASME B30.21-2014.

## STANDARD CABLE PULLERS

- Dual stamped metal ratchet wheels
- High Strength, electro-plated steel parts
- Galvanized 3/16" aircraft cable
- Drop forged steel slip hooks w/ safety latches


## PRO CABLE PULLERS

- Machined one-piece gears
- High Strength, electro-plated steel parts
- Galvanized 3/16" aircraft cable
- Drop forged steel slip hooks w/ safety latches



## 1-Ton Single Line Cable Puller

Capacity: 2,000lbs / 907kg  
Take-Up: 12ft / 3.6m



96111

## 1-Ton PRO Single Line Cable Puller

Capacity: 2,000lbs / 907kg  
Take-Up: 12ft / 3.6m



96121

## 2-Ton Double Line Cable Puller

Capacity: 4,000lbs / 1,814kg  
Take-Up: 6ft / 1.8m



96112

## 2-Ton PRO Double Line Cable Puller

Capacity: 4,000lbs / 1,814kg  
Take-Up: 6ft / 1.8m



96122

## 4-Ton Double Line Cable Puller

Capacity: 8,000lbs / 3,629kg  
Take-Up: 6ft / 1.8m



96114

Cable Pullers are packaged in sturdy, color coded cardboard boxes with a cutout window to display the product.





# CABLE PULLER & FENCING INSTALLATION PRODUCTS

## 3/4-Ton Rope Puller

Capacity: 1,500lbs / 1,680kg  
Take-Up: 20ft / 6.0m



- Single piece drive wheel
- High Strength, electro-plated steel parts
- 1/2in. Wear resistant braided rope
- 20ft. rope & hook assembly included
- Drop forged steel slip hooks w/ safety latch

EASILY LOWER TREE LIMBS  
PROVIDES LONGER PULL LENGTH

**96100**

## 1-Ton Strap Puller

Capacity: 2,000lbs / 907kg  
Take-Up: 12ft / 3.6m



- Dual stamped metal ratchet wheels.
- High Strength, electro-plated steel parts
- 1in. High strength webbing
- 12ft. strap & hook assembly included
- Drop forged steel slip hooks w/ safety latches on both ends

LIGHTER & EASIER TO USE THAN CABLE  
GREAT FOR COMPOSITE MATERIALS  
AND DECORATIVE VINYL

**96101**

## Fence Pliers

For use in cutting, bending and tying wire fencing. Great for barbed wire repairs. Ergonomically designed handles for better gripping and pulling. Available in 8" & 10" handles to accommodate various hand sizes.



**96140**  
10 Inches



- Forged Jaws
- Integrated Wire Cutter
- Padded Non-Slip Contoured Grips for Comfort and Peak Performance



**96142**  
12 Inches



## 1/2-Ton Wire Grip Capacity: 1,000lbs / 454kg

Wire Grip Puller incorporates proven industrial designs to lift, lower, stretch and pull heavy loads. Manufactured with a double sealed ratchet wheel brake system and lightweight zinc-plated steel to resist corrosion.



- Works on smooth or barbed wire
- Handles wire from 5/32 in - 5/16 in diameter
- Corrosion resistant



**96147**



## Woven Wire Stretcher

Woven wire stretcher with hooks is an easy and efficient way to stretch woven wire fencing quickly and evenly.



- Makes fence repairs quick and easy
- Ideal for fast tightening
- Allows the fence to be pulled evenly and tightly
- For field and chain link fences
- Dependable design

**96148**



## Fencing Wire Stretcher

Fence stretcher-splicer for high-tensile, barbed and smooth wire. Secures wire in place and leaves hands free to make the splice or attach wire to post. Controlled release ratchet reduces line breakage.



- Ideal for fast tightening
- Dependable design
- Makes fence repairs quick and easy
- For high-tensile, smooth and barbed wire
- Hardened guide and clamp grip wire firmly over a large area

**96149**

# BUNGEE CORDS

Bungee Cords are handy and versatile cargo control products that can be used for many applications such as securing light cargo that does not react to wind, tarps to trees, tent frames, trash can and container lids, life jackets, boat bumpers, coolers, and camping gear. The list is nearly endless.

## SAFETY NOTE

Never stretch a bungee cord more than 50% of its original length. Keep body parts, especially eyes and teeth out of the rebound path. Make sure hooks are not bent and never tip-load.

## Standard Bungee Cord

- Vinyl coated steel hooks with tip guards
- Stranded First Quality latex rubber
- Color coded by size
- Strong UV and abrasion resistance
- Bulk packaged with UPC tag



Part Number	Length	Package Type	Retail Pack Qty
95413	13"	Bulk	1
95418	18"	Bulk	1
95424	24"	Bulk	1
95430	30"	Bulk	1
95436	36"	Bulk	1
95400	50 Pc. Starter Assortment Contains 10 of each: 95413, 95418, 95424, 95430, 95436	Bulk w/UPC	N/A

## Carrabungee™ Cord

- "Build-a-Net" Technology
- Link multiple cords together
- 24" length
- Carabiner Hooks
- Polyester jacket



SL148

## EZ Grip™ Bungee Cord

- PVC molded grip steel hooks
- Stranded latex rubber core
- Strong UV & abrasion resistance
- Individual Clamshell or bulk packaged with UPC tag
- Color coded by size



Part Number	Length	Package Type	Retail Pack Qty
95518	18"	Bulk	1
95518-1	18"	Clamshell	1
95524	24"	Bulk	1
95524-1	24"	Clamshell	1
95536	36"	Bulk	1
95536-1	36"	Clamshell	1
95540	40"	Bulk	1
95540-1	40"	Clamshell	1
95548	48"	Bulk	1
95548-1	48"	Clamshell	1
95500	50 Pc. Starter Assortment Contains 10 of each: 95518, 95524, 95536, 95540, 95548	Bulk w/UPC	N/A
95500-1	40 Pc. Starter Assortment Contains 8 of each Clamshell: 95518-1, 95524-1, 95536-1, 95540-1, 95548-1	Clamshell Starter	N/A

## Heavy Duty Bungee Cord

- Twice the tension of a standard cord
- HD steel hooks w/ corrosion resistant coating & tip guards
- 50% more rubber than standard cords
- Safety orange polyester outer jacket
- Bulk packaged with UPC tag



STRONGER HOOK

Part Number	Length	Package Type	Retail Pack Qty
95618	18"	Bulk	1
95624	24"	Bulk	1
95632	32"	Bulk	1
95640	40"	Bulk	1
95648	48"	Bulk	1
95600	50 Pc. Starter Assortment Contains 10 of each: 95618, 95624, 95632, 95640, 95648	Bulk w/UPC	N/A

## 10" Mini Bungee Cords

- 22 Piece
- 4 Piece



XB210-22P



SL33

Great for bundling and storing tools, cords, blueprints, camping equipment, household items and much more!

## Bungee Multi-Packs

### 6 Pc. Heavy Duty Cord Assortment - Poly bag



"safety orange" style

Contains:  
(2)-24"  
(2)-32"  
(2)-40"

SL69

### 12 Pc. Standard Cord Assortment - Poly bag



"multi-colored" style

Contains:  
(4)-18"  
(2)-24"  
(1)-30"  
(1)-36"  
(4)-10"  
mini

SL41

### 18 Pc. Standard Cord Assortment - Poly bag



"yellow-jacket" style

Contains:  
(4)-16"  
(4)-18"  
(4)-24"  
(2)-30"  
(4)-10"  
mini

SL64

### 20 Pc. Standard Cord Assortment - Jar



"multi-colored" style

Contains:  
(4)-12"  
(2)-18"  
(2)-24"  
(1)-32"  
(6)-canopy  
(5)-10"  
mini

SL42



## Bungee Net w/ Detachable Hooks

Great for securing tarps and keeping light cargo and debris from moving around. Smaller 5<sup>in</sup> x 5<sup>in</sup> cross pattern design for greater load coverage.

- One size fits most trucks & SUV's
- Minimum Size: 48in x 72in
- Maximum Stretch: 72in x 108in
- Includes Storage Bag




16 Hooks are Detachable



Maximum Stretch: 108 inches

Minimum Size: 72 inches

5<sup>in</sup> x 5<sup>in</sup> Cross Pattern



95480

## Bungee Nets

### 36<sup>IN</sup> 6 Arm Bungee Net

- 6 Attachment points
- Center Ring Gives Infinite Shape Options
- Great for Larger, Bulky Items



SL50

### 15<sup>IN</sup> x 30<sup>IN</sup> ATV Net

- 10 Hooks
- Fits standard ATV racks
- Stores Easily



SL56

## Tarp & Canopy Ties

- For use with tarps and canopies
- 10 Piece
- Length: 10in



SL43

# TARP TIES

Commercial Grade



Made in USA



- Proprietary blend of EPDM with excellent UV properties to resist cracking and extend strap life
- Strong stretch and recovery performance in both hot and cold temperatures
- ½ inch thick, teardrop ends to help prevent hooks from tearing through strap
- Zinc plated, rust-resistant steel S-hooks
- Color coded, trilingual, UPC coded labels applied directly to each strap

Part Number	Trade Length	Length (w/hooks attached)	Package Type	Retail Pack Qty
95810	10"	14"	Bulk w/ UPC	1
95815	15"	19"	Bulk w/ UPC	1
95821	21"	24"	Bulk w/ UPC	1
95831	31"	35"	Bulk w/ UPC	1
95841	41"	45"	Bulk w/ UPC	1
95800	50 pc Tarp Tie Assortment	Contains 10 of each: 95810, 95815, 95821, 95831, & 95841	Bulk w/ UPC	N/A

## Heavy Duty / Fleet Grade

Made in USA

# GOLDLINE<sup>®</sup>



Part Number	Trade Length	Length (w/hooks attached)	Package Type	Retail Pack Qty
52210GL	10"	14"	Bulk	50
52215GL	15"	19"	Bulk	50
52221GL	21"	24"	Bulk	50
52231GL	31"	35"	Bulk	50
52241GL	41"	45"	Bulk	50

- 100% EPDM
- Longer Lasting

**Truckers Choice for Over 40 Years!**

**NOTE:** GOLDLINE Tarp Ties sold by the box of 50 tarp ties. Individual straps are not UPC coded. Order quantity of 1 = 50 tarp ties conveniently packed in poly bags of 10 each.

### 10 Pc. Assortment - Jar



**Contains:**  
 (4)-14"  
 (2)-19"  
 (2)-24"  
 (2)-35"

(Hook to Hook Measurement)  
**SL58**

### Rubber Rope Reels



- Solid Core Rubber
- 150ft. Coils
- Bulk Non-Packaged

Made in USA

49454-11 - 3/8"  
 49454-13 - 7/16"

### Rubber Rope Hook

- Steel Wire with Twisted Loop
- Bulk 100 per pack



49211-10



## Camo Utility Pad

### Multi-Use Utility Pad

60" x 62"

Great For:

- ✓ Moving & Storage
- ✓ Garage Floors
- ✓ Camping & Picnics
- ✓ Beach Activities
- ✓ Hunting
- ✓ Vehicle Protection & More



### Premium Design

- Heavy Duty Colorfast Poly/Cotton Blend with Continuous Quilted Stitching for Added Durability
- One Piece UV Treated and Metal Filtered Filler
- Machine Washable



**CAMO STYLE**

SL215

Disclaimer: Do NOT use for bedding.

## Adjustable Pickup Truck Cargo Nets



D-Rings and Connectors are spaced to accommodate various heights of loads. Each net comes with six (6), 1-1/4" x 5' long straps with a die cast cam buckle. Each strap has vinyl-coated S hooks with wire keepers to prevent them from disengaging. Net Openings: 6.0in / WLL: 1,200 lbs



**72in x 80in**

**2,000 lbs**  
Working Load Limit

**6 inch**  
Net Openings

### Short Bed Pickup Truck Cargo Net

For short beds - 72in W x 80in L

- Intended for securement of cargo being transported in the cargo bed of a standard pickup truck. Proper use will insure compliance with FMCSA and Canada's National Safety Code Standard 10 against loss of cargo.
- Place net over the cargo and secure at four corners of the net using the Quick Straps with safety hooks provided.
- Secure side rings with 2 additional straps.



**Quick Strap Hook**  
(400 lbs./181.4 kgs Working Load Limit)  
Includes 6 Quick Straps



50199-10

**72in x 96in**

**2,000 lbs**  
Working Load Limit

**6 inch**  
Net Openings

### Long Bed Pickup Truck Cargo Net

For standard beds - 72in W x 96in L

- Intended for securement of cargo being transported in the cargo bed of a standard pickup truck. Proper use will insure compliance with FMCSA and Canada's National Safety Code Standard 10 against loss of cargo.
- Place net over the cargo and secure at four corners of the net using the Quick Straps with safety hooks provided.
- Secure side rings with 2 additional straps.



**Quick Strap Hook**  
(400 lbs./181.4 kgs Working Load Limit)  
Includes 6 Quick Straps





50199-11

## Adjustable Cargo Nets

### Designed for use with E-Track or A-Track (not included)

60in - 72in W x 46in H  
Working Load Limit: 2,500 lbs  
Net Openings: 9in x 10in

- Creates a barrier between loads to help prevent load shift and falling cargo
- Actual working load capacity dependent upon track installation (Please reference TIMA RP No. 47-99 or hire a professional installer)
- Openings on sides of net will vary from interior net openings based on trailer width





- Spring Lever E-Clips
- Ressort de Levier E-Clips
- Primavera Palanca E-Clips
- Quick Release Cam Buckles
- Rapide Relâchez Cam Buckles
- Rapido Suelto Cam Buckles

10869-10

### Designed for use with E-Track or A-Track (not included)

84in - 96in W x 72in H  
Working Load Limit: 2,500 lbs  
Net Openings: 9in x 10in

- Creates a barrier between loads to help prevent load shift and falling cargo
- Actual working load capacity dependent upon track installation (Please reference TIMA RP No. 47-99 or hire a professional installer)
- Openings on sides of net will vary from interior net openings based on trailer width



- Spring Lever E-Clips
- Ressort de Levier E-Clips
- Primavera Palanca E-Clips
- Quick Release Cam Buckles
- Rapide Relâchez Cam Buckles
- Rapido Suelto Cam Buckles

10869-20

# TRUCK & TRAILER HARDWARE



## Truck & Trailer Hardware



### O-Track Hardware



**12<sup>IN</sup> O-Track Beveled**  
1,333 lbs WLL / 600 kg

- Great for floor mounting applications



\*See note on opposite page.

**XH8003-12PB**  
(12 Per Box)

**Single Stud O-Track Fitting**  
1,333 lbs WLL / 600 kg

- Designed for Standard & Beveled Logistic Track



**XH8005-12PB**  
(12 Per Box)

**Double Stud O-Track Fitting**  
2,000 lbs WLL / 909 kg

- Designed for Standard & Beveled Logistic Track



**XH8006-12PB**  
(12 Per Box)

### E-Track Hardware



**12<sup>IN</sup> E-Track**  
2,000 lbs WLL / 909 kg

- Bolt or screw to floors, sidewalls or wood studs
- Painted Enamel Green Finish
- 12 Gauge Steel



\*See note on opposite page.

**XH8016-12PB**  
(12 Per Box)

**HD E-Track Fitting w/ O-Ring**  
2,000 lbs WLL / 909 kg


- Makes E-Track Useable with Standard Tie-Down Hooks
- Low Profile



**XH8022-12PB**  
(12 Per Box)

**2<sup>IN</sup> HD E-Track Fitting w/ O-Ring**  
1,833 lbs WLL / 833 kg

- Makes E-Track Useable with Standard Tie-Down Hooks
- Low Profile



**47772-12**  
(Bulk)

**Snap-Loc™**  
1,333 lbs WLL / 600 kg


- Bolt or screw to floors, sidewalls, ceilings, or wood studs
- Single Slot Design
- Electric Coated Black Finish



**XH8023-12PB**  
(12 Per Box)

**7<sup>IN</sup> E-Track Tie-Off Strap w/Stamped D-Ring**  
1,000 lbs WLL / 454 kg

- 7in extension
- Stamped Ring
- Spring loaded E/A fitting



**XH8021-10PB**  
(10 Per Box)

### EASY MERCHANDISING



All XH series hardware products are packaged in a self-merchandising display box and each piece is individually UPC tagged.



## Flip Ring & D-Ring



### 1" Flip Ring 400 lbs WLL / 181 kg

- Wire ring with bracket
- Surface mount design



XH8039-12PB  
(12 Per Box)

### 1-1/2" HD Flip Ring 1,666 lbs WLL / 750 kg

- Steel ring with bracket
- Surface mount design



XH8032-12PB  
(12 Per Box)

### 1" Flip Ring 250 lbs WLL / 113 kg

- 4" Oval Pan Surface mount design



XH8037-12PB  
(12 Per Box)

### 1" Flip Ring 400 lbs WLL / 181 kg

- 3-1/2" x 5" Oval Recessed mount design



XH8036-12PB  
(12 Per Box)

### 1-1/2" Flip Ring 1,666 lbs WLL / 750 kg

- 4-7/16" Square Pan Recessed mount design



XH8033-12PB  
(12 Per Box)

### 3" Flip Ring 1,666 lbs WLL / 750 kg

- 6" Round Pan Recessed/ Rotating
- 360 degree rotation



XH8034-8PB  
(8 Per Box)

### 5/8" D-Ring 5,000 lbs WLL / 2,267 kg

- Forged Steel Ring with bracket
- Surface Mount Weld-on design



XH8031-8PB  
(8 Per Box)

### 3/4" D-Ring 6,666 lbs WLL / 3,023

- Forged Steel Ring with bracket
- Surface Mount Weld-on design




XH8030-8PB  
(8 Per Box)

## Logistic Track



### 6' HD Logistic Track

- WLL – see note\*
- Aluminum



40467-33-72.00  
(Bulk)

### 6' Beveled HD Logistic Track

- WLL – see note\*
- Aluminum



50193-30-72.00  
(Bulk)

**NOTE:**

\*Working load limit will vary depending upon installation of track. Track is designed to work in combination with recommended tie-downs and fittings. Please reference TTMA RP No. 47-99 for installation. Attach track using screws, rivets or by welding. Contact vehicle manufacturer or qualified installer to determine fastener size and mounting method. Welding of galvanized material may emit toxic fumes. Please use caution and proper ventilation.

### 5' Horizontal E-Track

WLL – see note\*

- Bolt or screw to floors, sidewalls or wood studs
- Galvanized
- 12 Gauge Steel



48117-21-120.00  
(Bulk)

### 5' Horizontal E-Track

WLL – see note\*

- Bolt or screw to floors, sidewalls or wood studs
- Gray powder coat finish
- 12 Gauge Steel



48117-25-120.00  
(Bulk)

### 10' Vertical E-Track

WLL – see note\*

- Bolt or screw to floors, sidewalls or wood studs
- Gray powder coat finish
- 12 Gauge Steel



40838-10  
(Bulk)

# TIRE BONNETS & DOLLY STRAPS

- Premium 2<sup>IN</sup> PVB coated webbing for greater abrasion resistance
- Twisted snap hook on fixed end
- Short handle ratchet with built-in snap hook
- Packaged in window box – 1 assembly per box
- 3,333 LBS WLL / 1,515 kg



Made in USA 

Tire Bonnets can be special ordered with flat hooks in place of Snap Hooks. Contact Customer Service for pricing and availability.

## Standard Fixed

14<sup>IN</sup>- 15<sup>IN</sup> OEM Tires

No Ratchet



30TB

With Ratchet



30TB-MS

## Double Adjustable

13<sup>IN</sup>- 17<sup>IN</sup> OEM Tires &  
10<sup>IN</sup>- 22<sup>IN</sup> Wide Tires

- \*30ATB also available in Blue (-BL).
- 30ATB-MS also available in Yellow (-YL), Blue (-BL), Gray (-GR), Red (-RD) & Orange (-OR).
- 30RT also available in Yellow (-YL), Black (-BK), Red (-RD) & Orange (-OR)

With Ratchet



30RT-BL\*

## Adjustable

13<sup>IN</sup>- 17<sup>IN</sup> OEM Tires

No Ratchet



30ATB\*

With Ratchet



30ATB-MS-BK\*

## Basket Strap



**45143-20**  
1,666 lbs WLL /  
755 kg  
• For tires 7" w x 20" h  
• Weight: 2.25 lbs

**45143-22**  
1,666 lbs WLL /  
755 kg  
• For tires 8" w x 24" h  
• Weight: 2.5 lbs

## Wheel Dolly Strap



**47934-11**  
900 lbs WLL /  
410 kg  
• 2" x 86" with Round Ring  
• For tires 8" w x 22" h  
• Weight: 1.0 lbs

## Wheel Dolly Strap





**47935-11**  
800 lbs WLL /  
360 kg  
• With 5 Hooks  
• For tires 10" w x 24" h  
• Weight: 1.5 lbs



# AXLE STRAPS & AUTO TIE DOWNS

## Car Tie Downs

Made in USA 



- 2" PVB coated webbing for greater abrasion resistance
- Twisted snap hooks
- Wide handle ratchet
- 3,333 lbs WLL / 1,515 kg
- Packaged in Merchandiser Box

Part Number	Description	Length (FT)	Color
500-C6-RD	Strap Assembly	6'	Red
500-C8-BK	Strap Assembly	8'	Black
500-C8-RD	Strap Assembly	8'	Red
500-C8-BL	Strap Assembly	8'	Blue
500-C10-BK	Strap Assembly	10'	Black
500-BS	Belly Strap (no hooks) (standard SHC webbing)	20'	Yellow

## Series E Transit Strap with RTJ Hooks

Assembled with durable latex treated polyester webbing and short-wide handle ratchet. Fixed end features a heavy duty Series E & A track fitting and the adjustable end features a cluster hook with R, T & J options.

**49023-20**

1,000 lbs WLL / 455 kg  
• 6 ft. Strap

**49023-21**

1,000 lbs WLL / 455 kg  
• 8 ft. Strap

**49023-22**

1,000 lbs WLL / 455 kg  
• 12 ft. Strap



## Auto Hauler Winch Strap

**48487-24**

3,333 lbs WLL / 1,515 kg

2" x 140" Winch Strap w/ cleats

The auto tie down strap goes over the tire and utilizes three cleated rubber pads that mesh with the tread to keep the strap centered and secured.



## Axle Straps (21" & 33" Lengths)

Made in USA 

**Standard (3,333 lbs WLL / 1,515 kg)**

- 2" PVB coated webbing for greater abrasion resistance
- Stamped D-Rings
- Cordura protective sleeve
- Bulk packaging – Individually UPC coded



Part Number	Length (IN)	Color
30AS21-BK	21"	Black
30AS21-RD	21"	Red
30AS21-BL	21"	Blue
Part Number	Length (IN)	Color
30AS33-BK	33"	Black
30AS33-RD	33"	Red
30AS33-BL	33"	Blue

Part Number	Description	Length (FT)
500-TB-BK	2in Tie-Back Strap	5'
500-RAS-BK	2in Ratchet Combo Tie-Back	8'



# RECOVERY STRAPS

## Polyester Straps

- Abrasion Resistant
- UV Resistant
- Chemical Resistant
- Mildew Resistant
- Stores easily using sewn in storage band
- Packed in Pre-labeled Bins for Easy Merchandising

Part Number	Length	Width	MVW	Case Pack	Color	End Type
800-220	20'	2"	8,000lbs	6	Gray	Tapered Loop
800-230	30'	2"	8,000lbs	6	Gray	Tapered Loop
800-330	30'	3"	12,000lbs	4	Gray	Tapered Loop
800-430	30'	4"	16,000lbs	3	Gray	Tapered Loop
800-440	40'	4"	16,000lbs	2	Blue	Tapered Loop
800-450	50'	4"	16,000lbs	2	Red	Tapered Loop
800-630	30'	6"	24,000lbs	2	Gray	Tapered Loop
800-1040	40'	10"	40,000lbs	1	Blue	Tapered Loop
800-215H	15'	2"	6,000lbs	5	Gray	Hook
800-225H	25'	2"	6,000lbs	5	Gray	Hook



**Up to 10<sup>IN</sup> Widths**  
**Up to 50<sup>FT</sup> Lengths**



## Clamshell Pack



**ATV Tow Rope  
SL51**  
 5/8-IN x 13-FT  
 MVW: 3,500 lbs/1,587 kgs  
 Durable Braided  
 Polypropylene Rope  
 Steel Safety Hooks



**Tow Strap  
SL31**  
 2-IN x 15-FT  
 MVW: 5,000 lbs/2,268 kgs  
 Steel Safety Hooks  
 Polyester Webbing



**Recovery Strap  
SL24**  
 2-IN x 20-FT  
 MVW: 9,000 lbs/4,082 kgs  
 Twisted Sewn Loops  
 Polyester Webbing



Part Number	Length	MVW	Case Pack
SL51	13'	3,500lbs	4
SL31	15'	5,000lbs	4
SL24	20'	9,000lbs	3

*All above made in China*



## Nylon Recovery Straps



**Superior Stretch  
& Recovery  
vs Polyester**



These Vehicle Recovery Straps are constructed from top of the line heavy duty nylon webbing to help recover a stuck or disabled vehicle. Hi abrasion resistant webbing exceeds the needs of many demanding applications. These straps will not rot, mildew, or rust like chain. They are lightweight and easy to use.

- Made of Heavy Duty Nylon Webbing
- Stores easily using sewn in storage band
- UV and weather resistant

### With Sewn Loops

**2" x 20' FT** 900-220  
2-IN x 20-FT  
MVW: 8,000 lbs/3,630 kgs



**2" x 30' FT** 900-230  
2-IN x 30-FT  
MVW: 8,000 lbs/3,630 kgs



**3" x 30' FT** 900-330  
3-IN x 30-FT  
MVW: 11,000 lbs/4,990 kgs



**4" x 30' FT** 900-430  
4-IN x 30-FT  
MVW: 16,000 lbs/7,260 kgs



**6" x 30' FT** 900-630  
6-IN x 30-FT  
MVW: 23,000 lbs/10,433 kgs



### With Steel Safety Hooks

**2" x 15' FT** 900-215H  
2-IN x 15-FT  
MVW: 6,000 lbs/2,722 kgs



**2" x 25' FT** 900-225H  
2-IN x 25-FT  
MVW: 6,000 lbs/2,722 kgs



Packed In Pre-labeled Bins  
For Easy Merchandising

Part Number	Length	MVW	Case Pack	End Type
900-220	20'	8,000lbs	6	Tapered Loop
900-230	30'	8,000lbs	6	Tapered Loop
900-330	30'	11,000lbs	4	Tapered Loop
900-430	30'	16,000lbs	3	Tapered Loop
900-630	30'	23,000lbs	2	Tapered Loop
900-215H	15'	6,000lbs	5	Hook
900-225H	25'	6,000lbs	5	Hook

**MVW = MAXIMUM VEHICLE WEIGHT**

The maximum weight of the vehicle being recovered, including cargo load, for which the strap is intended for use.

# 3 POINT RECOVERY STRAP


## Great for Snowmobiles & Recreational Vehicles!



### FEATURES

- 15' Recovery Strap System with Snap Hooks
- Great for snowmobiles, ATV's, and other small recreational vehicles
- Soft loop with protective sleeves guard vehicle finish
- Rugged zinc plated hardware
- 1,000 lbs working load limit // 3,000 lbs breaking strength

Our versatile **3-POINT™ Recovery Strap** provides on-the-spot emergency assistance to recover immobile or disabled recreational vehicles. Developed for Snowmobiles, this product is light weight, compact and can be used to recover virtually any recreational vehicle weighing up to 1,000 lbs. The two-piece design keeps front skis and tires aligned with the pulling vehicle while the soft-loop hooks help protect expensive paint, metal and chrome finishes. Heavy duty zinc plated Snap Hooks and D-Rings along with sliding polyester wear guards further enhance the performance of this strap in the harshest conditions.



Part Number	Length (FT/M)	Max Vehicle Weight (WLL) (LBS/KGS)	Case Pack	Country of Origin
900-115H	15 Ft / 4.6 M	1,000 LBS / 454 KGS	4	China Chine



# TIE DOWNS

CONSUMER • COMMERCIAL • INDUSTRIAL • TENT STRAPS



# CONSUMER TIE DOWNS

**15 FT x 1 IN 4 PACK  
SL91 (4 Pack)**



General use tie downs are designed to provide dependability at a great value. S-Line recommends offering a mix of Series X and General Use tie downs to accommodate a wider range of customer applications and preferences.

- 15 FT Length
- 500 lbs. Working Load Limit (WLL)
- Fully Curved Vinyl Covered S-Hooks
- Padded Grip Ratchet Handles
- Interactive Open Style Package

**6 FT x 1 IN Cam Buckle  
SL27 (4 Pack)**  
WLL: 300 lbs / 135 kg



- Compact vinyl coated S-hooks

**8 FT x 1 IN Ratchet - Camo  
SL66 (4 Pack)**  
WLL: 400 lbs / 181 kg



- Padded grip handle
- Compact vinyl coated S-hooks

**10 FT x 1 IN Ratchet  
SL16 (4 Pack)**  
WLL: 300 lbs / 135 kg



- Compact vinyl coated S-hooks

**15 FT x 1 IN Ratchet  
SL91 (4 Pack)**  
WLL: 500 lbs / 227 kg



- Padded grip handle
- Full curve vinyl coated S-hooks

**6 FT x 1 IN Cam Buckle  
SL38 (2 Pack)**  
WLL: 400 lbs / 181 kg



- Full size vinyl coated S-hooks

**6 FT x 1 IN Cam Buckle  
SL30 (2 Pack)**  
WLL: 400 lbs / 181 kg



- ATV/Cycle Strap
- Full size vinyl coated S-hooks

**10 FT x 1 IN Cam Buckle  
SL01 (2 Pack)**  
WLL: 400 lbs / 181 kg



- Full size vinyl S-hooks

**10 FT x 1 IN Ratchet  
SL05 (2 Pack)**  
WLL: 300 lbs / 135 kg



- Yellow chromate ratchet
- Full size vinyl coated S-hooks

**13 FT x 1 IN Lashing  
SL48 (2 Pack)**  
WLL: 200 lbs / 91 kg



- Great for bundling & roof racks
- Loop style / No hooks

**13 FT x 1 IN Ratchet - Endless  
SL47 (1 Pack)**  
WLL: 300 lbs / 135 kg



- Great for roof racks
- Forms a loop

**13 FT x 1 IN Ratchet  
SL46 (1 Pack)**  
WLL: 300 lbs / 135 kg



- Black powder coated ratchet
- Compact vinyl S-hooks

**14 FT x 1 IN Ratchet  
SL18 (1 Pack)**  
WLL: 400 lbs / 181 kg



- Black powder coated ratchet
- Full size vinyl coated S hooks



## 15FT x 1.5IN Ratchet SL32 (1 Pack)

WLL: 1,666 lbs / 756 kg



- Wide short handle w/ aluminum grip
- Double J-hooks
- Heavy Duty Webbing

## 16FT x 1.25IN Ratchet SL81 (2 Pack)

WLL: 700 lbs / 318 kg



- 1.25" heavy duty ratchet
- Molded grip handle
- Vinyl coated double J-hooks

## 16FT x 1IN Ratchet SL100 (1 Pack)

WLL: 1,000 lbs / 454 kg



- 1" heavy duty ratchet
- Double J-hooks
- Floating D-ring

## 16FT x 1.5IN Ratchet SL101 (1 Pack)


WLL: 1,666 lbs / 756 kg



- Wide short handle w/ aluminum grip
- Double J-hooks
- Heavy duty webbing

## 14FT x 1IN Ratchet SL12 (Display Pack)


WLL: 400 lbs / 181 kg



- 8 straps / box
- Individually shrink wrapped
- Black powder coated ratchet
- Full size vinyl coated S-hooks

## 15FT x 1IN Ratchet SL14 (Display Pack)

WLL: 666 lbs / 301 kg



- 8 straps / box
- Individually shrink wrapped
- Yellow chromate ratchet
- Yellow chromate double J hooks with floating d-rings on both ends

### BEST PRACTICE TIP:

Always inspect tie downs prior to and after every use for signs of excess wear, cuts, abrasion and deformed hardware. If found, remove from service immediately. Tie downs are consumable items and will wear out over time.

Store tie downs out of direct sunlight and in a dry location to extend their useful life.

## Soft-Tie Extension SL71 (1 Pack)

WLL: 1,666 lbs / 528 kg



- 18" Motorcycle & ATV Tie Down Extension

## Trackstar® Motorcycle Wheelchock 49603-10 (Removable)

- Fits 3 1/2" - 5 1/2" Tires
- Quick connect to aircraft style O track
- Comes complete with mounting kit



## Trackstar® Accessory Mounting Kit 49288-10

8" O Track & Hardware

- For installation in a second vehicle



## 3FT x 1IN TRUNK-TIE XC005-1P

WLL: 60 lbs / 27 kg



Packaged in Display box of 10

## Bull Ring - Retractable Stake Pocket Anchor XH8088-2P (2 Pack)



- Black Nylon Cover
- Stainless Steel Ring
- Snaps Up / Snaps Down
- No Drill 60 second Installation
- Capacity: 1000 lbs.



Fits: Ford F Series (1998-2014)  
6.5' & 8' beds with snap out covers on rail caps

Ford F Series (2015 & Newer)  
Fits over top of rail cap only

Ford F Ranger (2000-2012)

Chevy/GMC (1999-2013)  
Excludes 3500

Dodge Ram (1995-2017)  
Excludes Laramie & Ram Box. 2009-2017 Rail Cap Modification Required

# COMMERCIAL GRADE TIE-DOWNS

Perhaps the highest quality general application tie downs on the market, our "X" series straps are packed full of features and conveniences and built to endure the rigorous applications of today's professional contractor, light industrial user and avid motorsports enthusiasts. "X" series products are made with heavy duty abrasion resistant polyester webbing and packaged in environmentally conscious and easy to merchandise display boxes that are completely recyclable.

## Cam Buckle Tie-Downs



### 8 FT x 1.25 IN MOTORSPORTS 400 lbs WLL / 181 kg

- Pre-threaded & ready to use
- Soft-tie option built-in
- Full size vinyl coated hooks with keepers
- Sewn loop end to prevent pull through
- 2 Pack



XC108-2P

### 10 FT x 1 IN GENERAL PURPOSE 400 lbs WLL / 181 kg

- Full size vinyl S-hooks
- Sewn loop end to prevent pull through
- 4 Pack



XC010-4P

### 12 FT x 1 IN GENERAL PURPOSE 400 lbs WLL / 181 kg

- Full size vinyl S-hooks
- Sewn loop end to prevent pull through
- 1 Pack



XC012-1P

### 12 FT x 1 IN GENERAL PURPOSE 400 lbs WLL / 181 kg

- Full size vinyl S-hooks
- Sewn loop end to prevent pull through
- 1 Pack



CAMO  
STYLE



XC012-C1P

### 15 FT x 1.25 IN GENERAL PURPOSE 400 lbs WLL / 181 kg

- Pre-threaded & ready to use
- Extended 19in fixed end to extend ratchet above pickup rail
- Full size vinyl coated hooks with keepers
- Sewn loop end to prevent pull through
- 2 Pack



XC115-2P

### 15 FT x 1.25 IN GENERAL PURPOSE 400 lbs WLL / 181 kg

- Pre-threaded & ready to use
- Extended 19in fixed end to extend ratchet above pickup rail
- Full size vinyl coated hooks with keepers
- Sewn loop end to prevent pull through
- 2 Pack



CAMO  
STYLE



XC115-C2P

### 10 FT x 2 IN INDUSTRIAL 800 lbs WLL / 360 kg

- Pre-threaded & ready to use
- Extended 19in fixed end to extend buckle above pickup rail
- Sewn loop end to prevent pull through
- 1 Pack



XC210-1P



## Ratchet Tie-Downs



### 8 FT x 1.25 IN MOTORSPORTS

700 lbs WLL / 318 kg

- Pre-threaded & ready to use
- Soft-tie option built-in
- Spring loaded webbing storage clamp
- Full size vinyl coated hooks with keepers
- Sewn loop end to prevent pull through
- 2 Pack



XR108-2P

### 10 FT x 1.5 IN POWER EQUIPMENT

1,000 lbs WLL / 453 kg

- Reversible wide handle GRR\*
- Extended 19in fixed end with twisted snap hook to extend ratchet above pickup rail
- Vinyl coated double J hook with keeper and floating d-ring on adjustable end
- Sewn loop end to prevent pull through
- 1 Pack



XR210-1P

### 15 FT x 1 IN GENERAL PURPOSE

500 lbs WLL / 227 kg

- Molded grip ratchet handle
- Full size vinyl coated hooks
- 1 Pack



XR015-1P

### 15 FT x 1 IN GENERAL PURPOSE

500 lbs WLL / 227 kg

- Molded grip ratchet handle
- Full size vinyl coated hooks
- 4 Pack



XR015-4P

### 15 FT x 1 IN ENDLESS LOOP

500 lbs WLL / 227 kg

- Ready to use
- Designed for bundling & roof racks
- Molded grip ratchet handle
- 1 Pack



NO HOOKS



XR015-E1P

### 15 FT x 1 IN GENERAL PURPOSE

500 lbs WLL / 227 kg

- Molded grip ratchet handle
- Full size vinyl coated hooks
- 1 Pack



CAMO STYLE



XR015-C1P

### 15 FT x 1.25 IN GENERAL PURPOSE

700 lbs WLL / 318 kg

- Spring loaded webbing storage clamp
- Full size vinyl coated hooks with keepers
- Extended 19in fixed end to extend ratchet above pickup rail
- Sewn loop end to prevent pull through
- 2 Pack



XR115-2P

### 15 FT x 1.25 IN GENERAL PURPOSE

700 lbs WLL / 318 kg

- Spring loaded webbing storage clamp
- Full size vinyl coated hooks with keepers
- Extended 19in fixed end to extend ratchet above pickup rail
- Sewn loop end to prevent pull through
- 2 Pack




CAMO STYLE



XR115-C2P

## Gradual Release Ratchet (GRR)

ANCRA EXCLUSIVE



Reversible spindle design allows tension to be released one gear at a time until tension approaches 60 lbs. Helps prevent explosive release of cargo with shock absorbers and rubber tires that push back on the load or overhead applications where cargo may fall quickly. Also great for balancing motorcycles without having to release the entire strap and re-tighten.

# COMMERCIAL GRADE TIE DOWNS

## Retractable Ratchets

Retractable Ratchet tie downs are constructed from top of the line materials to secure all types of cargo while keeping excess webbing organized and out of the way. Strong torsion springs ensure a smooth and complete retraction every time while providing the holding power and precise tension adjustment you expect from a traditional tie down.

### Features:

- Built-in power spring automatically retracts webbing for storage
- No feeding straps, no tying off ends or removing webbing from ratchet
- Straps are fully self-contained with no extraneous parts
- Strong handles with gear spring design
- Coated or Stainless Steel Hooks w/ Safety Clip



Part Number	Webbing Length	Webbing Width	Working Load Limit	Package Type	Retail Pack Quantity
95370	6'	1"	500lbs.	I-Pack	2 Pack
95371	10'	1"	500lbs.	I-Pack	2 Pack
95372	15'	1"	500lbs.	I-Pack	2 Pack

All Above Made in Taiwan

Part Number	Webbing Length	Webbing Width	Working Load Limit	Package Type	Retail Pack Quantity
95380	4'	1 7/8"	1,000lbs.	I-Pack	1 Pack
95381	4'	1 7/8"	550lbs.	I-Pack	1 Pack
95382	10'	1 7/8"	1,000lbs.	I-Pack	1 Pack

All Above Made in Taiwan

### 6FT x 500 lbs (227 kgs)

- Push Button Control



2 Pack

### 4FT x 1,000 lbs (454 kgs)

- Bolt-On Style
- For Utility Trailers and Ladder Racks
- Mounting Hardware Included



1 Pack

### 10FT x 500 lbs (227 kgs)

- Gear Spring Design Restricts Accelerated Retraction



2 Pack

### 4FT x 550 lbs (249 kgs) **STAINLESS STEEL**

- Bolt-On Style
- For Boat Trailers, Utility Trailers and Ladder Racks
- Mounting Hardware Included



1 Pack

### 15FT x 500 lbs (227 kgs)

- Gear Spring Design Restricts Accelerated Retraction



2 Pack

### 10FT x 1,000 lbs (454 kgs)

- Bolt-On or use Standard Style
- For Utility Trailers and Ladder Racks
- Includes Hardware and Fixed End Option




1 Pack



## Bulk Products (No Packaging)

### Wide Handle 1-Inch Heavy Duty Ratchet Provides Extra Strength and Better Grip!

**10936 Series Ratchet Straps** are constructed of 1-in, 3,500 lbs. durable polyester webbing and a steel, gold chromate coated ratchet buckle that is longer and wider than traditional 1-in ratchet buckles. These are designed to provide added strength, durability and superior performance during use. The straps are available in 12 ft, 16 ft, and 20 ft lengths and feature full size, vinyl coated steel S-Hooks on both ends and tri-lingual warning tags. Bulk packed, rolled, plastic banded, and UPC coded for resale.



Longer & Wider Handle

Part Number	Webbing Length	Webbing Width	Working Load Limit	Package Type	QTY. Per Box
10936-12	12'	1	1,000lbs.	Bulk	20
10936-16	16'	1	1,000lbs.	Bulk	20
10936-20	20'	1	1,000lbs.	Bulk	20



- WLL: 1,000 lbs/ 454 kg
- Black polyester webbing
- Yellow chromate ratchet
- Full size vinyl coated S-hooks
- Bulk / 20 Per Box

### 10936 Series Ratchet Straps

Available in 3 Lengths



### 10<sup>FT</sup> x 1<sup>IN</sup> Light Duty Cam Buckle APS-1

WLL: 166 lbs / 75 kg



- Non-coated steel S-hooks
- 6" fixed end
- 9.5" adjustable end

### 14<sup>FT</sup> x 1<sup>IN</sup> Light Duty Cam Buckle APS-SLS

WLL: 166 lbs / 75 kg



- Non-coated steel S-hooks
- 5" fixed end
- 9" adjustable end

### 10<sup>FT</sup> x 1<sup>IN</sup> Cam Buckle APS-2

WLL: 400 lbs / 181 kg



- Full size vinyl coated steel S-hooks
- 6" fixed end
- 9.5" adjustable end

### 6.5<sup>FT</sup> x 1<sup>IN</sup> HD Ratchet APS-FF3080

WLL: 1,000 lbs / 453 kg



- 3,500 lb polyester webbing
- Yellow chromate ratchet
- Full size non-coated S hooks

### 12<sup>FT</sup> x 1<sup>IN</sup> Standard Duty APS-R12-BK

WLL: 400 lbs / 181 kg



- 2,000 lbs polyester webbing
- Yellow chromate ratchet
- Full size vinyl coated S hooks

Also available in 6ft length APS-R6-BK

### 12<sup>FT</sup> x 1<sup>IN</sup> Heavy Duty APS-3

WLL: 1,000 lbs / 453 kg



- 3,500 lbs polyester webbing
- Yellow chromate ratchet
- Yellow chromate double J- hooks with floating d-rings on both ends

### 16<sup>FT</sup> x 1<sup>IN</sup> Standard Duty APS-15192

WLL: 500 lbs / 266 kg



- 2,000 lbs polyester webbing
- Yellow chromate ratchet
- Full size vinyl coated hooks

# INDUSTRIAL TIE DOWNS

## 556 Series 2<sup>IN</sup> Standard Wide Handle Ratcheting Tie-Downs


**2" x 27' Strap**  
5cm x 8.2 m

**3,333lbs Working Load Limit**  
1,512 kg

**10,000lbs Breaking Strength**  
4,536 kg



**556**  
Flat Hook




**556-WHK**  
Double J-Hook



**556-WHK Display Box**

Tried & tested by professional truck drivers for over 40 years, Ancra Industrial Grade ratchet straps are built for the most demanding applications. Quality, care and thought go into every strap ensuring our products perform as intended and outlast the competition. From full size long wide handle ratchets for easier grip and maximum leverage, to specialty coated webbings that provide additional UV and water resistance to big beefy end fittings matched to the strap's working load limit, you're certain to find the tie down that fits your needs.



2 INCH    3 INCH    4 INCH



Flat Hook with  
Aluminum Edge Guard



Wire Double J-Hook



Twisted Snap Hook



Chain Anchor

### Standard Ratchets

#### 2<sup>IN</sup> LONG WIDE HANDLE (2LW)

- Dichromate Finish
- 3.76in Aluminum Grip
- 8.5in Handle
- 3,666 lbs WLL / 1,662 kg



#### 3<sup>IN</sup> LONG WIDE HANDLE (3LW)

- Dichromate Finish
- 4.8in Aluminum Grip
- 10.5in Handle
- 7,333 lbs WLL / 3,326 kg



#### 4<sup>IN</sup> LONG WIDE HANDLE (4LW)

- Dichromate Finish
- 5.2in Aluminum Grip
- 12.5in Handle
- 8,000 lbs WLL / 3,628 kg



#### STANDARD HIGH CAPACITY WEBBING (SHC)




- Latex coated polyester with excellent UV protection and abrasion resistance
- Meets DOT and WSTDA requirements

#### X-TREME 2X HIGH CAPACITY WEBBING (X-TREME)



- Polyester webbing with superior weave pattern and permanent proprietary coating that provides twice the abrasion resistance of standard high capacity webbing and greater resistance to damaging water absorption

### ANATOMY OF A RATCHET STRAP



The distance between extreme end bearing points of the web tie down assembly, including the fittings. Standard fixed end length is 18" (33" for chain anchor straps). This puts the ratchet in the optimum position on the side of the trailer.



## 2<sup>IN</sup> x 3,333 lbs WLL (1,515 kg) Standard Wide Handle



Part Number	Length (Feet)	Ratchet Style	Hook Type	Webbing Type	Package Type	Retail Pack Qty
566	27'	2SW	Flat	SHC	Bulk	1
566-WHK	27'	2SW	Wire Double-J	SHC	Bulk	1

## 2<sup>IN</sup> x 3,333 lbs WLL (1,515 kg) Long Wide Handle



Part Number	Length (Feet)	Ratchet Style	Hook Type	Webbing Type	Package Type	Retail Pack Qty
557-15	15'	2LW	Flat	SHC	Bulk	1
557-15WHK	15'	2LW	Wire Double-J	SHC	Bulk	1
<b>557</b>	<b>27'</b>	<b>2LW</b>	<b>Flat</b>	<b>SHC</b>	<b>Bulk</b>	<b>1</b>
45982-10-27-WK	27'	2LW-WK	Flat	SHC	Bulk	1
45982-90-27	27'	2LW	Flat	X-TREME	Bulk	1
<b>557-WHK</b>	<b>27'</b>	<b>2LW</b>	<b>Wire Double-J</b>	<b>SHC</b>	<b>Bulk</b>	<b>1</b>
45982-42-27-WK	27'	2LW-WK	Wire Double-J	SHC	Bulk	1
45982-95-27	27'	2LW	Wire Double-J	X-TREME	Bulk	1
45982-19	27'	2LW	Twisted Snap	SHC	Bulk	1
45982-15	27'	2LW	Chain Anchor	SHC	Bulk	1
45982-11	30'	2LW	Flat	SHC	Bulk	1
45982-90-30	30'	2LW	Flat	X-TREME	Bulk	1
45982-43	30'	2LW	Wire Double-J	SHC	Bulk	1
45982-95-30	30'	2LW	Wire Double-J	X-TREME	Bulk	1
45982-36	30'	2LW	TSH	SHC	Bulk	1
45982-34	30'	2LW	Chain Anchor	SHC	Bulk	1
557-40	40'	2LW	Flat	SHC	Bulk	1
557-40WHK	40'	2LW	Wire Double-J	SHC	Bulk	1
557-50	50'	2LW	Flat	SHC	Bulk	1
557-50WHK	50'	2LW	Wire Double-J	SHC	Bulk	1
557-60	60'	2LW	Flat	SHC	Bulk	1
557-60WHK	60'	2LW	Wire Double-J	SHC	Bulk	1

## 3<sup>IN</sup> x 5,400 lbs WLL (2,450 kg)



Part Number	Length (Feet)	Ratchet Style	Hook Type	Webbing Type	Package Type	Retail Pack Qty
48987-20	27'	3LW	Flat	SHC	Bulk	1
48987-90-27	27'	3LW	Flat	X-TREME	Bulk	1
48987-28	27'	3LW	Wire Double-J	SHC	Bulk	1
48987-24	27'	3LW	Chain Anchor	SHC	Bulk	1
48987-92-27	27'	3LW	Chain Anchor	X-TREME	Bulk	1
48987-21	30'	3LW	Flat	SHC	Bulk	1
48987-90-30	30'	3LW	Flat	X-TREME	Bulk	1
48987-29	30'	3LW	Wire Double-J	SHC	Bulk	1
48987-25	30'	3LW	Chain Anchor	SHC	Bulk	1
48987-92-30	30'	3LW	Chain Anchor	X-TREME	Bulk	1

## 4<sup>IN</sup> x 5,400 lbs WLL (2,450 kg)




Part Number	Length (Feet)	Ratchet Style	Hook Type	Webbing Type	Package Type	Retail Pack Qty
49346-10	27'	4LW	Flat	SHC	Bulk	1
49346-90-27	27'	4LW	Flat	X-TREME	Bulk	1
49346-12	27'	4LW	Wire Double-J	SHC	Bulk	1
49346-93-27	27'	4LW	Wire Double-J	X-TREME	Bulk	1
49346-14	27'	4LW	Chain Anchor	SHC	Bulk	1
49346-91-27	27'	4LW	Chain Anchor	X-TREME	Bulk	1
49346-11	30'	4LW	Flat	SHC	Bulk	1
49346-90-30	30'	4LW	Flat	X-TREME	Bulk	1
49346-13	30'	4LW	Wire Double-J	SHC	Bulk	1
49346-93-30	30'	4LW	Wire Double-J	X-TREME	Bulk	1
49346-15	30'	4LW	Chain Anchor	SHC	Bulk	1
49346-91-30	30'	4LW	Chain Anchor	X-TREME	Bulk	1

**Note:** Standard webbing color for heavy duty tie downs is yellow unless noted by color block next to the part number.

# TENT STRAPS

The last thing you want to worry about is the security of your tent on that special occasion. Ancra tent straps and bungee balls are made with high quality materials that are built to last and provide stability even under extreme pressure. Our white tent straps work on most party tents and keep tents secure even in high wind conditions. Straps come in a variety of lengths and widths with a wide selection of hardware to ensure your tent stays tied down. With a large range of tent strap and ratchet tie down options to choose from, you're guaranteed to find the most reliable, cost effective solution possible. Get the exact tent strap configuration you need no matter what type of tent you're assembling!



P/N	Dims	Description	WLL LBS	BS LBS	Fixed End	Adjustable End	Package	Box Qty
<b>Ratchet Buckle</b>								
96011	1"x15'	Long/Wide Handle	1,000	3,000	Double J Hooks	Double J Hooks	bulk banded	8
96012	1"x15'	Long/Wide Handle	1,000	3,000	Double D Hooks	Double D Hooks	bulk banded	8
96013	1"x15'	Long/Wide Handle	1,000	3,000	Snap Hooks	Snap Hooks	bulk banded	8
96014	1"x15'	Long/Wide Handle	1,000	3,000	Twisted Loop	Double J Hooks	bulk banded	8
96021	2"x20'	Short Handle	2,000	6,000	Double J Hooks	Double J Hooks	bulk banded	6
96022	2"x20'	Short Handle	2,000	6,000	Double D Hooks	Double D Hooks	bulk banded	6
96023	2"x20'	Short Handle	2,000	6,000	Snap Hooks	Snap Hooks	bulk banded	6
96024	2"x20'	Short Handle	2,000	6,000	Twisted Loop	Double J Hooks	bulk banded	6
96031	2"x27'	Long Wide Handle	3,333	10,000	Double J Hooks	Double J Hooks	bulk banded	6
96032	2"x27'	Long Wide Handle	3,333	10,000	Twisted Loop	Double J Hooks	bulk banded	6
<b>Cam Buckle</b>								
96041	1.5"x15'	Silver Cam Buckle	1,000	3,000	S Hook w/Clip	S-Hook w/Clip/Soft Loops	bulk banded	8
<b>Tent Stakes</b>								
96051	3/4"x30"	Double Headed	n/a		high carbon steel alloy, unpainted		bulk/flag	6
96052	1"x40"	Double Headed	n/a		high carbon steel alloy, unpainted		bulk/flag	6
<b>Canopy Ties</b>								
96061	6"	White/White ball	n/a		20/package		Polybag/Header	5/100
96062	10"	White/White ball	n/a		10/package		Polybag/Header	5/50
<b>Sleeves (Buckle Covers)</b>								
96071	6"x6"	2" slot -white	n/a		2 pk		Polybag/Header	5/10
96072	10"x10"	2.5" slot -white	n/a		2 pk		Polybag/Header	5/10



# HEAVY DUTY

## TRANSPORT PRODUCTS

Tried & tested by professional truck drivers for over 40 years, Ancra heavy duty products are built for the most demanding applications.



# WINCH STRAPS & CORNER PROTECTORS

## Winch Straps

### STANDARD HIGH CAPACITY WEBBING (SHC)



- Latex coated polyester with excellent UV protection and abrasion resistance
- Meets DOT and WSTDA requirements

### 2" x 3,333 lbs WLL (1,515 kg)



Part Number	Length (Feet)	Hook Type	Webbing Type	Package Type	Retail Pack Qty
41659-10-27	27'	Flat	SHC	Bulk	1
41659-10-30	30'	Flat	SHC	Bulk	1
41659-11-30	30'	Delta Ring	SHC	Bulk	1

### X-TREME® 2X HIGH CAPACITY WEBBING (X-TREME)



- Polyester webbing with superior weave pattern and permanent proprietary coating that provides twice the abrasion resistance of standard high capacity webbing and greater resistance to damaging water absorption

### 3" x 5,400 lbs WLL (2,450 kg)



Part Number	Length (Feet)	Hook Type	Webbing Type	Package Type	Retail Pack Qty
41660-10-30	30'	Flat	SHC	Bulk	1
41660-14-30	30'	Chain Anchor	SHC	Bulk	1

### 4" x 5,400 lbs WLL (2,450 kg)



Part Number	Length (Feet)	Hook Type	Webbing Type	Package Type	Retail Pack Qty
43795-10-27	27'	Flat	SHC	Bulk	1
43795-10-30	30'	Flat	SHC	Bulk	1
43795-90-30	30'	Flat	X-TREME	Bulk	1
43795-11-30	30'	Delta Ring	SHC	Bulk	1
43795-13-30	30'	Sewn Loop	SHC	Bulk	1
43795-14-30	30'	Grab Hook	SHC	Bulk	1
43795-15-30	30'	Chain Anchor	SHC	Bulk	1
43795-95-30	30'	Chain Anchor	X-TREME	Bulk	1
43795-10-40	40'	Flat	SHC	Bulk	1
43795-90-40	40'	Flat	X-TREME	Bulk	1
43795-10-50	50'	Flat	SHC	Bulk	1
43795-10-60	60'	Flat	SHC	Bulk	1



## HELP PROTECT YOUR FREIGHT AND STRAPS X-TREME GUARD™



Made in USA

#### 50089-12

12" X-TREME GUARD  
Weight: .8 lbs./ .36 kg.

#### 50089-24

24" X-TREME GUARD  
Weight: 1.7 lbs./ .78 kg.

#### 50089-36

36" X-TREME GUARD  
Weight: 2.7 lbs./ 1.23 kg.

#### 50089-48

48" X-TREME GUARD  
Weight: 3.6 lbs./ 1.63 kg.

- Constructed of High Density Polyethylene for strength and durability
- Spread the strap tension over the length of the guard
- More durable than wood and greater memory than aluminum
- Weather and UV resistant, Good to -30°F
- Light weight & made from recycled materials
- Sold in bundles of 10-each piece UPC labeled



- Quickly and Easily winds straps onto winches for storage when not in use



50092-10



**EZ Winder**  
Fast... Easy... Reliable...

### Corner Protectors

- High density plastic polymer
- Up to 4" Webbing



43986-10



Part Number	Description	Retail Pack Qty	Package Type
50092-10	EZ Winder Winch Strap Winder	1	carded
43986-10	Corner Protectors - Plastic - up to 4" webbing (50 per box)	1	bulk



# WINCHES & WINCH BARS

## STRONGEST IN THE INDUSTRY

Ankra winches comply with DOT, WSTDA-T3 and Canadian Standard 905 regulations. Available in different base configurations to suit a variety of needs and load requirements.

All winches shown are right hand models. Left hand models may be available on special orders.

Black powder coat finishes are standard on portable and slider winches. E-coat finishes are standard on weld-on and 3-bar winches.

Powder coating withstands 250 hours of standard salt spray testing to ensure years of service.

Smooth ground web slots prevent web wear

Seamless solid steel mandrel.

Stamped working load limit and Ankra name certify quality.

High-strength alloy pawl pins.



## Winches

### 2" Lashing Winch

3,333 lbs WLL / 1,515 kg

- Bolt or weld on
- Double hex-drive ratchet design
- Great for Ladder Racks



47640-31

### Weld-on Standard

5,500 lbs WLL / 2,500 kg

- Bottom mount
- Standard web capacity
- Black e-coat



43563-10

### Weld-on Storable

5,500 lbs WLL / 2,500 kg

- Bottom mount
- High web capacity
- Black e-coat



43573-10

### Weld-on Low Profile

5,500 lbs WLL / 2,500 kg

- Side mount
- Black e-coat



43579-20

### Portable w/2SS Standard

5,500 lbs WLL / 2,500 kg

- Tightens to side frame
- Standard web capacity
- Black powder coated



43564-147

### Double L-Track Slider Standard

5,500 lbs WLL / 2,500 kg

- Locks in place with tension
- 7mm Frame offers less weight, same strength
- Heat treated – do not weld



49207-137

### C-Track Slider Storable

6,000 lbs WLL / 2,730 kg

- Locks in place with tension
- High web capacity
- 7mm Frame offers less weight, same strength
- Heat treated – do not weld



43565-127

### Porta Winch

5,500 lbs WLL / 2,500 kg

- Standard outward off-set
- Fasten straps securely and legally
- Installs easily without tools



49716-10

### Porta Anchor

5,500 lbs WLL / 2,500 kg

- Standard outward off-set
- Works over tires and toolboxes
- For use with standard winch straps



49717-10

Inserts into Standard Trailer Stake Pockets

## Winch Bars

All winch bars are made from heat treated steel for extra strength and designed for use with standard winch caps. Each bar has a knurled handle in two sections for improved grip and a flanged mushroom tip end to keep the bar from slipping within the winch cap.



### 34" Standard Black

- Black powder coat finish



42313-10

### 34" Combination Box End

- Painted silver & yellow finish
- Chain binder release end



42313-12

### 34" Standard Chrome

- Chrome finish



42313-17

### 34" Combination Chrome

- Chrome Finish • Open ended



42313-19

**ErgoBar**  
A NEW ANGLE  
ON THE WINCH BAR



### 34" ERGO 360° Standard

- Black & Yellow painted finish



50015-10

All ERGO 360° bars are made from heat treated steel for extra strength and designed for use with standard winch caps. The patented ergonomic bend in the bar allows it to be easily rotated without removal from the winch cap maintaining parallel alignment of the handle and providing optimum leverage with less strain on the operator. Each bar also has a knurled handle in the lead section for improved grip and a flanged mushroom tip end to keep the bar from slipping within the winch cap.

### 34" ERGO 360° Combination

- Black & Yellow painted finish
- Open ended



50015-20

### 34" ERGO 360° Combination Box End

- Black & Yellow painted finish
- Chain binder release end



50015-21

# CARGO BARS & LOGISTIC STRAPS

## Adjustable Cargo Bars

### Light Duty Ratcheting Cargo Bar

- Powder Coated & Chromate Weather Resistant Finish
- Soft Grip Padded Ratchet Handle
- Cushioned Spring Loaded Non-Slip Pads (2in x 4in)
- Easy Glide Tube Design for Superior Ease of Use
- Adjusts from 40in. to 70in.
- No Assembly Required
- Prevents Cargo From Sliding and Spilling Over
- Fits all Standard Pickup Trucks & SUV's



### 410-PU-1

Heavy Duty for Pickups & SUV's



- Adjustable 46in - 61in
- 2in x 4in pads

### 410-PU-2

Heavy Duty for Pickups & Vans



- Adjustable 60in - 72in
- 2in x 4in pads



• 4in x 4in pads

### 43782-15

Pro-Heavy Duty Aluminum Standard Cargo Sta®

- Adjustable 89.75in - 104.5in



**CAUTION:** Due to variations in the wall construction of a trailer, Cargo Sta® and Jack Bars do not have a working load limit.



• 2in x 4in pads

### 48407-10

Pro-Heavy Duty Steel Economy Cargo Sta® with Bolt-on Feet

- Adjustable 89.75in - 104.5in



### 49348-11

Bar Keep™ Cargo Bar Holder

- Steel design for 2x4 or 4x4 pads



## Logistic Straps

Ancra logistic straps are designed to work with traditional horizontal and vertical E & A track and assembled with spring actuated series E end-fittings. Straps are made with heavy duty 6,000 lbs polyester webbing and color coded by length for easy identification. Fixed end lengths are all 48in. For other style logistic straps and end fittings, contact Customer Service at (800) 626-8353 for assistance.



Spring End Fitting

**Cam Buckle - 833 lbs WLL (378 kg)**



**Ratchet - 1,333 lbs WLL (605 kg)**



Part Number	Length (ft)	Package Type	Color
40602-17	12'	bulk	Yellow
40602-18	16'	bulk	Grey
40602-19	20'	bulk	Blue

Part Number	Length (ft)	Package Type	Color
48672-13	12'	bulk	Yellow
48672-14	16'	bulk	Grey
48672-15	20'	bulk	Blue



# CHAIN • BINDERS • HOOKS • SHACKLES



# TRANSPORT CHAIN

## Transport Chain Assemblies with Clevis Hooks

### GRADE 43

With G43 Hooks



Each assembly is packaged in a poly bag with UPC & Warning Label.

High strength chain made from carbon steel, surpassing proof coil working load limits by a factor of 2 to 1. Great for general tie down use and logging applications. NOTE: Not for overhead lifting.

Part Number	Size	Length (Feet)	Retail Pack Qty	Working Load Limit	Package Type
49958-31-20	5/16"	20'	1	3,900 lbs (1,769 kg)	drum/bag
49958-31-20-SP	5/16"	20'	1	3,900 lbs (1,769 kg)	plastic tub
49958-38-20	3/8"	20'	1	5,400 lbs (2,450 kg)	drum/bag
49958-38-20-SP	3/8"	20'	1	5,400 lbs (2,450 kg)	plastic tub

\* Chain Links marked per NACM Standards every 6 inches

### GRADE 70



Each assembly is packaged in a poly bag with UPC & Warning Label.



Also available in single piece stackable and reusable plastic storage tub. (SP)



Color Coded Barrels for Easier Identification!

Lighter & stronger than Grade 43, Grade 70 chain was designed specifically for over the road transportation. Made from heat treated, high carbon alloy steel and zinc plated gold chromate for corrosion resistance. Each link is 100% proof tested to 2X WLL rating and made to NACM standards per specifications of the FMCSA & CCMTA for tie down use. All clevis hooks are made of heat treated alloy steel. NOTE: Not for overhead lifting.

With G70 Hooks

Part Number	Size	Length (Feet)	Retail Pack Qty	Working Load Limit	Package Type
45881-10-16	5/16"	16'	1	4,700 lbs (2,133 kg)	drum/bag
45881-10-16-SP	5/16"	16'	1	4,700 lbs (2,133 kg)	plastic tub
45881-10-20	5/16"	20'	1	4,700 lbs (2,133 kg)	drum/bag
45881-10-20-SP	5/16"	20'	1	4,700 lbs (2,133 kg)	plastic tub
45881-10-25	5/16"	25'	1	4,700 lbs (2,133 kg)	drum/bag
45881-10-25-SP	5/16"	25'	1	4,700 lbs (2,133 kg)	plastic tub
45881-11-16	3/8"	16'	1	6,600 lbs (2,996 kg)	drum/bag
45881-11-16-SP	3/8"	16'	1	6,600 lbs (2,996 kg)	plastic tub
45881-11-20	3/8"	20'	1	6,600 lbs (2,996 kg)	drum/bag
45881-11-20-SP	3/8"	20'	1	6,600 lbs (2,996 kg)	plastic tub
45881-11-25	3/8"	25'	1	6,600 lbs (2,996 kg)	drum/bag
45881-11-25-SP	3/8"	25'	1	6,600 lbs (2,996 kg)	plastic tub
45881-13-20	1/2"	20'	1	11,300 lbs (5,130 kg)	drum/bag
45881-13-25	1/2"	25'	1	11,300 lbs (5,130 kg)	drum/bag

With G80 Hooks

Part Number	Size	Length (Feet)	Retail Pack Qty	Working Load Limit	Package Type
50364-38-10	3/8"	10'	20	6,600 lbs (2,996kg)	drum/bag
50364-38-20	3/8"	20'	10	6,600 lbs (2,996kg)	drum/bag

\* Chain Links marked per NACM Standards every 6 inches



G70 Assembly

### GRADE 80



G80 J Hook Assembly

Lighter weight performance alloy chain with the large 15" J-Hook on one end, and G80 Clevis Hook on the other. Great for securing large equipment. NOTE: Not for overhead lifting.

Part Number	Size	Length (Feet)	Retail Pack Qty	Working Load Limit	Package Type
50378-10-10	3/8"	10'	2	7,100 lbs (3221kg)	drum/bag

## Grade 70 Agricultural Safety Chain

For use as a safety chain to prevent the separation of the towed equipment and the towing vehicle in the event the primary attachment becomes disengaged. Conforms to the specifications of the ASABE as a Safety Chain for towed field equipment for agriculture. Has a zinc plated gold chromate finish and complies with NACM Standards for grade 70 transport chain. Each link marked accordingly. NOTE: Not for overhead lifting.

Part Number	Size	Length (Inches)	Retail Pack Qty	Working Load Limit	Package Type
50090-31	5/16"	67.5"	1	4,700 lbs (2,133 kg)	drum/bag
50090-38	3/8"	69"	1	6,600 lbs (2,996 kg)	drum/bag





## Grade 70 Bulk Chain (no hooks)

**1/4" x 400 FT**  
3,150 lbs WLL / 1,430 kg



45880-12

**5/16" x 400 FT**  
4,700 lbs WLL / 2,133 kg



45880-10

**3/8" x 200 FT**  
6,600 lbs WLL / 2,996 kg



45880-11

**1/2" x 100 FT**  
11,300 lbs WLL / 5,130 kg



45880-13

\* Chain Links marked per NACM Standards every 6 inches  
NOTE: Not for overhead lifting.

## Chain Binders

All traditional chain load binders are constructed of drop forged steel for strength and durability and are designed for use with Grade 70 transport chain. They are available in traditional Lever, Recoilless and Ratcheting models, and are finished in an E-coat paint. They meet or exceed WSTDA T-6 standards.

### Standard Lever Style (with built-in thread safety stops)

Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
50025-08	Mini Chain Tightener, Clear Zinc	1	175 lbs (79 kg)	bulk
50025-09	Mini Chain Tightener	1	250 lbs (113 kg)	bulk
50025-10	Mini Chain Tightener	1	375 lbs (170 kg)	bulk
45943-12	1/4"-5/16"	1	2,600 lbs (1,180 kg)	bulk
45943-10	5/16"-3/8"	1	5,400 lbs (2,450 kg)	bulk
45943-10HD	5/16"-3/8"	1	6,600 lbs (2,996 kg)	bulk
45943-14	5/16"-3/8" Recoilless	1	5,400 lbs (2,450 kg)	bulk
45943-11	3/8"-1/2"	1	9,200 lbs (4,176 kg)	bulk
50117-10	Lever Binder Lock	1	n/a	bulk



### Standard Ratchet Style (1pc handle pinned barrel & built-in thread safety stops)

Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
45943-22	1/4"-5/16"	1	2,600 lbs (1,180 kg)	bulk
45943-20	5/16"-3/8"	1	5,400 lbs (2,450 kg)	bulk
45943-20HD	5/16"-3/8"	1	6,600 lbs (2,996 kg)	bulk
45943-21	3/8"-1/2"	1	9,200 lbs (4,176 kg)	bulk
45943-23	1/2"-5/8"	1	13,000 lbs (5,902 kg)	bulk



**XHD™ Ratchet Style** constructed of drop forged steel and designed to provide added strength & durability. Made with a two piece handle and welded barrel, these binders exceed WSTDA T-6 Standards and the high visibility yellow E-coat finish helps protect against harsh elements and extreme road conditions.

Part Number	Size	Case Pack	Working Load limit	Package Type
50360-20	5/16"-3/8"	2	6,600 lbs (2,996 kg)	Bulk
50360-21	3/8"-1/2"	2	9,200 lbs (4,173 kg)	Bulk



## EZ Binder



### 50140-10

- Quick acting ratchet design is easy to tension and release
- Extra long handle provides mechanical advantage needed for secure tensioning
- Durable contoured handle grip for comfortable operation
- Heavy gauge steel construction with corrosion resistant electro zinc plating
- Free wheel function for quick take up
- Swiveling grab hooks for ease of use
- Will take up 12" of chain during tensioning

**5/16" G70 – 3/8" G43**  
5,400 lbs WLL / 2,450 kg  
Weight: 11.5 lbs / 5.2 kg



Scan this QR Code to see a video on how easy it is to use chain to secure heavy loads.



# HOOKS & SHACKLES

## Clevis Hooks



### GRADE 43




Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
49959-25	1/4"	1	2,600 lbs (1,181 kg)	bulk w/UPC
49959-31	5/16"	1	3,900 lbs (1,772 kg)	bulk w/UPC
49959-38	3/8"	1	5,400 lbs (2,454 kg)	bulk w/UPC

### GRADE 70



*Forged & Heat Treated*

Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
45946-12	1/4"	1	3,150 lbs (1,430 kg)	bulk w/UPC
45946-10	5/16"	1	4,700 lbs (2,133 kg)	bulk w/UPC
45946-11	3/8"	1	6,600 lbs (2,996 kg)	bulk w/UPC
45946-13	1/2"	1	11,300 lbs (5,130 kg)	bulk w/UPC




Part Number	A	B	C	D
49959-25 & 45946-12	2.0	.40	.38	.36
49959-31 & 45946-10	2.3	.43	.38	.38
49959-38 & 45946-11	2.7	.50	.48	.44
45946-13	3.2	.66	.63	.75

## Slip Hooks G70 without Safety Latch



*Forged Steel with zinc plated gold chromate and individually polybagged*




Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
50019-10	1/4"	1	3,150 lbs (1,430 kg)	bulk w/UPC
50019-11	5/16"	1	4,700 lbs (2,133 kg)	bulk w/UPC
50019-12	3/8"	1	6,600 lbs (2,996 kg)	bulk w/UPC
50019-13	1/2"	1	11,300 lbs (5,130 kg)	bulk w/UPC

Part Number	A	B	C	D
50019-10	.94	.44	.38	2.4
50019-11	1.1	.41	.44	2.7
50019-12	1.3	.59	.47	3.2
50019-13	1.7	.75	.63	4.0

## Slip Hooks G70 with Safety Latch



*Forged Steel with zinc plated gold chromate and individually polybagged*




Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
50019-20	1/4"	1	3,150 lbs (1,430 kg)	bulk w/UPC
50019-21	5/16"	1	4,700 lbs (2,133 kg)	bulk w/UPC
50019-22	3/8"	1	6,600 lbs (2,996 kg)	bulk w/UPC
50019-23	1/2"	1	11,300 lbs (5,130 kg)	bulk w/UPC

Part Number	A	B	C	D
50019-20	.94	.44	.38	2.4
50019-21	1.1	.41	.44	2.7
50019-22	1.3	.59	.47	3.2
50019-23	1.7	.75	.63	4.0



## Screw Pin Shackles - Galvanized




Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
50013-31	5/16"	1	1,500 lbs (681 kg)	bulk w/UPC
50013-38	3/8"	1	2,000 lbs (900 kg)	bulk w/UPC
50013-44	7/16"	1	3,000 lbs (1,362 kg)	bulk w/UPC
50013-50	1/2"	1	4,000 lbs (1,816 kg)	bulk w/UPC
50013-63	5/8"	1	6,500 lbs (2,951 kg)	bulk w/UPC
50013-75	3/4"	1	9,500 lbs (4,313 kg)	bulk w/UPC
50013-88	7/8"	1	11,300 lbs (5,125 kg)	bulk w/UPC

Part Number	A	B	C	D	E	F	G
50013-31	.81	2.25	1.25	.53	3/8	.31	1.00
50013-38	.94	2.61	1.44	.66	7/16	.38	1.13
50013-44	1.06	3.01	1.69	.72	1/2	.44	1.25
50013-50	1.19	3.34	1.88	.81	5/8	.50	1.38
50013-63	1.50	4.04	2.41	1.06	3/4	.63	1.88
50013-75	1.75	5.04	2.84	1.25	7/8	.75	2.13
50013-88	2.00	5.86	3.31	1.44	1	.88	2.38

## Twin Clevis G70




Forged Steel with zinc plated gold chromate and individually polybagged



Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
50017-10	1/4" - 5/16"	1	4,700 lbs (2,133 kg)	bulk w/UPC
50017-11	3/8"	1	6,600 lbs (2,996 kg)	bulk w/UPC
50017-12	7/16" - 1/2"	1	11,300 lbs (5,130 kg)	bulk w/UPC

Part Number	A	B	C	D
50017-10	.38	1.18	.43	.47
50017-11	.47	1.34	.48	.53
50017-12	.56	1.75	.63	.65

## Quick Links - Zinc Plated



Part Number	Size	Retail Pack Qty	Working Load Limit	Package Type
50016-25	1/4"	1	880 lbs (399 kg)	bulk w/UPC
50016-31	5/16"	1	1,760 lbs (799 kg)	bulk w/UPC
50016-38	3/8"	1	2,200 lbs (998 kg)	bulk w/UPC


Part Number	A	B	C	D	E
50016-25	.235	1.85	2.31	.51	.32
50016-31	.313	2.32	2.95	.65	.41
50016-38	.350	2.54	3.22	.67	.43



### WIDE LOAD

- Wide Load/Oversize Load
- 2-sided
- 18" x 84" Vinyl
- Yellow w/ 44" ropes & grommets

49894-10



### OVERSIZE LOAD

- Wide Load/Oversize Load
- 2-sided
- 18" x 84" Vinyl
- Yellow w/grommets
- Sewn in ropes

49894-11



### OVERSIZE LOAD

- Wide Load/Oversize Load
- 2-sided
- 14" x 72" Vinyl
- Yellow with 44" ropes & grommets

49894-12



### OVERSIZE LOAD

- Oversize Load Mesh Sign
- Single sided
- 18" x 84" polyester
- Yellow with 4 ropes & grommets

49894-13



### WIDE LOAD

- Wide Load Mesh Sign
- Single sided
- 18" x 84" polyester
- Yellow with 44" ropes & grommets

49894-14



- Canadian "D" Sign
- 12" x 96" Red/White Vinyl
- 10 grommets

49895-10



- Flourescent Red Safety Flag
- 18" x 18"
- Heavy Duty Mesh
- Wooden dowel

49893-10



- Red Safety Flag
- 18" x 18"
- Cotton
- Steel wire rod

49893-11



- Flourescent Red or Orange Safety Flag
- 18" x 18"
- Heavy Duty Mesh
- 2 brass grommets

49893-12 (Red)  
49893-14 (Orange)



- Flourescent Orange Safety Flag
- 18" x 18"
- Heavy Duty Mesh
- Wooden dowel

49893-13



# LIFTING SLINGS


ENDLESS & EYE-TO-EYE



# LIFTING SLINGS

## Polyester Eye to Eye


- Light Weight & Economical
- Single-Ply & Double-Ply Styles
- WSTDA Industry Compliant Tri-lingual Warning Tags
- Reinforced Loop Ends with Protective Wear Sleeve
- Flat Eye Loops on 1<sup>in</sup> Width
- Tapered Eye Loops on 2<sup>in</sup>, 3<sup>in</sup>, & 4<sup>in</sup> Widths
- Shrink-Wrap Package
- Durable Service Inspection Tag Helps Track Usage



VERTICAL



CHOKER



BASKET

### SINGLE-PLY EE1 - EYE TO EYE SLINGS (Yellow Wear Sleeve)

Part No.	Size	Vertical		Choker		Basket		Part No.	Size	Vertical		Choker		Basket	
		lbs	kgs	lbs	kgs	lbs	kgs			lbs	kgs	lbs	kgs	lbs	kgs
20-EE1-9801X3	1" x 3'	1,600	725	1,250	575	3,200	1,450	20-EE1-9802X4	2" x 4'	3,100	1,400	2,450	1,125	6,200	2,800
20-EE1-9801X4	1" x 4'	1,600	725	1,250	575	3,200	1,450	20-EE1-9802X6	2" x 6'	3,100	1,400	2,450	1,125	6,200	2,800
20-EE1-9801X6	1" x 6'	1,600	725	1,250	575	3,200	1,450	20-EE1-9802X10	2" x 10'	3,100	1,400	2,450	1,125	6,200	2,800
20-EE1-9801X10	1" x 10'	1,600	725	1,250	575	3,200	1,450	20-EE1-9802X12	2" x 12'	3,100	1,400	2,450	1,125	6,200	2,800
20-EE1-9802X3	2" x 3'	3,100	1,400	2,450	1,125	6,200	2,800	20-EE1-9802X14	2" x 14'	3,100	1,400	2,450	1,125	6,200	2,800

### DOUBLE-PLY EE2 - EYE TO EYE SLINGS (Gray Wear Sleeve)

20-EE2-9801X4	1" x 4'	3,100	1,400	2,450	1,125	6,200	2,800	20-EE2-9803X10	3" x 10'	8,800	3,975	7,000	3,175	17,600	7,975
20-EE2-9801X8	1" x 8'	3,100	1,400	2,450	1,125	6,200	2,800	20-EE2-9803X12	3" x 12'	8,800	3,975	7,000	3,175	17,600	7,975
20-EE2-9802X3	2" x 3'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9803X16	3" x 16'	8,800	3,975	7,000	3,175	17,600	7,975
20-EE2-9802X4	2" x 4'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9803X20	3" x 20'	8,800	3,975	7,000	3,175	17,600	7,975
20-EE2-9802X6	2" x 6'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X6	4" x 6'	11,000	4,975	8,800	3,975	22,000	9,975
20-EE2-9802X8	2" x 8'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X8	4" x 8'	11,000	4,975	8,800	3,975	22,000	9,975
20-EE2-9802X10	2" x 10'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X10	4" x 10'	11,000	4,975	8,800	3,975	22,000	9,975
20-EE2-9802X12	2" x 12'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X12	4" x 12'	11,000	4,975	8,800	3,975	22,000	9,975
20-EE2-9802X16	2" x 16'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X16	4" x 16'	11,000	4,975	8,800	3,975	22,000	9,975
20-EE2-9802X20	2" x 20'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X20	4" x 20'	11,000	4,975	8,800	3,975	22,000	9,975
20-EE2-9802X30	2" x 30'	6,200	2,800	4,950	2,250	12,400	5,600	20-EE2-9804X30	4" x 30'	11,000	4,975	8,800	3,975	22,000	9,975

All Ratings Defined by WSTDA



## Endless Round Lifting Slings

- Light Weight & Durable
- Low Stretch Properties for Optimum Use in Low Headroom Applications
- Continuous Looped Polyester Load Yarns Inside
- Abrasion Resistant Double Wall Polyester Protective Cover
- Color Coded to Industry Capacity Standards
- Industry Compliant Sewn Warning Tags
- Shrink-Wrap Package



### LIFTING SLINGS - ROUND

Part No.	Size	Color	Vertical		Choker		Basket	
			lbs	kgs	lbs	kgs	lbs	kgs
20-ENR1X3	1" x 3'	Purple	2,600	1,200	2,100	1,000	5,200	2,400
20-ENR1X4	1" x 4'	Purple	2,600	1,200	2,100	1,000	5,200	2,400
20-ENR1X6	1" x 6'	Purple	2,600	1,200	2,100	1,000	5,200	2,400
20-ENR1X8	1" x 8'	Purple	2,600	1,200	2,100	1,000	5,200	2,400
20-ENR1X12	1" x 12'	Purple	2,600	1,200	2,100	1,000	5,200	2,400
20-ENR2X3	2" x 3'	Green	5,300	2,400	4,200	1,900	10,600	4,800
20-ENR2X4	2" x 4'	Green	5,300	2,400	4,200	1,900	10,600	4,800
20-ENR2X8	2" x 8'	Green	5,300	2,400	4,200	1,900	10,600	4,800
20-ENR2X12	2" x 12'	Green	5,300	2,400	4,200	1,900	10,600	4,800
20-ENR2X20	2" x 20'	Green	5,300	2,400	4,200	1,900	10,600	4,800
20-ENR3X3	3" x 3'	Yellow	8,400	3,800	6,700	3,000	16,800	7,600
20-ENR3X4	3" x 4'	Yellow	8,400	3,800	6,700	3,000	16,800	7,600
20-ENR3X8	3" x 8'	Yellow	8,400	3,800	6,700	3,000	16,800	7,600
20-ENR3X12	3" x 12'	Yellow	8,400	3,800	6,700	3,000	16,800	7,600
20-ENR3X20	3" x 20'	Yellow	8,400	3,800	6,700	3,000	16,800	7,600
20-ENR4X10	4" x 10'	Tan	10,600	4,800	8,500	3,800	21,200	9,600
20-ENR4X16	4" x 16'	Tan	10,600	4,800	8,500	3,800	21,200	9,600
20-ENR5X4	5" x 4'	Red	13,200	6,000	10,600	4,800	26,400	12,000
20-ENR5X6	5" x 6'	Red	13,200	6,000	10,600	4,800	26,400	12,000
20-ENR5X12	5" x 12'	Red	13,200	6,000	10,600	4,800	26,400	12,000
20-ENR5X20	5" x 20'	Red	13,200	6,000	10,600	4,800	26,400	12,000
20-ENR7X6	7" x 6'	Blue	21,200	9,600	17,000	7,600	42,400	19,200

All Ratings Defined by WSTDA

# GLOSSARY

<b>Abrasion:</b>	The mechanical wearing of a surface from contact with another object.
<b>Aggregate Working Load Limit:</b>	The summation of the Working Load Limit (WLL) of all tie downs used to secure an article of cargo.
<b>Anchor Point:</b>	The location to which a tie down is attached to a vehicle or article of cargo. If the anchor point is inadequate to support the force of the tie down system, then the load rating of the tie down will be limited to the strength of the anchor point.
<b>Breaking Strength:</b>	The tensile load in pounds or kilograms at which any part of the securement assembly fails.
<b>Cargo:</b>	All articles or material carried by a vehicle, including those used in operation of the vehicle.
<b>Design Factor:</b>	The ratio of the breaking strength to the Working Load Limit (WLL).
<b>Direct Tie Down:</b>	A tie down that is attached directly to the cargo.
<b>Elongation:</b>	The measurement of stretch at a specifically applied load, expressed as a percentage of the original length.
<b>Fabrication Efficiency:</b>	The synthetic web tie down assembly break strength, as a percentage of the webbing strength prior to fabrication.
<b>Indirect Tie Down:</b>	A tie down which passes over the cargo and is secured to the vehicle at both ends. Tension in the tie down increases the pressure of an article or stack of articles on the deck of the vehicle.
<b>Keeper:</b>	A device used on a hook to prevent the hook from inadvertently releasing.
<b>Length:</b>	The distance between extreme end bearing points of the synthetic web tie down assembly, including the fittings.
<b>Lever Load Binder:</b>	A chain binder incorporating an overcenter locking action.
<b>Maximum Vehicle Weight (MVW)</b>	The maximum weight of the vehicle being recovered, including cargo load, for which the strap is intended for use.
<b>Proof Load Test:</b>	A non-destructive load test to some multiple of the working load limit.
<b>Selvage:</b>	The woven or knitted edge of synthetic webbing.
<b>Sew/Stitch Pattern:</b>	The pattern of the stitches used to sew the webbing together.
<b>Shoring Bar:</b>	A structural bar placed transversely between the walls of a vehicle to prevent cargo from tipping or shifting.
<b>Ultimate Test:</b>	A load test of a securement assembly tested to failure.
<b>Warp:</b>	A longitudinal load bearing yarn in webbing.
<b>Winch:</b>	A device for tensioning a webbing or wire rope tie down that is fitted with means to lock the initial tension.
<b>Working Load Limit (WLL):</b>	The maximum load a component or assembly should be subjected to during routine use.



*We can help. Whether you are just getting started with a Heavy Duty assortment or you need to redesign your entire program, we can assist by providing suggested planograms geared for your business. Simply contact your Ancra sales representative or Customer Service department to get the process started.*

## CARGO CONTROL CENTER



# INDEX BY PART NUMBER

10869-10	Net	7	30ATB-MS-YL	Tire Bonnet	10	45982-11	Tie Down, HD	23
10869-20	Net	7	30RT-BK	Tire Bonnet	10	45982-15	Tie Down, HD	23
10936-12	Tie Down, Bulk	21	30RT-BL	Tire Bonnet	10	45982-19	Tie Down, HD	23
10936-16	Tie Down, Bulk	21	30RT-OR	Tire Bonnet	10	45982-34	Tie Down, HD	23
10936-20	Tie Down, Bulk	21	30RT-RD	Tire Bonnet	10	45982-36	Tie Down, HD	23
20-EE1-9801X3	Sling, Eye to Eye	36	30RT-YL	Tire Bonnet	10	45982-42-27-WHK	Tie Down, HD	23
20-EE1-9801X4	Sling, Eye to Eye	36	30TB	Tire Bonnet	10	45982-43	Tie Down, HD	23
20-EE1-9801X6	Sling, Eye to Eye	36	30TB-MS	Tire Bonnet	10	45982-90-27	Tie Down, HD	23
20-EE1-9801X10	Sling, Eye to Eye	36	40467-33-72.00	Track	9	45982-90-30	Tie Down, HD	23
20-EE1-9802X3	Sling, Eye to Eye	36	40602-17	Logistic Strap	28	45982-95-27	Tie Down, HD	23
20-EE1-9802X4	Sling, Eye to Eye	36	40602-18	Logistic Strap	28	45982-95-30	Tie Down, HD	23
20-EE1-9802X6	Sling, Eye to Eye	36	40602-19	Logistic Strap	28	47640-31	Winch, Lashing	27
20-EE1-9802X10	Sling, Eye to Eye	36	40838-10	Track	9	47772-12	E-Track Fitting	8
20-EE1-9802X12	Sling, Eye to Eye	36	410-PU-1	Cargo Bar	28	47934-11	Wheel Dolly Strap	10
20-EE1-9802X14	Sling, Eye to Eye	36	410-PU-2	Cargo Bar	28	47935-11	Wheel Dolly Strap	10
20-EE2-9801X4	Sling, Eye to Eye	36	41659-10-27	Winch Strap, 2"	26	48117-21-120.00	Track	9
20-EE2-9801X8	Sling, Eye to Eye	36	41659-10-30	Winch Strap, 2"	26	48117-25-120.00	Track	9
20-EE2-9802X3	Sling, Eye to Eye	36	41659-11-30	Winch Strap, 2"	26	48407-10	Cargo Bar	28
20-EE2-9802X4	Sling, Eye to Eye	36	41660-10-30	Winch Strap, 3"	26	48487-24	Auto Tie Down	11
20-EE2-9802X6	Sling, Eye to Eye	36	41660-14-30	Winch Strap, 3"	26	48672-13	Logistic Strap	28
20-EE2-9802X8	Sling, Eye to Eye	36	42313-10	Winch Bar	27	48672-14	Logistic Strap	28
20-EE2-9802X10	Sling, Eye to Eye	36	42313-12	Winch Bar	27	48672-15	Logistic Strap	28
20-EE2-9802X12	Sling, Eye to Eye	36	42313-17	Winch Bar	27	48987-20	Tie Down, HD	23
20-EE2-9802X16	Sling, Eye to Eye	36	42313-19	Winch Bar	27	48987-21	Tie Down, HD	23
20-EE2-9802X20	Sling, Eye to Eye	36	43563-10	Winch	27	48987-24	Tie Down, HD	23
20-EE2-9802X30	Sling, Eye to Eye	36	43564-147	Winch	27	48987-25	Tie Down, HD	23
20-EE2-9803X10	Sling, Eye to Eye	36	43565-127	Winch	27	48987-28	Tie Down, HD	23
20-EE2-9803X12	Sling, Eye to Eye	36	43573-10	Winch	27	48987-29	Tie Down, HD	23
20-EE2-9803X16	Sling, Eye to Eye	36	43579-20	Winch	27	48987-90-27	Tie Down, HD	23
20-EE2-9803X20	Sling, Eye to Eye	36	43782-15	Cargo Bar	28	48987-90-30	Tie Down, HD	23
20-EE2-9804X6	Sling, Eye to Eye	36	43795-10-27	Winch Strap, 4"	26	48987-92-27	Tie Down, HD	23
20-EE2-9804X8	Sling, Eye to Eye	36	43795-10-30	Winch Strap, 4"	26	48987-92-30	Tie Down, HD	23
20-EE2-9804X10	Sling, Eye to Eye	36	43795-10-40	Winch Strap, 4"	26	49023-20	Auto Tie Down	11
20-EE2-9804X12	Sling, Eye to Eye	36	43795-10-50	Winch Strap, 4"	26	49023-21	Auto Tie Down	11
20-EE2-9804X16	Sling, Eye to Eye	36	43795-10-60	Winch Strap, 4"	26	49023-22	Auto Tie Down	11
20-EE2-9804X20	Sling, Eye to Eye	36	43795-11-30	Winch Strap, 4"	26	49207-137	Winch	27
20-EE2-9804X30	Sling, Eye to Eye	36	43795-13-30	Winch Strap, 4"	26	49211-10	Rubber Rope Hook	6
20-ENR1X3	Sling, Endless	37	43795-14-30	Winch Strap, 4"	26	49288-10	Hardware	17
20-ENR1X4	Sling, Endless	37	43795-15-30	Winch Strap, 4"	26	49346-10	Tie Down, HD	23
20-ENR1X6	Sling, Endless	37	43795-90-30	Winch Strap, 4"	26	49346-11	Tie Down, HD	23
20-ENR1X8	Sling, Endless	37	43795-90-40	Winch Strap, 4"	26	49346-12	Tie Down, HD	23
20-ENR1X12	Sling, Endless	37	43795-95-30	Winch Strap, 4"	26	49346-13	Tie Down, HD	23
20-ENR2X3	Sling, Endless	37	43986-10	Corner Protector	26	49346-14	Tie Down, HD	23
20-ENR2X4	Sling, Endless	37	45143-20	Wheel Dolly Strap	10	49346-15	Tie Down, HD	23
20-ENR2X8	Sling, Endless	37	45143-22	Wheel Dolly Strap	10	49346-90-27	Tie Down, HD	23
20-ENR2X12	Sling, Endless	37	45880-10	Transport Chain	31	49346-90-30	Tie Down, HD	23
20-ENR2X20	Sling, Endless	37	45880-11	Transport Chain	31	49346-91-27	Tie Down, HD	23
20-ENR3X3	Sling, Endless	37	45880-12	Transport Chain	31	49346-91-30	Tie Down, HD	23
20-ENR3X4	Sling, Endless	37	45880-13	Transport Chain	31	49346-93-27	Tie Down, HD	23
20-ENR3X8	Sling, Endless	37	45881-10-16	Transport Chain	30	49346-93-30	Tie Down, HD	23
20-ENR3X12	Sling, Endless	37	45881-10-16-SP	Transport Chain	30	49348-11	Cargo Bar Holder	28
20-ENR3X20	Sling, Endless	37	45881-10-20	Transport Chain	30	49454-11	Rubber Rope Reel	6
20-ENR4X10	Sling, Endless	37	45881-10-20-SP	Transport Chain	30	49454-13	Tarp Tie, Goldline	6
20-ENR4X16	Sling, Endless	37	45881-10-25	Transport Chain	30	49593-10	Flag	34
20-ENR5X4	Sling, Endless	37	45881-10-25-SP	Transport Chain	30	49603-10	Wheel Chock	17
20-ENR5X6	Sling, Endless	37	45881-11-16	Transport Chain	30	49716-10	Winch	27
20-ENR5X12	Sling, Endless	37	45881-11-16-SP	Transport Chain	30	49717-10	Winch	27
20-ENR5X20	Sling, Endless	37	45881-11-20	Transport Chain	30	49893-11	Flag	34
20-ENR7X6	Sling, Endless	37	45881-11-20-SP	Transport Chain	30	49893-12	Flag	34
30AS21-BK	Axle Strap	11	45881-11-25	Transport Chain	30	49893-13	Flag	34
30AS21-BL	Axle Strap	11	45881-11-25-SP	Transport Chain	30	49893-14	Flag	34
30AS21-RD	Axle Strap	11	45881-13-20	Transport Chain	30	49894-10	Banner	34
30AS33-BK	Axle Strap	11	45881-13-25	Transport Chain	30	49894-11	Banner	34
30AS33-BL	Axle Strap	11	45943-10	Chain Binder	31	49894-12	Banner	34
30AS33-RD	Axle Strap	11	45943-10HD	Chain Binder	31	49894-13	Banner	34
30ATB	Tire Bonnet	10	45943-11	Chain Binder	31	49894-14	Banner	34
30ATB-BL	Tire Bonnet	10	45943-12	Chain Binder	31	49895-10	Banner	34
30ATB-MS-BK	Tire Bonnet	10	45943-20	Chain Binder	31	49958-31-20	Transport Chain	30
30ATB-MS-BL	Tire Bonnet	10	45943-20HD	Chain Binder	31	49958-31-20-SP	Transport Chain	30
30ATB-MS-GR	Tire Bonnet	10	45943-21	Chain Binder	31	49958-38-20	Transport Chain	30
30ATB-MS-RD	Tire Bonnet	10	45943-22	Chain Binder	31	49958-38-20-SP	Transport Chain	30
			45943-23	Chain Binder	31	49959-25	Hook, clevis	32
			45946-10	Hook, clevis	32	49959-31	Hook, clevis	32
			45946-11	Hook, clevis	32	49959-38	Hook, clevis	32
			45946-12	Hook, clevis	32	500-C10-BK	Auto Tie Down	11
			45946-13	Hook, clevis	32	50013-31	Shackle	33
			45982-10-27-WHK	Tie Down, HD	23	50013-38	Shackle	33



# INDEX BY PART NUMBER

50013-44	Shackle	33	900-215H	Recovery Strap, Nylon	13	APS-FF3080	Tie Down	21
50013-50	Shackle	33	900-220	Recovery Strap, Nylon	13	APS-R12-BK	Tie Down	21
50013-63	Shackle	33	900-225H	Recovery Strap, Nylon	13	APS-SLS	Tie Down	21
50013-75	Shackle	33	900-230	Recovery Strap, Nylon	13	SL01	Tie Down	16
50013-88	Shackle	33	900-330	Recovery Strap, Nylon	13	SL05	Tie Down	16
50015-10	Winch Bar	27	900-430	Recovery Strap, Nylon	13	SL12	Tie Down	17
50015-20	Winch Bar	27	900-630	Recovery Strap, Nylon	13	SL14	Tie Down	17
50015-21	Winch Bar	27	95370	Tie Down, Retractable	20	SL16	Tie Down	16
50016-25	Quick Link	33	95371	Tie Down, Retractable	20	SL18	Tie Down	16
50016-31	Quick Link	33	95372	Tie Down, Retractable	20	SL24	Recovery Strap	12
50016-38	Quick Link	33	95380	Tie Down, Retractable	20	SL27	Tie Down	16
50017-10	Twin Clevis	33	95381	Tie Down, Retractable	20	SL30	Tie Down	16
50017-11	Twin Clevis	33	95382	Tie Down, Retractable	20	SL31	Recovery Strap	12
50017-12	Twin Clevis	33	95400	Bungee Cord Asmt, Standard	4	SL32	Tie Down	17
50019-10	Hook, slip	32	95413	Bungee Cord, Standard	4	SL33	Bungee Cord, Mini	4
50019-11	Hook, slip	32	95418	Bungee Cord, Standard	4	SL38	Tie Down	16
50019-12	Hook, slip	32	95424	Bungee Cord, Standard	4	SL41	Bungee Assortment	4
50019-13	Hook, slip	32	95430	Bungee Cord, Standard	4	SL42	Bungee Assortment	4
50019-20	Hook, slip	32	95436	Bungee Cord, Standard	4	SL43	Canopy Tie	5
50019-21	Hook, slip	32	95480	Bungee Net	5	SL46	Tie Down	16
50019-22	Hook, slip	32	95500	Bungee Cord Asmt, EZ Grip/Bulk	4	SL47	Tie Down	16
50019-23	Hook, slip	32	95500-1	Bungee Cord Asmt, EZ Grip/Clam	4	SL48	Tie Down	16
50025-08	Mini Chain Binder	31	95518	Bungee Cord, EZ Grip	4	SL50	Bungee Net	5
50025-09	Mini Chain Binder	31	95518-1	Bungee Cord, EZ Grip/Clam	4	SL51	Recovery Rope	12
50025-10	Mini Chain Binder	31	95524	Bungee Cord, EZ Grip	4	SL56	Bungee Net	5
50089-12	Corner Protector	26	95524-1	Bungee Cord, EZ Grip/Clam	4	SL58	Tarp Tie Assortment	6
50089-24	Corner Protector	26	95536	Bungee Cord, EZ Grip	4	SL64	Bungee Assortment	4
50089-36	Corner Protector	26	95536-1	Bungee Cord, EZ Grip/Clam	4	SL66	Tie Down	16
50089-48	Corner Protector	26	95540	Bungee Cord, EZ Grip	4	SL69	Bungee Assortment, HD	4
50090-31	Transport Chain	30	95540-1	Bungee Cord, EZ Grip/Clam	4	SL71	Tie Down	17
50090-38	Transport Chain	30	95548	Bungee Cord, EZ Grip	4	SL81	Tie Down	17
50092-10	Corner Protector	26	95548-1	Bungee Cord, EZ Grip/Clam	4	SL91	Tie Down	16
500-BS	Auto Tie Down	11	95600	Bungee Cord Assortment, HD	4	SL100	Tie Down	17
500-C6-RD	Auto Tie Down	11	95618	Bungee Cord, HD	4	SL101	Tie Down	17
500-C8-BK	Auto Tie Down	11	95624	Bungee Cord, HD	4	SL125	Cargo Bar	28
500-C8-BL	Auto Tie Down	11	95632	Bungee Cord, HD	4	SL148	Carrabungee	4
500-C8-RD	Auto Tie Down	11	95640	Bungee Cord, HD	4	SL215	Utility Pad	7
500-RAS-BK	Axle Strap	11	95648	Bungee Cord, HD	4	XB210-22P	Bungee Cord, Mini	4
500-TB-BK	Axle Strap	11	95800	Tarp Tie Assortment	6	XC210-1P	Tie Down	18
50117-10	Chain Binder	31	95810	Tarp Tie	6	XC005-1P	Trunk Tie	17
50140-10	Chain Binder	31	95815	Tarp Tie	6	XC010-4P	Tie Down	18
50193-30-72.00	Track	9	95821	Tarp Tie	6	XC012-1P	Tie Down	18
50199-10	Net	7	95831	Tarp Tie	6	XC012-C1P	Tie Down	18
50199-11	Net	7	95841	Tarp Tie	6	XC108-2P	Tie Down	18
50360-20	Chain Binder	31	96011	Tent Strap, 1"	24	XC115-2P	Tie Down	18
50360-21	Chain Binder	31	96012	Tent Strap, 1"	24	XC115-C2P	Tie Down	18
50364-38-10	Transport Chain	30	96013	Tent Strap, 1"	24	XH8003-12PB	Track	8
50364-38-20	Transport Chain	30	96014	Tent Strap, 1"	24	XH8005-12PB	Fitting	8
50378-10-10	Transport Chain	30	96021	Tent Strap, 2"	24	XH8006-12PB	Fitting	8
52210GL	Tarp Tie, Goldline	6	96022	Tent Strap, 2"	24	XH8016-12PB	Track	8
52215GL	Tarp Tie, Goldline	6	96023	Tent Strap, 2"	24	XH8021-10PB	Fitting	8
52221GL	Tarp Tie, Goldline	6	96024	Tent Strap, 2"	24	XH8022-12PB	Fitting	8
52231GL	Tarp Tie, Goldline	6	96031	Tent Strap, 2"	24	XH8023-12PB	Hardware	8
52241GL	Tarp Tie, Goldline	6	96032	Tent Strap, 2"	24	XH8030-8PB	D-Ring	9
556	Tie Down, HD	22	96041	Tent Strap, Cam	24	XH8031-8PB	D-Ring	9
556-WHK	Tie Down, HD	22	96051	Tent Stake	24	XH8032-12PB	Flip Ring	9
557-15	Tie Down, HD	23	96052	Tent Stake	24	XH8033-12PB	Flip Ring	9
557-15WHK	Tie Down, HD	23	96061	Canopy Tie, White	24	XH8034-8PB	Flip Ring	9
557	Tie Down, HD	23	96062	Canopy Tie, White	24	XH8036-12PB	Flip Ring	9
557-WHK	Tie Down, HD	23	96071	Sleeve	24	XH8037-12PB	Flip Ring	9
557-40	Tie Down, HD	23	96072	Sleeve	24	XH8039-12PB	Flip Ring	9
557-40WHK	Tie Down, HD	23	96100	Rope Puller	3	XH8088-2P	Stake Pocket Anchor	17
557-50	Tie Down, HD	23	96101	Web Puller	3	XR015-1P	Tie Down	19
557-50WHK	Tie Down, HD	23	96111	Cable Puller	2	XR115-2P	Tie Down	19
557-60	Tie Down, HD	23	96112	Cable Puller	2	XR015-4P	Tie Down	19
557-60WHK	Tie Down, HD	23	96114	Cable Puller	2	XR015-C1P	Tie Down	19
800-215H	Recovery Strap, Polyester	12	96121	Cable Puller	2	XR015-E1P	Tie Down	19
800-220	Recovery Strap, Polyester	12	96122	Cable Puller	2	XR108-2P	Tie Down	19
800-225H	Recovery Strap, Polyester	12	96140	Fence Pliers	3	XR115-C2P	Tie Down	19
800-230	Recovery Strap, Polyester	12	96142	Fence Pliers	3	XR210-1P	Tie Down	19
800-330	Recovery Strap, Polyester	12	96147	Wire Grip	3			
800-430	Recovery Strap, Polyester	12	96148	Wire Stretcher, Woven	3			
800-440	Recovery Strap, Polyester	12	96149	Wire Stretcher, Fence	3			
800-450	Recovery Strap, Polyester	12	APS-1	Tie Down	21			
800-630	Recovery Strap, Polyester	12	APS-15192	Tie Down	21			
800-1040	Recovery Strap, Polyester	12	APS-2	Tie Down	21			
900-115H	Recovery Strap, Nylon	14	APS-3	Tie Down	21			



The Consumer/Industrial Division of Ancra International, LLC, is a full service manufacturer and provider of cargo control products for contractors, farmers, DIY'ers, motorcycle owners, motorsports teams, outdoor enthusiasts and commercial transportation. Our products include tie down straps, bungee cords, tarp ties, cargo nets, trailer hardware, transport chain, chain binders, lifting slings, cargo bars, winches, and winch straps.

## INDUSTRY TRADE ASSOCIATIONS



**Ancra International, LLC**  
2685 Circleport Drive, Erlanger, KY 41018

### Consumer/Industrial Customer Service

Phone: (800) 626-8353 • Fax: (903) 962-7815  
Email: [cicustomerservice@ancra.com](mailto:cicustomerservice@ancra.com)  
Website: [www.ancracargo.com](http://www.ancracargo.com)

### U.S. Heavy Duty Customer Service

Phone: (800) 233-5138 • Fax: (800) 347-2627  
Email: [cargo-sales@ancra.com](mailto:cargo-sales@ancra.com)  
Website: [www.ancracargo.com](http://www.ancracargo.com)

### Ancra, Canada

520 Beards Lane, Suite A, Woodstock, Ontario N4S 7W3  
Customer Service: (866) 962-0055  
Fax: (866) 792-0058 • Email: [ancracanada@ancra.com](mailto:ancracanada@ancra.com)  
Website: [www.ancracargo.com](http://www.ancracargo.com)

**WARRANTY:** All Ancra International, LLC products, unless otherwise indicated are warranted to be free from defect in material or workmanship for a period of six (6) months from date of shipment. During this period, Ancra International, LLC will, at its option repair or replace without charge any products or part thereof found to be defective in material or workmanship. This warranty does not extend to any product which has been subject to misuse, abuse, negligence, accident, alteration or repair.

Defective products must be returned to Ancra International, LLC within the above period, transportation prepaid. Ancra International, LLC will bear the cost of return transportation. Contact Customer Service for details.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. IN NO EVENT WILL ANCRA INTERNATIONAL, LLC BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR LOSS OF VEHICLE, CARGO OR PROFITS.