



**30 Capsules**  
0.338fl.oz. (10ml) each

Designed Exclusively For Use With



Precision Insecticide Delivery System  
(sold separately)



**STORAGE AND DISPOSAL**

Not for Use or Storage In or Around the Home.

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:**

Pesticide wastes are hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If this product cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:**

Non-refillable container. Do not reuse or refill any parts of this container. Offer for recycling, if available. Dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PESTICIDE STORAGE:**

Store in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of reach of children, preferably in a locked storage area. Store under conditions where relative humidity is kept between 30% and 70% and temperatures are maintained between 50° F and 80° F. Ensure the capsules are never refrigerated or exposed to freezing temperatures during storage, or for periods exceeding 30 minutes in transport or use as this may permanently damage capsules.

[NOTE: The capsule coating is softgel and sensitive to ambient humidity. Do not expose to relative humidity below 30% or above 70% or temperatures below 50° F or above 80° F for extended period over 30 minutes or this may affect the level of capsule fragmentation. Remove the capsules from container only when ready to apply onto the animals and keep containers sealed at all other times. Handle the container and capsules in a manner as to prevent damage to the capsules. If the capsules or container are leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose as directed for pesticides above.]

**CONDITIONS OF SALE:**

The directions on this label are believed to be adequate and must be followed carefully. This product has been tested under different environmental conditions similar to those that are ordinary and customary for use of the product. However, it is impossible to eliminate all risks associated with the use of this product. Failure to follow label directions may cause injury to animals, humans and damage to the environment. Insufficient control of pests, injury or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of SmartVet USA, Inc. its agents, affiliates or assignees. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

**LIMITED WARRANTY AND LIMITATION OF DAMAGES:**

SmartVet USA, Inc. warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SmartVet USA, Inc. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, and no agent of SmartVet USA, Inc. is authorized to make or modify any warranties beyond those contained herein. Any damages arising from breach of this warranty shall be limited to direct damages and shall not include special, incidental or consequential damages resulting from the use or handling of this product.


Manufactured by: SmartVet USA Inc.

International Animal Health & Food Safety Institute,  
22201 W. Innovation Drive, Olathe, Kansas 66061-1304

SMA0104-18-B- 30ctAIM-A-CorrugateLabel-Jan2018



BATCH:



**FRAGILE. HANDLE WITH CARE.**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION** Harmful if swallowed. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet. Do not smoke within 10 feet of capsules or while using Application Device to apply capsules. Wear waterproof gloves.

**FIRST AID**

If Swallowed: • Call a poison control center or doctor immediately for treatment advice.  
• Have person sip a glass of water if able to swallow.  
• Do not induce vomiting unless told to do so by a poison control center or doctor.  
• Do not give anything to an unconscious person.

If in Eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
Remove contact lenses if present after the first 5 minutes, and then continue rinsing eye.  
• Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: • Take off contaminated clothing.  
• Rinse skin immediately with plenty of water for 15-20 minutes.  
• Call a poison control center or doctor for treatment advice.

If Inhaled: • Move person to fresh air.  
• If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible.  
• Call a poison control center or doctor for treatment advice.

**HOTLINE NUMBERS:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment call 1-800-255-3924. For customer service or to obtain product information, including the MSDS (or SDS), call 1-800 542 8916 or 1-816 233 9533.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

**PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. KEEP AWAY FROM HEAT AND OPEN FLAME.** The capsules are sensitive to heat and humidity. Do not expose to relative humidity below 30% or above 70% or temperatures below 50° F or above 80° F for extended period over 30 minutes as this may affect the level of capsule fragmentation.

**USER SAFETY RECOMMENDATIONS:** If exposed to liquid users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.
- Do not smoke within 10 feet of capsules or while using Application Device to apply capsules.



Precision Insecticide Delivery System

**30 Capsules**



Designed Exclusively For Use With



Abamectin Insecticide Capsules  
for Control of Horn Flies on Beef Cattle and  
Non-Lactating Dairy Cows

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Side Panels for  
First Aid and Additional  
Precautionary Statements

ACTIVE INGREDIENTS	% BY WEIGHT
Abamectin	
(Avermectin B1a and Avermectin B1b).....	3.15%
<b>OTHER INGREDIENTS</b> .....	96.85%
Total	100.00%

**NET CONTENTS:**  
30 x 0.338 fl.oz.(10ml) capsules.

Distributed by: Agri Laboratories Ltd, St. Joseph, Missouri, USA, (800) 542 8916  
EPA Reg. No. 88050-3 EPA Est. No. 88050-OK-1

The Delivery System is covered by Patents US 8425932B2; US 2013/0216483A1  
and United States Patent Application No 14/453930 (amongst others)

**IMPORTANT**

- The softgel capsules are sensitive and can be damaged by careless handling or use or storage outside of prescribed ranges of humidity and temperature.
- Performance may be compromised if not used according to label instructions.
- Do not store or transport capsules outside of 30-70% relative humidity or temperatures outside of 50-80° F.
- When ready to apply, do not expose capsules to humidity and temperature conditions outside of the specified ranges for periods greater than thirty (30) minutes or performance may be affected.
- Do not refrigerate or expose capsules to freezing conditions during storage as this may cause permanent damage.
- For best results, keep capsules in original sealed packaging until ready for use.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
This labeling must be in the possession of the user at the time of pesticide application.

**APPLICATION DEVICE:**

- AIM-A is designed for use only with a compatible applicator device that carries the SmartVet™ Approved VetCap Application Device label (sold separately), and in accordance with its use directions and treatment method recommendations.
- Using any other application device or method could be unsafe, ineffective and/or cause harm or injury.
- Never leave the capsules in any Application Device for extended periods or for storage.

**AMBIENT CONDITIONS - STORAGE; TRANSPORT & USAGE:**

- The softgel capsules are sensitive and can be damaged by careless handling or use or storage outside of prescribed ranges of humidity and temperature.
- Performance may be compromised if not used according to label instructions.
- Do not store or transport capsules outside of 30-70% relative humidity or temperatures outside of 50-80° F.
- When ready to apply, do not expose capsules to humidity and temperature conditions outside of the specified ranges for periods greater than thirty (30) minutes or performance may be affected.
- Do not refrigerate or expose capsules to freezing conditions during storage as this may cause permanent damage.
- For best results, keep capsules in original sealed packaging until ready for use.
- Do not use in rain or if rain is expected within 24 hours.

**APPLICATION RESTRICTIONS:**

- Do not use on cattle treated with an abamectin ear tag.
- Do not use on wet cattle or when rain is expected to wet cattle within 24 hours after treatment.
- Only apply when animal is between 15 feet and 30 feet distance from the user.
- Do not smoke within 10 feet of capsules or while using Application Device to apply capsules.
- Do not apply treatment when bystanders are within 30 feet of the animal.
- Do not apply to any animals in or within 10 feet of bodies of water.
- Do not leave intact capsules in the field or attempt to re-use as this could jeopardize functioning of the Application Device. Dispose of these capsules per Pesticide Disposal section of this label.
- Do not allow farm dogs or other farm animals to come into contact with the pesticide or residues.

**HOW TO APPLY:**

- Apply the capsules to the middle of the side of the animal's body anywhere between the front shoulders and 6 inches ahead of the base of the tail.
- Treating all animals on the same side (either all on the left or all on the right) assists with identification of those that have been treated.

**AMOUNT TO USE; HOW OFTEN; AND WITHDRAWAL PERIOD:**

- Apply AIM-A at the dosage shown on the following table. Care must be taken to apply the correct dosage.

Horn Flies	Animal Weight	Dose Size per Animal
	Greater than 600 lbs	1 Capsule (10 ml)

- AIM-A can be used on beef cattle and non-lactating dairy cows of all ages provided they are greater than 600 lbs.
- Do not treat any animal with this product if it has also been treated with another abamectin-containing product (e.g. the Y-Tex XP 820 Insecticide Cattle Ear Tags EPA Reg No. 39039-17)
- If a second application of AIM-A is necessary, do not make it within 42 days of the initial application.
- Do not use to treat cattle in feedlots.
- Do not use to treat cattle to be slaughtered within 42 days of treatment.