

# SPORTSMAN<sup>®</sup>

SERIES



QUALITY OUTDOOR &

950 Hoff Road O'Fallon MO 63366

**BUFFALO**

BUFFALO CORP

EST 1964

CAMPING PRODUCTS

636-532-9888 Fax 636-537-1055



**Gasoline Generators**

**2,000W Surge / 1,400W Running**

**4,000W Surge / 3,500W Running**

- 2.6 HP engine, recoil start
- 1 - 12V DC Outlet
- 2 - 120V Outlets
- Decibel rating: < 68 db
- 9 hours @ 50% load



- 7.0 HP engine, recoil start
- 1 - 12V DC Outlet
- 4 - 120V Outlets
- 1 - 120V RV Outlet
- Decibel rating: < 69 db
- 10 hours @ 50% load



**GAS**

**GAS**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN2000	0 27077 07971 5	1	58.0	2.5
---------	-----------------	---	------	-----

GEN4000	0 27077 07972 2	1	99.0	4.38
---------	-----------------	---	------	------

**1,000W Surge / 900W Running**

**7,000W Surge / 6,000W Running**

- 2 HP engine, recoil start
- 1-120V outlet
- Decibel rating: < 91 db
- 5 hours @ 50% load



- 13 HP engine, electric/recoil start
- 1-12V DC, 4-120V, 1-120/240V outlet
- Decibel rating: < 80 db
- 12 hours @ 50% load



**GAS**

**GAS**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN1000	0 27077 05736 2	1	38.0	1.87
---------	-----------------	---	------	------

GEN7000	0 27077 07136 8	1	190.0	9.2
---------	-----------------	---	-------	-----

**Generator Covers**

**Generator Covers**

- Protects From Dust, & UV Rays
- Adjustable Cord In Bottom Hem For Snug Fit
- Medium Size  
23.6" x 17.5" x 17.25"  
Fits Most 4000 Watt Portable Generators
- Xtra Large Size 28.75" x 18.5" x 24"&  
Fits Most 7,000 Watt Portable Generators



- Waterproof with Two Adjustable Cords In Bottom Hem For Snug Fit
- Large Size Measures 28.75" x 18.5" x 24" & Fits Most 7000 Watt Portable Generators
- Xtra Large Size Measures 37" x 25" x 27.5" & Fits Most 15,000 Watt Portable Generators



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GENCOVM	0 27077 07575 5	1	44.0	4.37
GENCOVXL	0 27077 07576 2	1	46.2	4.37

GENCOVER-L	0 27077 07976 0			
GENCOVER-XL	0 27077 07977 7			

# SPORTSMAN Dual Fuel/LP Generators

## 9,000W Surge / 8,000W Running

- 15.0 HP engine, electric start
- 1 - 120/240V Twist Lock Outlet
- 1 - 120V RV Outlet
- 4 - 120V Outlets
- Decibel rating: < 80 db
- 10 hours @ 50% load



**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN9000DF	0 27077 0784 1	1	214.0	9.15

## 7,500W Surge / 6,000W Running

- 13.0 HP engine, electric start
- 1 - 12V DC Outlet
- 1 - 120/240V Outlet
- 1 - 120V RV Outlet
- 4 - 120V Outlets
- Decibel rating: < 80 db
- 9 hours @ 50% load



**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN7500DF	0 27077 07834 3	1	194.0	7.78

## 2,000W Surge / 1,400W Running

- 3.5 HP engine, recoil start
- 1 - 12V DC Outlet
- 2 - 120V Outlets
- Decibel rating: < 68 db
- 9 hours @ 50% load



**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN2000DF	0 27077 07974 6	1	57.1	2.28

## 4,000W Surge / 3,500W Running

- 7.0 HP engine, recoil start
- 1 - 12V DC Outlet
- 1 - 120V RV Outlet
- 4 - 120V Outlets
- 12 hours @ 50% load



**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN4000DF	0 27077 07833 6	1	102.0	5.34

## Generator Wheel Kit

- Wheel Kit Assembly For:  
GEN4000  
GEN4000DF  
GEN4000LP



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GENWHKIT	0 27077 08293 7	1	7.7	0.45

## 4,000W Surge / 3,250W Running

- 7.0 HP engine, recoil start
- 1 - 12V DC Outlet
- 1 - 120V RV Outlet
- 2 - 120V Outlets
- Decibel rating: < 68 db
- 10 hours @ 50% load



**LP**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN4000LP	0 27077 07367 6	1	102.0	4.42

CORDE5025	25 Ft Extension Cord 50 Amp
CORDP3025	25 Ft RV Power Cord Twist 30 Amp
CORDP5030	30 Ft RV Power Cord Twist 50 Amp
CORDE3025	25 foot Extension Cord 30A
CORDA5030	18 inch Cord Adaptor 50 Amp P-30A
CORDA3050	18 inch Cord Adaptor 30 Amp
CORDA303050	Extension Cord and Adaptor Extension Cord and Adaptor 30/ 15P Y to 50R and Adaptor 30/ 15P Y to 50R

**Coming Soon**

## 7,000W Surge / 6,000W Running

- 13 HP engine, electric start
- 1 - 12V DC Outlet 1- 240V outlet
- 4 - 120V Outlets



**LP**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN7000LP	0 27077 07368 3	1	186.0	9.62

Order Fax 636.537.1055

**4,000W Surge / 3,500W Running**

- 7.0 HP engine, recoil start
- 1-12V DC Outlet
- 1 - 120V RV Outlet
- 4-120V Outlets
- Decibel rating: < 69 db
- 10 hours @ 50% load



**GAS**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN4000-SS	0 27077 08247 0	1	96.0	6.8
------------	-----------------	---	------	-----

**2,000W Surge / 1,400W Running**

- 3.5 HP engine, recoil start
- 1-12V DC Outlet
- 2-120V Outlets
- Decibel Rating <98db
- 11 hours @ 50% load



**GAS**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN2000-SS	0 27077 08248 7	1	58.0	3.38
------------	-----------------	---	------	------

**5 Foot Regulator Hose For LP Generators**

- 5 foot length is perfect for LP generator use
- For use with low pressure gas applications
- Connects to most LP tanks and cylinders



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GENLPH5	0 27077 07693 6	6	32.0	1.1
---------	-----------------	---	------	-----

**4,000W Surge / 3,500W Running**

- With Stick Welder
- 7.0 HP engine, recoil start
- 1-12V DC Outlet
- 2-120V Outlets
- Decibel Rating <98db



**Coming Soon**

**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN4000DF-STW				
---------------	--	--	--	--

**4,000W Surge / 3,500W Running**

- 7.0 HP engine, recoil start
- 1-12V DC Outlet
- 1 - 120V RV Outlet
- 4-120V Outlets
- Decibel rating: < 69 db
- 10 hours @ 50% load



**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN4000DF-SS	0 27077 08235 7	1	102.0	5.34
--------------	-----------------	---	-------	------

**7,500W Surge / 6,000W Running**

- 13.0 HP engine, electric
- 1-12V DC Outlet
- 1 - 120V RV Outlet
- 4-120V Outlets
- Decibel rating: < 80 db
- 10 hours @ 50% load



**DF**

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
------	-----	-----------	----------	-----------

GEN7500DF-SS	0 27077 08236 4	1	194.0	7.78
--------------	-----------------	---	-------	------

# SPORTSMAN Inverter Generators

## 3,000W Surge / 2,800W Running

- Sine Wave Technology
- 5.5 HP engine, recoil start
- 1-12V DC Outlet
- 2-120V Outlets
- 1-120V RV Outlet
- Decibel Rating <63db
- 5 hours @ 50% load



## 2,200W Surge / 1,800W Running

- Sine Wave Technology
- 3.0 HP engine, recoil start
- 1-12V DC Outlet
- 2-120V Outlets
- Decibel Rating <60db
- 7 hours @ 50% load
- Includes Parallel Port (Cable sold separately)



### GAS

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN3500I	0 27077 07891 6	1	84.0	5.2

### DF

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN2200DFI	0 27077 08234 0	1	50.0	3.43

## 2,200W Surge / 1,800W Running

- Sine Wave Technology
- 3.0 HP engine, recoil start
- 1-12V DC Outlet
- 2-120V Outlets
- Decibel Rating <60db
- 7 hours @ 50% load
- Includes Parallel Port (Cable sold separately)



## 1,000W Surge / 800W Running

- Sine Wave Technology
- 1.3 HP engine, recoil start
- 1-12V DC Outlet
- 1-120V Outlets
- Decibel Rating <56db
- 6.3 hours @ 50% load



### GAS

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN2000I	0 27077 07975 3	1	50.0	3.77

### GAS

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN1000I	0 27077 07805 3	1	24.0	1.32
GEN1000I-SS	0 27077 08350 7	1	24.0	1.32

## 3,500W Surge / 3,000W Running

- Sine Wave Technology
- 7 HP, 4 Stroke, Air Cooled
- Recoil Start
- 212cc OHV Engine
- 3.2 Gallon Fuel Tank
- 2 x 120 Volt A/C Outlets
- 1 x 12 Volt D/C Outlet
- 1 x 120 Volt RV Outlet



## 30 & 50 Amp Parallel Cables

- 6 foot Cable designed with Dual Pin Connector and Ground Connection for Each Generator
- RV Ready - designed with Standard RV receptacle (TT-30R)



### DF

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GEN3500DFI	0 27077 08363 7	1	74.8	4.03

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PC30A	0 27077 08273 9	10/1	20.0	
PC50A	0 27077 08294 4	10/1	20.0	

**Stainless Steel Work Bench/Station**

- 36" L x 24" W x 60" H
- Adjustable Height Leveling Feet
- Galvanized Steel Brackets



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSPWBS 0	27077 08216 6			

**Stainless Steel Adjustable Height Work Table**

- With 3" Locking Casters
- Grade 430 S/S (Table Top)
- 24" W x 62"L x 1.75" D
- 220 Lb weight capacity
- Adjustable 2" Increments
- 44" Highest Level
- 36" Lowest Level



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSADJWT 0	27077 08283 8			

**Stainless Steel Folding Table**

- Max Weight Capacity of 220 lbs
- Size: 48" x 24" x 35" H
- Grade 430 Stainless Steel
- Table Top Thickness 1.0mm
- Leg Thickness 1.2mm
- Adjustable Height Leveling Feet
- SS table & legs with galvanized steel brackets



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSTABLEFD 0	27077 08215 9			

**Stainless Steel Wall Mount Fold Down Table**

- Grade 430 S/S (Table Top)
- Table Top Size: 48"x24"
- Table Thickness: 1.2mm
- Galvanized Steel Cross Brace
- (screws not included)
- Max Weight Capacity: 110 lbs



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSWMFDT 0	27077 08211 1			

**Stainless Steel Work Table Upturn Edge**

- Grade 430 S/S (Table Top)
- Table Top Size: 36" x 24"
- Table Thickness: 1.2mm
- 3 sides upturned
- Galvanized bottom shelf and legs
- Bottom Shelf Thickness: 1.2mm
- Adjustable leveling feet
- Table Height 26"
- 3 Ft x 2 ft
- 4 Ft x 2 ft



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSWT36	0 27077 08213 5			
SSWT48	0 27077 08214 2			

**Stainless Steel Work Table w/Casters**

- 403 Stainless Steel Top (18 Gauge)
- 6 Ft x 2 ft
- Adjustable Chrome Plated Shelf
- 4 x 3" Locking Swivel Casters
- Adjustable Feet
- Assembles In Minutes
- Max Weight Capacity of 220 lbs
- Not NSF Approved
- Size: 72" x 24" x 35"
- Size: 60" x 24" x 35"
- Size: 36" x 24" x 35"
- Size: 48" x 24" x 35"

- 3 Ft x 2 ft
- 4 Ft x 2 ft
- 5 Ft x 2 ft
- 6 Ft x 2 ft



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSWTWC36	0 27077 08206 7	1	45.1	3.16
SSWTWC48	0 27077 08208 1	1	58.3	2.92
SSWTWC60	0 27077 08209 8	1	66.0	3.63
SSWTWC72	0 27077 08210 4	1	75.8	4.33

# SPORTSMAN. Work Tables / Game Tables

## Stainless Steel Work Tables

- Easy To Clean & Sanitize
- Adjustable Zinc plated steel lower shelf
- 18 gauge Stainless Steel Top
- Max Weight Capacity 330 Lbs
- 35 Inch Height



SSWTABLE24  
Table measures  
24" L x 24" W x 35" H



SSWTABLE36  
Table measures  
36" L x 24" W x 35" H



SSWTABLE  
Table measures  
48" L x 24" W x 35" H



SSWTABLE60  
Table measures  
60" L x 24" W x 35" H



SSWTABLE72  
Table measures  
72" L x 24" W x 35" H

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSWTABLE	0 27077 06474 2	1	51.0 lbs	2.98
SSWTABLE24	0 27077 07909 8	1/1	33.5 lbs	2.50
SSWTABLE36	0 27077 07699 8	1/1	43.0 lbs	2.02

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSWTABLE60	0 27077 07700 1	1/1	62.0 lbs	3.34
SSWTABLE72	0 27077 07701 8	1/1	72.0 lbs	4.22

## Stainless Steel Work Shelf

- Stainless Steel 18 Gauge
- Easy To Assemble
- 36" Wide x 12" Deep / 24" Wide x 12" Deep
- 132 Lbs Max Capacity



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSWSHELF36	0 27077 07894 7	1	12.8	1.34
SSWSHELF	0 27077 07514 4	1	9.2	0.95

## Stainless Steel Double Shelf/Wall Mount

- Grade 430 S/S (1 mm Shelves)
- Shelf Size: 24" x 12"
- Wall Mount Bracket Height: 35.5" (2 pc)
- Galvanized Steel (1.5mm thick)
- Stainless steel shelves and galvanized steel support bars and brackets



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSDWMS	0 27077 08212 8			

## Folding Game Table With Faucet

- Portable table for cleaning fish and game on-site
- Attach water hose to faucet, place bucket underneath,
- 360° swivel function faucet and will actually bend!
- Dual function spray has 2 different water flows (standard and aerate)
- Durable plastic top




Table measures  
46" L x 24" W x 37" H

Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FISHTABLE	0 27077 07668 4	1	25.0	2.69

## Wall Mount Folding Workbench

- Table Size: 47.25" L x 23" D
- 1" Thick Finished Solid Rubberwood
- Weight Capacity: 330 lbs
- Includes: Two steel powder coated black brackets  
1 table top  
1 bag of mounting screws (8 long screws/6 short screws)



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
WMFW	0 27077 08232 6	1	40.3	2.54

- 201 Stainless Steel
- Strong Stainless Handle For Easy Transport
- Buckets Are Shipped Nested To Save Space
- Easy To Clean



SSB528 5.28 Gal



SSB422 4.22 Gal



SSB237 2.37 Gal



SSB132 1.32 Gal

- 5.28 Gallon (20 Liters / 21.13 Qt) 13" Dia., 11.25" Height
- 4.22 Gallon (16 Liters / 16.90 Qt) 11.75" Dia., 10.75" Height
- 2.37 Gallon (9 Liters / 9.51 Qt) 9.85" Dia., 9.25" Height
- 1.32 Gallon (5 Liters / 5.28 Qt) 8.75" Dia., 8.0" Height

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSB528	0 27077 08020 9	12	31.8	2.79
SSB422	0 27077 08021 6	12	26.0	2.12
SSB237	0 27077 08022 3	18	28.7	1.54
SSB132	0 27077 08023 0	24	31.8	2.08



SSB100 1.0 Gal



SSB075 0.75 Gal



SSB050 0.50 Gal



SSB025 0.25 Gal

- 1.0 Gallon (3.78 Liters / 4 Qt) 7.75" Dia., 7.40" Height
- 0.75 Gallon (2.83 Liters / 3 Qt) 7.0" Dia., 6.10" Height
- 0.50 Gallon (1.89 Liters / 2 Qt) 6.93" Dia., 6.0" Height
- 0.25 Gallon (0.94 Liters / 1 Qt) 5.125" Dia., 4.375" Height

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSB100	0 27077 08134 3	24	18.0	1.41
SSB075	0 27077 08133 6	24	17.0	1.18
SSB050	0 27077 08132 9	24	15.6	0.8
SSB025	0 27077 08131 2	24	10.0	0.57

**1000 Lb Trailer Jack**

- 1000 Lb Capacity Bolt-On Style (Hardware Included)
- 360° Swivel Wheel, Swing-Back Style (Folds To Side When Not In Use)
- Adjustable Height (Up To 26" Tongue Height)



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TJ1	0 27077 06540 4	2/1	60.0 lbs	1.96

**Trailer Jack Wheel Stop**

- Prevents Trailer From Moving Or Denting The Driveway
- Use Under Your Trailer Wheel Jack
- UV Protected For Long Life
- Durable 100% High-Density Polyethylene



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TJSTOP	0 27077 07559 5	60	24.0 lbs	3.16

**2 Ton Mini Power Puller**

- Hardened & Galvanized Heavy Gauge Steel
- Thumb Control Release For Safety
- 1 Piece Frame & Heavy Duty Frame Bolts
- 2 Drop Forged Safety Catch Hooks
- Powerful Ratcheting System
- Capacity 2 Tons (4,000 Lbs)
- Cable Length 10 Feet



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MP2T	0 27077 00389 5	6/1	34.2 lbs	1.3

**600 Lb Trailer Dolly**

- Includes 1-7/8" Trailer Hitch Ball, 10" x 3" Pneumatic All - Terrain Tires & Comfortable Handle Grips
- Maneuver Jet Skis, Small Trailers & Boats Without Hooking Up To A Vehicle
- 49" Extra Long Handle Provides Leverage To Move A Loaded Trailer Up To 600 Lbs

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TRDOLLY	0 27077 05952 6 1		30.5 lbs	1.80



**Automatic Battery Float Charger**

- Output: 13.5 Volt DC, 600 mA
- Input: 110 Volts AC, 60 Hz
- Use On 12 Volt Batteries In Storage Or In Cold Weather
- 12 Volt DC, 5-125 AMP Hours



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BFC12	0 27077 06425 4	24/6	19.1 lbs	2.0

**4 Ton Power Puller**

- Reinforced Double-Laminated Pawl Feature Provides Secure Hold
- Release Safety Catch
- Max Length 25.5"
- Lever Length 19.75"
- Total Length From Hook To Hook 6.5 FT.
- 7/32" Dia. Pulling Cable




Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
POWP4T	0 27077 07786 5 3		46.2	1.28

**1000 Lb  
Hand Winch**

- Parameter: Gear Ratio 3.4 : 1
- Tough Zinc Oxide Finish Resists Rust
- 1/4" x 32' Steel Cable
- 1 Piece Cold Forged Steel Pinion, Gear & Shaft




Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
W1000	0 27077 05809 3	6/1	38.0 lbs	1.40

**Hand Winch**

- 1,400 & 2,500 Capacity
- 2 Inches x 20 Feet Nylon Cable
- Gear Ratio: 4.1:1
- Handle Length: 10"
- Handle Grip Length: 4"
- One Way Ratcheting
- Winch Material: Carbon Steel
- Belt Material: Terylene



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
W1400	0 27077 08055 1	6/1	33.0 lbs	1.17
W2500	0 27077 08056 8	6/1	56.0 lbs	1.3

**Heavy Duty  
Mesh Cargo Net**

- 6 Ft 6 inch x 8 Ft 2 inch
- Material 350 GSM PVC
- Brass Grommets
- 1/4 Inch Thick Bungee Rope
- 24 Pieces 3.5 inch Plastic Hooks



- CNET6682 / 6 Ft 6 inch x 8 Ft 2 inch
- CNET666 / 6 Ft 6 inch x 6 Ft
- CNET46 / 4 Ft x 6 Ft

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CNET6682	0 27077 08395 8	3/1	19.6 lbs	1.26
CNET666	0 27077 08397 2	3/1	15.6 lbs	1.26
CNET46	0 27077 08396 5	6/1	21.6 lbs	1.26

**20 Piece Mini Size  
Bungee Cords**

- 10 Lb Capacity
- 10 Inch Length With Zinc Plated Steel Hooks
- Heavy Duty Fabric Covered Elastic Cords



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BUNGEEM	0 27077 07890 9	72/12	42.8 lbs	2.01

**Bungee Straps**

- Vinyl Covered Heat Treated Steel Hooks
- 9mm Diameter Stretches Tight & Reliably
- For Camping, Garages, Yard Work, Cargo
- For Trucks, ATV's, Camping, Trailers



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BSTRAP12	0 27077 06717 0	200/50	40.0 lbs	1.73
BSTRAP18	0 27077 06718 7	200/50	44.0 lbs	1.73

**Rubber Tarp Straps**

- Super Strength Virgin Rubber
- Reinforced Ends, Plated "S" Hooks
- Weather, Wear & Tear Resistant
- 31 Inch



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TSTRAP31	0 27077 06726 2	180/45	53.0 lbs	1.73

## 2 Piece Ratchet Tie Down Set

- Adjustable Length 4' To 15'
- 750 Lb Load Capacity
- Cushioned Thumb Release
- Vinyl Coated Hooks Resist Scratching Surfaces
- Heavy Duty Heat Treated Steel Hooks



Pkg. Type Blow Mold

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RTDCAM2	0 27077 06502 2	12/1	35.0 lbs	1.60

## 6 Pack Assortment Flat Bungees

- 2 Pieces - 18" / 2 Pieces - 32" / 2 Pieces - 45"
- Premium Grade, Long Lasting Rubber



Stretches 1.5 X Length



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FBUNGEE6	0 27077 07889 3	12/1	13.6 lbs	0.86

## 4 Piece Ratchet Tie Down Set

- Adjustable Length 4' To 15'
- Vinyl Coated Hooks
- 1" x 15' Straps
- Automatic Release



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
LTD4	0 27077 05529 0	12/6	31.5 lbs	2.3

## 1 Inch x 15 Foot Ratchet Tie Down

- Heavy Duty Test Webbing
- Quick Automatic Release
- Safe, Secure & Tight
- Hooks Included



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RTD115	0 27077 05708 9	24	14.0 lbs	1.0

## 2 Inch x 20 Foot Ratchet Tie Down

- Heavy Duty Test Webbing
- 2,500 lb Max Capacity
- Quick Automatic Release
- Hooks Included



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
NTD22	0 27077 03103 4	20	17.6 lbs	1.7

## 2 Piece Ratchet Tie Down Set

- Adjustable Length 4' To 15'
- Weather Proof Nylon Webbing For Maximum Strength
- Locks And Releases Automatically
- Adjustable Length 4' To 15'
- Max Tension 1,500 Lbs.
- 2" x 20' Straps
- Vinyl Coated Hooks



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RTD220	0 27077 06324 0	10	43.0 lbs	1.7

**Hand Crank  
Emergency Radio**

- No Batteries: Crank To Charge
- Palm-Sized FM Radio With Weather Band, Emergency Alarm & LED Light
- Includes USB Mobile Phone Adaptor For Back-Up Power



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
EWBRADIO	0 27077 06932 7	36/6	16.0 lbs	1.70

**Electronic Lock  
Deposit Drop Safe**

- Solid steel construction
- Floor anchor holes
- Two live 3/4" diameter steel Locking Bolts
- 14 gauge Steel (2.0 mm)
- Not fire rated
- Electronic code locking system (9V Battery included)



Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DROPSAFE	0 27077 08242 5	1	66.4	3.65

**Electronic Lock Jewelry Safe**

- Outside Dimensions: 24"(H) x 18"(W) x 20"(D)
- Internal Dimensions: 22.5" x 17" x 15"
- Internal Size = 3.32 CuFt
- 30 Minute Fire Protection @ 1200 Degrees
- 16 Gauge Body & Door (1.5mm thick)
- 4 x Locking Bolts 1" Dia. (2 Bolts are Live, 2 Bolts are Dead)
- 4 Floor Mounting Holes
- Includes: 1 pc removable/adjustble shelf  
1 drawer inside



Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JWLRYSF	0 27077 08249 4	1	101.0	7.82
JWLRYFBG	0 27077 08250 0	1	101.0	7.82

**Electronic Lock Floor Safe**

- Runs on 4 x 1.5V AA batteries
- Pre-drilled holes at the bottom & back
- Not fire rated
- Int. Dimension (H x W x D): 18- 3/4" x 13-1/4" x 12-1/4"
- Ext. Dimension (H x W x D): 22-3/4" x 14" x 13"



Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
ELFSFB	0 27077 08228 9	1	76.0	5.44
ELFSAFE	0 27077 08227 2	1	76.0	5.44

**Electronic Lock  
Personal Safe**

- Solid steel construction offers burglary protection
- Anchor holes are suitable for fixing to the cabinet, wall or the floor (Fixing bolts included).
- 2 steel live action locking bolts
- 26 gauge Steel (0.5mm)
- Not fire rated



Pkg. Type White Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PPSAFE	0 27077 08059 9	1	12.0	1.05
PPSFB	0 27077 08229 6	1	12.0	1.05

**Electronic Lock Wall Safe**

- Super solid & durable steel, with a pry resistant steel door
- Installs easily, with an extra thick steel locking plate
- Mounting holes are pre-drilled
- 2 removable shelves and Key Rack
- Battery operated electronic lock with two back-up keys
- 13 7/8 inch wide
- 3 3/4 inch deep
- 20 3/4 inch high



Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
WALLSAFE	0 27077 07883 1	1	29.4	6.16
WLSFB	0 27077 08095 7	1	29.4	6.16

# BUFFALO

## 32 + 6 Gun Safe

### With Premium Door Organizer



- Holds 32 Long Guns and 6 Hand Guns
- Adjustable Shelves For Maximum Storage
- 11 Custom Pockets For Pistols And Accessories
- Bolt-Down Kit
- Pry-Resistant Recessed Door w/3 Spoke Handle
- Pry-Resistant Notched Bolt
- 40 Minute Fire Protection @ 1200 Degrees F
- 14 Gauge Body & Door Steel Thickness
- Size: 59" (h) x 32"(w) x 22" (d)
- Internal Dimensions: 58" (h) x 30" (w) x 17" (d)
- Exceeds California DOJ Requirements

Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GUNSAFE	0 27077 07883	1	506.0 lbs	

# BUFFALO

## 39 + 7 Gun Safe

### With Premium Door Organizer



- Holds 39 Long Guns and 7 Hand Guns
- Adjustable Shelves For Maximum Storage
- 16 Custom Pockets
- Bolt-Down Kit
- Pry-Resistant Recessed Door w/3 Spoke Handle
- 3 Dead Bolts and 7 Live Bolts = 10 Locking Points
- 30 Minute Fire Protection @ 1200 Degrees F
- 14 Gauge Body & Door Steel Thickness
- Size: 59" (h) x 39"(w) x 24" (d)
- Internal Dimensions: 55" (h) x 36" (w) x 20" (d)
- Exceeds California DOJ Requirements

Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GUNSAFEXL	0 27077 08058	2	1 650 lbs	


# BUFFALO

## 28 Long Gun Gun Safe

- Holds 28 long guns
- Adjustable shelves for maximum storage
- Bolt-down kit, pry-resistant recessed door & bolt
- 3 Dead bolts and 3 live bolts = 6 locking points
- 30 Minute fire protection @ 1200 degrees F
- 14 gauge thick steel body & door
- 3 spoke handle
- External dim: 59 H x 26 W x 20 D inches
- Internal dim: 55 H x 23 Wx 17 D inches
- Predrilled starter holes to install a humidifier or light
- Exceeds California DOJ requirements
- Electronic lock w/ key override, 2 keys included
- 1 year warranty

Pkg. Type Brown Carton

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GUNSAFE28	0 27077 08001	8	1 354.0	17.75



## Wireless Speakers

- Audio Streaming & Hands-Free Connection To Your Mobile Phone
- IPX6 Water-Resistant
- Track & Volume Control
- Up to 8 hours of Playback
- Li-ion Rechargeable Battery
- Charges via USB 2.0 Cable (Included)
- 3.5mm Aux-In (Aux Cable Included)



Protected against water immersion for less than 3 minutes at a depth of less than 3 feet.

Pkg. Type Color Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SPEAKERH20	0 27077 07597 7	12	14.0 lbs	1.2
SPEAKERBH20	0 27077 07970 8	12	14.0 lbs	1.2



Silicon cover with secure closure protects the USB and audio input ports.

## Wireless Speaker w/Dual Pairing

- Dual Pairing (when synced with another Dual Pairing Speaker)
- Audio Streaming & Hands-Free Connection To Your Mobile Phone
- Up To 32 Feet From Source
- IP67 Water-Resistant Up to 3 Ft Deep
- Track & Volume Control
- Up to 8 hours of Playback
- Li-ion Rechargeable Battery
- Charges via USB 2.0 Cable (Included)



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SPEAKERX7	0 27077 07979 1	20 / 1	12.1	0.87

## Classic 8 Ft Windmill

- Fan Head Rotates & Spins, Always Faces Directly Into The Wind
- Fan Measures 23" Dia.
- Base Measures 27" x 27"
- Anchors Provide Secure Support
- Weather Resistant 15# Mild Steel



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SM07251	0 27077 07251 8	1	28.0	0.70

## 36" x 18" Flatbed Cart

- Powder Coated Steel Handle
- Includes Trailer Hitch
- Welded Steel Mesh Deck
- Holds Up To 600 Lbs
- Perfect For Home, Nurseries & Farms



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
HDTFLATB	0 27077 05876 5	1	45.0 lbs	1.60

## Shotgun Shell Patio Torch

- Realistic Shotgun 12GA Shell Design
- 8" canister is 100% Steel & Won't Rust
- Weather Resistant Finish
- 8" fiberglass wick is long lasting
- Includes snuffer cap and chain
- For outdoor use with torch oil or citronella
- Holds up to 24 oz.
- Post Height 48 inch
- Lasts Up To 10 hours



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SGST	0 27077 08196 1	20 / 1	50.6	5.2



**Folding  
Camping Chairs**

- w/Side Table Set of 2
- Supports Up to 400 lbs
- Open dim: 30"W x 20"D x 35"H
- Cup holder size: 3.5"W x 4"D

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DCSTSET	0 27077 08328 6	1	25.2 lbs	4.14

**Two Pieces  
Metal Ammo Storage Boxes**

- Powder Coated Cold Rolled Steel
- .50 Caliber M2A1 (Large)
- .30 Caliber M19A1 (Small)
- Stackable design



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
ABOX2PK	0 27077 07980 7			

**5/32" x 100 Ft  
CAMO Paracord Rope**

- Camo color
- Diamond braided for extra strength
- Breaking Load 130 LBS
- Resistant to rot, mildew, and corrosion



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PR532100	0 27077 08071 1	1	23.1	1.3

**3/8" x 100 Ft  
CAMO Braided Poly Rope**

- 243 Lb Load Capacity
- Tough Diamond Braided Poly For Hunting, Camping & Fishing



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DBPR38100	0 27077 07517 5	12 / 0	22.0	1.21

**1/2" x 50 Ft  
CAMO Braided Poly Rope**

- 280 Lb Load Capacity
- Tough Diamond Braided Poly For Hunting, Camping & Fishing



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DBPR1250	0 27077 07518 2	12/0	19.8	1.13

**1/4" x 100 Ft  
CAMO Braided Poly Rope**

- 122 Lb Load Capacity
- Tough DBreaking Load d Poly For Hunting, Camping & Fishing



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DBPR14100	0 27077 07516 8	24 / 0	17.6	1.22

**3/16" x 100 Ft  
Neon Braided Poly Rope**

- 130 Lb Breaking Load
- Glow in the Dark
- Diamond braided for extra strength
- Resistant to rot, mildew, and corrosion from chemicals



Pkg. Type Color Label

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GLOWR316100	0 27077 08072 8	1	15.0 lbs	1.02

## Heavy Duty Cast Iron Stove Single Burner

- 8,530 BTU Hooks Up To LP Tank
- Overall Size 9.2" x 9.2" x 4"



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBCISHD	0 27077 08077 3	4/1	8.0 lbs	0.62

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
DBCISHD	0 27077 08078 0	2/1	17.2 lbs	0.56

## 5 Ft. Regulator Hose Kit

- Connects To Most LP Tanks And Cylinders
- Type 1 5/8" MIP
- 10 PSI



Pkg. Type Color Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
LPHK5	0 27077 06781 1	24/6	29.0 lbs	1.20

## Single Burner Gas Stove

- 14" Height For Cooking Outdoors With Any Size Stock Pot
- Cast Iron Burner With Steel Legs
- Includes Regulator Hose
- Runs On Liquid Propane LPG
- 17,000 BTUs



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SBTCS	0 27077 07862 6	1	10.8	0.63

## Foldable Burn Barrel

- Lightweight yet durable
- Easy to assemble
- Corrosion-resistant steel
- Runs On Liquid Propane
- Safely burn old leaves, cardboard
- Small holes on all 4 sides allow fire to breath yet stay contained.



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FCAGE	0 27077 08181 7	1	28.0 lbs	4.5

## Single Burner SS Stove

- Stainless Steel Construction
- Cast Iron Burner
- Adjustable Burner Provides 12,000 BTUs - 13,500 BTUs
- Runs On Liquid Propane



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSBGS	0 27077 07968 5	1	3.95 lbs	

## Gas Powered Kinetic Log Splitter

- Max. Splitting Force: 10 Ton
- Max. Log Length: 20 inches
- Max. Log Diameter: 13.75 inches
- Max Load Weight: 100 lbs
- 2.75 HP



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
KSPLIT10	0 27077 08267 8	1	198.0 lbs	12.1

## Coming Soon

Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
KSPLIT19	0 27077			

## Chain Saw Chain Sharpening Kit

- Includes: 3 Round Fine Tooth Files: 5/32", 3/16", 7/32"
- 1 - 6" Flat Fine Tooth File
- 1 - Filing Guide
- 1 - Depth Gauge
- 1 - Hardwood Handle
- 1 - Storage Bag



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CSSKIT8	0 2707708187 9	10	22.0	1.6

## Chain Saw Chain Filing Guide

- For manual precision saw chain filing
- Locks in filing angle and depth control setting, insures consistent correct filing



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CSFG	0 27077 08186 2	18	22.0	1.96

## Mini 12V DC Chain Saw Chain Sharpener

- Sharpens most types of chainsaw chains
- Portable design for on-site sharpening
- 55W
- 25,000 RPM



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MINICSS	0 27077 08189 3	50	54.0 lbs	2.0

## Mountable Chain Saw Chain Sharpener

- For high volume sharpening
- Voltage: 110V/50Hz
- Power: 230W
- 2" x 5.5" Dia. Grinding Wheels: 1/8", 3/16"
- Max Speed: 3,000 RPM
- Decibel dB: <85 dB
- Sharpen: 1/4" / .325" / 3/8" / .404" Chains
- Built-in Work Light



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MCSSP	0 27077 0819 6	1	46.0 lbs	2.9

**4" x 17" Rubber Safety Step Cover**

- Non-Slip Treads For Risers, Landings & Tile
- Weather resistant adhesive backing adheres to non-porous and semi-porous surfaces
- Heavy duty step tread is specially designed for adding non-slip surface areas almost anywhere



RSSTEP	4 x 17	1 piece
RSSTEP4	4 x 17	4 pack
RSSTEPBOX	4 x 17	12 pack



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RSSTEP	0 27077 07885 5	96/12	49.1 lbs	4.36

**12" x 12" Rubber Safety Step Cover**

- Non-Slip Treads For Risers, Landings & Tile
- Weather resistant adhesive backing adheres to non-porous and semi-porous surfaces
- Heavy duty step tread is specially designed for adding non-slip surface areas almost anywhere



RSSTEP12	12 x 12	1 piece
RSTEP12BOX	12 x 12	12 pack



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RSSTEP12	0 27077 07886 2	24/12	24.3 lbs	0.74

**Rubber Boot Tray**

- 32" x 16.25" x 1" Durable Rubber Construction With Raised Edge
- Helps Contain Dirt, Mud, Sand & Slush
- Holds 3 Pairs Of Boots



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
RBSMAT	0 27077 08262 3	12	44.0 lbs	0.76

**Plastic Boot Tray**

- 29.5" x 15" Durable Plastic Construction With Raised Edge
- Helps Contain Dirt, Mud, Sand & Slush
- Comes In A 30 Piece Cut Case Display
- Holds 3 Pairs Of Boots



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MBTRY	0 27077 06783 5	30	41.0 lbs	3.44

**16 Inch Western Leather Saddle**

- Material: 3.5-4mm Leather
- Hand Carved Floral Tooling
- Horn: 3" post w/ leather carved
- Cantle: 2" leather cheyenne roll w/ carving overlay
- Rigging: Stainless Steel in Skirts
- Finish: Dark Brown w/ Floral Hand Carving
- Stirrups: 2.5" leather covered on Polymer stirrup



Pkg. Type Bulk

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SADDLE	0 27077 08157 2	1	66.2	6.5

**Portable Pet Kennel**

- Mesh Windows / Zipper Door
- Hook & Loop Fasteners
- Soft-Sided Design Is Water Resistant
- 600D Construction With Wire Frame

For Small Size Dogs:  
26-40 Lbs  
Overall Dimensions:  
30.5" x 20" x 21.5"  
  
For Medium  
Size Dogs: 40-70 Lbs  
Overall Dimensions:  
37" x 24.5" x 27.5"



For Large Size Dogs:  
70-90 Lbs  
Overall Dimensions:  
42" x 28" x 30"

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSPPK30	0 27077 06604 3	6/1	29.0 lbs	2.50
SSPPK36	0 27077 06605 0	6/1	47.0 lbs	4.08
SSPPK42	0 27077 06606 7	6/1	29.0 lbs	2.50

## 26" Classica E-Bike



- Max Gross Weight 300 lbs Includes Basket And Rear Carrier
- Max Weight of Rider 250 lbs/Rear Rack 40 Lbs
- Charge Time: 4-6 Hours
- Range: Up To 45 Miles
- Max Speed: 20 MPH w/ Pedal Assist & Throttle
- Motor: 36V / 250W Brushless Front Hub
- Battery: Samsung Li-Ion, 36V 10.4AH Removable Pack

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CLASSICA26	0 27077 08121 3	1		

## 28" Classica E-Bike



- Max Gross Weight 300 lbs
- Max Weight of Rider 250 lbs
- Charge Time: 4-6 Hours
- Range: Up To 45 Miles
- Max Speed: 20 MPH w/ Pedal Assist & Throttle
- Motor: 36V / 250W Brushless Front Hub
- Battery: Samsung Li-Ion, 36V 10.4AH Removable Pack

Pkg. Type White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CLASSICA28	0 27077 08122 0	1		

## Outboard Motor 6 HP



- 4-Stroke Outboard Motor
- 6 HP @ 5000 RPM
- Displacement: 139 cc
- Engine Type: 2 cylinder
- Starting System: Manual
- Oil Capacity: 20 ounces
- Fuel Capacity: 3 Gallon
- EPA Approved

Pkg. Type White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MOTOR6	0 27077 08064 3	1	76 lbs	11.35

## Outboard Motor 9.9 HP



- 4-Stroke Outboard Motor
- 9.9 HP @ 5000 RPM
- Displacement: 212 cc
- Engine Type: 2 cylinder
- Starting System: Manual
- Oil Capacity: 23 ounces
- Fuel Capacity: 6.3 Gallon
- EPA Approved

Pkg. Type White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MOTOR99	0 27077 08065 0	1	114 lbs	16.27

## Outboard Motor 20 HP



- 4-Stroke Outboard Motor
- 20 HP @ 5500 RPM
- Displacement: 362 cc
- Engine Type: 2 cylinder
- Starting System: Manual
- Oil Capacity: 54 ounces
- Fuel Capacity: 6.3 Gallon
- EPA Approved

Pkg. Type White Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MOTOR20	0 27077 08069 8	1	148 lbs	16.27

## #22 Stainless Steel Meat Grinder

- Bolt Down Style
- Grinds 3 to 4 lbs. of meat per minute
- Stainless Steel For Easy Cleanup
- 1 Cutting Knife, 1 Cutting Plate (Fine 1/4"), 3 Sausage Tubes, 1 Sausage Funnel Attachment




Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SM07529	0 27077 07529 8	5	59.4 lbs	

## #10 Hand Operated Meat Grinder

- Grinds 3 Lbs Of Meat Per Minute
- Cast Iron For Easy Cleanup
- Clamp Down Style
- 1 Cutting Knife, 2 Cutting Plates, (Fine 1/4" & Course 1/2") 3 Sausage Tubes 1 Sausage Funnel Attachment



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHG10	0 27077 06310 3	6/1	57.0 lbs	1.40

## #22 Hand Operated Meat Grinder

- Cast Iron For Easy Cleanup
- Bolt Down Style
- Grinds 3 to 4 lbs. of meat per minute
- 1 Cutting Knife, 2 Cutting Plates (Fine 1/4" & Course 1/2") 3 Sausage Tubes 1 Sausage Funnel Attachment



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHG22	0 27077 06311 0	3/1	57.0 lbs	1.00

## #32 Hand Operated Meat Grinder

- Cast Iron For Easy Cleanup
- Grinds 5 lbs. of meat per minute
- Bolt Down Style
- 1 Cutting Knife 2 Cutting Plates (Fine 1/4" & Course 1/2") 3 Sausage Tubes 1 Sausage Funnel Attachment



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHG32	0 27077 06312 7	2/1	53.0 lbs	1.20



**#10 Replacement Knife For MEGRINDUL Electric Grinder MEGRIND-GK**



**#10 Fine Replacement Plate For MEGRINDUL Electric Grinder MEGRIND-GPF**



**#22 Fine Replacement Plate For MEGRINDUL Hand Grinder MHG22-GPF**



**#10 Fine Replacement Plate For MHG10 Hand Grinder MHG10-GPF**

**350 Watt Electric Meat Grinder**

- Grinds Up To 100 Lbs. Per Hour
- 3 Cutting Plates (Fine, Medium, Coarse)
- 1 Kubbe Attachment
- 1 Food Stuffer
- 1 Sausage Tube



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MEG300	0 27077 06751 4	4/1	37.0 lbs	3.20

**Meat Tenderizer & Garlic Press**

- Textured Flat Head
- Reversible Crusher For Pressing Garlic
- Bone Scraper Handle
- Crushes Garlic, Tenderizes Steak



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MTGPRESS	0 27077 06786 6	72/6	40.0 lbs	2.40

**550 Watt Electric Meat Grinder**

- Process 165 lbs Meat Per Hour
- Stainless Steel Housing, Cylinder, Head & Blade
- On/Off/Reverse Function
- Horsepower 0.75 HP
- 1790 RPM
- Includes 2 Plates/2 Knives



Pkg. Type Color Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MEGRIND55	0 27077 07892 3 1	27.0	1.45	

**Meat Cuber Tenderizer**

- Aluminum with ABS roller
- Prepares Meat Up 4"W - .5" Thick
- Clamp-On Design
- Tenderizes & Helps Marinate Tough Cuts Of Meat



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SM07492	0 27077 07492 5	10/1	61.6 lbs	2.14

**Commercial Electric Meat Grinder**

- 110 Volt, 60 Hz, 1 HP, 300 lbs, 650 watts
- Stainless Steel
- Grinds Up To 6 Lbs. Per Minute
- UL Approved



Pkg. Type Color Box



Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MEGRINDUL	0 27077 06313 4	1	62.0 lbs	1.93

**Electric Meat Cutting Band Saw & Grinder**

- 18-1/2" x 23-1/2" Stainless Steel Sliding Table
  - Access Panel For Easy Clean-up
  - Cutting Capacity: 9.5" Depth x 9.5" Height
  - 110V / 60 Hz
  - 3/4 HP / 1750 RPM
- BSB-MBS: 4 Teeth -per- Inch  
Blade Size: 82" x 5/8"  
For Use With No. MBSAW



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MBSAW	0 27077 05914 4	1	120.0 lbs	7.48
BSB-MBS	0 27077 05990 8	50/1	42.0 lbs	8.00



**#10 Medium Replacement Plate For MHG10 Hand Grinder**  
MHG10-GPM



**#10 Medium Replacement Plate For MEGRINDUL Electric Grinder**  
MEGRIND-GPM



**#10 Replacement Knife For MHG10 Hand Grinder**  
MHG10-GK



**#22 Medium Replacement Plate For MHG22 & SM07529 Hand Grinder**  
MHG22-GPM

**7.5 Inch  
Electric Meat Slicer**

- Max Slicing Thickness 15mm
- Stainless Steel Blade
- Non-Slip Suction Cup Feet
- 180 Watt



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MSLICER	0 27077 06544 2	2/1	26.0	2.83

**4 Gallon  
Stainless Steel Meat Mixer**

- Mixes 17 Lbs Of Meat
- Stainless Steel Design
- Includes Clear, See-Through Lid & Removable Paddle For Easy Cleaning



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHMIX	0 27077 06667 8	2/1	30.0 lbs	2.74

**10 Inch  
Electric Meat Slicer**

- 250 Watt / 300 RPM
- Non -Slip Suction Cup Feet
- Easy To Clean Sliding Table
- 10" Stainless Steel Blade
- Maximum Slicing Thickness Up To 9/16"



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MSLICER10	0 27077 07933 3	1	33.0	3.96



**Commercial Quality  
French Fry Cutter**

- Cuts 6" Long Potatoes Into 3/8" or 1/2" Strips
- Two Stainless Steel Cutting Attachments
- Mounts On Wall or Counter Top
- Cuts Fruits & Vegetables, Too

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
FFCD	0 27077 06625 8	2/1	22.0 lbs	4.77

## 5 Lb Stainless Steel Sausage Stuffer

- Stainless Steel
- Detachable 2-Piece Handle
- Includes 3 Stainless Steel Stuffing Tubes



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SM07527	0 27077 07527 4	4	55.0 lbs	

## 15 Inch Jerky Gun

- Plastic Cylinder & Heavy Duty Aluminum Frame
- Makes Jerky Strips & Round Sticks
- Includes 1-1/2" Round Nozzle & 1-13/16" Flat Nozzle



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MJG15	0 27077 06315 8	6/1	16.0 lbs	1.40

## 5 Lb Sausage Stuffer

- Cast Iron
- Includes:  
3 Sausage Tubes



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHSS5	0 27077 06325 7	4/1	55.0 lbs	1.20

## 11 Lb Sausage Stuffer

- Stainless Steel Canister Swivels Out For Easy Loading
- 2 Gears Let You Slowly Stuff & Quickly Refill
- Includes 3 Stuffing Funnels (1", 3/4", and 1/2") For Making Summer Sausage To Breakfast Links



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHVSS	0 27077 07001 9	2/1	60.0 lbs	6.57



## 7 Lb Sausage Stuffer

- Stainless Steel Canister Swivels Out For Easy Loading
- Includes 4 Stuffing Funnels:  
1 1/2" For Lunch Meat  
1 1/4" For Sausage  
3/4" For Bratwurst  
1/2" For Snack Sticks

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHVSS7	0 27077 08028 5	1	16.0	2.06

**Aluminum Hamburger Press**



- 1/2" Maximum Burger Thickness
- Make Perfectly Round & Flat Hamburger Patties
- Adjustable Depth

Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MHPRESSA	0 27077 07729 2	24/12	43.0 lbs	3.59

**Beer Can - Double Chicken Cooker**

- For Charcoal or Gas Grills
- Use Skewers For Grilling Corn On The Cob Or Baked Potatoes
- Insert An Open Can Of Beer Into A Chicken, Then Grill.
- Measures 13.5" x 9"



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BBQDC	0 27077 06858 0	6	14.3 lbs	0.82

**Beer Can - Single Chicken Cooker**

- For Charcoal or Gas Grills
- Insert An Open Can Of Beer Into A Chicken, Then Grill
- Measures 9" x 7"



Pkg. Type Color Sleeve

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
BBQSC	0 27077 06857 3	12	15.0 lbs	1.78

**10 Piece Butcher's Knife Set**

- 1 - Game Shears
- 1 - Butcher Saw
- 2 - Butcher Saw Blades
- 1 - Plastic Storage Case
- 1 - Sharpening Steel
- 1 - 6-1/2" Cleaver
- 1 - 8" Utility Knife
- 1 - 5-1/2" Boning Knife
- 1 - 4" Skinning Knife



Pkg. Type Double Blister

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MPKS10BM	0 27077 07860 2	6/1	32.0 lbs	2.09

**Deluxe Fishing & Hunting Knife Set**

Stainless Steel Blades with Soft-Touch Vinyl Grip

- 6 Piece Set
- 8" Curved Boning Blade
- 8" Straight Serrated (Bread) Blade
- 8" Heavy Duty Fillet Blade



- 6" Flexible Fillet Blade
- 5" Utility (Pairing) Blade
- Dual Grit Sharpening Stone



Pkg. Type Molded Case

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
KNIFE6	0 27077 7989 0	10/5	34.1 lbs	2.14

**44 Lb Stainless Steel Dial Scale**

- 10" (2 Qt) Stainless Steel Bowl Is Removable For Easy Cleaning
- Dimensions: 10.5" x 10.5" x 12.5"



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSDSCALE	0 27077 06567 1	4/1	25.0 lbs	2.80

**Stainless Steel Fire Pit**  
SSFP 0 27077 08394 1      70.0 0.42 5/1

**Coming Soon**

**Hanging Scales**

- Perfect Choice For Hunters, Butchers And Anglers
- Displays Weight In Pounds
- Includes Two Industrial-Grade Steel Hooks
- Lightweight, Durable Construction
- Use With Gambrel & Hoist



MS330:  
330 Pound Capacity



MS550:  
550 Pound Capacity



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MS330	0 27077 06587 9	12/1	33.0 lbs	2.90
MS550	0 27077 07734 6	12/6	45.0 lbs	3.49

**Single-Stage Gas Snow Blower**

- 99cc
- 4 Stroke OHV Ratio
- 120V, 2.8HP, 2200 RPM
- Max Working Width: 18"
- Max Working Height: 10"



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
SSGSB99	0 27077 08360 6	1	62.7 lbs	6.98

## 4 Step Dock Ladder

- Corrosion-resistant
- 73"H x 22.25"W Assembled
- Heavy duty 1.5" Anodized Aluminum Tube
- Max Capacity: 750 lbs per step



Pkg. Type : Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
ALD4	0 27077 08188 6	1	20.1	4.67

## Old Time Dinner Bell

- Bell Rings Loud & Clear
- Classic Design For Outdoor Use
- Includes Nylon Rope



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CIDBELL	0 27077 06763 7	20/1	44.0 lbs	1.20

## Cast Iron Farm Bell

- Durable, Rust Resistant Black Finish
- Bell Rings Loud & Clear
- Classic Design For Outdoor Use
- 17" L x 15" W x 8.3" H



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
CIFBELL	0 27077 07013 2	1	27.0 lbs	1.20

## Earth Auger

- 2-Cycle Engine
- For Drilling Holes For Decks and Fence Posts
- 34 Inch Drilling Depth
- 6 Inch Drill Bit
- 6 Inch Drill Diameter
- 91 db / Recoil Start



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
AUGER43	0 27077 078162 6	1	37.3 lbs	2.9

## 10 Inch Cow Bell

- Solid White Color With Black Grip
- 4.25" W x 2.5" D x 9.75" H



Pkg. Type Plastic Hangtag

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
COBL	0 27077 07676 9	36/6	29.5	2.0

## 1" Gasoline Water Pump

- Use with 3/4" Home Garden Hose
- Inlet/Outlet Port Diameter: 1"
- Displacement: 43cc
- OHV Engine - 1.4 HP / 6,600 rpm
- Runtime: 1 hr for full tank
- 2-Cycle Engine
- Max Suction: 26 ft
- Max Head Lift: 98 ft
- Includes: Strainer and couplings
- Noise Level @ 7 meter 83 dB
- EPA & CARB Approved Engine



Pkg. Type : Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
WPUMP1	0 27077 08288 3	1	18.1	1.51

## 2" Gasoline Water Transfer Pump With Complete Hose Kit

- 2" Outlet - Pumps 9000 x 85% Gph x @ 0 Ft. Lift, or 3000 x 85% Gph @ 70 Ft. Lift
- 26 Ft Aluminum Die Cast Pump Housing
- OHV Recoil Start Gas Engine
- 1/2 Gallon Capacity Fuel Tank
- 7.0 HP / 2" Discharge Port
- 91' Max Head Lift
- Cast Iron Impeller



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
TWPUMP	0 27077 05820 8	1/1	62.0 lbs	3.15



## T-Post Driver

- 2-Cycle Engine
- Drives T-Posts in a matter of seconds
- Portable and lightweight for easy handling
- Equipped with internal vibration dampening for less irritation when operating.



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
GPDR	0 27077 08178 7	1	38.0 lbs	3.1



## Earth Cultivator

- 2-Cycle Engine
- Aerates Your Soil
- 91 db / 200 RPM / Recoil Start
- Two Adjustable Wheel Settings
- 8-Inch Tilling Depth



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
MT43CC	0 27077 08161 9	1	38.0 lbs	3.1

## 1,100 Lb Capacity Electric Hoist

- Double Cable: 1100 Lb Lift 16.5 Ft/Minute
- Single Cable: 550 Lb Lift 33 Ft/Minute
- 3400 RPM
- High Carbon Steel 4.2mm Thick Lines
- Perfect For Preparing Medium Sized Game
- Wired Control With 5 Ft Cable
- For Garage Or Farm



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
EHOIST1100	0 27077 08050 6	2/1	78.1	1.49

## 440 Lb Capacity Electric Hoist

- Double Cable: 440 Lb Lift 16.5 Ft/Minute
- High Carbon Steel 1/8 Inch Thick Lines
- Perfect For Preparing Medium Sized Game
- Wired Control With 5 Ft Cable
- For Garage Or Farm



Pkg. Type Color Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
EHOISTUL	0 27077 05883 3	1	40.0	3.11

# Index

<p><b>A</b></p> <p>ABOX2PK.....Ammo Box..... 15          ABOX108.....Ammo Box..... 15          ALD4.....Dock Ladder..... 26          AUGER43.....Earth Auger..... 27</p> <p><b>B</b></p> <p>BBQDC.....Beer Can Cooker..... 24          BBQSC.....Beer Can Cooker..... 24          BFC12.....Battery Charger..... 9          BSTRAP12.....Bungee Straps..... 10          BUNGEEM.....Bungee Cords..... 10</p> <p><b>C</b></p> <p>CBELLSET.....Cast Iron Bell Set..... 26          CIBBELL.....Dinner Bell Set..... 26          CIFBELL.....Farm Bell..... 26          CLASSICA26 E-Bike..... 19          CLASSICA28 E-Bike..... 19          COBL.....Cow Bell..... 26          COWBELL.....Cow Bell..... 26          CSFG.....Chain File Guide..... 17          CSSKIT8.....Chain Saw Kit..... 17</p> <p><b>D</b></p> <p>DBCIS.....Cast Iron Stove..... 16          DBCISHD.....Cast Iron Stove..... 16          DBPR1250.....Camo Rope..... 15          DBPR14100.....Camo Rope..... 15          DBPR38100.....Camo Rope..... 15          DCSTSET.....Folding Camp Chair..... 15          DROPSAFE.....Drop Safe..... 12</p> <p><b>E</b></p> <p>EHOIST1100.....Electric Hoist..... 27          EHOISTUL.....Electric Hoist..... 27          ELFSAFE.....Floor Safe..... 12          ELFSFB.....Floor Safe..... 12          EWBRADIO.....Emergency Radio..... 12</p> <p><b>F</b></p> <p>FBUNGEE6.....Bungees..... 11          FCAGE.....Burn Barrel..... 16          FFCD.....French Fry Cutter..... 22          FISHTABLE.....Game Table..... 7</p>	<p><b>G</b></p> <p>GEN1000.....Generator..... 2          GEN1000I.....Generator..... 5          GEN2000DF.....Generator..... 3          GEN2000.....Generator..... 2          GEN2000I.....Generator..... 5          GEN2000LP.....Generator..... 3          GEN2000-SS.....Generator..... 4          GEN2200DFI.....Generator..... 5          GEN3500I.....Generator..... 5          GEN4000DF.....Generator..... 3          GEN4000DF-SS.....Generator..... 4          GEN4000.....Generator..... 2          GEN4000LP.....Generator..... 3          GEN4000-SS.....Generator..... 4          GEN7000.....Generator..... 2          GEN7000LP.....Generator..... 3          GEN7500DF.....Generator..... 3          GEN7500DF-SS.....Generator..... 4          GEN9000DF.....Generator..... 3          GENCOVER-L.....Generator Cover..... 2          GENCOVER-XL.....Generator Cover..... 2          GENCOVM.....Generator Cover..... 2          GENCOVXL.....Generator Cover..... 2          GENLPH5.....Regulator Hose..... 5          GENTRI9K.....Generator..... 4          GENTRI10.....Generator..... 4          GLOWR316100.....Camo Rope..... 15          GPDR.....T-Post Driver..... 27          GUNSAFE28.....Gun Safe..... 13          GUNSAFE.....Gun Safe..... 13          GUNSAFEXL.....Gun safe..... 13</p> <p><b>H</b></p> <p>HDTFLATB.....Flatbed Cart..... 14</p> <p><b>J</b></p> <p>JRACK.....Kayak &amp; Canoe Rack..... 28          JWLRYSFBG.....Jewelry Safe..... 12          JWLRYSF.....Jewelry Safe..... 12</p> <p><b>K</b></p> <p>KNIFE6.....Hunting Knife Set..... 24          KSPPLIT10.....Log Splitter..... 17</p> <p><b>L</b></p> <p>LPHK5.....Regulator Hose..... 16          LTD4.....Ratchet Set..... 11</p>	<p><b>M</b></p> <p>MBTRY.....Plastic Boot Tray..... 18          MCSSP.....Chain Saw Sharpen..... 17          MEG300.....Meat Grinder..... 21          MEGRIND55.....Meat Grinder..... 21          MEGRIND-GK.....Knife..... 20          MEGRIND-GPF.....Plate..... 20          MEGRINDUL.....Meat Grinder..... 21          MHG10-GPF.....Plate..... 20          MHG10-GPM.....Plate..... 21          MHG10.....Meat Grinder..... 20          MHG22-GPF.....Plate..... 20          MHG22.....Meat Grinder..... 20          MHG32.....Meat Grinder..... 20          MHMIX.....Meat Slicer..... 22          MHPRESSA.....Hamburger Press..... 24          MHSS5.....Sausage Stuffer..... 23          MHVSS7.....Sausage Stuffer..... 23          MHVSS.....Sausage Stuffer..... 23          MINICSS.....Chain Saw Sharpen..... 17          MJG15.....Jerky Gun..... 23          MOTOR6.....Outboard Motor..... 19          MOTOR20.....Outboard Motor..... 19          MOTOR99.....Outboard Motor..... 19          MP2T.....Power Puller..... 9          MPKS10BM.....Butcher's Knife Set..... 24          MS330.....Hanging Scale..... 25          MS550.....Hanging Scale..... 25          MSLICER10.....Meat Slicer..... 22          MT43CC.....Cultivator..... 27          MTGPRESS.....Meat Tenderizer..... 21</p> <p><b>N</b></p> <p>NTD22.....Ratchet Set..... 11</p> <p><b>P</b></p> <p>PC30A.....Parallel Cord..... 5          PDWL96.....Kayak &amp; Canoe Rack..... 28          POWP4T.....Power Puller..... 9          PPSAFE.....Personal Safe..... 12          PPSFB.....Personal Safe..... 12          PR532100.....Ammo Box..... 15</p> <p><b>R</b></p> <p>RBSMAT.....Rubber Boot Tray..... 18          RSSTEP12.....Rubber Safety Step..... 18          RSSTEP.....Rubber Safety Step..... 18          RTD115.....Ratchet Set..... 11          RTD220.....Ratchet Set..... 11          RTDCAM2.....Ratchet Set..... 11</p>	<p><b>S</b></p> <p>SADDLE.....Saddle..... 18          SBCISHD.....Cast Iron Stove..... 16          SBTCS.....Gas Stove..... 16          SGST.....Shotgun Torch..... 14          SSGSB98.....Snow Blower..... 25          SM07251.....Windmill..... 14          SM07492.....Meat Cuber..... 21          SM07527.....Sausage Stuffer..... 23          SM07529.....Meat Grinder..... 20          SM07561.....Boot Puller..... 17          SPEAKERBH20.....Speaker..... 14          SPEAKERX7.....Speaker..... 14          SSB025.....Stainless Steel Bucket..... 8          SSB050.....Stainless Steel Bucket..... 8          SSB075.....Stainless Steel Bucket..... 8          SSB100.....Stainless Steel Bucket..... 8          SSB132.....Stainless Steel Bucket..... 8          SSB237.....Stainless Steel Bucket..... 8          SSB422.....Stainless Steel Bucket..... 8          SSB528.....Stainless Steel Bucket..... 8          SSBGS.....SS Stove..... 16          SSADJWT.....Work Table..... 6          SSDSCALE.....Scale..... 25          SSDWMS.....Wall Mount Shelf..... 7          SSPPK30.....Pet Kennel..... 18          SSPWBS.....Workbench..... 6          SSTABLEFD.....Steel Table..... 6          SSWMFD.....Steel Table..... 6          SWSHELFB36.....Steel Shelf..... 7          SSWT36.....Stainless Table..... 6          SSWTABLE36.....Steel Table..... 7          SSWTWC36.....Stainless Table..... 6</p> <p><b>T</b></p> <p>TJ1.....Trailer Jack..... 9          TJSTOP.....Wheel Stop..... 9          TRDOLLY.....Trailer Dolly..... 9          TSTRAP31.....Tarp Strap..... 10          TWPUMP.....Transfer Pump..... 27</p> <p><b>V</b></p> <p>VACSEAL.....Vacuum Sealer..... 24</p> <p><b>W</b></p> <p>W1000.....Hand Winch..... 10          W1400.....Hand Winch..... 10          W2500.....Hand Winch..... 10          WALLSAFE.....Wall Safe..... 12          WLSFB.....Wall Safe..... 12          WMFW.....Work Table..... 7          WPUMP1.....Water Pump..... 27</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Roof Carrier J-Bar Kayak & Canoe Rack

- Accommodates kayaks up to 36" wide
- Max load capacity: 150 lbs
- Wide mouth J bar make it easier to load and unload
- Fits most factory or aftermarket round, square, oval and flat crossbars



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
JRACK	0 27077 08160 2	2/1	16.0	0.46

## Canoe/Kayak Paddle

- Paddle:  
 Blade Material: PE + GF UV-Stable  
 Shaft Material: Aluminum T6  
 Blade Size: 18.5" L x 7.5" W
- 96" w/Leash  
 Material: PP Rope+Plastic  
 Buckle 4 Ft. 6" length



Pkg. Type Brown Box

Item	UPC	Case Qty.	Case Wt.	Cubic Ft.
PDWL96	0 27077 08167 1	7/1	28.0	4.5