



andis[®]
every style. every groom. every cut.

**INTERNATIONAL
ANIMAL GROOMING
SOLUTIONS**
JANUARY 2019

TECHNOLOGIES THAT DRIVE

At Andis®, we continually search for ways to improve the clipping experience for professionals. From the latest in lithium-ion batteries, to longer-life and more powerful brushless motors, our tools are designed with technology that performs—groom after groom.

Pulse ZR® II Clipper

REMOVABLE BATTERY

Eliminate downtime...charge the battery separately and keep clipping with a fresh one. Our improved battery life delivers up to 3 hours of non-stop run time! See page 4.



INTEGRATED BATTERY MONITOR

Our newest battery design includes an internal battery monitor. Simply push the status button and an LED light tells you the status. Red indicates it is time to charge; green indicates you are ready to clip. See page 4.



PERFORMANCE



Endurance Detachable Blade Clipper

HIGH-ENDURANCE BRUSHLESS MOTOR

Our brushless motor clippers make easy work of even the toughest clipping jobs! With more power and torque than standard rotary motors, our brushless design features advanced circuitry that prevents dragging or stalling. Andis engineers also designed our Endurance clippers to last longer than any previous animal clipper we've made—10,000+ hours! See page 4.

andis[®]
every style. every groom. every cut.

CLIPPERS

79020 UK/EU/AUS DBLC-2

Pulse ZR® II Detachable Blade Clipper

Rating: 100-240V, 50/60 Hz
Speed: 5-Speed
Motor: Rotary - 1,800-3,800 SPM

Run Time: 180 Minutes
Charge Time: 120 Minutes

Weight (kg): 0.47

Product Dimensions (cm):
 20.6h x 4.8w x 4.6d

Master Carton Qty: 3

Master Carton Dimensions (cm):
 33.7h x 29.8w x 37.5d

CeramicEdge Size 10
 64315

79040 UK/EU/AUS DBLC-2

Pulse ZR® II Vet Pack Detachable Blade Clipper

Rating: 100-240V, 50/60 Hz
Speed: 5-Speed
Motor: Rotary - 1,800-3,800 SPM

Run Time: 180 Minutes
Charge Time: 120 Minutes

Weight (kg): 0.47

Product Dimensions (cm):
 20.6h x 4.8w x 4.6d

Master Carton Qty: 3

Master Carton Dimensions (cm):
 33.7h x 29.8w x 37.5d

CeramicEdge Size 40SS
 64350

65335 UK/EU/AUS BDC

Endurance Detachable Blade Clipper

Rating: 100-240V, 50/60 Hz
Speed: 2-Speed
Motor: Brushless Rotary - 3,000/3,800 SPM

Weight (kg): 0.39

Product Dimensions (cm):
 17.8h x 4.6w x 4.5d

Master Carton Qty: 6

Master Carton Dimensions (cm):
 26.5h x 41.7w x 24.5d

UltraEdge Size 10
 64071

WORKS WITH ALL ULTRAEDGE AND CERAMICEDGE BLADES

INCLUDES:

- Storage case
- Charging stand
- Charging adapter
- Additional battery
- Additional blade drive
- Blade oil

INCLUDES:

- Storage case
- Charging stand
- Charging adapter
- Additional battery
- Additional blade drive
- Blade oil

INCLUDES:

- Blade oil

Our most powerful cordless detachable blade clipper features a removable battery pack. The powerful lithium-ion battery can be removed from the unit and charged separately. Improved battery gives longer run time (up to 3 hours) with a 2-hour charge time. Five speeds: Adjustable from 1,800 to 3,800 strokes per minute. Detachable blade design provides greater versatility with multiple blade options.

All of the power and versatility of the Pulse ZR® II, and features a close-cutting CeramicEdge Size 40SS blade for veterinary and surgical work.

High-endurance brushless motor delivers more power; lasts longer than standard clippers—10,000+ hours! 2-Speed design with higher top speed for a smoother coat finish. Perfect for all coats and breeds. Includes 14' tangle-free swivel cord that enables movement around animals.

WITH REMOVABLE BATTERY



BRUSHLESS MOTOR

More power & torque—lasts longer!



DBLC-2 ACCESSORIES



Charging Stand
79073



Charging Adapter & Plugs for UK, EU, AUS
79025



Removable Battery
79025

| 25045 UK/EU/AUS/BR/ARG AGCB | 25065 UK/EU/AUS/BR/ARG AGCB | 25120 UK/EU/AUS/BR/ARG AGCB | 25000 UK/EU/AUS/BR/ARG AGCB | 25140 UK/EU/AUS/BR/ARG AGCB |
|----------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------|--------------------------------------|
| UltraEdge AGC Super 2-Speed Brushless Clipper–Blue | UltraEdge AGC Super 2-Speed Brushless Clipper–Spring Green | UltraEdge AGC Super 2-Speed Brushless Clipper–Fuchsia | UltraEdge AGC Super 2-Speed Brushless Clipper–Burgundy | AGC 2-Speed Detachable Blade Clipper |
| 100-240V, 50-60 Hz | 100-240V, 50-60 Hz | 100-240V, 50-60 Hz | 100-240V, 50-60 Hz | 100-240V, 50-60Hz |
| 2-Speed | 2-Speed | 2-Speed | 2-Speed | 2-Speed |
| Brushless Rotary - 3,000/3,800 SPM | Brushless Rotary - 3,000/3,800 SPM | Brushless Rotary - 3,000/3,800 SPM | Brushless Rotary - 3,000/3,800 SPM | Brushless Rotary - 2,300/3,400 SPM |
| 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 17.8h x 4.3w x 4.3d | 17.8h x 4.3w x 4.3d | 17.8h x 4.3w x 4.3d | 17.8h x 4.3w x 4.3d | 14.8h x 4.3w x 4.3d |
| 6 | 6 | 6 | 6 | 6 |
| 26.5h x 41.7w x 24.5d | 26.5h x 41.7w x 24.5d | 26.5h x 41.7w x 24.5d | 26.5h x 41.7w x 24.5d | 26.5h x 41.7w x 24.5d |
| CeramicEdge Size 10 64315 | CeramicEdge Size 10 64315 | CeramicEdge Size 10 64315 | CeramicEdge Size 10 64315 | CeramicEdge Size 10 64315 |
| WORKS WITH ALL ULTRAEDGE AND CERAMICEDGE BLADES | | | | |
| INCLUDES: • Blade oil | INCLUDES: • Blade oil | INCLUDES: • Blade oil | INCLUDES: • Blade oil | INCLUDES: • Blade oil |

We've taken the popular UltraEdge AGC Super 2-speed clipper family and built the next generation to weigh less and operate with brushless motor technology! This new clipper family features a powerful brushless rotary motor—providing more power and torque than standard rotary motor clippers. Paired with a CeramicEdge Size 10 blade to run cooler and stay sharper, you can tackle even the toughest jobs. Advanced circuitry helps to prevent dragging or stalling, and a locking switch ensures that the clipper will not accidentally shut off. These clippers feature detachable blades for easy cleaning and ultimate choice for cut length. Equipped with Quad Force blade drive—lasts two times longer. With break-resistant housing and a full 10' heavy-duty cord, these units are ideal for ease of movement around animals and equipment.

Includes all of the versatility of the UltraEdge AGCB Super 2-Speed Clipper with the exception of the rotary motor running at 3,400 SPM on the high setting and 2,300 SPM on the low setting.



CLIPPERS

23920 UK/EU AGC2

UltraEdge AGC
Super 2-Speed Clipper—
Blue

Rating: 230V, 50Hz

Speed: 2-Speed

Motor:
Rotary - 2,500/4,000 SPM

Weight (kg): 0.5

Product Dimensions (cm):

25.0h x 19.9w x 6.3d

Master Carton Qty: 6

Master Carton Dimensions (cm):

20.3h x 25.4w x 40.6d

UltraEdge Size 10
64071

25180 UK/EU AGC2

UltraEdge AGC
Super 2-Speed Clipper—
Fuchsia

230V, 50Hz

2-Speed

Rotary - 2,500/4,000 SPM

0.5

25.0h x 19.9w x 6.3d

6

20.3h x 25.4w x 40.6d

UltraEdge Size 10
64071

25150 UK/EU AGC2

UltraEdge AGC
Super 2-Speed Clipper—
Spring Green

230V, 50Hz

2-Speed

Rotary - 2,500/4,000 SPM

0.5

25.0h x 19.9w x 6.3d

6

20.3h x 25.4w x 40.6d

UltraEdge Size 10
64071

23145 EU 22535 AUS AGC2

AGC Super 2-Speed Clipper

230V, 50Hz

2-Speed

Rotary - 2,500/4,000 SPM

0.5

25.0h x 19.9w x 6.3d

6

20.3h x 25.4w x 40.6d

UltraEdge Size 10
64071

22610 EU 22620 AUS AGC2

AGC 2-Speed Detachable
Blade Clipper

230V, 50Hz

2-Speed

Rotary - 2,300/3,400 SPM

0.5

25.0h x 19.9w x 6.3d

6

20.3h x 25.4w x 40.6d

UltraEdge Size 10
64071

WORKS WITH ALL ULTRAEDGE, ULTRAEDGE+ AND CERAMICEDGE BLADES

INCLUDES:

- Blade oil

INCLUDES:

- Blade oil

INCLUDES:

- Blade oil

INCLUDES:

- Blade oil

INCLUDES:

- Blade oil

The AGC Super 2-speed clipper family features a powerful rotary motor that runs 4,000 SPM on the high setting and 2,500 SPM on the low setting. Cool-running, smart design eliminates fans and vents that can become clogged with hair. A locking switch ensures that the clipper will not accidentally shut off. These clippers feature detachable blades for easy cleaning and ultimate choice for cut length. Equipped with Quad Force blade drive—lasts two times longer. With break-resistant housing and a full 10' heavy-duty cord, these units are ideal for ease of movement around animals and equipment.

Features a powerful rotary motor that runs 3,400 SPM on the high setting and 2,300 SPM on the low setting. Cool-running, smart design eliminates fans and vents that can become clogged with hair. A locking switch ensures that the clipper will not accidentally shut off. Features detachable blades for easy cleaning and ultimate choice for cut length. Equipped with Quad Force blade drive—lasts two times longer. Break-resistant housing and a full 10' heavy-duty cord.



THESE CLIPPERS ARE AVAILABLE ONLY TO CUSTOMERS OUTSIDE OF THE UNITED KINGDOM AND EUROPEAN UNION

| | | | | |
|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| 65435 UK/EU/AUS SMC | 65490 UK/EU/AUS SMC | 65565 UK/EU/AUS SMC | 65495 UK/EU/AUS SMC | 65485 UK/EU/AUS SMC |
| Excel 5-Speed+ Detachable Blade Clipper-Black | Excel 5-Speed+ Detachable Blade Clipper-Indigo Blue | Excel 5-Speed+ Detachable Blade Clipper-Fuchsia | Excel 5-Speed+ Detachable Blade Clipper-Burgundy | Excel 5-Speed+ Detachable Blade Clipper |
| 100-240V, 50-60Hz 5-Speed | 100-240V, 50-60Hz 5-Speed | 100-240V, 50-60Hz 5-Speed | 100-240V, 50-60Hz 5-Speed | 100-240V, 50-60Hz 5-Speed |
| Rotary - 2,000-3,800 SPM 0.35 | Rotary - 2,000-3,800 SPM 0.35 | Rotary - 2,000-3,800 SPM 0.35 | Rotary - 2,000-3,800 SPM 0.35 | Rotary - 2,000-3,800 SPM 0.35 |
| 16.8h x 5.1w x 4.1d 6 | 16.8h x 5.1w x 4.1d 6 | 16.8h x 5.1w x 4.1d 6 | 16.8h x 5.1w x 4.1d 6 | 16.8h x 5.1w x 4.1d 6 |
| 20.3h x 25.4w x 40.6d UltraEdge Size 10 64071 | 20.3h x 25.4w x 40.6d UltraEdge Size 10 64071 | 20.3h x 25.4w x 40.6d UltraEdge Size 10 64071 | 20.3h x 25.4w x 40.6d UltraEdge Size 10 64071 | 20.3h x 25.4w x 40.6d UltraEdge Size 10 64071 |
| WORKS WITH ALL ULTRAEDGE AND CERAMICEDGE BLADES | | | | |
| INCLUDES: • Blade oil | INCLUDES: • Blade oil | INCLUDES: • Blade oil | INCLUDES: • Blade oil | INCLUDES: • Blade oil |

A powerful, rotary motor 5-speed clipper featuring detachable blades. Use lower speeds for cooler running and clipping around sensitive areas and higher speeds for a prettier coat finish. Equipped with Quad Force blade drive—lasts 2 times longer. Includes a soft-grip anti-slip housing for comfort and safety and a 10' cord for daily use.

A powerful, rotary motor 5-speed clipper featuring detachable blades. Use lower speeds for cooler running and clipping around sensitive areas and higher speeds for a prettier coat finish. Equipped with Quad Force blade drive—lasts 2 times longer. Includes a 10' cord for daily use.

FIVE SPEEDS



SEE MORE ONLINE



Visit andis.com and andisgroomingcollege.com to view product videos, plus step-by-step grooming tutorials.



73520 UK/EU/AUS/BRZ
LCL-2

Pulse Li 5 Adjustable Blade Clipper

100-240V, 50/60 Hz
Single Speed

Rotary - 5,500 SPM
120 Minutes
90 Minutes

0.2

16.2h x 5.1w x 4.4d
6

27.3h x 24.7w x 41.9d
Adjustable Blade 73525
Adjusts from 40-9

INCLUDES:

- Clipper stand
- 6 attachment combs
- Charging adapter
- Blade oil

The Pulse Li 5 cordless clipper features 5 cutting lengths in 1 removable blade—adjustable from sizes 40-9. Perfect for trimming and touch-ups. Lithium-ion battery delivers over 2 hours of run time and charges in 90 minutes. Cord/cordless feature allows for uninterrupted grooming.

73020 UK/EU/BRZ
LCL

Cordless Easy Clip Li Clipper

100-240, 50-60 Hz
Single Speed

Rotary - 5,500 SPM
120 Minutes
90 Minutes

0.2

17.7h x 5.1w x 3.0d
6

26.7h x 16.2w x 31.8d
Adjustable Blade 66250
Adjusts from 30-9

INCLUDES:

- Durable hard case
- 6 attachment combs
- Charging adapter
- Blade guard
- Blade oil

Lithium-ion battery mated with a powerful rotary motor to cut through single-coated breeds. With an adjustable blade from sizes 30-9 and included attachment combs, at-home cutting has never been more versatile. Delivers over 2 hours of run time and charges in 90 minutes. Cord/cordless feature for uninterrupted grooming.

**FIVE CUTTING LENGTHS
IN ONE BLADE**



LCL-2 BLADE



Replacement Blade
73525

LCL BLADE



Replacement Blade
66250

53305 UK/EU/AUS
MBG-5

Pro-Animal EBC II Detachable Blade Clipper

100-240, 50-60 Hz

2-Speed

Rotary - 2,700/3,400 SPM

0.4

17.1h x 4.3w x 4.4d

6

26.35h x 20.9w x 39.3d

UltraEdge® Size 10
64071**INCLUDES:**

- 4 attachment combs
- Blade oil

The Pro-Animal EBC (Easy Blade Change) II clipper is perfect for grooming curly, double-coated and long hair breeds. Features a heavy-duty 2-speed rotary motor for variable power and performance. Detachable blades for ease of changing and cleaning. Break-resistant housing and a 14' heavy-duty power cord.

53300 UK/EU/AUS
MBG-4

Pro-Animal EBC Detachable Blade Clipper

100-240, 50-60 Hz

Single Speed

Rotary - 3,400 SPM

0.4

17.1h x 4.3w x 4.4d

6

26.35h x 20.9w x 39.3d

UltraEdge Size 10
64071**INCLUDES:**

- 4 attachment combs
- Blade oil

The Pro-Animal EBC (Easy Blade Change) is perfect for at-home grooming on medium-coated and wire hair breeds. Features a heavy-duty single-speed rotary motor clipper for more cutting power. Detachable blades for ease of changing and cleaning. Break-resistant housing and a 10' heavy-duty power cord.

53010 AUS
MBG-2

ProPet Clipper Kit

230V, 50 Hz

Single Speed

Rotary - 3,700 SPM

0.4

17.1h x 4.3w x 4.4d

6

34.9h x 26.7w x 46.2d

UltraEdge Size 10
64071**INCLUDES:**

- Storage case
- 4 attachment combs
- Blade oil

Powerful rotary motor clipper kit for grooming dogs with heavy coats. Detachable blades for ease of changing and cleaning. Break-resistant housing and 10' heavy-duty cord. Built to withstand years of use.

60185 UK/EU/AUS
RACD

Powerful, Detachable Blade Clipper

100-240V, 50/60 Hz

Single Speed

Rotary - 3,800 SPM

0.26

15.0h x 4.7w x 3.9d

6

26.0h x 48.3w x 26.0d

Steel Size 10 Blade 60115
Steel Size 7FC Blade 60095**INCLUDES:**

- Soft storage case
- 6 attachment combs
- Blade guard
- Blade oil

Your all-in-one solution for grooming medium to smaller breeds. This powerful rotary motor clipper has easy-to-use interchangeable blades and a quiet operation for ultimate pet comfort. Features a 10' cord for ease of grooming.



To create the side skirt for a Westie, always start with a freshly washed and brushed dog. The side skirt begins just at the widest part of the ribcage, meaning that is where you will want to blend off your clipper work. The skirt should be under that line. Be careful to not confuse the pattern with the American Cocker Spaniel or Schnauzer by leaving the skirt too high or too low. You will want the dog to look as natural as possible, so use a longer blade or even attachment combs that are closer to the breed standard length. Clipping the hair with the direction that it lays will help prevent lines. Using the Andis® deshedder to touch up the clipper work and pattern lines will aid in better blending, preserving the texture and color.

TRIMMERS & NAIL GRINDER

23200 UK/EU PM-1

Pivot Motor Pet Clipper 12-Piece Kit—Black Chrome with Soft Case

Rating: 230V, 50 Hz

Speed: Single Speed

Motor: Pivot - 3,000 SPM

Run Time:
Charge Time:

Weight (kg): 0.43

Product Dimensions (cm):
15.3h x 5.4w x 4.4d

Master Carton Qty: 6

Master Carton Dimensions (cm):
22.9h x 40.6w x 25.9d

Stainless-steel Blade
23070

INCLUDES:

- Soft storage case
- 6 attachment combs
- Scissors
- Blade brush
- Blade guard
- Blade oil

24050 AUS PM-1

Pivot Motor Pet Clipper 12-Piece Kit—Chrome with Hard Case

Rating: 230V, 50 Hz

Speed: Single Speed

Motor: Pivot - 3,000 SPM

Weight (kg): 0.43

Product Dimensions (cm):
15.3h x 5.4w x 4.4d

Master Carton Qty: 6

Master Carton Dimensions (cm):
28.6h x 48.2w x 27.9d

Stainless-steel Blade
23070

INCLUDES:

- Hard storage case
- 6 attachment combs
- Instructional DVD
- Blade brush
- Blade guard
- Blade oil

24575 UK/EU/AUS CLT

Multitrim Trimmer Kit

Rating: 100-240V, 50-60 Hz

Speed: Single Speed

Motor: Rotary - 5,000 SPM

Run Time:
Charge Time:

Weight (kg): 0.09

Product Dimensions (cm):
14.6h x 3.2w x 3.0d

Master Carton Qty: 4

Master Carton Dimensions (cm):
25.0h x 24.0w x 18.0d

Stainless-steel Size 10 Blade
Stainless-steel Size 40 Blade

INCLUDES:

- 2 attachment combs
- Charging stand
- Charging adapter
- Blade brush
- Blade oil

65925 UK/EU/AUS CNG-1

Cord/Cordless Nail Grinder

Rating: 100-240V, 50/60 Hz

Speed: 2-Speed

Motor: Rotary - 6,500/7,400 RPM

Run Time:
Charge Time:

Weight (kg): 0.09

Product Dimensions (cm):
15.2h x 2.7w x 2.7d

Master Carton Qty: 4

Master Carton Dimensions (cm):
26.0h x 14.6w x 19.05d

INCLUDES:

- Charging adapter
- Multi-function protective cap
- Grinding stone
- Finishing stone

Powerful rotary motor clipper kit for grooming dogs with heavy coats. Detachable blades for ease of changing and cleaning. Break-resistant housing and 8' heavy-duty cord. Built to withstand years of use.

The Multitrim trimmer sports a sleek, ergonomic design for comfortable, controlled trimming. Cord/cordless design for use anytime, anywhere! Powerful lithium-ion battery delivers 80 minutes of run time. Includes a LED power indicator showing charge level and status. Stainless-steel blade for quick touch-ups.

2-Speeds—normal & turbo to quickly trim your pet's nails. Lightweight and ergonomic design is great for small or large pets. Whisper-quiet operation won't scare pets. Rechargeable lithium-ion battery—3-hour run time. Cord/cordless operation so it's ready for use when you are. Multi-function cap can be used on small or large pets. Equipped with a fine grit grinding stone; also includes premium finishing stone. Includes: cordless nail grinder, charging adapter, multi-function protective cap, grinding stone and finishing stone.



NEW
LITHIUM
CORD/CORDLESS



NEW
LITHIUM
CORD/CORDLESS

CNG-1 ACCESSORY



**CNG-1 Replacement
Accessory Pack 65930**

PREMIUM PET GROOMING TOOLS

Large Pin Brush

80590

Large pins help remove tangles, dirt and loose hair comfortably. Stimulates hair and skin follicles for a healthy coat.



2-Sided Brush

65265

Coarse brush with large pins loosen dense, matted fur and removes tangles. Fine bristles give a shiny, silky finish coat.



Large Firm Slicker Brush

80585

Fine wire bristles tackle tangles and matting that other brushes can't.



Soft Slicker Brush

65270

Soft bristle bed is perfect for animals with sensitive skin or coats. Fine wire bristles tackle tangles and matting that other brushes can't.



7-1/2" Steel Comb

80595

Stainless-steel teeth eliminate tangles, dirt and loose hair. Ideal for cats and dogs of all sizes.



Deshedding Rake

80490

Specially designed blades reduce shedding up to 90%. Safely removes undercoat and loose hair with ease.



Deshedding Tool

80690

Reaches through topcoat to effectively and painlessly remove loose fur and undercoat without skin damage.



Flea Comb

65275

Rounded tines offer comfort for your animal. Perfect for removing fleas, loose hair, dirt and mats.



Nail Clipper

LARGE - 80580

SMALL - 65260

Ergonomic soft grip and nail stop, provides control to safely cut nails. Heavy-duty, stainless-steel blades.



VERSATILE PET GROOMING TOOLS

Pin Brush

65720 - LARGE
65715 - MEDIUM

Removes tangles, dirt and loose hair. Stimulates hair and skin follicles.



Firm Slicker Brush

65710 - LARGE
65705 - MEDIUM

Eliminates tangles and matting while removing dead hair from undercoat and topcoat.



Self-Cleaning Slicker Brush

40160


Self-cleaning button removes hair from brush. It's fast and easy!



Steel Comb

65725 - 10"
65730 - 7-1/2"

Removes tangles, dirt and loose hair. Ideal for cats and all sizes of dogs.



Nail Clipper

65700

Heavy-duty, stainless-steel blades. Safety stop helps prevent over-cutting.



Deshedding Tool

65760
80565 - COMPACT

Reduces shedding up to 90% while maintaining a damage-free topcoat.



Flea Comb

66060

Ideal for removing fleas, tangles, loose hair and dirt from long coats.



Dematting Tool

66055

Heavy-duty, stainless-steel blades remove mats, tangles and knots for healthier skin and coat.



Dematting Rake

66050

Specially designed serrated blades tackle stubborn mats and tangles.



Flexible Rake Comb

65735

Removes dead hair and eliminates tangles. Teeth rotate 360° to reduce pulling hair while combing.



Grooming Scissors

Ergonomic, offset handles designed for all-day use and superior control. Professional grade cryogenically tempered Japanese stainless-steel for improved strength and durability. High gloss mirror finish resists corrosion for extended life. All shears include soft-grip finger inserts, oil and convenient storage package.



**80670 – 8" Curved
Right-handed**
80625 – Left-handed (not shown)

**80675 – 8" Straight
Right-handed**
80630 – Left-handed (not shown)

**80680 – 6.25" Straight
Right-handed**
80715 – Left-handed (not shown)

**80645 – 6.5" Thinning
Right-handed**
80635 – Left-handed (not shown)

**80685 – 6.5" Ball Tip
Right-handed**
80720 – Left-handed (not shown)

MAINTENANCE PRODUCTS

Cool Care Plus

12750

Spray can, 15.5 oz - 12 to a case

Cool Care Plus is a 5-in-one coolant, lubricant, cleaner, rust preventative and disinfectant (virucide, fungicide, bactericide and tuberculocide) with a country-fresh scent. Do all of this in one step without removing the blade from the clipper. High-pressure comfort tip nozzle quickly sprays hair out of blade teeth.



Andis® Clipper Oil

12501

4 oz bottles - case of 48

Use Andis® clipper oil to lubricate and clean blades. Brush hair from the blades, add 5 drops and wipe away excess oil with clean cloth. Hang or store your Andis® clipper with the blades down to prevent excess oil from entering the clipper body.



Blade Care Plus

12570 (Jar) & 12590 (Spray Bottle)

Dip jar, 16.5 oz - 12 to a case

Spray bottle, 16 oz - 12 to a case
In just 10 seconds, Blade Care Plus leaves blades clean, lubricated and cool for optimal performance. Formulated for use by hair stylists, barbers, animal groomers and veterinarians, this 7-in-one, Vitamin E enriched formula cools, deodorizes, lubricates, cleans, prevents rust and decontaminates. Dip any detachable blade in the jar or conveniently spray blades to rinse away hair, buildup and preservatives.



Blade Brush

12415

The blade brush is a convenient, safe way to keep clipper and trimmer blades clean in between grooming. The broad bristle design ensures a clean blade in just a few strokes.





REPLACEMENT BLADES

| PRODUCT | ITEM | PRODUCT | ITEM |
|----------------------------------|-------|-----------------------------|-------|
| LCL/US-1 Replacement Blade 30-10 | 66250 | RACD Size 10 | 60115 |
| LCL-2 Replacement Blade 40-9 | 73525 | PM-1 Adjustable Blade 30-10 | 23435 |

ATTACHMENT COMBS

| | STAINLESS-STEEL | ITEM |
|------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------|
| NEW | COLOR-CODED 8-Piece Stainless-Steel Comb Set—Fits #30 or #10 Blade Sizes: 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1" | 24585 |
| NEW | PREMIUM CLIP COMBS 7-Piece Animal Clip Comb Set Sizes: 1/16", 1/8", 1/4", 3/4", 3/8", 1/2", 3/4", 1" | 33655 |
| | STANDARD | ITEM |
| | 8-Piece Large Comb Set Sizes: 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/4" | 12990 |
| | 9-Piece Small Comb Set Sizes: 1/16", 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16" | 12860 |
| | MBG 4-Piece Comb Set - #10 Blade Only Sizes: 1/8", 1/4", 3/8", 1/2" | 21318 |



8-Piece Color-Coded Stainless-Steel Comb Set 24585



ACCESSORIES

| PRODUCT | ITEM |
|--------------------------------------------------|-------|
| PMC, PMC2, D4D 4-Piece T-Blade Replacement Combs | 23575 |
| AGC, AGC2, MBG2 Replacement Cord with EU Plug | 62386 |
| AGC, AGC2, MBG2 Replacement Cord with UK Plug | 62661 |
| AGRC, AGR+ Cord Pack with EU Plug | 63761 |
| AGRC, AGR+ Cord Pack with UK Plug | 63762 |
| AGRV, SMC2, RBC EU Plug Attachment | 63206 |
| AGRV, SMC2, RBC UK Plug Attachment | 63207 |
| AGRV, SMC2, RBC SAA Plug Attachment | 63208 |
| AGRV, SMC2, RBC USA Plug Attachment | 63209 |
| Blade Hard Case | 12370 |
| Blade Folding Bag | 12425 |
| Small Oval Accessory Bag | 12430 |


Tool Tote Bag 66555

Sturdy, versatile tote bag is equipped with a shoulder carrying strap. Features a zippered top and front compartment, with additional pockets on the interior to allow for organization during use.



UltraEdge Blades

For a dependable, long-life blade, look no further than Andis® UltraEdge blades. Our exclusive hardening process keeps blades sharper for a longer time. Add a special chrome finish that inhibits corrosion and you have cutting solutions that will last for years.



| | | | | | |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
|  50SS 64185 1/125" (0.2 mm) |  40SS 64084 1/100" (0.25 mm) |  40 64076 1/100" (0.25 mm) |  30 64075 1/50" (0.5 mm) |  15 64072 3/64" (1.2 mm) |  10 64071 1/16" (1.5 mm) |
|  9 64120 5/64" (2 mm) |  8-1/2 64170 7/64" (2.8 mm) |  7 Skip Tooth 64080 1/8" (3.2 mm) |  7FC 64121 1/8" (3.2 mm) |  6FC 63155 3/16" (4.8 mm) |  5 Skip Tooth 64079 1/4" (6.3 mm) |
|  5FC 64122 1/4" (6.3 mm) |  4 Skip Tooth 64090 3/8" (9.5 mm) |  4FC 64123 3/8" (9.5 mm) |  3-3/4 Skip Tooth 64133 1/2" (13 mm) |  3-3/4FC 64135 1/2" (13 mm) |  5/8HT 64930 5/8" (16 mm) |
|  3/4HT 63980 3/4" (19 mm) |  5/8 Wide-Toe 64960 1/32" (.8 mm) |  T-10 22305 1/16" (1.5 mm) |  T-84 21641 3/32" (2.4 mm) |  Medium Blending 64330 Blade Set |  Super Blocking 64340 Blade Set |

EGT UltraEdge Cat Blades

Professional groomers agree, our UltraEdge cat blades feature an exclusive blade design to help reduce track lines during feline grooming. Add to this our Electro-Glide Technology coating to feed hair better for faster cutting and a smoother finish. EGT also reduces corrosion, resulting in longer blade life. Andis UltraEdge blades deliver a show quality finish groom after groom.



| | | |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|  30 65395 1/50" (0.5 mm) |  10 65040 1/16" (1.5 mm) |  7FC 65390 1/8" (3.2 mm) |
|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|

CeramicEdge Blades

For clippers that get a workout all day long, consider Andis® CeramicEdge blades. Our advanced formula ceramic cutter stays up to 75% cooler than steel and provides increased durability and a long-lasting edge.



40SS 64350
1/100" (0.25 mm)



40 64265
1/100" (0.25 mm)



30 64260
1/50" (0.5 mm)



10 64315
1/16" (1.5 mm)



7FC 64240
1/8" (3.2 mm)



5FC 64370
1/4" (6.3 mm)



4FC 64295
3/8" (9.5 mm)



Medium Cutter 64445
For sizes 50 and 40



Coarse Cutter 64440
For sizes other than 50 and 40

LIVESTOCK & EQUINE BLADES



5/8 Wide-Toe 64960
1/32" (.8 mm)



T-10 22305
1/16" (1.5 mm)



T-84 21641
3/32" (2.4 mm)



Medium Blending 64330
Medium Blending Blade Set



Super Blocking 64340
Super Blocking Blade Set



Show Edge Surgical 40110
1/64" (.5 mm)



Show Edge General 40175
1/8" (3.2 mm)



Show Edge Medium Coarse 40165
5/32" (3.9 mm)

Blue Ribbon Blocking Blade

62130



FOR EXPERTS ONLY

- Razor sharp tips—ideal for livestock groomers
- Smooth and precise feeding
- Cuts through adhesives and show day hair products
- Fits all Andis® professional detachable blade clippers

Detachable UltraEdge, CeramicEdge and Show Edge livestock blades enable one clipper to do the work of many—blades can be changed in a matter of seconds.



| CLIPPERS | | | | | | | | |
|------------------------|-------------------------------------------------------------------------|-------------|------------------|-------------|---------|--------------|--------|--|
| ITEM | DESCRIPTION | WEIGHT (KG) | MOTOR | SPM | MADE IN | BLADE | PAGE # | |
| UK/EU/AUS 79020 | DBLC-2 Pulse ZR® II Detachable Blade Clipper | 0.47 | Rotary | 1,800-3,800 | USA* | 64315 | 4 | |
| UK/EU/AUS 79040 | DBLC-2 Pulse ZR® II Vet Pack Detachable Blade Clipper | 0.47 | Rotary | 1,800-3,800 | USA* | 64350 | 4 | |
| UK/EU/AUS 65355 | BDC Endurance Detachable Blade Clipper | 0.39 | Brushless Rotary | 3,000/3,800 | USA* | 64071 | 4 | |
| UK/EU/AUS/BR/ARG 25045 | AGCB UltraEdge AGC Super 2-Speed Brushless Clipper (Blue) | 0.3 | Brushless Rotary | 3,000/3,800 | USA* | 64315 | 5 | |
| UK/EU/AUS/BR/ARG 25065 | AGCB UltraEdge AGC Super 2-Speed Brushless Clipper (Spring Green) | 0.3 | Brushless Rotary | 3,000/3,800 | USA* | 64315 | 5 | |
| UK/EU/AUS/BR/ARG 25120 | AGCB UltraEdge AGC Super 2-Speed Brushless Clipper (Fuchsia) | 0.3 | Brushless Rotary | 3,000/3,800 | USA* | 64315 | 5 | |
| UK/EU/AUS/BR/ARG 25000 | AGCB UltraEdge AGC Super 2-Speed Brushless Clipper (Burgundy) | 0.3 | Brushless Rotary | 3,000/3,800 | USA* | 64315 | 5 | |
| UK/EU/AUS/BR/ARG 25140 | AGCB AGC 2-Speed Detachable Blade Clipper | 0.3 | Brushless Rotary | 2,300/3,400 | USA* | 64315 | 5 | |
| UK/EU 23920 | AGC2 UltraEdge AGC Super 2-Speed Clipper (Blue) | 0.5 | Rotary | 2,500/4,000 | USA* | 64071 | 6 | |
| UK/EU 25180 | AGC2 UltraEdge AGC Super 2-Speed Clipper (Fuchsia) | 0.5 | Rotary | 2,500/4,000 | USA* | 64071 | 6 | |
| UK/EU 25150 | AGC2 UltraEdge AGC Super 2-Speed Clipper (Spring Green) | 0.5 | Rotary | 2,500/4,000 | USA* | 64071 | 6 | |
| EU 23145 / AUS 22535 | AGC2 AGC Super 2-Speed Clipper | 0.5 | Rotary | 2,300/3,400 | USA* | 64071 | 6 | |
| EU 22610 / AUS 22620 | AGC 2-Speed Detachable Blade Clipper | 0.5 | Rotary | 2,300/3,400 | USA* | 64071 | 6 | |
| UK/EU/AUS 65435 | SMC Excel 5-Speed+ Detachable Blade Clipper (Black) | 0.35 | Rotary | 2,000-3,800 | USA* | 64071 | 7 | |
| UK/EU/AUS 65490 | SMC Excel 5-Speed+ Detachable Blade Clipper (Indigo Blue) | 0.35 | Rotary | 2,000-3,800 | USA* | 64071 | 7 | |
| UK/EU/AUS 65565 | SMC Excel 5-Speed+ Detachable Blade Clipper (Fuchsia) | 0.35 | Rotary | 2,000-3,800 | USA* | 64071 | 7 | |
| UK/EU/AUS 65495 | SMC Excel 5-Speed+ Detachable Blade Clipper (Burgundy) | 0.35 | Rotary | 2,000-3,800 | USA* | 64071 | 7 | |
| UK/EU/AUS 65485 | SMC Excel 5-Speed+ Detachable Blade Clipper | 0.35 | Rotary | 2,000-3,800 | USA* | 64071 | 7 | |
| UK/EU/AUS/BRZ 73520 | LCL-2 Pulse Li 5 Adjustable Blade Clipper | 0.2 | Rotary | 5,500 | USA* | 73525 | 8 | |
| UK/EU/BRZ 73020 | LCL Cordless Easy Clip Li Clipper | 0.2 | Rotary | 5,500 | USA* | 66250 | 8 | |
| UK/EU/AUS 53305 | MBG-5 Pro-Animal EBC II Detachable Blade Clipper | 0.4 | Rotary | 2,700/3,400 | USA* | 64071 | 9 | |
| UK/EU/AUS 53300 | MBG-4 Pro-Animal EBC Detachable Blade Clipper | 0.4 | Rotary | 3,400 | USA* | 64071 | 9 | |
| AUS 53010 | MBG-2 ProPet Clipper Kit | 0.4 | Rotary | 3,700 | USA* | 64071 | 9 | |
| UK/EU/AUS 60185 | RACD Powerful, Detachable Blade Clipper | 0.26 | Rotary | 3,800 | China | 60115, 60095 | 9 | |
| UK/EU 23200 | PM-1 Pivot Motor Pet Clipper 12-Piece Kit (Black Chrome with Soft Case) | 0.43 | Pivot | 3,000 | China | 23070 | 10 | |
| AUS 24050 | PM-1 Pivot Motor Pet Clipper 12-Piece Kit (Chrome with Soft Case) | 0.43 | Pivot | 3,000 | China | 23070 | 10 | |

| TRIMMERS | | | | | | | | |
|-----------------|----------------------------------|-------------|--------|-------------|---------|-------|--------|--|
| ITEM | DESCRIPTION | WEIGHT (KG) | MOTOR | SPM | MADE IN | BLADE | PAGE # | |
| UK/EU/AUS 24575 | CLT Multitrim Trimmer Kit | 0.09 | Rotary | 5,000 | China | — | 10 | |
| UK/EU/AUS 65925 | CNG-1 Cord/Cordless Nail Grinder | 0.09 | Rotary | 6,500/7,400 | China | — | 10 | |

*Made in USA of domestic and foreign parts.

SALES CONTACTS

EUROPE

Richard Clarke

E-Mail: rclarke@andisco.com

Phone: +44 1227 713311

CENTRAL & SOUTH AMERICA

Hector Contreras

E-Mail: hcontreras@andisco.com

Phone: +1 262 321 1711

ASIA PACIFIC

Rohit Sood

E-Mail: rsood@andisco.com

Phone: +91 9811299392

WORLD HEADQUARTERS

Kevin Zlevor

Director of International Sales

Sturtevant, Wisconsin USA

E-Mail: kzlevor@andisco.com

Phone: 1 262 884 2600

Fax: 1 262 884 1100

USA Information: info@andisco.com

Website: andis.com

EUROPE, MIDDLE EAST & AFRICA

Ricardo Graça

E-Mail: rgraca@andisco.com

Phone: +351 914 393 238

andis[®]
every style. every groom. every cut.

Andis Company, 1800 Renaissance Blvd., Sturtevant, Wisconsin 53177
USA: 800-558-9441 info@andisco.com



andis.com