


BP-361 .27cal Automatic Powder Actuated Tool



Technical Data

Dimensions: 16-1/8" x 2-1/8" x 6.1/2"
Weight: 5.0lb
Fastener Type: Flat & dome head pins or threaded studs
Fastener length: 1/2" - 1-7/8"
Load Type: .27cal. (6.8 x 11mm) strip loads
 Brown/2, Green/3, Yellow/4, Red/5



Applications and Advantages

- Commercial and residential construction
- Drywall track
- Conduit clips fastening
- Electrical fixtures
- Duct straps
- Wood to steel
- Wood to concrete
- Metal track
- Concrete forming
- Door frames
- Perimeter plates
- Furring Channel
- Brick Ties
- Automatic piston return and powder loads advance
- Variable level adjustment
- Reduces noise level

BP-361M Automatic Tool w/ Magazine



Technical Data

Dimensions: 16-1/4" x 2-1/8" x 8-3/4"
Weight: 5.4lb (with magazine)
Fastener Type: Flat and dome collated pins
Fastener length: 1/2" - 1-1/4"
Load Type: .27cal. (6.8 x 11mm) strip loads
 Brown/2, Green/3, Yellow/4, Red/5



Applications and Advantage

- Commercial and residential construction
- Drywall track
- Electrical fixtures
- Duct straps
- Wood to steel
- Wood to concrete
- Metal track
- Concrete forming
- Door forming
- Perimeter plates
- Furring channel
- Brickties
- Automatic piston return
- Automatic pins and powder loads advance
- Variable level adjustment
- Reduces noise level

BP-307S .22cal Powder Actuated Tool



The BP307S is a Low Velocity Powder Actuated, single shot, .22 caliber tool which can be used to install .300"-.315" head drive pins and 1/4"-20 threaded studs, up to 3" in total length. The BP307S is designed for maintenance, residential and commercial contractors.

Applications

- Conduit Clips to Concrete and Steel
- Drywall Track to Concrete and Steel
- Electrical Fixtures to Concrete and Steel
- Wood Furring Strips to Concrete
- Wood Perimeter Plates to Concrete
- Wood Framing Plates to Steel
- Hooks, Hangers and Cable ties to Concrete and Steel

Advantages

- Light Weight Durable Design
- Rubber Cushion Comfort Grip
- Automatic Cartridge Ejection
- Slim Profile Nose Piece 5/8" Diameter able to access tight areas
- Simple to Clean and Maintain – Service in the Field
- Replaceable Piston Buffer for Overdrive Protection
- Replaceable Piston and Piston Stop Guide
- Meets or Exceeds OSHA/ANSI A 10.3 Safety Standards
- Meets or Exceeds PATMI Standards
- Built in overdrive precision

.145" Diameter Shank Series Drive Pins:

PD Pins:

Model No.	Shank Length	Description	Package/Qty
PD13PK	1/2" Knurled	.300" head dia. pin w/plastic washer	100/1000/5000
PD16F10K	5/8" Knurled	.300" head dia. pin w/flute	100/1000/5000
PD19F10	3/4"		100/1000/5000
PD19F10BLB	3/4"	.300" head dia. track pin(Pinch point, black)	1000/5000
PD25F10	1"	.300" head dia. pin w/flute	100/1000/5000
PD32F10	1-1/4"		100/1000
PD38F10	1-1/2"		100/1000
PD42F10	1-5/8"		100/1000
PD44F10	1-3/4"		100/1000
PD47F10	1-7/8"		100/1000
PD51F10	51mm/ 2"		100/1000
PD57F10	2-1/4"		100/1000
PD63F10	2-1/2"		100/1000
PD76F10	3"		100/1000

Top Hats Pins:

Model No.	Shank Length	Description	Package/Qty
PDTH13F10K	1/2" knurled	.300" head dia. pin w/ top hat	100/1000/5000
PDTH16F10K	5/8" knurled		100/1000/5000
PDTH19F10	3/4"		100/1000/5000
PDTH25F10	1"		100/1000/5000
PDTH32F10	1- 1/4"		100/1000

Washer Pins:

Model No.	Shank Length	Description	Package/Qty	
PDW25-19F10	3/4"	.300" dia. head pin w/1" dia. metal washer	100/1000	
PDW25-25F10	1"		100/1000	
PDW25-32F10	1-1/4"		100/1000	
PDW25-38F10	1-1/2"		100/1000	
PDW25-51F10	2"		100/1000	
PDW25-63F10	2-1/2"		100/1000	
PDW25-73F10	2-7/8"		100/1000	
PDW25-76F10	3"		100/1000	
PDW22-19F10	3/4"		.300" dia. head pin w/7/8" dia. metal washer	100/1000
PDW22-25F10	1"			100/1000
PDW22-32F10	1-1/4"	100/1000		
PDW19-19F10	3/4"	.300" dia. head pin w/3/4" dia. metal washer		100/1000
PDW19-25F10	1"		100/1000	
PDW19-32F10	1-1/4"		100/1000	
PDW19-38F10	1-1/2"		100/1000	
PDW19-51F10	2"		100/1000	
PDW19-63F10	2-1/2"		100/1000	
PDW19-76F10	3"		100/1000	

Technical Data

Weight: 4.2 lbs
Length: 13.75"

Powder Loads

.22cal neck down single shot loads			
Brown	Green	Yellow	Red

.157" Diameter Shank Series Drive Pins:

PD Pins:

Model No.	Shank Length	Description	Package/Qty
PD157-12PK	1/2"	.300" head dia. knurled pin w/ plastic washer	100/1000/5000
PD157-58F	5/8"	.300" head dia. pin w/ rubber flute	100/1000/5000
PD157-34F	3/4"		100/1000/5000
PD157-34FB	3/4", bulk		1000/5000
PD157-78F	7/8"		100/1000/5000
PD157-100F	1"		100/1000
PD157-114F	1-1/4"		100/1000
PD157-112F	1-1/2"		100/1000
PD157-158F	1-5/8"		100/1000
PD157-134F	1-3/4"		100/1000
PD157-178F	1-7/8"		100/1000
PD157-200F	2"		100/1000
PD157-214F	2-1/4"		100/1000
PD157-212F	2-1/2"		100/1000
PD157-300F	3"		100/1000

Top Hats Pins:

Model No.	Shank Length	Description	Package/Qty
PD157-78FTH	7/8"	.300" head dia. top hat pin	100/1000/5000

Washer Pins:

Model No.	Shank Length	Description	Package/Qty
PD157-114W	1-1/4"	.300" dia. head pin w/1" dia. metal washer	100/1000
PD157-112W	1-1/2"		100/1000
PD157-212W	2-1/2"		100/1000
PD157-300W	3"		100/1000

Actual Embedment Pins

Model No.	Shank Length	Description	Package/Qty
PD157-12PKAE	1/2"	.315" head slim groove shank AE pin w/ plastic washer	100/1000/5000
PD157-34AE	3/4"	.315" head dia. AE pin w/ rubber flute	100/1000/5000
PD157-100AE	1"		100/1000
PD157-114AE	1-1/4"		100/1000
PD157-112AE	1-1/2"		100/1000



BP-302A

.27cal Semi-Automatic Powder Actuated Tool



New

Technical Data

Weight: 5.5 lbs **Length:** 13-3/4"
Pin Type: .300" / .315" / 8mm head pin,
 1/4" - 20 threaded stud
Pin Length: 1/2" to 2-1/2" total length
Load Type: .27cal. 10 load strip.
 Brown, Green, Yellow, Red

Advantages:

- Adjustable power levels
- Very low noise
- Shoots up to full 2-1/2" pins
- High strength durable piston

Applications:

- Concrete forming
- Wood to concrete/steel
- Electrical fixture to concrete/ steel
- Conduit clip to concrete
- Commercial & residential construction

Suitable Base Materials:

- Normal-weight concrete
- Concrete masonry
- Steel

BP-301C

.27cal Semi-Automatic Powder Actuated Tool



Technical Data

Weight: 5 lbs **Length:** 13-5/8"
Pin Type: .300" / .315" / 8mm head pin,
 1/4" - 20 threaded stud
Pin Length: 1/2" to 2-1/2" total length
Load Type: .27cal. 10 load strip.
 Brown, Green, Yellow, Red, Purple

Advantages:

- Most popular and reliable tool in the market
- Most parts inter-changeable with other brand tools

Applications:

- Concrete forming
- Wood to concrete/steel
- Electrical fixture to concrete/ steel
- Conduit clip to concrete
- Commercial & residential construction

Suitable Base Materials:

- Normal-weight concrete
- Concrete masonry
- Steel

▲ BP-303A

.27cal Semi-Automatic PAT w/ Power Adjuster



Technical Data

Weight: 5 lbs **Length:** 14"
Pin Type: .300" / .315" / 8mm head pin,
 1/4" - 20 threaded stud
Pin Length: 1/2" to 3" total length
Load Type: .27cal. 10 load strip.
 Brown, Green, Yellow, Red, Purple

Advantages:

- Adjustable power levels
- Shoots up to full 3" pins
- High strength durable piston
- Protective rubber front barrel sleeve for user protection

Applications:

- Concrete forming
- Wood to concrete/steel
- Electrical fixture to concrete/ steel
- Conduit clip to concrete
- Commercial & residential construction

Suitable Base Materials:

- Normal-weight concrete
- Concrete masonry
- Steel

BP-307 .22cal Powder Actuated Tool



Technical Data

Weight: 4 lbs **Length:** 13.19"
Pin Type: .300" / .315" / 8mm head pin,
 1/4" - 20 threaded stud
Pin Length: 1/2" to 3" total length
Load Type: .22cal. neck down load.
 Brown, Green, Yellow, Red

Applications:

- Track to floor
- Wood to concrete/steel
- Electrical fixture to concrete/ steel
- Conduit clip to concrete
- Commercial & residential construction

Suitable Base Materials:

- Normal-weight concrete
- Concrete masonry
- Steel

▲ Available on Request

BP-27C .27cal Powder Actuated Tool

Features and Benefits


- Slim tool. Fits in tight spaces.
- Automatic piston return.
- Easy to remove retention collar for cleaning.
- For use in Acoustical, Electrical and Mechanical overhead applications.
- Compatible with Bluepoint Ninja Pole System.
- Uses standard .27 cal. 10 shot strip loads.

Technical Data

Dimensions: 13-3/4" x 6" x 1-1/2"
Weight: 3.0lb
Fastener length: 1/2" - 1-1/4"
Load Type: .27cal. (6.8 x 11mm) 10 strip loads
Power Level: Brown/2, Green/3, Yellow/4, Red/5

	Item No.	Description
	BP-27C	.27cal. Strip powder actuated fastening ceiling tool.

Loads .27cal long strip loads



Item No.	Description
NJB1	Fastening tool bag w/ compartments & shoulder strap 16.5"x8.0"x9.0"

Fasteners & Assemblies

.300" Dia. Head (PD series), .157" & .145" Dia. Shank Drive Pins and Assemblies 8mm Head (DN series), .145" Dia. Shank Drive Pins and Assemblies



Overhead Hanging Applications

Light Weight Heavy Duty Multi-function Ceiling Poles

Item No.	Description	Adjustable length	Weight (Lbs)
PM412	• Light Weight Heavy duty adjustable multifunction ceiling pole (MAGNESIUM) w/ rubber grip	4' to 12'	3.3
PM612		6' to 12'	3.5
PM618		6' to 18'	4.55



Ninja Adjustable Multi-function Ceiling Poles

Item No.	Pole Type	Description	Adjustable length	Weight (Lbs)
NPM48	Heavy Duty MAGNESIUM Pole	• With non slip insulated rubber grip	4' to 8'	2.5
NPM412			4' to 12'	4.2
NPM612			6' to 12'	4.3
NPM618			6' to 18'	5.5
NPM824			8' to 24'	6.5
NP48	Standard ALUMINUM Pole	• Directly comparable with all competitors tools and adapters	4' to 8'	3.65
NP412			4' to 12'	4.3
NP612			6' to 12'	5.5
NP618			6' to 18'	6.9
NP824			8' to 24'	6.95

