

Tanks & Waterers

Product Catalog

Behlen[®]
COUNTRY
Farm & Ranch Equipment

800-447-2757
**MADE
IN THE
U.S.A.**



behlencountry.com

Behlen Country knows that this is *your* land.

Always innovative, flawlessly functional and super resilient, Behlen Country® epitomizes the best in your land. And whether your land encompasses your favorite dogs, a handful of horses, a few head of goats or herds of cattle, Behlen Country® is right there with you. Favored by the weekend enthusiast and relied on by professionals, Behlen Country® also manufactures a full line of livestock and equine equipment.



Contents

Stock Tanks

- 3 Galvanized Stock Tanks
- 5 Stock Tank Accessories
- 6 Poly Stock Tanks

Energy-Free Waterers

- 8 Super 2 & 4-Hole Cattle Waterer
- 4-Hole Cattle Waterer
- 2-Hole Cattle Waterer
- Poly Earth Tubes
- Shut-Off Valve Kit

Electric & Insulated Waterers

- 10 Extreme Weather Poly Waterer
- Companion/Horse Waterer
- Calf/Sheep/Horse Waterer
- Cattle/Horse Waterer
- Extra-Capacity Cattle Waterer
- Automatic Stall Waterer

Waterer Accessories

- 12 Energy-Free and Electric Accessories

Galvanized Tanks

- Ideal for all your livestock watering needs
- Built to endure the most severe farm and ranch conditions
- Corrosion resistant, heavy zinc coating assures long life
- Rigid sidewalls have both ribs and corrugations for maximum strength
- Heavy galvanized tank bottoms (20 ga.)
- Heavy, reinforced steel tube rolled into the top lip for added strength and durability

NOTES:

- Tank sizes are nominal and will be slightly less than stated size.
- For lower freight costs, two or three tanks of the same size will be nested, requiring the inner tanks to be undersized.
- Waterers not available in round tanks.



Round-End Tanks

NOMINAL W/H/L IN FEET	APPROX. CAPACITY GALLONS	CROSS BRAC-ES	LBS.	MODEL NO.	ITEM NO.
2 x 2 x 3	71	-	35	RE223	50130018
*2 x 2 x 4	103	-	44	RE224	50130028
*2 x 2 x 5	134	-	52	RE225	50130038
*2 x 2 x 6	169	1	64	RE226	50130048
**2 x 2 x 8	224	1	81	RE228	50130058
**3 x 2 x 6	231	1	84	RE326	50130008
**3 x 2 x 8	294	1	94	RE328	50130088
**3 x 2 x 10	377	2	120	RE3210	50130098

NOTE: Tanks identified with * ship in lots of 3 (A, B, & C sizes). Quantities other than 3 may be subject to a surcharge. **Nested in lots of 2 (A & B sizes).

Round Tanks

NOMINAL SIZE IN FEET	APPROX. CAPACITY GALLONS	LBS.	MODEL NO.	ITEM NO.
<i>Round tanks are 2 feet high</i>				
3 Diameter	85	40	R32	50130118
4 Diameter	165	55	R42	50130128
5 Diameter	265	78	R52	50130138
*6 Diameter	389	102	R62	50130148
7 Diameter	535	126	R72	50130158
*8 Diameter	706	153	R82	50130168
*10 Diameter	1117	213	R102	50130188

NOTE: Tanks identified with * ship in lots of 3 (A, B, & C sizes). Quantities other than 3 may be subject to a surcharge. All other sizes are nested in lots of 2 (A & B sizes).

Shallow Galvanized Tanks

- Just right for sheep and other small animals
- Built with high-quality premium sheet metal in the sidewalls
- Heavy reinforced steel tube rolled into the top lip for added strength and durability
- Corrosion resistant, heavy zinc coating assures long life
- The bottoms are made of heavy galvanized steel (20 ga.)
- Easily tipped to drain



Shallow Round-End Tanks



NOMINAL W/H/L IN FEET	APPROX. CAPACITY GALLONS	LBS.	MODEL NO.	ITEM NO.
**2 x 1 x 4	44	44	ST214	50130198
**2 x 1 x 6	70	64	ST216	50130218

NOTE: **Nested in lots of 2 (A & B sizes).

Galvanized Waterer Tanks

Two drinking levels service both large and small animals.

- The poly waterer has a large opening to make it easier for animals to drink
- The waterer box and float are molded from tough, food-grade polyethylene for cleanliness and long-life
- The built-in float guard protects the valve and float mechanism
- Valves adjust easily for proper water level
- The rubber gasket seal prevents leaking



NOMINAL SIZE W/H/L IN FEET	APPROX. CAPACITY GALLONS	LBS.	MODEL NO.	ITEM NO.
2 x 2 x 4 w/Water Position 2	100	59	RE224RW1	501300281
2 x 2 x 6 w/Water Position 2	165	78	RE226W1	501300481

GALVANIZED WATERER ACCESSORIES

ACCESSORY	SHIP UPS*	LBS.	MODEL NO.	ITEM NO.
Waterer Kit	✓	15	WK	50131018
Float Valve	✓	1	W320A	56010188
Valve Float	✓	1	VP	50300938

Stock Tank Accessories

A. Top Mount Float Valve

- Can be used with either poly, steel or galvanized metal tanks

B. Float Valve Kit (Ball & Chain)

- Requires hole to be drilled in side of tank

C. 1 1/4" Bulkhead Fitting & Plug

- Complete repair kit for poly tanks with damaged 1" flange and plugs, or for adding more drains

D. 1" Poly Tank Plug

E. Washer for 1" Poly Tank Plug

F. Drain Plug Package for Poly


- 1-1/4" Poly Tank Plug and Washer
- 1/2" square drive

G. Tank Plug for Galvanized Tanks

- 3/8" square drive

H. Replacement Drain 1 3/4" Bulkhead Fitting & Plug

- Bulkhead fitting for adding accessories to steel and poly tanks



Stock Tank Accessories

DESCRIPTION	LBS.	SHIP UPS*	MODEL NO.	ITEM NO.
A. Top Mount Float Valve	3	✓	TMFV	3888133
B. Float Valve Kit (Ball & Chain)	7	✓	FVK	52120038
C. 1 1/4" Bulkhead Fitting & Plug	-	✓	BHF	52114108
D. 1" Poly Tank Plug	-	✓	TP1	2928062
E. Washer for 1" Poly Tank Plug	-	✓	W1	6882294
F. Drain Plug Package	-	✓	DPP	52300028S
G. Tank Plug for Galvanized Tanks	-	✓	TPGZ	2928077
H. 1 3/4" Replacement Drain for Galvanized Tanks	-	✓	RDBF	50130405

*SHIPPING NOTE:

There is a minimum dollar amount for all UPS shipping orders. Now order parts that ship via UPS online at www.parts.behlenmfg.com or call (800) 447-2751 for more information.

Poly Stock Tanks

- Durable seamless design resists breakage.
- All round-end tanks have an extra heavy duty, molded rim and an extra-deep sidewall rib design for additional strength.
- Round tanks have a “formed open” rim.
- Heavy duty, molded-in aluminum drain fitting and 1¼" poly drain plug ensure a long-life. (PRE214 & PRE216 have no drain plugs because they are easy to tip.)
- FDA food-grade approved poly, tested to -20° F, corrosion-free, impact resistant and recyclable.
- Premium UV Protection assures long life and resistance to color fade in outdoor use.
- All poly tanks have a THREE-YEAR WARRANTY.



*SHIPPING NOTE:

There is a minimum dollar amount for all UPS shipping orders. Now order parts that ship via UPS online at www.parts.behlenmfg.com or call (800) 447-2751 for more information.

^COLOR NOTE:

Special colors available.

Round Tanks

NOMINAL SIZE	APPROX. CAP. GAL.	LBS.	SHIP UPS*	COLOR ^A	MODEL NO.	ITEM NO.
Round tanks are 2 feet high**						
A. 6' Diameter	350	62	-	Blue	PR62	52113068
B. 8' Diameter	625	92	-	Blue	PR82	52113088
C. 9' Diameter ** (this tank is 2'-4" high)	1000	112	-	Blue	PR928	52113098

Round-End Tanks

NOMINAL SIZE W/H/L IN FEET	APPROX. CAP. GAL.	LBS.	SHIP UPS*	COLOR ^A	MODEL NO.	ITEM NO.
D. 2 x 1 x 4 Sheep Tank	50	16	-	Granite Tan	PRE214	52110047GT
E. 2 x 1 x 6 Sheep Tank	70	27	-	Granite Tan	PRE216	52110067GT
F. 2 x 2 x 3	65	23	-	Granite Tan	PRE223	52112037GT
G. 2 x 2 x 4	100	30	-	Granite Tan	PRE224	52112017GT
H. 2 x 2 x 5	125	39	-	Granite Tan	PRE225	52112057GT
I. 2 x 2 x 6	150	49	-	Granite Tan	PRE226	52112027GT
J. 3 x 2 x 8	300	77	-	Blue	PRE328	52112187

K. Automatic Fill Valve (GTV)

Three gallons per minute. The Automatic Fill Valve (GTV) works with all model tanks. Includes an automatic, non-siphon valve to adjust the water level with the turn of a knob



L. Deluxe Fun Pool

- One-piece construction, will not rust, rot or corrode
- Wide, heavy duty rim has no sharp edges
- UV inhibitors prevent sun damage
- Built-in fun slide, two built in seats, four built in cup holders
- Large, 1 1/4" hole for fast draining

M. Water Boy w/GTV Valve

- Quickly and easily converts an ordinary garden hose into an automatic animal waterer
- Ideal for watering animals on a temporary or permanent basis
- Includes an automatic, non-siphon valve (GTV)
- Adjust the water level by the turn of a knob
- Premium UV Protection assures long life and resistance to color fade in outdoor use
- Molded-in carrying handles and a recessed hose inlet

N. Poly Round 26" Tub

- Perfect alternative to a 5 gallon bucket for watering or feeding livestock
- Premium UV Protection assures long life and resistance to color fade in outdoor use



DESCRIPTION	APPROX. CAP. GAL.	LBS.	SHIP UPS*	COLOR	MODEL NO.	ITEM NO.
K. Automatic Fill Valve (GTV)	-	4	✓	White	GTV	52120048
L. Deluxe Fun Pool 80" x 90" /24" deep	500	90	-	Blue	DFP	52113018
M. Water Boy Tank w/GTV Valve 30" dia. x 15" deep	30	17	✓	Blue	PR3016	52114138
N. Poly Round 26" dia. x 9" deep	14	10	✓	Black	PR269	28107908

Energy-Free Waterers

How They Work

Heavy foam insulation keeps water at the perfect temperature, regardless of conditions. Ground water enters the unit between the temperatures of 48°F and 56°F, where it remains until the waterer is opened by the animal. As the animal drinks, new water enters through the automatic valve and mixes with the water already in the waterer, so it is constantly replenished and prevented from freezing. The water in the waterer is kept in the dark, which prevents algae growth.

When the waterer is not in use, an optional Shut-Off Valve Kit prevents water from entering and drains the waterline to prevent freeze up.

Energy-Free Waterer float balls push down effortlessly, requiring half the pressure of competitors' float balls, so even calves, sheep and other small animals can drink easily.



Energy-Free Waterers

- Built-in hold downs
- New, non-siphoning BL water valve, which features:
 - Fast, consistent fill
 - Units have a non-siphoning, easy maintenance water valve
 - Use with pressure lines from 0-55 p.s.i.
 - Additional pressure regulator required for pressures above 55 p.s.i.
- Removable drain plugs and accessible covers
- Fully assembled, ready to install
- 5-year limited warranty on the body and a 1-year limited warranty on valves and controls
- To ensure proper operation in cold weather, it is recommended that each unit be installed with the Poly Earth Tube (purchased separately)

A. & B Super 2 or 4-Hole Cattle Waterer

- Designed for heavy cattle use in extremely cold temperatures
- Tested at -20°F for 48 hours without freezing with no animals drinking
- Rim design helps keep float balls free of ice buildup
- Extra-thick 4" urethane insulation
- Removable top for hot weather operation
- Easy access for installation and maintenance

C. 4-Hole Cattle Waterer

D. 2-Hole Cattle Waterer

E. & F. Poly Earth Tubes 18" & 24"

- NEW heavily insulated design
- Provides the protection needed to keep the riser pipe from freezing below the ground even in the coldest weather
- Sections connect with screws
- 18" Eastern Region Only
- 24" Western and Central Regions Only




G. Shut-Off Valve Kit

- Hydrant style drain back feature protects waterer from freezing when not in use



- All brass valve



- Telescoping steel handle



DESCRIPTION	L/W/H	MIN. ANIMAL CAP.	ANIMAL CAP. GAL.	WATER CAP. GAL.	LBS.	SHIP UPS*	MODEL NO.	ITEM NO.
A. Super 2-Hole	44" x 27" x 28"	20	160 Beef/70 Dairy	40	100	-	SF-2C	54110068S
B. Super 4-Hole	44" x 44" x 28"	30	260 Beef/100 Dairy	80	160	-	SF-4C	54110078
C. 4-Hole	36" x 36" x 23"	30	260 Beef/100 Dairy	35	90	-	EF-4C	54110048
D. 2-Hole	36" x 21" x 23"	20	160 Beef/70 Dairy	20	67	✓	EF-2C	54110028
OPTIONAL EQUIPMENT								
DESCRIPTION	DIMENSION		LBS	SHIP UPS*	MODEL NO.	ITEM NO.		
E. 18" Poly Earth Tube (EASTERN)	12" O.D. x 18"		7.5	✓	ET-18	54130038		
F. 24" Poly Earth Tube (WESTERN & CENTRAL)	12" O.D. x 24"		10	✓	ET-24	54130048		
G. Shut-off Valve Kit	-		6	✓	EFSK	54130168		

***SHIPPING NOTE:**

There is a minimum dollar amount for all UPS shipping orders. Now order parts that ship via UPS online at www.parts.behlenmfg.com or call (800) 447-2751 for more information.

Electric & Insulated Waterers

- One-piece, heavily insulated waterer, poly design is rust and corrosion free
- Thick styrofoam floor keeps the frost line below the waterer
- Urethane in the walls provides over four times the insulation of competitors' models (tested to -20° F)
- Low-wattage, infrared heat pad directly under the water trough (starts at approx. 42°F)
- Heat pads are totally isolated from the animal to prevent danger from shock
- Double-insulated design eliminates the possibility of stray voltage
- Units have a non-siphoning, easy maintenance water valve
- Additional pressure regulator required for pressures above 55 p.s.i.
- An optional low-pressure valve is available for special applications
- Built-in hold downs
- Removable drain plugs
- Easy access doors
- Fully assembled, ready to install



B. Companion/Horse Waterer

- Made especially for horses, exotic pets or small farm animals.
- Rounded corners for safety
- Large access panel for hookup and maintenance
- Molded-in hold downs
- Thick insulation
- Deep 8" bowl holds 5.5 gallons
- The AHW30 is electric and uses a 75-watt super-efficient infrared heating pad, which is thermostatically controlled

C. Calf/Sheep/Horse Waterer

D. Cattle/Horse Waterer

E. Extra-Capacity Cattle Waterer

F. Automatic Stall Waterer

- Automatic fill valve ensures fresh water at all times
- Rounded corners for safety
- Height adjustable from 40" to 18" by cutting off the bottom of the pedestal
- 100-watt super-efficient infrared heat pad
- Sealed thermostat

A. Extreme Weather Poly Waterer

- Infrared heat - no electric items in the water
- Powerful 220-watt heater heats the basin and supply line
- Large, 8 gallon capacity
- 5 year warranty on the body
- Assembled for the customer
- Large access panel
- Molded-in hold downs
- Latched float cover for easy maintenance
- Extra thick insulation keeps the cold out and reduces energy costs





***SHIPPING NOTE:**

There is a minimum dollar amount for all UPS shipping orders. Now order parts that ship via UPS online at www.parts.behlenmfg.com or call (800) 447-2751 for more information.

****Oversize UPS charges apply.**

DESCRIPTION	L/W/H	HT. OF TROUGH	ANIMAL CAP.	WATTS	AMPS	LBS.	SHIP UPS*	MODEL NO.	ITEM NO.
A. Extreme Weather	30" x 20" x 32"	24"	80	220	2.1	58	-	AHW100	54150158
B. Horse/Companion w/Heat	21" x 22" x 23"	16"	Variable	75	.7	25	✓	AHW30	54150088
C. Calf/Sheep w/Heat	28" x 18" x 22"	16"	80	100	1	28	✓	AHW60	54150028
D. Cattle w/Heat	28" x 18" x 30"	24"	80	100	1	39	✓**	AHW80	54150018
E. Extra-Cap. Cattle w/Heat	34" x 29" x 30"	24"	250	250	2.3	63	-	AHW250	54150068
F. Automatic Stall Waterer w/ Heat	12" x 14" x 41"	Adjust.	1/Stall	100	1	11	✓	ASWH	54140358S
F. Automatic Stall Waterer	12" x 14" x 41"	Adjust.	1/Stall	-	-	10	✓	ASW	54140348S



A.



B.

Above: BL Valve pictured with Pressure Restrictor



G.



H.



I.



J.

DESCRIPTION	LBS.	SHIP UPS*	MODEL NO.	ITEM NO.
A. BL Valve & Float Assembly for all Electric & Insulated Waterers	1	✓	BLV	3888244S
B. BL Valve (No Float)	1	✓	BL	3888245S
C. Pressure Restrictor for BL Valve (above)	1	✓		54300998
D. BL Float Assembly (No Valve) -not pictured	1	✓	BLF	3888251S
E. Orifice Replacement Kit (3/4") for above BL Valve Assembly -not pictured	1	✓	BLHFK	54300968
F. Plunger and Seal Kit for above BL Valve	1	✓	BLSK	54300978
G. Low-Pressure Valve	1.5	✓	EFLPV	54130328
H. Low-Pressure Valve & Float	2	✓	EFLPVF	54130338
I. 10" Float Ball	8	✓	EFFB	54300088
J. Thermostat - Old Style	1	✓	-	3668008
K. Thermostat - New Style	1	✓	-	3668011
L. 250-Watt Submersible Heater (fits in the EWPID)	3	✓	SH250	52120088
M. Kerrick Valve (for use in ASW-H)	1	✓	KV	2958378S
N. Heat Pad 75-Watt 10" x 14"	1	✓	-	2198172S
O. Heat Pad 100-Watt 10" x 19"	1	✓	-	2198160S
P. Heat Pad 250-Watt 20" x 25"	1	✓	-	2198162S
Q. Heat Pad 220-Watt 20" x 22"	1	✓	-	2198175S



K.



M.



L.



N., O., P., Q.

***SHIPPING NOTE:**

There is a minimum dollar amount for all UPS shipping orders. Now order parts that ship via UPS online at www.parts.behlenmfg.com or call (800) 447-2751 for more information.

A Complete Line of Products for Your Country Lifestyle:



Cattle Handling



Equine Equipment



Club Kennels™



Gates & Corrals



Water Tanks



Feed Bunks



Waterers

Behlen®
COUNTRY
Farm & Ranch Equipment



WORLD HEADQUARTERS:

Behlen Mfg. Co.
P.O. Box 569
Columbus, NE 68602-0569
Phone: 800-447-2751
Fax: (402) 563-7447

TEXAS PLANT:

Behlen Mfg. Co.
1221 McGregor Drive
McGregor, TX 76657
Phone: 800-447-2751
Fax: (402) 563-7447

WEST COAST PLANT:

Behlen Mfg. Co.
4000 23rd St.
Baker City, OR 97814
Phone: 800-447-2751
Fax: (402) 563-7447