





BEN-MOR®

PRODUCTS DIVISION

RETAIL

ROPES

CHAINS

STEEL CABLES

ACCESSORIES

TIE WIRES

PET PRODUCTS

HOOKED ON SERVICE

Dear customers,

Over the years, it has been our privilege to build close relationships with our customers enabling us to work together for mutual success.

Our attention to in-store marketing combined with our experience as an industrial manufacturer has enabled us to set up a program fine tuned to the current market.

Our dedication to the customer is a tremendous source of motivation for all members of the Ben-Mor team and is behind the spirit and determination with which we boast that we are ***"Hooked on Service"***.

The whole team hopes that the efforts we are putting into our work will always be worthy of your confidence.



"Hooked on Service"

Left to right :
Éric Rompré, Executive Vice-President,
Louis Tétreault, Vice-President Retail Sales and Supply Chain,
Richard Plante, Executive Vice-President,
Mélanie Frappier, Vice-President Industrial Sales and Business Development,
Benoît Frappier, President and CEO of Ben-Mor.

TABLE OF CONTENTS

Chains	PAGE 2
Tools	PAGE 11
Transport	PAGE 12
Pre-cut Chains	PAGE 14
Steel Cables	PAGE 16
Carded Accessories	PAGE 18
Lifting	PAGE 22
Bulk Accessories	PAGE 23
Tie Wires	PAGE 30
Ropes	PAGE 32
Pet Products	PAGE 41
Marine Ropes	PAGE 42
Merchandising	PAGE 44




GRADE **30**

Grade 30 Proof Coil Chain — low carbon steel

A general utility chain for farm, industry and home applications.





SELF COLORED

Drum


Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
53000	1/8	1,250	0.69	.25	325	20
53001	3/16	800	0.98	.34	630	29
53002	1/4	450	1.34	.48	1,100	52
53003	5/16	275	1.24	.50	1,900	85
53004	3/8	200	1.35	.57	2,650	124
53005	1/2	100	1.70	.75	4,500	234
Pail						
52001	3/16	150	0.98	.34	630	29
52002	1/4	100	1.34	.48	1,100	52
52003	5/16	75	1.24	.50	1,900	85
52004	3/8	45	1.35	.57	2,650	124
52005	1/2	25	1.70	.75	4,500	234
52006	5/16	90	1.24	.50	1,900	85

Safety factor 4:1

Do not use for overhead lifting

GRADE **30**





ZINC PLATED

Drum

Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
53010	1/8	1,250	0.69	.25	325	20
53011	3/16	800	0.98	.34	630	29
53012	1/4	450	1.34	.48	1,100	52
53013	5/16	275	1.24	.50	1,900	85
53014	3/8	200	1.35	.57	2,650	124
53015	1/2	100	1.70	.75	4,500	234
Pail						
52009	1/8	250	0.69	.25	325	20
52010	3/16	150	0.98	.34	630	29
52011	1/4	100	1.34	.48	1,100	52
52012	5/16	75	1.24	.50	1,900	85
52013	3/8	45	1.35	.57	2,650	124
52014	1/2	25	1.70	.75	4,500	234
Reel						
51009	1/8	150	0.69	.25	325	20
51000	3/16	100	0.98	.34	630	29
51001	1/4	65	1.34	.48	1,100	52
51002	5/16	60	1.24	.50	1,900	85
51003	3/8	35	1.35	.57	2, 650	124

Safety factor 4:1


Do not use for overhead lifting

Grade 30 Proof Coil Chain — low carbon steel

GRADE 30



HOT DIPPED GALVANIZED



Drum

Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
53020	1/8	1,250	0.69	.25	325	20
53021	3/16	800	0.98	.34	630	29
53022	1/4	450	1.34	.48	1,100	52
53023	5/16	275	1.24	.50	1,900	85
53024	3/8	200	1.35	.57	2,650	124
53025	1/2	100	1.70	.98	4,500	234

Metal drum

53027	5/8	150	2.20	.79	6,900	390
53028	3/4	100	2.76	.98	10,600	537

Pail


52020	1/8	250	0.69	.25	325	20
52021	3/16	150	0.98	.34	630	29
52022	1/4	100	1.34	.48	1,100	52
52023	5/16	75	1.24	.50	1,900	85
52024	3/8	45	1.35	.57	2,650	124

Safety factor 4:1

Do not use for overhead lifting



POLYCOATED FINISH



Pail

Code	Diameter in.	Packaging ft.	Color	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
NEW 52043	1/4	75	Yellow	1.34	.48	1,100	52
NEW 52042	5/16	75	High-Visibility Orange	1.24	.50	1,900	85
NEW 52044	5/16	75	White	1.24	.50	1,900	85


Safety factor 4:1

Do not use for overhead lifting

Harrow Chain



SELF COLORED



Special Pail

Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
56008	5/16	100	2.12	.90	1,900	85

Safety factor 4:1

Do not use for overhead lifting






GRADE **43**

Grade 43 High Tensil Chain — carbon steel



Grade 43 high tensile chain has a higher resistance to wear than grade 30. It is a perfect product for farming and similar tasks.



ZINC PLATED

Special Pail

Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
52039	1/4	100	1.24	.38	2,600	71
51159	5/16	75	1.29	.44	3,900	102
52041	3/8	45	1.38	.55	5,400	140
Safety factor 3:1						

GRADE **43**



SELF COLORED

Drum

Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
53030	1/4	400	1.24	.38	2,600	71
53031	5/16	275	1.29	.44	3,900	102
53032	3/8	200	1.38	.55	5,400	140
53033	1/2	100	1.79	.72	9,200	234
Safety factor 3:1						

GRADE **43**

Do not use for overhead lifting



HOT DIPPED GALVANIZED

Drum


Code	Diameter in.	Packaging ft.	Inside Dimensions in. A	Inside Dimensions in. B	Working load limit lbs.	Weight / 100 ft. lbs.
53035	5/16	275	1.29	.44	3,900	102
53036	3/8	200	1.38	.55	5,400	140
53037	3/8	400	1.38	.55	5,400	140
53038	1/2	200	1.79	.72	9,200	234
Safety factor 3:1						

Do not use for overhead lifting

Stainless Steel

Stainless Steel Chain





Code	Diameter in.	Diameter mm	Working load limit lbs.	Inside Dimensions in. A	Inside Dimensions in. B	Weight / 100 ft. lbs.	Packaging ft.
53996	1/4	7	1,300	1.18	0.43	66	50
53997	5/16	8	1,700	1.26	0.50	86	35
53998	3/8	10	2,650	1.31	0.60	142	15
Safety factor 4:1							

Do not use for overhead lifting

Passing Link Chain — low steel carbon

A general utility chain that resists kinking due to the link design.



ZINC PLATED

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51035	2/0	120	.190	.88	.47	450	32	Reel
52037	2/0	225	.190	.88	.47	450	32	Pastic Bucket

Machine Chain — low carbon steel

Machine chain is a short link chain used mainly where flexibility in a compact chain is required. It is used for overhead doors, tailgates and agricultural implements.



STRAIGHT LINK

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
56007	#2 (galv.)	100	.150	.61	.26	325	19	Reel
51011	#2 (zinc)	125	.150	.61	.26	325	19	Reel
51012	#3 (brass)	80	.140	.59	.24	270	15	Reel
51010	#4 (zinc)	100	.120	.55	.21	215	11	Reel



TWIST LINK

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51020	#2 (zinc)	125	.150	.58	.22	310	20	Reel
51021	#4 (zinc)	100	.120	.52	.17	200	13	Reel
51022	2/0 (zinc)	75	.190	.73	.28	520	34	Reel
51063	2/0 (zinc)	150	.190	.73	.28	520	34	Plastic Bucket
51023	#250 (nickel)	100	.095	.42	.20	45	9	Reel

Double Loop Chain — steel



An economical utility chain used for swings, dog tie-outs, cow ties, etc...
(also called Tenso and Lion)

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51145	# 1 (zinc)	125	.105	1.54	.281	155	8	Reel
51052	# 1 (zinc)	250	.105	1.54	.281	155	8	Reel
51067	# 1 (zinc)	425	.105	1.54	.281	155	8	Plastic Bucket
51057	# 2 (zinc)	200	.091	1.33	.16	115	12	Reel
51053	# 3 (zinc)	200	.080	1.10	.187	90	6	Reel
51059	# 3 (zinc)	700	.080	1.10	.187	90	6	Plastic Bucket*
51054	# 4 (zinc)	250	.072	1.02	.171	70	5	Reel
51051	# 1/0 (zinc)	200	.120	1.78	.312	200	13	Reel
51146	# 1/0 (White polycoat)	100	.120	1.78	.312	200	13	Reel
51050	# 2/0 (zinc)	75	.135	1.82	.340	255	17	Reel
52146	# 2/0 (zinc)	275	.135	1.82	.340	255	17	Plastic Bucket
51062	# 3/0 (zinc)	150	.148	2.17	.415	305	20	Plastic Bucket

*Note: Plastic Bucket without standard sizes



VINYL COATED

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51055	# 1/0 (green)	100	.120	1.78	.312	200	17	Reel
51056	# 2 (blue)	125	0.091	1.33	0.167	115	11	Reel

Electrical Fixture Chain — zinc plated



Single Jack

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51054	#4 Double loop	250	.072	1.02	.171	70	12.5	Reel
52113	#10T Single Jack	250	.125	1.26	–	43	30	Reel

Endweld Utility Chain — steel

A standard chain for all purpose usage except lifting.



ZINC PLATED

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Dimensions in. Inside length	Dimensions in. Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51030	#14	250	.080	0.50	0.19	75	5	Reel

Handylink Chain — Zinc Plated



Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Dimensions in. Inside length	Dimensions in. Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51150	N/A	175	.12	1.35	.34	255	12	Reel
52151	N/A	450	.12	1.35	.34	255	12	Plastic Bucket

Coil Chain — Low Carbon Steel

Coil chains have longer links than machine chain. This product is perfect for animal tie chains, platforms barriers and other similar tasks.



STRAIGHT LINK

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Dimensions in. Inside length	Dimensions in. Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51018	#2 (zinc)	125	.148	1.18	.26	310	18	Reel
51015	#4 (zinc)	100	.120	1.11	.21	205	10	Reel
51016	2/0 (zinc)	125	.190	1.29	.32	520	27	Reel
51017	2/0 (zinc)	200	.190	1.29	.32	520	27	Plastic Bucket



TWIST LINK

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Dimensions in. Inside length	Dimensions in. Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51025	#3 (Bronze)	50	.140	1.14	.21	240	13	Reel

Sash Chain — steel



This chain is designed to operate smoothly over pulleys, it is ideal for many applications such as hanging and suspending double hung sashes.

ZINC PLATED						
Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51060	#8	200	.029	75	4	Reel
51061	#35	100	.035	106	6	Reel

Furnace Chain — steel



Light duty chain.

ZINC PLATED						
Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51070	#91	250	.023	41	2.5	Reel

Decorative Oval Chain (Swag)



Code	Trade size #	Packaging ft.	Dimension in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51105	#4 (Zinc plated)	90	.12	.58	.21	70	11	Reel
51080	#10 (Brass plated)	50	.109	1.25	.625	45	7	Reel
51081	#10 (Black)	50	.109	1.25	.625	45	7	Reel
51083	#10 (White)	50	.109	1.25	.625	45	7	Reel
51084	#10 (Aged bronze)	50	.109	1.25	.625	45	7	Reel
51085	#10 (Antique copper)	50	.109	1.25	.625	45	7	Reel
51088	#10 (Satin chrome)	50	.109	1.25	.625	45	7	Reel
51089	#10 (Oil rubbed bronze)	50	.109	1.25	.625	45	7	Reel
51125	#19 (Brass plated)	82	.043	.205	.110	7	2	Reel
51127	#100 (Black)	197	.087	.63	.24	13	3	Reel

Single Jack Chain — steel

Ideal chain for hanging lighting fixtures, flower pots and other domestic type light objects.



Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Dimensions in. Inside length	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51040	#10 (zinc)	150	.135	.93	43	12	Reel
51041	#12 (zinc)	100	.105	.77	29	9	Reel
51044	#12 (brass)	100	.105	.77	29	9	Reel
51140	#14 (black polycoat)	190	.080	.66	16	5	Reel
51047	#14 (black)	200	.080	.66	16	5	Reel
51042	#14 (zinc)	200	.080	.66	16	5	Reel
51043	#16 (zinc)	250	.062	.52	11	2.75	Reel
51046	#16 (brass)	250	.062	.52	11	2.75	Reel
51038	#18 (zinc)	200	.047	.39	5	1.7	Reel

Double Jack Chain — steel

Chain similar to the single jack chain with a sturdier construction.



Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Dimensions in. Inside length	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51075	#16 (Brass plated)	200	.058	.22	11	6	Reel

Cathedral Chain — steel




Code	Trade size #	Packaging ft.	Dia.	Dimensions in. Inside length	Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51090	#31 (Brass plated)	98	.087	.985	.552	35	6	Reel

Plastic Chain



Code	Trade size #	Packaging ft.	Dia.	Dimensions in. Inside length	Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
54000	#6 (1-1/2") (White)	130	.230	1.00	.30	50	5	Plastic Bucket
54001	#6 (1-1/2") (Black)	130	.230	1.00	.30	50	5	Plastic Bucket
54006	#6 (1-1/2") (Yellow)	130	.230	1.00	.30	50	5	Plastic Bucket
54002	#8 (2") (White)	70	.290	1.50	.40	75	7	Plastic Bucket
54003	#8 (2") (Black)	70	.290	1.50	.40	75	7	Plastic Bucket



Hobby / Craft Chain — steel

Code	Trade size # Finish	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51111	#5 Clock (Brass plated)	82	.051	.315	.105	13	1.3	Reel
51112	#5 Clock (Nickel plated)	82	.051	.315	.105	13	1.3	Reel
51114	#7 Clock (Nickel plated)	82	.063	.315	.130	18	1.6	Reel
51115	#2 Sash (Chrome plated)	164	.043	–	.532	29	.7	Reel
51117	#3 Sash (Chrome plated)	82	.059	–	.519	35	2.0	Reel
51118	#70 Twist (Brass plated)	82	.047	.154	.030	15	2.6	Reel
51119	#90 Twist (Brass plated)	82	.059	.260	.122	20	3.5	Reel
51120	#90 Twist (Nickel plated)	82	.059	.260	.122	20	3.5	Reel
51121	#200 Twist (Brass plated)	49	.079	.360	.122	29	4.7	Reel
51122	#200 Twist (Nickel plated)	49	.079	.360	.122	29	4.7	Reel
51123	#250 Twist (brass plated)	33	.099	.284	.170	35	8.5	Reel
51124	#250 Twist (Nickel plated)	33	.099	.284	.170	35	8.5	Reel
51125	#19 Oval link (Brass plated)	82	.043	.205	.110	7	2.1	Reel



Bead Chain

Code	Trade size # Finish	Packaging ft.	Diameter in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51130	#6 (Nickel plated)	100	.125	6	2	Reel
51132	#6 (Brass bright)	100	.125	6	2	Reel
51131	#10 (Nickel plated)	100	.178	12	3	Reel
51135	#10 (Nickel plated)	100	.178	12	3	Reel



Bead Chain Kit

Code	Features	Trade size # Finish	Packaging ft.	Packaging	QTY / Pack	Pack / CTN
55253	End link and coupling connector	#6 (Brass)	2	Card	3	6
55254	End link and coupling connector	#10 (chrome)	2	Card	3	6



Bead Chain Connectors — steel

Code	Trade size # Finish	Weight lbs.	Packaging	Qty / Pack	Pack / CTN
55000	#6 (Brass bright)	0.05	Bag	100	1
55030	#6 (Brass)	0.03	Card	8	10
55004	#6 (Nickel)	0.03	Card	6	10
55003	#10 (Nickel)	0.16	Bag	100	1
55031	#10 (Nickel)	0.04	Card	8	10



Code	Features	Trade size # Finish	Weight lbs.	Packaging	QTY / Pack	Pack / CTN
55033	Connectors & End links	#10 & #6 (Brass)	0.84	Card	8	6
55034	Connectors & End links	#10 & #6 (Chrome)	0.84	Card	8	6

Wire Rope Cutters & Swagers

Code	For Cable Diameter in.	Length in.	Type	Weight lbs.	Pack / CTN
70292	1/16 to 3/16	26	Swager	5.40	1
70293	Up to 3/16	7 3/4	Cutter	0.70	1
70291	Up to 1/2	18	Cutter	4.00	1


70293


70292


70291

Chain Cutters

Code	Product	For Diameter Maximum in.	Weight lbs.	Pack / CTN
55020	#25	MAX 1/4 G30	5	1
55021G	#44	3/8 G40	35	1
55023G	#88	1/2 G40 - 3/8 G70	46	1
55024G	Chain cutter mounting plate (#88)	N/A	2	1
55025	Carbide Teeth (#88)	1/2 G40 - 3/8 G70	-	2


25


88
44

Electrical Rope Cutter

Code	Dimension in.	Weight lbs.	Pack / CTN
55027	6-3/4 X 4	5	1
55027C	6-1/4 X 5-1/2	5	1


55027


55027C

Rope Measurer (ft)

Code	Dimensions in.	For Diameter Maximum in.	Weight lbs.	Pack / CTN
55026	10-1/2 X 8-1/4	1/4-3/4	4	1








Load Binders

Code	Product	Diameter chain in.			Capacity lbs.	Weight lbs.	Packaging	QTY / Packaging
		G30	G40	G70				
55005	BX 270 Style	3/16	–	–	375	1.0	Box	1
55006	BX 271 Style	1/4 - 5/16	1/4	–	2 600	3.5	Box	1
55007	BX 320 Style	–	3/8 - 5/16	5/16	5 400	7.0	Box	1
55008	BX 400 Style	–	3/8 - 1/2	3/8	9 200	10.5	Box	1
55009	BX 600 Style	–	3/8 - 5/16	5/16	5 400	10.25	Box	1
55010	BX 800 Style	–	3/8 - 1/2	3/8	9 200	14.0	Box	1
55014	Ratchet type	5/16	1/4	1/4	3 100	3.85	Box	1
55015	Ratchet type	–	5/16 - 3/8	5/16	6 600	10.8	Box	1
55016	Ratchet type	–	3/8 - 1/2	3/8	9 200	12.75	Box	1
55017	Ratchet type	–	1/2 - 5/8	1/2	13 000	14.55	Box	1
55040	Ratchet type, foldable handle	–	–	5/16 3/8	7 100	11.50	Box	1
55041	Ratchet type, foldable handle	–	–	3/8 1/2	2 000	14.00	Box	1
55042	Ratchet type, foldable handle	–	–	1/2 5/8	18 100	18.50	Box	1

Load Binder Lock



Code	Dimensions		Weight lbs.	Packaging	QTY / Packaging
	Length in.	Width in.			
55035	4.25	1.85	0.40	Box	1


Designed for: 55005, 55006, 55007, 55008, 55009, 55010

Grade 70 Transport Chain — gold chromate carbon steel

GRADE **70**

Grade 70 chain is extremely strong and resistant to wear.
It is mainly used for transport tie downs, towing, lumbering and other similar tasks.





GOLD CHROMATE

Drum

Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53040	1/4	400	1.22	.51	3,150	71
53041	5/16	275	1.29	.53	4,700	102
53042	3/8	200	1.36	.57	6,600	143
53043	1/2	100	1.77	.75	11,300	234
53047	1/2	200	1.77	.75	11,300	234

Pail

52030	1/4	65	1.22	.51	3,150	71
52031	5/16	50	1.29	.53	4,700	102
52032	3/8	45	1.36	.57	6,600	143
52033	1/2	25	1.77	.75	11,300	234

Safety factor 4:1

Test certificate available – Do not use for overhead lifting

Grade 70 Transport Chain - gold chromate carbon steel

GRADE 70



	Code	Diameter in.	Grade	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
	56038	1/4	70	10	3,150	6.35	Plastic Bucket
NEW	56027	1/4	70	20	3,150	12.92	Plastic Bucket
	56040	5/16	70	10	4,700	10.42	Plastic Bucket
NEW	56031	5/16	70	20	4,700	20.11	Plastic Bucket
	56036	3/8	70	10	6,600	14.03	Plastic Bucket

Safety factor 4:1

Logging Chain



GRADE 30

Code	Diameter in.	Grade	Finish	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56002	5/16	30	Self Colored	14	1,900	12	Plastic Bucket
56003	3/8	30	Self Colored	14	2,650	17	Plastic Bucket
56006	1/2	30	Self Colored	14	4,500	33	Plastic Bucket

Safety factor 4:1

Tie Down Chain Grade 70 — gold chromate



GRADE 70

Plastic Bucket



Plastic Bag

Code	Diameter in.	Grade	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56041	5/15	70	10	4,700	10	Plastic Bag
56029	5/16	70	16	4,700	16	Plastic Bucket
56032	5/16	70	20	4,700	20	Plastic Bucket
56042	5/16	70	20	4,700	20	Plastic Bag
56022	5/16	70	25	4,700	25	Plastic Bucket
56043	3/8	70	10	6,600	15	Plastic Bag
56021	3/8	70	10	6,600	15	Plastic Bucket
56024	3/8	70	12	6,600	18	Plastic Bucket
56025	3/8	70	14	6,600	21	Plastic Bucket
56030	3/8	70	16	6,600	24	Plastic Bucket
56044	3/8	70	16	6,600	24	Plastic Bag
56005	3/8	70	20	6,600	30	Plastic Bucket
56045	3/8	70	20	6,600	30	Plastic Bag

Safety factor 4:1

Tie Down Chain Grade 43 — self colored



GRADE 43

Code	Diameter in.	Grade	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56061	5/16	40	14	3,900	14	Plastic Bucket
56068	3/8	40	20	5,400	28	Plastic Bucket

Safety factor 3:1

Agricultural Safety Chain For Towed Machines Grade 70 — gold chromate



GRADE 70

Code	Diameter in.	Length ft.	Tow capacity lbs.	Weight lbs.	Packaging
56011	1/4	5	10,000	5.5	Plastic Bucket
56013	1/4	6	10,000	5.5	Plastic Bucket
56012	5/16	5	16,100	8.5	Plastic Bucket
56014	5/16	6	16,100	8.5	Plastic Bucket
56009	3/8	5	20,000	11.5	Plastic Bucket
56015	3/8	6	20,000	11.5	Plastic Bucket
56010	1/2	5	40,000	18.5	Plastic Bucket
56016	1/2	6	40,000	19.5	Plastic Bucket

Custom sizes available on request.

Tow Chain Grade 70 — gold chromate



GRADE 70

Code	Diameter in.	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56115	5/16	14	4,300	15.0	Plastic Bucket
56116	3/8	16	5,250	24.0	Plastic Bucket

Safety factor 4:1

PRE-CUT CHAINS



Single Jack Chain — steel

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55208	#12 (zinc)	12	.105	.77	29	1.1	Clamshell	6
55212	#14 (black)	12	.080	.66	16	0.6	Clamshell	6
55213	#16 (zinc)	12	.062	.52	11	0.3	Clamshell	6



Safety Chain — brass

Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55251	1/0	8	.023	35	0.2	Clamshell	6



Sash Chain — steel, zinc plated

Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55250	#35	12	.035	106	0.7	Clamshell	6



Machine Chain — low carbon steel, zinc plated

Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55200	#2 Straight link	12	.150	.61	.26	325	2.3	Clamshell	6
55201	#4 Straight link	10	.120	.55	.21	215	3.2	Clamshell	6
55202	#4 Twist link	12	.120	.52	.17	200	1.6	Clamshell	6



Decorative Oval Chain (Swag)

Code	Trade size #	Packaging ft.	Dia.	Dimensions in. Inside length	Inside width	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55227	#4 Zinc plated	10	.12	.58	.21	70	1.1	Clamshell	6
55217	#10 Brass plated	8	.109	1.25	.625	45	0.6	Clamshell	6
55218	#10 Black	8	.109	1.25	.625	45	0.6	Clamshell	6
55219	#10 White	8	.109	1.25	.625	45	0.6	Clamshell	6
55220	#10 Satin chrome	8	.109	1.25	.625	45	0.6	Clamshell	6
55221	#10 Oil rubbed bronze	8	.109	1.25	.625	45	0.6	Clamshell	6



Coil Chain — low carbon steel

	Code	Trade size #	Packaging ft.	Dia.	Dimensions in. Inside length	Inside width	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
	55203	#2 Straight link (zinc)	12	.148	1.18	.26	310	2.2	Clamshell	6
	55205	2/0 Straight link (zinc)	12	.190	1.29	.32	520	3.2	Clamshell	6
	55206	2/0 Straight link (zinc)	10	.190	1.29	.32	520	2.7	Plastic Bucket	6
NEW	56103	2/0 Straight link (zinc)	20	.190	1.29	.32	520	5.53	Plastic Bucket	4



Bead Chain — brass

Code	Trade size #	Packaging ft.	Dia. & Inside dimension in.	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55252	#10 Brass nickel plated	8	.178 dia.	12	0.3	Clamshell	6

Double Loop Chain – steel



	Code	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
	55235	#1 (zinc)	12	.105	1.54	.281	155	1.0	Clamshell	6
NEW	55153	#3 (zinc)	50	.072	0.072	.171	90	2.83	Plastic Bucket	4
	55242	2/0 (zinc)	12	.135	1.82	.340	255	2.0	Clamshell	6
	55243	2/0 (zinc)	16	.135	1.82	.340	255	2.7	Plastic Bucket	6
NEW	55150	2/0 (zinc)	20	.135	1.82	.340	255	3.26	Plastic Bucket	4
	55245	3/0 (zinc)	16	.148	2.17	.415	305	3.2	Plastic Bucket	4

Double Loop Chain Kit



Code	Features	Trade size #	Packaging ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight lbs.	Packaging	QTY / Packaging
55241	"S" Hook & Open Chain Snap	#1 (zinc)	6	0.105	1.4	0.281	155	0.7	Clamshell	6
55247	"S" Hook & Open Chain Snap	#3 (zinc)	20	0.072	1.02	0.171	70	1.2	Clamshell	6
55246	"S" Hook & Open Chain Snap	#4 (zinc)	12	0.8	1.1	0.187	90	0.6	Clamshell	6

	Code	Description	Finish	Dia. in.	Trade size #	Package ft.	Dimensions in. Dia.	Inside length	Inside width	Working load limit lbs.	Weight lbs.	Packaging	Pack/ CTN	
	55281	Passing Link Chain	Zinc	-	2/0	6	.190	.88	.47	450	1.9	Clamshell	6	
	55280	Passing Link Chain	Zinc	-	2/0	10	.190	.88	.47	450	3.2	Plastic Bucket	6	
NEW	55537	Passing Link Chain	Zinc	-	2/0	20	.190	.88	.47	450	6.59	Plastic Bucket	4	
	55260	G30	Zinc	1/8	-	16	-	0.69	.25	325	3.2	Plastic Bucket	6	
	55306	G30	Zinc	3/16		10		0.97	.33	630	2.73	Plastic Bucket	6	
	55265	G30 with Quick Link included	Zinc	3/16	-	10	-	0.97	.33	630	4.6	Clamshell	6	
	55261	G30	Zinc	3/16	-	16	-	0.97	.33	630	4.6	Plastic Bucket	6	
NEW	55123	G30	Zinc	3/16	-	20		0.97	.33	630	14.07	Plastic Bucket	4	
NEW	55267	G30	Zinc	3/16	-	50	-	0.97	.33	630	4.6	Plastic Container	3	
	55308	G30	Zinc	1/4		10		1.14	.43	1,100	5	Plastic Bucket	4	
	55266	G30 with Quick Link included	Zinc	1/4	-	10	-	1.14	.43	1,100	5.2	Clamshell	6	
NEW	55223	G30	Zinc	1/4	-	20	-	1.14	.43	1,100	10.1	Plastic Container	4	
	55293	G30	Zinc	5/16		5		1.24	.50	1,900	4.12	Plastic Bucket	6	
	55263	G30	Zinc	5/16	-	8	-	1.24	.50	1,900	6.8	Plastic Bucket	4	
	55294	G30	Zinc	5/16		10		1.24	.50	1,900	8.24	Plastic Bucket	4	
NEW	55323	G30	Zinc	5/16		20		1.24	.50	1,900	16.89	Plastic Bucket	3	
	55925	G30	Zinc	3/8		5		1.35	.57	2,650	6.28	Plastic Bucket	4	
	55296	G30	Zinc	3/8		10		1.35	.57	2,650	12.55	Plastic Bucket	3	
	55298	G30	Galvanized	3/16		10		0.98	.34	630	2.81	Plastic Bucket	6	
NEW	55133	G30	Galvanized	3/16	-	20	-	0.97	.33	630	5.62	Plastic Bucket	4	
	55299	G30	Galvanized	1/4		5		1.34	.48	1,100	2.58	Plastic Bucket	6	
	55300	G30	Galvanized	1/4		10		1.34	.48	1,100	5.16	Plastic Bucket	4	
	55273	G30	Galvanized	5/16	-	8	-	1.24	.50	1,900	6.8	Plastic Bucket	4	
	55302	G30	Galvanized	5/16		10		1.24	.50	1,900	8.49	Plastic Bucket	4	
	55274	G30	Galvanized	3/8	-	5	-	1.35	.57	2,650	6.2	Plastic Bucket	4	
	55304	G30	Galvanized	3/8		10		1.35	.57	2,650	12.93	Plastic Bucket	3	
NEW	54100	Plastic Chain	White	-	6	20	1.5	1	3	50	1.15	Plastic Container	4	
NEW	54101	Plastic Chain	Black	-	6	20	1.5	1	3	50	1.15	Plastic Container	4	
NEW	54105	Plastic Chain	White	-	6	50	1.5	1	3	50	2.87	Plastic bucket	2	
	55288	Plastic Chain	White	-	8	12	0.29	1.5	4	75	0.83	Clamshell	6	


STEEL CABLES

Galvanized Cables



Reel

Code	Construction	Diameter	Length ft.	Working load limit lbs	Weight / 100 ft. lbs.	Pack/ CTN
80031	7 x 7	1/16	500	96	0.75	1
80033	7 x 7	3/32	500	184	1.60	1
80034	7 x 7	1/8	500	340	2.85	1
80042	7 x 19	1/8	500	400	2.90	1
82042	7 x 19	1/8	250	400	2.90	1
80043	7 x 19	5/32	500	560	4.50	1
82043	7 x 19	5/32	250	560	4.50	1
80044	7 x 19	3/16	500	840	6.50	1
82044	7 x 19	3/16	250	840	6.50	1
80045	7 x 19	1/4	500	1,400	11.00	1
82045	7 x 19	1/4	250	1,400	11.00	1
80046	7 x 19	5/16	500	1,960	24.30	1
82046	7 x 19	5/16	250	1,960	24.30	1
85046	7 x 19	5/16	125	1,960	24.30	1
80047	7 x 19	3/8	500	2,880	0.75	1
82047	7 x 19	3/8	250	2,880	0.75	1



Coated cable

82334	7 x 7	3/32 - 1/8 Clear PVC	250	184	1.60	1
82364	7 x 7	1/8 - 3/16 Clear PVC	250	340	2.85	1
82354	7 x 7	3/32 - 3/16 Clear PVC	250	184	2.85	1
82414	7 x 19	3/16 - 1/4 Clear PVC	250	840	6.50	1

Safety factor 5:1

Other sizes available upon request.

Stainless Steel Cables





80131-METAL, 80142-METAI, 80144-METAL

** Other sizes available.*

Reel

Code	Construction	Diameter	Length ft.	Working load limit lbs	Weight / 100 ft. lbs.	Pack/ CTN
80131	7 x 7	1/16	500	96	0.75	1
80131-METAL	7 x 7	1/16	500	96	0.75	1
80133	7 x 7	3/32	500	184	1.6	1
80134	7 x 7	1/8	500	340	2.9	1
80136	7 x 7	3/16	500	740	6.2	1
80141	7 x 19	3/32	500	184	1.6	1
80142	7 x 19	1/8	500	352	2.9	1
80142-METAL	7 x 19	1/8	500	352	2.9	1
82144	7 x 19	3/16	250	740	6.5	1
80144	7 x 19	3/16	500	740	6.5	1
80144-METAL	7 x 19	3/16	500	740	6.5	1
82145	7 x 19	1/4	250	1,280	11.0	1
80145	7 x 19	1/4	500	1,280	11.0	1
82146	7 x 19	5/16	250	1,800	17.3	1
80146	7 x 19	5/16	500	1,800	17.3	1
82147	7 x 19	3/8	250	2,400	24.3	1
80147	7 x 19	3/8	500	2,400	24.3	1

Safety factor 5:1



** For high performance synthetic winch cable (UHMWPE), see page 38.*

Tow cables

Code	Construction	Diameter	Length ft.	Working load limit lbs.	Weight lbs.	Packaging	Pack/ CTN
90301	7 x 19	5/16	25	1,960	7.37	Clamshell	6
90300	7 x 19	7/32	25	1,120	3.17	Clamshell	6

Safety factor 5:1



Winch Cables

Code	Construction	Diameter	Length ft.	Working load limit lbs	Weight lbs.	Packaging	Pack/ CTN
90305	7 x 19	3/16	50	840	3.80	Clamshell	6
90304	7 x 19	7/32	50	1,120	4.87	Clamshell	6
ASY-WC-20R	7 x 7	1/8	20	340	1.03	Card	12
ASY-WC-25	7 x 7	3/16	25	740	2.10	Card	12

Safety factor 5:1

PRE-CUT STEEL CABLES


Galvanized Cables

Pre-Cut


	Code	Construction	Diameter	Length ft.	Working load limit lbs.	Weight / 100 ft. lbs.	Pack/ CTN
	83031	7 x 7	1/16	50	96	0.75	6
	83033	7 x 7	3/32	50	184	1.60	6
	84617	7 x 19	5/32	150	560	4.5	4
	84619	7 x 19	5/32	50	560	4.5	3
	84620	7 x 19	5/32	100	560	4.5	3
	84621	7 x 19	3/16	50	840	6.5	3
	84622	7 x 19	3/16	100	840	6.5	3
	84618	7 x 19	3/16	150	840	6.5	3
NEW	84612	7 x 7	1/8	25	340	2.85	6
	83034	7 x 7	1/8	50	340	2.85	6
	84615	7 x 7	1/8	50	340	2.85	5
	84614	7 x 7	1/8	100	340	2.85	3
	84616	7 x 7	1/8	150	340	2.85	4
	84044	7 x 19	3/16	25	840	6.50	6
	83044	7 x 19	3/16	50	840	6.50	6
NEW	84610	7 x 19	1/4	25	1,400	11.00	6
	83045	7 x 19	1/4	50	1,400	11.00	6
	84623	7 x 19	1/4	50	1,400	11	3
	81045	7 x 19	1/4	100	1,400	11.00	3
	84624	7 x 19	1/4	100	1,400	11	3
	84625	7 x 19	1/4	150	1,400	11	3
	84626	7 x 19	5/16	50	1,960	17.3	5
	84627	7 x 19	5/16	100	1,960	17.3	3
	84628	7 x 19	3/8	50	2,880	24.3	3
	84629	7 x 19	3/8	100	2,880	24.3	2

Safety factor 5:1





7 x 7



7 x 19

Autres dimensions disponibles.

Galvanized Cable Kit

Code	Features	Construction	Diameter	Length ft.	Working load limit lbs	Pack/ CTN
84631	2 aluminum sleeves	7 x 7	1/16	50	96	6
84633	4 clips & 2 thimbles	7 x 7	3/32	50	184	6
84632	4 clips & 2 thimbles	7 x 19	1/8	50	400	6

Safety factor 5:1



NEW

Galvanized, Clear PVC Cable

Code	Construction	Diameter	Length ft.	Working load limit lbs	Weight / 100 ft. lbs.	Pack/ CTN
84314	7 x 7	1/16-3/32	25	96	0,75	6
84364	7 x 7	1/8-3/16	50	340	2,85	3
84414	7 x 19	3/16-1/4	20	840	6,5	6

Safety factor 5:1



Galvanized, PVC Cable Kit

Code	Features	Construction	Diameter	Length ft.	Working load limit lbs	Pack/ CTN
84634	4 clips & 2 thimbles	7 x 7	3/32 - 1/8 Clear PVC	50	184	6

Safety factor 5:1



Stainless Steel Cables

Pre-Cut

Code	Construction	Diameter	Length ft.	Working load limit lbs	Weight / 100 ft. lbs.	Pack/ CTN
84134	7 x 7	1/8	25	340	2.85	6
84142	7 x 19	1/8	25	352	2.90	6
84144	7 x 19	3/16	25	740	6.50	6
84145	7 x 19	1/4	25	1,280	11.00	3

Safety factor 5:1





CARDED ACCESSORIES

Swivel Eye Double Pulleys – zinc



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Qty / Pack	Pack / CTN
73732	1	1/4	44	1	12
73733	1-1/4	5/16	44	1	12
73734	1-1/2	3/8	88	1	12
Safety factor 4:1					

Swivel Eye Single Pulley – zinc



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Qty / Pack	Pack / CTN
73721	3/4	3/16	44	1	12
73722	1	1/4	44	1	12
73723	1-1/4	5/16	88	1	12
73724	1-1/2	3/8	88	1	12
73725	2	11/16	88	1	12
Safety factor 4:1					

Fixed Eye Single Pulley – zinc



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Qty / Pack	Pack / CTN
73078	1/2	1/8	55	1	6
73081	3/4	3/16	55	1	12
73079	1	1/4	66	1	12
73090	1-1/4	5/16	110	1	12
73084	1-1/2	3/8	110	1	12
73089	2	11/16	132	1	12
Safety factor 4:1					

Simplex Snap – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73849	1-1/4	2	12
73852	2	2	12
73831	3-1/4	1	12

Spring Snap, Round Eye – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73809	3/8	1	12

Spring Snap Square Eye 1" – nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73871	3/4 x 3	1	12

Swivel Spring Snap – nickel plated, brass



Code	Dimension in.	Qty / Pack	Pack / CTN
73811	3/8 x 2	1	12
73868	3/8 x 2-5/8	1	12

Square Swivel Lock Snap – zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73840	3/4	1	12
73842	1	1	12

Double Lock Snap – zinc, nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73833	3-1/2	1	12

Swivel Lock Snap – zinc, nickel plated, brass and stainless steel



Code	Description	Dimension in.	Qty / Pack	Pack / CTN
73836	Stainless steel	3/8 x 2-1/2	1	6
73859	Nickel plated	3/8 x 3	1	12
73829	Nickel plated	1/2 x 3	1	12
73861	Nickel plated	5/8 x 3	1	12
73862	Brass	5/8 x 3-1/8	1	12
73820	Brass	3/4 x 3	1	12
73828	Zinc	3/4 x 3-1/2	1	12
73864	Brass	1 x 4	1	6
73858	Nickel plated	1 x 4-1/4	1	12
73863	Zinc	1-1/8 x 4-1/2	1	12



Swivel Lever Snap — zinc, nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73853	3/4 x 3-3/4	1	12

Scissor Snap — nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73819	5/8 x 2-1/2	1	12

Swivel Boat Snap & Boat Snap Fixed Eye – zinc and brass



Code	Description	Dimension in	Qty / Pack	Pack / CTN
73821	Brass, Swivel Eye	3-3/8 x 1	1	12
73080	Brass, Swivel Eye	4-1/4 x 3/4	1	12

Malleable Swivel — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73737	1/4 x 2-3/8	1	12
73738	5/16 x 2-3/4	1	12

Swivel Boat Snap & Boat Snap Fixed Eye – stainless steel



Code	Description	Dimension in.	Qty / Pack	Pack / CTN
73844	Fixed Eye	3-5/16	1	12

Spring Snap Round Eye — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73973	2	1	6

Heavy Duty Swivel Snap — nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73824	1 x 3-3/4	1	12

Tow Hook 800 lbs. Eye diameter 3/4”



Code	Dimension in.	Qty / Pack	Pack / CTN
73900	1-3/4 x 2-1/2	1	12



Standard Thimble — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73228	1/4	2	12
73225	1/2	1	12

Wire Rope Clip & Thimble Kit — zinc plated



Code	Description	Dimension in.	Qty / Pack	Pack / CTN
73010	2 wire clips & 1 thimble	1/8	3	6
73011	2 wire clips & 1 thimble	3/16	3	6
73012	2 wire clips & 1 thimble	1/4	3	6

Standard Thimble — galvanized



Code	Dimension in.	Qty / Pack	Pack / CTN
73220	1/8	2	12
73221	3/16	2	12
73223	5/16	1	12
73224	3/8	1	12

Standard Thimble — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73240	1/8	1	6
73241	3/16	1	6
73242	1/4	1	6

Screw Pin Shackle — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73310	3/16	2	12
73316	1/4	2	12
73317	5/16	1	12
73318	3/8	1	12

Screw Pin Shackle — galvanized



Code	Dimension in.	Qty / Pack	Pack / CTN
73300	3/16	2	12
73301	1/4	2	12
73302	5/16	1	12
73303	3/8	1	12

Screw Pin Shackle — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73339	1/8	2	12

Rope Clamp — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73029	3/8	2	6
73028	1/2	2	12

Wire Rope Clip — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73002	1/8	2	12
73003	3/16	2	12
73019	1/4	1	12
73005	5/16	1	12
73006	3/8	1	12
73008	1/2	1	12
73009	5/8	1	12

Wire Rope Clip — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73022	1/8	1	12
73039	3/16	1	6
73040	1/4	1	6
73025	5/16	1	12
73026	3/8	1	12

Carbine Snap Hook — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73087	1/4	1	12
73088	5/16	1	12
73848	3/8	1	12

Quick Link — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73706	7/16	1	12
73705	1/2	1	12



Lap Link — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73759	1/8	2	12
73762	5/16	1	12
73763	3/8	1	12

Cleat Rope — zinc, nickel plated, brass



Code	Dimension in.	Qty / Pack	Pack / CTN
73790	2-1/2	2	12
73789	4-1/2	1	6

Double Wire Rope Clamp — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73015	1/8	2	12
73016	3/16	2	12
73017	1/4	2	12

Stop Sleeve — aluminum



Code	Dimension in.	Qty / Pack	Pack / CTN
73175	1/16	10	12
73177	1/8	6	12

Duplex Sleeve — aluminum



Code	Dimension in.	Qty / Pack	Pack / CTN
73102	1/16	10	12
75104	3/32	8	12
75105	1/8	6	12
73103	5/32	6	12
75107	3/16	4	12
73111	1/4	2	12

"S" Hook — plastic



Code	Dimension in.	Color	Qty / Pack	Pack / CTN
73958	1-1/2	White	2	12
73959	1-1/2	Black	2	12

Contractor Pack



79962 79976 79010 79832

Code	Features	Dimensions in.	Qty / Pack	Packaging	Pack / CTN
79010	14x Wire rope clips & 7x Thimbles	1/8	21	Clamshell	6
79011	12x Wire rope clips & 6x Thimbles	3/16	18	Clamshell	6
79105	Duplex sleeve (aluminum)	1/8	42	Clamshell	6
79112	Duplex sleeve (aluminum)	1/16	65	Clamshell	6
79114	Duplex sleeve (aluminum)	3/32	55	Clamshell	6
79117	Duplex sleeve (aluminum)	3/16	20	Clamshell	6
79470	Hair Pin Clips (zinc)	1 5/8	10	Clamshell	6
79471	Hair Pin Clips (zinc)	1 3/4	10	Clamshell	6
79472	Hair Pin Clips (zinc)	2 5/8	5	Clamshell	6
79473	Hair Pin Clips (zinc)	3	5	Clamshell	6
79474	Hair Pin Clips (zinc)	4 1/4	3	Clamshell	6
79699	Quick Link (zinc)	3/16	14	Clamshell	6
79700	Quick Link (zinc)	1/8	16	Clamshell	6
79702	Quick Link (zinc)	1/4	10	Clamshell	6
79809	Carbine snap (zinc)	1/4	5	Clamshell	6
70978	Carbine Snap Hook (black painted)	5/16 X 3-1/8	5	Clamshell	6
79828	Swivel Lock snap (zinc)	3/4 X 3-1/2	6	Clamshell	6
79832	Swivel Lock snap (zinc)	3/8 X 2-1/2	6	Clamshell	6
79837	Swivel Lock snap (zinc)	5/8 X 3-5/16	5	Clamshell	6
79960	"S" Hook (zinc)	1/8	40	Clamshell	6
79961	"S" Hook (zinc)	5/32	30	Clamshell	6
79962	"S" Hook (zinc)	3/16	20	Clamshell	6
79976	Snap link (aluminum)	2 3/4	100	Clamshell	100



2” Web Sling — double ply, type 3, polyester

Code	Length m	Length ft	Width cm	Width in.	Height cm	Height in.	Weight kg	Weight lbs	Working Load Limit lbs Vertical	Working Load Limit lbs Choker	Working Load Limit lbs Basket	Packaging	Packaging Qty	Pack / CTN
57050	1,22	4	5,08	2	2,54	1	1,1	2,4	6,200	4,960	12,400	Wrapped	2	1
57051	2,44	8	5,08	2	2,54	1	1,9	4,2	6,200	4,960	12,400	Wrapped	2	1
57052	3,66	12	5,08	2	2,54	1	2,7	5,9	6,200	4,960	12,400	Wrapped	2	1
57053	4,88	16	5,08	2	2,54	1	3,5	7,7	6,200	4,960	12,400	Wrapped	2	1
57054	6,10	20	5,08	2	2,54	1	4,3	9,5	6,200	4,960	12,400	Wrapped	2	1
									Safety Factor 5:1					

*Other models available upon request.



3” Web Sling — double ply, type 3, polyester

Code	Length m	Length ft	Width cm	Width in.	Height cm	Height in.	Weight kg	Weight lbs	Working Load Limit lbs Vertical	Working Load Limit lbs Choker	Working Load Limit lbs Basket	Packaging	Packaging Qty	Pack / CTN
57055	1,22	4	7,62	3	2,54	1	1,6	3,5	8,800	7,040	17,600	Wrapped	2	1
57056	1,83	6	7,62	3	2,54	1	2,3	5,0	8,800	7,040	17,600	Wrapped	2	1
57057	2,44	8	7,62	3	2,54	1	2,9	6,3	8,800	7,040	17,600	Wrapped	2	1
57058	3,05	10	7,62	3	2,54	1	3,5	7,6	8,800	7,040	17,600	Wrapped	2	1
57059	3,66	12	7,62	3	2,54	1	4,0	8,8	8,800	7,040	17,600	Wrapped	2	1
									Safety Factor 5:1					


*Other models available upon request.



Round Sling, SL90 — yellow, polyester

Code	Length m	Length ft	Width cm	Width in.	Height cm	Height in.	Weight kg	Weight lbs	Working Load Limit lbs Vertical	Working Load Limit lbs Choker	Working Load Limit lbs Basket	Packaging	Packaging Qty	Pack / CTN
57040	1,22	4	6,35	2,5	1,27	0,5	0,9	1,9	9,000	7,200	18,000	Wrapped	1	1
57041	1,83	6	6,35	2,5	1,27	0,5	1,3	2,8	9,000	7,200	18,000	Wrapped	1	1
57042	2,44	8	6,35	2,5	1,27	0,5	1,6	3,6	9,000	7,200	18,000	Wrapped	1	1
57043	3,05	10	6,35	2,5	1,27	0,5	2,0	4,4	9,000	7,200	18,000	Wrapped	1	1
57044	3,66	12	6,35	2,5	1,27	0,5	2,5	5,4	9,000	7,200	18,000	Wrapped	1	1
57045	6,10	20	6,35	2,5	1,27	0,5	4,0	8,8	9,000	7,200	18,000	Wrapped	1	1
									Safety Factor 5:1					


*Other models available upon request.





Round Sling, SL140 — red, polyester


Code	Length m	Length ft	Width cm	Width in.	Height cm	Height in.	Weight kg	Weight lbs	Working Load Limit lbs Vertical	Working Load Limit lbs Choker	Working Load Limit lbs Basket	Packaging	Packaging Qty	Pack / CTN
57046	1,83	6	7,62	3	1,27	0,5	2,0	4,3	14,000	11,200	28,000	Wrapped	1	1
57047	2,44	8	7,62	3	1,27	0,5	2,6	5,7	14,000	11,200	28,000	Wrapped	1	1
57048	3,05	10	7,62	3	1,27	0,5	3,2	7,0	14,000	11,200	28,000	Wrapped	1	1
57049	3,66	12	7,62	3	1,27	0,5	3,8	8,3	14,000	11,200	28,000	Wrapped	1	1
									Safety Factor 5:1					

*Other models available upon request.









Pulley Block with Fixed Gable – zinc



77092
77075

Code	Dimension in.	Pack / CTN
77052	1-1/2	5
77075	1-1/2	6
77053	2	5
77054	2-1/2	5
77092	2-1/2	6
77055	3	5
77056	3-1/2	5

Heavy Duty Single Swivel Eye Pulleys – zinc



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Pack / CTN
70726	1 1/2	3/8	420	6
70727	2 1/2	3/8	550	6
Safety factor 4:1				

Zinc Fixed Eye Pulleys – single



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Pack / CTN
77078	1/2	1/8	55	6
77079	1	1/4	66	6
77081	3/4	3/16	55	6
77090	1 1/4	5/16	110	6
77084	1 1/2	3/8	110	6
77089	2	11/16	132	6
Safety factor 4:1				

Zinc Swivel Eye Pulleys – single



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Pack / CTN
70720	1/2	1/8	44	6
70721	3/4	3/16	44	6
70722	1	1/4	44	6
70723	1 1/4	5/16	88	6
70724	1 1/2	3/8	88	6
70725	2	11/16	88	6
Safety factor 4:1				

Zinc Swivel Eye Pulleys – double



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Pack / CTN
70731	3/4	3/16	44	6
70732	1	1/4	44	6
70733	1 1/4	-	-	6
70734	1 1/2	3/8	88	6
Safety factor 4:1				

Zinc Fixed Eye Pulleys – double



Code	Dimension in.	For Rope Diameter in.	Working Load Limit lbs.	Pack / CTN
77083	1 1/2	3/8	110	6
Safety factor 4:1				

Pulley Block With Swivel Eye – zinc



Code	Dimension in.	Pack / CTN
77047	1-1/2	5
77048	2	5
77049	2-1/2	5
77050	3	5
77051	3-1/2	5

Heavy Duty Pulley



77091

Code	Dimension in.	For Cable Diameter in.	Working Load Limit lbs.	Pack / CTN
77114	4	7/16	2200	2
77091	4.920	5/8	700	6
71008	6	5/8	6600	2
Safety factor 4:1				

Pulley Block with Fixed Gable – zinc



Code	Dimension in.	Pack / CTN
77057	1-1/2	5
77058	2	5
77059	2-1/2	5

Pulley Block Sheave – zinc



Code	Dimension in.	For Cable Diameter in.	Working Load Limit lbs.	Pack / CTN
77060	1-1/2	3/16	420	10
77061	2	3/16	480	10
77062	2-1/2	1/4	550	10
77063	3	1/4	650	10
77064	3-1/2	5/16	1250	6
Safety factor 4:1				

Replacement Sheave



Code	Dimension in.	For Cable Diameter in.	Working Load Limit lbs.	Pack / CTN
77066	5	9/16	4400	6
77067	6	5/8	6600	6
Safety factor 4:1				

Replacement Links – galvanized



Code	Chain size in.	Pack / CTN
70772	1/4	6
70773	5/16	6
70774	3/8	6

ACCESSORIES

LABELING INCLUDED

** Each product is labeled individually.*

Swivel Lock Snaps



Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70832	3/8	2	Zinc	6
70859	3/8	3	Zinc	12
70829	1/2	3	Zinc	12
70861	5/8	3	Zinc	12
70828	3/4	3 1/2	Zinc	12
70875	1	3 1/2	Zinc	6
70858	1	4 1/4	Zinc	6
70818	1/2	3	Brass	6
70820	3/4	3	Brass	6
70864	1	3 1/2	Brass	6
70865	1 1/4	4 3/4	Brass	6

Double Lock Snaps



Code	Length in.	Finish	Pack / CTN
70833	3 1/2	Zinc plated	6
70822	4	Zinc plated	6
70834	3 1/2	Brass	6
70835	4 1/2	Brass	6

Simplex Snaps – zinc plated



Code	Length in.	Pack / CTN
70849	1 1/4	6
70851	2	6
70850	2 5/8	6
70831	3 1/4	6

Swivel Spring Snaps – zinc plated



70813



Code	Eye dimension in.	Length in.	Pack / CTN
70813	3/8	2 1/4	12
70812	3/8	2 1/4	12
70868	3/8	2 1/2	12

Spring Snaps – zinc plated



Code	Eye dimension in.	Length in.	Eyes	Pack / CTN
70810	3/8	1 3/4	Round eye	12
70873	3/4	2 3/8	Square eye	12
70825	1	3	Square eye	6

Swivel Lever Snaps – zinc plated



Code	Eye dimension in.	Length in.	Pack / CTN
70816	5/8	3 1/4	12
70817	3/4	3 1/4	12
70853	3/4	3 1/2	12
70823	1	3 1/2	6
70814	1 1/8	4 3/4	6

Scissor Snaps – zinc plated



Code	Eye dimension in.	Length in.	Pack / CTN
70819	5/8	2 1/2	12
70838	3/4	4	12

Security Snaps – nickel plated, heavy duty



Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70870	7/8	3 3/4	Fix eye nickel	6
70824	1	3 3/4	Swivel eye nickel	6

Panic Snaps



Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70827	1/2	3 3/4	Zinc	6
70860	1 1/8	4 1/4	Brass	6

Boat Snaps



Swivel Eye



Fix Eye

Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70846	5/8	2 1/4	Fix eye brass	6
NEW 71839	5/8	2 3/4	Fix eye brass	12
70847	11/16	3 1/4	Fix eye brass	6
77082	5/8	3 1/4	Swivel eye zinc	6
70844	3/4	3 5/16	Fix eye stainless steel	12
70821	1	3 3/8	Swivel eye brass	6
70830	3/4	3 3/4	Swivel eye brass	6
77085	3/4	3 7/8	Swivel eye stainless steel	6
77080	3/4	4 1/4	Swivel eye brass	6

NEW

Security Mooring Snap



Code	Dimension in.	Finish	Pack / CTN
71975	3/4 x 3 3/4	Zinc plated	6

Round Rings



Code	Size in.	Finish	Pack / CTN
71005	11/64 x 3/4	Nickel plated	12
71000	3/16 x 1	Zinc plated	12
71001	3/16 x 1 1/4	Zinc plated	12
71002	1/4 x 1 1/2	Zinc plated	12
71003	1/4 x 2	Zinc plated	12
71015	5/16 x 2 1/2	Galvanized	12
71016	3/8 x 3	Galvanized	12
71009	3/16 x 1	Stainless steel	6
71012	1/4 x 1 1/2	Stainless steel	6
71013	1/4 x 2	Stainless steel	6

Carbine Snap Hooks – zinc plated



Code	Dimension in.	Pack / CTN
70800	3/16	12
70801	1/4	12
70802	5/16	12
70803	3/8	12
70804	7/16	12
70805	1/2	12

Carbine Snap Hooks – stainless steel



Code	Dimension in.	Pack / CTN
70845	3/16	12
77087	1/4	6
77088	5/16	6
70848	3/8	12
70840	1 1/8	8

Eye Carabiner – zinc plated



Code	Size in.	Qty / Pack	Emb. par CTN
70975	3/8 X 3-7/8	1	6
70974	7/16 X 4-5/8	1	6
70973	1/2 X 5-3/8	1	6

Quick Lock Carabiner – zinc, black plated



70968 70969

Code	Dimension in.	Pack / CTN
70968	3/8 X 3-7/8	6
70969	3/8 X 4-1/4	6

Quick Links – zinc plated



Code	Size in.	Pack / CTN
70700	1/8	12
70699	5/32	12
70701	3/16	12
70702	1/4	12
70703	5/16	12
70704	3/8	12
70705	1/2	12
70706	7/16	12

Quick Links – stainless steel



Code	Size in.	Pack / CTN
77099	1/8	6
77100	5/32	6
77077	3/16	6
77094	1/4	6
77095	5/16	6
77097	3/8	6

Malleable Swivel – zinc plated



Code	Size in.	Pack / CTN
70736	3/16 x 1 1/2	12
70740	1/4 x 2	12
70737	1/4 x 2 3/8	12
70738	5/16 x 2 3/4	12
70739	3/8 x 3 1/4	12

Eye & Eye Swivels – forged steel, galvanized



Code	Diameter in.	Pack / CTN
70741	1/4	12
70742	5/16	12
70743	3/8	12
70744	1/2	12
70745	5/8	6

Eye & Eye Swivels – zinc plated



	Code	Diameter in.	Pack / CTN
NEW	70780	5/8	12
NEW	70781	3/4	12

Jaw & Eye Swivels – forged steel, galvanized



Code	Diameter in.	Pack / CTN
70752	5/16	12
70755	5/8	12
70756	3/4	12

Screw Pin Anchor Shackles, Non-rated – galvanized



Code	Size in.	Pack / CTN
70300	3/16	12
70301	1/4	12
70302	5/16	12
70303	3/8	12
70304	7/16	12
70305	1/2	12
70306	5/8	12
70307	3/4	12

Screw Pin Shackles, Chain Type – galvanized



Code	Size in.	Pack / CTN
70311	1/4	12
70312	5/16	12
70313	3/8	12
70314	7/16	12
70315	1/2	12

Screw Pin Shackles, Bow Type – stainless steel



Code	Size in.	Pack / CTN
70340	3/16	12
70341	1/4	12
70342	5/16	12
77096	3/8	12

ACCESSORIES

LABELING INCLUDED

** Each product is labeled individually.*

Zinc Die Cast Turnbuckles Ben-Mor



HOOK & EYE

Code H & E	Thread diameter x take-up in.	Pack / CTN
70556	1/4 x 2 1/8	6
70557	5/16 x 2 5/8	6
70555	3/8 x 3	6



EYE & EYE

Code E & E	Thread diameter x take-up in.	Pack / CTN
70558	1/4 x 2 1/8	6
70559	5/16 x 2 5/8	6
70554	3/8 x 3	6

Galvanized Turnbuckles (Hook & Hook) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70530	1/4 x 4	1
70532	3/8 x 6	6
70533	1/2 x 6	6
70534	1/2 x 9	1
70535	1/2 x 12	1
Safety factor 5:1		

Galvanized Turnbuckles (Eye & Eye) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70502	3/8 x 6	6
70511	3/4 x 12	1
70503	1/2 x 6	1
70504	1/2 x 9	1
70506	5/8 x 6	1
70508	5/8 x 12	1
70509	3/4 x 6	1
Safety factor 5:1		

Galvanized Turnbuckles (Jaw & Jaw) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70560	1/4 x 4	1
70562	3/8 x 6	6
70563	1/2 x 6	6
70568	5/8 x 12	1
70571	3/4 x 12	1
Safety factor 5:1		

Galvanized Turnbuckles (Hook & Eye) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70523	1/4 x 4	1
70524	3/8 x 6	1
70525	1/2 x 6	1
70526	5/8 x 6	1
Safety factor 5:1		

Regular Nut Eye Bolts – drop-forged, galvanized



Code	Dimensions in. Length	Diameter	Pack / CTN
70403	5 1/4	5/16	6
70406	7 1/4	3/8	6
70407	4 7/8	1/2	6
70408	7 5/8	1/2	6
70409	9 5/8	1/2	6
70410	11 5/8	1/2	6
70412	6	5/8	6

Thimbles – zinc plated



Code	For cable diameter in.	Pack / CTN
70200	3/64 – 1/16 – 5/64	12

Standard Thimbles – galvanized



Code	For cable diameter in.	Qty/ pack	Pack / CTN
70220	1/8 – 5/32	1	12
72220	1/8	2	6
70221	3/16	1	12
72221	3/16	2	6
70222	1/4	1	12
72222	1/4	2	6
70223	5/16	1	12
72223	5/16	2	6
70224	3/8	1	12
72224	3/8	2	6
70225	1/2	1	12
72225	1/2	2	6
70226	5/8	1	12

Standard Thimbles – stainless steel



Regular code 304	For cable diameter in.	Pack / CTN
70240	1/8	12
70241	3/16	12
70242	1/4	12
70243	5/16	12
70244	3/8	12

Cold Shuts – zinc plated



Code	Chain size in.	Pack / CTN
70765	3/16	50
70766	1/4	50
70767	5/16	25
70768	3/8	25

Lap Links – zinc plated



Code	Chain size in.	Pack / CTN
70759	1/8	50
70760	3/16	50
70761	1/4	50
70762	5/16	25
70763	3/8	25
70764	1/2	10

* Each product is labeled individually.

LABELING INCLUDED

Wire Rope Clips – malleable, zinc plated



Code	For cable diameter in.	Qty/ pack	Pack / CTN
70001	1/16	1	12
70002	3/32 – 1/8	1	12
72002	1/8	2	6
70003	3/16	1	12
72003	3/16	2	6
70004	1/4	1	12
72004	1/4	2	6
70005	5/16	1	12
72005	5/16	2	6
70006	3/8	1	12
72006	3/8	2	6
70007	7/16	1	12
70008	1/2	1	12
72008	1/2	2	6
70009	5/8	1	12
70010	3/4	1	12

Wire Rope Clips – stainless steel



Code	For cable diameter in.	Pack / CTN
70020	1/16	12
70021	1/8	12
70022	5/32	12
70023	3/16	12
70024	1/4	12
70025	5/16	12
70026	3/8	12

Aluminum Duplex Sleeves



Code	Dimension in.	Pack / CTN
72102	1/16	12
72104	3/32	12
72105	1/8	12
72106	5/32	12
72107	3/16	12
72108	3/8	12
72109	1/4	12
72110	5/16	12

Aluminum Stop Sleeves – chamfered



Code	Dimension in.	Pack / CTN
72175	1/16	12
72176	3/32	12
72177	1/8	12
72179	3/16	12
72180	1/4	12

Duplex Sleeves & Stop Sleeves – aluminum



Code	Features	Dimension in.	Qty/ pack	Pack / CTN
77093	2x Duplex Sleeves & 2x Stop Sleeves	1/16	4	12

"S" Hooks – zinc plated



Code	Size in.	Length in.	Packaging	Qty / Pack	Pack / CTN
72960	1/8	1	Bag	5	12
72961	5/32	1.5	Bag	5	12
72962	3/16	1.75	Bag	5	12
70963	1/4	2	-	-	12
70964	5/16	3	-	-	12
70965	3/8	3.5	-	-	12

"S" Hooks For Fixture Chain – #105



Code	Diameter in.	Packaging	Qty / Pack	Pack / CTN
70929	1/8	Box	1000 (10x100)	1

Cleat Rope – nickel plated



	Code	Diameter in.	Packaging	Qty / Pack	Pack / CTN
NEW	70790	2 1/2	Bulk	1	12



Complete merchandising solution.

See page 44

ACCESSORIES

LABELING INCLUDED

** Each product is labeled individually.*

Hair Pin Clip – zinc



Code	Dimensions in.		Qty / Pack	Pack / CTN
	Diameter	Length		
70470	5/64	1 5/8	1	6
70471	3/32	1 3/4	1	12
70472	1/8	2 5/8	1	12
70473	5/32	3	1	12
70475	1/4	4 5/8	1	12
70474	1/4	4 1/4	1	12

Round Ring Hitch Pin – zinc



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70411	3	3/8	6


Hitch Pin – zinc Premium



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70450	2 1/2	3/8	6
70451	3 1/2	1/2	6
70452	4	5/8	6
70456	4 1/2	3/4	6
70458	4 1/2	7/8	6
70454	5 1/2	5/8	1
70457	6 1/2	3/4	6
70459	6 1/2	7/8	1
70461	7 1/2	1	4
70463	8 1/2	1 1/8	4
70464	8 1/2	1 1/4	4

Gold Chromate Linch Pin – zinc





Code	Dimensions in.			Pack / CTN
	Diameter (A)	Length (B)	Length (C)	
70430	3/16	1 3/8	1 1/2	6
70431	1/4	1 1/2	1 3/4	6
70432	5/16	1 1/2	1 3/4	6
70433	3/8	1 1/2	1 3/4	6
70434	7/16	1 1/2	1 3/4	6

Square Quick Pin – zinc



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70421	2 1/2	1/4	6
70422	2 1/2	5/16	6
70423	2 1/2	3/8	6

Round Quick Pin – zinc



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70415	1 3/8	1/4	6
70416	1 3/4	1/4	6
70417	1 3/8	5/16	6
70418	1 3/4	5/16	6
70419	1 3/8	3/8	6

Eye Slip Tow Hook



Code	Inside eye diameter in.	Throat opening in.	Pack / CTN
70900	3/4	1/2	6

Swivel Hooks With Latch



Code	Dimension in.	Pack / CTN
70911	1.25	6
70912	1.50	6

Safety Snap Hooks – stainless steel



Code	Dimension in.	Pack / CTN
71974	3/4 x 4	6
77086	1 1/8 x 4 3/4	6

Eye Hooks With Latch – galvanized



Code	Dimension in.	Pack / CTN
70902	3/4	6
70903	7/8	6
70904	1 1/8	6
70905	1 1/4	6

* Each product is labeled individually.

LABELING INCLUDED

Eye Slip Hooks Grade 43

GRADE 43



Without latch



With latch

Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70935	70985	1/4	6
70936	70986	5/16	6
70937	-	3/8	6

Eye Slip Hooks Grade 43 – red

GRADE 43



Code without latch	Code with latch	For chain diameter in.	Pack / CTN
-	70983	5/16	6
-	70984	3/8	6

Eye Grab Hooks Grade 43

GRADE 43



Code	For chain diameter in.	Pack / CTN
70930	1/4	6
70931	5/16	6
70932	3/8	6

Clevis Grab Hooks Grade 43

GRADE 43



Code	For chain diameter in.	Pack / CTN
70925	1/4	6
70926	5/16	6
70927	3/8	6
70924	7/16	12
70928	1/2	6

Clevis Slip Hooks Grade 43

GRADE 43



Without latch



With latch

Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70920	70959	1/4	6
70921	70960	5/16	6
70922	70961	3/8	6
70923		1/2	6

Clevis Slip Hooks Grade 70 – gold chromate

GRADE 70



Without latch



With latch

Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70940	70950	1/4	6
70941	70951	5/16	6
70942	70952	3/8	6
70944	-	7/16	6
-	70953	1/2	6

Clevis Grab Hooks With Latch Grade 70 – gold chromate

GRADE 70



Code	For chain diameter in.	Pack / CTN
70955	1/4	6
70956	5/16	6
70957	3/8	6
70958	1/2	6

Clevis Grab Hooks Grade 70 – gold chromate

GRADE 70



Code	For chain diameter in.	Pack / CTN
70945	1/4	6
70946	5/16	6
70947	3/8	6
70948	1/2	6

Double Clevis Chain Midlink Grade 70 – gold chromate

GRADE 70



Code	For chain diameter in.	Pack / CTN
70991	5/16	6
70992	3/8	6
70993	1/2	6

TIE WIRES

Galvanized Steel Wire



93000


93009


93020

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93000	14	15	0.90	Coiled	5
93001	16	15	0.52	Coiled	5
93002	18	30	0.66	Coiled	5
93003	19	15	0.50	Coiled	5
93004	19	50	0.84	Coiled	5
93005	20	15	0.18	Coiled	5
93006	20	50	0.55	Coiled	5
93007	20	30	0.308	Hand reel	6
93013	14	15,24	0.558	Hand reel	6
93008	16	15,24	0.402	Hand reel	6
93009	18	30	0.454	Hand reel	6
93020	20	50	0.57	Mini-reel	5

Braided Galvanized Steel Wire



93010

Code	Diameter #	Length m.	Weight lbs.	Packaging	Pack / CTN
93010	2	7,6	0.12	Coiled	5
93011	3	7,6	0.14	Coiled	5
93012	4	7,6	0.20	Coiled	5

Stainless Steel Wire



93031

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93031	20	7	0.09	Coiled	5

Aluminum Wire



93035


93039

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93035	18	15,4	0.11	Coiled	5
93036	20	7,5	0.04	Coiled	5
93039	20	30	0.136	Hand reel	6
93037	20	50	0.22	Coiled	5

Brass Wire



93040


93045


93041

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93040	20	6.4	0.01	Coiled	5
93045	20	25	0.286	Hand reel	6
93041	20	50	0.57	Mini-reel	5
93042	21	8.4	0.08	Coiled	5
93043	22	10.4	0.08	Coiled	5

Copper Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93055	20	7,5	0.10	Coiled	5



93055

Black Steel Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93065	16	85	3.13	Coiled	5
93066	19	15	0.18	Coiled	5
93064	19	50	0.6	Hand reel	6
93067	19	50	0.68	Coiled	5
93068	20	50	0.57	Coiled	5


93064


93065



93068

Green PVC Coated Steel Wire


Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93070	16	15	0.40	Coiled	5
93071	18	30	0.46	Coiled	5
93080	20	30	0.24	Mini-reel	5


93080



93070





Different material description

Nylon Nylon is the strongest of all ropes. It is recognized for its shock resistance and elasticity. After it has been stretched, it returns to its original lenght. Nylon lasts five times longer than natural fibers because it resists abrasion, chemicals, gas, oil, rotting and UV rays.

Polyester Polyester is almost as strong as nylon, but it does not stretch as much. Consequently, its shock resistance is reduced. It is resistant to humidity, mould, chemicals and abrasion. Polyester is more resistant to sun rays than nylon.

Polypropylene Generally flexible and very light, polypropylene floats, making it particularly popular with the nautical industry. This type of rope is the most popular among average consumers, since it is resistant to humidity, mould, gas, oil and other chemicals. However, it tends to deteriorate when exposed to sun. Polypropylene is weaker than nylon and polyester, but is more economical. On the other hand, it is stronger than natural fibers.

Manila This cable is a solid long natural fiber that is resistant to heat and UV rays, unlike synthetic fibers. However, it is vulnerable to humidity and chemicals. It is biodegradable and resists stretching and is the strongest of natural fibers.

Sisal Sisal is also a natural biodegradable fibre, but it is much less resistant than manila. It is resistant to UV rays, but is vulnerable to chemicals and mould. It is often used as parcel string, for gardening and for other applications that do no require extreme resistance.

Jute This short natural fiber offers very little resistance. Jute is biodegradable and is perfect for parcel string and gardening. Unlike sisal, it is a soft fiber that does not damage plants or bushes.

Cotton This short natural fiber is not very resistant. It is biodegradable and is often used as household string for the kitchen, workshop or garage. This fiber has an attractive white appearance, is soft and is very easy to knot.

	Polypropylene	Nylon	Polyester	Manila	Sisal/Jute	Cotton
Resistance to rotting	● ● ● ●	● ● ● ●	● ● ● ●	●	●	●
Resistance to mould	● ● ● ●	● ● ● ●	● ● ● ●	●	●	●
Resistance to oil and gas	● ● ● ●	● ● ●	● ● ● ●	● ●	● ●	● ●
Resistance to acid	● ● ● ●	● ● ●	● ● ● ●	●	●	●
Handling	● ● ●	● ● ● ●	● ● ● ●	● ●	● ●	● ● ● ●
Durability	● ● ●	● ● ● ●	● ● ● ●	● ●	●	● ●
Abrasion	● ●	● ● ● ●	● ● ● ●	● ●	●	●
Shock load	● ● ●	● ● ● ●	● ● ●	● ●	●	●
Storage	Dry / Humid	Dry / Humid	Dry / Humid	Dry	Dry	Dry
Floatation	Yes	No	No	No	No	No
Resistance to heat	Weakens at 65°C / 150°F	Weakens at 180°C / 350°F	Weakens at 180°C / 350°F	No effect	No effect	No effect
Resistance to the sun	● ●	● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●

Polyester Seine Twine, Mason And Chalkline

Made mainly of polyester, this rope resists abrasion and stretching. It is a common, general-purpose rope.





Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60100*	#18	76	250	White	Tube wrapped	6
60105*	#18	150	492	White	Tube wrapped	12
60102	#18	300	984	White	Tube wrapped	6
60104	#36	76	250	White	Tube wrapped	6

*Also available in a display box.

Twisted Nylon, Seine, Mason And Chalkline Twine

Made mainly of nylon, this rope resists shocks, offers good elasticity and is resistant to UV rays. It is a common, general-purpose rope.



Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60111*	#18	76	250	White	Tube wrapped	6
60112*	#18	152	500	White	Tube wrapped	6
60116	#18	228	750	Bright yellow	Tube wrapped	6
60114*	#18	76	250	Pink	Tube wrapped	6
60113*	#18	152	500	Pink	Tube wrapped	6
60115	#18	76	250	Orange	Tube wrapped	6
60119	#18	152	500	Orange	Tube wrapped	6
60117	#18	76	250	Bright yellow	Tube wrapped	6
60118	#18	152	500	Bright yellow	Tube wrapped	6

*Also available in a display box.

Contractor Grade — Twisted Nylon, Seine, Mason And Chalkline Twine

Made mainly of nylon, this rope resists shocks, offers good elasticity and is resistant to UV rays. It is a common, general-purpose rope.



Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60120	#18	76	250	White	Tube wrapped	6
60121	#18	152	500	White	Tube wrapped	6
60122	#18	76	250	Pink	Tube wrapped	6
60123	#18	152	500	Yellow	Tube wrapped	6

Braided Nylon, Seine, Mason And Chalkline Twine

Made mainly of nylon, this rope resists shocks, offers good elasticity and is resistant to UV rays. It is a common, general-purpose rope.





Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60125*	#18	61	200	Pink	Tube wrapped	6
60132	#18	61	200	Yellow	Tube wrapped	6
NEW 67245	#18	68,6	225	Neon pink	Tube wrapped	6
60127*	#18	76	250	White	Tube wrapped	6
NEW 67239	#18	76,2	250	Neon green	Tube wrapped	6
60128	#18	152	500	Pink	Tube wrapped	6
60130	#18	152	500	Orange Fluo	Tube wrapped	6
60133	#18	152	500	Yellow	Tube wrapped	6
NEW 67223	#18	182,88	600	White	Plastic hand reel	6

*Also available in a display box.

Contractor Grade — Nylon, Seine, Mason And Chalkline Twine



Code	Diameter	Length		Color	Construction	Packaging	Pack/ CTN
		m.	ft.				
60173*	#18	76	250	Orange	Twisted	Plastic hand reel	1
60175	#18	76	250	Yellow	Twisted	Plastic hand reel	1
60176	#18	152	500	Yellow	Braided	Plastic hand reel	1
60177	#18	61	200	Pink	Braided	Plastic hand reel	1
60178*	#18	152	500	Pink	Braided	Plastic hand reel	1
60179	#18	76	250	Orange	Braided	Plastic hand reel	1
60180	#18	76	250	Yellow	Braided	Plastic hand reel	1

*Also available in a display box.

Braided Polyester Awning Twine



Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60550*	Medium	11	36	White	Tube wrapped	6

*Also available in a display box.

NEW

Twisted Paper Twine



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
67262	1,6	1/16	45,7	150	Brown	Tube wrapped	6

NEW

Twisted Household Twine Pack - 3 units



Code	Description	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
	Cotton	30,5	100	White		
67247	Polypropylene	45,7	150	Green	Tube wrapped	6
	Jute	45,7	150	Brown		

Polypropylene Twine



This string is the only one that floats. It is economical for general use and is durable, light and resistant to oil, gas and mould.

Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60643	Medium	49	160	White	Tube wrapped	6
NEW 67249	Medium	76,2	250	White/blue	Tube wrapped	6
NEW 67260	Medium	76,2	250	Natural	Tube wrapped	6
60640*	Medium	153	500	White/blue	Tube wrapped	6
60722	Medium	304	1,000	White/green	Coil wrapped	1
60641	Medium	457,2	1 500	White/blue	Coil wrapped	6
60646	Medium	2133,6	7,000	White	Coil wrapped	1

*Also available in a display box.

Twisted Cotton Twine

One-hundred percent biodegradable cotton easy to handle. It is easy to knot, is ideal for the kitchen and is excellent for general use.

Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60528	#15	91	300	White	Tube wrapped	6
60529*	#16	61	200	White	Tube wrapped	6
NEW 67250	#21	42,7	140	Natural	Tube wrapped	6
NEW 67259	#6	76,2	250	Natural	Tube wrapped	6
60532	#9	122	400	White	Tube wrapped	6
60534	#15	128	420	White	Tube wrapped	6
NEW 67253	#21	152,4	500	Natural	Tube wrapped, includes cutter	6
60540	#24	61	200	White	Tube wrapped	6
60542*	#30	100	328	White	Tube wrapped	6
60543	#21	256	840	White	Tube wrapped	6

*Also available in a display box.

Jute Twine



Softer than sisal, jute is an economical household string. It is ideal for gardening, wrapping and other uses that do not require extreme resistance.

Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60560	2 strands thin	90	295	Brown	Tube wrapped	6
NEW 67263	Thin	58	190	Natural	Tube wrapped	6
NEW 67564	Thin	58	190	Green	Tube wrapped	6
60570	2 strands medium	50	165	Brown	Tube wrapped	6
60571	2 strands medium	79	260	Green	Tube wrapped	6
60572*	2 strands medium	151	495	Brown	Tube wrapped	6
60574	2 strands medium	79	260	Brown	Tube wrapped	6
NEW 67221	Medium	152,4	500	Natural & Green	Box, 2 units, includes cutter	6
60562*	2 strands large	35	115	Brown	Tube wrapped	6
60564*	2 strands large	61	200	Green	Tube wrapped	6
60576	3 strands large	68	222	Brown	Tube wrapped	6
60578	3 strands large	338	1,110	Brown	Tube wrapped	1

*Also available in a display box.

Twisted Sisal Twine To Tie



Not as soft as jute, this string is economical for household use. Ideal for gardening, wrapping and other uses that do not require extreme resistance.



Code	Diameter	Length		Color	Packaging	Pack/ CTN
		m.	ft.			
60500	1 strand	30	100	Natural	Tube wrapped	6
60513	1 strand	183	600	Natural	Tube wrapped	6
60515	1 strand	183	600	Natural	Tube wrapped	36
60517	2 strands	91	300	Natural	Tube wrapped	36
60514*	2 strands	91	300	Natural	Tube wrapped	6
60516*	2 strands	426,7	1,400	Natural	Tube wrapped	6
NEW 67246	Medium	160	525	Natural	Tube wrapped	6
NEW 67215	Medium	685,8	2,250	Natural	Tube wrapped	6

*Also available in a display box.

Braided Cotton Rope

Economical, general-purpose household rope. Ideal for awnings and frames but also for gardening, wrapping and more.



	Code	Usage	Diameter		Length		Color	Packaging	Pack/ CTN
			mm	in.	m.	ft.			
	60611	Venetian blind	3,6	9/64	9	30	White	Hank	12
NEW	67264	General	3,2	1/8	13,8	45	Natural	Hank	6
	60614*	Sash	3,2	1/8	15	50	White	Hank	6
	60600*	General	4,8	3/16	15	50	White	Hank	6
NEW	67252	Clothesline	4,8	3/16	15	50	Natural	Hank	6
	60606	Sash	5,6	7/32	30	100	White	Hank	12
NEW	67231	General, smooth braided	5,6	7/32	30	100	Natural	Hank	6
	60603	Sash	6,4	1/4	30	100	White	Hank	6

*Also available in a display box.

3 Strand Twisted Cotton Rope

One-hundred percent cotton that handles well. It is easy to knot, and is ideal for equestrian centers and for general use.



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60549	16	5/8	61	200	White	Reel	1

Sisal Rope

Not as soft as jute, this string is economical for household use. Ideal for gardening, wrapping and other uses that do not require extreme resistance.



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60502*	6,4	1/4	15	50	Natural	Wrapped mini-coil	6
60505	6,4	1/4	15	50	Natural	Wrapped mini-coil	36
60503	6,4	1/4	30	100	Natural	Wrapped mini-coil	6
60508*	9,5	3/8	15	50	Natural	Wrapped mini-coil	6
60510	12,7	1/2	15	50	Natural	Wrapped mini-coil	6



*Also available in a display box.

3 Strand Twisted Manila Rope

Made of natural fibre, it is resistant to heat and UV rays. It will not melt in contact with heat as synthetics will. It is highly resistant to stretching; however, it is vulnerable to mould.



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60586	6,4	1/4	30	100	Brown-beige	Wrapped mini-coil	6
60588	9,5	3/8	15	50	Brown-beige	Wrapped mini-coil	6
60590	9,5	3/8	183	600	Brown-beige	Reel	1
60592	12,7	1/2	61	200	Brown-beige	Reel	1
60596	16	5/8	61	200	Brown-beige	Reel	1
60598	19	3/4	45,7	150	Brown-beige	Reel	1
60597	25,4	1	45,7	150	Brown-beige	Reel	1

Ground Stake – plastic

Code	Length		Color	Pack/ CTN
	cm	in.		
60800*	27,9	11	orange	15



*Also available in a display box.

Adjustable Strap – Made for cables, ropes, hoses and even more!

Code	Length		Color	Packaging	Pack/ CTN
	m.	ft.			
59000	0,57	1,9	Yellow	Card	6



Diamond Braided Polypropylene Rope



General use, durable and lightweight.

ROPE PROMOTION SEE PAGE 40

	Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN	Promo
	60240	4	5/32	15	50	Grey	Hank	6	-
	60242	4	5/32	23	75	Khaki	Plastic hand reel	6	-
	60067*	4,8	3/16	23	75	Mixed	Plastic hand reel	24	Yes
NEW	67224	4,8	3/16	30,5	100	Yellow	Hank	6	-
NEW	67225	4,8	3/16	30,5	100	Green	Hank	6	-
NEW	67226	4,8	3/16	30,5	100	Orange	Hank	6	-
	60239	5,6	7/32	30	100	White	Hank	6	-
	60230*	6,4	1/4	30,5	100	Multicolor	Plastic hand reel	8	-
	60241	6,4	1/4	30	100	Multicolor	Hank	24	Yes
NEW	67209	6,4	1/4	53,3	175	Varied colors	Plastic hand reel	12	-
	60252	7,9	5/16	15	50	Yellow with orange marks	Hank	6	-
	60253	7,9	5/16	30	100	Yellow with orange marks	Hank	6	-
	60235	9,5	3/8	15	50	Multicolor	Hank	24	Yes
	60249*	9,5	3/8	30	100	Multicolor	Hank	12	Yes
NEW	67211	9,5	3/8	22,9	75	Varied colors	Hank	6	-
	60552	Medium		15	50	Orange	Tube wrapped	6	-

*Also available in a display box.

Camouflage Diamond Braided Polypropylene Rope



ROPE PROMOTION SEE PAGE 40

Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN	Promo
60245	4	5/32	15	50	Camouflage	Hank	24	-
60246*	4	5/32	30	100	Camouflage	Hank	24	Yes
60250*	4,8	3/16	30	100	Camouflage	Hank	18	-
60244	9,5	3/8	30	100	Camouflage	Hank	24	Yes

*Also available in a display box.

High Visibility Polypropylene Rope



	Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN
	60044	4,8	3/16	15	50	Green (Glow in the dark)	Hank	12
	60043*	6,4	1/4	15	50	Green (Glow in the dark)	Hank	12
	60041*	6,4	1/4	15	50	Yellow (reflective)	Hank	6
NEW	67230	6,4	1/4	15,2	50	Orange (reflective)	Hank	6
NEW	67222	9,5	3/8	15,2	50	Green (glow in the dark)	Plastic hand reel	6

*Also available in a display box.

Solid Braided Polypropylene (derby)



Rope with velvety soft texture often used for horse halters and leashes. Much more durable and resistant to abrasion because of its unique design. It floats and is used in the nautical industry.

Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN
60262	9,5	3/8	91	300	Blue and white	Reel	1
60267*	12,7	1/2	15	50	Blue	Hank	6
60265	12,7	1/2	46	150	Blue	Reel	1
60269	12,7	1/2	46	150	Red	Reel	1
NEW 67212	12,7	1/2	10,67	35	Blue and white	Hank	6
60271	16	5/8	61	200	Green and white	Reel	1

*Also available in a display box.

NEW

32 Strand Diamond Braided Polypropylene Rope



The 32-strand construction ensures added strength and superior abrasion resistance. Ideal for outdoor use, the rope floats and is resistant to rot and mildew.

Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN
67206	6,4	1/4	30,5	100	Multicolor	Hank	6
67201	12,7	1/2	15,2	50	Multicolor	Hank	6

Adjustable Webbing Side Release Buckles



Code	Material	Color	Qty/Packaging	Packaging	Pack/ CTN
67256	Plastic	Black	2	Bag	12

3 Strand Twisted Polypropylene Rope

An economical, durable, lightweight, general-purpose cord that floats. It is also resistant to oil, gas and mould. It is used widely in industry, business and construction and for residential use.



Code	Diameter mm	Diameter in.	Length m	Length ft.	Color	Packaging	Pack/ CTN
60159*	4,8	3/16	7,5	25	Yellow	Hank	12
60140*	4,8	3/16	15	50	Yellow	Hank	6
60142*	4,8	3/16	30	100	Yellow	Hank	6
60165	4,8	3/16	274	900	Yellow	Mini-reel	1
60167	4,8	3/16	648	2,125	Yellow	Reel	1
60160*	6,4	1/4	15	50	Yellow	Hank	6
60148*	6,4	1/4	30	100	Yellow	Hank	6
NEW 67216	6,4	1/4	61	200	Yellow	Plastic hand reel	12
60181	6,4	1/4	168	550	Yellow	Mini-reel	1
60191	6,4	1/4	400	1,300	Yellow	Reel	1
60193	7,9	5/16	122	400	Yellow	Mini-reel	1
60196	7,9	5/16	300	975	Yellow	Reel	1
60152*	9,5	3/8	15	50	Yellow	Hank	6
60154*	9,5	3/8	30	100	Yellow	Hank	6
60199	9,5	3/8	76	250	Yellow	Mini-reel	1
60213	9,5	3/8	192	630	Yellow	Reel	1
60155*	12,7	1/2	7,5	25	Yellow	Hank	8
60156*	12,7	1/2	15	50	Yellow	Hank	6
60215	12,7	1/2	102	335	Yellow	Reel	1
60223	16	5/8	61	200	Yellow	Reel	1
60163*	19	3/4	7,5	25	Yellow	Hank	4

Code	Diameter mm	Diameter in.	Length m	Length ft.	Color	Packaging	Pack/ CTN
60164*	19	3/4	15	50	Yellow	Hank	3
60229	19	3/4	45,7	150	Yellow	Reel	1
60228	25	1	45,7	150	Yellow	Reel	1
60168	4,8	3/16	274	900	White	Mini-reel	1
60144	6,4	1/4	15	50	White	Hank	6
60145	6,4	1/4	15	50	Blue	Hank	6
60150	6,4	1/4	30	100	Tan	Hank	6
60149	6,4	1/4	30	100	White	Hank	6
60183	6,4	1/4	168	550	White	Mini-reel	1
NEW 67220	9,5	3/8	15,2	50	Tan	Hank	6
NEW 67232	9,5	3/8	15,2	50	Black and orange	Hank	6
NEW 60254	9,5	3/8	183	630	Red	Reel	1
60153*	12,7	1/2	15	50	White	Sealed mini-reel	6
60157	12,7	1/2	15	50	Black	Hank	6
NEW 60251	12,7	1/2	102	335	Red	Reel	1
60218	12,7	1/2	102	335	Green	Reel	1
60222	12,7	1/2	102	335	Black	Reel	1
60220	16	5/8	61	200	Green	Reel	1
60217	16	5/8	61	200	Black	Reel	1

*Also available in a display box.

High-Visibility 3 Strand Twisted Polypropylene Rope



Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN
NEW 60256	9,5	3/8	76,2	250	Red with tracer	Mini-reel	1
NEW 60257	9,5	3/8	192	630	Red with tracer	Reel	1
NEW 60258	12,7	1/2	102,1	335	Red with tracer	Reel	1

Effective for nighttime work
Highly adapted for securing construction sites
Reflective tracer

Hollow Braided Polypropylene Rope

Durable, lightweight, general-purpose rope that floats and resists abrasion. It is also resistant to oil, gas and mould. It is easy to splice and is often used for water skiing and for dog sleigh.



Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN
NEW 67257	4	5/32	13,7	45	Yellow	Hank	12
60200*	6,4	1/4	15	50	Yellow	Hank	6
60202*	6,4	1/4	30	100	Yellow	Hank	6
60208	6,4	1/4	305	1,000	Yellow	Reel	1
60204	9,5	3/8	15	50	Yellow	Hank	6
60214	9,5	3/8	152	500	Yellow	Reel	1
60216	12,7	1/2	91	300	Yellow	Reel	1

*Also available in a display box.

Diamond Braided Nylon Rope





Paracord 550

Code	Diameter mm	Diameter in.	Length m.	Length ft.	Color	Packaging	Pack/ CTN
60730	4	5/32	15,25	50	Black	Hank	12
60731	4	5/32	15,25	50	Black (reflective)	Hank	12
60732	4	5/32	15,25	50	Red	Hank	12
60733	4	5/32	15,25	50	Camouflage	Hank	12
60734	4	5/32	15,25	50	Blue	Hank	12

Paracord 310

60737*	4	5/32	15,25	50	Black (reflective)	Hank	12
60738*	4	5/32	15,25	50	Red	Hank	12

*Also available in a display box.

High Performance Synthetic Winch Rope Dynasteel™



An alternative to wire rope at 1/7th the weight of same size wire rope.
This synthetic rope will not rust, is non-rotational and
has same stretch attributes as wire rope.

Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
80499	4,8	3/16	7,6	25	Blue	Clamshell	4
80500	4,8	3/16	15	50	Blue	Clamshell	4
80502	6,4	1/4	15	50	Blue	Clamshell	4

Diamond Braided Polyester Rope





Rope that is often used for clotheslines and general applications. Made of polyester, this rope resists stretching, UV rays and abrasion.

	Code	Usage	Diameter		Length		Color	Packaging	Pack/ CTN
			mm	in.	m.	ft.			
	60630	General	4	5/32	14	45	Orange	Hank	6
NEW	67236	General	4	5/32	15,2	50	Olive	Hank	6
NEW	67237	General	4	5/32	15,2	50	Orange	Hank	6
NEW	67238	General	4	5/32	15,2	50	Black	Hank	6
	60633	General	4	5/32	30	100	White	Hank	6
NEW	67248	General	4,8	3/16	15,2	50	White and gray	Hank	6
	60282	General	5,6	7/32	15	50	White with black and yellow stripes	Hank	6
	60635	General	5,6	7/32	30	100	White	Hank	6
	60013	Clothesline	4,8	3/16	30	100	White	Hank	6
	60012*	Clothesline	6,4	1/4	30	100	White with blue stripes	Hank	6
	60011*	Clothesline	6,4	1/4	46	150	White with blue stripes	Hank	6
	60019	Clothesline	6,4	1/4	274	900	White	Reel	1
NEW	67011	Clothesline	6,4	1/4	45,7	150	White and gray	Plastic hand reel	6

*Also available in a display box.

Elastic Stretch Rope





An elastic rope with a rubber centre covered by a mix of nylon and polyester strands. It is often used for commercial, nautical and domestic applications.

Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60902*	4,8	3/16	6	20	Black	Hank	12
60903*	6,4	1/4	6	20	Black with orange stripes	Hank	10
60481	6,4	1/4	152	500	White with black stripes	Mini-reel	1
60904*	9,5	3/8	6	20	Black with yellow stripes	Hank	6

*Also available in a display box.



Elastic Stretch Rope Hooks

Code	Diameter for rope		Color	QTY / Packaging	Packaging	Pack/ CTN
	mm	in.				
60905	4,8	3/16	Black	2	Bag	3
60906	6,4	1/4	Black	2	Bag	3
60907	9,5	3/8	Black	2	Bag	3

Starting Nylon Rope



Tightly manufactured starting rope that resists abrasion and shocks related to starting a motor.

Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60443	3,2	1/8	76	250	White with black stripes	Mini-reel	1
60444	3,2	1/8	305	1,000	White	Reel	1
60439	4	5/32	76	250	White	Mini-reel	1
60445	4,8	3/16	145	475	White	Mini-reel	1
60446	7,9	5/16	53	175	White	Mini-reel	1

Rope Tightener – plastic

Designed for 3/16” to 1/4” diameter rope. GRIPPIE



Code	Length		Width		Packaging	Pack/ CTN
	cm	in.	cm	in.		
60799*	10,8	4-1/4	5,9	2-3/8	Card	6

*Also available in a display box.

3 Strand Twisted Nylon Rope

Rope with a superior resistance to abrasion and shocks. Ideal in the nautical industry, as towing cable and other uses that require a great strength.



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60300	6,4	1/4	15	50	White	Hank	6
60302*	6,4	1/4	30	100	White	Hank	6
60307	6,4	1/4	400	1,300	White	Reel	1
60304	9,5	3/8	15	50	White	Hank	6
60309	9,5	3/8	192	630	White	Reel	1
60306*	12,7	1/2	15	50	White	Sealed Mini-reel	6
60312	12,7	1/2	61	200	White	Reel	1
60313	16	5/8	61	200	White	Reel	1

*Also available in a display box.

Double Braided Nylon Rope

The strongest genral-purpose rope it effectively resists abrasion. It is frequently used commercially and industrially and is also used as rope for Venetian blinds, awnings, pulleys as well as for towing, mooring and anchoring boats and other extreme applications.



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60391	7,9	5/16	76	250	White	Mini-reel	1
60392	9,5	3/8	76	250	White	Reel	1
60347*	12,7	1/2	7,5	25	White	Hank	8
60348*	12,7	1/2	15	50	White	Hank	8
60393	12,7	1/2	122	400	White	Reel	1

*Also available in a display box.

Diamond Braided Nylon Rope

The strongest general-purpose rope, it is very resistant to abrasion. It is frequently used as rope for Venetian blinds, pulleys and lawn umbrellas and as start-up rope.



	Code	Diameter		Length		Color	Packaging	Pack/ CTN
		mm	in.	m.	ft.			
	60350*	3,2	1/8	15	48	White	Hank	6
NEW	67261	3,2	1/8	15,2	50	White	Hank	6
	60377	3,2	1/8	76	250	White	Mini-reel	1
	60410*	4,8	3/16	15	50	White	Hank	6
	60412*	4,8	3/16	30	100	White	Hank	6
	60411	4,8	3/16	122	400	White	Mini-reel	1
	60387	4,8	3/16	152	500	White	Mini-reel	1
	60354*	6,4	1/4	15	50	White	Hank	6
	60356	6,4	1/4	30	100	White	Hank	6
	60423	6,4	1/4	61	200	White	Mini-reel	1
NEW	67219	7,9	5/16	15,2	50	White	Hank	6
	60388	7,9	5/16	76	250	White	Mini-reel	1
NEW	67207	9,5	3/8	15,2	50	White	Hank	6
	60422	9,5	3/8	61	200	White	Reel	1
NEW	67204	12,7	1/2	15,2	50	White	Hank	6
	60427	12,7	1/2	91	300	White	Reel	1

*Also available in a display box.

Solid Braided Nylon Rope



Code	Diameter		Length		Color	Packaging	Pack/ CTN
	mm	in.	m.	ft.			
60363	4,8	3/16	365,8	1,200	White	Reel	1
60390	6,4	1/4	305	1,000	White	Reel	1
60369	9,5	3/8	183	600	White	Reel	1

ROPE - 1/4 PALLET



60241p

Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60241	60241p	1/4" x 100'	Diamond braided	24	72



60235p

Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60235	60235p	3/8" x 50'	Diamond braided	6	60



60249p

Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60249*	60249p	3/8" x 100'	Diamond braided	12	48

*Also available in a display box.



60244p

Camouflage Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60244	60244p	3/8" X 100'	Diamond braided	24	60



60067p




Fluo Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60067*	60067p	3/16" x 75' Hand reel	Diamond braided	12	72

*Also available in a display box.



PET PRODUCTS

	Code	Description	Packaging	Pack/ CTN
	10000	10' Puppy and Cat Cable Tie-Out	Card	6
	10001	15' Puppy and Cat Cable Tie-Out	Card	6
	10002	20' Puppy and Cat Cable Tie-Out	Card	6
	10003	30' Puppy and Cat Cable Tie-Out	Card	6
	10005	15' Super Cable Tie-Out for small dogs, blue	Card	6
	10006	20' Super Cable Tie-Out for small dogs, blue	Card	6
	10007	30' Super Cable Tie-Out for small dogs, blue	Card	6
	10009	15' Super Cable Tie-Out for medium dogs, red	Card	6
	10010	20' Super Cable Tie-Out for medium dogs, red	Card	6
	10011	30' Super Cable Tie-Out for medium dogs, red	Card	6
	10017	15' Super Cable Tie-Out for large dogs, clear	Card	6
	10018	20' Super Cable Tie-Out for large dogs, clear	Card	6
	10019	30' Super Cable Tie-Out for large dogs, clear	Card	6
	10021	50' Dog Trolley System	Bag + Card	6
	10024	14' Portable Trolley System	Bag + Card	6
	10025	18" X 5/16" Spiral Stake	Card	12
	10026	Spiral Stake Combo with 10' Cable Tie-Out	Card	12
	10033	Dog Tie-Out Car System	Card	12

BEN-MOR® MARINE

Dock Line, Double Braided — MFP



Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64001	9,5	3/8	3	10	Blue	Clamshell	6
64002	9,5	3/8	4,6	15	Blue	Clamshell	6
64003	9,5	3/8	6	20	Blue	Clamshell	6
64004	12,7	1/2	4,6	15	Blue	Clamshell	6
64005	12,7	1/2	6,1	20	Blue	Clamshell	6

Dock Line, Double Braided — Nylon



64006



64029

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64006	9,5	3/8	3	10	White	Clamshell	6
64007	9,5	3/8	3	10	Black	Clamshell	6
64008	9,5	3/8	4,6	15	White	Clamshell	6
64009	9,5	3/8	4,6	15	Black	Clamshell	6
64010	9,5	3/8	6	20	White	Clamshell	6
64011	9,5	3/8	6	20	Black	Clamshell	6
64029	9,5	3/8	6	20	Black (reflective)	Clamshell	6
64012	12,7	1/2	4,6	15	Black	Clamshell	6
64013	12,7	1/2	6,1	20	Black	Clamshell	6
64031	12,7	1/2	6	20	Black (reflective)	Clamshell	6

Dock Line with Chafe Guard, Double Braided — Nylon



Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64014	12,7	1/2	4,6	15	White and golden	Clamshell	6
64015	12,7	1/2	6,1	20	White and golden	Clamshell	6
64016	12,7	1/2	7,6	25	White and golden	Clamshell	6
64017	12,7	1/2	9,1	30	White and golden	Clamshell	6

Stretch Dock Line — Polypropylene



Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64021	-	-	1,5	5	Blue	Clamshell	6



BEN-MOR® MARINE

Fender Line, Hollow Braided — Polypropylene

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64018	6,4	1/4	1,5	5	White	Clamshell	12



Fender Line, Diamond Braided — Nylon

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64019	6,4	1/4	1,5	5	White	Clamshell	12



Launch Line, Solid Braided — MFP

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64020	8	5/16	9	30	Blue	Clamshell	6



Anchor Line, Hollow Braided — Polypropylene

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64022	6,4	1/4	15,2	50	Yellow	Wrapped mini-coil	6
64023	6,4	1/4	30	100	Yellow	Wrapped mini-coil	6



Anchor Line, 3 Strand Twisted — Nylon

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64024	9,5	3/8	15	50	White	Wrapped mini-coil	6
64025	9,5	3/8	30,5	100	White	Wrapped mini-coil	6



Reflective Rope, Diamond Braided — Polypropylene

Code	Diameter		Length		Color	Packaging	Pack / CTN
	mm	in.	m	ft			
64026	12,7	1/2	15,2	50	Yellow, black and grey	Hank	6



MERCHANDISING

Rope Display on a Gondola & Hypermarket

Code	Description	Emb. par CTN
99060	4' Black cross bar	1
99061	Black large tube for rope reel	2
99068	Plastic pouch holder	1
99104	Cascade rope system for beam	1
99063-V2	9'' Side bracket for rope reel	1
99065-D	Plastic pouch straight	1
14770-2226	3'' Adhesive sign holder	1
99300	Rope label kit	1
99252A*	47'' X 10'' rope pop	1
94406A	Rope buying guide	1

*Other dimensions available upon request.









Configurable Rack for Chain & Accessories

Code	Description	Emb. par CTN
98999-G	Chain label kit	1
98994-D	Spindle shelf for adjustable rack	1
98995-D	Shelf for adjustable rack	1
98996-D	Wire basket for adjustable rack	1
98997-D	4' Multi-function rack	1
98997-P	Black pegboard for multi-function rack	2
99249A*	47'' X 10'' chain pop	1
99248A*	47'' X 10'' accessories pop	1
99032A	Chain buying guide	1

*Other dimensions available upon request.





Accessories Display on a Gondola & Hypermarket

Code	Description	Emb. par CTN
99BACT-304G	Accessories bac 4 bin drawers	1
99BACT-305G	Accessories bac 5 bin drawers	1
99BACT-306G	Accessories bac 6 bin drawers	1
99BACT-AUTRES	Accessories label kit	1
99248A*	47'' X 10'' accessories pop	1

*Other dimensions available upon request.



Hypermarket Chain Display

Code	Description	Emb. par CTN
99065-D	Plastic pouch straight	1
99073	Tab card holder clear 47 1/2" x 3-5/8"	1
98999-G	Chain label kit	1
99041	Big gray chain & cable tray - metal	1
99041-AMO	Big gray removable chain & cable tray - metal	1
99042	Small gray chain & cable tray - metal	1
99042-AMO	Small gray removable chain & cable tray - metal	1
99042-N	Very small gray chain & cable tray - metal	1
99249A*	47'' X 10'' chain pop	1
99032A	Chain buying guide	1

*Other dimensions available upon request.

Complete Merchandising Solutions

See page 32

ROPE



See page 2

CHAIN



See page 18


ACCESSORIES



CHAIN & ACCESSORIES CONFIGURABLE RACK

4 ft. configurable multi-fonction rack.






Choice of removable shelves or baskets to position at the anchor points of your choice.







Better presentation ! Less waiting for cutting !

More profits !



CHAIN
BEN-MOR



CHAIN
BEN-MOR


OUTDOOR DRYING
Strata
BEN-MOR


Drying Products
BEN-MOR
Strata
See Strata Catalog
Strata

...ON A GONDOLA...


ITEM #99248A
ACCESSORIES
ACCESSORIES
ITEM #99BACT-306G
ITEM #99BACT-305G
ITEM #99BACT-autres
ITEM #99BACT-304G


ITEM #99252A
ROPE
ROPE
ROPE
ITEM #99300
ITEM #99060
ITEM #99063-V2
ITEM #99061

ITEM #99104



ITEM #99041



INDEX

Product # Page

10000 41
10001 41
10002 41
10003 41
10005 41
10006 41
10007 41
10009 41
10010 41
10011 41
10017 41
10018 41
10019 41
10021 41
10024 41
10025 41
10026 41
51000 2
51001 2
51002 2
51003 2
51009 2
51010 5
51011 5
51012 5
51015 7
51016 7
51017 7
51018 7
51020 5
51021 5
51022 5
51023 5
51025 7
51030 7
51035 5
51038 9
51040 9
51041 9
51042 9
51043 9
51044 9
51046 9
51047 9
51050 6
51051 6
51052 6
51053 6
51054 6
51055 6
51056 6
51057 6
51059 6
51060 8
51061 8
51062 6
51063 5
51065 8
51067 6
51070 8
51075 9
51080 8
51081 8
51083 8
51084 8
51085 8
51088 8
51089 8
51090 9
51105 8
51111 10
51112 10
51114 10
51115 10
51117 10
51118 10
51119 10
51120 10
51121 10
51122 10
51123 10
51124 10
51125 10
51125 8
51127 8
51130 10
51131 10
51132 10
51135 10
51140 9
51145 6
51146 6
51150 7
51159 4
52001 2
52002 2
52003 2
52004 2
52005 2
52006 2
52009 2
52010 2
52011 2
52012 2
52013 2
52014 2
52020 3
52021 3
52022 3
52023 3
52024 3
52030 12
52031 12
52032 12
52033 12
52037 5
52039 4
52041 4
52042 3
52043 3
52044 3
52113 6
52146 6
52151 7
53000 2
53001 2
53002 2
53003 2
53004 2
53005 2
53010 2
53011 2
53012 2
53013 2
53014 2
53015 2
53020 3
53021 3
53022 3
53023 3
53024 3
53025 3
53027 3
53028 3
53030 4
53031 4
53032 4
53033 4
53035 4
53036 4
53037 4
53038 4
53040 12
53041 12
53042 12
53043 12
53047 12
53996 4
53997 4
53998 4
54000 9
54001 9
54002 9
54003 9
54006 9
54100 15
54101 15
54105 15
55000 10
55003 10
55004 10
55005 12
55006 12
55007 12
55008 12
55009 12
55010 12
55014 12
55015 12
55016 12
55017 12
55020 11
55021G 11
55023G 11
55024G 11
55025 11
55026 11
55027 11
55027C 11
55030 10
55031 10
55033 10
55034 10
55035 12
55040 12
55041 12
55042 12
55123 15
55133 15
55150 15
55153 15
55200 14
55201 14
55202 14
55203 14
55205 14
55206 14
55208 14
55212 14
55213 14
55217 14
55218 14
55219 14
55220 14
55221 14
55227 14
55235 15
55241 15
55242 15
55243 15
55245 15
55246 15
55247 15
55250 14
55251 14
55252 14
55253 10
55254 10
55260 15
55261 15
55263 15
55265 15
55266 15
55267 15
55273 15
55274 15
55280 15
55281 15
55288 15
55293 15
55294 15
55296 15
55299 15
55300 15
55302 15
55304 15
55306 15
55308 15
55323 15
55537 15
55925 15
55298 15
56002 13
56003 13
56005 13
56006 13
56007 5
56008 3
56009 13
56010 13
56011 13
56012 13
56013 13
56014 13
56015 13
56016 13
56021 13
56022 13
56024 13
56025 13
56027 13
56029 13
56030 13
56031 13
56032 13
56036 13
56038 13
56040 13
56041 13
56042 13
56043 13
56044 13
56045 13
56061 13
56068 13
56103 14
56115 13
56116 13
57040 22
57041 22
57042 22
57043 22
57044 22
57045 22
57046 22
57047 22
57048 22
57049 22
57050 22
57051 22
57052 22
57053 22
57054 22
57055 22
57056 22
57057 22
57058 22
57059 22
59000 35
60011 38
60012 38
60013 38
60019 38
60041 36
60043 36
60044 36
60067 36
60067P 40
60100 33
60102 33
60104 33
60105 33
60111 33
60112 33
60113 33
60114 33
60115 33
60116 33
60117 33
60118 33
60119 33
60120 33
60121 33
60122 33
60123 33
60125 33
60127 33
60128 33
60130 33
60132 33
60133 33
60140 37
60142 37
60144 37
60145 37
60148 37
60149 37
60150 37
60152 37
60153 37
60154 37
60155 37
60156 37
60157 37
60159 37
60160 37
60163 37
60165 37
60167 37
60168 37
60173 33
60175 33
60176 33
60177 33
60178 33
60179 33
60180 33
60181 37
60183 37
60191 37
60193 37
60196 37
60199 37
60200 37
60202 37
60204 37
60208 37
60213 37
60214 37
60215 37
60216 37
60217 37
60218 37
60220 37
60222 37
60223 37
60228 37
60229 37
60235 36
60235P 40
60239 36
60240 36
60241 36
60241P 40
60242 36
60244 36
60244P 40
60245 36
60246 36
60249 36
60249P 40
60250 36
60251 37
60252 36
60253 36
60254 37
60256 37
60257 37
60258 37
60262 36
60265 36
60267 36
60269 36
60271 36
60282 38
60300 39
60302 39
60304 39
60306 39
60307 39
60309 39
60312 39
60313 39
60347 39
60348 39
60350 39
60354 39
60356 39
60363 39
60369 39
60377 39
60387 39
60388 39
60390 39
60391 39
60392 39
60393 39
60410 39
60411 39
60412 39
60422 39
60423 39
60427 39
60439 38
60443 38
60444 38
60445 38
60446 38
60481 38
60500 34
60502 35
60503 35
60508 35
60510 35
60513 34
60514 34
60515 34
60516 34
60517 34
60528 34
60529 34
60532 34
60534 34
60540 34
60542 34
60549 35
60550 34
60552 36
60560 34
60562 34
60564 34
60570 34
60571 34
60572 34
60574 34
60576 34
60578 34
60586 35
60588 35
60590 35
60592 35
60596 35
60597 35
60598 35
60600 35
60603 35
60606 35
60611 35
60614 35
60630 38
60633 38
60635 38
60640 34
60641 34
60643 34
60646 34
60722 34
60730 37
60731 37
60732 37
60733 37
60734 37
60735 37
60736 37
60737 37
60738 37
60799 39
60800 35
60902 38
60903 38
60904 38
60905 38
60906 38
60907 38
63064 44
63065 44
63240 44
63241 44
63300 44
63301 44
63340 44
63341 44
64000 44
64001 42
64002 42
64003 42
64004 42
64005 42
64006 42
64007 42
64008 42
64009 42
64010 42
64011 42
64012 42
64013 42
64014 42
64015 42
64016 42
64017 42
64018 43
64019 43
64020 43
64021 42
64022 43
64023 43
64024 43
64025 43
64026 43
64029 42
64031 42
64200 44
64201 44
64300 44
64301 44
64310 44
64320 44
64330 44
64340 44
67011 38
67201 36
67204 39
67206 36
67207 39
67209 36
67211 36
67212 36
67215 34
67216 37
67219 39
67220 37
67221 34
67222 36
67223 33
67224 36
67225 36
67226 36
67230 36
67231 35
67232 37
67236 38
67237 38
67238 38
67239 33
67245 33
67246 34
67247 34
67248 38
67249 34
67250 34
67252 35
67253 34
67256 37
67257 37
67259 34
67260 34
67261 39
67262 34
67263 34
67264 35
67564 34
70001 27
70002 27
70003 27
70004 27
70005 27
70006 27
70007 27
70008 27
70009 27
70010 27
70020 27

Product #	Page
70021	27
70022	27
70027	27
70024	27
70025	27
70026	27
70200	26
70220	26
70221	26
70222	26
70223	26
70224	26
70225	26
70226	26
70240	26
70241	26
70242	26
70243	26
70244	26
70291	11
70292	11
70293	11
70300	25
70301	25
70302	25
70303	25
70304	25
70305	25
70306	25
70307	25
70311	25
70312	25
70313	25
70314	25
70315	25
70340	25
70341	25
70342	25
70403	26
70406	26
70407	26
70408	26
70409	26
70410	26
70411	28
70412	26
70415	28
70416	28
70417	28
70418	28
70419	28
70421	28
70422	28
70423	28
70430	28
70431	28
70432	28
70433	28
70434	28
70450	28
70451	28
70452	28
70454	28
70456	28
70457	28
70458	28
70459	28
70461	28
70463	28
70464	28
70470	28
70471	28
70472	28
70473	28
70474	28
70475	28
70502	26
70503	26
70504	26
70506	26
70508	26
70509	26
70511	26
70523	26
70524	26
70525	26
70526	26
70530	26
70532	26
70533	26
70534	26
70535	26
70554	26
70555	26
70556	26
70557	26
70558	26
70559	26
70560	26
70562	26
70563	26
70568	26
70571	26
70699	25
70700	25
70701	25
70702	25
70703	25
70704	25
70705	25
70706	25
70720	23
70721	23
70722	23
70723	23
70723	23
70725	23
70726	23
70727	23
70731	23
70732	23
70733	23
70734	23
70736	25
70737	25
70738	25
70739	25
70740	25
70741	25
70742	25
70743	25
70744	25
70745	25
70752	25
70755	25
70756	25
70759	26
70760	26
70761	26
70762	26
70763	26
70764	26
70765	26
70766	26
70767	26
70768	26
70772	23
70773	23
70774	23
70780	25
70781	25
70790	27
70800	25
70801	25
70802	25
70803	25
70804	25
70805	25
70810	24
70812	24
70813	24
70814	24
70816	24
70817	24
70818	24
70819	24
70820	24
70821	24
70822	24
70823	24
70824	24
70825	24
70827	24
70828	24
70829	24
70830	24
70831	24
70832	24
70833	24
70834	24
70835	24
70838	24
70840	25
70844	24
70845	25
70846	24
70847	24
70848	25
70849	24
70850	24
70851	24
70853	24
70858	24
70859	24
70860	24
70861	24
70864	24
70865	24
70868	24
70870	24
70873	24
70875	24
70900	28
70902	28
70903	28
70904	28
70905	28
70911	28
70912	28
70920	29
70921	29
70922	29
70923	29
70924	29
70925	29
70926	29
70927	29
70928	29
70929	27
70930	29
70931	29
70932	29
70935	29
70936	29
70937	29
70940	29
70941	29
70942	29
70944	29
70945	29
70946	29
70947	29
70948	29
70950	29
70951	29
70952	29
70953	29
70955	29
70956	29
70957	29
70958	29
70959	29
70960	29
70961	29
70963	27
70964	27
70965	27
70968	25
70969	25
70973	25
70974	25
70975	25
70977	28
70978	21
70983	29
70984	29
70985	29
79086	29
70991	29
70992	29
70993	29
71000	24
71001	24
71002	24
71003	24
71005	24
71008	23
71009	24
71012	24
71013	24
71015	24
71016	24
71839	24
71974	28
71975	28
72002	27
72003	27
72004	27
72005	27
72006	27
72008	27
72102	27
72104	27
72105	27
72106	27
72107	27
72108	27
72109	27
72110	27
72175	27
72176	27
72177	27
72179	27
72180	27
72220	26
72221	26
72222	26
72223	26
72224	26
72225	26
72960	27
72961	27
72962	27
73002	20
73003	20
73005	20
73006	20
73008	20
73009	20
73010	19
73011	19
73012	19
73015	21
73016	21
73017	21
73019	20
73022	20
73025	20
73026	20
73028	20
73029	20
73039	20
73040	20
73078	18
73079	18
73080	19
73081	18
73084	18
73087	20
73088	20
73089	18
73090	18
73102	21
73103	21
73111	21
73175	21
73177	21
73178	21
73179	21
73210	21
73220	20
73221	20
73223	20
73224	20
73225	20
73228	20
73240	20
73241	20
73242	20
73300	20
73301	20
73302	20
73303	20
73310	20
73316	20
73317	20
73318	20
73339	20
73705	20
73706	20
73721	18
73722	18
73723	18
73724	18
73725	18
73732	18
73733	18
73734	18
73737	19
73738	19
73759	21
73762	21
73763	21
73789	21
73790	21
73796	21
73809	18
73811	18
73819	19
73820	18
73821	19
73824	19
73828	18
73829	18
73831	18
73833	18
73836	18
73840	18
73844	19
73848	20
73849	18
73852	18
73853	19
73858	18
73859	18
73861	18
73862	18
73863	18
73864	18
73868	18
73871	18
73900	19
73958	21
73959	21
73973	19
75104	21
75105	21
75107	21
77047	23
77048	23
77049	23
77050	23
77051	23
77052	23
77053	23
77054	23
77055	23
77056	23
77057	23
77058	23
77059	23
77060	23
77061	23
77062	23
77063	23
77064	23
77066	23
77067	23
77075	23
77077	25
77078	23
77079	23
77080	24
77081	23
77082	24
77083	23
77084	23
77085	24
77086	28
77087	25
77088	25
77089	23
77090	23
77091	23
77092	23
77093	27
77094	25
77095	25
77096	25
77097	25
77099	25
77100	25
77114	23
79010	21
79011	21
79112	21
79114	21
79117	21
79470	28
79471	28
79472	28
79473	28
79474	28
79699	21
79700	21
79702	21
79809	21
79828	21
79832	21
79837	21
79960	21
79961	21
79962	21
79976	21
80031	16
80033	16
80034	16
80042	16
80043	16
80044	16
80045	16
80046	16
80047	16
80131	16
80133	16
80134	16
80136	16
80141	16
80142	16
80144	16
80145	16
80146	16
80147	16
80499	38
80500	38
80502	38
81045	17
82042	16
82043	16
82044	16
82045	16
82046	16
82047	16
82144	16
82145	16
82146	16
82147	16
82334	16
82354	16
82364	16
82414	16
83031	17
83033	17
83034	17
83044	17
83045	17
84044	17
84134	17
84142	17
84144	17
84145	17
84314	17
84364	17
84414	17
84610	17
84612	17
84614	17
84615	17
84616	17
84617	17
84618	17
84619	17
84620	17
84621	17
84622	17
84623	17
84624	17
84625	17
84626	17
84627	17
84628	17
84629	17
84631	17
84632	17
84633	17
84634	17
85046	16
90300	16
90301	16
90304	16
90305	16
93000	30
93001	30
93002	30
93003	30
93004	30
93005	30
93006	30
93007	30
93008	30
93009	30
93010	30
93011	30
93012	30
93013	30
93020	30
93031	30
93035	30
93036	30
93037	30
93039	30
93040	30
93041	30
93042	30
93043	30
93045	30
93055	31
93064	31
93065	31
93066	31
93067	31
93068	31
93070	31
93071	31
93080	31
ASY-WC-20R	16
ASY-WC-25	16

BEN-MOR®

CERTIFIED ISO 9001

www.ben-mor.com
info@ben-mor.com

LOCATIONS

Head Office
1105, Lemire, Saint-Hyacinthe,
Québec, Canada, J2T 1L8
1-800-481-0022 • 450-778-0022

Ontario Division
690, Bayview Dr, Barrie,
Ontario, Canada, L4N 9A6
1-800-481-0022 • 705-719-4899

Boucherville Distribution Center
1400 Nobel, Boucherville,
Québec, Canada, J4B 5H3
1-800-481-0022 • 450-778-0022

Manitoba Division
21, Sylvan Way, Winnipeg,
Manitoba, Canada, R2R 2B9
1-800-689-8744 • 204-633-1529

Saskatchewan Division
118, Faithfull Crescent, Saskatoon,
Saskatchewan, Canada, S7K 8H8
306-651-1834

Alberta Division
10725 25 Street NE, UNIT #108, Calgary.
Alberta, Canada, T3N 0A4
403-279-9631

Continental Cable LLC

Hinsdale, New Hampshire
253 Monument Road, Hinsdale,
New Hampshire, 03451, USA
1-800-229-5131

www.continentalcablellc.com

FAUCHER
Division de Ben-Mor | A Ben-Mor company

A recognized supplier to the industrial hardware and transportation industries in Canada for 175 years.

www.faucher.ca

FORTUNE ROPE & Metal Co., LLC

Bristol, Rhode Island
67 Ballou Blvd, Bristol, RI 02809, USA
1-800-416-6595

Bensenville, Illinois
700 County Line Rd, Bensenville, IL 60106, USA
1-630-787-9715

Jacksonville, Florida
351 Zoo Pkwy, Jacksonville, FL 32226, USA
1-904-751-1441

sales@fortunerope.com
www.fortunerope.com

PRINTED IN CANADA

99044
JUNE 2025