



4540 W. Thomas Street • Chicago, IL 60651

Tel: 773-227-3700 • Fax: 773-227-3705

Toll Free: 800-252-5796

E-mail: [info@blackswanmfg.com](mailto:info@blackswanmfg.com)

Web Site: [www.blackswanmfg.com](http://www.blackswanmfg.com)

# Product Catalog



**QUALITY PRODUCTS  
FOR THE  
PLUMBING PROFESSIONAL**

**FAMILY OWNED  
SINCE 1928**

# TABLE OF CONTENTS

	<u>Category</u>	<u>Page</u>
New Products.....	-----	3
Putty and Caulks.....	1	4 - 5
Pipe Joint Compounds and PTFE Tape/Packing.....	2	5 - 8
Solders, Fluxes and Cleaning Compounds.....	3	8 - 11
Wax Gaskets, Cold Solders and Lubricants.....	4	11 - 16
Oils and Leak Detectors.....	5	16 - 17
Boiler and Heating System Compounds.....	6	17 - 18
Plastic Pipe Cements.....	7	19 - 21
Plastic Pipe Primers and Cleaners.....	8	22
Drain and Waste System Cleaners.....	9	23 - 25
Cloth and Accessory Items.....	10	25 - 27
Brushes.....	11	27 - 28
Closet Bolts and Closet Screws.....	12	28 - 31
Toilet Bowl Accessories.....	13	31 - 32
Packaging Materials.....	14	33
Marking Paint and Tapes.....	15	33 - 34
Roof Flashings.....	16	34 - 35
Plumbing Construction Materials.....	17	35 - 36
Pipe Supports.....	18	36 - 37
Meter Keys and Probing Rods.....	19	37
Plumbing Tools.....	20	38 - 39
No-Hub Couplings.....	21	39
Containers and Lids .....	22	39 - 40
Mission Statement, Terms and Conditions & Bar Code Numbers.....	-----	41
Product Index.....	-----	42
Numerical Index.....	-----	43

# NEW PRODUCTS



**ALL PURPOSE  
PIPE DOPE  
1 FL. OZ. TUBE**



**BIG BLUE  
1 FL. OZ. TUBE**



**PTFE TAPE  
GRAY GHOST  
GRAVITY FEED DISPLAY**



**PVC CEMENT - CLEAR  
REGULAR BODIED - 1/4 PT.  
CUT CASE**



**WET-OR-DRY PVC CEMENT  
BLUE - MEDIUM BODIED  
CUT CASE**



**3 WAY - CLEAR  
MEDIUM BODIED - 1/4 PT.  
CUT CASE**



**ABS CEMENT - YELLOW  
MEDIUM BODIED**



**COMBO PACK NO. 1  
PVC CEMENT CLEAR - REG. BODIED  
AND PURPLE PRIMER  
CUT CASE**



**COMBO PACK NO. 2  
WET-OR-DRY CEMENT (BLUE)  
AND PURPLE PRIMER  
CUT CASE**



**COMBO PACK NO. 3  
3 WAY CEMENT (CLEAR)  
AND CLEAR CLEANER  
CUT CASE**



**POWER CRYSTALS  
1 LB.  
CUT CASE**



**DRAIN STAR  
HEAVY DUTY LIQUID  
DRAIN & SEWER OPENER**



**ADJUSTABLE PLASTIC  
POWER DAUBER**



**NON-DETECTABLE  
MARKING TAPE**










**STACK  
PLUNGER**



**METAL CONTAINERS -  
UTILITY / MONOTOP  
CANS ONLY**

# PUTTY AND CAULKS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <p><b>STAINLESS PUTTY</b> A plastic putty that will not harden, crack or crumble. For setting closet bowls, sink strainers and many applications. Has excellent adhesive qualities. A stainless putty which meets Federal Specification TT-P-1536A. Not for use on marble.</p>	01000	14 oz.	24	26	0 54647 01000 7
 <p><b>STAY SOFT PLUMBERS PUTTY</b> A plastic putty that will not harden, crack or crumble. For setting closet bowls, sink strainers and many applications. Has excellent adhesive qualities. A stainless putty which meets Federal Specification TT-P-1536A. Not for use on marble.</p>	01037 01040 01041 01043 01045 01047 01050 01055 01060 01062 01065	7 oz. 14 oz. 28 oz. 3 lb. 5 lb. 7 lb. 15 lb. 25 lb. 50 lb. 75 lb. 450 lb.	24 24 12 6 6 6 4 1 1 1 1	13 26 26 20 32 45 65 28 52 77 470	0 54647 01037 3 0 54647 01040 3 0 54647 01041 0 0 54647 01043 4 0 54647 01045 8 0 54647 01047 2 0 54647 01050 2 0 54647 01055 7 0 54647 01060 1 0 54647 01062 5 0 54647 01065 6
 <p><b>TUB &amp; TILE CAULK</b> A siliconized acrylic latex caulk. Will adhere to wood, metal, glass, masonry, painted surfaces and most other common construction materials. Can be used for both interior and exterior use. Retains flexibility and adhesion for years and can be painted shortly after application. *Hang-Tab Tube •Goes on white, dries clear</p>	WHITE 01073 WHITE *01075 WHITE 01077 CLEAR •01085	1.5 fl. oz. 5 fl. oz. tube 10.3 fl. oz. 5 fl. oz. tube	24 24 12 24	4 14 12 14	0 54647 01073 1 0 54647 01075 5 0 54647 01077 9 0 54647 01085 4
 <p><b>SILICONE SEALANT - WHITE</b> <b>SILICONE SEALANT - CLEAR</b> <b>SILICONE SEALANT - WHITE</b> <b>SILICONE SEALANT - CLEAR</b> A 100% silicone caulk. For indoor or outdoor use. Remains permanently flexible. It adheres to clean metal, glass, most types of wood, silicone resin, vulcanized silicone rubber, ceramic, natural and synthetic fiber, painted surfaces and many plastics. ** Blister Card</p>	**01095 **01100 01105 01110	3 fl. oz. tube 3 fl. oz. tube 10.3 fl. oz. cart. 10.3 fl. oz. cart.	10 10 24 24	3 3 32 32	0 54647 01095 3 0 54647 01100 4 0 54647 01105 9 0 54647 01110 3
 <p><b>STIK-IT EPOXY PUTTY</b> Hardens like steel in 20 minutes. Plugs, seals, mends and patches practically anything. Can be used under water. * Packed In Display Box</p>	*01112 *01115	2 oz. 4 oz.	24 24	4 8	0 54647 01112 7 0 54647 01115 8
 <p><b>SMOOTH PUTTY</b> A plastic putty that will not harden, crack or crumble. For setting closet bowls, sink strainers and many other applications. Has excellent adhesive qualities. A stainless putty which meets Federal Specification TT-P-1536A. Not for use on marble. Packaged in cartridges for easy application.</p>	01140	10.3 fl. oz. cart.	12	16	0 54647 01140 0
 <p><b>PLUMBERS WAXY PLUG</b> A special blend of wax and powders that can be used to plug small leaks in many plumbing situations. This product is meant as a temporary plug and may not hold under extreme temperatures or extreme pressure. Every home or business should have one container of this product on hand in case of a "leaking" emergency.</p>	01150	1 lb.	12	13	0 54647 01150 9



# CATEGORY

# 1

CONTINUED

## PUTTY AND CAULKS

### PRODUCT



#### PUTTY TAPE

A preformed, extruded putty used for sealing and weather proofing joints. Permanently adheres to all clean and dry metal, glass and wood surfaces. Will not shrink, crack or dry out. Good up to +300° F.

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

01160  
01170

1/2" X 54"  
1/2" X 360"

12  
6

4  
12

0 54647 01160 8  
0 54647 01170 7



#### MARBLE PLUS PLUMBERS PUTTY

An oil-free putty and can be used on porous surfaces such as marble, granite, stone, plastics, rubber, fiberglass, etc. Will not stain like conventional plumbers putty. A special formulated putty which will stay soft and flexible and will not shrink, bleed, harden, crack or crumble. It is gas proof, odor proof and water resistant. Can be used for setting bowls, fixtures, faucets, strainers, basin cocks, sink frames, and many other sealing and caulking applications. Meets Federal Specification TT-P-1536A.

\* Packed In Display Box

\*01190  
01200

9 oz.  
3 lb.

18  
6

15  
20

0 54647 01190 5  
0 54647 01200 1

# CATEGORY

# 2

## PIPE JOINT COMPOUNDS AND PTFE TAPE/PACKING

### PRODUCT



#### PIPE JOINT COMPOUND

A soft set, non-hardening, smooth, grit-free, gray colored pipe joint compound for all types of metal connections. Not recommended for use on plastic. Can be used on lines carrying air, water, steam, natural gas, ammonia, brine, diluted acids and alkalis. Not recommended for lines carrying oxygen. Temperature range for gases and liquids: -15° F (-26° C) to +400° F (+204° C). Pressure range for gases up to 1,000 PSI, liquids up to 2,000 PSI. Brushable to: -15° F (-26° C). Contains no lead or silicone.

\* Hang-Tab Tubes In Display Tray

• Brush In Can

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

\*02000  
•02004  
•02005  
•02008  
•02012  
02020  
02021  
02022

2 oz. tube  
1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.  
5 gal.  
55 gal.

12  
24  
12  
12  
12  
4  
1  
1

2  
12  
10  
20  
38  
61  
75  
825

0 54647 02000 6  
0 54647 02004 4  
0 54647 02005 1  
0 54647 02008 2  
0 54647 02012 9  
0 54647 02020 4  
0 54647 02021 1  
0 54647 02022 8



#### BIG BLACK

A black, grit-free, slow-set, soft-set, non-hardening, non-toxic pipe joint compound. Easy to use and easy to clean. Will not transfer any taste or odor to the system being sealed. Excellent for food and water systems. For use on all metals, ABS, PVC, CPVC, fiberglass, nylon, polypropylene, celcon, cycolac, polybutylene, delrin, polyethylene and zytel plastics. Can be used on systems carrying most liquids and gases. Not for use on oxygen lines. Temperature range for gases and liquids: -50° F (-45° C) to +400° F (+204° C). Pressure range for gases up to 3,000 PSI, liquids up to 6,000 PSI. Brushable to: -50° F (-45° C). Contains non-toxic inert oils and carbonates. Contains no lead or silicone. NSF Certified.

• Brush In Can

•02023  
•02024  
•02026  
•02028

1/4 pt.  
1/2 pt.  
pt.  
qt.

24  
12  
12  
12

12  
10  
22  
41

0 54647 02023 5  
0 54647 02024 2  
0 54647 02026 6  
0 54647 02028 0

## PIPE JOINT COMPOUNDS AND PTFE TAPE/PACKING

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**ALL PURPOSE PIPE DOPE**

A yellow, grit-free, slow-set, soft-set, non-hardening, non-toxic pipe joint compound. Easy to use and easy to clean. Will not transfer any taste or odor to the system being sealed. Excellent for food and water systems. For use on all metals, ABS, PVC, CPVC, fiberglass, nylon, polypropylene, celcon, cycolac, polybutylene, delrin, polyethylene and zytel plastics. Can be used on systems carrying most liquids and gases. Not for use on oxygen lines. Temperature range for gases and liquids:

-50° F (-45° C) to +400° F (+204° C). Pressure range for gases up to 3,000 PSI, liquids up to 6,000 PSI. Brushable to: -50° F (-45° C). Contains non-toxic inert oils and carbonates. Contains no lead or silicone. NSF Certified.

• Brush In Can \*Hang Tab Tube in Display Tray

NEW\*02034

- 02035
- 02040
- 02045
- 02050
- 02051
- 02052

1 fl. oz. tube  
1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.  
5 gal.

12  
24  
12  
12  
12  
4  
1

2  
12  
10  
22  
41  
51  
65

0 54647 02034 1  
0 54647 02035 8  
0 54647 02040 2  
0 54647 02045 7  
0 54647 02050 1  
0 54647 02051 8  
0 54647 02052 5

**SWAN SEAL**

A soft-set, non-hardening, white, smooth, grit-free, homogenized PTFE pipe joint compound. For use on metal and plastic threaded connections. Formulated to be used on all types of systems carrying most any gas or liquid except oxygen, fluorine and liquid sodium. Will not transfer any taste or odor to the system being sealed. Excellent for food and water systems.

Temperature range for gases and liquids: -50° F (-45° C) to +400° F (+204° C). Pressure range for gases up to 3,000 PSI, liquids up to 10,000 PSI. Brushable to: -50° F (-45° C). Contains non-toxic inert oils, PTFE powder, and carbonates. Contains no lead or silicone. NSF Certified.

\* Hang-Tab Tubes In Display Tray

• Brush In Can

\*02053

- 02054
- 02055
- 02060
- 02065
- 02066
- 02067
- 02068

1 fl. oz. tube  
1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.  
5 gal.  
55 gal.

12  
24  
12  
12  
12  
4  
1  
1

2  
12  
13  
22  
41  
61  
75  
640

0 54647 02053 2  
0 54647 02054 9  
0 54647 02055 6  
0 54647 02060 0  
0 54647 02065 5  
0 54647 02066 2  
0 54647 02067 9  
0 54647 02068 6

**BIG BLUE**

A blue, grit-free, slow, soft-set, non-hardening, non-toxic pipe joint compound. Easy to use and easy to clean. Will not transfer any taste or odor to the system being sealed. Excellent for food or potable water systems. For use on all metals, ABS, PVC, CPVC, fiberglass, nylon, polypropylene, celcon, cycolac, polybutylene, delrin, polyethylene and zytel plastics. Can be used on systems carrying most liquids and gases. Not for use on oxygen lines. Temperature range for gases and liquids: -50° F (-45° C) to +400° F (+204° C). Pressure range for gases up to 3,000 PSI, liquids up to 6,000 PSI. Brushable to: -50° F (-45° C). Contains non-toxic inert oils and carbonates. Contains no lead or silicone. NSF Certified.

• Brush In Can \*Hang Tab Tube in Display Tray

NEW\*02069

- 02070
- 02071
- 02072
- 02073

1 fl. oz. tube  
1/4 pt.  
1/2 pt.  
pt.  
qt.

12  
24  
12  
12  
12

2  
12  
10  
22  
41

0 54647 02069 3  
0 54647 02070 9  
0 54647 02071 6  
0 54647 02072 3  
0 54647 02073 0

**BIG WHITE**

A soft set, non-hardening, smooth, grit-free, homogenized PTFE pipe joint compound. For use on metal and plastic threaded connections. Formulated to be used on all types of systems carrying most any gas or liquid except oxygen, fluorine and liquid sodium. Will not transfer any taste or odor to the system being sealed. Excellent for food and water systems. Temperature range for gases and liquids: -50° F (-45° C) to +400° F (+204° C). Pressure range for gases up to 3,000 PSI, liquids up to 10,000 PSI. Brushable to: -50° F (-45° C). Contains no lead or silicone. NSF Certified. This product can be used on FlowGuard Gold®, BlazeMaster® and Corzan® pipe and fittings. (FlowGuard Gold®, BlazeMaster® and Corzan® are licensed trademarks of The Lubrizol Corporation.)

• Brush In Can

- 02076
- 02077
- 02078
- 02079
- 02080
- 02082

3 ml.  
1/4 pt.  
1/2 pt.  
pt.  
qt.  
5 gal.









50  
24  
12  
12  
12  
1

2  
12  
10  
22  
41  
75

0 54647 02076 1  
0 54647 02077 8  
0 54647 02078 5  
0 54647 02079 2  
0 54647 02080 8  
0 54647 02082 2

## PIPE JOINT COMPOUNDS AND PTFE TAPE/PACKING

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <p><b>PTFE TAPE - LOW DENSITY - CHINA</b> Made from virgin PTFE. Thickness is .0035 ± .0005 and density of .37 g/cm<sup>3</sup>. Provides a tight seal for any threaded joint and permits easy disassembly; withstands -450° F (-268°C) to +500° F (260°C). Comes in individual plastic dispenser. For use on oxygen systems. Non-toxic and non-flammable. Meets Federal Specification MIL-T-27730A. Made in China.</p> <p>* On Core Packed In Bag ** 5 Rolls In Bag • Packed In Display Bucket</p>	*02086	1/2" X 40"	50	3	0 54647 02086 0
	02088	1/2" X 100"	100	3	0 54647 02088 4
	02090	1/2" X 260"	100	3	0 54647 02090 7
	02090-10	1/2" X 260"	10	1	0 54647 02090 7
	*02090BK	1/2" X 260"	100	3	0 54647 02090 7
	**02091	1/2" X 260"	12	2	0 54647 02091 4
	*02093	1/2" X 300"	50	4	0 54647 02093 8
	02095	1/2" X 520"	100	4	0 54647 02095 2
	02095-10	1/2" X 520"	10	1	0 54647 02095 2
	*02095BK	1/2" X 520"	100	4	0 54647 02095 2
	02100	1/2" X 1296"	50	7	0 4647 02100 3
	02103	3/4" X 260"	70	5	0 54647 02103 4
	02105	3/4" X 520"	70	6	0 54647 02105 8
	*02105BK	3/4" X 520"	70	6	0 54647 02105 8
	02108	3/4" X 1296"	70	7	0 54647 02108 9
	02109	1" X 260"	50	4	0 54647 02109 6
	02110	1" X 520"	50	4	0 54647 02110 2
	02115	1" X 1296"	25	2	0 54647 02115 7
 <p><b>PTFE TAPE - HIGH DENSITY - CHINA</b> A heavy duty industrial PTFE tape that should be used on the highest quality jobs. More PTFE per square inch than regular PTFE tape. Thickness is .0035 ± .0005 and density of .7 g/cm<sup>3</sup>. Provides a tight seal for any threaded joint and permits easy disassembly; withstands -450° F (-268°C) to +500° F (260°C). Comes in individual plastic dispenser. For use on oxygen systems. Non-toxic and non-flammable. Meets Federal Specification MIL-T-27730A. Made in China.</p>	02120	1/2" X 260"	24	1	0 54647 02120 1
	02125	1/2" X 520"	24	1	0 54647 02125 6
	02125-10	1/2" X 520"	10	1	0 54647 02125 6
	02130	3/4" X 520"	12	1	0 54647 02130 0
	02135	1" X 520"	12	1	0 54647 02135 5
 <p><b>PTFE TAPE - YELLOW - GAS LINE - CHINA</b> A heavy duty, high density PTFE tape especially recommended for gas lines. Can be used on lines carrying natural gas, propane, water, oil, etc. Thickness is .0035 ± .0005 and density of 1.2 g/cm<sup>3</sup>, pressure rating of 10,000 PSI and withstands temperature from -450° F (-268°C) to +500° F (260°C). Can be used on oxygen systems. Meets Federal Specification MIL-T-27730A. UL listed. Made in China.</p> <p>* On Core Packed In Bag</p>	*02139	1/2" X 40"	12	1	0 54647 02139 3
	02140	1/2" X 260"	12	1	0 54647 02140 9
	02142	3/4" X 520"	12	1	0 54647 02142 3
 <p><b>PTFE TAPE - PINK - WATER LINE - CHINA</b> A high density PTFE tape, 0.7 g/cm<sup>3</sup> density and thickness of .0035 ± .0005. Meets Federal Specification MIL-T-7730A. Temperature range from -450° F (-268°C) to +500° F (260°C). Made in China.</p>	02145	1/2" X 260"	12	1	0 54647 02145 4
	02146	1/2" X 520"	12	1	0 54647 02146 1
	02148	3/4" X 520"	12	1	0 54647 02148 5
 <p><b>PTFE TAPE - GRAY - STAINLESS STEEL - CHINA</b> A high density PTFE tape, 0.7 g/cm<sup>3</sup> density and thickness of .0035 ± .0005. Meets Federal Specification MIL-T-7730A. Temperature range from -450° F (-268°C) to +500° F (260°C). Made in China.</p>	02152	1/2" X 520"	12	1	0 54647 02152 2
	02154	3/4" X 520"	12	1	0 54647 02154 6
 <p><b>PTFE TAPE - GREEN - OXYGEN LINE - U.S.A.</b> A high density PTFE tape, 0.7 g/cm<sup>3</sup> density and thickness of .0035 ± .0005. Meets Federal Specification MIL-T-27730A. Temperature range from -450° F (-268°C) to +500° F (260°C). Made in U.S.A.</p>	02162	1/2" X 520"	12	1	0 54647 02162 1
	02164	3/4" X 520"	12	1	0 54647 02164 5
 <p><b>PTFE TAPE - GRAY GHOST - CHINA</b> A high density PTFE tape, 0.7 g/cm<sup>3</sup> density and thickness of .0035 ± .0005. Meets Federal Specification MIL-T-7730A. Temperature range from -450° F (-268°C) to +500° F (260°C). Made in China.</p> <p>*Packed In Display Box ** Packed in Gravity Feed Display</p>	*02180	1/2" X 1000"	63	4	0 54647 02180 5
	NEW ** 02180GFD	1/2" X 1000"	60	4	0 54647 02180 5
	*02185	3/4" X 1000"	45	4	0 54647 02185 0
	*02190	1" X 1000"	36	4	0 54647 02190 4
 <p><b>PTFE TAPE - LOW DENSITY - U.S.A.</b> Made from virgin PTFE. Thickness is .0035 ± .0005 and density of .37 g/cm<sup>3</sup>. Provides a tight seal for any threaded joint and permits easy disassembly; withstands temperature from -450° F (-268°C) to +500° F (260°C). For use on oxygen systems. Meets Federal Specification MIL-T-27730A. Made in U.S.A.</p>	02220	1/2" X 260"	24	1	0 54647 02220 8
	02225	1/2" X 520"	24	1	0 54647 02225 3
	02230	3/4" X 520"	24	1	0 54647 02230 7
	02235	1" X 520"	24	2	0 54647 02235 2

# CATEGORY

# 2

CONTINUED

## PIPE JOINT COMPOUNDS AND PTFE TAPE/PACKING

### PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

#### TUFFY STRING

Round strands of PTFE for packing valves and stems. Has temperature range of -400° F (-240°C) to +600° F. (+315°C).

02265

3/32" X 24"

6

1

0 54647 02265 9

02275

3/32" X 120"

6

1

0 54647 02275 8

02285

5/32" X 24"

6

1

0 54647 02285 7

02295

5/32" X 120"

6

2

0 54647 02295 6

#### GRAPHITE PACKING

A braided yarn packing that is impregnated with graphite. Can be used for sealing of valves, pumps, faucets, showerheads, sink traps, laundry and garden hoses, etc. Can be used with hot water, steam, oils, heat exchange liquids, acids, alkalis, ammonia gas, hydrogen gas, organic solvents, hydrocarbons, etc. Working temperature range from -328°F (-200°C) to 850°F (+454°C). Maximum working pressure: 50 Mpa.

02320

3/32" X 24"

12

1

0 54647 02320 5

#### PIPE STICK

Pipe joint compound in stick form. For sealing metal or plastic pipelines carrying water, steam, butane, propane, natural gas, oil, gasoline and more. Compounded to prevent rust and corrosion and to allow easier disassembly. Withstands pressures up to 10,000 PSI and temperature up to 750° F (399°C).

\* Packed In Display Box

02350\*  
02350-144

1.3 oz.  
1.3 oz.

12  
144

1  
14

0 54647 02350 2  
0 54647 02350 2

# CATEGORY

# 3

## SOLDERS, FLUXES AND CLEANING COMPOUNDS

### PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

#### 95/5 SOLDER-N-FLUX

95/5 tin-antimony solder combination. Used where vibration or expansion or contraction may be encountered. Contains no lead.

RECOMMENDED FOR USE ON POTABLE WATER LINES.

03018  
03020

1/2 lb.  
1 lb.

12  
12

7  
13

0 5464703018 0  
0 54647 03020 3

#### SOLU-FLUX

A 100% SOLUBLE FLUX TO BE USED WITH MOST PLUMBING SOLDERS - ESPECIALLY LEAD-FREE SOLDERS. Has working temperature of 250° F to 520° F. Safe to use on potable water systems. Can be used on copper, brass, galvanized, tin, zinc and other commonly soldered metals. Not for use on aluminum. Conforms to ASTM B813/93. This easy-to-use product is self-cleaning, non-fuming and non-corrosive. SOLU-FLUX has excellent wetting characteristics which provides for better solder flow and better joints. Will not liquefy in container and will not harden or dry out.

03023  
03024  
03026  
03027

2 oz.  
4 oz.  
8 oz.  
1 lb.

12  
12  
12  
12

2  
4  
8  
15

0 54647 03023 4  
0 54647 03024 1  
0 54647 03026 5  
0 54647 03027 2

#### TUF-FLUX

A quick, active soldering paste which does not freeze or decompose and from which there is no odor. For use on all metals except aluminum. Cleans as it fluxes to assure complete bonding of solder and metal. Meets Federal Specification O-F-506.

• Brush In Cap

03029  
03030  
• 03032  
03035

2 oz.  
4 oz.  
1/2 pt.  
1 lb.

24  
12  
6  
12

4  
4  
4  
15

0 54647 03029 6  
0 54647 03030 2  
0 54647 03032 6  
0 54647 03035 7



## SOLDERS, FLUXES AND CLEANING COMPOUNDS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**SUPER-FLUX**

A self-cleaning water soluble flux. Works extremely well at high temperatures which is important when working with no-lead solders. The most unique flux on the market today.

03036

4 oz.

12

4

0 54647 03036 4

**LIQUID FLUX**

A self-cleaning liquid flux for use with soft solders. Can be used on most metals except aluminum and some stainless steels. Makes joints quickly and easily.

03040

4 fl. oz.

24

12

0 54647 03040 1

**TIN-O-FLUX**

A quick, active soldering paste which does not freeze or decompose and from which there is no odor. For use on all metals except aluminum. Cleans as it fluxes to assure complete bonding of solder and metal. Contains a special blend of metal powders to pre-tin the copper tubing. Does not contain lead. Meets Federal Specifications O-F-506.

03041

2 oz.

24

4

0 54647 03041 8

03042

4 oz.

12

4

0 54647 03042 5

**DIRTY BIRDY HAND CLEANER**

Cleans dirt, grease and grime instantly and leaves hands soft, smooth and clean. Can be used with or without water. Fortified with lanolin.

03045

1 lb.

12

15

0 54647 03045 6

**DIRTY BIRDY WIPES**

A strong abrasive towel impregnated with hand cleaner. Formulated to remove adhesives, sealants, spray paints, enamels, latex paint, grease, tar, ink and much more. Can be used to clean hands, tools, equipment, desk tops, etc. 72 wipes per container.

03055  
•03055-3010" X 12"  
10" X 12"6  
3011  
550 54647 03055 5  
0 54647 03055 5

- Floor Display

**RAIN-LOTION HAND CLEANER**

A specially formulated hand cleaner in lotion form. Packaged in a squeeze tube for easy storage and easy application. Leaves hands feeling great and has the fresh scent of a summer "Rain". Can be used with or without water.

•03057

22 fl.oz.

12

20

0 54647 03057 9

- Squeeze Tube

**RAIN-LOTION HAND CLEANER WITH PUMICE**

A specially formulated hand cleaner in lotion form. Contains pumice for extra cleaning strength. Ideal for cleaning plastic pipe cement from hands. Leaves hands feeling great and has the fresh scent of a summer "Rain".

•03063  
•030652 oz.  
16 oz.24  
125  
140 54647 03063 0  
0 54647 03065 4

- Flip-Top Lid

**CITRA TWISTER**

A natural, powerful, all-purpose cleaner. Ideal for kitchen, bathroom and tough household jobs. Contains D-limonene. Non-toxic, non-poisonous and biodegradable.

•03070  
03075  
0308022 fl. oz.  
5 gal.  
55 gal.12  
1  
118  
40  
4440 54647 03070 8  
0 54647 03075 3  
0 54647 03080 7

- Sprayer



# SOLDERS, FLUXES AND CLEANING COMPOUNDS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

### BOWL & PORCELAIN CLEANER

Concentrate used to clean toilet bowls, urinals, bathtubs, sinks, ceramic tiles and other enameled and plated surfaces.

03105

qt.

12

29

0 54647 03105 7

### ALL PURPOSE ABSORBENT

Absorbs oils, water, grease and many other liquids. Makes slippery floors safe to walk on and lessens chance of fall.

03130

50 lb.

1

50

0 54647 03130 9

### RUST-A-WAY

A commercial strength rust remover and water softener. Specially formulated to remove iron, rust and other contaminants from most materials and surfaces. Ideal for use on tubs, sinks, water heaters, piping, tile, tools, chrome, steel and even white clothes.

03160

18 oz.

12

18

0 54647 03160 6

### POTASSIUM PERMANGANATE

An iron filter regenerator. Potassium Permanganate is a very strong oxidizing agent. It converts dissolved iron and/or manganese to insoluble oxides which can be easily removed by filtration.

03180

3 lb.

4

14

0 54647 03180 4

### POWER LOTION

A superior skin lotion specifically designed with the "working man" in mind. For treatment of dry, sore, red, inflamed, irritated, chapped or chafed hands and skin. Power Lotion is fragrance-free, lanolin-free, non-greasy, hypoallergenic and safe for all skin types. Does not clog pores.

+ Packed in Counter Display

• Flip-Top Lid

•03200  
+•03210

2 oz.  
8 oz.

24  
12

4  
8

0 54647 03200 9  
0 54647 03210 8

### JEFFY'S BOWL CLEANSE

A very strong hydrochloric acid product that cleans toilet bowls, urinals, tile and copper. Cleans the most difficult stains and leaves the surface sparkling clean. With a name like Jeffy, you can't go wrong!

03220

qt.

12

29

0 54647 03220 7

### CHROME & TILE CLEANER

A phosphoric acid based cleaner that removes rust, lime and scale from chrome, tile, copper, brass, stainless steel, fiberglass, porcelain, glass, aluminum and plastic. Ideal for cleaning toilet bowls, shower heads, shower doors, porcelain sinks, tubs and much more. An outstanding product.

03240

qt.

12

29

0 54647 03240 5

### GARBAGE DISPOSAL CLEANER

A powdered product that can be easily sprinkled into any garbage disposal unit. Very effective in cleaning and deodorizing. Leaves garbage disposals smelling fresh and clean.

03260

12 oz.

12

12

0 54647 03260 3

### URINAL GUARD

Gives an extra punch to urinal cleaning and deposit removal. It effectively removes deposits of carbonates, sulfates, phosphates, oxides, urinary salts and other mineral deposits. It contains metal corrosion inhibitors and a strong anti-foam suppressant. **Urinal Guard** decimates the accumulation of uric acid and prevents it from reforming. **Urinal Guard** will help the urinal to flow freely.

03270

qt.

12

34

0 54647 03270 2

# CATEGORY

# 3

CONTINUED

## SOLDERS, FLUXES AND CLEANING COMPOUNDS

### PRODUCT



	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>LEAD FREE SOLDER</b> 97% tin and 3% copper alloy. Melt point range of 420°F to 460°F. High quality solder for plumbing and potable water lines. Meets ASTM Standard B-32.	03305	1/2 lb.	6	4	0 54647 03305 1
	03310	1 lb.	6	7	0 54647 03310 5
<b>LEAD FREE ROSIN ELECTRICAL SOLDER</b> 95% tin and 5% antimony alloy. Melt point range of 450°F to 464°F. General purpose solder for electrical work. Rosin flux is in the core of the solder.	03350	1 lb.	6	7	0 54647 03350 1
<b>LEAD FREE ACID CORE SOLDER</b> 95% tin and 5% antimony alloy. Melt point range of 450°F to 464°F. General purpose solder for sheet metal, radiator repair and galvanized gutters. Acid flux is in the core of the solder.	03390	1 lb.	6	7	0 54647 03390 7
<b>50/50 SOLDER</b> 50% tin and 50% lead alloy. Melting point ranges in 361°F to 421°F. Use for tin plating, sheet metal repair and copper DWV systems. Contains lead. Not for use on drinking water lines.	03405	1/2 lb.	6	4	0 54647 03405 8
	03410	1 lb.	6	7	0 54647 03410 2
<b>95/5 SOLDER</b> 95/5% tin and 5% antimony alloy. Melt point range between 450°F and 464°F. Use for potable water applications, refrigeration lines and cooling equipment. Ideal for lines that experience extreme vibration or wide temperature changes.	03440	1 lb.	6	7	0 54647 03440 9
<b>SOLDER BAR - WIPING (40 Tin/60 Lead)</b> 40% tin and 60% lead alloy. Melt point range is 361°F to 460°F. A good general purpose dipping solder. For use on sheet metal and radio and TV applications.	03480	1 lb.	4	5	0 54647 03480 5

# CATEGORY

# 4

## WAX GASKETS, COLD SOLDERS AND LUBRICANTS


### PRODUCT



	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>IRON PASTE</b> A multi-purpose compound in paste form that is used to caulk soil pipe drains. Seals and repairs leaks in water pipes, gas lines, steam or hot water radiators. Fast setting cement. 1/2 pint can equals 10 lbs. of caulking lead.	04030	1/2 pt.	24	24	0 54647 04030 1
	04031	pt.	12	22	0 54647 04031 8
	04032	qt.	12	45	0 54647 04032 5
<b>LIQUID ROOF COATING</b> An asphalt base liquid coating that can be applied by trowel or brush. Makes tin, corrugated iron, felt, gravel and composition roofs water tight.	04035	qt.	12	30	0 54647 04035 6
	04036	gal.	6	55	0 54647 04036 3
	04037	5 gal.	1	42	0 54647 04037 0
<b>ROOF-PROOF</b> Fiber roof cement. For wet or dry surfaces. Ideal for sealing flashings, vents, laps, etc. This product should be applied with a trowel. Roof-Proof conforms to Federal Specification SSC-1-53.	04039	11 fl. oz.	12	10	0 54647 04039 4
	04040	qt.	12	39	0 54647 04040 0
	04045	gal.	6	68	0 54647 04045 5
	04050	5 gal.	1	55	0 54647 04050 9










## WAX GASKETS, COLD SOLDERS AND LUBRICANTS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
	<b>PIPE-LUBE</b> For the lubrication of slip-on or "O" ring type joints with rubber or synthetic rubber type gaskets. NSF Certified. * Aerosol Spray ** Squeeze Tube	*04052 16 oz. **04053 22 fl. oz. 04054 pt. 04055 qt. 04060 gal. 04065 3-1/2 gal. 04070 5 gal. 04072 55 gal.	12 12 12 12 4 1 1 1	17 20 14 28 35 30 43 473	0 54647 04052 3 0 54647 04053 0 0 54647 04054 7 0 54647 04055 4 0 54647 04060 8 0 54647 04065 3 0 54647 04070 7 0 54647 04072 1
	<b>ADHESIVE—LUBE</b> A one component Neoprene* Adhesive Lubricant formulated to improve installation and sealing of compression type gaskets for cast iron soil pipe joints. (*DuPont Reg. Trade Mark) • With Jumbo Dauber in Cap	04080 qt. • 04081 qt.	12 12	27 27	0 54647 04080 6 0 54647 04081 3
	<b>NO-HUB SEALANT</b> A sealant specifically designed as a coating for cast iron pipe to improve leak-free sealing of no-hub couplings. This high performance polymer resin compound is plastic and resists vibration and temperature change. Ideal for lines that need to be air tested. Conforms to MIL-S-45180D •• With Jumbo Dauber in Cap	••04085 qt.	12	27	0 54647 04085 1
	<b>PLASTIC - GASKET SEALANT</b> A sealant specifically designed as a coating to improve leak-free sealing between all kinds of rubber gaskets and all kinds of plastic pipe. This high performance polymer resin compound is plastic and resists vibrations and temperature change. Ideal for lines that need to be air tested. Conforms to MIL-S-45180D. •• With Jumbo Dauber In Cap	••04090 qt.	12	27	0 54647 04090 5
	<b>PLUMBERS GREASE</b> Makes hard turning faucets work smoothly. Lubricates stems of faucets, valves, ball cocks, etc. Waterproof. Will not melt like ordinary grease. For hot water or steam. Temperature range use from -20°F to +350°F. *Hang-Tab Tubes In Display Tray	04095 1 oz. *04096 1 fl. oz. tube 04100 2 oz.	24 12 24	2 1 4	0 54647 04095 0 0 54647 04096 7 0 54647 04100 1
	<b>SILICONE GREASE</b> A 90% pure silicone product that contains no petroleum additives and offers heat resistance up to 450° F. Non-staining. Apply to rubber and synthetic O-rings. * Plastic Bag With Header ** Hang-Tab Tubes In Display Tray	*04114 1/2 oz. 04115 1/2 oz. 04120 1 oz. **04125 1 fl. oz. tube 04126 2 oz. 04130 5 gal.	12 12 12 12 12 1	1 1 2 1 2 45	0 54647 04114 8 0 54647 04115 5 0 54647 04120 9 0 54647 04125 4 0 54647 04126 1 0 54647 04130 8
	<b>SOIL—O</b> Soil pipe cement. Lead substitute in powder form. For caulking soil pipe joints. An economical substitute for lead. Easily mixed with water.	04150 1 lb. 04155 2 lb. 04160 5 lb.	12 12 6	13 26 32	0 54647 04150 6 0 54647 04155 1 0 54647 04160 5
	<b>ANCHORING &amp; PATCHING CEMENT</b> A superior, quick drying, high strength hydraulic cement used for anchoring and patching. Can be used in a wet environment. Sets in 3 to 5 minutes.	04165 3 lb. 04167 10 lb. 04168 20 lb. 04170 50 lb.	6 4 1 1	20 43 21 52	0 54647 04165 0 0 54647 04167 4 0 54647 04168 1 0 54647 04170 4
	<b>TILE GROUT</b> A tile grout in powdered form. A special blend of Portland cements, fortifiers and graded fillers. Suitable for all grouting applications in the areas of floor and wall tile, shower stalls, towel racks, soap dishes, sink tops and mosaic tile applications. One pound will cover 12 to 16 square feet.	04180 2 lb. 04185 10 lb.	12 4	28 43	0 564647 04180 3 0 54647 04185 8

## WAX GASKETS, COLD SOLDERS AND LUBRICANTS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <b>LIQUID PIPE COATING</b> An asphalt based liquid coating that can be used to coat valves, fittings, flanges, bolts and cast iron pipe going underground. Provides superior waterproof protection.	04190	5 gal.	1	42	0 54647 04190 2
 <b>PIPE WRAP PRIMER</b> A quick drying, rubber base primer. Used on underground gas pipe to fill voids and help the pipe wrap tape adhere better to the pipe. •• Jumbo Dauber In Cap	•• 04220 •• 04230	pt. qt.	12 12	15 25	0 54647 04220 6 0 54647 04230 5
 <b>GASKET AIDE</b> An amber liquid gasket coating that can provide leak-free, chemically resistant, and pressure enhanced sealing when used with paper, felt, cork, fiber, treated, synthetic, composite, metal or rubber gaskets. It is an efficient drying sealant that cures into a high performance elastomeric polymer membrane (by solvent evaporation) and adheres to both coupling and gasket. Conforms to MIL-S-451800. •Dauber In Cap *Small Dauber In Cap	*04240 *04242	1/4 pt. 1/4 pt.	24 24	10 10	0 54647 04240 4 0 54647 04242 8
 <b>SWAN WAX</b> Wax gasket for setting closet bowls. Meets Federal Specification TT-P-1536A.	04300 04300-12	----- -----	48 12	25 6	0 54647 04300 5 0 54647 04300 5
 <b>SWAN WAX WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b> Brass Bolts With Plastic Stand-Up Washers (12166) Brass Bolts With Double Nuts & Double Washers (12167) Brass Plated Bolts With Plastic Stand-Up Washers (12226) Brass Plated Bolts With Double Nuts & Double Washers (12227)	04305 04306 04310 04311	----- ----- ----- -----	48 48 48 48	30 30 30 30	0 54647 04305 0 0 54647 04306 7 0 54647 04310 4 0 54647 04311 1
 <b>SWAN WAX WITH URETHANE</b> Wax gasket reinforced with urethane foam. Twenty times stronger than regular wax gaskets. Guaranteed 10 years. Meets Federal Specification TT-P-1536A.	04330	-----	48	25	0 54647 04330 2
 <b>SWAN WAX WITH URETHANE WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b> Brass Bolts With Plastic Stand-Up Washers (12166) Brass Bolts With Double Nuts & Double Washers (12167) Brass Plated Bolts With Plastic Stand-Up Washers (12226) Brass Plated Bolts With Double Nuts & Double Washers (12227)	04335 04336 04340 04341	----- ----- ----- -----	48 48 48 48	30 30 30 30	0 54647 04335 7 0 54647 04336 4 0 54647 04340 1 0 54647 04341 8
 <b>JUMBO SWAN WAX</b> 40% more wax than regular ring. Saves labor time on installations and makes for a more positive seal. Meets Federal Specification TT-P-1536A.	04360	-----	48	33	0 54647 04360 9
 <b>JUMBO SWAN WAX WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b> Brass Bolts With Plastic Stand-Up Washers (12166) Brass Bolts With Double Nuts & Double Washers (12167) Brass Plated Bolts With Plastic Stand-Up Washers (12226) Brass Plated Bolts With Double Nuts & Double Washers (12227)	04365 04366 04370 04371	----- ----- ----- -----	48 48 48 48	38 38 38 38	0 54647 04365 4 0 54647 04366 1 0 54647 04370 8 0 54647 04371 5



## WAX GASKETS, COLD SOLDERS AND LUBRICANTS

## PRODUCT

PRODUCT	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <b>JUMBO SWAN WAX WITH URETHANE</b> 40% more wax than regular ring. Wax gasket reinforced with urethane foam. Twenty times stronger than regular wax gaskets. Guaranteed 10 years. Meets Federal Specification TT-P-1536A.	04390	-----	48	33	0 54647 04390 6
 <b>JUMBO SWAN WAX WITH URETHANE WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b>					
Brass Bolts With Plastic Stand-Up Washers (12166)	04395	-----	48	38	0 54647 04395 1
Brass Bolts With Double Nuts & Double Washers (12167)	04396	-----	48	38	0 54647 04396 8
Brass Plated Bolts With Plastic Stand-Up Washers (12226)	04400	-----	48	38	0 54647 04400 2
Brass Plated Bolts With Double Nuts & Double Washers (12227)	04401	-----	48	38	0 54647 04401 9
 <b>FLANGE &amp; GASKET</b> Wax gasket with plastic flange for setting closet bowls. Fits 3" and 4" waste lines. Meets Federal Specification TT-P-1536A.  **12 Pack Display	04420 **04420-12 04420-6	----- ----- -----	24 12 6	13 7 4	0 54647 04420 0 0 54647 04420 0 0 54647 04420 0
 <b>FLANGE &amp; GASKET WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b>					
Brass Bolts With Plastic Stand-Up Washers (12166)	04425	-----	24	18	0 54647 04425 5
Brass Bolts With Double Nuts & Double Washers (12167)	04426	-----	24	18	0 54647 04426 2
Brass Plated Bolts With Plastic Stand-Up Washers (12226)	04430	-----	24	18	0 54647 04430 9
Brass Plated Bolts With Double Nuts & Double Washers (12227)	04431	-----	24	18	0 54647 04431 6
 <b>FLANGE &amp; GASKET WITH URETHANE</b> Wax gasket with plastic flange and reinforced with urethane foam. Twenty times stronger than regular wax gaskets. Guaranteed for ten years. Fits 3" and 4" waste lines. Meets Federal Specifications TT-P-1536A.	04450	-----	24	13	0 54647 04450 7
 <b>FLANGE &amp; GASKET WITH URETHANE WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b>					
Brass Bolts With Plastic Stand-Up Washers (12166)	04455	-----	24	18	0 54647 04455 2
Brass Bolts With Double Nuts & Double Washers (12167)	04456	-----	24	18	0 54647 04456 9
Brass Plated Bolts With Plastic Stand-Up Washers (12226)	04460	-----	24	18	0 54647 04460 6
Brass Plated Bolts With Double Nuts & Double Washers (12227)	04461	-----	24	18	0 54647 04461 3
 <b>JUMBO FLANGE &amp; GASKET</b> 40% more wax than regular wax gaskets with plastic flange. Saves labor time on installations and makes for a more positive seal. Fits 3" and 4" waste lines. Meets Federal Specification TT-P-1536A.	04480	-----	24	17	0 54647 04480 4
 <b>JUMBO FLANGE &amp; GASKET WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b>					
Brass Bolts With Plastic Stand-Up Washers (12166)	04485	-----	24	22	0 54647 04485 9
Brass Bolts With Double Nuts & Double Washers (12167)	04486	-----	24	22	0 54647 04486 6
Brass Plated Bolts With Plastic Stand-Up Washers (12226)	04490	-----	24	22	0 54647 04490 3
Brass Plated Bolts With Double Nuts & Double Washers (12227)	04491	-----	24	22	0 54647 04491 0
 <b>JUMBO FLANGE &amp; GASKET WITH URETHANE</b> 40% more wax than regular wax gaskets with plastic flange. Reinforced with urethane. Twenty times stronger than regular wax gaskets. Guaranteed for ten years. Fits 3" and 4" waste lines. Meets Federal Specification TT-P-1536A.	04510	-----	24	17	0 54647 04510 8

## NOTE:

Plastic Blister Package Available For All Wax Rings With Flange For An Additional \$.06 Charge. Add a "BL" To The Stock Number.



## WAX GASKETS, COLD SOLDERS AND LUBRICANTS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**JUMBO FLANGE & GASKET WITH URETHANE  
WITH 1/4" X 2-1/4" CLOSET BOLT KIT**

Brass Bolts With Plastic Stand-Up Washers (12166)  
 Brass Bolts With Double Nuts & Double Washers (12167)  
 Brass Plated Bolts With Plastic Stand-Up Washers (12226)  
 Brass Plated Bolts With Double Nuts & Double Washers (12227)

04515  
 04516  
 04520  
 04521

-----  
 -----  
 -----  
 -----

24  
 24  
 24  
 24

22  
 22  
 22  
 22

0 54647 04515 3  
 0 54647 04516 0  
 0 54647 04520 7  
 0 54647 04521 4

**JUMBO FLANGE & GASKET WITH URETHANE  
WITH 1/4" X 3-1/2" CLOSET BOLT KIT**

For the very difficult installations - where extra wax is needed,  
 a stronger wax is needed and longer bolts are needed. A great  
 choice where the floor is uneven. Meets Federal Specifications  
 TT-P-1536A.

\*04530  
 \*\*04531

-----  
 -----

24  
 24

22  
 22

0 54647 04530 6  
 0 54647 04531 3

\*Brass Bolts With Plastic Stand-Up Washers (12171)  
 \*\*Brass Bolts With Double Nuts & Double Washers (12172)

**FLANGE & GASKET - 4"**

Wax gasket with plastic flange for setting closet bowls.  
 Fits 4" waste lines only. Meets Federal Specification  
 TT-P-1536A.

04540

-----

24

13

0 54647 04540 5

**FLANGE & GASKET - 4"****WITH 1/4" X 2-1/4" CLOSET BOLT KIT**

Brass Bolts With Plastic Stand-Up Washers (12166)  
 Brass Bolts With Double Nuts & Double Washers (12167)  
 Brass Plated Bolts With Plastic Stand-Up Washers (12226)  
 Brass Plated Bolts With Double Nuts & Double Washers (12227)

04545  
 04546  
 04550  
 04551

-----  
 -----  
 -----  
 -----

24  
 24  
 24  
 24

18  
 18  
 18  
 18

0 54647 04545 0  
 0 54647 04546 7  
 0 54647 04550 4  
 0 54647 04551 1

**FLANGE & GASKET WITH URETHANE - 4"**

Wax gasket with plastic flange and reinforced with urethane  
 foam. Twenty times stronger than regular wax gaskets.  
 Guaranteed for 10 years. Fits 4" waste lines only. Meets  
 Federal Specification TT-P-1536A.

04570

-----

24

13

0 54647 04570 2

**FLANGE & GASKET WITH URETHANE - 4"****WITH 1/4" X 2-1/4" CLOSET BOLT KIT**

Brass Bolts With Plastic Stand-Up Washers (12166)  
 Brass Bolts With Double Nuts & Double Washers (12167)  
 Brass Plated Bolts With Plastic Stand-Up Washers (12226)  
 Brass Plated Bolts With Double Nuts & Double Washers (12227)

04575  
 04576  
 04580  
 04581

-----  
 -----  
 -----  
 -----

24  
 24  
 24  
 24

18  
 18  
 18  
 18

0 54647 04575 7  
 0 54647 04576 4  
 0 54647 04580 1  
 0 54647 04581 8

**JUMBO FLANGE & GASKET - 4"**

40% more wax than regular wax gasket with plastic flange.  
 Saves labor time on installations and makes for a more  
 positive seal. Fits 4" waste lines only. Meets Federal  
 Specification TT-P-1536A.

04600

-----

24

17

0 54647 04600 6

**JUMBO FLANGE & GASKET - 4"****WITH 1/4" X 2-1/4" CLOSET BOLT KIT**

Brass Bolts With Plastic Stand-Up Washers (12166)  
 Brass Bolts With Double Nuts & Double Washers (12167)  
 Brass Plated Bolts With Plastic Stand-Up Washers (12226)  
 Brass Plated Bolts With Double Nuts & Double Washers (12227)

04605  
 04606  
 04610  
 04611

-----  
 -----  
 -----  
 -----

24  
 24  
 24  
 24

22  
 22  
 22  
 22

0 54647 04605 1  
 0 54647 04606 8  
 0 54647 04610 5  
 0 54647 04611 2

**JUMBO FLANGE & GASKET WITH URETHANE - 4"**

40% more wax than regular wax ring with plastic flange.  
 Reinforced with urethane. Twenty times stronger than  
 regular wax gaskets. Guaranteed for 10 years. Fits 4" waste  
 lines only. Meets Federal Specification TT-P-1536A.

04630

-----

24

17

0 54647 04630 3

**NOTE:**

Plastic Blister Package Available For All Wax Rings With Flange For An Additional \$.06 Charge. Add a "BL" To The Stock Number.

# CATEGORY

# 4

CONTINUED

## WAX GASKETS, COLD SOLDERS AND LUBRICANTS

### PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>JUMBO FLANGE &amp; GASKET WITH URETHANE - 4" WITH 1/4" X 2-1/4" CLOSET BOLT KIT</b>					
Brass Bolts With Plastic Stand-Up Washers (12166)	04635	-----	24	22	0 54647 04635 8
Brass Bolts With Double Nuts & Double Washers (12167)	04636	-----	24	22	0 54647 04636 5
Brass Plated Bolts With Plastic Stand-Up Washers (12226)	04640	-----	24	22	0 54647 04640 2
Brass Plated Bolts With Double Nuts & Double Washers (12227)	04641	-----	24	22	0 54647 04641 9
<b>URINAL GASKET</b> Reinforced wax ring with urethane. Fits 2" outlet. Guaranteed for 10 years	04700	-----	12	4	0 54647 04700 3
<b>FELT WAX RING</b> Felt ring impregnated with wax. For setting floor and wall toilet bowls. A much stronger seal than regular wax rings. Dimensions are 5" O.D., 3" I.D. and 1" thick.	04720	-----	12	12	0 54647 04720 1
<b>URINAL FELT WAX RING</b> Felt ring impregnated with wax. For setting urinals. A much stronger seal than regular urinal ring. Dimensions are 3-3/4" O.D., 2" I.D. and 3/4" thick.	04730	-----	12	12	0 54647 04730 0

#### NOTE:

Plastic Blister Package Available For All Wax Rings With Flange For An Additional \$.06 Charge. Add a "BL" To The Stock Number.

# CATEGORY

# 5

## OILS AND LEAK DETECTORS

### PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>DARK CUTTING OIL</b> Contains a high grade mineral oil and a proper balance of lard oil, sulphur, chlorine and a wetting agent. Recommended for high speed machines.	05002 05005 05010 05015 05020	pt. qt. gal. 5 gal. 55 gal.	12 12 6 1 1	14 23 45 48 440	0 54647 05002 7 0 54647 05005 8 0 54647 05010 2 0 54647 05015 7 0 54647 05020 1
<b>LIGHT CUTTING OIL</b> Contains sulphur and a heavy chlorine base. Recommended for hand-threading applications.	05025 05030 05035 05040 05045	pt. qt. gal. 5 gal. 55 gal.	12 12 6 1 1	14 23 45 48 440	0 54647 05025 6 0 5647 05030 0 0 54647 05035 5 0 54647 05040 9 0 54647 05045 4
<b>AEROSOL THREAD CUTTING OIL</b> Used on soft and hard metals. Will prolong life of die.	05050	16 oz.	12	15	0 54647 05050 8
<b>"LITTLE SQUIRT" PENETRATING OIL</b> This product penetrates and lubricates at the same time. Will dissolve rust and prevent rust. It will make disassembling of frozen parts easy.	05055 05057	1/2 pt. qt.	24 12	14 14	0 54647 05055 3 0 54647 05057 7
<b>PENETRATING &amp; CLEANING OIL</b> Comes in aerosol container. Used to release rusted and frozen metal parts. By spraying this oil in the needed areas, it will penetrate much further than if it were applied by normal means. The pressure of this container forces oil and solvent into the rusty areas.	05060	16 oz.	12	7	0 54647 05060 7

# CATEGORY

# 5

CONTINUED

## OILS AND LEAK DETECTORS

### PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>RPO</b> Arust preventative oil. Preserves, protects, and lengthens life of sewer cables and augers. Contains rust inhibitors.	05080 05085	qt. gal.	12 4	23 30	0 54647 05080 5 0 54647 05085 0
<b>ALL PURPOSE LUBRICATING OIL</b> All purpose oil for use on motors, bearings and wherever metal lubrication is desired. Contains rust and corrosion preservatives. Not for use on internal combustion engines or extreme heat producing operations. • Contains Telescopic Nozzle	•05095	4 fl. oz.	24	7	0 54647 05095 9
<b>LEAK DETECTOR</b> All purpose gas leak detector. Works on tubing, valves, cylinders, pressurized tanks, etc. May be used at temperatures between -10°F and +160°F. Non-toxic, biodegradable and non-corrosive. • Dauber In Cap    •• Sprayer	05140 05145 • 05150 •• 05160 05170	3 ml. 1 fl. oz. 1/2 pt. 22 fl. oz. gal.	50 24 6 12 6	2 3 4 20 48	0 54647 05140 6 0 54647 05145 1 0 54647 05150 5 0 54647 05160 4 0 54647 05170 3
<b>LEAK TRACER</b> A powdered dye, when added to water the result is an intensely fluorescent liquid. Ideal for tracing underground streams and water leaks	05190	3 oz.	12	5	0 54647 05190 1
<b>TOILET TANK LEAK DETECTOR</b> A small blue dye tablet used to detect leaks in a toilet tank. This product comes packed 200 per bottle. Drop tablet in toilet tank and if water in toilet bowl turns blue, a leak is present and repairs are needed. Works quickly, showing results within minutes. Contains FDA certified non-toxic dyes.	05210	-----	4	5	0 54647 05210 6

# CATEGORY

# 6







## BOILER AND HEATING SYSTEM COMPOUNDS

### PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>LIQUID BOILER STOP-LEAK</b> This excellent product is harmless to metals. Makes lasting repairs on steam or hot water boilers. Will not clog system or controls. No shut downs. Just pour it in.	06000	qt.	12	34	0 54647 06000 2
<b>POWDERED BOILER STOP-LEAK</b> Free flowing powder. Makes lasting repairs on steam or hot water boilers. Will not clog systems or controls. No shut downs. Just pour in.	06005	1 lb.	12	15	0 54647 06005 7
<b>LIQUID BOILER CLEANER</b> Prevents clogging of automatic hot water valves, removes impurities and thus water becomes clear; removes sludge. Ideal for steam and hot water boilers. Guaranteed to stop surge within 10 minutes. Contains inhibitor. It is not necessary to drain boiler.	06010 06012 06013	qt. gal. 5 gal.	12 6 1	30 58 48	0 54647 06010 1 0 54647 06012 5 0 54647 06013 2

# BOILER AND HEATING SYSTEM COMPOUNDS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
	<b>POWDERED FORM BOILER CLEANER</b> For use on steam boilers; requires no draining. Will save fuel and stop pipe noise. This product may be added to the boiler at any time of the year. It contains an inhibitor. Removes all free foreign matter and protects the boiler and accessories from corrosion. It removes the oil and sludge from the boiler.				
	06015	1 lb.	12	13	0 54647 06015 6
	<b>FURNACE &amp; RETORT CEMENT</b> Used for setting and repairing furnaces, boilers, stoves and heaters. Fireproof and acid proof.				
	06020	1/2 pt.	12	14	0 54647 06020 0
	06022	pt.	12	32	0 54647 06022 4
	06025	qt.	6	24	0 54647 06025 5
	06026	1/2 gal.	6	44	0 54647 06026 2
	06027	gal.	4	60	0 54647 06027 9
	<b>FREEZE-GUARD</b> Non-toxic anti-freeze used to prevent freezing in heating, cooling, fresh water systems. Contains propylene glycol and corrosion inhibitors. Ready to use formula. Provides freeze protection to 0° F and burst protection to -60° F.				
	06050	gal.	6	53	0 54647 06050 7
	06055	5 gal.	1	43	0 54647 06055 2
	06060	55 gal.	1	506	0 54647 06060 6
	<b>FREEZE-GUARD AG</b> Non-toxic anti-freeze used to prevent freezing in heating, cooling, fresh water systems. Contains propylene glycol and corrosion inhibitors. Concentrated formula for Arctic Grade weather. Can be diluted for normal applications. Provides freeze protection to -60° F and burst protection to -100° F.				
	06065	gal.	6	53	0 54647 06065 1
	06070	5 gal.	1	43	0 54647 06070 5
	06075	55 gal.	1	506	0 54647 06075 0
	<b>FREEZE-GUARD AG-ALUMINUM</b> Non-toxic anti-freeze used to prevent freezing in heating, cooling, fresh water systems. Contains propylene glycol and corrosion inhibitors. Concentrated formula for Arctic Grade weather. Can be diluted for normal applications. Provides freeze protection to -60° F and burst protection to -100° F. Specially formulated to be used on systems with aluminum parts.				
	06080	5 gal.	1	43	0 54647 06080 4
	06085	55 gal.	1	506	0 54647 06085 9
	<b>FREEZE-GUARD SUB - ARCTIC</b> A 100% propylene glycol solution with corrosion inhibitors. Can be diluted with water to achieve the desired level of freeze and burst protection.				
	06090	5 gal.	1	45	0 54647 06090 3
	06095	55 gal.	1	522	0 54647 06095 8
	<b>FREEZE-GUARD INHIBITOR</b> An additive to recharge the inhibitor levels in your Freeze-Guard systems. It extends the life of the anti-freeze solution and the system itself.				
	06110	1/2 pt.	6	4	0 54647 06110 8
	<b>FREEZE-GUARD TEST STRIPS</b> Used to test inhibitor levels and freeze and burst protection in the Freeze-Guard solutions.				
	06115	-----	50 strips	1	0 54647 06115 3
	<b>FREEZE-GUARD REFRACTOMETER</b> Tool used to check freeze protection of Freeze-Guard solutions. Portable and rugged, easy to read scales and waterproof design to eliminate condensation on the optics.				
	06120	-----	1	2	0 54647 06120 7





## PLASTIC PIPE CEMENTS

## PRODUCT

**PVC CEMENT (CLEAR) — REGULAR BODIED**

Medium to fast setting cement. For PVC pipe and fittings up to 4" schedule 40 and 2" schedule 80. NSF Certified. Meets ASTM D-2564. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber In Cap    •• Jumbo Dauber In Cap  
\* Cut Case

Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
•07000	1/4 pt.	24	10	0 54647 07000 1
NEW*07000CC	1/4 pt.	24	10	0 54647 07000 1
•07005	1/2 pt.	24	16	0 54647 07005 6
••07010	pt.	12	15	0 54647 07010 0
••07015	qt.	12	27	0 54647 07015 5
07020	gal.	6	46	0 54647 07020 9
07025	55 gal.	1	450	0 54647 07025 4

**PVC CEMENT (CLEAR) — MEDIUM BODIED**

Medium setting cement. For PVC pipe and fittings up to 6" schedule 40 and 4" schedule 80. NSF Certified. Meets ASTM D-2564. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber In Cap    •• Jumbo Dauber In Cap

•07030	1/4 pt.	24	10	0 54647 07030 8
•07032	1/2 pt.	24	16	0 54647 07032 2
••07034	pt.	12	15	0 54647 07034 6
••07036	qt.	12	27	0 54647 07036 0
07038	gal.	6	46	0 54647 07038 4
07040	55 gal.	1	450	0 54647 07040 7

**PVC CEMENT (CLEAR) — HEAVY BODIED**

Slow setting cement. For PVC pipe and fittings up to 12" schedule 40 and 80 and up to 18" on non-pressure systems. NSF Certified. Meets ASTM D-2564. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber In Cap    •• Jumbo Dauber In Cap

•07048	1/4 pt.	24	10	0 54647 07048 3
•07049	1/2 pt.	24	16	0 54647 07049 0
••07050	pt.	12	15	0 54647 7050 6
••07055	qt.	12	27	0 54647 07055 1
07056	gal.	6	46	0 54647 07056 8

**PVC-FLEX CEMENT (CLEAR) - MEDIUM BODIED**

Medium setting cement. For all flexible and ridged PVC pipe and fittings up to 3". Formulated to withstand the pressure and vibrations associated with flexible piping. Also, very good to work on pool and spa piping systems. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber In Cap    •• Jumbo Dauber In Cap

•07058	1/4 pt.	24	10	0 54647 07058 2
•07059	1/2 pt.	24	16	0 54647 07059 9
••07060	pt.	12	15	0 54647 07060 5
••07061	qt.	12	27	0 54647 07061 2

**ALL WEATHER PVC CEMENT (CLEAR) - MEDIUM BODIED**

Fast setting cement. For PVC pipe and fittings up to 6" schedule 40 and up to 4" schedule 80. NSF Certified. Meets ASTM D-2564. For applications as low as -5°F and as high as 110°F. For a good bond we recommend that our Clear or Purple Primer be used. If local code permits, can be used without primer on non-pressure systems. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

•• Jumbo Dauber In Cap

••07070	pt.	12	15	0 54647 07070 4
••07075	qt.	12	27	0 54647 07075 9
07076	gal.	6	46	0 54647 07076 6

**WET-OR-DRY PVC CEMENT (BLUE) — MEDIUM BODIED**

Extremely fast setting cement for wet conditions and quick pressurization. For PVC pipe and fittings up to 6" schedule 40 and up to 4" schedule 80. NSF Certified. Meets ASTM-D-2564. For a good bond we recommend our Clear or Purple primer be used. If local code permits, can be used without primer on non-pressure systems. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber In Cap    •• Jumbo Dauber In Cap  
\* Cut case

•07078	1/4 pt.	24	10	0 54647 07078 0
NEW*07078CC	1/4 pt.	24	10	0 54647 07078 0
•07079	1/2 pt.	24	16	0 54647 07079 7
••07080	pt.	12	15	0 54647 07080 3
••07081	qt.	12	27	0 54647 07081 0
07082	gal.	6	46	0 54647 07082 7



## PLASTIC PIPE CEMENTS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**PVC CEMENT (GRAY) – MEDIUM BODIED**

Medium setting cement. For PVC pipe and fittings up to 6" schedule 40 and 4" schedule 80. NSF Certified. Meets ASTM D-2564. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

- Dauber In Cap •• Jumbo Dauber In Cap

•07084  
•07085  
••07086  
••07087  
07088

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

10  
16  
15  
27  
46

0 54647 07084 1  
0 54647 07085 8  
0 54647 07086 5  
0 54647 07087 2  
0 54647 07088 9

**PVC CEMENT (GRAY) – HEAVY BODIED**

Slow setting cement. For PVC pipe and fittings up to 12" schedule 40 and 80 and up to 18" on non-pressure systems. NSF Certified. Meets ASTM D-2564. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

- Dauber In Cap •• Jumbo Dauber In Cap

•07092  
•07093  
••07094  
••07095  
07100

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

10  
16  
15  
27  
46

0 54647 07092 6  
0 54647 07093 3  
0 54647 07094 0  
0 54647 07095 7  
0 54647 07100 8

**3 WAY CEMENT (CLEAR) – MEDIUM BODIED**

Medium to fast setting cement. For PVC, ABS and CPVC pipe and fittings up to 6" schedule 40 and up to 4" schedule 80. Meets ASTM D-2564 and F-493. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

- Dauber In Cap •• Jumbo Dauber In Cap

•07105  
NEW\*07105CC  
•07110  
••07115  
••07120  
07125

1/4 pt.  
1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
24  
12  
12  
6

10  
10  
16  
15  
27  
46

0 54647 07105 3  
0 54647 07105 3  
0 54647 07110 7  
0 54647 07115 2  
0 54647 07120 6  
0 54647 07125 1

\* Cut Case

**TRANSITION CEMENT (GREEN) - MEDIUM BODIED**

Medium setting cement. For connecting ABS to PVC pipe and fittings up to 6" at the non-pressure transition joints. For a good bond we recommend that our Clear or Purple Primer be used on the PVC side of the connection. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

- Dauber In Cap •• Jumbo Dauber In Cap

•07130  
•07132  
••07134  
••07136

1/4 pt.  
1/2 pt.  
pt.  
qt.

24  
24  
12  
12

10  
16  
15  
27

0 54647 07130 5  
0 54647 07132 9  
0 54647 07134 3  
0 54647 07136 7

**CPVC CEMENT (ORANGE) – MEDIUM BODIED**

Medium to fast setting cement. For CPVC pipe and fittings up to 6" schedule 40 and up to 4" schedule 80. For cold and hot potable water to 180°F (82°C). NSF Certified. Meets ASTM D-2846 and F-493. For a good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

- Dauber In Cap •• Jumbo Dauber In Cap

•07185  
•07190  
••07195  
••07200  
07205  
07210

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.  
55 gal.

24  
24  
12  
12  
6  
1

10  
16  
15  
27  
46  
450

0 54647 07185 5  
0 54647 07190 9  
0 54647 07195 4  
0 54647 07200 5  
0 54647 07205 0  
0 54647 07210 4

**CPVC CEMENT ONE STEP (RED) - MEDIUM BODIED**

A fast setting cement. For use on CPVC fire sprinkler piping systems through 3" diameter. For a good bond we recommend that our Clear or Purple Primer be used. If local code permits, can be used without primer. NSF Certified. Meets ASTM D-2846 and ASTM F-493. A LOW VOC formulation.

- Jumbo Dauber In Cap

••07215

pt.

12

15

0 54647 07215 9

# PLASTIC PIPE CEMENTS

## PRODUCT



**CPVC CEMENT ONE STEP (YELLOW) - MEDIUM BODIED**  
A fast setting cement. For copper tube size CPVC pipe and fittings up to 2" diameter. For cold and hot potable water to 180°F (82°C). For use on FlowGuard®Gold CPVC systems. For a good bond we recommend that our Clear or Purple Primer be used. If local code permits, can be used without primer on non-pressure systems. NSF Certified. Meets ASTM D-2846 and F-493. (FlowGuard®Gold is a registered trademark of The Lubrizol Corporation.) A LOW VOC formulation.

• Dauber in Cap

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

•07220  
•07222  
•07224  
•07226

1/4 pt.  
1/2 pt.  
pt.  
qt.

24  
24  
12  
12

10  
16  
15  
27

0 54647 07220 3  
0 54647 07222 7  
0 54647 07224 1  
0 54647 07226 5



**CPVC CEMENT (ORANGE) - HEAVY BODIED**  
Slow setting cement. For CPVC pipe and fittings up to 12". For cold and hot potable water to 180° F (82° C). NSF Certified. Meets ASTM D-2846 and F-493. For good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber in Cap •• Jumbo Dauber In Cap

•07230  
•07231  
••07232  
••07233

1/4 pt.  
1/2 pt.  
pt.  
qt.

24  
24  
12  
12

10  
16  
15  
27

0 54647 07230 2  
0 54647 07231 9  
0 54647 07232 6  
0 54647 07233 3



**CPVC CEMENT (GRAY) - HEAVY BODIED**  
Slow setting cement. For CPVC pipe and fittings up to 12". For cold and hot potable water to 180° F (82° C). NSF Certified. Meets ASTM D-2846 and F-493. For good bond we recommend that our Clear or Purple Primer be used. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber in Cap •• Jumbo Dauber In Cap

•07240  
•07241  
••07242  
••07243

1/4 pt.  
1/2 pt.  
pt.  
qt.

24  
24  
12  
12

10  
16  
15  
27

0 54647 07240 1  
0 54647 07241 8  
0 54647 07242 5  
0 54647 07243 2



**ABS CEMENT (BLACK) – MEDIUM BODIED**  
Medium bodied cement. For ABS pipe and fittings up to 8" diameter. NSF Certified. Meets ASTM D-2235. Shelf life is limited to 2 years from date on can. A LOW VOC formulation.

• Dauber in Cap •• Jumbo Dauber In Cap

•07260  
•07265  
••07270  
••07275  
07280  
07285

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.  
5 gal.

24  
24  
12  
12  
6  
1

10  
16  
15  
27  
46  
40

0 54647 07260 9  
0 54647 07265 4  
0 54647 07270 8  
0 54647 07275 3  
0 54647 07280 7  
0 54647 07285 2

NEW



**ABS CEMENT (YELLOW) - MEDIUM BODIED**  
Medium bodied cement. For ABS pipe and fittings up to 8" diameter. Specially formulated for sewer and drain, waste and vent systems. NSF Certified. Meets ASTM D-2235. Shelf life is limited to 2 years from date on can. A low VOC formulation.

• Dauber in Cap •• Jumbo Dauber In Cap

•07300  
•07305  
••07310  
••07315  
07320

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

10  
16  
15  
27  
46

0 54647 07300 2  
0 54647 07305 7  
0 54647 07310 1  
0 54647 07315 6  
0 54647 07320 0



Visit Us At Our Web Site

[www.blackswanmfg.com](http://www.blackswanmfg.com)

For All The Latest Black Swan News,  
Product Information, and Safety Data Sheets.

## PLASTIC PIPE PRIMERS AND CLEANERS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**ALL PURPOSE PRIMER / CLEANER (PURPLE)**

Used to soften and prepare all PVC and CPVC pipe and fittings prior to application of solvent cement. Helps secure bonding of surfaces. A LOW VOC formulation.

- Dauber in Cap
- Jumbo Dauber In Cap

•08000  
•08005  
••08010  
••08015  
08020  
08025

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.  
55 gal.

24  
24  
12  
12  
6  
1

8  
14  
14  
25  
45  
370

0 54647 08000 0  
0 54647 08005 5  
0 54647 08010 9  
0 54647 08015 4  
0 54647 08020 8  
0 54647 08025 3

**ALL PURPOSE PRIMER / CLEANER (CLEAR)**

Used to soften and prepare all PVC and CPVC pipe and fittings prior to application of solvent cement. Helps secure bonding of surfaces. A LOW VOC formulation.

- Dauber in Cap
- Jumbo Dauber In Cap

•08030  
•08035  
••08040  
••08045  
08050

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

8  
14  
14  
25  
45

0 54647 08030 7  
0 54647 08035 2  
0 54647 08040 6  
0 54647 08045 1  
0 54647 08050 5

**PURPLE PRIMER**

Used to soften and prepare all PVC and CPVC pipe and fittings prior to application of solvent cement. Helps secure bonding of surfaces. A stronger formulation than All Purpose Primer/Cleaner. NSF Certified. Meets ASTM F-656. A LOW VOC formulation.

- Dauber in Cap
- Jumbo Dauber In Cap

•08100  
•08105  
••08110  
••08115  
08120

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

8  
14  
14  
25  
45

0 54647 08100 7  
0 54647 08105 2  
0 54647 08110 6  
0 54647 08115 1  
0 54647 08120 5

**CLEAR PRIMER**

Used to soften and prepare all PVC and CPVC pipe and fittings prior to application of solvent cement. Helps secure bonding of surfaces. A stronger formulation than All Purpose Primer/Cleaner. NSF Certified. Meets ASTM F-656. A LOW VOC formulation.

- Dauber in Cap
- Jumbo Dauber In Cap

•08130  
•08135  
••08140  
••08145  
08150

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

8  
14  
14  
25  
45

0 54647 08130 4  
0 54647 08135 9  
0 54647 08140 3  
0 54647 08145 8  
0 54647 08150 2

**CLEAR CLEANER**

Used to prepare PVC, CPVC, ABS and Styrene pipe and fittings for bonding. A LOW VOC formulation.

- Dauber in Cap
- Jumbo Dauber In Cap

•08230  
•08235  
••08240  
••08245  
08250

1/4 pt.  
1/2 pt.  
pt.  
qt.  
gal.

24  
24  
12  
12  
6

8  
14  
14  
25  
45

0 54647 08230 1  
0 54647 08235 6  
0 54647 08240 0  
0 54647 08245 5  
0 54647 08250 9

**COMBO PACK NO. 1  
PVC CEMENT (CLEAR) - REGULAR BODIED  
AND PURPLE PRIMER**

Combo pack of one 1/4 pt. can of PVC Cement (Clear) - Regular Bodied Cement along with one 1/4 pt. can of Purple Primer. Ideal quantity for small jobs.

\* Cut Case

08420  
NEW\*08420CC

1/4 pt.  
1/4 pt.

6  
24

6  
24

0 54647 08420 6  
0 54647 08420 6

**COMBO PACK NO. 2  
WET-OR-DRY CEMENT (BLUE) MEDIUM BODIED  
AND PURPLE PRIMER**

Combo pack of one 1/4 pt. can of Wet-or-Dry Cement (Blue) along with one 1/4 pt. can of Purple Primer. Ideal quantity for small jobs.

\* Cut Case

08440  
NEW\*08440CC

1/4 pt.  
1/4 pt.

6  
24

6  
24

0 54647 08440 4  
0 54647 08440 4

**COMBO PACK NO. 3  
3 WAY CEMENT (CLEAR) MEDIUM BODIED  
AND CLEAR CLEANER**

Combo pack of one 1/4 pt. can of 3 Way Cement along with one 1/4 pt. can of Clear Cleaner. Ideal for small jobs.

\* Cut Case

08460  
NEW\*08460CC

1/4 pt.  
1/4 pt.

6  
24

6  
24

0 54647 08460 2  
0 54647 08460 2

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**ROOT DESTROYER**

A combination of chemicals which will decompose root growths and dissolve grease, hair, vegetables and other organic matter that impedes the normal flow of water in sewers. EPA Reg. No. 73385-1. EPA Est. No. 041871-IL-001.

09000  
09002  
09005

2 lb.  
5 lb.  
25 lb.

6  
6  
1

15  
34  
30

0 54647 09000 9  
0 54647 09002 3  
0 54647 09005 4

**DAGGER**

A scientifically blended formulation of hydrochloric acid, metal corrosion inhibitors and a strong anti-foam suppressant. Can be used to dissolve rust, scale and lime deposits on equipment and on piping of plumbing, heating, processing, air conditioning and water systems. Can be used on iron, copper, brass, bronze, steel, lead, plastic, china and acid resistant enamelware. Can also be used to clear obstructions of plaster and concrete.

09010  
09015

qt.  
gal.

12  
4

34  
40

0 54647 09010 8  
0 54647 09015 3

**MURIATIC ACID 20°**

Used to remove rust stains from toilet fixtures and the cleaning of toilet bowls. Will remove rust from many metals and can remove oxide from copper fittings and pipe.

09017  
09018

qt.  
gal.

12  
4

32  
40

0 54647 09017 7  
0 54647 09018 4

**ZAP DRAIN PIPE OPENER**

A powerful sulfuric acid. This product is ideal for dissolving organic matter, melting heavy grease deposits, and opening clogged drains. RECOMMENDED FOR EXPERIENCED MAINTENANCE PERSONNEL.

09020  
09025  
09026

qt.  
1/2 gal.  
gal.

12  
6  
4

49  
45  
60

0 5647 09020 7  
0 54647 09025 2  
0 54647 09026 9

**ONE—SHOT**

A unique sulfuric acid drain pipe opener. This product contains extra solvents that limit the terrible odor associated with most other sulfuric acids and these solvents also dissolve materials that sulfuric acid does not (Styrofoam and other polymeric materials). This product is revolutionary. RECOMMENDED FOR EXPERIENCED MAINTENANCE PERSONNEL.

09028

pt.

12

23

0 54647 09028 3

**LIQUID DRAIN PIPE OPENER**

Contains potassium and sodium hydroxide. Ideal for use with clogged or sluggish drains.

09030  
09031  
09032

qt.  
1/2 gal.  
gal.

12  
6  
4

32  
34  
48

0 54647 09030 6  
0 54647 09031 3  
0 54647 09032 0

**HEAVY DUTY LIQUID DRAIN PIPE OPENER**

Three times stronger than regular Liquid Drain Pipe Opener. For the tough jobs.

09036  
09037  
09038

qt.  
1/2 gal.  
gal.

12  
6  
4

40  
40  
52

0 54647 09036 8  
0 54647 09037 5  
0 54647 09038 2

**LIQUID BUILD-UP REMOVER**

A bio-enzymatic formulation consisting of a synergistic blend of four selected Bacillus microorganisms. This formulation liquefies, digests and removes organic deposits from slow running drain lines.

09042  
09043  
09044

qt.  
gal.  
30 gal.

12  
4  
1

40  
52  
390

0 54647 09042 9  
0 54647 09043 6  
0 54647 09044 3

**HEAVY DUTY LIQUID BUILD-UP REMOVER**

Five times faster and stronger than regular Liquid Build-Up Remover. Contains 50 billion active enzyme producing units per quart. One of the strongest biological products on the market today.

09045  
09046  
09047  
09048

qt.  
1/2 gal.  
gal.  
5 gal.

12  
6  
4  
1










40  
42  
56  
70

0 54647 09045 0  
0 54647 09046 7  
0 54647 09047 4  
0 54647 09048 1



## DRAIN AND WASTE SYSTEM CLEANERS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <p><b>POWDERED BUILD-UP REMOVER</b> A blend of bacteria and enzymes. Dissolves grease, oils and fats. Ideal for maintenance purposes. Environmentally safe.</p>	09050 09052	10 oz. 25 lb.	12 1	10 26	054647 09050 4 0 54647 09052 8
 <p><b>IMPACT</b> Dissolves grease in drains, grease traps, septic tanks, cesspools, and dry wells. Not recommended for use in toilet bowls.</p>	09055 09060 09062 09063	qt. gal. 5 gal. 55 gal.	12 6 1 1	29 37 66 618	0 54647 09055 9 0 54647 09060 3 0 54647 09062 7 0 54647 09063 4
 <p><b>BIO-BRICK</b> A solid, bacterial laden brick for use in degrading organic waste grease traps. The safe, naturally occurring bacteria are present in high numbers to handle difficult organic problems. This unique brick will gradually dissolve over a 90 day period which allows for continuous treatment and degradation of waste. This naturally occurring bacteria contained in the block will reduce odor, sludge, fats, oils and grease build-up.</p>	09080	10 lb.	4	40	0 54647 09080 1
 <p><b>BIO-TABS</b> Uniquely formulated, multiple enzymatic tablets that liquefies and speeds digestion of solid waste in any self-contained system. Also helps to eliminate odors. Easy to use. Each tablet bagged separately.</p>	09100	-----	16	2	0 54647 09100 6
 <p><b>SEPTIC TANK ACTIVATOR</b> A powdered blend of bacteria and enzymes developed to restore the bacterial action in your septic tank or cesspool. Also helps treat difficult-to-degrade and non-biodegradable compounds such as unprocessed greases, surfactants, cellulose, hydrocarbons and much more. Comes in eight 2 oz. pre-measured water soluble packets per container.</p>	09130	16 oz.	12	15	0 54647 09130 3
 <p><b>SEPTIC TANK TREATMENT</b> A liquid bacterial blend that helps the break down of sewage waste in septic tanks. Contains no chemicals that can harm your septic system. Helps prevent clogging of inlets and outlets. This product is a preventative maintenance treatment.</p>	09135 09140	qt. 1/2 gal.	12 6	40 40	0 54647 09135 8 0 54647 09140 2
 <p><b>SEPTIC SYSTEM CLEANER</b> A liquid bacterial blend that will attack clogged or sluggish systems. Works in septic tanks, cesspools, and drain fields. Contains no harsh chemicals.</p>	09145	qt.	12	35	0 54647 09145 7
 <p><b>DYNAMIC DUO</b> A combo pack of Black Swan Heavy Duty Liquid Drain Pipe Opener (Stock No. 09036) and Black Swan Power Crystals (Stock No. 09175). Used together these products are an incredibly strong drain pipe opener.</p>	09150	-----	6	28	0 54647 09150 1
 <p><b>POWER FLAKES</b> Drain pipe opener in flake form. Contains sodium hydroxide. Can be used with hot water. A superior drain pipe opener.</p>	09160 09170	1 lb. 2 lb.	12 12	13 26	0 54647 09160 0 0 54647 09170 9



# CATEGORY

# 9

CONTINUED

## DRAIN AND WASTE SYSTEM CLEANERS

### PRODUCT



#### POWER CRYSTALS

A powdered blend of sodium hydroxide, sodium nitrate and an aluminum alloy designed for cleaning clogged drain pipes due to grease, hair, lint, paper, food scrapes, and all organic material. Will not harm plumbing fixtures, porcelain or septic systems.

\* Cut Case

Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
09175	1 lb.	12	13	0 54647 09175 4
NEW*09175CC	1 lb.	12	13	0 54647 09175 4
09177	2 lb.	12	26	0 54647 09177 8
09179	6 lb.	4	25	0 54647 09179 2
09181	25 lb.	1	26	0. 5464709181 5
09183	50 lb.	1	52	0 54647 09183 9



#### BACTERIAL DRAIN & TRAP CLEANER

A powdered blend of bacteria and enzymes that will reopen slow or sluggish drains. Will not harm the bacteria in septic systems. Can be used in sinks, tubs, shower drains, toilets and garbage disposals.

09190	40 oz.	12	35	0 54647 09190 7
-------	--------	----	----	-----------------



#### LIQUID DRAIN COVER

Many times there are "bad" smells coming from basement drains. This means sewer gases are finding their way through the pipes and into the living area. Liquid Drain Cover is a special blend of oils and chemicals that can be poured into the drain and cover up this odor and in situations even eliminate the odor.

09240	qt.	12	23	0 54647 09240 9
09245	gal.	6	50	0 54647 09245 4



#### ICE IN THE PIPES - NOT NICE!

Liquid product that melts ice on contact. Ideal for ice in pipe lines. Not dangerous or toxic. Can be used on any situation where ice needs to be removed - on driveways, roads, equipment, etc.

09260	qt.	12	30	0 54647 09260 7
09265	gal.	6	60	0 54647 09265 2
09270	5 gal.	1	63	0 54647 09270 6



NEW

#### DRAINSTAR - HEAVY DUTY LIQUID DRAIN & SEWER OPENER

A powerful potassium and sodium hydroxide drain opener. Dissolves organic matter, hair, grease, paper and lint. Use regularly to clean drains, traps, septic tanks and cesspools.

09300	qt.	12	40	0 54647 09300 0
09310	1/2 gal.	6	46	0 54647 09310 9
09320	gal.	4	52	0 54647 09320 8

# CATEGORY

# 10

## CLOTH AND ACCESSORY ITEMS

### PRODUCT



#### SAND CLOTH

A high grade, 120 grit, aluminum oxide water resistant cloth. Ideal for cleaning and polishing copper tubing and fittings as well as many other plumbing applications.

Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
10000	1-1/2" x 10 yds.	24	17	0 54647 10000 5
10002	1-1/2" x 2 yds.	12	1	0 54647 10002 9
10005	1-1/2" x 5 yds.	24	7	0 54647 10005 0
10010	1-1/2" x 25 yds.	12	13	0 54647 10010 4



#### SCREEN CLOTH

An open meshed, 180 grit, aluminum oxide premium grade cloth. Recommended for the tough jobs. Fully waterproof! Lasts four times longer than Sand Cloth.

10020	1-1/2" x 5 yds.	24	7	0 54647 10020 3
10025	1-1/2" x 10 yds.	24	17	0 54647 10025 8
10030	1-1/2" x 25 yds.	12	13	0 54647 10030 2



#### WATERPROOFING REPAIR TAPE

Forms instant waterproof bond. Permanently seals leaks and gaps. Adheres to a wide range of materials. Aluminum foil backing 2 mil. thick and a butyl rubber adhesive. Ideal for indoor and outdoor repairs including leaky pipes, hoses, gutters, storage containers and much more. Thickness is 11 mils.

10050	1.89" x 10.9 yds.	24	48	0 54647 10050 0
-------	-------------------	----	----	-----------------

# CLOTH AND ACCESSORY ITEMS

## PRODUCT

PRODUCT		Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>DUCT TAPE</b> A polyethylene coated cloth backed tape has excellent adhesion and tack. High tensile strength and conforms well to irregular surfaces. Ideal for sealing duct work, general purpose packaging and masking PVC pipe. Thickness is 9 mil.						
	Silver ←	10055	2" x 60yds.	24	50	0 54647 10055 5
	Black ←	10056	2" x 60 yds.	24	50	0 54647 10056 2
	Red ←	10057	2" x 60 yds.	24	50	0 54647 10057 9
<b>CAULKING GUN</b> Arugged all-purpose gun.	10060	-----	6	7	0 54647 10060 9	
<b>CANVAS GLOVES</b> - Excellent quality, durable.	10065	8 oz.	12	1	0 54647 10065 4	
	10070	10 oz.	12	1	0 54647 10070 8	
<b>LATEX GLOVES</b> Seamless construction, rolled cuff, 9-1/2" length, 4 mil. thickness. Gloves fit either hand. Extra stretch for best fit. Excellent sensitivity and touch.	10072	Medium	100	2	0 54647 10072 2	
	10073	Large	100	2	0 54647 10073 9	
	10074	Extra Large	100	3	0 54647 10074 6	
<b>JERSEY GLOVES</b> Jersey Gloves are comfortable, durable and will keep your hands protected.	10076	8 oz.	12	1	0 54647 10076 0	
<b>HOSE BIBB MOUNTING PLATE</b> A patented kit containing a mounting plate, machine screws, and plastic anchors. The Hose Bibb Mounting Plate prevents drafts, moisture, insects and vermin from entering the building through gaps between the hose bibb and the outside wall. It holds hose bibb securely so as to prevent stresses on plumbing and assures the proper pitch on the frost-proof hydrants and saves time on installation. The Hose Bibb Mounting Plate is neat, attractive and gives a professional appearance upon installation and is compatible with all major domestic and imported brands of sill cocks, both frost-proof and non-frost-proof.	10080	-----	12	3	0 54647 10080 7	
<b>ALL PURPOSE HAND TOWELS</b> Paper towels. Cloth like, soft on hands and face. Ideal for all medium to heavy-duty general purpose wiping applications and are perfect for jobs that require larger towels. The dispenser box can dispense from either the top or bottom. The dispenser box is portable, protects towels and allows for single sheet dispensing.	10090	9-1/2" x 16-1/8"	100	3	0 54647 10090 6	
<b>BIN BOXES</b> White, 220 lb. test corrugated boxes. Ideal for storing just about anything.	10150	2" x 12" x 4-1/2"	24	3	0 54647 10150 7	
	10155	2" x 18" x 4-1/2"	24	4	0 54647 10155 2	
	10160	4" x 12" x 4-1/2"	24	3	0 54647 10160 6	
	10162	4" x 18" x 4-1/2"	24	5	0 54647 10162 0	
	10165	6" x 12" x 4-1/2"	24	4	0 54647 10165 1	
	10170	6" x 18" x 10"	24	6	0 54647 10170 5	
	10175	8" x 12" x 4-1/2"	24	5	0 54647 10175 0	
	10177	8" x 18" x 4-1/2"	24	6	0 54647 10177 4	
	10180	10" x 18" x 10"	24	5	0 54647 10180 4	
	10190	12" x 12" x 4-1/2"	24	6	0 54647 10190 3	
<b>URINAL SCREEN WITH DEODORIZING BLOCK</b> Pliable, durable screen with cherry scented block.	10210	-----	12	4	0 54647 10210 8	

# CATEGORY

# 10

CONTINUED

## CLOTH AND ACCESSORY ITEMS

### PRODUCT


Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code



#### URINAL SCREEN

Pliable, durable screen which will trap debris and protect drains.  
•Packed in Header Bag

•10220  
10222

-----  
-----

6  
12

1  
3

0 54647 10220 7  
0 54647 10222 1

#### URINAL BLOCK

Cherry scented block. Eliminates odors.

10230

4 oz.

12

3

0 54647 10230 6

**WATER WOW! ®** A special powder that jells water to eliminate water spills. Ideal for use in toilet bowl removal. Water Wow! makes removing a toilet quicker, less messy, and a simpler process. Water Wow! needs just 5 minutes to jell the water in the toilet. Water Wow! will liquefy once water is added back to the toilet bowl and then will easily flush away.  
\* Packed In Display Box

\*10250  
10255

.6 oz.  
10 oz.

12  
12

1  
9

0 54647 10250 4  
0 54647 10255 9

# CATEGORY

# 11

## BRUSHES

### PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code



#### FITTING BRUSH

Plastic handle and high carbon crimped steel brush. Easy to hold. Cleans inside of tubing and fittings to make for better soldering. Ideal for plumbing and refrigeration applications.

11000  
\*11001  
11005  
\*11006  
11010  
11011  
11012  
11013

1/2"  
1/2"  
3/4"  
3/4"  
1"  
1-1/4"  
1-1/2"  
2"

12  
12  
12  
12  
12  
12  
12  
12

1  
2  
2  
2  
2  
2  
2  
3

0 54647 11000 4  
0 54647 11001 1  
0 54647 11005 9  
0 54647 11006 6  
0 54647 11010 3  
0 54647 11011 0  
0 54647 11012 7  
0 54647 11013 4

\*Blister Card

#### QUICK TWIST BRUSH

Wire handle and high carbon crimped steel brush. Easy to hold. Cleans inside of tubing and fittings to make for better soldering. Ideal for plumbing and refrigeration applications

11015  
11020  
11025  
11026  
11027  
11028

1/2"  
3/4"  
1"  
1-1/4"  
1-1/2"  
2"

12  
12  
12  
12  
12  
12

1  
2  
2  
2  
2  
3

0 54647 11015 8  
0 54647 11020 2  
0 54647 11025 7  
0 54647 11026 4  
0 54647 11027 1  
0 54647 11028 8

#### TUBE CLEANING BRUSH

Used for cleaning outside surface of copper tubing's.

11030  
\*11031  
11035  
11036

1/2"  
1/2"  
3/4"  
1"

6  
6  
6  
6

1  
1  
1  
1

0 54647 11030 1  
0 54647 11031 8  
0 54647 11035 6  
0 54647 11036 3

\*Blister Card

#### FOUR-IN-ONE CLEANING & FITTING BRUSH

This unique tool will clean copper tubing 1/2" and 3/4" and also clean fittings of 1/2" and 3/4". \*Blister Card

\*11039  
11040

1/2" & 3/4"  
1/2" & 3/4"

12  
12

5  
4

0 54647 11039 4  
0 54647 11040 0

#### FOUR-IN-ONE REPLACEMENT BRUSH KIT

Replacement parts for Four-In-One Brush.

11041

-----

6

1

0 54647 11041 7

#### 2-IN-1 BRUSH

Tool combines inside fitting brush and outside tubing brush. Cleans copper tubing and fittings of dirt and debris.

11042  
11043

1/2"  
3/4"

12  
12

1  
1

0 54647 11042 4  
0 54647 11043 1

#### ACID BRUSHES

Pure horse hair brush. The #0, #1, #2 and #5 are tin handled brushes. The #7 brush is a wooden handled brush. Ideal for applying flux on copper and can be used to apply most liquids and pastes.

11044  
11045  
11046  
11050  
\*11055  
\*11057

#0  
#1  
#2  
#5  
#7  
----

144  
144  
144  
36  
36  
12

1  
1  
3  
1  
1  
1

0 54647 11044 8  
0 54647 11045 5  
0 54647 11046 2  
0 54647 11050 9  
0 54647 11055 4  
0 54647 11057 8

• Wooden Handle

\*Blister Card-3 Pack







# CATEGORY

# 11

CONTINUED

# BRUSHES

## PRODUCT



	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <b>BRUSH IN CAP - PLASTIC HANDLE</b> 3/4" brush with cap. Fits 1/2 pint, pint and quart cement cans.	11060	3/4" wide	25	1	0 54647 11060 8
 <b>MINI-BRUSH</b> White Chinese bristle and sanded wood handle. Ideal for small paint and varnish jobs. Especially recommended for applying Black Swan Pipe-Lube on pipe and gaskets.	11067 11068	1" wide 2" wide	36 24	3 3	0 54647 11067 7 0 54647 11068 4
 <b>PLASTIC PIPE CEMENT DAUBERS</b> Dauber in cap for screw top cement cans.  • Reg. Dauber    •• Jumbo Dauber	•11070 •11075 ••11080 •11081 ••11085 •11086	1/4 pt. 1/2 pt. pt. pt. qt. qt.	50 50 50 50 50 50	2 2 2 2 2 2	0 54647 11070 7 0 54647 11075 2 0 54647 11080 6 0 54647 11081 3 0 54647 11085 1 0 54647 11086 8
 <b>ADJUSTABLE PLASTIC POWER DAUBER</b> Adjustable dauber used to apply cement and primer to plastic pipe and fittings. Fits 1/2 pint, pint and quart cans. Adjustable handle extends to 8-1/2".	11090 11093 11096	3/4" 1" 1-1/4"	50 50 50	3 3 3	0 54647 11090 5 0 54647 11093 6 0 54647 11096 7
 <b>CEMENT SWAB</b> A 4" swab used to apply cements and primers to large diameter pipe. The quart swab is for pipe diameter from 3" to 8" and fits a standard quart can. The gallon swab is for pipe diameter of 6" or larger and fits a wide mouth (2-7/8") gallon container. * For 1-3/4" Opening	11100 11120 *11121	qt. gal. gal.	12 12 12	7 5 5	0 54647 11100 1 0 54647 11120 9 0 54647 11121 6
 <b>UTILITY BRUSHES</b> For cleaning threaded fittings prior to soldering. Many other uses around home, office or work. Use the stainless steel brush on hard metals and difficult cleaning situations. Use the brass brush on softer metals and easier cleaning situations. * Packed In Blister Card	*11130	-----	12	2	0 54647 11130 8

# CATEGORY

# 12

# CLOSET BOLTS AND CLOSET SCREWS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <b>BIRDY BOLTS—BRASS - BAGGED</b> Closet bolt with captive washer. Packed in plastic bag. Each bag contains 2 bolts, 2 brass plated open-end nuts and 2 brass plated washers. The 2-1/4" bolts have snap-off slots.	12000 12002 12005 12007	1/4" x 2-1/4" 1/4" x 3-1/2" 5/16" x 2-1/4" 5/16" x 3-1/2"	50 50 50 50	5 6 7 7	0 54647 12000 3 0 54647 12002 7 0 54647 12005 8 0 54647 12007 2
 <b>BIRDY BOLTS JR.—BRASS - BAGGED</b> Closet bolt with snap-off slot. Packed in plastic bag. Each bag contains 2 bolts, 2 plastic stand-up washers, 2 brass plated open-end nuts and 2 brass plated washers.	12010 12015	1/4" x 2-1/4" 5/16" x 2-1/4"	50 50	5 7	0 54647 12010 2 0 54647 12015 7



## CLOSET BOLTS AND CLOSET SCREWS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**BIRDY BOLTS—BRASS PLATED - BAGGED**

Closet bolt with snap-off slot and captive washer. Packed in plastic bag. Each bag contains 2 bolts, 2 brass plated open-end nuts and 2 brass plated washers.

12020  
12025

1/4" x 2-1/4"  
5/16" x 2-1/4"

50  
50

5  
7

0 54647 12020 1  
0 54647 12025 6

**CLOSET BOLTS—BRASS - BULK**

Each carton contains 100 bolts in bulk, 100 brass plated open-end nuts in a polybag and 100 brass plated washers in a polybag. Round washers will be sent unless oval is specified.

12040  
12045  
12050  
12055  
12060  
12065

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

100  
100  
100  
100  
100  
100

5  
5  
6  
6  
7  
7

0 54647 12040 9  
0 54647 12045 4  
0 54647 12050 8  
0 54647 12055 3  
0 54647 12060 7  
0 54647 12065 2

**CLOSET BOLTS—BRASS PLATED - BULK**

Each carton contains 100 bolts in bulk, 100 brass plated open-end nuts in a polybag and 100 brass plated washers in a polybag. Round washers will be sent unless oval is specified.

12100  
12105  
12110  
12115  
12120  
12125

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

100  
100  
100  
100  
100  
100

5  
5  
6  
6  
7  
7

0 54647 12100 0  
0 54647 12105 5  
0 54647 12110 9  
0 54647 12115 4  
0 54647 12120 8  
0 54647 12125 3

**CLOSET BOLTS—BRASS - BAGGED (Style 1)**

Each bag contains 2 bolts, 2 brass plated open-end nuts and 2 brass plated washers. Round washers will be sent unless oval is specified.

12160  
12165  
12170  
12175  
12180  
12185

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

50  
50  
50  
50  
50  
50

5  
5  
6  
6  
7  
7

0 54647 12160 4  
0 54647 12165 9  
0 54647 12170 3  
0 54647 12175 8  
0 54647 12180 2  
0 54647 12185 7

**CLOSET BOLTS—BRASS - BAGGED (Style 2)**

Each bag contains 2 bolts, 2 brass plated open-end nuts, 2 brass plated round washers and 2 plastic stand-up washers. Round washers will be sent unless oval is specified.

12161  
12166  
12171  
12176  
12181  
12186

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

50  
50  
50  
50  
50  
50

5  
5  
6  
6  
7  
7

0 54647 12161 1  
0 54647 12166 6  
0 54647 12171 0  
0 54647 12176 5  
0 54647 12181 9  
0 54647 12186 4

**CLOSET BOLTS—BRASS - BAGGED (Style 3)**

Each bag contains 2 bolts, 4 brass plated open-end nuts and 4 brass plated washers. Round washers will be sent unless oval is specified.

12162  
12167  
12172  
12177  
12182  
12187

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

50  
50  
50  
50  
50  
50

5  
5  
6  
6  
7  
7

0 54647 12162 8  
0 54647 12167 3  
0 54647 12172 7  
0 54647 12177 2  
0 54647 12182 6  
0 54647 12187 1

**CLOSET BOLTS—BRASS PLATED—BAGGED (Style 1)**

Each bag contains 2 bolts, 2 brass plated open-end nuts and 2 brass plated washers. Round washers will be sent unless oval is specified.

12220  
12225  
12230  
12235  
12240  
12245

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

50  
50  
50  
50  
50  
50

5  
5  
6  
6  
7  
7

0 54647 12220 5  
0 54647 12225 0  
0 54647 12230 4  
0 54647 12235 9  
0 54647 12240 3  
0 54647 12245 8

**CLOSET BOLTS—BRASS PLATED—BAGGED (Style 2)**

Each bag contains 2 bolts, 2 brass plated open-end nuts, 2 brass plated round washers and 2 plastic stand-up washers. Round washers will be sent unless oval is specified.

12221  
12226  
12231  
12236  
12241  
12246

1/4" x 1-3/4"  
1/4" x 2-1/4"  
1/4" x 3-1/2"  
5/16" x 1-3/4"  
5/16" x 2-1/4"  
5/16" x 3-1/2"

50  
50  
50  
50  
50  
50

5  
5  
6  
6  
7  
7

0 54647 12221 2  
0 54647 12226 7  
0 54647 12231 1  
0 54647 12236 6  
0 54647 12241 0  
0 54647 12246 5

NOTE: All packaged closet bolts contain brass plated nuts and brass plated washers. If solid brass nuts are desired in any package, just add a "BN" to the stock number. If solid brass washers are desired, just add a "BW" to the stock number. **There is an additional cost for the 1/4" brass nuts of \$.08 per nut, the 5/16" brass nuts of \$.20 per nut and the brass washers of \$.08 per washer. The bar code number does not change when brass accessories are added.**

## CLOSET BOLTS AND CLOSET SCREWS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>CLOSET BOLTS—BRASS PLATED—BAGGED (Style 3)</b> Each bag contains 2 bolts, 4 brass plated open-end nuts and 4 brass plated washers. Round washers will be sent unless oval is specified.	12222	1/4" x 1-3/4"	50	5	0 54647 12222 9
	12227	1/4" x 2-1/4"	50	6	0 54647 12227 4
	12232	1/4" x 3-1/2"	50	6	0 54647 12232 8
	12237	5/16" x 1-3/4"	50	6	0 54647 12237 3
	12242	5/16" x 2-1/4"	50	7	0 54647 12242 7
	12247	5/16" x 3-1/2"	50	7	0 54647 12247 2
<b>CLOSET BOLTS - STEEL - ANTI -CORROSIVE - BAGGED</b> Steel closet bolts treated with a special anti-corrosion coating. This coating allows the bolts to be "rust resistant." Each bag contains 2 bolts, 2 plastic stand-up washers, 2 round washers and 2 open-end nuts.	12260	1/4" x 2-1/4"	50	5	0 54647 12260 1
	12275	5/16" x 2-1/4"	50	7	0 54647 12275 5
<b>CLOSET BOLTS—BRASS</b> Closet Bolts Only.	12300	1/4" x 1-3/4"	100	2	0 54647 12300 4
	12305	1/4" x 2-1/4"	100	3	0 54647 12305 9
	12310	1/4" x 3-1/2"	100	5	0 54647 12310 3
	12315	5/16" x 1-3/4"	100	4	0 54647 12315 8
	12320	5/16" x 2-1/4"	100	5	0 54647 12320 2
	12325	5/16" x 3-1/2"	100	7	0 54647 12325 7
<b>CLOSET BOLTS—BRASS PLATED</b> Closet Bolts Only.	12330	1/4" x 1-3/4"	100	2	0 54647 12330 1
	12335	1/4" x 2-1/4"	100	3	0 54647 12335 6
	12340	1/4" x 3-1/2"	100	5	0 54647 12340 0
	12345	5/16" x 1-3/4"	100	4	0 54647 12345 5
	12350	5/16" x 2-1/4"	100	5	0 54647 12350 9
	12355	5/16" x 3-1/2"	100	7	0 54647 12355 4
<b>NUTS - OPEN-END-BRASS PLATED</b> Brass plated nuts packed 100 per bag.	12370	1/4"	100	1	0 54647 12370 7
	12375	5/16"	100	1	0 54647 12375 2
<b>NUTS - OPEN-END-BRASS</b> Brass nuts packed 100 per bag.	12376	1/4"	100	1	0 54647 12376 9
	12377	5/16"	100	1	0 54647 12377 6
<b>NUTS-CLOSED-END - BRASS PLATED</b> Brass plated nuts packed 100 per bag.	12380	1/4"	100	1	0 54647 12380 6
	12385	5/16"	100	1	0 54647 12385 1
<b>WASHERS - BRASS PLATED</b> Brass plated washers packed 100 per bag.	12390	Round	100	1	0 54647 12390 5
	12395	Oval	100	1	0 54647 12395 0
<b>WASHERS - BRASS</b> Brass washers packed 100 per bag. Round washers only.	12400	Round	100	1	0 54647 12400 1
<b>PLASTIC STAND-UP WASHERS</b> Holds closet bolt in place for easier installation.	12420	1/4"	100	1	0 54647 12420 9
	12421	5/16"	100	1	0 54647 12421 6
<b>NYLON TOILET BOLTS - BAGGED</b> Each bag contains 2 bolts and 2 open end nuts. Corrosion resistant. Will not spin or fall through closet flanges. Makes for a quick, easy and strong installation.	12425	2-1/2"	50	5	0 54647 12425 4
<b>CLOSET SCREWS-BRASS-BULK</b> Each carton contains 100 screws in bulk, 100 brass plated closed-end nuts in a polybag and 100 brass plated washers in a poly bag. Round washers will be sent unless oval is specified.	12440	1/4" x 2-1/2"	100	4	0 54647 12440 7
	12445	1/4" x 3-1/2"	100	6	0 54647 12445 2
	12450	5/16" x 2-1/2"	100	6	0 54647 12450 6
	12455	5/16" x 3-1/2"	100	8	0 54647 12455 1
<b>CLOSET SCREWS-BRASS PLATED-BULK</b> Each carton contains 100 screws in bulk, 100 brass plated closed-end nuts in a polybag and 100 brass plated washers in a poly bag. Round washers will be sent unless oval is specified.	12480	1/4" x 2-1/2"	100	4	0 54647 12480 3
	12485	1/4" x 3-1/2"	100	6	0 54647 12485 8
	12490	5/16" x 2-1/2"	100	6	0 54647 12490 2
	12500	5/16" x 3-1/2"	100	8	0 54647 12500 8

## CLOSET BOLTS AND CLOSET SCREWS

## PRODUCT

**CLOSET SCREWS—BRASS-BAGGED**

Each bag contains 2 screws, 2 brass plated closed-end nuts and 2 brass plated round washers. Round washers will be sent unless oval is specified.

Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
12560	1/4" x 2-1/2"	50	4	0 54647 12560 2
12565	1/4" x 3-1/2"	50	6	0 54647 12565 7
12570	5/16" x 2-1/2"	50	6	0 54647 12570 1
12575	5/16" x 3-1/2"	50	8	0 54647 12575 6

**CLOSET SCREWS-BRASS PLATED-BAGGED**

Each bag contains 2 screws, 2 brass plated closed-end nuts and 2 brass plated round washers. Round washers will be sent unless oval is specified.

12600	1/4" x 2-1/2"	50	4	0 54647 12600 5
12605	1/4" x 3-1/2"	50	6	0 54647 12605 0
12610	5/16" x 2-1/2"	50	6	0 54647 12610 4
12615	5/16" x 3-1/2"	50	8	0 54647 12615 9

**CLOSET SCREWS - BRASS**

Closet screws only.

12710	1/4" x 2-1/2"	100	3	0 54647 12710 1
12715	1/4" x 3-1/2"	100	4	0 54647 12715 6
12720	5/16" x 2-1/2"	100	4	0 54647 12720 0
12725	5/16" x 3-1/2"	100	4	0 54647 12725 5

**CLOSET SCREWS - BRASS PLATED**

Closet screws only.

12750	1/4" x 2-1/2"	100	3	0 54647 12750 7
12755	1/4" x 3-1/2"	100	4	0 54647 12755 2
12760	5/16" x 2-1/2"	100	6	0 54647 12760 6
12765	5/16" x 3-1/2"	100	6	0 54647 12765 1

## TOILET BOWL ACCESSORIES

## PRODUCT

**TANK-TO-BOWL BOLT KIT WITH HEX NUTS-BRASS**

Each bag contains two 5/16" x 3" brass tank bolts, four cloth reinforced rubber washers, four heavy round washers, and four brass hex nuts.

Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
13150	5/16" x 3"	25	6	0 54647 13150 4

**TANK-TO-BOWL BOLT KIT WITH WING AND HEX NUTS-BRASS**

Each bag contains two 5/16" x 3" brass tank bolts, four cloth reinforced rubber washers, four heavy round washers, two brass hex nuts and two brass wing nuts.

13170	5/16" x 3"	25	6	0 54647 13170 2
-------	------------	----	---	-----------------

**BOWL TO WALL GASKET KIT FOR WALL HUNG TOILETS**

An expanded closed cell chemical resistant foam gasket with special adhesive on one side of the gasket to allow easy application to the wall. Specially designed to eliminate the leakage often encountered with inferior foam rubber gaskets. It is resistant to water, petroleum products, chemicals, and similar substances. Will not rot.

13180	-----	6	1	0 54647 13180 1
-------	-------	---	---	-----------------









**SPONGE RUBBER GASKET — TANK-TO-BOWL**

For tank-to-bowl installations. Standard size is 3-1/4" O.D. x 2-1/8" I.D. x 9/16". Fits most close-coupled toilets.

13200	-----	25	1	0 54647 13200 6
-------	-------	----	---	-----------------

## TOILET BOWL ACCESSORIES

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
 <p><b>SPONGE RUBBER GASKET — CLOSET BOWL TO FLOOR</b> For closet bowl to floor installations.</p> <p>5-3/8" O.D. X 3-1/2" I.D. X 3/4" thickness 5-3/8" O.D. X 3-1/2" I.D. X 1" thickness 6-3/4" O.D. X 3-1/2" I.D. X 3/4" thickness</p> <p>*Wide Hole Pattern</p>	← 13215	-----	12	2	0 54647 13215 0
	← 13220	-----	12	2	0 54647 13220 4
	← *13225	-----	12	2	0 54647 13225 9
 <p><b>TOILET STABILIZER SHIMS</b> Ideal for leveling toilet bowls that wobble. Shims can be stacked in the same way or opposite directions to fill any gap. Each shim contains holes allowing user to nail or screw shim into place. Packed in tabletop dispenser for easy sell.</p>	HARD 13250 SOFT 13260	----- -----	100 100	3 3	0 54647 13250 1 0 54647 13260 0
 <p><b>TOILET SEAT STABILIZERS</b> Specially designed white rubber flanged gasket, installs onto toilet seat hinge and through china bowl holes. Eliminates reoccurring loose toilet seats.</p>	13270	-----	100	3	0 54647 13270 9
 <p><b>BIG FOOT COVER PLATE</b> Paintable, plastic cover plate installs between the toilet and the floor, covering old dirty "FOOT-PRINT" stains left behind by toilets being replaced. Can be installed with or without removing toilet. One size fits all.</p>	13280	-----	6	4	0 54647 13280 8
 <p><b>BIG FOOT II TOILET FLOOR GASKET</b> Thick, compliant, self-shimming, white rubber gasket installs between the toilet and the floor. Provides a complete seal and eliminates toilet movement and wobbling. Fits all toilets including commercial 14" setbacks to the wall mounts, simply trim to fit.</p>	13290	-----	6	4	0 54647 13290 7
 <p><b>STACK-N-SEAL</b> 1/4" stackable toilet flange mounts on top of existing flange, used to raise flange height and for general flange repairs. Often used when floor height is raised during remodeling.</p>	13300	-----	12	6	0 54647 13300 3
 <p><b>ANCHOR FLANGE KIT</b> Repair flange stabilizes a wobbling toilet caused by a broken flange. Simply bolt onto existing broken floor flange and into surrounding floor. Includes flange, screws &amp; inserts. *On Blister Card</p>	*13310	-----	12	5	0 54647 13310 2
 <p><b>ROUND TOILET BOLT CAPS</b> White, plastic toilet bolt caps used to cover exposed toilet bolts. Two caps per bag.</p>	13350	-----	12	1	0 54647 13350 8



Visit Us At Our Web Site

[www.blackswanmfg.com](http://www.blackswanmfg.com)

For All The Latest Black Swan News,  
Product Information, and Safety Data Sheets.



# CATEGORY

# 14

# PACKAGING MATERIAL

## PRODUCT



	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>STRETCH WRAP</b> Plastic film used to wrap merchandise on skids when shipping. 80 gauge.	14100	15" x 1500'	4	29	0 54647 14100 8
	14110	18" x 1500'	4	35	0 54647 14110 7
<b>CARTON SEALING TAPE - CLEAR</b> 1.6 mil. thickness.	14220	2" x 110 yds.	36	21	0 54647 14220 3
<b>CARTON SEALING TAPE - BROWN</b> Reinforced. Water activated gummed tape.	14250	3" x 450'	10	29	0 54647 14250 0
<b>STRETCH WRAP HANDI-HOLDERS</b> A two part insert designed to fit into a 3" I.D. core. Protects hands from burning while applying stretch wrap.	14420	-----	5	5	0 54647 14420 7
<b>TAPE GUN</b> For use in applying clear carton sealing tape.	14440	-----	6	8	0 54647 14440 5

# CATEGORY

# 15

# MARKING PAINT AND TAPES

## PRODUCT



PRODUCT		Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>MARKING PAINT</b> A heavy duty, industrial paint with a water base formula that is fast drying, durable and non-clogging. Use in marking construction, excavation sites, underground utilities, landscaping, etc. Will not wash away or damage grass.	Precaution Blue	15050	17 oz.	12	17	0 54647 15050 5
	Fluorescent Blue	15055	17 oz.	12	17	0 54647 15055 0
	Safety Green	15070	17 oz.	12	17	0 54647 15070 3
	Alert Orange	15080	17 oz.	12	17	0 54647 15080 2
	Fluorescent Orange	15085	17 oz.	12	17	0 54647 15085 7
	Safety Red	15090	17 oz.	12	17	0 54647 15090 1
	High Visibility Yellow	15100	17 oz.	12	17	0 54647 15100 7
	White	15110	17 oz.	12	17	0 54647 15110 6
	Black	15120	17 oz.	12	17	0 54647 15120 5
	Fluorescent Pink	15130	17 oz.	12	17	0 54647 15130 4
<b>PLUMBERS SPRAY PAINT - GRAY</b> A heavy duty, industrial paint that is fast drying, durable and non-clogging. Ideal for use on most types of metal pipes and other objects such as regulators and meter covers. Helps protect against corrosion and provides color consistency.	15160	10 oz.	6	6	0 54647 15160 1	
<b>MARKING GUN</b> A compact and light-weight tool to apply marking paint in a wide range of marking applications.	15200	-----	1	2	0 54647 15200 4	
<b>MARKING WAND</b> A light-weight tool used to apply paint in a wide range of marking applications. Approximately 3 feet in length to make application of paint easy.	15210	-----	1	3	0 54647 15210 3	





# CATEGORY

# 15

CONTINUED

# MARKING PAINT AND TAPES

## PRODUCT


		Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
	<b>DETECTABLE MARKING TAPE</b>					
	<b>Blue</b> {	15250	2" x 1000'	12	60	0 54647 15250 9
	Water Line }	15255	3" x 1000'	8	56	0 54647 15255 4
		15260	6" x 1000'	6	52	0 54647 15260 8
	<b>Green</b> {	15270	2" x 1000'	12	60	0 54647 15270 7
	Sewer Line }	15275	3" x 1000'	8	56	0 54647 15275 2
		15280	6" x 1000'	6	52	0 54647 15280 6
	<b>Red</b> {	15290	2" x 1000'	12	60	0 54647 15290 5
	Electric Line }	15295	3" x 1000'	8	56	0 54647 15295 0
		15300	6" x 1000'	6	52	0 54647 15300 1
	<b>Yellow</b> {	15310	2" x 1000'	12	60	0 54647 15310 0
	Gas Line }	15315	3" x 1000'	8	56	0 54647 15315 5
		15320	6" x 1000'	6	52	0 54647 15320 9
	<b>CAUTION TAPE</b>					
	A brightly colored yellow polyethylene tape printed with large bold black lettering making your message impossible to miss. This tape has a thickness of 4 mils. and can be handled and tied like rope.	15355 15360	3" x 300' 3" x 1000'	20 10	15 25	0 54647 15355 1 0 54647 15360 5
	<b>FLUORESCENT FLAGGING TAPE - RED</b>	15380	1-3/16" x 50 yds.	12	4	0 54647 15380 3
	<b>FLUORESCENT FLAGGING TAPE - ORANGE</b>	15385	1-3/16" x 50 yds.	12	4	0 54647 15385 8
 NEW	<b>NON-DETECTABLE MARKING TAPE</b>					
	<b>Blue</b> {	15400	3" x 1000'	8	32	0 54647 15400 8
	Water Line }	15405	6" x 1000'	4	32	0 54647 15405 3
	<b>Green</b> {	15420	3" x 1000'	8	32	0 54647 15420 6
	Sewer Line }	15425	6" x 1000'	4	32	0 54647 15425 1
	<b>Red</b> {	15440	3" x 1000'	8	32	0 54647 15440 4
	Electric Line }	15445	6" x 1000'	4	32	0 54647 15445 9
	<b>Yellow</b> {	15460	3" x 1000'	8	32	0 54647 15460 2
	Gas Line }	15465	6" x 1000'	4	32	0 54647 15465 7

# CATEGORY

# 16



# ROOF FLASHINGS

## PRODUCT

	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
	<b>ROOF FLASHINGS - ALUMINUM</b>				
	Deep drawn 24 gauge aluminum base with EPDM rubber collar permanently attached. Fits up to 40° roof pitch. Not for hot mop applications. Base meets Specification AMS4006, ASTM B-209, Fed QQA-250/2, UNS A93003. EPDM rubber collar injection molded to offer superior resistance to weather, ozone and oxidation. EPDM durometer hardness Shore A60 meets AMS 67206, ASTM BA615.				
	16100	1.25" x 1.50"	12	5	0 54647 16100 6
	16110	2"	12	5	0 54647 16110 5
	16120	3"	12	9	0 54647 16120 4
	16130	4"	12	9	0 54647 16130 3
<b>NOTE: Do not use petroleum based products on collar.</b>					

## ROOF FLASHINGS

## PRODUCT



PRODUCT	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>ROOF FLASHINGS - GALVANIZED</b> Deep drawn 24 gauge galvanized base with EPDM rubber collar permanently attached. Fits up to 40° roof pitch. Not for hot mop applications. Zinc coated galvanized steel base meets ASTM Specifications A591, A525 & A366. EPDM rubber collar injection molded to offer superior resistance to weather, ozone and oxidation. Durometer hardness Shore A60 meets AMS 67206, ASTM Ba615. <b>NOTE: Do not use petroleum based products on collar.</b>	16200 16210 16220 16230	1.25" x 1.50" 2" 3" 4"	12 12 12 12	11 11 15 18	0 54647 16200 3 0 54647 16210 2 0 54647 16220 1 0 54647 16230 0
<b>ROOF FLASHINGS - THERMOPLASTIC</b> Injection molded polypropylene base with 14 melt flow and 11 notched Izod for superior impact resistance. Thermoplastic base meets ASTM D1238, 120D, D56 Gardner impact D3029 Flex Modulus 115,000 psi., Tensile 2800 psi. TPR collar molded onto base to form one-piece permanent bonding of materials. Fits roofs up to 45° pitch. Not for hot mop applications. Collar durometer hardness Shore A60 meets ASTM D2240. Tensile at break 900 psi. ASTM D412 and 670% elongation. <b>NOTE: Do not use petroleum based products on plastic bases or collar.</b>	16300 16310 16320 16330	1.25" x 1.50" 2" 3" 4"	12 12 12 12	5 5 7 7	0 54647 16300 0 0 54647 16310 9 0 54647 16320 8 0 54647 16330 7

## PLUMBING CONSTRUCTION MATERIALS

## PRODUCT



PRODUCT	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>CLOSET BEND SPACERS (CORRUGATED)</b> Keeps poured concrete away from waste lines and closet bends. Fits 3" & 4" waste lines.	17100	6" OD. X 4" H	18	4	0 54647 17100 5
<b>CLOSET BEND SPACERS (STYROFOAM)</b> Keeps poured concrete away from waste lines and closet bends.	17120 17130	3" 4"	12 12	2 3	0 54647 17120 3 0 54647 17130 2
<b>CORRUGATED TUB BOXES</b> Covers bathtub drains and allows space for easy installation of waste and overflow lines in concrete slab construction.	17150	11" x 13" x 6"	25	11	0 54647 17150 0
<b>ECONOMY TEST PLUGS</b> Inexpensive test plugs for low-pressure testing. The bottom and top are stamped steel plates and there is a rubber gasket in-between, which will expand to seal the pipe when the wing nut is tightened.	17160 17165 17170 17175 17180 17185 17190	1-1/2" 2" 3" 3-1/2" 4" 5" 6"	12 12 12 12 12 12 12	3 3 6 6 9 13 21	0 54647 17160 9 0 54647 17165 4 0 54647 17170 8 0 54647 17175 3 0 54647 17180 7 0 54647 17185 2 0 54647 17190 6
<b>PLASTIC TEST CAPS</b> Used to plug pipe for testing.	17200 17210 17220 17230	1-1/2" 2" 3" 4"	100 100 50 25	1 2 2 1	0 54647 17200 2 0 54647 17210 1 0 54647 17220 0 0 54647 17230 9
<b>SHOWER PAN SOLVENT CEMENT</b> A medium bodied, solvent cement used to connect shower pan liner. •• Jumbo Dauber In Cap	••17260	pt.	12	15	0 54647 17260 6

## PLUMBING CONSTRUCTION MATERIALS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**BATH TUB PROTECTOR**

Provides protection against tub damage during home construction. Made of a flexible, strong plastic material that absorbs shocks and prevents scratched and dented surfaces.

17300

30" X 60" X 15"

35

72

0 54647 17300 9

**PLASTIC WATER HEATER PAN - 1" CPVC FITTING**

Protects against water damage caused by leaking water heater. Will not rust or corrode. Round design enables pan to be installed in small areas. Comes with drain hole in side with a 1" drain adapter fitting.

17350

20"

20

26

0 54647 17350 4

17360

22"

20

27

0 54647 17360 3

17370

24"

20

30

0 54647 17370 2

17380

26"

10

18

0 54647 17380 1

17390

28"

5

11

0 54647 17390 0

17400

30"

5

11

0 54647 17400 6

**PLASTIC WATER HEATER PAN - 1" PVC FITTING**

Protects against water damage caused by leaking water heater. Will not rust or corrode. Round design enables pan to be installed in small areas. Comes with drain hole in side with a 1" drain adapter fitting.

17410

20"

20

26

0 54647 17410 5

17420

22"

20

27

0 54647 17420 4

17430

24"

20

30

0 54647 17430 3

17440

26"

10

18

0 54647 17440 2

17450

28"

5

11

0 54647 17450 1

17460

30"

5

11

0 54647 17460 0

**ALUMINUM WATER HEATER PAN - 1" CPVC FITTING**

Protects against water damage caused by leaking water heater. Will not rust or corrode. Round design enables pan to be installed in small areas. Comes with drain hole in side with a 1" drain adapter fitting.

17500

22"

10

20

0 54647 17500 3

17510

24"

10

23

0 54647 17510 2

17520

26"

10

26

0 54647 17520 1

17530

28"

5

15

0 54647 17530 0

17540

30"

5

18

0 54647 17540 9

**ALUMINUM WATER HEATER PAN - 1" PVC FITTING**

Protects against water damage caused by leaking water heater. Will not rust or corrode. Round design enables pan to be installed in small areas. Comes with drain hole in side with a 1" drain adapter fitting.

17550

22"

10

20

0 54647 17550 8

17560

24"

10

23

0 54647 17560 7

17570

26"

10

26

0 54657 17570 6

17580

28"

5

15

0 54647 17580 5

17590

30"

5

18

0 54647 17590 4

## PIPE SUPPORTS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**METAL HANGER STRAP - 24 GAUGE - BAGGED**

Galvanized metal hanger strap. Contains alternating nail holes (3/16") and bolt holes (1/4"). Used for hanging or securing any type of pipe.

18100

3/4" x 10'

12

5

0 54647 18100 4

**METAL HANGER STRAP - 24 GAUGE - BULK**

Galvanized metal hanger strap. Contains alternating nail holes (3/16") and bolt holes (1/4"). Used for hanging or securing any type of pipe.

18110

3/4" x 10'

50

32

0 54647 18110 3

**METAL HANGER STRAP - 28 GAUGE - BAGGED**

Galvanized metal hanger strap. Contains alternating nail holes (3/16") and bolt holes (1/4"). Used for hanging or securing any type of pipe.

18120

3/4" x 10'

12

6

0 54647 18120 2

**METAL HANGER STRAP - 28 GAUGE - BULK**

Galvanized metal hanger strap. Contains alternating nail holes (3/16") and bolt holes (1/4"). Used for hanging or securing any type of pipe.

18130

3/4" x 10'

50

23

0 54647 18130 1

**PLASTIC HANGER STRAP - BAGGED**

Polypropylene hanger strap. Contains 1/8" holes. Used for hanging pipes, ducts and tubing.

18230

3/4" x 10'

20

13

0 54647 18230 8

18235

3/4" x 25'

12

5

0 54647 18235 3

18240

3/4" x 100'

10

14

0 54647 18240 7



## PIPE SUPPORTS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**INTERLOCKING HANGER IRON**

Galvanized metal hanger strap. Contains alternating nail holes (5/32") and bolt holes (1/4"). Used for hanging or securing any type of pipe. This product has self-locking tabs so no additional hardware is needed. The tabs interlock themselves to ensure a strong and long lasting hold.

18350

3/4" x 10'

12

6

0 54647 18350 3

**DWV PLASTIC J-HOOK - BAGGED**

Designed for ABS & PVC drain pipes. Reduces installation time. Fabricated of durable ABS plastic (corrosion proof, impact and UV resistant). Glueable with universal cement.

18420  
184301-1/2" x 7"  
2" x 7"6  
62  
30 54647 18420 3  
0 54647 18430 2

## METER KEYS AND PROBING RODS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**GATE VALVE KEY**

Used to turn 2 inch square operating nuts on gate valves. Cast alloy steel socket is extremely strong and allows mud and debris to exit through holes at top.

19100

1/2" x 30"

10

14

0 54647 19100 3

**WATER METER KEY**

Used to turn T-head water meter valve into the on or off position. Shaft and handle made of rebar. Vinyl covered handle for comfort. Handle is 12".

19150  
19160  
19170  
19180  
19190  
19200  
19210  
192201/2" x 27"  
1/2" x 36"  
5/8" x 27"  
5/8" x 36"  
5/8" x 60"  
3/4" x 36"  
3/4" x 60"  
3/4" x 84"5  
5  
5  
5  
5  
5  
5  
513  
15  
20  
24  
34  
36  
53  
740 54647 19150 8  
0 54647 19160 7  
0 54647 19170 6  
0 54647 19180 5  
0 54647 19190 4  
0 54647 19200 0  
0 54647 19210 9  
0 54647 19220 8**WATER METER KEY WITH LID OPENER**

Used to turn T-head water meter valve into the on or off position. Shaft and handle made of rebar. Vinyl covered handle for comfort. Handle is 12". Lid opener conveniently located on top of handle. You get two tools in one.

19300

1/2" x 30"

5

15

0 54647 19300 7

**PROBING ROD**

Used to find buried pipe. Rod and handle made of carbon steel. Tip is stainless steel. Vinyl covered handle for comfort. Handle is 12".

19350  
193801/2" x 4'  
1/2" x 5'5  
511  
130 54647 19350 2  
0 54647 19380 9**PROBING ROD WITH BALL POINT TIP**

Used to find buried pipe. Rod and handle made of carbon steel. Ball point tip is carbon steel so it will not puncture soft pipe. Tip is not replaceable. Handle is 12".

19400

1/2" x 3'

5

9

0 54647 19400 4

## PLUMBING TOOLS

## PRODUCT

PRODUCT	Stock No.	Size	Packing	Wt. Per Case-Lbs.	UPC Code
<b>PROFESSIONAL PVC PIPE CUTTER</b> A superior tool for cutting PVC pipe. Ratchet action for quick cuts. Makes perfect right angle cuts. Molybdenum vanadium stainless steel blade.	20050 20055	1” 1-1/4”	12 12	8 13	0 54647 20050 7 0 54647 20055 2
<b>DRAIN AUGER</b> A sturdy tool designed for cleaning drains. Made from hard drawn high tensile steel. Rugged steel handle with thumbscrew.	20100 20120	1/4” X 15’ 1/4” X 25”	12 12	10 21	0 54647 20100 9 0 54647 20120 7
<b>TOILET AUGER</b> Easy to handle. Equipped with plastic grip handle and bowl guard. Cleans up quickly. Durable inner core cable. Clears lines quickly.	20140	3’	12	18	0 54647 20140 5
<b>4 WAY PROFESSIONAL PLUG WRENCH</b> Made of durable iron. Holds pop-up plugs and basket strainers in position and keeps them from turning.	20170	-----	12	6	0 54647 20170 2
<b>BASIN WRENCH</b> Made of high-grade steel. The wrench has a sliding T-handle which makes it easier to work in closed quarters. Has reversible spring-loaded jaw. Fits basin and toilet nuts.	20190	16”	12	17	0 54647 20190 0
<b>ADJUSTABLE BASIN WRENCH</b> Made of high-grade steel. The wrench has a sliding T-handle which makes it easier to work in closed quarters. Has reversible, spring-loaded jaw. Telescoping handle from 9” to 16”. Fits basin and toilet nuts.	20200	9” to 16”	12	21	0 54647 20200 6
<b>PLUMBERS DRAIN CLEANING TOOL</b> A flexible, plastic drain cleaning tool with ridges. These ridges provide a superior way to grab hair, grease and other items trapped in the drain. A fast and easy way to unclog totally stopped or slow running drains.	20240	-----	12	1	0 54647 20240 2
<b>SINK PLUNGER - BATHROOM</b> This mini sink plunger is a handy, easy to use plunger for homeowners to clear clogs in sink drains. For use with stainless steel, plastic and ceramic sinks. Stores easily under the sink. Ideal for bathroom sinks.	20300	4” Cup X 9” Handle	5	7	0 54647 20300 3
<b>SINK PLUNGER - KITCHEN</b> This sink plunger is a handy, easy to use plunger for homeowners to clear clogs in sink drains. For use with stainless steel, plastic and ceramic sinks. Stores easily under the sink. Ideal for kitchen sinks.	20350	5-1/2” Cup X 21” Handle	6	7	0 54647 20350 8
<b>TOILET PLUNGER - PLASTIC</b> This professional-strength plunger is designed to tackle tough clogs in high-efficiency, low-flow, and standard toilets. The unique design and pliability of its force cup makes this plunger effective in clearing clogs.	20400	20-1/2” Handle	5	7	0 54647 20400 0
<b>DUAL PURPOSE PLUNGER</b> Ideal plunger for both sinks and toilets. Inside flap folds in for sink applications and out for toilet applications.	20420	5-1/2” Cup X 21” Handle	6	8	0 54647 20420 8

## PLUMBING TOOLS

## PRODUCT

**PREMIER PLUNGER**

A powerful plunger that clears clogged toilets quickly. Works on any style, shape or angle of toilet trap. Unique rubber cup creates a powerful force to do the job.

\* Floor Display

**STACK PLUNGER**

High neck-extra heavy duty ball type. Reinforced rib construction. Ideal for clearing soil lines, ends of lines and curb traps.

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

20450

5-1/2" Cup  
x  
19" Handle

12

18

0 54647 20450 5

\*20450-D

5-1/2" Cup  
x  
19" Handle

24

38

0 54647 20450 5

20460

4" Cup

12

12

0 54647 20460 4

## NO - HUB COUPLINGS

## PRODUCT

**NO-HUB COUPLINGS**

A high quality, no-hub coupling made of 100% neoprene. Uses a stainless steel clamp. Rubber gasket complies with ASTM C564. Works extremely well in all temperatures. Made in China.

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

21110

1-1/2"

100

26

0 54647 21110 7

21120

2"

100

29

0 54647 21120 6

21130

3"

80

30

0 54647 21130 5

21140

4"

60

30

0 54647 21140 4

21150

5"

45

40

0 54647 21150 3

21160

6"

20

29

0 54647 21160 2

21180

8"

20

34

0 54647 21180 0

21190

10"

10

22

0 54647 21190 9

21220

2" x 1-1/2"

100

33

0 54647 21220 3

21230

3" x 2"

80

49

0 54647 21230 2

21240

4" x 2"

30

24

0 54647 21240 1

21250

4" x 3"

30

23

0 54647 21250 0

## CONTAINERS AND LIDS

## PRODUCT

**PLASTIC PAILS - ROUND**

A high density polyethylene (HDPE) container. Polished surface provides an attractive white color appearance. Reinforcing rib design helps to maintain container and provides stacking strength. Plastic Pails are FDA approved. Each pail comes with a lid.

\*Lid with Rieke Spout.

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

22050

2 gal.

1

2

0 54647 22050 5

22060

3-1/2 gal.

1

3

0 54647 22060 4

22070

5 gal.

1

4

0 54647 22070 3

22071

5 gal.

1

4

0 54647 22071 0

**PLASTIC CONTAINERS - F-STYLE**

A high density polyethylene (HDPE) container. Plastic F-Style containers are white in color. Each container comes with a lid.

22090

pt.

12

1

0 54647 22090 1

22100

qt.

12

2

0 54647 22100 7

22110

gal.

6

2

0 54647 22110 6

## CONTAINERS AND LIDS

## PRODUCT

Stock No.

Size

Packing

Wt. Per  
Case-Lbs.

UPC Code

**PLASTIC CONTAINERS - HANDLED INDUSTRIAL ROUND**

A high density polyethylene (HDPE) container. Each container has a handle near the top to make pouring easier. These HDPE containers provide a supreme moisture barrier and can be used to store bulk products including chemicals and industrial products. It is resistant to most solvents. Each container is white in color and comes with a childproof cap.

22130  
22140  
22150

qt.  
1/2 gal.  
gal.

12  
6  
4

2  
2  
2

0 54647 22130 4  
0 54647 22140 3  
0 54647 22150 2

**PLASTIC CONTAINERS - CARAFE ROUND**

A high density polyethylene (HDPE) container. These containers provide an excellent moisture barrier, are lightweight and rigid. They can be used to store household cleaners, ammonia, bleach, disinfectants, drain cleaners, and more. Each container is white and comes with a childproof cap.

22160

qt.

12

2

0 54647 22160 1

**METAL CONTAINERS - OPEN MOUTH ROUND**

Unlined tin-plated, steel open mouth, silver cans. Ideal for paste products and if product application required a paint (mini) brush.

22180  
22190  
22200  
22210

1/2 pt.  
pt.  
qt.  
gal.

24  
12  
12  
4

3  
3  
4  
4

0 54647 22180 9  
0 54647 22190 8  
0 54647 22200 4  
0 54647 22210 3

**METAL CONTAINERS - SLIP COVERS**

Seamless, tin-plated, steel, silver colored containers. These containers have a flat straight body style. Often used for product packaging and industrial sample presentation.

22230  
22240

1 oz.  
2 oz.

24  
24

1  
1

0 54647 22230 1  
0 54647 22240 0

**METAL CONTAINERS - UTILITY/MONOTOP**

Steel cans with tin plating. They are ideal for a variety of uses including solvents, adhesives, rubber cements and viscous materials. Opening of can is 1-3/4". Can comes with and without a dauber.

••22260  
•22261  
••22270  
•22271  
••22280  
•22281  
••22290  
•22291

1/4 pt.  
1/4 pt.  
1/2 pt.  
1/2 pt.  
pt.  
pt.  
qt.  
qt.

24  
24  
24  
24  
12  
12  
12  
12

2  
2  
3  
3  
3  
3  
4  
4

0 54647 22260 8  
0 54647 22261 5  
0 54647 22270 7  
0 54647 22271 4  
0 54647 22280 6  
0 54647 22281 3  
0 54647 22290 5  
0 54647 22291 2

•Can Only

••Can and Dauber

**METAL CONTAINERS - F-STYLE**

Can be used to store chemicals, lubricants, paint thinners, solvents, charcoal lighter fluids, and other applications. These F-Style containers have rigid metal handles. Each container comes with a lid.

\* 22300  
\*\*22310

gal.  
gal.

6  
6

6  
6

0 54647 22300 1  
0 54647 22310 0

\* 2-7/8" opening

\*\*1-3/4" opening



Visit Us At Our Web Site

[www.blackswanmfg.com](http://www.blackswanmfg.com)

For All The Latest Black Swan News,  
Product Information, And Safety Data Sheets.



## MISSION STATEMENT

To provide a broad range of quality products  
at competitive prices on a timely basis -  
and to have fun doing it!

### Provide A Broad Range Of Products

Black Swan prides itself on the fact that our customers can eliminate a number of vendors and consolidate down to one. This makes our customers' work easier (less purchase orders, less bills to pay, etc.) and makes for a stronger and more profitable relationship for both parties.

### Quality

Quality is a necessity. Our customers can depend on problem-free, superior products.

### Competitive Prices

Competitive prices are more important today than ever before. Black Swan has extremely sharp pricing on our complete product line. For example, there are not many manufacturers that are prime on products like putty, pipe joint compounds, wax gaskets, solvent cements for plastic pipe and drain openers. By being prime on these items, it allows us to be very aggressive with our pricing structure.

### Fast Delivery

Delivering merchandise to our customers when they need it is a must. With our Chicago manufacturing facility and our 8 regional warehouses, we can provide same day and next day service whenever necessary.

### Excellent Customer Service

In today's society, doing business is very difficult. People don't return calls, problems don't get resolved, and many people just don't care. At Black Swan it is very different. We return all telephone calls, solve any problems quickly, and go the extra mile to serve our customers. We want you to feel that doing business with Black Swan is easy, profitable and enjoyable - and that your business is appreciated! We Want Business To Be Fun!

## TERMS AND CONDITIONS

1. **ORDERING:** Combine all Black swan products for freight allowance. Specify product number and name.
2. **MINIMUM ORDERS:** \$100.00. An additional \$15.00 fee will be charged for orders under \$100.00.
3. **TERMS OF SALE:** 1% 10th prox., net 30 days.
4. **FREIGHT TERMS:** Full freight allowed and prepaid on orders for \$1,250.00 and over. For orders between \$625.00 and \$1,250.00, orders will be shipped freight prepaid 50% of freight charges will be added to the invoice. Orders less than \$625.00 will be shipped collect F.O.B. Chicago. These terms apply only to Continental U.S. **On items highlighted in yellow, shipments will be freight prepaid on \$100.00 orders.**
5. **GUARANTEE:** Black Swan products are guaranteed against defective material or workmanship. Guarantee covers merchandise, not labor or damages.
6. **RETURNS:** Do not return any merchandise without prior written approval from Black Swan. Freight must be prepaid and there will be a 25% charge for repacking. Invoice number and date of purchase must be given to receive credit. No credit will be given on material over one year old.
7. **SHORTAGE:** Receiving person must sign delivery ticket short if there is a shortage or there can be no claim made to carrier.
8. **NOTE:** This price sheet supercedes all previous price sheets. Prices subject to change without notice.

## BAR CODE NUMBERS

The Black Swan bar code for each product begins with "0 54647". The next 5 digits are for the product number. For example, the bar code for 14 oz. Stay Soft Plumbers Putty is "0 54647 01040". If the 12th digit (the check digit) is required, please go to the Black Swan web site under the *Product Information Section* or call the Black Swan office for help.

# PRODUCT INDEX

Product	Category	Pg.	Product	Category	Pg.	Product	Category	Pg.	Product	Category	Pg.
2-In-1 Brush.....	11	27	Combo Pack 1 - PVC Cement & Purple Primer.....	8	22	Liquid Boiler Stop-Leak.....	6	17	PVC Cement (Clear)		
3 Way Cement (Clear) Medium Bodied.....	7	20	Combo Pack 2 - Wet-Or-Dry Cement & Purple Primer.....	8	22	Liquid Build-Up Remover.....	9	23	Regular Bodied.....	7	19
4 Way Professional Plug Wrench.....	20	38	Combo Pack 3 - 3 Way Cement & Clear Cleaner.....	8	22	Liquid Drain Cover.....	9	25	PVC Cement (Gray)		
50/50 Solder.....	3	11	Corrugated Tub Boxes.....	17	35	Liquid Drain Pipe Opener.....	9	23	Heavy Bodied.....	7	20
95/5 Solder.....	3	11	CPVC Cement (Gray)			Liquid Flux.....	3	9	PVC Cement (Gray)		
95/5 Solder-N-Flux.....	3	8	Heavy Bodied.....	7	21	Liquid Pipe Coating.....	4	13	Medium Bodied.....	7	20
ABS Cement (Black) Medium Bodied.....	7	21	CPVC Cement (Orange)			Liquid Roof Coating.....	4	11	PVC Flex Cement (Clear) MB.....	7	19
ABS Cement (Yellow) Medium Bodied.....	7	21	Medium Bodied.....	7	20	"Little Squirt" Penetrating Oil.....	5	16	Quick Twist Brush.....	11	27
Acid Brushes.....	11	27	CPVC Cement (Orange) Heavy Bodied.....	7	21	Marble Plus Plumbers Putty.....	1	5	Rain-Lotion Hand Cleaner.....	3	9
Adhesive-Lube.....	4	12	CPVC Cement One-Step (Red) Medium Bodied.....	7	20	Marking Gun.....	15	33	Rain-Lotion Hand Cleaner With Pumice.....	3	9
Adjustable Basin Wrench.....	20	38	CPVC One-Step (Yellow) Medium Bodied.....	7	21	Marking Wand.....	15	33	Roof Flashings - Aluminum.....	16	34
Adjustable Plastic Power Dauber.....	11	28	Dagger.....	9	23	Metal Container - Open Mouth Round.....	22	40	Roof Flashings - Galvanized.....	16	35
Aerosol Thread Cutting Oil.....	5	16	Dark Cutting Oil.....	5	16	Metal Containers - F-Style.....	22	40	Roof Flashings - Thermoplastic.....	16	35
All Purpose Absorbent.....	3	10	Detectable Marking Tape.....	15	34	Metal Containers - Slip Covers.....	22	40	Roof -Proof.....	4	11
All Purpose Hand Towels.....	10	26	Dirty Birdy Hand Cleaner.....	3	9	Metal Containers - Utility/Monotop.....	22	40	Root Destroyer.....	9	23
All Purpose Lubricating Oil.....	5	17	Dirty Birdy Wipes.....	3	9	Metal Hanger Strap.....			Round Toilet Bowl Caps.....	13	32
All Purpose Pipe Dope.....	2	6	Drain Auger.....	20	38	24 Gauge - Bagged.....	18	36	RPO.....	5	17
All Purpose Primer/Cleaner (Clear).....	8	22	Drainstar H.D. Liq. Drain Opener.....	9	25	Metal Hanger Strap.....			Rust-A-Way.....	3	10
All Purpose Primer/Cleaner (Purple).....	8	22	Dual Purpose Plunger.....	20	38	28 Gauge - Bagged.....	18	36	Sand Cloth.....	10	25
All Weather PVC Cement (Clear) Medium Bodied.....	7	19	Duct Tape.....	10	26	Metal Hanger Strap.....			Screen Cloth.....	10	25
Aluminum Water Heater Pan.....	17	36	DWV Plastic J-Hook - Bagged.....	18	37	Mini-Brush.....	11	28	Septic System Cleaner.....	9	24
Anchor Flange Kit.....	13	32	Dynamic Duo.....	9	24	Muriatic Acid 20°.....	9	23	Septic Tank Activator.....	9	24
Anchoring & Patching Cement.....	4	12	Economy Test Plugs.....	17	35	No-Hub Couplings.....	21	39	Septic Tank Treatment.....	9	24
Bacterial Drain & Trap Cleaner.....	9	25	Felt Wax Ring.....	4	16	No-Hub Sealant.....	4	12	Shower Pan Solvent Cement.....	17	35
Basin Wrench.....	20	38	Fitting Brush.....	11	27	Non-Detectable Marking Tape.....	15	34	Silicone Grease.....	4	12
Bath Tub Protector.....	17	36	Flange & Gasket.....	4	14	Nuts - Closed-End - Brass Plated.....	12	30	Silicone Sealant.....	1	4
Big Black.....	2	5	Flange & Gasket - 4".....	4	15	Nuts - Open-End - Brass.....	12	30	Sink Plungers - Kitchen & Bath.....	20	38
Big Blue.....	2	6	Flange & Gasket w/Urethane.....	4	14	Nuts - Open-Ended - Brass Plated.....	12	30	Smooth Putty.....	1	4
Big Foot Cover Plate.....	13	32	Flange & Gasket w/Urethane - 4".....	4	15	Nylon Toilet Bolts - Bagged.....	12	30	Solder Bar-Wiping (40 Tin/60 Lead).....	3	11
Big Foot II Toilet Floor Gasket.....	13	32	Fluorescent Flagging Tape.....	15	34	One-Shot.....	9	23	Soil-O.....	4	12
Big White.....	2	6	Four-in-One Replacement Brush Kit.....	11	27	Penetrating & Cleaning Oil.....	5	16	Solu-Flux.....	3	8
Bin Boxes.....	10	26	Four-in-One Tube Cleaning & Fitting Brush.....	11	27	Pipe Joint Compound.....	2	5	Sponge Rubber Gasket Tank-To-Bowl.....	13	31
Bio-Brick.....	9	24	Freeze-Guard.....	6	18	Pipe Lube.....	4	12	Closet Bowl to Floor.....	13	32
Bio-Tabs.....	9	24	Freeze-Guard AG.....	6	18	Pipe Stick.....	2	8	Stack-N-Seal.....	13	32
Birdy Bolts - Brass - Bagged.....	12	28	Freeze-Guard AG - Aluminum.....	6	18	Pipe Wrap Primer.....	4	13	Stack Plunger.....	20	39
Birdy Bolts - Brass Plated - Bagged.....	12	29	Freeze-Guard Inhibitor.....	6	18	Plastic Containers - Carafe Round.....	22	40	Stainless Putty.....	1	4
Birdy Bolts Jr. - Brass - Bagged.....	12	28	Freeze-Guard Refractometer.....	6	18	Plastic Containers - F-Style.....	22	39	Stay Soft Plumbers Putty.....	1	4
Bowl & Porcelain Cleaner.....	3	10	Freeze-Guard Sub-Arctic.....	6	18	Plastic Containers - Handled Industrial Round.....	22	40	Stik-It Epoxy Putty.....	1	4
Bowl to Wall Gasket Kit - Wall Hung Closet.....	13	31	Freeze-Guard Test Strips.....	6	18	Plastic-Gasket Sealant.....	4	12	Stretch Wrap.....	14	33
Brush In Cap - Plastic Handle.....	11	28	Furnace & Retort Cement.....	6	18	Plastic Hanger Strap.....	18	36	Stretch Warp Handi-Holders.....	14	33
Canvas Gloves.....	10	26	Gasket Aide.....	4	13	Plastic Stand-Up Washers.....	12	30	Super-Flux.....	3	9
Carton Sealing Tape - Brown.....	14	33	Gate Valve Key.....	19	37	Plastic Test Caps.....	17	35	Swan Seal.....	2	6
Carton Sealing Tape - Clear.....	14	33	Heavy Duty Liquid Build-Up Remover.....	9	23	Plastic Water Heater Pan.....	17	36	Swan Wax.....	4	13
Caulking Gun.....	10	26	Heavy Duty Liquid Drain Pipe Opener.....	9	23	Plumbers Drain Cleaning Tool.....	20	38	Swan Wax w/Urethane.....	4	13
Caution Tape.....	15	26	Hose Bibb Mounting Plate.....	10	26	Plumbers Grease.....	4	12	Tank-To-Bowl Kits With Hex Nuts.....	13	31
Cement Swab.....	11	28	Ice In The Pipes-Not Nice!.....	9	25	Plumbers Spray Paint - Gray.....	15	33	Tank-To-Bowl Kits With Hex and Wing Nuts.....	13	31
Chrome & Tile Cleaner.....	3	10	Impact.....	9	24	Potassium Permanganate.....	3	10	Tape Gun.....	14	33
Citra Twister.....	3	9	Interlocking Hanger Iron.....	18	37	Powered Boiler Stop-Leak.....	6	17	Tile Grout.....	4	12
Clear Cleaner.....	8	22	Iron Paste.....	4	11	Powered Build-Up Remover.....	9	24	Tin-O-Flux.....	3	9
Clear Primer.....	8	22	Jeffy's Bowl Cleanse.....	3	10	Powdered Form Boiler Cleaner.....	6	18	Toilet Auger.....	20	38
Closet Bend Spacers (Corrugated).....	17	35	Jersey Gloves.....	10	26	Power Crystals.....	9	25	Toilet Plunger - Plastic.....	20	38
Closet Bend Spacers (Styrofoam).....	17	35	Jumbo Flange & Gasket.....	4	14	Power Flakes.....	9	24	Toilet Seat Stabilizers.....	13	32
Closet Bolts - Steel - Anti-Corrosive - Bagged.....	12	30	Jumbo Flange & Gasket w/Urethane.....	4	14	Premier Plunger.....	20	39	Toilet Stabilizers Shims.....	13	32
Closet Bolts - Brass - Bagged.....	12	29	Jumbo Flange & Gasket w/Urethane - 4".....	4	15	Probing Rod.....	19	37	Toilet Tank Leak Detector.....	5	17
Closet Bolts - Brass - Bolts Only.....	12	30	Jumbo Flange & Gasket w/Urethane - w/1/4" x 3-1/2" Closet Bolt Kit.....	4	15	Probing Rod with Tip.....	19	37	Transition Cement (Green) Medium Bodied.....	7	20
Closet Bolts - Brass - Bulk.....	12	29	Latex Gloves.....	10	26	Professional PVC Pipe Cutter.....	20	38	Tub & Tile Caulk.....	1	4
Closet Bolts - Brass Plated - Bagged.....	12	29-30	Lead Free Acid Core Solder.....	3	11	PTFE Tape - High Density - China.....	2	7	Tube Cleaning Brush.....	11	27
Closet Bolts - Brass Plated - Bolts Only.....	12	30	Lead Free Rosin Electrical Solder.....	3	11	PTFE Tape - Low Density - China.....	2	7	Tuf-Flux.....	3	8
Closet Bolts - Brass Plated - Bulk.....	12	29	Leak Detector.....	5	17	PTFE Tape - Low Density - U.S.A.....	2	7	Tuffy String.....	2	8
Closet Screws - Brass - Screws Only.....	12	31	Leak Tracer.....	5	17	PTFE Tape - Gray Ghost - China.....	2	7	Urinal Block.....	10	27
Closet Screws - Brass - Bagged.....	12	31	Light Cutting Oil.....	5	16	PTFE Tape - Green - Oxygen Line - U.S.A.....	2	7	Urinal Felt Wax Ring.....	4	16
Closet Screws - Brass - Bulk.....	12	30	Liquid Boiler Cleaner.....	6	17	PTFE Tape - Pink - Water Line - China.....	2	7	Urinal Gasket.....	4	16
Closet Screws - Brass Plated - Bagged.....	12	31				PTFE Tape - Yellow - Gas Line - China.....	2	7	Urinal Guard.....	3	10
Closet Screws - Brass Plated - Screws Only.....	12	31				Purple Primer.....	8	22	Urinal Screen.....	10	27
Closet Screws - Brass Plated - Bulk.....	12	30				Putty Tape.....	1	5	Urinal Screen With Deodorizing Block.....	10	26
						PVC Cement (Clear) Heavy Bodied.....	7	19	Utility Brush.....	11	28
						PVC Cement (Clear) Medium Bodied.....	7	19	Washers - Brass.....	12	30
									Washers - Brass Plated.....	12	30
									Water Meter Key.....	19	37
									Water Meter Key With Lid Opener.....	19	37
									Waterproofing Repair Tape.....	10	25
									Water Wow.....	10	27
									Wet-or-Dry PVC Cement (Blue) Medium Bodied.....	7	19
									Zap Drain Pipe Opener.....	9	23

# NUMERICAL INDEX

Product No.	Page No.	Product No.	Page No.	Product No.	Page No.	Product No.	Page No.	Product No.	Page No.	Product No.	Page No.	Product No.	Page No.	Product No.	Page No.
01000	04	02350	08	04420-12	14	07055	19	09042	23	11086	28	12750	31	17570	36
01037	04	02350-144	08	04420-6	14	07056	19	09043	23	11090	28	12755	31	17580	36
01040	04	03018	08	04425	14	07058	19	09044	23	11093	28	12760	31	17590	36
01041	04	03020	08	04426	14	07059	19	09045	23	11096	28	12765	31	18100	36
01043	04	03023	08	04430	14	07060	19	09046	23	11100	28	13150	31	18110	36
01045	04	03024	08	04431	14	07061	19	09047	23	11121	28	13170	31	18120	36
01047	04	03026	08	04450	14	07070	19	09048	24	11130	28	13200	31	18230	36
01050	04	03027	08	04455	14	07075	19	09050	24	12000	28	13215	32	18235	36
01055	04	03029	08	04456	14	07076	19	09052	24	12002	28	13220	32	18240	36
01060	04	03030	08	04460	14	07078	19	09055	24	12005	28	13225	32	18350	37
01062	04	03032	08	04461	14	07078CC	19	09060	24	12007	28	13250	32	18420	37
01065	04	03035	08	04480	14	07079	19	09062	24	12010	28	13260	32	18430	37
01073	04	03036	09	04485	14	07080	19	09063	24	12015	28	13270	32	19100	37
01075	04	03040	09	04486	14	07081	19	09080	24	12020	29	13280	32	19150	37
01077	04	03041	09	04490	14	07082	19	09100	24	12025	29	13290	32	19160	37
01085	04	03042	09	04491	14	07084	20	09130	24	12025	29	13300	32	19170	37
01095	04	03045	09	04510	14	07085	20	09135	24	12040	29	13310	32	19180	37
01100	04	03055	09	04515	15	07086	20	09140	24	12045	29	13350	32	19190	37
01105	04	03055-30	09	04516	15	07087	20	09145	24	12050	29	14100	33	19200	37
01110	04	03057	09	04520	15	07088	20	09150	24	12055	29	14110	33	19210	37
01112	04	03063	09	04521	15	07092	20	09160	24	12060	29	14220	33	19220	37
01115	04	03065	09	04530	15	07093	20	09170	24	12065	29	14250	33	19300	37
01140	04	03070	09	04531	15	07094	20	09175	25	12100	29	14420	33	19350	37
01150	04	03075	09	04540	15	07095	20	09175CC	25	12105	29	14440	33	19380	37
01160	05	03080	09	04545	15	07100	20	09177	25	12110	29	15050	33	19400	37
01170	05	03105	10	04546	15	07105	20	09179	25	12115	29	15055	33	20050	38
01190	05	03130	10	04550	15	07105CC	20	09181	25	12120	29	15070	33	20055	38
01200	05	03160	10	04551	15	07110	20	09183	25	12125	29	15080	33	20100	38
02000	05	03180	10	04570	15	07115	20	09190	25	12160	29	15085	33	20120	38
02004	05	03200	10	04575	15	07120	20	09240	25	12161	29	15090	33	20140	38
02005	05	03210	10	04576	15	07125	20	09245	25	12162	29	15100	33	20170	38
02008	05	03220	10	04580	15	07130	20	09260	25	12165	29	15110	33	20190	38
02012	05	03240	10	04581	15	07132	20	09265	25	12166	29	15120	33	20200	38
02020	05	03260	10	04600	15	07134	20	09270	25	12167	29	15130	33	20240	38
02021	05	03270	10	04605	15	07136	20	09300	25	12170	29	15160	33	20300	38
02022	05	03305	11	04606	15	07185	20	09310	25	12171	29	15200	33	20350	38
02023	05	03310	11	04610	15	07190	20	09320	25	12172	29	15210	33	20400	38
02024	05	03350	11	04611	15	07195	20	10000	25	12175	29	15250	34	20420	38
02026	05	03390	11	04630	15	07200	20	10002	25	12176	29	15255	34	20450	39
02028	05	03405	11	04635	16	07205	20	10005	25	12177	29	15260	34	20450-D	39
02035	06	03410	11	04636	16	07210	20	10010	25	12180	29	15270	34	20460	39
02040	06	03440	11	04640	16	07215	20	10020	25	12181	29	15275	34	21110	39
02045	06	03480	11	04641	16	07220	21	10025	25	12182	29	15280	34	21120	39
02050	06	04030	11	04700	16	07222	21	10030	25	12185	29	15290	34	21130	39
02051	06	04031	11	04720	16	07224	21	10050	25	12186	29	15295	34	21140	39
05052	06	04032	11	04730	16	07226	21	10055	26	12187	29	15300	34	21150	39
02053	06	04035	11	05002	16	07230	21	10056	26	12220	29	15310	34	21160	39
02054	06	04036	11	05005	16	07231	21	10057	26	12221	29	15315	34	21180	39
02055	06	04037	11	05010	16	07232	21	10060	26	12222	30	15320	34	21190	39
02060	06	04039	11	05015	16	07233	21	10065	26	12225	29	15355	34	21220	39
02065	06	04040	11	05020	16	07240	21	10070	26	12226	30	15360	34	21230	39
02066	06	04045	11	05025	16	07241	21	10072	26	12227	30	15380	34	21240	39
02067	06	04050	11	05030	16	07242	21	10073	26	12230	29	15385	34	21250	39
02068	06	04052	12	05035	16	07243	21	10074	26	12232	30	15400	34	22050	39
02070	06	04053	12	05040	16	07260	21	10076	26	12235	29	15405	34	22060	39
02071	06	04054	12	05045	16	07265	21	10080	26	12236	30	15420	34	22070	39
02072	06	04055	12	05050	16	07270	21	10090	26	12237	30	15425	34	22071	39
02073	06	04060	12	05055	16	07275	21	10150	26	12240	29	15440	34	22090	39
02076	06	04065	12	05057	16	07280	21	10155	26	12241	29	15445	34	22100	39
02077	06	04070	12	05060	16	07285	21	10160	26	12242	30	15460	34	22110	39
02078	06	04072	12	05080	17	07300	21	10162	26	12245	29	15465	34	22130	40
02079	06	04080	12	05085	17	07305	21	10165	26	12246	29	16100	34	22140	40
02080	06	04081	12	05095	17	07310	21	10170	26	12247	30	16110	34	22150	40
02082	06	04085	12	05140	17	07315	21	10175	26	12248	30	16120	34	22160	40
020865	07	04090	12	05145	17	07320	21	10177	26	12260	30	16130	34	22180	40
02088	07	04095	12	05150	17	08000	22	10180	26	12275	30	16200	35	22190	40
02090	07	04096	12	05160	17	08005	22	10190	26	12300	30	16210	35	22200	40
02090-10	07	04100	12	05170	17	08010	22	10210	26	12305	30	16220	35	22210	40
02090BK	07	04114	12	05190	17	08015	22	10220	27	12310	30	16230	35	22230	40
02093	07	04115	12	05210	17	08020	22	10222	27	12315	30	16300	35	22240	40
02095	07	04120	12	06000	17	08025	22	10230	27	12320	30	16310	35	22260	40
02095-10	07	04125	12	06005	17	08030	22	10250	27	12325	30	16320	35	22261	40
02095BK	07	04126	12	06010	17	08035	22	10255	27	12330	30	16330	35	22270	40
02100	07	04130	12	06012	17	08040	22	11000	27	12335	30	17100	35	22271	40
02103	07	04150	12	06013	17	08045	22	11001	27	12340	30	17120	35	22280	40
02105	07	04155	12	06015	18	08050	22	11005	27	12345	30	17130	35	22281	40
02105BK	07	04160	12	06020	18	08100	22	10006	27	12350	30	17150	35	22290	40
02108	07	04165	12	06022	18	08130	22	10010	27	12355	30	17160	35	22291	40
02109	07	04167	12	06025	18	08135	22	11011	27	12370	30	17175	35	22300	40
02110	07	04168	12	06026	18	08140	22	11012	27	12375	30	17180	35	22310	40
02115	07	04170	12	06027	18	08145	22	11013	27	12376	30	17175	35		
02120	07	04180	12	06050	18	08150	22	11015	27	12377	30	17180	35		
02125	07	04185	12	06055	18	08230	22	11020	27	12380	30	17185	35		
02125-10	07	04190	13	06060	18	08235	22	11025	27	12385	30	17190	35		
02130	07	04220	13	06065	18	08240	22	11026	27	12390	30	17200	35		
02135	07	04230	13	06070	18	08245	22	11027	27	12395	30	17210	35		
02139	07	04240	13	06075	18	08250	22	11028	27						



# BLACK SWAN QUALITY PRODUCTS FOR OVER 90 YEARS



The Black Swan display rack is four feet wide and designed to increase your plumbing chemical and specialty sales.

Available to all qualified Black Swan distributors.

See your Black Swan representative or call us directly for information on how to obtain one in your store.

## PLUMBING PRODUCTS FOR THE PLUMBING PROFESSIONAL

4540 W. Thomas Street • Chicago, IL 60651-3318

Telephone: 773-227-3700

Wats: 800-252-5796 • Fax: 773-227-3705

E-mail: [info@blackswanmfg.com](mailto:info@blackswanmfg.com)

Web Site: [www.blackswanmfg.com](http://www.blackswanmfg.com)

