

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Bonide Duraturf Lawn Seed Starter Fertilizer 10-25-12

Product code : 60450

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Fertilizer

1.3. Details of the supplier of the safety data sheet

Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 T (315) 736-8231 www.bonide.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - 1 (800) 424-9300 and/or 1 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|----------------------------|---------------------|-------|--|
| Ammonium phosphate | (CAS No) 7722-76-1 | 48.2 | Not classified |
| Muriate of Potash | (CAS No) 7447-40-7 | 19.4 | Not classified |
| Urea | (CAS No) 57-13-6 | 6 | Not classified |
| Polymer Coated-Sulfur Urea | (CAS No) 57-13-6 | 4.7 | Not classified |
| Ferrous Sulfate | (CAS No) 7782-63-0 | 0.55 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 |
| Copper Sulfate | (CAS No) 7758-98-7 | 0.25 | Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Manganese Sulfate | (CAS No) 7785-87-7 | 0.2 | STOT RE 2, H373 Aquatic Chronic 2, H411 |
| Zinc sulfate | (CAS No) 7733-02-0 | 0.15 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sodium Borate | (CAS No) 1330-43-4 | 0.1 | Not classified |
| Sodium Molybdate | (CAS No) 10102-40-6 | 0.002 | Not classified |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the person to rest.

Revision date: 02/17/2016 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from

other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and

when leaving work. Protect from moisture. Remove contaminated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use. Protect from moisture.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Ferrous Sulfate (7782-63-0) | | |
|-----------------------------|-------------------|---------|
| USA ACGIH | ACGIH TWA (mg/m³) | 1 mg/m³ |

Revision date: 02/17/2016 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Manganese Sulfate (7785-87-7) | | |
|-------------------------------|-------------------|-----------|
| USA ACGIH | ACGIH TWA (mg/m³) | 0.1 mg/m³ |

| Sodium Borate (1330-43-4) | | |
|---------------------------|--------------------|---------|
| USA ACGIH | ACGIH TWA (mg/m³) | 2 mg/m³ |
| USA ACGIH | ACGIH STEL (mg/m³) | 6 mg/m³ |

| Sodium Molybdate (10102-40-6) | | |
|-------------------------------|-------------------|---|
| USA ACGIH | ACGIH TWA (mg/m³) | 0.5 mg/m³ (Molybdenum, Soluble compounds, as Mo; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction) |

8.2. **Exposure controls**

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection Wear protective gloves.

Eye protection Chemical goggles or safety glasses.

Respiratory protection : Wear approved mask.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Solid

: Multi-colored granules

Appearance Color Multi-colored Odor : Fertilizer odor : No data available Odor threshold рΗ : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point No data available Freezing point : No data available : No data available Boiling point Flash point : No data available : No data available Self ignition temperature Decomposition temperature No data available Flammability (solid, gas) : No data available : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available Solubility Partially soluble Log Pow : No data available : No data available

Log Kow Viscosity, kinematic : No data available Viscosity, dynamic : No data available No data available Explosive properties Oxidizing properties : No data available : No data available **Explosive limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Chemical stability

Stable under normal conditions.

Revision date: 02/17/2016 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Ammonium phosphate (7722-76-1) | |
|--|--------------------------------------|
| LD50 oral rat | 5750 mg/kg (Rat) |
| LD50 dermal rabbit | > 7940 mg/kg (Rabbit) |
| Urea (57-13-6) | |
| LD50 oral rat | 8471 mg/kg (Rat) |
| LD50 dermal rat | > 3200 mg/kg (Rat) |
| LD50 dermal rabbit | > 21000 mg/kg (Rabbit) |
| Polymer Coated-Sulfur Urea (57-13-6) | |
| LD50 oral rat | > 14300 mg/kg (Rat) |
| LD50 dermal rabbit | > 5000 mg/kg (Rabbit) |
| Copper Sulfate (7758-98-7) | |
| LD50 oral rat | 300 mg/kg (Rat) |
| LD50 dermal rabbit | > 1000 mg/kg (Rabbit) |
| Ferrous Sulfate (7782-63-0) | |
| LD50 oral rat | 1480 mg/kg (Rat) |
| Manganese Sulfate (7785-87-7) | |
| LD50 oral rat | 2150 mg/kg (Rat; Experimental value) |
| Zinc sulfate (7733-02-0) | |
| LD50 oral rat | 1000 - 2000 mg/kg (Rat) |
| Sodium Borate (1330-43-4) | |
| LD50 oral rat | > 2000 mg/kg (Rat) |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit) |
| Sodium Molybdate (10102-40-6) | |
| LD50 oral rat | 4233 mg/kg (Rat) |
| LD50 dermal rat | > 2000 mg/kg (Rat) |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

Revision date: 02/17/2016 EN (English US) 4/8

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. **Toxicity**

| Ammonium phosphate (7722-76-1) | |
|---|---|
| LC50 fish 1 | 155 ppm (LC50; 96 h) |
| Urea (57-13-6) | |
| LC50 fish 1 | > 6810 mg/l (96 h; Leuciscus idus) |
| EC50 Daphnia 1 | > 10000 mg/l (48 h; Daphnia magna) |
| LC50 fish 2 | 17500 mg/l (96 h; Poecilia reticulata) |
| EC50 Daphnia 2 | > 10000 mg/l (24 h; Daphnia magna) |
| TLM fish 1 | 17500 ppm (96 h; Poecilia reticulata) |
| Threshold limit other aquatic organisms 1 | 120000 mg/l (16 h; Bacteria; Toxicity test) |
| Threshold limit other aquatic organisms 2 | > 10000 mg/l (Pseudomonas putida) |
| Threshold limit algae 2 | > 10000 mg/l (168 h; Scenedesmus quadricauda) |
| Polymer Coated-Sulfur Urea (57-13-6) | |
| LC50 fish 1 | > 6810 mg/l (LC50; 96 h) |
| EC50 Daphnia 1 | > 10000 mg/l (EC50; 48 h) |
| • | 3 (, .) |
| Copper Sulfate (7758-98-7) | 0.0400 as all (00 h. Calara arainda ari (Oraca h |
| LC50 fish 1 | 0.0199 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Soft water) |
| EC50 Daphnia 1 | 0.01 mg/l (48 h; Daphnia magna; Soft water) |
| LC50 fish 2 | 0.298 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Hard water) |
| EC50 Daphnia 2 | 0.2 mg/l (48 h; Daphnia magna; Hard water) |
| TLM fish 1 | 3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss) |
| Threshold limit algae 2 | 1.1 mg/l (Scenedesmus quadricauda) |
| Ferrous Sulfate (7782-63-0) | |
| LC50 fish 1 | 925 mg/l (96 h; Poecilia reticulata) |
| EC50 Daphnia 1 | 7.2 mg/l (48 h; Daphnia magna; Metal ion) |
| LC50 fish 2 | > 200 mg/l (48 h; Leuciscus idus) |
| EC50 Daphnia 2 | 152 mg/l (48 h; Daphnia magna; Anhydrous form) |
| Manganese Sulfate (7785-87-7) | |
| LC50 fish 1 | 2850 mg/l (96 h; Colisa fasciatus; Manganese ion) |
| EC50 Daphnia 1 | 8.28 mg/l (48 h; Daphnia magna) |
| LC50 fish 2 | 33.8 mg/l (96 h; Pimephales promelas) |
| EC50 Daphnia 2 | 10 mg/l (24 h; Daphnia magna) |
| Threshold limit algae 1 | 25.7 mg/l (Phaeodactylum; Growth) |
| Threshold limit algae 2 | 61 mg/l (72 h; Desmodesmus subspicatus; GLP) |
| Zinc sulfate (7733-02-0) | |
| LC50 fish 1 | 1.7 mg/l (96 h; Poecilia reticulata) |
| EC50 Daphnia 1 | 1 mg/l (24 h; Daphnia magna) |
| LC50 fish 2 | 2.4 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss) |
| EC50 Daphnia 2 | 0.56 mg/l (48 h; Daphnia magna) |
| Threshold limit algae 1 | 136 μg/l (72 h; Selenastrum capricornutum; Growth rate) |
| Threshold limit algae 2 | 24 μg/l (3 days; Selenastrum capricornutum; Growth rate) |
| Sodium Borate (1330-43-4) | |
| LC50 fish 1 | 100 - 1000 mg/l (96 h; Pisces) |
| LC50 other aquatic organisms 1 | 100 - 100 mg/l (96 h) |
| EC50 Daphnia 1 | 340 mg/l (24 h; Daphnia magna) |
| LC50 fish 2 | 807 mg/l (Leuciscus idus) |
| TLM fish 1 | 8200 ppm (48 h; Gambusia affinis) |
| Threshold limit other aquatic organisms 1 | 100 - 100,96 h; Protozoa |
| Threshold limit other aquatic organisms 2 | 1 mg/l (72 h) |
| Revision date: 02/17/2016 | EN (English US) 5/ |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Sodium Borate (1330-43-4) | |
|-----------------------------------|---|
| Threshold limit algae 1 | 47 mg/l (96 h; Scenedesmus subspicatus; Growth) |
| Threshold limit algae 2 | 0.58 mg/l (Scenedesmus quadricauda) |
| 40.0 Paraiatanas and damadability | |

| 12.2. Persistence and degradability | |
|---|---|
| Bonide Duraturf Lawn Seed Starter Fertilize | or 10-25-12 |
| Persistence and degradability | Not established. |
| | 140t octabilities. |
| Ammonium phosphate (7722-76-1) | |
| Persistence and degradability | Biodegradability in water: no data available. |
| Urea (57-13-6) | |
| Persistence and degradability | Inherently biodegradable. Hydrolysis in water. |
| ThOD | 0.27 g O ² /g substance |
| Polymer Coated-Sulfur Urea (57-13-6) | |
| Persistence and degradability | Inherently biodegradable. Hydrolysis in water. No (test)data on mobility of the components |
| | available. |
| ThOD | 0.27 g O ² /g substance |
| Muriate of Potash (7447-40-7) | |
| Persistence and degradability | Biodegradability in water: no data available. No (test)data on mobility of the components available. |
| Copper Sulfate (7758-98-7) | |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |
| Ferrous Sulfate (7782-63-0) | |
| Persistence and degradability | Biodegradability in water: no data available. Biodegradability in soil: no data available. Adsorbs into the soil. |
| Manganese Sulfate (7785-87-7) | |
| Persistence and degradability | Biodegradability: not applicable. No (test)data on mobility of the substance available. |
| ThOD | Not applicable (inorganic) |
| 7:00 oulfate (7722.02.0) | |
| Zinc sulfate (7733-02-0) Persistence and degradability | Diadogradokiliku nat appliaakla |
| Biochemical oxygen demand (BOD) | Biodegradability: not applicable. Not applicable |
| Chemical oxygen demand (COD) | Not applicable Not applicable |
| ThOD | Not applicable Not applicable |
| BOD (% of ThOD) | Not applicable |
| | 140t applicatio |
| Sodium Borate (1330-43-4) | Diade weedshifts and any Poolship Diade weedshifts in a floor to an Poolship Advanta in the carl |
| Persistence and degradability | Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) ThOD | Not applicable Not applicable |
| BOD (% of ThOD) | Not applicable Not applicable |
| | Hot applicable |
| Sodium Molybdate (10102-40-6) | |
| Persistence and degradability | Biodegradability: not applicable. Photolysis in water. No (test)data on mobility of the substance available. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |

12.3. **Bioaccumulative potential**

| Bonide Duraturf Lawn Seed Starter Fertilizer 10-25-12 | |
|---|------------------|
| Bioaccumulative potential | Not established. |

Revision date: 02/17/2016 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Ammonium phosphate (7722-76-1) | | |
|--------------------------------------|---|--|
| Bioaccumulative potential | Not bioaccumulative. | |
| Urea (57-13-6) | | |
| BCF fish 1 | 1 (72 h; Brachydanio rerio; Fresh water) | |
| BCF other aquatic organisms 1 | 11700 (Chlorella sp.) | |
| Log Pow | -2.591.59 | |
| Bioaccumulative potential | Bioaccumulation: not applicable. | |
| Polymer Coated-Sulfur Urea (57-13-6) | | |
| BCF fish 1 | 1 (BCF; 72 h; Brachydanio rerio) | |
| BCF other aquatic organisms 1 | 117000 (BCF) | |
| Log Pow | -2.591.59 | |
| Bioaccumulative potential | Bioaccumulation: not applicable. | |
| Muriate of Potash (7447-40-7) | | |
| Bioaccumulative potential | No bioaccumulation data available. | |
| Copper Sulfate (7758-98-7) | | |
| Bioaccumulative potential | Bioaccumable. | |
| Ferrous Sulfate (7782-63-0) | | |
| Bioaccumulative potential | Not bioaccumulative. | |
| Manganese Sulfate (7785-87-7) | | |
| Bioaccumulative potential | No bioaccumulation data available. | |
| Zinc sulfate (7733-02-0) | | |
| BCF fish 1 | 59 - 242 (Cyprinus carpio; Test duration: 8 weeks) | |
| Bioaccumulative potential | Bioaccumable. | |
| Sodium Borate (1330-43-4) | | |
| Bioaccumulative potential | Not bioaccumulative. | |
| Sodium Molybdate (10102-40-6) | | |
| BCF fish 1 | 4.9 (BCF; 28 days; Oncorhynchus tshawytscha; Fresh water) | |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). | |

12.4. Mobility in soil

| Copper Sulfate (7758-98-7) | |
|----------------------------|---|
| Ecology - soil | Toxic to flora. |
| Sodium Borate (1330-43-4) | |
| Ecology - soil | May be harmful to plant growth, blooming and fruit formation. |

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

No dangerous good in sense of transport regulations

Additional information

Other information : No supplementary information available.

Revision date: 02/17/2016 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Bonide Duraturf Lawn Seed Starter Fertilizer 10-25-12

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H373 | May cause damage to organs through prolonged or repeated |
| | exposure |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |

SDS US (GHS HazCom 2012) - Pesticides

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Revision date: 02/17/2016 EN (English US) 8/8