

#### **DRILLS AND DRILL/MIXER**





3/8" CORDED DRILL **1006VSR** 







- ► One-Handed Keyless Chuck—For quick, easy and secure accessory changes
- ► Excellent Power-to-Weight Ratio— Maximum power at minimum weight
- ► Ergonomic Handle with Soft Grip— For increased comfort
- ► Two-Finger Trigger with Lock-On— For ease of operation

SPECIFICATIONS	
RATING	120V
AMPERAGE	6.3
NO LOAD RPM	0-2,600
TORQUE	177 inlbs.
CHUCK	3/8"
LENGTH	10.1"
WEIGHT	3.4 lbs.

# 5/8" MIXER







- ► Variable-speed Motor—Provides hightorque power to match speed to mixing application
- ► Powerful 9.0-Amp Motor—Generates outstanding torque for mixing materials such as cement plaster and epoxy resin
- ► Rotatable 360° D-Handle Design— Allows user to hold the mixer in the best position
- ► Heavy-duty Keyed Chuck—Supports a wide variety of accessories
- ► Variable-speed and Reversing Switch— For greater user control

#### **INCLUDES**

Auxiliary Handle **1619PA7850** Chuck Key **2610348635** 

SPECIFICATIONS	
RATING	120V
AMPERAGE	9.0
NO LOAD RPM	0-700
CHUCK SIZE	5/8"
STIRRER CAPACITY	5/8"
WEIGHT	6.6 lbs.

## **WOOD DRILLING ACCESSORIES**

#### **WOOD DRILLING SELECTION GUIDE**

BIT TYPE	APPLICATION	SPEED	HOLE QUALITY	DURABILITY (HITS NAILS)
DAREDEVIL® SPADE BITS	Fast drilling in wood	•	•	0
DAREDEVIL® HIGH-SPEED AUGER BITS	Fast drilling in wood and wood with nails	•	•	•
DAREDEVIL® AUGER BITS	Heavy-duty drilling in thick wood with nails	•	•	•
SELF-FEED BITS	Fast, large diameter rough-in for electrical and plumbing	•	•	0
BELLHANGER BITS	Low-voltage wiring installation. Use flute hole for wire pulling	•	•	0
BRAD POINT BITS	Precise, small diameter hole making	•	•	0
FORSTNER BITS	Precise flat-bottom holes	•	•	0
HINGE BORING BITS	Precise, flat bottom holes in hard wood	•	•	0
SCREW PILOT BITS	Precise, small diameter holes with counterside	•	•	0











#### DARE TO BE...BEST IN CLASS

Bosch Daredevil® power tool accessories are designed to answer the needs of electricians, plumbers and other professional tradesmen. Based on independent testing, Bosch ensures that each Daredevil accessory is market best in speed, ease of use and durability—or it's not a Daredevil.

The key to this best-in-class performance is found in a commitment to use premium materials and incorporate patented designs and advanced engineering. No power tool accessory manufacturer does more to ensure users experience the benefit of a superior power tool accessory:

- ▶ Saving up to 30-minutes a day on the job
- ▶ Better finish quality on every task
- ▶ Maximum sharpness for tips and cutting surfaces

Bosch Daredevil is dedicated to saving time and money. Dare to put improved accessory performance in your tool box with Daredevil.




0.0





#### DARE TO DRILL FASTER

Bosch Daredevil® spade bits offer superior performance versus any other spade bit



Daredevil® Competitor A Competitor B Competitor C

#### WHAT USERS SAY ABOUT DAREDEVIL SPADE BITS

**★★★★** ★ Anonymous

"Whoa Nelly!"

As a builder and remodeler for 30 years, I have seen products evolve and witnessed many "better mouse traps." Often disappointed by bits and blades wearing out quickly or just plain failing, I was pleasantly suprised by the tough build and agressive performance of this spade bit.

Traditional spade bits require a push to do their job, but the DSB dives right in and you just go along for the ride. That's great news for us "more seasoned" tradesmen.

Thanks Bosch!!


Pros: High quality, durable, makes work easier, faster holes
 Yes, I recommend this product.

Originally posted on DSB1009

from boschtools.com



ITEM#	DIAMETER	OVERALL LENGTH	QTY.	BULK ITEM #	BULK QTY.
DSBS1003	3/8"	4"	5	DSBS1003B	60
DSBS1005	1/2"	4"	5	DSBS1005B	60
DSBS1007	5/8"	4"	5	DSBS1007B	60
DSBS1009	3/4"	4"	5	DSBS1009B	50
DSBS1011	7/8"	4"	5	DSBS1011B	50
DSBS1013	1"	4"	5	DSBS1013B	40
DSBS1015	1-1/8"	4"	5	DSBS1015B	40
DSBS1017	1-1/4"	4"	5	DSBS1017B	40
DSBS1021	1-1/2"	4"	5	DSBS1021B	30
DSB1001	1/4"	6"	5	DSB1001B	60
DSB1002	5/16"	6"	5	DSB1002B	60
DSB1003	3/8"	6"	5	DSB1003B	50
DSB1004	7/16"	6"	5	DSB1004B	50
DSB1005	1/2"	6"	5	DSB1005B	50
DSB1006	9/16"	6"	5	DSB1006B	50
DSB1007	5/8"	6"	5	DSB1007B	50
DSB1008	11/16"	6"	5	DSB1008B	40
DSB1009	3/4"	6"	5	DSB1009B	40
DSB1010	13/16"	6"	5	DSB1010B	40
DSB1011	7/8"	6"	5	DSB1011B	40
DSB1012	15/16"	6"	5	DSB1012B	30
DSB1013	1"	6"	5	DSB1013B	30
DSB1015	1-1/8"	6"	5	DSB1015B	25
DSB1017	1-1/4"	6"	5	DSB1017B	25
DSB1019	1-3/8"	6"	5	DSB1019B	20
DSB1021	1-1/2"	6"	5	DSB1021B	20
DLSB1003	3/8"	16"	5	DLSB1003B	30
DLSB1005	1/2"	16"	5	DLSB1005B	30
DLSB1007	5/8"	16"	5	DLSB1007B	30
DLSB1009	3/4"	16"	5	DLSB1009B	30
DLSB1011	7/8"	16"	5	DLSB1011B	30
DLSB1013	1"	16"	5	DLSB1013B	30



# DAREDEVIL® QUICK CHANGE EXTENSIONS

ITEM#	DESCRIPTION	QTY.	
DQCE1006	6" extension	5	
DQCE1012	12" extension	1	

#### DAREDEVIL® SPADE BIT SETS

	* 05		
ITEM#	# OF PIECES	INCLUDES	CASE TYPE
DSB5003	3	(1)1/2"×6", (1)3/4"×6", (1)1"×6"	_
DSB5005	6	(1) 3/8"×6", (1) 1/2"×6", (1) 5/8"×6", (1) 3/4"×6", (1) 7/8"×6", (1) 1"×6" plus 6" extension	_
DSB5006	6	(1) 3/8"×6", (1) 1/2"×6", (1) 5/8"×6", (1) 3/4"×6", (1) 7/8"×6", (1) 1"×6"	_
DSB5006P	6	(1) 3/8"×6", (1) 1/2"×6", (1) 5/8"×6", (1) 3/4"×6", (1) 7/8"×6", (1) 1"×6"	Pouch
DSB5008P	8	(1)3/8"×6", (1)1/2"×6", (1)5/8"×6", (1)3/4"×6", (1)7/8"×6", (1)1"×6", (1)1-1/8"×6", (1)1-1/4"×6"	Pouch
DSB5010	10	(1) 1/4"×6", (1) 3/8"×6", (1) 1/2"×6", (1) 9/16"×6", (1) 5/8"×6", (1) 3/4"×6", (1) 7/8"×6", (1) 1"×6", (1) 1-1/8"×6", (1) 1-1/4"×6"	-
DSB5013P	13	(1)1/4"×6", (1)3/8"×6", (1)1/2"×6", (1)9/16"×6", (1)5/8"×6", (1)11/16"×6", (1)3/4"×6", (1)7/8"×6", (1)1"×6", (1)1-1/8"×6", (1)1-1/4"×6", (1)1-3/8"×6", (1)1-1/2"×6"	Pouch
DSBS5003	3	(1) 1/2"×4", (1) 3/4"×4", (1) 1"×4"	_
DSBS5007P	6	(1) 1/2"×4", (1) 5/8"×4", (1) 3/4"×4", (1) 7/8"×4", (1) 1"×4", (1) 6" extension	Pouch

NOTE: Spade bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM. Not for use in drill press or hardwoods.







#### DAREDEVIL® HIGH-SPEED AUGER BITS **UP TO SPECIALLY DESIGNED MORE HOLES** Engineered to work in PER CHARGE DECREASED cordless high-speed mode **PITCH TIPS** Faster drilling and up to 2× **EFFECTIVE OVERALL LENGTH** more holes 6-1/2 In. long for use in-between per charge studs and in tight areas **REINFORCED TIPS SELF-FEEDING TIP** Up to 2× longer life Like all Daredevil® bits, the self-feeding in nails than standard tip pulls the bit through the work auger bits requiring little effort from the user is needed **FORTIFIED BIT SPINE** Provides additional strength during aggressive drilling and quicker material removal **5/16 IN. SHANK** Fits 1/2 In. and 3/8 In. chuck drills Dare devil.

#### DAREDEVIL® HIGH-SPEED AUGER DRILL BITS


ITEM#	DIAMETER	OVERALL LENGTH	FLUTE LENGTH	SHANK SIZE	QUANTITY
NKSC08	1/2"	6-1/2"	4"	5/16"	1
NKSC10	5/8"	6-1/2"	4"	5/16"	1
NKSC12	3/4"	6-1/2"	4"	5/16"	1
NKSC14	7/8"	6-1/2"	4"	5/16"	1
NKSC16	1"	6-1/2"	4"	5/16"	1
NKSC20	1-1/4"	6-1/2"	4"	5/16"	1
NKSC22	1-3/8"	6-1/2"	4"	5/16"	1

#### DAREDEVIL® HIGH-SPEED AUGER DRILL BIT SET

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
NKSC5003	3	(1) 5/8", (1) 3/4", (1) 1"	_

#### DAREDEVIL® AUGER BITS





#### DAREDEVIL® AUGER BITS

ITEM#	DIAMETER	OVERALL LENGTH	FLUTE LENGTH	SHANK SIZE	QTY.	BULK ITEM#	BULK QTY.
NKST04	1/4"	7-1/2"	4"	3/16"	1	NKSB04	5
NKST05	5/16"	7-1/2"	4"	1/4"	1	NKSB05	5
NKST06	3/8"	7-1/2"	4"	1/4"	1	NKSB06	5
NKST07	7/16"	7-1/2"	4"	1/4"	1	NKSB07	5
NKST08	1/2"	7-1/2"	4"	5/16"	1	NKSB08	5
NKST09	9/16"	7-1/2"	4"	7/16"	1	NKSB09	5
NKST10	5/8"	7-1/2"	4"	7/16"	1	NKSB10	5
NKST11	11/16"	7-1/2"	4"	7/16"	1	NKSB11	5
NKST12	3/4"	7-1/2"	4"	7/16"	1	NKSB12	5
NKST13	13/16"	7-1/2"	4"	7/16"	1	NKSB13	5
NKST14	7/8"	7-1/2"	4"	7/16"	1	NKSB14	5
NKST15	15/16"	7-1/2"	4"	7/16"	1	NKSB15	5
NKST16	1"	7-1/2"	4"	7/16"	1	NKSB16	5
NKST18	1-1/8"	7-1/2"	4"	7/16"	1	NKSB18	3
NKST20	1-1/4"	7-1/2"	4"	7/16"	1	NKSB20	3
NKST22	1-3/8"	7-1/2"	4"	7/16"	1	NKSB22	3
NKST24	1-1/2"	7-1/2"	4"	7/16"	1	NKSB24	3
NKMT06	3/8"	13"	9"	1/4"	1	-	-
NKMT07	7/16"	13"	9"	1/4"	1	_	_
NKMT08	1/2"	13"	9"	5/16"	1	-	-
NKMT09	9/16"	13"	9"	7/16"	1	_	_
NKMT10	5/8"	13"	9"	7/16"	1	_	_
NKMT11	11/16"	13"	9"	7/16"	1	_	_
NKMT12	3/4"	13"	9"	7/16"	1	-	-
NKMT13	13/16"	13"	9"	7/16"	1	_	_
NKMT14	7/8"	13"	9"	7/16"	1	-	-
NKMT15	15/16"	13"	9"	7/16"	1	_	_
NKMT16	1"	13"	9"	7/16"	1	-	-
NKMT18	1-1/8"	13"	9"	7/16"	1	_	_
NKMT20	1-1/4"	13"	9"	7/16"	1	-	-
NKMT22	1-3/8"	13"	9"	7/16"	1	_	_
NKMT24	1-1/2"	13"	9"	7/16"	1	_	-
NKLT06	3/8"	17-1/2"	13-1/2"	1/4"	1	NKLB06	5
NKLT07	7/16"	17-1/2"	13-1/2"	1/4"	1	NKLB07	5
NKLT08	1/2"	17-1/2"	13-1/2"	5/16"	1	NKLB08	5
NKLT09	9/16"	17-1/2"	13-1/2"	7/16"	1	NKLB09	5
NKLT10	5/8"	17-1/2"	13-1/2"	7/16"	1	NKLB10	5
NKLT11	11/16"	17-1/2"	13-1/2"	7/16"	1	NKLB11	5
NKLT12	3/4"	17-1/2"	13-1/2"	7/16"	1	NKLB12	5
NKLT13	13/16"	17-1/2"	13-1/2"	7/16"	1	NKLB13	5
NKLT14	7/8"	17-1/2"	13-1/2"	7/16"	1	NKLB14	5
NKLT15	15/16"	17-1/2"	13-1/2"	7/16"	1	NKLB15	5
NKLT16	1"	17-1/2"	13-1/2"	7/16"	1	NKLB16	5
NKLT17	1-1/16"	17-1/2"	13-1/2"	7/16"	1	NKLB17	3
NKLT18	1-1/8"	17-1/2"	13-1/2"	7/16"	1	NKLB18	3
NKLT20	1-1/4"	17-1/2"	13-1/2"	7/16"	1	NKLB20	3
NKLT22	1-3/8"	17-1/2"	13-1/2"	7/16"	1	NKLB22	3
NKLT24	1-1/2"	17-1/2"	13-1/2"	7/16"	1	NKLB24	3

#### DAREDEVIL® AUGER BIT SET

 ITEM #
 # OF PIECES
 INCLUDES
 CASE TYPE

 NKST5003
 3
 (1)5/8"×7-1/2", (1)3/4"×7-1/2", (1)1"×7-1/2"

NOTE: Auger bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM

vs. standard auger bit





#### **SELF-FEED BITS**

These Bosch bits are designed for the professional plumber and electrician who need to make large, rough holes in wood.

#### Each bit features:

- ➤ 7/16 In. hex shank for reduced slippage (3 In. and larger three-flat shank)
- ► Chip lifters and spurs that can be resharpened to maximize bit life
- ► Deep cutter gullets prevent stalling and provide smoother drilling
- ▶ Replaceable threaded tip and hex key included

ITEM#	DIAMETER	REPLACEMENT KIT ITEM #
SF1001	1"	SF5018
SF1121	1-1/8"	SF5018
SF1251	1-1/4"	SF5018
SF1371	1-3/8"	SF5018
SF1501	1-1/2"	SF5018
SF1751	1-3/4"	SF5018
SF2001	2"	SF5018
SF2121	2-1/8"	SF5018
SF2251	2-1/4"	SF5018
SF2561	2-9/16"	SF5018
SF3001	3"	SF5032
SF3621	3-5/8"	SF5032
SF4621	4-5/8"	SF5032



EX1012

#### SELF-FEED BIT EXTENSIONS

12"



7/16"



ITEM#	# OF PIECES	INCLUDES	CASE TYPE
SF5018	3	(1) screw tip, (1) set screw, (1) 1/8" hex wrench	_
SF5032	3	(1) screw tip, (1) set screw, (1) 5/32" hex wrench	_

# BELL HANGER/INSTALLER BITS

Bosch Bell Hanger bits are made for the professional electrician or low-voltage cable installer.

#### Each bit features:

- ► Hole-in-flute design for fishing cable through drilled holes
- ► Three-flat shank for reduced slippage
- ► Extra length for deep drilling



ITEM#	DIAMETER	OVERALL LENGTH
BH1001T	1/4"	12"
BH1002T	5/16"	12"
BH1003T	3/8"	12"
BH1005T	1/2"	12"
BH2001T	1/4"	18"
BH2002T	5/16"	18"
BH2003T	3/8"	18"
BH2005T	1/2"	18"
BH3001T	1/4"	24"
BH3002T	5/16"	24"
ВН3003Т	3/8"	24"
BH3005T	1/2"	24"





#### SCREW PILOT BITS

ITEM#	DIAMETER	SHANK SIZE
SP506	#6	1/4"
SP508	#8	1/4"
SP510	#10	1/4"
SP512	#12	1/4"

#### SCREW PILOT BIT SET

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
SP515	5	(1) #6, (1) #8, (1) #10, (1) #12, (1) Allen® wrench	-

#### **BRAD POINT BITS**

Brad Point bits from Bosch are made to deliver accurate, clean holes every time.

Each bit features:

- ▶ Easy tip positioning and accurate starts
- ► Design for both portable drills and drill presses

ITEM#	DIAMETER	SHANK	OVERALL LENGTH	USABLE LENGTH
B14601	1/8"	1/8"	2-3/4"	1-5/8"
B14602	3/16"	3/16"	3-1/2"	2-5/16"
B14603	1/4"	1/4"	3-5/16"	2-1/4"
B14604	5/16"	5/16"	4-7/16"	2-3/4"
B14605	3/8"	5/16"	5-3/16"	3-1/4"
B14606	7/16"	5/16"	5-9/16"	3-1/2"
B14607	1/2"	5/16"	5-15/16"	3-1/2"
B14609	5/8"	3/8"	7"	4-1/4"

#### **BRAD POINT BIT SET**

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
B14616	5	(1) 1/4", (1) 5/16", (1) 3/8", (1) 7/16", (1) 1/2"	-

#### HINGE BORING BITS

Hinge Boring bits from Bosch meet European-type hinge specifications.

Each bit features:

- ► Centering point and outside scoring tips
- ▶ 10mm shank with locking flat and adjustable screw top for automatic and semi-automatic boring machines
- ► Not for use with three-jaw chucks

ITEM#	DIAMETER	DESCRIPTION
T15005	5mm	Right twist
T15015	5mm	Left twist
T15008	8mm	Right twist
T15018	8mm	Left twist
T15010	10mm	Right twist
T15110	10mm	Left twist
T15215	15mm	For European-type hinges
T15020	20mm	For European-type hinges
T15025	25mm	For European-type hinges
T15030	30mm	For European-type hinges
T15035	35mm	For European-type hinges
T15040	40mm	For European-type hinges







#### **FORSTNER BITS**

The Bosch line of Forstner bits produces consistently smooth, flat-bottomed holes.

ITEM#	DIAMETER
FB004	1/4"
FB006	3/8"
FB008	1/2"
FB010	5/8"
FB012	3/4"
FB014	7/8"
FB016	1"
FB018	1-1/8"

ITEM#	DIAMETER
FB020	1-1/4"
FB022	1-3/8"
FB024	1-1/2"
FB026	1-5/8"
FB028	1-3/4"
FB030	1-7/8"
FB032	2"
FB034	2-1/8"



#### FORSTNER BIT SETS

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
FB1600	16	(1) 1/4", (1) 3/8", (1) 1/2", (1) 5/8", (1) 3/4", (1) 7/8", (1) 1", (1) 1-1/8", (1) 1-1/4", (1) 1-3/8", (1) 1-1/2", (1) 1-5/8", (1) 1-3/4", (1) 1-7/8", (1) 2", (1) 2-1/8"	Wood
FB700	7	(1) 1/4", (1) 3/8", (1) 1/2", (1) 5/8", (1) 3/4", (1) 7/8", (1) 1"	Wood






Bosch provides more innovative features and advanced design in hole saws than any other brand. From the introduction of the first AutoStart pilot for diamond drilling to cups that cut more materials—from wood to hard tile—Bosch has the right hole saw solution for virtually any application.

#### **HOLE SAW SELECTION CHART**

HOLE SAWS	WOOD	DRYWALL	LAMINATE	PLASTIC	FIBER GLASS	CEMENT BOARD	SHEET METAL	METAL	STAINLESS	MASONRY	CERAMIC TILE	PORCELAIN TILE PE5	STONE
DAREDEVIL® CARBIDE	•	•	•	•	•	•	0	0	0	•	•	0	•
DAREDEVIL® RECESSED	•	•	•	•	•	•	0	0	0	•	•	0	•
DAREDEVIL® WOOD	•	•	•	•	0	0	0	0	0	0	0	0	0
DIAMOND	0	0	0	0	0	0	0	0	0	•	•	•	•
EDGE™ IMPACT TOUGH™	0	0	0	•	0	0	•	0	0	0	0	0	0
BI-METAL	•	•	•	•	•	•	•	•	•	0	0	0	0





#### 50% DEEPER CUP

Drills through thicker materials and makes the job easier

#### DAREDEVIL® SPINLOCK ARBOR

Fits Quick Change cups and 1/4 In. hex pilot bits



#### **MULTI-MATERIAL PILOT BIT**

Drills through multiple materials

#### PREMIUM CARBIDE TEETH

Provide greater speed and longer life for increased productivity on the job

#### LARGE GULLETS

Facilitates plug removal and quickly clears debris

#### DAREDEVIL® CARBIDE HOLE SAWS

			SPINLOCK UNIVER	SAL ARBOR
ITEM#	DIAMETER	CUT DEPTH	MANDREL	PILOT BIT
HMD100	1"	2-3/8"		нтстср-с
HMD112	1-1/8"	2-3/8"		HICIOF-C
HMD125	1-1/4"	2-3/8"		
HMD137	1-3/8"	2-3/8"		
HMD150	1-1/2"	2-3/8"		
HMD175	1-3/4"	2-3/8"		
HMD200	2"	2-3/8"		
HMD212	2-1/8"	2-3/8"		
HMD225	2-1/4"	2-3/8"	HSA-MD	
HMD250	2-1/2"	2-3/8"		HSP-MD, HSP-HS
HMD256	2-9/16"	2-3/8"		
HMD275	2-3/4"	2-3/8"		
HMD300	3"	2-3/8"		
HMD350	3-1/2"	2-3/8"		
HMD363	3-5/8"	2-3/8"		
HMD412	4-1/8"	2-3/8"		
HMD450	4-1/2"	2-3/8"		









# DAREDEVIL® RECESSED LIGHTING HOLE SAWS



HMD636RL

#### COMPATIBLE WITH DAREDEVIL® SPINLOCK ARBOR

Fits all sizes and brands



#### **PREMIUM CARBIDE TEETH**

For long life and 10× faster performance

#### 1-1/4 IN. SHALLOW DEPTH CUP

Optimized for drilling recessed lighting in ceilings and concealed spaces

#### LARGE GULLETS


Facilitates plug removal and quickly clears debris

#### DAREDEVIL® RECESSED LIGHTING HOLE SAWS

			SPINLOCK UNIVERSAL	ARBOR
ITEM#	DIAMETER	CUT DEPTH	MANDREL	PILOT BIT
HMD436RL	4-3/8"	1-1/4"	HSA-HS, HSA-MD	HSP-HS, HSP-MD
HMD636RL	6-3/8"	1-1/4"	HSA-HS, HSA-WD	H3F-H3, H3F-MD

# DAREDEVIL® CARBON HOLE SAWS





#### DAREDEVIL® CARBON HOLE SAWS

ITEM#	DIAMETER	CUT DEPTH
HCD100	1"	1-7/8"
HCD125	1-1/4"	1-7/8"
HCD150	1-1/2"	1-7/8"
HCD175	1-3/4"	1-7/8"
HCD200	2"	1-7/8"
HCD212	2-1/8"	1-7/8"
HCD225	2-1/4"	1-7/8"
HCD250	2-1/2"	1-7/8"

#### DAREDEVIL® CARBON HOLE SAW SETS

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
HCD005	5	Hole saws: (1) 1", (1) 1-1/2", (1) 2", (1) 2-1/2"; (1) arbor with pilot bit	_
HCD007	7	Hole saws: (1) 1", (1) 1-1/4", (1) 1-1/2", (1) 1-3/4", (1) 2", (1) 2-1/2"; (1) arbor with pilot bit	_





#### **BI-METAL HOLE SAWS**

#### **FASTER, LONGER LIFE**







#### **BI-METAL HOLE SAWS**

			STANDARD		SPINIOCKUM	VERSAL ARBOR
ITEM#	DIAMETER	CUT DEPTH	MANDREL	PILOT BIT	MANDREL	PILOT BIT
HB062	9/16"	1-5/8"	MANDREL	PILOT BIT	MANDREL	PILOI BII
HB063	5/8"	1-5/8"				
HB069	11/16"	1-5/8"				
	•					
HB075	3/4"	1-5/8"				
HB081	13/16"	1-5/8"				
HB087	7/8"	1-5/8"	HSBAM			
HB094	15/16"	1-5/8"				
HB100	1"	1-5/8"				
HB106	1-1/16"	1-5/8"	_			
HB112	1-1/8"	1-5/8"				
HB119	1-3/16"	1-5/8"				
HB125	1-1/4"	1-5/8"				
HB131	1-5/16"	1-5/8"			HSA-HS	
HB136	1-3/8"	1-5/8"				
HB144	1-7/16"	1-5/8"				HSP-HS
HB150	1-1/2"	1-5/8"		HSPB		
HB156	1-9/16"	1-5/8"				
HB163	1-5/8"	1-5/8"				
HB169	1-11/16"	1-5/8"				
HB175	1-3/4"	1-5/8"				
HB181	1-13/16"	1-5/8"	HSBAM,			
HB187	1-7/8"	1-5/8"	HSBAL,			
HB200	2"	1-5/8"	HSBAMP			
HB206	2-1/16"	1-5/8"				
HB212	2-1/8"	1-5/8"				
HB225	2-1/4"	1-5/8"				
HB231	2-5/16"	1-5/8"				
HB236	2-3/8"	1-5/8"				
HB250	2-1/2"	1-5/8"				
HB256	2-9/16"	1-5/8"				
HB263	2-5/8"	1-5/8"				
HB269	2-11/16"	1-5/8"				

			STANDARD		SPINLOCK UNIVE	RSAL ARBOR
ITEM#	DIAMETER	CUT DEPTH	MANDREL	PILOT BIT	MANDREL	PILOT BIT
HB275	2-3/4"	1-5/8"	_			
HB287	2-7/8"	1-5/8"				
HB300	3"	1-5/8"				
HB312	3-1/8"	1-5/8"				
HB325	3-1/4"	1-5/8"				
HB338	3-3/8"	1-5/8"				
HB350	3-1/2"	1-5/8"				
HB363	3-5/8"	1-5/8"				
HB375	3-3/4"	1-5/8"				
HB387	3-7/8"	1-5/8"	HSBAM,			
HB400	4"	1-5/8"	HSBAL, HSBAMP	HSPB	HSA-HS	HSP-HS
HB412	4-1/8"	1-5/8"				
HB425	4-1/4"	1-5/8"				
HB436	4-3/8"	1-5/8"				
HB450	4-1/2"	1-5/8"				
HB475	4-3/4"	1-5/8"				
HB500	5"	1-5/8"				
HB550	5-1/2"	1-5/8"				
HB575	5-3/4"	1-5/8"				
HB600	6"	1-5/8"				

#### **BI-METAL HOLE SAW SETS**











HBUSKIT

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
HB17PL	17 (plumber's kit)	Hole saws: (1) 3/4", (1) 7/8", (1) 1-1/8", (1) 1-3/8", (1) 1-3/4", (1) 2-1/4", (1) 2-9/16"; (3) small adapters (AN01); (4) large adapters (AN02); (1) Quick Change mandrel (PCM38); (2) pilot bits (HB85PB)	Plastic
HB19EL	19 (electrician's kit)	Hole saws: (1) 3/4", (1) 7/8", (1) 1-1/8", (1) 1-3/8", (1) 1-3/4", (1) 2", (1) 2-9/16", (1) 3"; (3) small adapters (AN01); (5) large adapters (AN02); (1) Quick Change mandrel (PCM38); (2) pilot bits (HB85PB)	Plastic
HB25M	25 (master kit)	Hole saws: (1) 3/4", (1) 7/8", (1) 1", (1) 1-1/8", (1) 1-3/8", (1) 1-1/2", (1) 1-3/4", (1) 2", (1) 2-1/8", (1) 2-1/2", (1) 3"; (4) small adapters (AN01); (7) large adapters (AN02); (1) Quick Change mandrel (PCM38); (2) pilot bits (HB85PB)	Plastic
HE1	2	(1)PCM38 adapter for hole saws; (1)adapter for hole saw enlargement plus; (3) washers	-
HBUSKIT	8	Hole saws: (1) 1", (1) 1-1/2", (1) 2-1/8", (1) 2-1/2"; (1) small adapter (AN01); (1) large adapter (AN02); (1) Quick Change mandrel (PCM38); (1) pilot bit (HB85PB)	_



#### **EDGE™ IMPACT TOUGH™ HOLE SAWS**

# DELIVERS 2× LIFE OVER STANDARD IMPACT-RATED HOLE SAWS



#### **BI-METAL 8-TPI TEETH**

Engineered for optimal cutting in sheet metal

#### **DEPTH STOP**

Helps prevent breakthrough and provides accurate hole depth for more precise drilling

#### 1/4 IN. HEX SHANK

Offers compatibility with most drills and 1/4 In. hex shank impactors







#### EDGE™ IMPACT TOUGH™ HOLE SAWS

ITEM#	DIAMETER
HTW34	3/4"
HTW78	7/8"
HTW1	1"
HTW118	1-1/8"
HTW114	1-1/4"
HTW138	1-3/8"
HTW112	1-1/2"

#### EDGE™ IMPACT TOUGH™ HOLE SAW SET

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
HTWS	3	(1) 7/8", (1) 1-1/8", (1) 1-3/8"	_

#### FAST AND EASY STARTS, EVEN IN THE HARDEST TILE

#### VACUUM-BRAZED DIAMOND GRIT Cuts faster and lasts longer

#### SEGMENTED TEETH

Reduce debris and heat buildup

#### **INTEGRAL QUICK CHANGE ADAPTER**

Changes hole saw sizes and types in seconds; easy plug removal

#### **AUTOSTART PILOT BIT**





Allows walk-free cutting without a pilot hole

Starts holes accurately every time

#### DIAMOND HOLE SAWS

#### 1/4 1) B BOSCH (1/1/1/11

	, , , , , , , , , , , , , , , , , , ,		~
ITEM#	DIAMETER*	USE WITH MANDREL	PILOT BIT
HDG316	3/16"		
HDG14	1/4"		
HDG516	5/16"	Not	Not
HDG38	3/8"	required	required
HDG12	1/2"		
HDG58	5/8"		
HDG34	3/4"		
HDG78	7/8"		
HDG1	1"		
HDG118	1-1/8"		HDGPB6
HDG114	1-1/4"		
HDG138	1-3/8"		
HDG112	1-1/2"		
HDG158	1-5/8"		
HDG134	1-3/4"		
HDG2	2"		
HDG218	2-1/8"	HDGQA	
HDG214	2-1/4"	IIDUQA	
HDG212	2-1/2"		
HDG234	2-3/4"		
HDG3	3"		
HDG318	3-1/8"		
HDG314	3-1/4"		
HDG312	3-1/2"		
HDG358	3-5/8"		
HDG334	3-3/4"		
HDG4	4"		
HDG418	4-1/8"		

<sup>\* = 1&</sup>quot; maximum recommended cutting depth

#### DIAMOND HOLE SAW SETS



	# OF		010T =V2T
ITEM#	PIECES	INCLUDES	CASE TYPE
HDG138QA	3	(1) mandrel; (1) AutoStart pilot bit; (1) 1-3/8" hole saw	_
HDG7	7	(1) mandrel; (1) AutoStart pilot bit; hole saws: (1) 5/8", (1) 1", (1) 1-3/8", (1) 2", (1) 2-1/4"	Plastic
HDG11	11	(1) mandrel; (1) AutoStart pilot bit; hole saws: (1) 1/4", (1) 5/16", (1) 3/8", (1) 5/8", (1) 1", (1) 1-3/8", (1) 2", (1) 2-1/4", (1) 2-1/2"	Plastic
HDGM	3	(1)3/16", (1)1/4", (1)1/2"	_
HDG11		(1) 5/8", (1) 1", (1) 1-3/8", (1) 2", (1) 2-1/4" (1) mandrel; (1) AutoStart pilot bit; hole saws: (1) 1/4", (1) 5/16", (1) 3/8", (1) 5/8", (1) 1", (1) 1-3/8", (1) 2", (1) 2-1/4", (1) 2-1/2"	

<sup>\*\*</sup> WARNING: Use only with machines designed for wet sawing and on a GFCI-protected circuit (if the machine is electrical)



#### STANDARD ARBORS AND ACCESSORIES

#### **ARBORS**







ITEM#	DESCRIPTION	SHANK DIAMETER
HSBAL	Large two-pin mandrel for hole saws 1-1/4"-6"	7/16"
HSBAMP	Large two-pin mandrel for hole saws 1-1/4"-6"	3/8"
HSBAM	Medium mandrel for hole saws 9/16"-6"	3/8"

#### PILOT BIT



ITEM#	DESCRIPTION	USE WITH MANDREL	HOLE SAW SERIES
HSPB	3-1/8" high-speed steel pilot bit	HSBAM, HSBAMP, HSBAL	Bi-metal, sheet metal

#### **DIAMOND HOLE SAW ARBOR AND ACCESSORY**

#### **ARBOR**



ITEM#	SHANK DIAMETER	FITS HOLE SAW SIZES	PILOT BIT	ADAPTER
HDGQA	3/8"	3/4"-4-1/8"	AutoStart carbide	Use with AN01 or AN02
PILOT BI	T	(March and All		

ITEM# DESCRIPTION **USE WITH MANDREL HOLE SAW SERIES** HDGPB6 AutoStart (for diamond hole saws 3/4"-4-1/8") HSA-HS, HSA-MD Diamond

#### **SPINLOCK UNIVERSAL ARBORS AND ACCESSORIES**

#### **ARBORS**





ITEM #	DESCRIPTION	SHANK DIAMETER
HSA-MD	SpinLock arbor with Daredevil® multipurpose pilot bit	3/8"
HSA-HS	SpinLock arbor with high-speed steel pilot bit	3/8"

#### PILOT BITS

#### 14 24 24 24 24 24 24 3 PCPD4 Cobalt pilot bit

X TO



HS85PB 3-3/8" high-speed steel pilot bit

HTCTCP Carbide-tipped pilot bit

**HTCTCP** 



High-speed steel pilot bit

Daredevil® Bi-metal,

sheet metal

HSP-MD Daredevil® multipurpose carbide-tipped pilot bit

#### USE WITH MANDREL ITEM# **DESCRIPTION** 1/4" hex 100mm high-speed Daredevil®, **HSP-HS** steel pilot bit bi-metal 1/4" hex 100mm Daredevil® Daredevil®, **HSP-MD** HSA-HS. multipurpose pilot bit bi-metal HSA-MD, Daredevil®, PCPD4 4-3/4" cobalt pilot bit PCM38, bi-metal PCM12 4-3/4" carbide tipped pilot bit

#### **EXTENSIONS**



ITEM#	LENGTH	SHANK DIAMETER	USE WITH MANDREL
PCMEX38	12"	3/8"	PCM38, HSBAMP, HSBAM
PCMEX12	12"	1/2"	PCM12, HSBAL



#### **BIT DESIGN**

#### **DRYWALL BIT**



Reduced-diameter head is designed to limit cam out when used in a drywall gun.

#### **DECKING BIT**



Bits are designed for repetitive drives to minimize damage to the work surface or materials.

#### **ROUND BODY**



Allows screw to be set below the work surface without damaging the work as a full-hex body could.

#### **HARDNESS**



Impact Tough™ bits are designed to withstand the high torque associated with today's more powerful impact drivers. Machined tips create a stronger hold on the screw. The Xtended Torsion Zone helps to reduce breakage and to provide 10× bit life.

#### **EXTRA HARD**

Fully hardened and tempered for extended bit life under constant heavy-duty use. The tip is precision formed for a proper fit.


#### **GRIPPING POWER**





Increases the gripping power between the bit and screw head, reducing the force to drive the screw.









#### **APPLICATION GUIDE**

	PHILLIPS®	SQUARE RECESS	SLOTTED	TORX®	TORX® SECURITY	TORX® ALIGN	ALLEN®	ALLEN® SECURITY	Pozidriv®	TORQ-SET®	TRI-WING®	SPANNER	СГОТСН В	FREARSON®
APPLIANCE	•	•	•	•	_	•	_	_	•	_	_	_	_	-
AUTOMOTIVE	•	_	•	•	-	•	•	_	•	-	_	_	_	_
AVIATION	•	-	•	_	_	_	-	-	-	•	•	-	-	•
CABINETRY	•	•	•	-	-	_	-	-	-	-	_	-	-	•
CONSTRUCTION	•	-	•	-	-	-	-	-	•	-	-	-	-	_
CONTROL PANELS	•	-	-	-	-	-	•	-	-	-	-	•	-	-
DECKING	•	•	•	-	-	_	-	-	•	-	_	-	-	_
DRYWALL	•	•	-	-	-	-	-	-	-	-	-	-	-	_
ELECTRONICS	•	_	•	•	•	•	•	_	-	•	•	_	_	_
FURNITURE	•	•	•	-	-	-	•	-	-	-	-	-	-	_
HOBBY	•	-	•	-	_	-	•	_	-	-	_	_	•	•
HVAC	•	•	•	-	-	-	•	-	-	-	-	-	-	_
MACHINE TOOLS/ METAL	•	-	•	_	_	-	•	•	_	_	_	_	_	_
MANUFACTURED HOUSING	-	-	-	-	-	-	-	-	-	-	-	-	•	-
MARINE	•	_	•	_	_	_	_	_	-	-	_	_	_	•
RECREATION	•	-	•	-	-	-	•	•	-	-	-	-	•	•
SECURITY	_	•	-	-	•	-	•	•	-	•	•	•	_	_
SUBFLOOR	•	•	-	-	-	-	_	_	-	-	-	-	-	_



#### **IMPACT DRIVER BITS AND SOCKETS**

Impact Tough™ driver bits and sockets are designed to withstand the high torque produced by today's more powerful impact drivers. The screwdriver bits have an Xtended Torsion Zone to absorb torque peaks, extending bit life over standard screwdriving bits. They also feature machined tips for outstanding bit grip. Impact Tough™ sockets are engineered for high torque, with forged steel that reduces breakage and absorbs torque peaks to reduce stress.



# TAKES THE IMPACT AND COMPLETES THE JOB

#### **Engineered for high torque**

Bosch has engineered a line of screwdriving bits, nutsetters and sockets that can handle torque generated from today's high-powered impact drivers.

#### **SCREWDRIVER BITS AVAILABLE IN**







PHILLIPS® :

**TORX®** 

# Reduces breakage and cam-out XTENDED TORSION ZONE Absorbs torque peaks

# HARDENED CORE

reducing stress at the tip

MACHINED TIP

Increases bit strength, reduces fracture



#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
ITPH1102	P1	1"	1/4"	Impact Tough™	2	ITPH11B
ITPH1105	P1	1"	1/4"	Impact Tough™	5	_
ITPH2102	P2	1"	1/4"	Impact Tough™	2	ITPH21B
ITPH2105	P2	1"	1/4"	Impact Tough™	5	_
ITPH2115	P2	1"	1/4"	Impact Tough™	15	_
ITPH2R102	P2R	1"	1/4"	Impact Tough™	2	ITPH2R1B
ITPH3102	P3	1"	1/4"	Impact Tough™	2	ITPH31B
ITPH3105	P3	1"	1/4"	Impact Tough™	5	_
ITP2R2102	P2R2	1"	1/4"	Impact Tough™	2	ITP2R21B
ITP2R2105	P2R2	1"	1/4"	Impact Tough™	5	_
ITSQ1102	R1	1"	1/4"	Impact Tough™	2	ITSQ11B
ITSQ1105	R1	1"	1/4"	Impact Tough™	5	-
ITSQ2102	R2	1"	1/4"	Impact Tough™	2	ITSQ21B
ITSQ2105	R2	1"	1/4"	Impact Tough™	5	-
ITSQ2115	R2	1"	1/4"	Impact Tough™	15	_
ITSQ3102	R3	1"	1/4"	Impact Tough™	2	ITSQ31B
ITT15102	T15	1"	1/4"	Impact Tough™	2	ITT151B
ITT20102	T20	1"	1/4"	Impact Tough™	2	ITT201B
ITT25102	T25	1"	1/4"	Impact Tough™	2	ITT251B
ITT30102	T30	1"	1/4"	Impact Tough™	2	ITT301B
ITT40102	T40	1"	1/4"	Impact Tough™	2	ITT401B

NOTE: Impact Tough™ bulk items can only be ordered in multiples of 5 or 10 depending on the item. Minimum quantities may apply.

DVC ITEM#	DOINT	LENCTH	CHANK	HADDNESS	DVC OTV	DULK ITEM#
PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
ITPH1201	P1	2"	1/4"	Impact Tough™	1	ITPH12B
ITPH13501	P1	3.5"	1/4"	Impact Tough™	1	ITPH135B
ITPH1601	P1	6" 2"	1/4"	Impact Tough™	1	ITPH16B
ITPH2201	P2	=	1/4"	Impact Tough™	1	ITPH22B
ITPH2205	P2	2"	1/4"	Impact Tough™	5	_
ITPH2215	P2	2"	1/4"	Impact Tough™	15	_
ITPH23501	P2	3.5"	1/4"	Impact Tough™	1	ITPH235B
ITPH2601	P2	6"	1/4"	Impact Tough™	1	ITPH26B
ITPH3201	P3	2"	1/4"	Impact Tough™	1	ITPH32B
ITPH33501	P3	3.5"	1/4"	Impact Tough™	1	ITPH335B
ITPH3601	P3	6"	1/4"	Impact Tough™	1	ITPH36B
ITP2R2201	P2R2	2"	1/4"	Impact Tough™	1	ITP2R22B
ITP2R2205	P2R2	2"	1/4"	Impact Tough™	5	_
ITSQ1201	R1	2"	1/4"	Impact Tough™	1	ITSQ12B
ITSQ13501	R1	3.5"	1/4"	Impact Tough™	1	ITSQ135B
ITSQ1601	R1	6"	1/4"	Impact Tough™	1	ITSQ16B
ITSQ2201	R2	2"	1/4"	Impact Tough™	1	ITSQ22B
ITSQ2205	R2	2"	1/4"	Impact Tough™	5	_
ITSQ2215	R2	2"	1/4"	Impact Tough™	15	_
ITSQ23501	R2	3.5"	1/4"	Impact Tough™	1	ITSQ235B
ITSQ2601	R2	6"	1/4"	Impact Tough™	1	ITSQ26B
ITSQ3201	R3	2"	1/4"	Impact Tough™	1	ITSQ32B
ITSQ33501	R3	3.5"	1/4"	Impact Tough™	1	ITSQ335B
ITSQ3601	R3	6"	1/4"	Impact Tough™	1	ITSQ36B
ITT15201	T15	2"	1/4"	Impact Tough™	1	ITT152B
ITT153501	T15	3.5"	1/4"	Impact Tough™	1	ITT1535B
ITT15601	T15	6"	1/4"	Impact Tough™	1	ITT156B
ITT20201	T20	2"	1/4"	Impact Tough™	1	ITT202B
ITT20205	T20	2"	1/4"	Impact Tough™	5	_
ITT203501	T20	3.5"	1/4"	Impact Tough™	1	ITT2035B
ITT20601	T20	6"	1/4"	Impact Tough™	1	ITT206B
ITT25201	T25	2"	1/4"	Impact Tough™	1	ITT252B
ITT25205	T25	2"	1/4"	Impact Tough™	5	_
ITT25215	T25	2"	1/4"	Impact Tough™	15	-
ITT253501	T25	3.5"	1/4"	Impact Tough™	1	ITT2535B
ITT25601	T25	6"	1/4"	Impact Tough™	1	ITT256B
ITT30201	T30	2"	1/4"	Impact Tough™	1	ITT302B
ITT303501	T30	3.5"	1/4"	Impact Tough™	1	ITT3035B
ITT30601	T30	6"	1/4"	Impact Tough™	1	ITT306B
ITT40201	T40	2"	1/4"	Impact Tough™	1	ITT402B
ITT403501	T40	3.5"	1/4"	Impact Tough™	1	ITT4035B
ITT40601	T40	6"	1/4"	Impact Tough™	1	ITT406B

NOTE: Impact Tough™ bulk items can only be ordered in multiples of 5 or 10 depending on the item. Minimum quantities may apply.




#### **CUSTOM CASE SYSTEM**

Custom is better. The Bosch Custom Case System for Impact Tough™ bits allows creation of a bit case that's tailored to the requirements of the job.

See pages 184–185 for more information about the Custom Case System.







#### BIT HOLDERS



PKG. ITEM#	DESCRIPTION	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
ITBH201	Impact Tough™ 2" Bit Holder 1pk	2"	1/4"	Impact Tough™	1	ITBH201B
ITBHQC201	Impact Tough™ 2" Quick Change Bit Holder 1pk	2"	1/4"	Impact Tough™	1	ITBHQC201B

#### NUTSETTERS



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
ITNS14	1/4"	1-7/8"	1/4"	Impact Tough™	1	ITNS14B
ITNS516	5/16"	1-7/8"	1/4"	Impact Tough™	1	ITNS516B
ITNS38	3/8"	1-7/8"	1/4"	Impact Tough™	1	ITNS38B
ITNS716	7/16"	1-7/8"	1/4"	Impact Tough™	1	ITNS716B
ITNS12	1/2"	1-7/8"	1/4"	Impact Tough™	1	ITNS12B
ITNS2490	1/4", 5/16", 3/8"	1-7/8"	1/4"	Impact Tough™	3	_
ITNS142	1/4"	2-9/16"	1/4"	Impact Tough™	1	ITNS142B
ITNS5162	5/16"	2-9/16"	1/4"	Impact Tough™	1	ITNS5162B
ITNS382	3/8"	2-9/16"	1/4"	Impact Tough™	1	ITNS382B
ITNS7162	7/16"	2-9/16"	1/4"	Impact Tough™	1	ITNS7162B
ITNS122	1/2"	2-9/16"	1/4"	Impact Tough™	1	ITNS122B
ITNS2492	1/4", 5/16", 3/8"	2-9/16"	1/4"	Impact Tough™	3	_

NOTE: Impact Tough™ bulk items can only be ordered in multiples of 5 or 10 depending on the item. Minimum quantities may apply.

#### **SOCKETS**



ITEM#	SIZE	WELL DEPTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
ITSO14316	3/16"	_	1/4"	Impact Tough™	1	_
ITSO1414	1/4"	_	1/4"	Impact Tough™	1	-
ITSO14516	5/16"	_	1/4"	Impact Tough™	1	_
ITSO1438	3/8"	_	1/4"	Impact Tough™	1	_
ITSO14716	7/16"	_	1/4"	Impact Tough™	1	_
ITSO1412	1/2"	_	1/4"	Impact Tough™	1	_
ITSO14916	9/16"	_	1/4"	Impact Tough™	1	_
27251	5/16"	Deep well	3/8"	Impact Tough™	1	_
27254	3/8"	Deep well	3/8"	Impact Tough™	1	_
27258	7/16"	Deep well	3/8"	Impact Tough™	1	-
27259	1/2"	Deep well	3/8"	Impact Tough™	1	_
27260	9/16"	Deep well	3/8"	Impact Tough™	1	-
27261	5/8"	Deep well	3/8"	Impact Tough™	1	_
27262	11/16"	Deep well	3/8"	Impact Tough™	1	-
27263	3/4"	Deep well	3/8"	Impact Tough™	1	_
27264	13/16"	Deep well	3/8"	Impact Tough™	1	-
27268	7/8"	Deep well	3/8"	Impact Tough™	1	_
27269	15/16"	Deep well	3/8"	Impact Tough™	1	_
27271	5/16"	Deep well	1/2"	Impact Tough™	1	_
27273	3/8"	Deep well	1/2"	Impact Tough™	1	-
27274	7/16"	Deep well	1/2"	Impact Tough™	1	_
27275	1/2"	Deep well	1/2"	Impact Tough™	1	-
27276	9/16"	Deep well	1/2"	Impact Tough™	1	_
27279	5/8"	Deep well	1/2"	Impact Tough™	1	-
27280	11/16"	Deep well	1/2"	Impact Tough™	1	_
27281	3/4"	Deep well	1/2"	Impact Tough™	1	-
27282	13/16"	Deep well	1/2"	Impact Tough™	1	_
27283	7/8"	Deep well	1/2"	Impact Tough™	1	-
27284	15/16"	Deep well	1/2"	Impact Tough™	1	_

# SOCKET ADAPTERS



I	ITEM#	SIZE	WELL DEPTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
ı	TSA14	1/4" hex to 1/4" socket adapter	_	1/4"	Impact Tough™	1	ITSA14B
1	TSA38	1/4" hex to 3/8" socket adapter	-	1/4"	Impact Tough™	1	ITSA38B
ı	ITSA12	1/4" hex to 1/2" socket adapter	_	1/4"	Impact Tough™	1	ITSA12B

#### **SOCKET SET**



ITEM#	# OF PIECES	INCLUDES	HARDNESS	CASE TYPE
27285	8	3/8" drive: (1) 5/16", (1) 3/8", (1) 7/16", (1) 1/2", (1) 9/16", (1) 5/8", (1) 11/16", (1) 3/4"	Impact Tough™	Brute Tough
27286	9	(1)7/16", (1)1/2", (1)9/16", (1)5/8", (1)11/16", (1)3/4", (1)13/16", (1)7/8", (1)15/16"	Impact Tough™	Brute Tough

SET

ITEM#	# OF PIECES	INCLUDES	HARDNESS	CASE TYPE
SBID32	32	Insert Bits: (2) P1, (5) P2, (1) P2R, (3) P3, (1) R1, (3) R2, (1) R3, (1) T15, (2) T20, (2) T25, (1) T30; 2" Power Bits: (3) P2, (1) P3, (2) R2, (2) T25; 3.5" Power Bits: (1) P2R2, (1) magnetic bit holder	Impact Tough™	Hard plastic

NOTE: Impact Tough™ bulk items can only be ordered in multiples of 5 or 10 depending on the item. Minimum quantities may apply.



# DRILLING AND FASTENING SCREWDRIVER BITS

#### INSERT BITS



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
P1102	P1 ribbed	1"	1/4"	Extra	2	_
_	P1	1"	1/4"	Extra	_	27020
_	P2 ribbed	1"	1/4"	Extra	_	46005
_	P2	1"	1/4"	Extra	_	27021
_	P2 ribbed	1"	1/4"	Extra	_	45913
_	P2	2"	1/4"	Extra	_	27024
_	P2R reduced	1"	1/4"	Extra	_	27036
_	P3	1"	1/4"	Extra	-	27022



#### **POWER BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
P1201	P1	1-15/16"	1/4"	Extra	1	_
_	P1	2"	1/4"	Extra	_	27360
CCP2201	P2	2"	1/4"	Extra	1	27361
CCP2205	P2	2"	1/4"	Extra	5	_
CCP2301	P2	3-1/2"	1/4"	Extra	1	_
CCP2601	P2	6"	1/4"	Extra	1	27370
CCP3201	P3	2"	1/4"	Extra	1	27362





PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	P1	3-1/2"	1/4"	Extra	_	27366
_	P1	6"	1/4"	Extra	_	45794
_	P2	2-3/4"	1/4"	Extra	_	27364
_	P2	3"	1/4"	Extra	_	28311
_	P2	3-1/2"	1/4"	Extra	_	27367
_	P2	4"	1/4"	Extra	_	28314
_	P2	6"	1/4"	Extra	_	45625
-	P3	2-3/4"	1/4"	Extra	_	27365
_	P3	3-1/2"	1/4"	Extra	_	27368
_	P3	6"	1/4"	Extra	_	45626

#### **MULTI-PACKS**



ITEM#	POINT	LENGTH	SHANK	HARDNESS	QTY.	PKG. TYPE
P2115TCB	P2	1"	1/4"	Extra	15	Tic-tac
BBT25P2	P2	1"	1/4"	Extra	25	Big-tac
BBT25P2R	P2R reduced diameter	1"	1/4"	Extra	25	Big-tac

#### P2 + R2

#### **MULTI-PACKS**





ITEM#	POINT	LENGTH	SHANK	HARDNESS	QTY.	PKG. TYPE
P2R2115TCB	P2R2	1"	1/4"	Extra	15	Tic-tac
43074	P2R2	1"	1/4"	Extra	250	Cookie jar
43075	P2R2	2"	1/4"	Extra	100	Cookie jar
_	P2R2	1"	1/4"	Extra	_	27026
P2R22205	P2R2	2"	1/4"	Extra	5	_

#### **SQUARE AND SQUARE RECESS**



#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	R1	1"	1/4"	Extra	_	29049
_	R2	1"	1/4"	Extra	_	29050
_	R3	1"	1/4"	Extra	_	29051

#### **POWER BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
CCSQ1201	R1	2"	1/4"	Extra	1	29052
SQ1301	R1	3"	1/4"	Extra	1	_
_	R1	6"	1/4"	Extra	_	39957
CCSQ2201	R2	2"	1/4"	Extra	1	29053
CCSQ2205	R2	2"	1/4"	Extra	5	29053
_	R2	2-3/4"	1/4"	Extra	_	29056
SQ2301	R2	3"	1/4"	Extra	1	_
_	R2	3-1/2"	1/4"	Extra	_	39947
_	R2	4"	1/4"	Extra	_	39953
CCSQ2601	R2	6"	1/4"	Extra	1	39959
_	R3	2"	1/4"	Extra	_	29054
SQ3601	R3	6"	1/4"	Extra	1	_

# SLOTTED



#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	0-1	1"	1/4"	Extra	_	41175
_	1-2	1"	1/4"	Extra	_	41176
_	2-3	1"	1/4"	Extra	_	41177
_	3-4	1"	1/4"	Extra	_	41178
_	5-6	1"	1/4"	Extra	_	39535
_	6-8	1"	1/4"	Extra	_	39536
_	8-10	1"	1/4"	Extra	_	39537
_	12-14	1"	1/4"	Extra	_	39539

#### **POWER BIT**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	4-5	1-15/16"	1/4"	Extra	_	27463
_	6-8	1-15/16"	1/4"	Extra	_	27465
_	6-8	3-1/2"	1/4"	Extra	_	27483





#### **INSERT BITS**







INSERT BIT 5/16" SHANK

PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	T45	1-1/4"	5/16"	Extra	_	37175





PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	T15	1-15/16"	1/4"	Extra	_	37717
_	T20	1-15/16"	1/4"	Extra	-	37719
_	T20	2-3/4"	1/4"	Extra	_	37735
_	T20	3-1/2"	1/4"	Extra	_	37751
_	T20	6"	1/4"	Extra	_	37767
TX25201M	T25	1-15/16"	1/4"	Extra	1	37721
_	T25	2-3/4"	1/4"	Extra	_	37737
_	T25	6"	1/4"	Extra	_	37769
_	T30	1-15/16"	1/4"	Extra	_	37725
_	T30	6"	1/4"	Extra	_	37773
_	T40	1-15/16"	1/4"	Extra	-	37727

# TORX® SECURITY



#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	T7H	1"	1/4"	Extra	_	38911
_	T8H	1"	1/4"	Extra	_	38338
_	T9H	1"	1/4"	Extra	_	38340
_	T10H	1"	1/4"	Extra	_	38342
_	T15H	1"	1/4"	Extra	_	38344
_	T20H	1"	1/4"	Extra	_	38346
_	T25H	1"	1/4"	Extra	_	38348
_	T27H	1"	1/4"	Extra	_	38350
_	T30H	1"	1/4"	Extra	_	38352
_	T40H	1"	1/4"	Extra	_	38354
CC60391	T10H, T15H, T20H, T25H, T27H, T30H	1"	1/4"	Extra	6 (set)	_



**POWER BITS** 



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	T15W	1-15/16"	1/4"	Extra	_	38375
_	T20W	1-15/16"	1/4"	Extra	_	38377
_	T25W	1-15/16"	1/4"	Extra	_	38379
_	T30W	1-15/16"	1/4"	Extra	_	38383

### **TORX® FEMALE SOCKET DRIVE**



SOCKET DRIVE SCREW BITS



PKG. ITEM#	POINT	LENGTH	SOCKET	HARDNESS	PKG. QTY.	BULK ITEM#
_	T10	1"	1/4"	Extra	_	38689
_	T15	1"	1/4"	Extra	_	38690
_	T20	1"	1/4"	Extra	_	38691
_	T25	1"	1/4"	Extra	-	38692
_	T27	1"	1/4"	Extra	_	38693
_	T30	1"	1/4"	Extra	_	38694
_	T40	1"	3/8"	Extra	_	38695
_	T45	1"	3/8"	Extra	_	38696
_	T47	1"	3/8"	Extra	_	40651
_	T50	1"	3/8"	Extra	_	38697
_	T55	1"	3/8"	Extra	_	38860
-	T60	1"	1/2"	Extra	-	44217





#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	5/64"	1"	1/4"	Extra	_	27096
_	3/32"	1"	1/4"	Extra	_	27097
_	7/64"	1"	1/4"	Extra	_	37475
_	9/64"	1"	1/4"	Extra	_	37476
_	5/32"	1"	1/4"	Extra	_	27099
_	3/16"	1"	1/4"	Extra	_	27100
_	7/32"	1"	1/4"	Extra	_	27101
_	1/4"	1"	1/4"	Extra	_	27102
_	5/16"	1"	1/4"	Extra	_	27103
CC60392	5/64", 3/32", 1/8", 5/32", 3/16", 7/64"	1"	1/4"	Extra	6 (set)	_



**POWER BITS** 



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	5/64"	1-15/16"	1/4"	Extra	_	27421
_	5/32"	1-15/16"	1/4"	Extra	_	27424

# **ALLEN® SECURITY**



**INSERT BITS** 



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG.QTY.	BULK ITEM#
_	1/8"	1"	1/4"	Extra	_	35693
-	9/64"	1"	1/4"	Extra	_	35694
_	5/32"	1"	1/4"	Extra	_	35695
_	3/16"	1"	1/4"	Extra	_	35696
_	7/32"	1"	1/4"	Extra	_	35697
_	1/4"	1"	1/4"	Extra	_	35698
_	5/16"	1"	1/4"	Extra	_	35699
-	3/8"	1"	1/4"	Extra	_	35701



**INSERT BIT** 



PKG ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	PZ1	1"	1/4"	Extra	_	27045
_	PZ2	1"	1/4"	Extra	_	27046
_	PZ3	1"	1/4"	Extra	_	27047

#### **POWER BITS**



PKG ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	PZ2	2"	1/4"	Extra	_	27381
_	PZ3	2"	1/4"	Extra	_	27382
_	PZ1	3-1/2"	1/4"	Extra	_	27386
_	PZ3	6"	1/4"	Extra	_	27391



#### TORQ-SET®



#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	#0	1"	1/4"	Extra	_	35395
_	#1	1"	1/4"	Extra	_	35396
_	#2	1"	1/4"	Extra	_	35397
_	#3	1"	1/4"	Extra	_	35398
_	#4	1"	1/4"	Extra	_	35399
_	#5	1"	1/4"	Extra	_	35394
_	#6	1"	1/4"	Extra	_	35401
_	#8	1"	1/4"	Extra	_	35402
_	#10	1"	1/4"	Extra	_	35403

# 7

**DRILLING AND FASTENING**SCREWDRIVER BITS

#### **TRI-WING®**



**INSERT BITS** 



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	#1	1"	1/4"	Extra	_	35410
_	#2	1"	1/4"	Extra	_	35411
_	#3	1"	1/4"	Extra	_	35412
_	#4	1"	1/4"	Extra	_	35413
_	#5	1"	1/4"	Extra	_	35414

## **SPANNER**



#### **INSERT BITS**



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	#6 gold bit	1"	1/4"	Extra	_	35422
_	#8 gold bit	1"	1/4"	Extra	_	35423
_	#10 gold bit	1"	1/4"	Extra	_	35424



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	C2 1/8"	1"	1/4"	Extra	_	27081
_	C3 5/32"	1"	1/4"	Extra	_	27082
_	C4 3/16"	1"	1/4"	Extra	_	27083

# **FREARSON®**



**INSERT BIT** 



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
FR2102	F2	1"	1/4"	Extra	2	37382

# **DOUBLE ENDED**

**DOUBLE END SCREW BITS** 



PKG. ITEM#	POINT	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
DEBP28201	P2-S8	1-7/8"	1/4"	Extra	1	_
DEBP1P22501	P1-P2	2-1/2"	1/4"	Extra	1	_
DEBP222501	P2-P2	2-1/2"	1/4"	Extra	1	_
DEBR122501	R1-R2	2-1/2"	1/4"	Extra	1	_
DEBR232501	R2-R3	2-1/2"	1/4"	Extra	1	_
DFRT15202501	T15-T20	2-1/2"	1/4"	Extra	1	_

### **NUTSETTERS**

#### HEX SHANK **NUTSETTERS**



PKG. ITEM#	SIZE	LENGTH	MAGNETIC	HARDNESS	PKG. QTY.	BULK ITEM#
NS141401U	1/4"	1-7/16"	No	Extra	1	_
_	1/4"	1-5/8"	No	Extra	_	24000
_	5/16"	1-5/8"	No	Extra	_	24001
-	3/8"	1-1/8"	Yes	Extra	_	38688

#### QUICK-CHANGE **NUTSETTERS**



PKG. ITEM#	SIZE	LENGTH	MAGNETIC	HARDNESS	PKG. QTY.	BULK ITEM#
_	8mm	1-5/8"	Yes	Extra	_	38328
_	1/4"	1-5/8"	Yes	Extra	_	31450
_	1/4"	2-9/16"	Yes	Extra	_	37582
_	5/16"	1-5/8"	Yes	Extra	_	31452
_	5/16"	2-9/16"	Yes	Extra	_	37583
_	5/16"	6"	Yes	Extra	_	38646
_	3/8"	1-7/8"	Yes	Extra	_	36165
_	3/8"	2-9/16"	Yes	Extra	_	37584
_	7/16"	2"	Yes	Extra	_	37893
_	7/16"	2-9/16"	Yes	Extra	_	38639

#### **NO-ROUND NUTSETTERS**



PKG. ITEM#	SIZE	LENGTH	MAGNETIC	HARDNESS	PKG. QTY.	BULK ITEM#
NS11401	1/4"	1-5/8"	Yes	Extra	1	_
_	1/4"	2-9/16"	Yes	Extra	_	61943
NS51601	5/16"	1-5/8"	Yes	Extra	1	_
_	5/16"	2-9/16"	Yes	Extra	_	61944
NS3801	3/8"	1-7/8"	Yes	Extra	1	_

#### **NO-ROUND NUTSETTER**



NOTE: Bulk items can be ordered in multiples of one where quantity is not noted. Minimum quantities may apply.

# **SCREW SETTING ACCESSORIES**



Dimpler® for professional screw setting precision if a screw gun is not available.

NOTE: For use with a drill only. Do not use with an impact driver.

ITEM#	DESCRIPTION
D60498	Dimpler® drywall driver
DWS2	Drywall insert bit
DWS60497	Drywall screw setter, #2 Phillips®

### **BIT HOLDERS AND SCREWGUIDES**

#### **BIT HOLDERS**



PKG. ITEM#	DESCRIPTION	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
CC60491	Compact drive guide	3-1/4"	1/4"	Extra	1	_
CC60493	Standard drive guide	6"	1/4"	Extra	1	_
CC60482	2" magnetic bit tip holder	2"	1/4"	Extra	1	_
CC60483	3" magnetic bit tip holder	3-1/4"	1/4"	Extra	1	_
CC60486	6" magnetic bit tip holder	6"	1/4"	Extra	1	27750
_	Standard with c-ring	2-7/8"	1/4"	Extra	_	27690
_	Standard with c-ring	4"	1/4"	Extra	_	27710
_	Standard with c-ring	11"	1/4"	Extra	_	27792

#### ONE-PIECE CONSTRUCTION BIT HOLDERS



PKG. ITEM#	DESCRIPTION	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	One-piece construction magnetic bit holder	2-1/8"	1/4"	Extra	_	40831
_	One-piece construction magnetic bit holder	3"	1/4"	Extra	-	40833
CC60483	One-piece construction magnetic bit holder (without c-ring retainer)	2-7/8"	1/4"	Extra	1	39972

#### HELIX INSERT BITS (SILICON BRONZE) BIT HOLDER



)	PKG. ITEM#	DESCRIPTION	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
)	_	Two-piece magnetic bit holder with screw cap	3"	1/4"	Extra	_	38310

#### SCREW-CAP STYLE BIT HOLDER



					PKG. QTY.	BULK ITEM#
_	Screw-cap style bit holder, magnetic	2-3/16"	1/4"	Extra	_	26791

#### MALE SQUARE DRIVE FOR SOCKETS



PKG. ITEM#	DESCRIPTION	LENGTH	SHANK	HARDNESS	PKG. QTY.	BULK ITEM#
_	1/4" square drive socket adapter ×1-1/8"	1-1/8"	1/4"	Extra	_	34609
_	1/4" square drive socket adapter×2"	2"	1/4"	Extra	-	34610
_	3/8" square drive socket adapter×2"	2"	3/8"	Extra	_	34611

#### FEMALE SQUARE DRIVE FOR SOCKETS



PKG. ITEM#	DESCRIPTION	LENGTH	SHANK	<b>HARDNESS</b>	PKG. QTY.	BULK ITEM#
_	1/4" square drive bit holder×1-1/8" for 1/4" hex bits	1-1/8"	1/4"	Extra	_	31894
_	3/8" square drive bit holder×1-1/8" for 1/4" hex bits	1-1/8"	3/8"	Extra	-	31895
_	3/8" square drive bit holder×1-3/8" for 5/16" hex bits	1-3/8"	3/8"	Extra	_	31896
_	1/2" square drive bit holder×1-7/16" for 5/16" hex bits	1-7/16"	1/2"	Extra	-	31897

NOTE: Bulk items can be ordered in multiples of one where quantity is not noted. Minimum quantities may apply.





#### THE CASE FOR EFFICIENCY

Out on the jobsite is no place to wrestle with a bit case. When you need a bit, you need it now. Right now. The Bosch Custom Case System for Impact Tough™ driver and black oxide bits allows you to take only the bits needed for the job at hand. The innovative bit management system offers tilt-in/tilt-out flexibility for greater efficiency and speed. And it's built tough to withstand the drops and scrapes that happen on the jobsite every day. It's time to manage your time better by managing your tools better. The Bosch Custom Case System for Impact Tough™ driver and black oxide drill bits can help.



#### **IT'S ROBUST**

This is a tough case for tough bits. The Bosch Custom Case System for Impact Tough $^{\text{M}}$  bits is built for real-world jobsite use. And that means it can stand up to drops, scratches and scrapes.

#### **EASE TO USE**

The Bosch Custom Case System for Impact Tough™ bits makes access easy for you. Bits housed in convenient clips tilt in and out to make finding what you need fast.



# 1 Choose a case





2 Choose components

3 Insert selected components into desired case for the job at hand



FAST. EFFICIENT. SIMPLE.

# CLIPS AND COMPONENTS





ITEM#	HARDNESS	# OF PIECES	INCLUDES	CLIP LOCKS FILLED
CCSPHV108	Impact Tough™	8	1" Insert Bits: (2) PH1, (4) PH2, (2) PH3	1
CCSPH2108	Impact Tough™	8	1" Insert Bits: (8) PH2	1
CCSSQV108	Impact Tough™	8	1" Insert Bits: (2) R1, (4) R2, (2) R3	1
CCSTV108	Impact Tough™	8	<b>1" Insert Bits:</b> (1)T15, (2)T20, (3)T25, (1)T30, (1)T40	1
CCSV108	Impact Tough™	8	1" Insert Bits: (3) PH2, (2) R2, (3) T25	1
CCSPHV208	Impact Tough™	8	2" Power Bits: (2) PH1, (4) PH2, (2) PH3	2
CCSPH2208	Impact Tough™	8	2" Power Bits: (8) PH2	2
CCSSQV208	Impact Tough™	8	2" Power Bits: (2) R1, (4) R2, (2) R3	2
CCSTV208	Impact Tough™	8	<b>2" Power Bits:</b> (1) T15, (2) T20, (3) T25, (1) T30, (1) T40	2
CCSV208	Impact Tough™	8	2" Power Bits: (3) PH2, (2) R2, (3) T25	2
CCSDEPHV2504	Impact Tough™	4	<b>2.5" Double-Ended Bits:</b> (1) PH1/PH1, (2) PH2/PH2, (1) PH3/PH3	2
CCSDESQV2504	Impact Tough™	4	<b>2.5" Double-Ended Bits:</b> (1) R1/R1, (2) R2/R2, (1) R3/R3	2
CCSDETV2504	Impact Tough™	4	<b>2.5" Double-Ended Bits:</b> (1)T15/T20, (2)T25/T25, (1)T25/T30	2
CCSDEV2504	Impact Tough™	4	<b>2.5" Double-Ended Bits:</b> (1) PH2/PH2, (1) R2/R2, (1) T25/T25, (1) P2R2/P2R2	2
CCSNSV17804	Impact Tough™	4	<b>1-7/8" Magnetic Nutsetters:</b> (1) 1/4", (1) 5/16", (1) 3/8", (1) 7/16"	2
CCSDV08	Impact Tough™	8	Black Oxide Drill Bits: (2) 1/16", (2) 3/32", (1) 1/8", (1) 5/32", (1) 3/16", (1) 1/4"	3
CCSDDV08	Impact Tough™	8	<b>2"</b> Power Bits: (2) PH2, (1) R2, (1) T20, (1) T25; Black Oxide Drill Bits: (1) 1/8", (1) 3/16", (1) 1/4"	3

#### CUSTOM CASES & STORAGE BOX



	ITEM#	DESCRIPTION	CLIP LOCKS FILLED	
	CCSCM	Single-sided case with clear front	-	4
,	CCSCL	Double-sided case	-	8
	ссѕвохх	Clear storage box clips inside Custom Case System cases for safe storage of loose items or can be used as a stand alone storage container	1	-

# SCREWDRIVING SETS



ITEM#	HARDNESS	# OF PIECES	INCLUDES	CASE TYPE
SDMS24	Impact Tough™	24	<b>1"</b> Insert Bits: (2) PH1, (3) PH2, (1) PH2R, (1) PH3, (1) P2R2, (2) R1, (2) R2, (1) R3, (1) T15, (2) T20; <b>2"</b> Power Bits: (2) PH2, (2) R2, (2) T25, (1) T20; (1) standard bit holder	Hard plastic
SDMS44	Impact Tough™	44	1" Insert Bits: (2) PH1, (5) PH2, (1) PH2R, (2) PH3, (2) P2R2, (2) R1, (3) R2, (2) R3, (2) T15, (1) T20, (2) T25, (2) T30, (2) T40; 2" Power Bits: (1) PH1, (2) PH2, (1) PH3, (2) R2, (1) R3, (1) T15, (1) T20, (2) T25, (1) T30, (1) T40; 3.5" Power Bits: (1) PH2, (1) R2; (1) standard bit holder	Hard plastic
SDMS48	Impact Tough™	48	1" Insert Bits: (2) PH1, (6) PH2, (2) PH2R, (2) PH3, (2) P2R2, (2) R1, (6) R2, (2) R3, (5) T15, (2) T20, (1) T25; 2" Power Bits: (4) PH2, (1) PH3, (2) R2, (1) R3, (2) T20, (2) T25; 2.5" Double-Ended Bits: (1) PH2/PH2, (1) R2/R2, (1) T25/T25; (1) standard bit holder	Hard plastic

#### MIXED SETS



ITEM#	HARDNESS	# OF PIECES	INCLUDES	CASE TYPE
DDMS20	lmpact Tough™	20	1" Insert Bits: (1) PH1, (2) PH2, (1) PH2R, (1) PH3, (1) P2R2, (1) R1, (1) R2, (1) R3, (1) T20, (1) T20, (1) T25; 2" Power Bits: (1) PH2, (1) R2, (1) T20, (1) T25; Black Oxide Drill Bits: (1) 1/8", (1) 3/16", (1) 1/4"; (1) standard bit holder	Hard plastic
DDMS40	Impact Tough™	40	1" Insert Bits: (2) PH1, (4) PH2, (1) PH2R, (1) PH3, (2) P2R2, (1) R1, (4) R2, (1) R3, (1) T15, (2) T20, (3) T25, (1) T30, (1) T40; 2" Power Bits: (2) PH2, (1) PH3, (1) R3, (1) T25, (1) T30; Black Oxide Drill Bits: (2) 1/16", (2) 3/32", (1) 1/8", (1) 5/32", (1) 3/16", (1) 1/4", (1) standard bit holder	Hard plastic









SBID32 CC

T/	$\cap$	2	1

ITEM#	HARDNESS	# OF PIECES	INCLUDES	CASE TYPE
SBID32L	Impact Tough™	32	Insert Bits: (2) P1, (5) P2, (3) P3, (1) P2R, (1) R1, (3) R2, (1) R3, (1) T15, (2) T20, (2) T25, (1) T30; 2" Power Bits: (3) P2, (1) P3, (2) R2, (2) T25; 3-1/2" Power Bit: (1) P2R2; Impact Tough™ Magnetic Nutsetter: (1) 1/4"	Hard plastic
T4021	Extra	21	(1) finder driver; Insert Bits: (7) P2, (4) R2, (1) SL6-8, (1) SL8-10, (1) SL10-12; <b>2" Power Bits:</b> (3) P2- 2", (3) R2-2"	Pouch
T4030	Extra	30	<b>2"</b> Power Bits: (2) P1, (6) P2, (3) P3, (5) R2, (3) R3, (2) T15, (2) T20, (2) T25, (1) SL6-8, (1) SL8-10, (1) SL10-12; Magnetic Nutsetters: (1) 1/4", (1) 5/16"	Magnetic
48240	Extra	29	Insert Bits: (1) T9H, (1) T10H, (1) T15H, (1) T20H, (1) T25H, (1) T27H, (1) T30H, (1) T40H, (1) PZ2, (1) R1, (1) R2; Torq-Set®: (1) #5, (1) #8; Tri-Wing®: (1) #4, (1) #5, (1) #6, (1) #8, (1) #10; Allen® Security: (1) 1/8", (1) 9/64", (1) 5/32", (1) 3/16", (1) 7/32", (1) 1/4", (1) 5/16", (1) 3/8"; (1) 7" magnetic screwdriver, (1) magnetic bit holder, (1) 1/4" socket adapter	Hard plastic
CC2100	Extra	5	(1) Click-Change chuck; Insert Bits: (1) P1, (2) P2, (1) R2	_
CC2490	Extra	3	Magnetic Nutsetters: (1) 1/4", (1) 5/16", (1) 3/8"	_
CC60467	Extra	2	Double-Ended Bits: (1) DEB P1/SL6-8, (1) DEB P2/SL8-10-3-1/2" length	_
CC90396	Extra	6	Insert Bits: (1)T10, (1)T15, (1)T20, (1)T25, (1)T30, (1)T40	_
CC60392	Extra	7	Insert Bits: (1)9/64", (1)5/64", (1)3/32", (1)1/8", (1)5/32", (1)3/16", (1)7/64"	_
T2442	Extra	7	Nut Drivers: (1) 3/16", (1) 1/4", (1) 9/32", (1) 5/16", (1) 11/32", (1) 3/8", (1) 7/16"	Hard plastic
MS4034	6150	34	1" Insert Bits: (1) P1, (1) P2, (1) P3, (1) PZ1, (1) PZ2, (1) PZ3, (1) SL4, (1) SL6, (1) SL7, (1) T15, (1) T20, (1) T25, (1) T30; (1) 2-1/2" bit holder; Sockets: (1) 3/16", (1) 5/16", (1) 3/8"; (1) socket adapter; (1) countersink; Black Oxide Drill Bits: (2) 1/16", (1) 1/8", (1) 5/32", (1) 3/16"; Rotary Masonry Drill Bits: (1) 5/32", (2) 3/16", (1) 1/4", (1) 5/16"; Brad Point Bits: (1) 1/8", (2) 3/16", (1) 1/4", (1) 5/16"	Hard plastic
MS4041	Standard	41	1" Insert Screw Bits: (1) P1, (1) P2, (1) PZ1, (1) PZ2, (1) SL4, (1) SL5, (1) SL6, (1) T20, (1) H4, (1) H5, (1) H6; (1) bit holder; (1) double-ended screwdriver; Sockets: (1) 3/16", (1) 7/32", (1) 5/16", (1) 1/32", (1) 3/8", (1) 7/16"; (1) socket adapter; (1) countersink; Black Oxide Drill Bits: (2) 1/16", (2) 1/8", (1) 5/32", (2) 3/16"; Rotary Masonry Drill Bits: (2) 5/32", (2) 3/16", (1) 1/4", (1) 5/16"; Brad Point Bits: (1) 1/8", (2) 3/16", (1) 1/4", (1) 5/16"; Spade Bits: (1) 5/8", (1) 3/4"	Hard plastic
MS4065	Standard	65	1" Insert Bits: (1) P0, (1) P1, (2) P2, (2) P3, (1) PZ0, (1) PZ1, (2) PZ2, (2) PZ3, (1) SL4, (1) SL6, (1) SL7, (1) T10, (1) T15, (1) T20, (1) T25, (1) T30, (1) T40, (1) H3, (1) H4, (1) H5, (1) H6; 2" Insert Bits: (1) P1, (1) P2, (1) P3, (1) PZ1, (2) PZ2, (1) PZ3, (1) SL4, (1) SL6, (1) T15, (1) T20, (1) T25, (1) T30; (1) socket adapter; (1) 2-1/4" bit holder; Sockets: (1) 3/16", (1) 1/4", (1) 9/32", (1) 5/16", (1) 1/38", (2) 3/16", (2) 1/4", (2) 5/16", (1) 3/8"; Brad Point Bits: (1) 1/8", (2) 3/16", (2) 1/4", (2) 5/16", (1) 3/8"; (1) measuring tape	Hard plastic
MS4091	Standard	91	1" Insert Bits: $(2)$ P0, $(2)$ P1, $(2)$ P2, $(2)$ P3, $(2)$ P20, $(2)$ P21, $(2)$ P22, $(2)$ P23, $(1)$ SL3, $(2)$ SL5, $(1)$ SL7, $(2)$ T10, $(2)$ T15, $(2)$ T20, $(2)$ T25, $(1)$ T30, $(1)$ T40, $(1)$ H3, $(2)$ H5, $(1)$ H6; 2" Insert Bits: $(1)$ P0, $(1)$ P1, $(1)$ P2, $(1)$ P3, $(1)$ P20, $(1)$ P21, $(1)$ P22, $(1)$ P23, $(1)$ SL6, $(1)$ T10, $(1)$ T15, $(1)$ T20, $(1)$ T25, $(1)$ H5, $(1)$ H6; Nut Setters: $(1)$ 3/16", $(2)$ 1/4", $(1)$ 9/32", $(1)$ 5/16", $(1)$ 11/32", $(1)$ 3/8", $(1)$ 7/16"; $(1)$ countersink; $(1)$ bit holder; $(1)$ rachet screwdriver; $(1)$ 25-1/2" magnetic extension pen; Titanium Drill Bits: $(2)$ 1/16", $(1)$ 7/64", $(2)$ 1/8", $(1)$ 9/64", $(2)$ 5/32", $(2)$ 3/16", $(1)$ 1/4"; Rotary Masonry Drill Bits: $(2)$ 1/8", $(2)$ 5/32", $(2)$ 3/16", $(2)$ 1/4", $(2)$ 5/16", $(1)$ 3/8"; Brad Point Bits: $(1)$ 1/8, $(2)$ 3/16", $(2)$ 1/4", $(2)$ 5/16", $(1)$ 3/8"	Hard plastic



### **METAL DRILL BITS**



The Bosch line of metal drill bits offers a solution for every professional application. Each bit is manufactured to exacting specifications and features split points that deliver fast, easy starts. Bosch metal drill bits also reduce bit walking and eliminate a center punch requirement.






#### **BLACK OXIDE FOR GENERAL-PURPOSE DRILLING**

- No-skate tip for fast, easy starts that reduce bit walking
- ► Available in jobber length, stubby length, extended length (aircraft) and 1/2 ln. reduced shank (Silver and Deming)








#### TITANIUM FOR HEAVY-DUTY REPETITIVE DRILLING

- ► Lasts up to 2× longer than high-speed steel bits
- ► Surface hardened to penetrate tough materials
- Available in jobber length with 3/8 In. reduced shank







# COBALT FOR HEAVY-DUTY DRILLING IN EXTREMELY HARD OR ABRASIVE MATERIALS

- ► Withstands high-temperature applications for extended periods of time (up to 1,100°F)
- ► Thick web design adds stability to bit in tough applications
- ► Surface hardened to penetrate tough abrasive materials
- ► Available in jobber length, full shank




#### **MATERIAL CHART**

	WOOD	PLASTIC	LIGHT GAUGE METAL	HIGH CARBON STEEL	ALUMINUM AND ALLOY STEEL	CAST IRON	STAINLESS STEEL
BLACK OXIDE	•	•	•	•	•	0	0
TITANIUM	•	•	•	•	•	•	•
COBALT	•	•	•	•	•	•	•
DAREDEVIL® MULTIPURPOSE*	•	•	•	•	•	•	0

- = Recommended = Acceptable = Not Recommended
- \* Daredevil® Multipurpose drill bits are available on page 8

# IMPACT TOUGH™ DRILL BITS



### IMPACT TOUGH™ DRILL BITS

ITEM#	COATING	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK	BULK ITEM	BULK QTY.
BL2131IM	Black Oxide	1	1/16"	1-7/8"	1/4" hex	BL4131IM	12
BL2132IM	Black Oxide	1	5/64"	2"	1/4" hex	BL4132IM	12
BL2133IM	Black Oxide	1	3/32"	2-1/4"	1/4" hex	BL4133IM	12
BL2134IM	Black Oxide	1	7/64"	2-5/8"	1/4" hex	BL4134IM	12
BL2135IM	Black Oxide	1	1/8"	2-3/4"	1/4" hex	BL4135IM	12
BL2136IM	Black Oxide	1	9/64"	2-7/8"	1/4" hex	BL4136IM	12
<b>BL2137IM</b>	Black Oxide	1	5/32"	3-1/8"	1/4" hex	BL4137IM	12
BL2138IM	Black Oxide	1	11/64"	3-1/4"	1/4" hex	BL4138IM	12
BL2139IM	Black Oxide	1	3/16"	3-1/2"	1/4" hex	BL4139IM	12
BL2140IM	Black Oxide	1	13/64"	3-5/8"	1/4" hex	BL4140IM	12
<b>BL2141IM</b>	Black Oxide	1	7/32"	3-3/4"	1/4" hex	BL4141IM	12
BL2143IM	Black Oxide	1	1/4"	4"	1/4" hex	BL4143IM	12
BL2147IM	Black Oxide	1	5/16"	4-1/2"	1/4" hex	BL4147IM	6
BL2151IM	Black Oxide	1	3/8"	5"	1/4" hex	BL4151IM	6
BL2155IM	Black Oxide	1	7/16"	5-1/2"	1/4" hex	BL4155IM	6
BL2159IM	Black Oxide	1	1/2"	6"	1/4" hex	BL4159IM	6
TI2131IM	Titanium	1	1/16"	1-7/8"	1/4" hex	TI4131IM	12
TI2132IM	Titanium	1	5/64"	2"	1/4" hex	TI4132IM	12
TI2133IM	Titanium	1	3/32"	2-1/4"	1/4" hex	TI4133IM	12
TI2134IM	Titanium	1	7/64"	2-5/8"	1/4" hex	TI4134IM	12
TI2135IM	Titanium	1	1/8"	2-3/4"	1/4" hex	TI4135IM	12
TI2136IM	Titanium	1	9/64"	2-7/8"	1/4" hex	TI4136IM	12
TI2137IM	Titanium	1	5/32"	3-1/8"	1/4" hex	TI4137IM	12
TI2138IM	Titanium	1	11/64"	3-1/4"	1/4" hex	TI4138IM	12
TI2139IM	Titanium	1	3/16"	3-1/2"	1/4" hex	TI4139IM	12
TI2140IM	Titanium	1	13/64"	3-5/8"	1/4" hex	TI4140IM	12
TI2141IM	Titanium	1	7/32"	3-3/4"	1/4" hex	TI4141IM	12
TI2143IM	Titanium	1	1/4"	4"	1/4" hex	TI4143IM	12
TI2147IM	Titanium	1	5/16"	4-1/2"	1/4" hex	TI4147IM	6
TI2151IM	Titanium	1	3/8"	5"	1/4" hex	TI4151IM	6
TI2155IM	Titanium	1	7/16"	5-1/2"	1/4" hex	TI4155IM	6
TI2159IM	Titanium	1	1/2"	6"	1/4" hex	TI4159IM	6

NOTE: 1/16"-7/64":  $118^{\circ}$  point; 1/8" and larger:  $135^{\circ}$  point; all 1/4" hex shank

### IMPACT TOUGH™ DRILL BIT SETS

ITEM#	COATING	# OF PIECES	INCLUDES	CASE TYPE
BL5IM	Black Oxide	5	3/32", 1/8", 5/32", 3/16", 1/4"	Plastic tube
BL9IM	Black Oxide	9	1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	_
TI5IM	Titanium	5	3/32", 1/8", 5/32", 3/16", 1/4"	Plastic tube
TI9IM	Titanium	9	1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	_



# FRACTIONAL JOBBER LENGTH BLACK OXIDE DRILL BITS



ITEM#	QTY.	DIAMETER	OVERALL LENGTH	SHANK	BULK ITEM#	BULK QTY.
BL2131	2	1/16"	1-7/8"	1/16"	BL4131	12
BL2132	2	5/64"	2"	5/64"	BL4132	12
BL2133	2	3/32"	2-1/4"	3/32"	BL4133	12
BL2134	2	7/64"	2-5/8"	7/64"	BL4134	12
BL2135	2	1/8"	2-3/4"	1/8"	BL4135	12
BL2136	1	9/64"	2-7/8"	9/64"	BL4136	12
BL2137	1	5/32"	3-1/8"	5/32"	BL4137	12
BL2138	1	11/64"	3-1/4"	11/64"	BL4138	12
BL2139	1	3/16"	3-1/2"	3/16"	BL4139	12
BL2140	1	13/64"	3-5/8"	13/64"	BL4140	12
BL2141	1	7/32"	3-3/4"	7/32"	BL4141	12
BL2142	1	15/64"	3-7/8"	15/64"	BL4142	12
BL2143	1	1/4"	4"	1/4"	BL4143	12
BL2144	1	17/64"	4-1/8"	17/64"	BL4144	6
BL2145	1	9/32"	4-1/4"	9/32"	BL4145	6
BL2146	1	19/64"	4-3/8"	19/64"	BL4146	6
BL2147	1	5/16"	4-1/2"	5/16"	BL4147	6
BL2148	1	21/64"	4-5/8"	21/64"	BL4148	6
BL2149	1	11/32"	4-3/4"	11/32"	BL4149	6
BL2150	1	23/64"	4-7/8"	23/64"	BL4150	6
BL2151	1	3/8"	5"	3/8"	BL4151	6
BL2152	1	25/64"	5-1/8"	3/8"	BL4152	6
BL2153	1	13/32"	5-1/4"	3/8"	BL4153	6
BL2154	1	27/64"	5-3/8"	3/8"	BL4154	6
BL2155	1	7/16"	5-1/2"	3/8"	BL4155	6
BL2156	1	29/64"	5-5/8"	3/8"	BL4156	6
BL2157	1	15/32"	5-3/4"	3/8"	BL4157	6
BL2158	1	31/64"	5-7/8"	3/8"	BL4158	6
BL2159	1	1/2"	6"	3/8"	BL4159	6

NOTE: 1/64"-7/64":  $118^{\circ}$  point; 1/8" and larger:  $135^{\circ}$  point; three flat shank 3/16" and larger

# EXTRA LENGTH (AIRCRAFT) BLACK OXIDE DRILL BITS

T mine !			(besimmercom)	Mary Stronger
ITEM#	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK
BL2631	1	1/16"	6"	1/16"
BL2731	1	1/16"	12"	1/16"
BL2632	1	5/64"	6"	5/64"
BL2633	1	3/32"	6"	3/32"
BL2634	1	7/64"	6"	7/64"
BL2635	1	1/8"	6"	1/8"
BL2735	1	1/8"	12"	1/8"
BL2636	1	9/64"	6"	9/64"
BL2637	1	5/32"	6"	5/32"
BL2638	1	11/64"	6"	11/64"
BL2639	1	3/16"	6"	3/16"
BL2739	1	3/16"	12"	3/16"
BL2640	1	13/64"	6"	13/64"
BL2641	1	7/32"	6"	7/32"
BL2642	1	15/64"	6"	15/64"
BL2643	1	1/4"	6"	1/4"
BL2743	1	1/4"	12"	1/4"

# EXTRA LENGTH (AIRCRAFT) BLACK OXIDE DRILL BITS (CONTINUED)

ITEM#	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK
BL2647	1	5/16"	6"	5/16"
BL2747	1	5/16"	12"	5/16"
BL2651	1	3/8"	6"	3/8"
BL2751	1	3/8"	12"	3/8"
BL2655	1	7/16"	6"	7/16"
BL2755	1	7/16"	12"	7/16"
BL2759	1	1/2"	12"	1/2"

NOTE:  $3/64"-7/64"\colon 118^{\rm o}$  tip; 1/8" and larger:  $135^{\rm o}$  point; all round shank

# FRACTIONAL 1/2" REDUCED SHANK (SILVER & DEMING) BLACK OXIDE DRILL BITS



ITEM#	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK
BL2160	1	33/64"	6"	1/2"
BL2161	1	17/32"	6"	1/2"
BL2162	1	35/64"	6"	1/2"
BL2163	1	9/16"	6"	1/2"
BL2164	1	37/64"	6"	1/2"
BL2165	1	19/32"	6"	1/2"
BL2166	1	39/64"	6"	1/2"
BL2167	1	5/8"	6"	1/2"
BL2168	1	41/64"	6"	1/2"
BL2169	1	21/32"	6"	1/2"
BL2171	1	11/16"	6"	1/2"
BL2172	1	45/64"	6"	1/2"
BL2175	1	3/4"	6"	1/2"
BL2176	1	49/64"	6"	1/2"
BL2177	1	25/32"	6"	1/2"
BL2179	1	13/16"	6"	1/2"
BL2183	1	7/8"	6"	1/2"
BL2187	1	15/16"	6"	1/2"
BL2191	1	1"	6"	1/2"
BL2195	1	1-1/16"	6"	1/2"
BL2199	1	1-1/8"	6"	1/2"
BL2203	1	1-3/16"	6"	1/2"
BL2207	1	1-1/4"	6"	1/2"
BL2215	1	1-3/8"	6"	1/2"
BL2223	1	1-1/2"	6"	1/2"

NOTE: 135° point; all round shank



				_
ITEM#	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK
BL4201	12	Α	3-7/8"	0.2340"
BL4202	12	В	4"	0.2380"
BL4203	12	С	4"	0.2420"
BL4204	12	D	4"	0.2460"
BL4205	12	E	4"	0.2500"
BL4208	6	Н	4-1/8"	0.2660"
BL4209	6	1	4-1/8"	0.2720"
BL4210	6	J	4-1/8"	0.2770"
BL4211	6	K	4-1/4"	0.2810"
BL4212	6	L	4-1/4"	0.2900"
BL4213	6	M	4-3/8"	0.2950"
BL4214	6	N	4-3/8"	0.3020"
BL4216	6	Р	4-5/8"	0.3230"
BL4217	6	Q	4-3/4"	0.3320"
BL4218	6	R	4-3/4"	0.3390"
BL4219	6	S	4-7/8"	0.3480"
BL4220	6	T	4-7/8"	0.3580"
BL4221	6	U	5"	0.3680"
BL4222	6	V	5"	0.3770"
BL4224	6	Χ	5-1/8"	0.3970"
BL4225	6	Υ	5-1/4"	0.4040"
BL4226	6	Z	5-1/4"	0.4130"

NOTE: All 135° points; all round shank

#### FRACTIONAL DOUBLE-END BLACK OXIDE DRILL BITS (BULK)



ITEM#	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK
BL6134	12	7/64"	1-15/16"	7/64"
BL6135	12	1/8"	2-1/8"	1/8"
BL6136	12	9/64"	2-5/32"	9/64"
BL6137	12	5/32"	2-5/32"	5/32"
BL6139	12	3/16"	2-5/16"	3/16"
BL6141	12	7/32"	2-5/16"	7/32"
BL6143	12	1/4"	2-5/16"	1/4"

NOTE: All 135° points

# WIRE GAUGE DOUBLE-END BLACK OXIDE DRILL BITS (BULK)



ITEM#	QUANTITY	DIAMETER	OVERALL LENGTH	SHANK
BL6011	12	11	2-5/16"	0.1910"
BL6020	12	20	2-5/32"	0.1610"
BI 6030	12	30	2-1/8"	0.1285"

NOTE: All 135° points

TEM#   QUANTITY   DIAMETER   LENGTH   SHANK   BL4001   12   1   3-7/8"   0.2280"   BL4002   12   2   3-7/8"   0.2210"   BL4002   12   3   3-3/4"   0.2130"   BL4004   12   4   3-3/4"   0.2090"   BL4005   12   5   3-3/4"   0.2055"   BL4006   12   6   3-3/4"   0.2055"   BL4007   12   7   3-5/8"   0.2010"   BL4008   12   8   3-5/8"   0.2010"   BL4008   12   8   3-5/8"   0.1990"   BL4001   12   10   3-5/8"   0.1990"   BL4011   12   11   3-1/2"   0.1890"   BL4011   12   11   3-1/2"   0.1890"   BL4013   12   13   3-1/2"   0.1850"   BL4014   12   14   3-3/8"   0.1820"   BL4015   12   15   3-3/8"   0.1820"   BL4016   12   16   3-3/8"   0.1820"   BL4017   12   17   3-3/8"   0.1800"   BL4018   12   18   3-1/4"   0.1660"   BL4019   12   19   3-1/4"   0.1660"   BL4020   12   20   3-1/4"   0.1660"   BL4022   12   22   3-1/8"   0.1570"   BL4023   12   23   3-1/8"   0.1570"   BL4025   12   25   3"   0.1570"   BL4026   12   25   3"   0.1570"   BL4027   12   27   3"   0.1470"   BL4027   12   27   3"   0.1470"   BL4031   12   31   2-3/4"   0.1590"   BL4028   12   28   2-7/8"   0.1405"   BL4033   12   31   2-3/4"   0.1285"   BL4033   12   33   2-5/8"   0.1100"   BL4034   12   34   2-5/8"   0.0950"   BL4044   12   34   2-5/8"   0.0950"   BL4044   12   34   2-5/8"   0.0950"   BL4045   12   35   2-5/8"   0.0950"   BL4046   12   36   2-1/2"   0.0060"   BL4047   12   37   2-1/2"   0.0060"   BL4055					
BL4001 12 1 3-7/8" 0.2280" BL4002 12 2 3-7/8" 0.2210" BL4004 12 4 3-3/4" 0.2130" BL4005 12 5 3-3/4" 0.2055" BL4006 12 6 3-3/4" 0.2040" BL4006 12 6 3-3/4" 0.2040" BL4008 12 8 3-5/8" 0.1990" BL4009 12 9 3-5/8" 0.1990" BL4010 12 10 3-5/8" 0.1990" BL4011 12 11 3-1/2" 0.1910" BL4011 12 11 3-1/2" 0.1890" BL4012 12 12 3-1/2" 0.1890" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1820" BL4016 12 16 3-3/8" 0.1800" BL4017 12 17 3-3/8" 0.1770" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1660" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4024 12 24 3-1/8" 0.1580" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1495" BL4027 12 27 3" 0.1405" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 3-3/8" 0.1540" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1405" BL4031 12 31 2-3/4" 0.1160" BL4029 12 29 2-7/8" 0.1405" BL4031 12 31 2-3/4" 0.1285" BL4033 12 33 2-5/8" 0.1300" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0990" BL40404 12 44 2-1/8" 0.0990" BL4041 12 34 2-5/8" 0.1100" BL4042 12 34 2-5/8" 0.11100" BL4043 12 34 2-5/8" 0.1100" BL4044 12 44 2-1/8" 0.0990" BL4044 12 44 2-1/8" 0.0990" BL4045 12 35 2-5/8" 0.11100" BL4046 12 46 2-1/8" 0.0990" BL4047 12 37 2-1/2" 0.1065" BL4048 12 38 2-1/2" 0.1065" BL4049 12 49 2" 0.0760" BL4041 12 41 2-3/8" 0.0990" BL4042 12 42 2-1/4" 0.0990" BL4043 12 34 2-5/8" 0.1100" BL4044 12 44 2-1/8" 0.0990" BL4045 12 55 37 0.0990" BL4046 12 46 2-1/8" 0.0960" BL4047 12 47 2" 0.0760" BL4055 12 55 37 0.0990" BL4065 12 55 37 0.0990" BL4066 12 56 6 1-3/4" 0.0550" BL4067 12 57 1-3/4" 0.0550" BL4068 12 59 1-5/8" 0.00400"	ITEM#	OHANTITY	DIAMETER	OVERALL	SHANK
BI-4002   12   2   3-7/8"   0.2210"   BI-4003   12   3   3-3/4"   0.2030"   BI-4004   12   4   3-3/4"   0.2090"   BI-4005   12   5   3-3/4"   0.2095"   BI-4006   12   6   3-3/4"   0.2040"   BI-4006   12   6   3-3/4"   0.2040"   BI-4007   12   7   3-5/8"   0.2010"   BI-4008   12   8   3-5/8"   0.1990"   BI-4009   12   9   3-5/8"   0.1990"   BI-4010   12   10   3-5/8"   0.1935"   BI-4011   12   11   3-1/2"   0.1910"   BI-4012   12   12   3-1/2"   0.1890"   BI-4013   12   13   3-1/2"   0.1850"   BI-4014   12   14   3-3/8"   0.1820"   BI-4015   12   15   3-3/8"   0.1800"   BI-4016   12   16   3-3/8"   0.1770"   BI-4018   12   17   3-3/8"   0.1730"   BI-4018   12   18   3-1/4"   0.1660"   BI-4019   12   19   3-1/4"   0.1660"   BI-4020   12   20   3-1/4"   0.1660"   BI-4021   12   21   3-1/4"   0.1650"   BI-4022   12   22   3-1/8"   0.1570"   BI-4022   12   22   3-1/8"   0.1570"   BI-4023   12   23   3-1/8"   0.1400"   BI-4026   12   26   3"   0.1440"   BI-4027   12   27   3"   0.1440"   BI-4028   12   28   2-7/8"   0.1360"   BI-4028   12   29   2-7/8"   0.1360"   BI-4028   12   29   2-7/8"   0.1360"   BI-4033   12   33   2-5/8"   0.1130"   BI-4033   12   33   2-5/8"   0.1130"   BI-4034   12   34   2-5/8"   0.0165"   BI-4034   12   34   2-5/8"   0.0980"   BI-4044   12   44   2-1/8"   0.0980"   BI-4046   12   46   2-1/2"   0.0760"   BI-4055   12   55   1-7/8"   0.0550"   BI-4055   12   55   1-7/8"   0.0550"   BI-4066   12   56   1-3/4"   0.0550"   BI-4066   12   56   1-3/4"   0.0465"   BI-4066   12   56   1-3/4"   0.0465"   BI-4066   12   56   1-3/4"   0.0400"   BI-4060   12   50   1-5/8"   0.0400"   BI-4060   12   50   1-5/8"   0.04					
BL4003 12 3 3-3/4" 0.2130" BL4004 12 4 3-3/4" 0.2095" BL4006 12 5 3-3/4" 0.2040" BL4007 12 7 3-5/8" 0.2010" BL4008 12 8 3-5/8" 0.1990" BL4001 12 10 3-5/8" 0.1990" BL4010 12 11 3-1/2" 0.1910" BL4011 12 11 3-1/2" 0.1910" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1770" BL4016 12 16 3-3/8" 0.1820" BL4017 12 17 3-3/8" 0.1700" BL4018 12 18 3-1/4" 0.1660" BL4020 12 19 3-1/4" 0.1660" BL4021 12 21 3-1/4" 0.1660" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4024 12 24 3-1/8" 0.1570" BL4025 12 25 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4031 12 31 2-3/4" 0.1285" BL4028 12 32 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1650" BL4029 12 29 2-7/8" 0.1360" BL4031 12 31 2-3/4" 0.1285" BL4032 12 32 3-1/8" 0.1570" BL4033 12 33 2-5/8" 0.1100" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.11100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1000" BL4038 12 38 2-1/2" 0.1000" BL4039 12 39 2-3/8" 0.1100" BL4039 12 39 2-3/8" 0.1100" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4031 12 31 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1100" BL4033 12 33 2-5/8" 0.11100" BL4034 12 34 2-5/8" 0.11100" BL4035 12 35 2-5/8" 0.11100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0980" BL4040 12 40 2-3/8" 0.0980" BL4040 12 40 2-3/8" 0.0980" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/8" 0.0860" BL4043 12 39 2-3/8" 0.0980" BL4044 12 44 2-1/8" 0.0860" BL4045 12 55 1-7/8" 0.0650" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0465" BL4057 12 57 1-3/4" 0.0465" BL4059 12 59 1-5/8" 0.0410" BL4050 12 50 1-5/8" 0.0420" BL4060 12 60 1-5/8" 0.0420"					
BL4004 12					
BL4005 12 5 3-3/4" 0.2055" BL4006 12 6 3-3/4" 0.2040" BL4007 12 7 3-5/8" 0.2010" BL4008 12 8 3-5/8" 0.1990" BL4009 12 9 3-5/8" 0.1990" BL4010 12 10 3-5/8" 0.1935" BL4011 12 11 3-1/2" 0.1890" BL4013 12 13 3-1/2" 0.1850" BL4016 12 16 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1770" BL4018 12 18 3-1/4" 0.1660" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1660" BL4021 12 21 3-1/4" 0.1590" BL4023 12 23 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4029 12 29 2-7/8" 0.1405" BL4031 12 31 0.1570" BL4031 12 31 0.1570" BL4032 12 32 2-3/4" 0.1285" BL4033 12 33 2-5/8" 0.1470" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0980" BL40404 12 44 2-1/8" 0.0860" BL4041 12 41 2-3/8" 0.0980" BL4043 12 43 2-1/4" 0.0890" BL4044 12 44 2-1/8" 0.0860" BL4045 12 55 3" 1-7/8" 0.0655" BL4056 12 55 1-7/8" 0.0655" BL4057 12 57 1-3/4" 0.0455" BL4059 12 59 1-5/8" 0.0400"					
BL4006 12 6 3-3/4" 0.2040" BL4007 12 7 3-5/8" 0.2010" BL4008 12 8 3-5/8" 0.1990" BL4009 12 9 3-5/8" 0.1990" BL4010 12 10 3-5/8" 0.1935" BL4011 12 11 3-1/2" 0.1910" BL4012 12 12 3-1/2" 0.1850" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1770" BL4018 12 18 3-1/4" 0.1660" BL4021 12 19 3-1/4" 0.1660" BL4021 12 21 3-1/4" 0.1600" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4026 12 26 3" 0.1495" BL4027 12 27 3" 0.1495" BL4028 12 28 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.1100" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0995" BL4042 12 42 2-1/4" 0.0995" BL4043 12 34 2-5/8" 0.0995" BL4044 12 44 2-1/8" 0.0890" BL4044 12 44 2-1/8" 0.0890" BL4045 12 49 2" 0.0765" BL4056 12 55 1-7/8" 0.0650" BL4057 12 57 1-3/4" 0.0550" BL4058 12 58 1-5/8" 0.0550" BL4059 12 59 1-5/8" 0.0550" BL4050 12 50 1-5/8" 0.0550" BL4050 12 55 1-7/8" 0.0550" BL4050 12 56 1-3/4" 0.0455" BL4050 12 59 1-5/8" 0.0410"				,	
BL4007 12 7 3-5/8" 0.2010" BL4008 12 8 3-5/8" 0.1990" BL4009 12 9 3-5/8" 0.1990" BL4010 12 10 3-5/8" 0.1935" BL4011 12 11 3-1/2" 0.1890" BL4013 12 12 33 3-1/2" 0.1850" BL4015 12 15 3-3/8" 0.1820" BL4016 12 16 3-3/8" 0.1820" BL4017 12 17 3-3/8" 0.1800" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1695" BL4020 12 20 3-1/4" 0.1660" BL4020 12 22 3-1/8" 0.1590" BL4022 12 22 3-1/8" 0.1590" BL4023 12 23 3-1/8" 0.1590" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4030 12 30 2-3/4" 0.1285" BL4030 12 30 2-3/4" 0.1285" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 3-3-1/8" 0.1400" BL4033 12 33 3-3/8" 0.1470" BL4044 12 34 2-5/8" 0.1100" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 40 2-3/8" 0.0980" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-3/4" 0.1200" BL4039 12 39 2-3/8" 0.1100" BL4031 12 31 2-3/4" 0.1200" BL4032 12 34 2-3/4" 0.1200" BL4033 12 35 2-5/8" 0.1100" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 39 2-3/8" 0.0980" BL4044 12 44 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0860" BL4045 12 55 2-7/8" 0.0655" BL4051 12 51 2" 0.0760" BL4051 12 51 2" 0.0760" BL4051 12 51 2" 0.0760" BL4052 12 55 1-7/8" 0.0550" BL4053 12 55 2-5/8" 0.0980" BL4044 12 44 2-1/8" 0.0850" BL4055 12 55 2-7/8" 0.0980" BL4040 12 49 2" 0.0760" BL4056 12 55 1-7/8" 0.0655" BL4057 12 57 1-3/4" 0.0455" BL4058 12 58 1-5/8" 0.0410" BL4058 12 58 1-5/8" 0.0420" BL4068 12 56 1-3/4" 0.0455" BL4059 12 59 1-5/8" 0.0420" BL4060 12 60 1-5/8" 0.0400"					
BL4008 12 8 3-5/8" 0.1990" BL4009 12 9 3-5/8" 0.1960" BL4010 12 10 3-5/8" 0.1935" BL4011 12 11 3-1/2" 0.1890" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4016 12 15 3-3/8" 0.1800" BL4017 12 17 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1770" BL4018 12 18 3-1/4" 0.1660" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1660" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4025 12 26 3" 0.1495" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4029 12 39 2-7/8" 0.1405" BL4029 12 39 2-7/8" 0.1405" BL4029 12 39 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1160" BL4031 12 31 2-3/4" 0.1660" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1405" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0995" BL40404 12 40 2-3/8" 0.0995" BL40404 12 41 2-3/8" 0.0995" BL40404 12 42 42 2-1/4" 0.0995" BL40404 12 44 2-1/8" 0.0995" BL40404 12 49 2" 0.0736" BL4040 12 49 2" 0.0736" BL4040 12 49 2" 0.0736" BL4050 12 59 1-7/8" 0.0550" BL4051 12 51 2" 0.0760" BL4052 12 55 1-7/8" 0.0550" BL4053 12 55 1-7/8" 0.0550" BL4054 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0935" BL4057 12 57 1-3/4" 0.0550" BL4058 12 58 1-5/8" 0.0410" BL4058 12 58 1-5/8" 0.0420"				•	
BL4009 12 9 3-5/8" 0.1960" BL4010 12 10 3-5/8" 0.1935" BL4011 12 11 3-1/2" 0.1910" BL4012 12 12 3-1/2" 0.1850" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4026 12 26 3" 0.1495" BL4027 12 12 7 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4030 12 30 2-3/4" 0.1285" BL4030 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4022 12 31 3-1/4" 0.1610" BL4023 12 25 3" 0.1440" BL4024 12 26 3" 0.1470" BL4025 12 26 3" 0.1405" BL4026 12 26 3" 0.1405" BL4027 12 30 2-3/4" 0.1200" BL4030 12 30 2-3/4" 0.1200" BL4031 12 31 2-3/4" 0.1200" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1100" BL4033 12 34 2-5/8" 0.1110" BL4034 12 34 2-5/8" 0.1110" BL4035 12 36 2-1/2" 0.1065" BL4036 12 36 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0995" BL40404 12 40 2-3/8" 0.0995" BL40404 12 40 2-3/8" 0.0990" BL40404 12 40 2-3/8" 0.0990" BL40404 12 40 2-3/8" 0.0980" BL40404 12 44 2-1/8" 0.0890" BL40404 12 44 2-1/8" 0.0890" BL40404 12 44 2-1/8" 0.0890" BL40404 12 49 2" 0.0730" BL4046 12 49 2" 0.0730" BL4047 12 47 2" 0.0760" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0550" BL4057 12 57 1-3/4" 0.0550" BL4058 12 58 1-5/8" 0.0440" BL4059 12 59 1-5/8" 0.0440" BL4059 12 59 1-5/8" 0.0440" BL4059 12 59 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0420"					
BL4010 12 10 3-5/8" 0.1935" BL4011 12 11 3-1/2" 0.1910" BL4012 12 12 3-1/2" 0.1890" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4023 12 22 3-1/8" 0.1570" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4029 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 3-1/8" 0.1570" BL4033 12 33 2-5/8" 0.1100" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0980" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/2" 0.1045" BL4039 12 39 2-3/8" 0.0980" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0890" BL4045 12 49 2" 0.0730" BL4050 12 50 2" 0.0700" BL4051 12 51 2" 0.0670" BL4052 12 55 1-7/8" 0.0550" BL4053 12 55 1-7/8" 0.0550" BL4054 12 54 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0430" BL4057 12 57 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0420"				-	
BL4011 12 11 3-1/2" 0.1910" BL4012 12 12 12 31/2" 0.1890" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4030 12 30 2-3/4" 0.1285" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4032 12 33 2-5/8" 0.1100" BL4033 12 33 2-5/8" 0.1100" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1000" BL4039 12 39 2-3/8" 0.0980" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4033 12 33 2-5/8" 0.1100" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0990" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 34 2-5/8" 0.0980" BL4044 12 44 2-1/8" 0.0880" BL4045 12 45 2-1/8" 0.0960" BL4046 12 46 2-1/8" 0.0860" BL4047 12 47 2" 0.0765" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 13/4" 0.0450" BL4059 12 59 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0420"			-		
BL4012 12 12 13 3-1/2" 0.1890" BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1770" BL4016 12 16 3-3/8" 0.1730" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1445" BL4026 12 26 3" 0.1445" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1285" BL4032 12 32 3-1/8" 0.1570" BL4028 12 32 3-1/8" 0.1470" BL4029 12 30 2-3/4" 0.1285" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1100" BL4033 12 33 2-5/8" 0.1110" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0980" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 34 2-1/8" 0.0960" BL4044 12 44 2-1/8" 0.0960" BL4045 12 49 2" 0.0730" BL4046 12 40 2-3/8" 0.0960" BL4047 12 47 2" 0.0785" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0450" BL4057 12 57 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0420"				•	
BL4013 12 13 3-1/2" 0.1850" BL4014 12 14 3-3/8" 0.1820" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1590" BL4021 12 21 3-1/4" 0.1590" BL4023 12 22 3-1/8" 0.1570" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4020 12 BL4023 12 23 3-1/8" 0.1570" BL4025 12 31 3-1/4" 0.1695" BL4026 12 30 3-1/4" 0.1610" BL4027 12 37 3" 0.1440" BL4028 12 38 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4031 12 31 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0990" BL4041 12 41 2-3/8" 0.0990" BL4041 12 41 2-3/8" 0.0980" BL4044 12 44 2-1/8" 0.0995" BL4044 12 44 2-1/8" 0.0995" BL4044 12 44 2-1/8" 0.0995" BL4045 12 48 2" 0.0760" BL4047 12 47 2" 0.0785" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4051 12 51 2" 0.0670" BL4052 12 52 1-7/8" 0.0810" BL4053 12 53 1-7/8" 0.0850" BL4054 12 54 1-7/8" 0.0850" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0465" BL4059 12 59 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0410"					
BL4014 12 14 3-3/8" 0.1820" BL4015 12 15 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4019 12 19 3-1/4" 0.1695" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1540" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1600" BL4032 12 32 3-1/8" 0.1540" BL4033 12 33 2-5/8" 0.1405" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.9960" BL4030 12 30 2-3/8" 0.0995" BL40404 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4044 12 44 2-1/8" 0.0890" BL4044 12 44 2-1/8" 0.0890" BL4046 12 46 2-1/8" 0.0890" BL4046 12 49 2" 0.0730" BL4055 12 55 1-7/8" 0.0550" BL4056 12 55 1-7/8" 0.0550" BL4056 12 55 1-7/8" 0.0550" BL4057 12 57 1-3/4" 0.0595" BL4058 12 55 1-7/8" 0.06455" BL4059 12 59 1-5/8" 0.00400"				•	
BL4015 12 15 3-3/8" 0.1800" BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1110" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0980" BL4044 12 44 2-1/8" 0.0980" BL4045 12 48 2" 0.0980" BL4046 12 46 2-1/8" 0.0880" BL4047 12 47 2" 0.0780" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0955" BL4057 12 57 1-3/4" 0.0955" BL4058 12 55 1-7/8" 0.00550" BL4059 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0550" BL4056 12 56 1-3/4" 0.0950" BL4057 12 57 1-3/4" 0.0550" BL4059 12 59 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0420"					
BL4016 12 16 3-3/8" 0.1770" BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1590" BL4021 12 21 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1495" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1200" BL4031 12 31 2-3/4" 0.1100" BL4032 12 32 3-3-1/8" 0.1000" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0990" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0980" BL4044 12 44 2-1/8" 0.0980" BL4044 12 44 2-1/8" 0.0980" BL4045 12 51 27 2" 0.0760" BL4046 12 46 2-1/8" 0.0860" BL4047 12 47 2" 0.0760" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0935" BL4056 12 56 1-3/4" 0.0940" BL4059 12 59 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0420"	-			•	
BL4017 12 17 3-3/8" 0.1730" BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1540" BL4026 12 26 3" 0.1495" BL4026 12 26 3" 0.1470" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4033 12 33 2-5/8" 0.1110" BL4033 12 33 2-5/8" 0.1110" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0995" BL40404 12 40 2-3/8" 0.0995" BL4044 12 41 2-3/8" 0.0980" BL4044 12 42 2-1/4" 0.0935" BL4044 12 44 2-1/8" 0.0980" BL4044 12 44 2-1/8" 0.0980" BL4044 12 44 2-1/8" 0.0980" BL4044 12 48 2" 0.0760" BL4046 12 48 2" 0.0760" BL4055 12 55 1-7/8" 0.0655" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0930" BL4057 12 57 1-3/4" 0.0550" BL4059 12 59 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0420"	BL4015		15	3-3/8"	0.1800"
BL4018 12 18 3-1/4" 0.1695" BL4019 12 19 3-1/4" 0.1660" BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1570" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1360" BL4020 12 29 2-7/8" 0.1360" BL4020 12 30 2-3/4" 0.1285" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1100" BL4033 12 33 2-5/8" 0.1110" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1040" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0995" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0980" BL4044 12 44 2-1/8" 0.0980" BL4045 12 46 2-1/8" 0.0860" BL4046 12 46 2-1/8" 0.0860" BL4047 12 47 2" 0.0760" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4040 12 49 2" 0.0730" BL4041 12 41 2-3/8" 0.0860" BL4042 12 42 2-1/4" 0.0890" BL4043 12 43 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0850" BL4045 12 50 2" 0.07700" BL4055 12 55 1-7/8" 0.0520" BL4056 12 56 1-3/4" 0.0520" BL4057 12 57 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"			-	•	
BL4019         12         19         3-1/4"         0.1660"           BL4020         12         20         3-1/4"         0.1610"           BL4021         12         21         3-1/4"         0.1590"           BL4023         12         23         3-1/8"         0.1540"           BL4025         12         25         3"         0.1495"           BL4026         12         26         3"         0.1470"           BL4027         12         27         3"         0.1440"           BL4028         12         28         2-7/8"         0.1405"           BL4030         12         30         2-3/4"         0.1260"           BL4030         12         30         2-3/4"         0.1200"           BL4031         12         31         2-3/4"         0.1200"           BL4032         12         32         2-3/4"         0.1100"           BL4033         12         33         2-5/8"         0.1130"           BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36	BL4017	12	17		0.1730"
BL4020 12 20 3-1/4" 0.1610" BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1540" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 21/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4039 12 39 2-3/8" 0.0995" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/4" 0.0890" BL4044 12 44 2-1/8" 0.0860" BL4047 12 47 2" 0.0760" BL4048 12 48 2" 0.0760" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4040 12 49 2" 0.0730" BL4040 12 49 2" 0.0760" BL4041 12 51 2" 0.0655" BL4042 12 42 2-1/8" 0.0860" BL4043 12 43 2-1/4" 0.0935" BL4044 12 44 2-1/8" 0.0860" BL4045 12 50 2" 0.0760" BL4050 12 50 2" 0.0760" BL4051 12 51 2" 0.0670" BL4052 12 52 1-7/8" 0.0635" BL4053 12 53 1-7/8" 0.0550" BL4054 12 54 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"		12	18	•	
BL4021 12 21 3-1/4" 0.1590" BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1540" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1065" BL4038 12 38 2-1/2" 0.1040" BL4039 12 39 2-3/8" 0.0990" BL40401 12 40 2-3/8" 0.0990" BL40401 12 41 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0960" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0960" BL4044 12 44 2-1/8" 0.0860" BL4045 12 46 2-1/8" 0.0860" BL4046 12 46 2-1/8" 0.0860" BL4047 12 47 2" 0.0785" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4040 12 49 2" 0.0730" BL4040 12 49 2" 0.0730" BL4041 12 41 2-3/8" 0.0860" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0850" BL4045 12 50 2" 0.07700" BL4050 12 50 2" 0.07700" BL4051 12 51 2" 0.0655" BL4052 12 52 1-7/8" 0.0550" BL4053 12 53 1-7/8" 0.0550" BL4054 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"	BL4019	12	19	3-1/4"	0.1660"
BL4022 12 22 3-1/8" 0.1570" BL4023 12 23 3-1/8" 0.1540" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1404" BL4028 12 28 2-7/8" 0.1360" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1110" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0995" BL4040 12 41 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0860" BL4047 12 47 2" 0.0760" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4040 12 49 2" 0.0730" BL4041 12 41 2-1/8" 0.0860" BL4042 12 48 2" 0.0760" BL4043 12 48 2" 0.0760" BL4044 12 49 2" 0.0730" BL4045 12 50 2" 0.0700" BL4051 12 51 2" 0.0650" BL4052 12 52 1-7/8" 0.0655" BL4053 12 53 1-7/8" 0.0550" BL4054 12 55 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0430" BL4058 12 57 1-3/4" 0.0430" BL4059 12 59 1-5/8" 0.0400"	BL4020	12	20	3-1/4"	0.1610"
BL4023 12 23 3-1/8" 0.1540" BL4025 12 25 3" 0.1495" BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1100" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1040" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0995" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0960" BL4044 12 44 2-1/8" 0.0890" BL4045 12 46 2-1/8" 0.0860" BL4046 12 46 2-1/8" 0.0810" BL4047 12 47 2" 0.0765" BL4048 12 48 2" 0.0766" BL4049 12 49 2" 0.0730" BL4049 12 49 2" 0.0730" BL4051 12 51 2" 0.0670" BL4052 12 52 1-7/8" 0.0635" BL4053 12 53 1-7/8" 0.0550" BL4054 12 54 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0400" BL4057 12 57 1-3/4" 0.0400" BL4058 12 58 1-5/8" 0.0410" BL4059 12 59 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"	BL4021	12	21	3-1/4"	0.1590"
BL4025         12         25         3"         0.1470"           BL4026         12         26         3"         0.1470"           BL4027         12         27         3"         0.1440"           BL4028         12         28         2-7/8"         0.1405"           BL4029         12         29         2-7/8"         0.1360"           BL4030         12         30         2-3/4"         0.1285"           BL4031         12         31         2-3/4"         0.1200"           BL4032         12         32         2-3/4"         0.1160"           BL4033         12         33         2-5/8"         0.1130"           BL4034         12         34         2-5/8"         0.1100"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1040"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40	BL4022	12	22	3-1/8"	0.1570"
BL4026 12 26 3" 0.1470" BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1110" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1040" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0980" BL4042 12 42 2-1/4" 0.0890" BL4044 12 44 2-1/8" 0.0860" BL4046 12 46 2-1/8" 0.0860" BL4047 12 47 2" 0.0766" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4049 12 49 2" 0.0730" BL4050 12 50 2" 0.0700" BL4051 12 51 2" 0.0670" BL4051 12 51 2" 0.0655" BL4053 12 53 1-7/8" 0.0550" BL4054 12 54 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0935" BL4057 12 57 1-3/4" 0.0400"	BL4023	12	23	3-1/8"	0.1540"
BL4027 12 27 3" 0.1440" BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1015" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0996" BL4041 12 41 2-3/8" 0.0960" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0890" BL4046 12 46 2-1/8" 0.0810" BL4047 12 47 2" 0.0785" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0785" BL4049 12 49 2" 0.0730" BL4040 12 50 2" 0.0700" BL4051 12 51 2" 0.0670" BL4052 12 52 1-7/8" 0.0550" BL4053 12 53 1-7/8" 0.0550" BL4054 12 54 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0430" BL4057 12 57 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"	BL4025	12	25	3"	0.1495"
BL4028 12 28 2-7/8" 0.1405" BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1200" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1040" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0996" BL4041 12 41 2-3/8" 0.0960" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/4" 0.0890" BL4044 12 44 2-1/8" 0.0860" BL4046 12 46 2-1/8" 0.0860" BL4047 12 47 2" 0.0765" BL4048 12 48 2" 0.0766" BL4049 12 49 2" 0.0765" BL4049 12 49 2" 0.0765" BL4049 12 50 2" 0.0700" BL4051 12 51 2" 0.0670" BL4052 12 52 1-7/8" 0.0550" BL4054 12 54 1-7/8" 0.0550" BL4055 12 55 1-7/8" 0.0550" BL4056 12 56 1-3/4" 0.0465" BL4057 12 57 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"	BL4026	12	26	3"	0.1470"
BL4029 12 29 2-7/8" 0.1360" BL4030 12 30 2-3/4" 0.1285" BL4031 12 31 2-3/4" 0.1160" BL4032 12 32 2-3/4" 0.1160" BL4033 12 33 2-5/8" 0.1130" BL4034 12 34 2-5/8" 0.1110" BL4035 12 35 2-5/8" 0.1100" BL4036 12 36 2-1/2" 0.1065" BL4037 12 37 2-1/2" 0.1040" BL4038 12 38 2-1/2" 0.1015" BL4039 12 39 2-3/8" 0.0995" BL4040 12 40 2-3/8" 0.0980" BL4041 12 41 2-3/8" 0.0960" BL4042 12 42 2-1/4" 0.0935" BL4043 12 43 2-1/8" 0.0860" BL4044 12 44 2-1/8" 0.0890" BL4044 12 44 2-1/8" 0.0860" BL4046 12 46 2-1/8" 0.0810" BL4047 12 47 2" 0.0785" BL4048 12 48 2" 0.0760" BL4049 12 49 2" 0.0730" BL4040 12 50 2" 0.0730" BL4050 12 50 2" 0.0700" BL4051 12 51 2" 0.0670" BL4052 12 52 1-7/8" 0.0635" BL4053 12 53 1-7/8" 0.0595" BL4054 12 54 1-7/8" 0.0595" BL4055 12 55 1-7/8" 0.0520" BL4056 12 56 1-3/4" 0.0430" BL4057 12 57 1-3/4" 0.0430" BL4058 12 58 1-5/8" 0.0420" BL4059 12 59 1-5/8" 0.0400"	BL4027	12	27	3"	0.1440"
BL4030         12         30         2-3/4"         0.1285"           BL4031         12         31         2-3/4"         0.1200"           BL4032         12         32         2-3/4"         0.1160"           BL4033         12         33         2-5/8"         0.1130"           BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1040"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0995"           BL4041         12         41         2-3/8"         0.0980"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4044         12 <td< th=""><th>BL4028</th><th>12</th><th>28</th><th>2-7/8"</th><th>0.1405"</th></td<>	BL4028	12	28	2-7/8"	0.1405"
BL4031         12         31         2-3/4"         0.1200"           BL4032         12         32         2-3/4"         0.1160"           BL4033         12         33         2-5/8"         0.1130"           BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1040"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0995"           BL4040         12         41         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4045         12 <td< th=""><th>BL4029</th><th>12</th><th>29</th><th>2-7/8"</th><th>0.1360"</th></td<>	BL4029	12	29	2-7/8"	0.1360"
BL4031         12         31         2-3/4"         0.1200"           BL4032         12         32         2-3/4"         0.1160"           BL4033         12         33         2-5/8"         0.1130"           BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1040"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0995"           BL4041         12         41         2-3/8"         0.0980"           BL4042         12         41         2-3/8"         0.0980"           BL4043         12         42         2-1/4"         0.0935"           BL4044         12         44         2-1/8"         0.0860"           BL4044         12         44         2-1/8"         0.0860"           BL4045         12 <td< th=""><th>BL4030</th><th>12</th><th>30</th><th>2-3/4"</th><th>0.1285"</th></td<>	BL4030	12	30	2-3/4"	0.1285"
BL4033         12         33         2-5/8"         0.1130"           BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0995"           BL4041         12         41         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0980"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48<	BL4031	12	31		0.1200"
BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0980"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0935"           BL4044         12         44         2-1/8"         0.0860"           BL4044         12         44         2-1/8"         0.0810"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4050         12         50	BL4032	12	32	2-3/4"	0.1160"
BL4034         12         34         2-5/8"         0.1110"           BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0980"           BL4042         12         41         2-3/8"         0.0960"           BL4043         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4045         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49	BL4033	12	33	2-5/8"	0.1130"
BL4035         12         35         2-5/8"         0.1100"           BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0935"           BL4044         12         44         2-1/8"         0.0890"           BL4044         12         44         2-1/8"         0.0890"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0700"           BL4050         12         50	BL4034	12	34	•	
BL4036         12         36         2-1/2"         0.1065"           BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0670"           BL4051         12         51	BL4035	12	35		0.1100"
BL4037         12         37         2-1/2"         0.1040"           BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0860"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53 <td< th=""><th></th><th>12</th><th></th><th>-</th><th></th></td<>		12		-	
BL4038         12         38         2-1/2"         0.1015"           BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0860"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0550"           BL4054         12         54 <td< th=""><th></th><th></th><th></th><th></th><th></th></td<>					
BL4039         12         39         2-3/8"         0.0995"           BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0550"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55 <td< th=""><th></th><th></th><th></th><th></th><th></th></td<>					
BL4040         12         40         2-3/8"         0.0980"           BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0590"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56 <td< th=""><th></th><th></th><th></th><th></th><th></th></td<>					
BL4041         12         41         2-3/8"         0.0960"           BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4058         12         58 <td< th=""><th></th><th></th><th></th><th>•</th><th></th></td<>				•	
BL4042         12         42         2-1/4"         0.0935"           BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59 <td< th=""><th></th><th></th><th>-</th><th></th><th></th></td<>			-		
BL4043         12         43         2-1/4"         0.0890"           BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59 <td< th=""><th>-</th><th></th><th></th><th>•</th><th></th></td<>	-			•	
BL4044         12         44         2-1/8"         0.0860"           BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60 <td< th=""><th>_</th><th></th><th></th><th></th><th></th></td<>	_				
BL4046         12         46         2-1/8"         0.0810"           BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"			-	•	
BL4047         12         47         2"         0.0785"           BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0670"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4048         12         48         2"         0.0760"           BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4049         12         49         2"         0.0730"           BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4050         12         50         2"         0.0700"           BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4051         12         51         2"         0.0670"           BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4052         12         52         1-7/8"         0.0635"           BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4053         12         53         1-7/8"         0.0595"           BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4054         12         54         1-7/8"         0.0550"           BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"				•	
BL4055         12         55         1-7/8"         0.0520"           BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4056         12         56         1-3/4"         0.0465"           BL4057         12         57         1-3/4"         0.0430"           BL4058         12         58         1-5/8"         0.0420"           BL4059         12         59         1-5/8"         0.0410"           BL4060         12         60         1-5/8"         0.0400"					
BL4057       12       57       1-3/4"       0.0430"         BL4058       12       58       1-5/8"       0.0420"         BL4059       12       59       1-5/8"       0.0410"         BL4060       12       60       1-5/8"       0.0400"					
BL4058     12     58     1-5/8"     0.0420"       BL4059     12     59     1-5/8"     0.0410"       BL4060     12     60     1-5/8"     0.0400"					
BL4059     12     59     1-5/8"     0.0410"       BL4060     12     60     1-5/8"     0.0400"					
<b>BL4060</b> 12 60 1-5/8" 0.0400"				•	
·					
		12	60	1-5/8"	0.0400"

NOTE: 31-60: 118° point; 1-30: 135° point










BL21A



BL29





ITEM#	# OF PIECES	INCLUDES	CASE TYPE
BL14	14	1/16", 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2"	Clear front
BL21A	21	(2) 1/16", (2) 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 11/64", (2) 3/16", 13/64", 7/32", 15/64", (2) 1/4", 5/16", 3/8", 1/2"	Clear front
BL29	29	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2"	Clear front
BL0026	26	Letter size jobber length A to Z	Metal index
BL0060	60	Wire gauge jobber length sizes #1 to #60	Metal index






# TITANIUM DRILL BITS

### TITANIUM-COATED DRILL BITS



ITEM#	QTY.	DIAMETER	OVERALL LENGTH	SHANK	BULK ITEM#	BULK QTY.
TI2131	2	1/16"	1-7/8"	1/16"	TI4131	12
TI2132	2	5/64"	2"	5/64"	TI4132	12
TI2133	2	3/32"	2-1/4"	3/32"	TI4133	12
TI2134	2	7/64"	2-5/8"	7/64"	TI4134	12
TI2135	2	1/8"	2-3/4"	1/8"	TI4135	12
TI2136	1	9/64"	2-7/8"	9/64"	TI4136	12
TI2137	1	5/32"	3-1/8"	5/32"	TI4137	12
TI2138	1	11/64"	3-1/4"	11/64"	TI4138	12
TI2139	1	3/16"	3-1/2"	3/16"	TI4139	12
TI2140	1	13/64"	3-5/8"	13/64"	TI4140	12
TI2141	1	7/32"	3-3/4"	7/32"	TI4141	12
TI2142	1	15/64"	13-7/8"	15/64"	TI4142	12
TI2143	1	1/4"	4"	1/4"	TI4143	12
TI2144	1	17/64"	4-1/8"	17/64"	TI4144	6
TI2145	1	9/32"	4-1/4"	9/32"	TI4145	6
TI2146	1	19/64"	4-3/8"	19/64"	TI4146	6
TI2147	1	5/16"	4-1/2"	5/16"	TI4147	6
TI2148	1	21/64"	4-5/8"	21/64"	TI4148	6
TI2149	1	11/32"	4-3/4"	11/32"	TI4149	6
TI2150	1	23/64"	4-7/8"	23/64"	TI4150	6
TI2151	1	3/8"	5"	3/8"	TI4151	6
TI2152	1	25/64"	5-1/8"	3/8"	TI4152	6
TI2153	1	13/32"	5-1/4"	3/8"	TI4153	6
TI2154	1	27/64"	5-3/8"	3/8"	TI4154	6
TI2155	1	7/16"	5-1/2"	3/8"	TI4155	6
TI2156	1	29/64"	5-5/8"	3/8"	TI4156	6
TI2157	1	15/32"	5-3/4"	3/8"	TI4157	6
TI2158	1	31/64"	5-7/8"	3/8"	TI4158	6
TI2159	1	1/2"	6"	3/8"	TI4159	6







#### TITANIUM-COATED DRILL BIT SETS





TI21



TI29

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
TI14	14	1/16", 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2"	Clear front
TI21A	21	(2) 1/16", (2) 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 11/64", (2) 3/16", 13/64", 7/32", 15/64", (2) 1/4", 5/16", 3/8", 1/2"	Clear front
TI29	29	1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2"	Clear front

#### COBALT DRILL BITS



ITEM#	QTY.	DIAMETER	OVERALL LENGTH	SHANK	BULK ITEM#	BULK QTY.
-	_	1/64"	3/4"	1/64"	CO4128	12
_	_	1/32"	1-3/8"	1/32"	CO4129	12
-	_	3/64"	1-3/4"	3/64"	CO4130	12
CO2131	1	1/16"	1-7/8"	1/16"	CO4131	12
CO2132	1	5/64"	2"	5/64"	CO4132	12
CO2133	1	3/32"	2-1/4"	3/32"	CO4133	12
CO2134	1	7/64"	2-5/8"	7/64"	CO4134	12
CO2135	1	1/8"	2-3/4"	1/8"	CO4135	12
CO2136	1	9/64"	2-7/8"	9/64"	CO4136	12
CO2137	1	5/32"	3-1/8"	5/32"	CO4137	12
CO2138	1	11/64"	3-1/4"	11/64"	CO4138	12
CO2139	1	3/16"	3-1/2"	3/16"	CO4139	12
CO2140	1	13/64"	3-5/8"	13/64"	CO4140	12
CO2141	1	7/32"	3-3/4"	7/32"	CO4141	12
CO2142	1	15/64"	3-7/8"	15/64"	CO4142	12
CO2143	1	1/4"	4"	1/4"	CO4143	12

ITEM#	QTY.	DIAMETER	OVERALL LENGTH	SHANK	BULK ITEM#	BULK QTY.
CO2144	1	17/64"	4-1/8"	17/64"	CO4144	6
CO2145	1	9/32"	4-1/4"	9/32"	CO4145	6
CO2146	1	19/64"	4-3/8"	19/64"	CO4146	6
CO2147	1	5/16"	4-1/2"	5/16"	CO4147	6
CO2148	1	21/64"	4-5/8"	21/64"	CO4148	6
CO2149	1	11/32"	4-3/4"	11/32"	CO4149	6
CO2150	1	23/64"	4-7/8"	23/64"	CO4150	6
CO2151	1	3/8"	5"	3/8"	CO4151	6
CO2152	1	25/64"	5-1/8"	25/64"	CO4152	6
CO2153	1	13/32"	5-1/4"	13/32"	CO4153	6
CO2154	1	27/64"	5-3/8"	27/64"	CO4154	6
CO2155	1	7/16"	5-1/2"	7/16"	CO4155	6
CO2156	1	29/64"	5-5/8"	29/64"	CO4156	6
CO2157	1	15/32"	5-3/4"	15/32"	CO4157	6
CO2158	1	31/64"	5-7/8"	31/64"	CO4158	6
CO2159	1	1/2"	6"	1/2"	CO4159	6

NOTE: 1/64"-7/64":  $118^{\circ}$  point; 1/8" and larger:  $135^{\circ}$  point; three flat shank 3/16" and larger

### COBALT DRILL BIT SETS



CO14



CO21

ITEM#	# OF PIECES	INCLUDES	CASE TYPE
CO14	14	1/16", 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2"	Clear front
CO21	21	(2) 1/16", (2) 5/64", 3/32", 7/64", (2) 1/8", 9/64", 5/32", 11/64", (2) 3/16", 13/64", 7/32", 15/64", (2) 1/4", 5/16", 3/8", 1/2"	Clear front



#### TITANIUM-COATED **COUNTERSINKS**



ITEM#	DIAMETER	CHAMFER ANGLE	SHANK	NUMBER OF FLUTES
CSH1C	1/2"	82°	1/4"	5
CSH2C	5/8"	82°	1/4"	5
CSH3C	3/4"	82°	1/4"	5

ITEM#	DIAMETER	CHAMFER ANGLE	SHANK	NUMBER OF FLUTES
CST1	1/2"	82°	1/4"	5
CST2	5/8"	82°	1/4"	5
CST3	3/4"	82°	1/4"	5

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM

#### **STEP DRILL BITS** The Bosch line of step **SELF-STARTING POINT** drill bits offer the ability to Starts on contact drill multiple holes with a single bit. Cuts are clean BALANCE and accurate even in the **DOUBLE FLUTE** toughest material; ideal for Eliminates chatter electrical, plumbing and and vibration HVAC contractors. RESHARPENABLE -**CUTTING EDGE** Provides longer tool life THREE-FLAT SHANK For reduced slippage **SUPER-HARD TITANIUM COATING** Lasts up to 6× longer than high-speed steel **TITANIUM HIGH-SPEED STEEL**

#### IMPACT TOUGH™ STEP DRILL BITS



ITEM#	DIAMETER (INCREMENTS)	STEP DEPTH	NUMBER OF HOLE SIZES	SHANK DIAMETER	APPLICATION	POINT TYPE
IMSD46401	1/8"-1/2" (1/32")	1/8"	13	1/4" hex with power groove	All common drilling needs	Self-starting
IMSD46403	1/4"-3/4" (1/16")	3/8"	9	1/4" hex with power groove	Ideal for cutting medium size holes	Self-starting
IMSD46405	1/4"-7/8"-1-1/8"	5/32"	3	1/4" hex with	For 1/2" and 3/4" conduit	Self-starting

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM



ITEM#	DIAMETER (INCREMENTS)	STEP DEPTH	NUMBER OF HOLE SIZES	SHANK DIAMETER	APPLICATION	POINT TYPE
SDH1	1/8"-1/2" (1/32")	1/8"	13	1/4"	All common drilling needs	Self-starting
SDH6	3/16"-1/2" (1/16")	3/8"	6	1/4"	All common drilling needs	Self-starting
SDH2	3/16"-7/8" (1/16")	1/8"	12	3/8"	All common drilling needs	Self-starting
SDH3	1/4"-3/4" (1/16")	1/8"	9	3/8"	Ideal for cutting medium size holes	Self-starting
SDH4	1/4"-7/8"-1-1/8"	5/32"	3	3/8"	For 1/2" and 3/4" conduit	Self-starting
SDH10	1/4"-1-3/8" (1/8")	1/8"	10	3/8"	For 1" conduit and tubing	Self-starting
SDH8	1/2"	_	1	1/4"	Knockout	Self-starting
SDH7	9/16"-1" (1/16")	1/8"	8	3/8"	Companion bit to SDH1 for diameter range 1/8" to 1" (requires 1/2" pilot hole)	For hole enlarging
SDH9	13/16"-1-3/8" (1/16")	1/8"	10	1/2"	For 1" conduit and tubing (requires 3/4" pilot hole)	For hole enlarging
SDH5	7/8"	-	1	3/8"	Drill perfect size holes for conduit. Ideal for drawbolt and miniature pilot light holes	Self-starting

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM

# TITANIUM-COATED STEP DRILL BITS



ITEM#	DIAMETER (INCREMENTS)	STEP DEPTH	NUMBER OF HOLE SIZES	SHANK DIAMETER	APPLICATION	POINT TYPE
SDT1	1/8"-1/2" (1/32")	1/8"	13	1/4"	All common drilling needs	Self-starting
SDT6	3/16"-1/2" (1/16")	3/8"	6	1/4"	All common drilling needs	Self-starting
SDT2	3/16"-7/8" (1/16")	1/8"	12	3/8"	All common drilling needs	Self-starting
SDT3	1/4"-3/4" (1/16")	1/8"	9	3/8"	Ideal for cutting medium size holes	Self-starting
SDT4	1/4"-7/8"-1-1/8"	5/32"	3	3/8"	For 1/2" and 3/4" conduit	Self-starting
SDT10	1/4"-1-3/8" (1/8")	1/8"	10	3/8"	For 1" conduit and tubing	Self-starting
SDT8	1/2"	_	1	1/4"	Knockout	Self-starting
SDT7	9/16"-1" (1/16")	1/8"	8	3/8"	Companion bit to SDT1 for diameter range 1/8" to 1" (requires 1/2" pilot hole)	For hole enlarging
SDT9	13/16"-1-3/8" (1/16")	1/8"	10	1/2"	For 1" conduit and tubing (requires 3/4" pilot hole)	For hole enlarging
SDT5	7/8"	-	1	3/8"	Drill perfect size holes for conduit. Ideal for drawbolt and miniature pilot light holes	Self-starting

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM

