



Any Job, Any Tool, **Anywhere**



**BOSCH**

Invented for life

# Any Job, Any Tool, Anywhere

**NEW!** Bosch's Oscillating Interface System, or OIS™, is a unique 12-pin design. It provides the secure connection between multi-tool and accessory necessary for high torque oscillating multi-tools. Bosch multi-tool accessories are faster, last longer and fit all multi-tools on the market directly or with the OIS™ adapter.



## Best Fit for All Multi-Tools

The OIS™ adapter allows Bosch accessories to fit on any oscillating multi-tool in the market, regardless of their interface. Other adapters work on a pressure fit solution instead of a positive interface, sacrificing performance.


### OIS™ Adapter

Fein® 250  
Craftsman®  
Rockwell®  
Dremel®  
Masterforce®

### Direct Fit

Bosch  
Skil®  
Ridgid®  
Milwaukee®  
Fein® 636


## Over 2× Faster



Based on Bosch internal testing

**Speed in Soft Tile**

## Over 1.5× Longer Life



Based on Bosch internal testing

**Lifetime in Soft Tile**



**Precision fit**

- ▶ Maximizes oscillating efficiency

**12 positive contact points furthest from center**

- ▶ Eliminates shearing potential created by high torque tools and applications

**OIS™ adapter**

- ▶ Converts all competitive connection systems to OIS™ system

*Patent Pending*

# Product Listing

## Cutting – Plungecut

Item #	Size	Description	Application
<b>OSC38</b>	3/8"	HCS/wood	Cutting wood floors, dowls or trim work
<b>OSC34</b> <b>OSC34-5</b> – 5pk	3/4"	HCS/wood	Cutting wood floors, dowls or trim work
<b>OSC112</b>	1-1/4"	HCS/wood	Cutting door jambs & trim work
<b>OSC138*</b> <b>OSC138-5</b> – 5pk	1-3/8"	HCS/wood	Notching drywall or wood
<b>OSC38F</b>	3/8"	BIM/wood & metal	Cutting nails in trim work
<b>OSC34F</b> <b>OSC34F-5</b> – 5pk	3/4"	BIM/wood & metal	Cutting nails in trim work
<b>OSC118F</b> <b>OSC118F-5</b> – 5pk	1-1/8"	BIM/wood & metal	Cutting wood floors or metal (nails & staples)
<b>OSC138JF</b> <b>OSC138JF-5</b> – 5pk	1-1/4"	BIM Japanese Tooth/hardwood	Hardwood
<b>OSC138MF</b>	1-1/4"	BIM/metal	Cutting thin gauge metal (sheet metal & metal studs)
<b>OSC212FH*</b>	2-1/2"	BIM/wood & metal	Cuts & easily removes debris in abrasive woodworking materials. Maneuvers easily in wood

## Cutting – Saw

Item #	Size	Description	Application
<b>OSC312</b>	3-1/2"	HCS/wood	Trimming door jambs or cutting drywall
<b>OSC4K</b>	4"	HCS serrated knife	Cutting insulation, boxes & other soft materials
<b>OSC312F</b>	3-1/2"	BIM/wood & metal	Trimming door jambs with nails
<b>OSC4F</b>	4"	BIM/wood & metal	Making wide cuts in door jambs & cutting nails in trim work
<b>OSC212T*</b>	2-1/2"	Titanium BIM/wood & metal	Sheet metal, fiber glass & nail embedded wood
<b>OSC314T*</b>	3-1/4"	Titanium BIM/wood & metal	Sheet metal, fiber glass & nail embedded wood

## Cutting – Circular


Item #	Size	Description	Application
<b>OSC212TC*</b>	2-1/2"	Titanium BIM/wood & metal	Expanded surface area with full saw, designed for sheet metal, fiber glass & nail embedded wood
<b>OSC314TC*</b>	3-1/4"	Titanium BIM/wood & metal	Expanded surface area with full saw, designed for sheet metal, fiber glass & nail embedded wood

## Mixed Set



Item #	Description	Included
<b>OSCS23</b>	23pc accessory set	(1) OSC312F, (1) OSC138, (1) OSC2RSC, (2) SDTR060, (2) SDTR080, (2) SDTR120, (2) SDTR180, (2) SDTR240, (2) SDTW060, (2) SDTW080, (2) SDTW120, (2) SDTW180, (2) SDTW240

\*Available Q1 2011



## Product Listing (continued)




### Grinding

Item #	Size	Description	Application
OSC212RF	2-1/2" x 1/16" kerf	Carbide grit/grout & tile	Removing grout between closely set tiles such as accent tiles
OSC312RF	3-1/2" x 1/8" kerf	Carbide grit/grout & tile	Removing grout between set tiles
OSC312DG	3-1/2" x 1/8" kerf	Diamond grit/hard materials	Cutting abrasive materials or tile
OSC3DRF	3"	Carbide grit delta rasp	Removing thinset material beneath tiles
OSC212HG*	2-1/2"	Hybrid grout & grinding	Removing grout between tiles & scraping away excess thinset beneath existing tiles



### Scraping

Item #	Size	Description	Application
OSC214C	2"	HCS caulk knife	Removing adhesive/caulk from tubs, showers, sinks or faucets
OSC2FSC	2"	HCS flexible scraper	Removing linoleum, carpet, window putty, paint & hard caulk
OSC2RSC OSC2RSC-5 - 5pk	2"	HCS rigid scraper	Removing linoleum, carpet, window putty, paint & hard caulk




### Sanding

Item #	Size	Description	Application
SDTR000 - 60/120/240 Assorted Grits (6 pk)	3-1/2"	Red detail sanding triangles for wood	Multi-purpose sanding projects with hard woods such as oak & pine or building boards like plywood
SDTR040 - 40 Grit (5 pk)			
SDTR060 - 60 Grit (5 pk)			
SDTR080 - 80 Grit (5 pk)			
SDTR120 - 120 Grit (5 pk)			
SDTR180 - 180 Grit (5 pk)			
SDTR240 - 240 Grit (5 pk)	3-1/2"	White detail sanding triangle for paint	Paint & finish removal or sanding softer materials
SDTW000 - 60/120/240 Assorted Grits (6 pk)			
SDTW040 - 40 Grit (5 pk)			
SDTW060 - 60 Grit (5 pk)			
SDTW080 - 80 Grit (5 pk)			
SDTW120 - 120 Grit (5 pk)			
SDTW180 - 180 Grit (5 pk)	3-1/2"	Coarse triangle finishing pad	Surface finishing & removal of rust & corrosion
SDTW240 - 240 Grit (5 pk)			
CS101			



### Adapters

Item #	Size	Description	Application
OIS001	NA	OIS™ adapter	Fits Bosch OIS™ accessories to any oscillating multi-tool in the market
OSCAD1	NA	Adapter for Bosch Multi-X	Fits non-OIS™ accessories to Bosch Multi-X
SDP001	3-1/2"	Delta sanding pad	Allows sanding sheets to attach to Bosch Multi-X



\*Available Q1 2011



Robert Bosch Tool Corporation  
Mount Prospect, IL 60056  
[www.boschtools.com](http://www.boschtools.com)  
1-877-BOSCH99



**BOSCH**  
Invented for life

10SB-100-2

OIS is a trademark of Robert Bosch Tool Corporation. All other trademarks and registered trademarks are the property of their respective owners.