

# BOSTITCH®



## FASTENING CATALOG



## TABLE OF CONTENTS

### CORDLESS

#### FINISH NAILERS

18 GA Brad Nailer .....	3
16 GA Straight Finish Nailer .....	4
15 GA "FN" Style Angled Finish Nailer.....	4

#### FRAMING NAILERS

28° Wire Weld Framing Nailer .....	5
30° Paper Tape Framing Nailer .....	6

#### BATTERIES AND CHARGER

20V MAX* Lithium Ion Battery (2.0 Ah) .....	6
20V MAX* Lithium Ion Battery (4.0 Ah) .....	6
20V MAX* Charger.....	6

### PNEUMATIC

#### FINISH TOOLS

Smart Point™ 18 GA Brad Nailer .....	8
23 GA Pin Nailer .....	9
18 GA Brad Nailer .....	9
18 GA 2 in 1 Brad Nailer / Narrow Crown Stapler .....	9
18 GA Narrow Crown Stapler.....	10
Smart Point™ 16 GA Straight Finish Nailer .....	10
16 GA Straight Finish Nailer .....	10
Smart Point™ 15 GA "FN" Style Angled Finish Nailer .....	11
15 GA "FN" Style Angled Finish Nailer.....	12
Smart Point™ 15 GA "DA" Style Angled Finish Nailer.....	12
15 GA "DA" Style Angled Finish Nailer .....	12

#### FLOORING TOOLS

2 in 1 Flooring Tool .....	13
Manual Hardwood Cleat Nailer .....	14
Hardwood Flooring Cleat Nailer .....	14
Hardwood Flooring Stapler .....	14
20 GA Engineered Flooring Stapler .....	15
18 GA Engineered Flooring Stapler .....	15

#### FLOORING TOOL ACCESSORIES

2 in 1 Flooring Jack .....	15
FLOORGUARD™ Graphite Hardwood Flooring Mallets .....	16
Flooring Cleat Nailer Conversion Kit.....	16
Pre-Finished Flooring Adaptor Kit.....	16

#### FRAMING NAILERS

28° Wire Weld Framing Nailer .....	17
28° Wire Weld Framing Nailer .....	18
33° Paper Tape Framing / Metal Connector Nailer .....	18
35° Metal Connector Nailers .....	18
30° Paper Tape Framing / Metal Connector Nailer .....	19
30° Paper Tape Framing Nailer .....	19
21° Plastic Collated Round Head Framing Nailer .....	20
21° Plastic Collated Framing / Metal Connector Nailer .....	20
21° Plastic Collated Heavy-Duty Timber Framing Nailer .....	20
15° Coil Framing Nailers .....	21

#### ROOFING AND SIDING TOOLS

15° Coil Siding Nailer .....	22
15° Coil Sheathing / Siding Nailer .....	23
15° Coil Roofing Nailers .....	23
15° Cap Nailer .....	24
18 GA Cap Stapler .....	24
16 GA Wide Crown Roofing Stapler .....	24

#### CONSTRUCTION STAPLERS

Heavy-Duty 3/8" Construction Stapler .....	25
7/16" Construction Stapler .....	26

#### CONSTRUCTION STAPLER ACCESSORIES

Vinyl Siding Adaptor .....	26
----------------------------	----

#### SPECIALTY NAILERS

Concrete Nailer .....	27
Mini Impact Nailer .....	27
Impact Nailer .....	27

#### COMPRESSORS

6 Gallon Pancake Compressor.....	29
1.2 Gallon High Output Trim Compressor .....	30
26 Gallon Vertical Compressor .....	30

#### COMBO KITS

3-Tool & Compressor Combo Kit.....	31
2-Tool & Compressor Combo Kit.....	32
1-Tool & Compressor Combo Kit.....	32

### AIR ACCESSORIES

Industrial Fittings.....	34
Automotive Fittings .....	34
Universal Couplers.....	34
Compressor Accessories .....	35
Reducers and Bushings.....	35
Repair Accessories .....	35
Air Hoses .....	36
Air Hose Repair Kits.....	36
Rebuild Kits .....	36
O-Ring Kits.....	37
Vinyl Siding & Depth Kits .....	37
Lubricants.....	37

### MANUAL FASTENING TOOLS

#### TACKERS

PowerSlam™ PowerCrown™ Hammer Tacker .....	39
PowerCrown™ Hammer Tacker .....	40
PowerCrown™ Hammer Tacker with Holster.....	40
Heavy-Duty Tackers .....	40

#### PLIERS

PowerCrown™ Stapling Plier .....	41
PowerCrown™ Light Wire Stapling Plier .....	41
Heavy-Duty Light Wire Stapling Plier .....	41
Collated Ring Plier.....	42

#### STAPLE GUNS

Heavy-Duty Staple Gun .....	42
2 in 1 Heavy-Duty Staple / Brad Gun .....	42

### FASTENERS

#### FINISH

23 GA Pin Nails .....	44
18 GA Brad Nails .....	44
18 GA 7/32" Narrow Crown Staples.....	44
16 GA Straight Finish Nails .....	45
15 GA "FN" Style Angled Finish Nails .....	45
15 GA "DA" Style Angled Finish Nails .....	45

#### FLOORING

18 GA Narrow Crown Flooring Staples .....	45
20 GA Narrow Crown Flooring Staples .....	46
15.5 GA Hardwood Flooring Staples .....	46
L-Shaped Hardwood Flooring Cleats.....	46

#### FRAMING

30° Paper Tape Framing Nails.....	46
28° Wire Weld Framing Nails.....	47
35° Paper Collated Metal Connector Nails.....	47
21° Plastic Collated Metal Connector Nails .....	47
21° Round Head Framing Nails .....	48
15° Coil Framing Nails .....	48-49

#### ROOFING & SIDING

15° Wire Weld Coil Siding Nails .....	49
15° Plastic Inserted Coil Siding Nails .....	50
15° Coil Roofing Nails.....	50
18 GA BOSTITCH® Caps and Staples.....	50

#### SPECIALTY

Concrete "T" Nails .....	50
16 GA Hog "C" Rings .....	50

#### STAPLES

Heavy-Duty 3/8" Crown Staples .....	51
16 GA 7/16" Crown Construction Staples .....	51
16 GA 1/2" Crown Construction Staples .....	51
16 GA 1" Crown Construction Staples .....	52
Heavy-Duty PowerCrown™ Staples .....	52
Light-Duty PowerCrown™ Staples .....	52
Light-Wire Staples .....	52



**CORDLESS TOOLS**



## CORDLESS • FINISH NAILERS

### BCN680D1 Cordless 18 GA Brad Nailer



- 1** Narrow nose designed for clear line of sight and accuracy
- 2** Tool-free depth adjustment for precise countersinking of nails
- 3** Tool-free stall release resets the driver blade in the event of a stall
- 4** Adjustable belt hook for left or right attachment
- 5** Multifunctional LED lights help to provide both workspace illumination and tool diagnostics
- 6** Tool-free selector switch for sequential or contact actuation modes
- 7** Tool-free jam release to quickly clear nail jams



	Fastener Length	5/8" - 2-1/8"
	Magazine Capacity	110 Nails
	Tool Weight (Tool only)	5.4 lbs.

**Kit Includes:** BCN680 18 GA Brad Nailer, (1) 20V MAX\* Lithium Ion Battery (2.0 Ah), Charger, and Kit Bag

**BCN662D1**  
**Cordless 16 GA Straight Finish Nailer**



- 1** Narrow nose designed for clear line of sight and accuracy
- 2** Tool-free jam release to quickly clear nail jams
- 3** Tool-free depth adjustment for precisely countersinking of nails
- 4** Tool-free selector switch for sequential or contact actuation modes

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	5.6 lbs.

**Kit Includes:** BCN662 16 GA Straight Finish Nailer, (1) 20V MAX\* Lithium Ion Battery (2.0 Ah), Charger, and Kit Bag



**BCN650D1**  
**Cordless 15 GA "FN" Style Angled Finish Nailer**



- 1** Narrow nose designed for clear line of sight and accuracy
- 2** In-line magazine provides easy use in multiple orientations and tight spaces
- 3** Tool-free depth adjustment for precisely countersinking of nails
- 4** Tool-free selector switch for sequential or contact actuation modes

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	5.8 lbs.

**Kit Includes:** BCN650 15 GA "FN" Style Angled Finish Nailer, (1) 20V MAX\* Lithium Ion Battery (2.0 Ah), Charger, and Kit Bag





## CORDLESS • FRAMING NAILERS

### BCF28WWM1 Cordless 28° Wire Weld Framing Nailer

**20V**  
MAX\*  
LITHIUM ION

**BRUSHLESS**

- 1** Tool-free selector switch for sequential or contact actuation modes
- 2** Selectable engine speeds for driving a full range of framing nails
- 3** Stall release lever resets the driver blade in the event of a stall
- 4** Tool-free depth adjustment for precise countersinking of nails
- 5** Tool-free adjustable belt hook for left or right attachment
- 6** Lock-back, rear load magazine
- 7** LED indicator lights for tool diagnostics such as low battery or a stall



	Fastener Length	2" - 3-1/2"
	Magazine Capacity	55 Nails
	Fastener Diameter	0.118" - 0.131"
	Tool Weight (Tool only)	8.1 lbs.

**Kit Includes:** BCF28WW 28° Wire Weld Framing Nailer, (1) 20V MAX\* Lithium Ion Battery (4.0 Ah), Charger, and Kit Bag

**Also Available:** BCF28WWB 28° Wire Weld Framing Nailer (Tool only)

## CORDLESS • FRAMING NAILERS

### BCF30PTM1

#### Cordless 30° Paper Tape Framing Nailer

**BRUSHLESS**

**20V<sup>MAX</sup>\*  
LITHIUM ION**

- 1** Tool-free selector switch for sequential or contact actuation
- 2** Selectable engine speeds for driving full range of framing nails
- 3** Stall release lever resets the driver blade in the event of a stall
- 4** LED indicator lights for tool diagnostics such as low battery or a stall



**30°**  
CLIPPED HEAD NAIL  
FULL HEAD NAIL

Fastener Length	2" - 3-1/2"
Fastener Diameter	.118" - .131"
Magazine Capacity	55 Nails
Tool Weight (Tool only)	8.1 lbs.

**Kit Includes:** BCF30PT 30° Paper Tape Framing Nailer, (1) 20V MAX\* Lithium Ion Battery (4.0 Ah), Charger, and Kit Bag

**Also Available:** BCF30PTB 30° Paper Tape Framing Nailer (Tool only)

## BATTERIES AND CHARGER

### BCB203

**20V MAX\* 2.0 Ah Lithium Ion Battery with Fuel Gauge**

**FUEL GAUGE™**

**20V<sup>MAX</sup>\*  
LITHIUM ION**



### BCB204

**20V MAX\* 4.0 Ah Lithium Ion Battery with Fuel Gauge**

**FUEL GAUGE™**

**20V<sup>MAX</sup>\*  
LITHIUM ION**



### BCB115

**20V MAX\* Lithium Ion Battery Charger**

**20V<sup>MAX</sup>\*  
LITHIUM ION**



**BOSTITCH®**



**PNEUMATIC TOOLS**





**PNEUMATIC • FINISH NAILERS**

**BTFP12233**

**Smart Point™ 18 GA Brad Nailer**

- 1** Smart Point™ Technology: Easy nail placement due to smaller nose\* and no need to compress the contact tip to actuate tool
- 2** Tool-free selectable trigger system converts from sequential to contact operation
- 3** Tool-free jam release mechanism for easy nail removal
- 4** Oil-free operation reduces risk of oil stains on work surface
- 5** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 6** Adjustable belt hook for left or right attachment



*\*Compared to BT1855K 18 GA Brad Nailer*


<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>18</b>  <small>GA</small>  <small>BRAD NAIL</small> </div>	Fastener Length	5/8" - 2-1/8"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	3.1 lbs.

**Kit Includes:** BTFP12233 18 GA Brad Nailer, 1/4" Air Fitting, Sample Fasteners, (3) No-Mar Tips, Belt Hook, and Carrying Case

## PNEUMATIC • FINISH NAILERS

### HP118K 23 GA Pin Nailer

- 1** Low profile nosepiece tapers down to contact point for clear line of sight
- 2** Adjustable high/low power control sets pin depth without changing compressor settings
- 3** Adjustable belt hook for left or right attachment
- 4** Side-load magazine for fast loading and easy fastener changeover


	Fastener Length	1/2" - 1-3/16"
	Magazine Capacity	200 Nails
	Tool Weight (Tool only)	2.3 lbs.

**Kit Includes:** HP118K 23 GA Pin Nailer, 1/4" Air Fitting, Sample Fasteners, Belt Hook, and Carrying Case



### BT1855K 18 GA Brad Nailer

- 1** Oil-free operation reduces risk of oil stains on work surface
- 2** Tool-free selectable trigger system converts from sequential to contact operation
- 3** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 4** Adjustable belt hook for left or right attachment

	Fastener Length	5/8" - 2-1/8"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	3.1 lbs.

**Kit Includes:** BT1855K 18 GA Brad Nailer, 1/4" Air Fitting, Sample Fasteners, (1) No Mar Tip, Belt Hook, and Carrying Case



### SB-2IN1 18 GA 2 in 1 Brad Nailer / Finish Stapler

- 1** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 2** Tool-free adjustable exhaust conveniently directs air away from the user
- 3** 2 in 1 Magazine: Drives both 18 GA brad nails and 18 GA narrow crown staples for versatility


	Nail Length	5/8" - 1-5/8"
	Staple Length	1/2" - 1-1/2"
	Staple Crown Width	7/32"
	Magazine Capacity	100 Nails or 100 Staples
	Tool Weight (Tool only)	2.6 lbs

**Kit Includes:** SB-2IN1 18 GA Brad Nailer / Finish Stapler, 1/4" Air Fitting, Sample Fasteners, (1) No Mar Tip, and Carrying Case



**SX1838K**  
**18 GA Finish Stapler**

- 1** Low staple lockout prevents dry firing
- 2** Tool-free selectable trigger system converts from sequential to contact operation
- 3** Oil-free operation reduces risk of oil stains on work surface
- 4** Tool-free Dial-A-Depth® control for precise countersinking of staples


	Fastener Length	1/2" - 1-1/2"
	Crown Width	7/32"
	Magazine Capacity	100 Staples
	Tool Weight (Tool only)	3.0 lbs.

**Kit Includes:** SX1838K 18 GA Finish Stapler, 1/4" Air Fitting, Sample Fasteners, Belt Hook, and Carrying Case



**BTFP71917**  
**Smart Point™ 16 GA Straight Finish Nailer**

- 1** Smart Point™ Technology: Easy nail placement due to smaller nose\* and no need to compress the contact tip to actuate tool
- 2** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 3** Oil-free operation reduces risk of oil stains on work surface

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	3.9 lbs.


**Kit Includes:** BTFP71917 16 GA Straight Finish Nailer, 1/4" Air Fitting, Sample Fasteners, (3) No-Mar Tips, Belt Hook, and Carrying Case



*\*Compared to FN1664K 16 GA Straight Finish Nailer*

**FN1664K**  
**16 GA Straight Finish Nailer**

- 1** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 2** Oil-free operation reduces risk of oil stains on work surface
- 3** Tool-free selectable trigger system converts from sequential to contact operation
- 4** Tool-free jam release mechanism for easy nail removal

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	3.9 lbs.

**Kit Includes:** FN1664K 16 GA Straight Finish Nailer, 1/4" Air Fitting, Sample Fasteners, (4) Profile Tips, Belt Hook, and Carrying Case





## PNEUMATIC • FINISH NAILERS

### BTFP72156

## Smart Point™ 15 GA "FN" Style Angled Finish Nailer

- 1** Smart Point™ Technology: Easy nail placement due to smaller nose\* and no need to compress the contact tip to actuate tool
- 2** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 3** Oil-free operation reduces risk of oil stains on work surface
- 4** Integrated air blower to clear away debris from work surface
- 5** Tool-free selectable trigger system converts from sequential to contact operation
- 6** Tool-free jam release mechanism for easy nail removal
- 7** Adjustable belt hook for left or right attachment




\*Compared to N62FNK-2 15 GA "FN" Style Angled Finish Nailer

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	129 Nails
	Tool Weight (Tool only)	4.3 lbs.

**Kit Includes:** BTFP72156 15 GA "FN" Style Angled Finish Nailer, 1/4" Air Fitting, Sample Fasteners, (3) No-Mar Tips, Belt Hook, and Carrying Case

**N62FNK-2**  
**15 GA "FN" Style Angled Finish Nailer**

- 1** Tool-free jam release mechanism for easy nail removal
- 2** Oil-free operation reduces risk of oil stains on work surface
- 3** Integrated air blower to clear away debris from work surface
- 4** Tool-free selectable trigger system converts from sequential to contact operation


	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	129 Nails
	Tool Weight (Tool only)	4.3 lbs.

**Kit Includes:** N62FNK-2 15 GA "FN" Style Angled Finish Nailer, 1/4" Air Fitting, Sample Fasteners, (4) Profile Tips, Belt Hook, and Carrying Case



**BTFP72155**  
**Smart Point™ 15 GA "DA" Style Angled Finish Nailer**

- 1** Smart Point™ Technology: Easy nail placement due to smaller nose\* and no need to compress the contact tip to actuate tool
- 2** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 3** Oil-free operation reduces risk of oil stains on work surface

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	4.2 lbs.


**Kit Includes:** BTFP72155 15 GA "DA" Style Angled Finish Nailer, 1/4" Air Fitting, Sample Fasteners, (3) No-Mar Tips, Belt Hook, and Carrying Case



*\*Compared to DA1564K 15 GA "DA" Style Angled Finish Nailer*

**DA1564K**  
**15 GA "DA" Style Angled Finish Nailer**

- 1** Tool-free jam release mechanism for easy nail removal
- 2** Oil-free operation reduces risk of oil stains on work surface
- 3** Integrated air blower to clear away debris from work surface
- 4** Tool-free Dial-A-Depth® control for precise countersinking of nails

	Fastener Length	1-1/4" - 2-1/2"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	4.2 lbs.

**Kit Includes:** DA1564K 15 GA "DA" Style Angled Finish Nailer, 1/4" Air Fitting, Sample Fasteners, (4) Profile Tips, Belt Hook, and Carrying Case






## PNEUMATIC • FLOORING NAILERS

### BTFP12569 2 in 1 Flooring Tool

- 1** Drives 15.5 GA 1/2" crown flooring staples or 16 GA L-shaped flooring cleats from 1-1/2" to 2" long
- 2** Mallet-actuated driving action
- 3** Non-marring, interchangeable base plates for 1/2" through 3/4" flooring
- 4** Ergonomically designed, long handle with comfortable rubber grip



	Nail Length	1-1/2" - 2"
	Staple Length	1-1/2" - 2"
	Staple Crown Width	1/2"
	Magazine Capacity	100 Cleats or 100 Staples
	Tool Weight (Tool only)	10.2 lbs


**Kit Includes:** BTFP12569 2 in 1 Flooring Tool, Interchangeable Base Plates, Wooden Mallet, 1/4" Air Fitting with Dust Cover, and Wrenches

**MFN-201  
Manual Hardwood Flooring Cleat Nailer**

- 1** Long reach handle
- 2** Ratcheting drive mode allows for multiple blows if cleat is under-driven
- 3** Rubber grip for comfort
- 4** Drives 16 GA L-Shaped flooring cleats from 1-1/2" to 2" long

<b>FC</b> FLOORING CLEAT	Fastener Length	1-1/2" - 2"
	Magazine Capacity	120 Cleats
	Tool Weight (Tool only)	8.6 lbs.

**Kit Includes:** MFN-201 Flooring Cleat Nailer, Graphite Mallet, Interchangeable Base Plates, Hex Wrenches, and Carrying Case



**MIIIFN  
Hardwood Flooring Cleat Nailer**

- 1** Multiple Handle Options: Long reach for comfort, short reach for speed
- 2** Extra-wide, composite base with rollers protects finish, adds stability, and increases productivity
- 3** High-speed, mallet actuated pneumatic operation increases productivity over manual methods
- 4** Precisely drives 16 GA L-shaped flooring cleats at proper depth and angle

<b>FC</b> FLOORING CLEAT	Fastener Length	1-1/2" - 2"
	Magazine Capacity	110 Cleats
	Tool Weight (Tool only)	11.2 lbs.

**Kit Includes:** MIIIFN Flooring Cleat Nailer, Graphite Mallet, Pre-Finished Flooring Adaptor Foot, Long Handle, and Interchangeable Base Plates



**MIIIFS  
Hardwood Flooring Stapler**

- 1** Multiple Handle Options: Long reach for comfort, short reach for speed
- 2** Extra-wide, composite base with rollers protects finish, adds stability, and increases productivity (see MIIIFN)
- 3** High-speed, mallet actuated pneumatic operation increases productivity over manual methods
- 4** Precisely drives 15.5 GA, 1/2" crown flooring staples at proper depth and angle

<b>FS</b> FLOORING STAPLE	Fastener Length	1-1/2" - 2"
	Magazine Capacity	92 Staples
	Tool Weight (Tool only)	11.2 lbs.

**Includes:** MIIIFS Flooring Stapler, Graphite Mallet, Pre-Finished Flooring Adaptor Foot, Long Handle, and Interchangeable Base Plates




## PNEUMATIC • FLOORING NAILERS


### LHF2025K

#### 20 GA Engineered Flooring Stapler

- 1** Oil-free operation reduces risk of oil stains on work surface
- 2** Adjustable knobs allow tool-free adjustment from 1/4"-1/2" flooring
- 3** High visibility tongue engagement for fast installation
- 4** Rear exhaust directs air away from user

	Fastener Length	1/2" - 1"
	Crown Width	3/16"
	Magazine Capacity	140 Staples
	Tool Weight (Tool only)	2.5 lbs.


**Kit Includes:** LHF2025 Flooring Stapler, 1/4" Air Fitting, Sample Fasteners, No-Mar Tips, Installation Blocks, and Carrying Case



### EHF1838K

#### 18 GA Engineered Flooring Stapler

- 1** Oil-free operation reduces risk of oil stains on work surface
- 2** Adjustable knobs allow tool-free adjustment from 5/16"-5/8" flooring
- 3** High visibility tongue engagement for fast installation
- 4** Rear exhaust directs air away from user

	Fastener Length	1" - 1-1/2"
	Crown Width	7/32"
	Magazine Capacity	100 Staples
	Tool Weight (Tool only)	3.4 lbs.

**Kit Includes:** EHF1838K Flooring Stapler, 1/4" Air Fitting, Sample Fasteners, No-Mar Tips, Installation Blocks, and Carrying Case



## FLOORING ACCESSORIES

### MIII-JACK

#### 2 in 1 Hardwood Flooring Jack

- 1** Tool-free rotating knob allows adjustment between application modes
- 2** Angled handle for easy release close to walls
- 3** Non-marring base pad designed for pre-finished flooring
- 4** Over-molded handle designed for comfort and control
- 5** Pre-drilled holes for fast attachment to sub-flooring

<b>MIII-JACK Specifications</b>	Clamping Power	Up to 2000 lbs.
	Tool Weight	7.6 lbs.





**FLOORGUARD™  
Graphite Hardwood Flooring Mallet**

<b>HFM3 Graphite Mallet</b>	Tool Weight	45 oz.
	Length	14.8"

<b>HFM4 Graphite Mallet</b>	Tool Weight	59 oz.
	Length	16.3"



**HFM3**



**HFMF-SW**

**Also Available:**  
HFMF-SW Replaceable Mallet Face, Soft White

**MIIFN-KIT  
Flooring Cleat Nailer  
Conversion Kit**



**MIIFOOT-KIT  
Pre-Finished Flooring  
Adaptor Kit**



*Pictured: MIIFN*



## PNEUMATIC • FRAMING NAILERS

### BTF83WW 28° Wire Weld Framing Nailer


- 1** Low profile design with enhanced ergonomics and balance for comfort and control
- 2** Powerful enough to drive into engineered lumber
- 3** Tool-free selectable trigger system for sequential or contact operation
- 4** Adjustable metal rafter hook easily rotates for convenience
- 5** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 6** Industrial-grade aluminum magazine for high volume framing and sheathing applications



Fastener Length	2" - 3-1/4"
Fastener Diameter	.113" - .131"
Magazine Capacity	100 Nails
Tool Weight (Tool only)	7.9 lbs.

**F28WW**  
**28° Wire Weld Framing Nailer**

- 1** Designed to drive into engineered lumber
- 2** Notched 16" layout indicator on magazine helps achieve correct distance between studs
- 3** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 4** Lightweight, magnesium design for durability


	Fastener Length	2" - 3-1/2"
	Fastener Diameter	.113" - .131"
	Magazine Capacity	100 Nails
	Tool Weight (Tool only)	7.6 lbs.



**Kit Includes:** F28WW 28° Wire Weld Framing Nailer and Carrying Case

**MCN150**  
**35° Metal Connector Nailer**

- 1** Exposed nail tip places fastener point directly into connector holes for fast and precise nailing
- 2** Lightweight design for minimal fatigue
- 3** Compact design fits easily into hard to reach places
- 4** In-line magazine offers balance for maneuverability


	Fastener Length	1-1/2"
	Fastener Diameter	.131"-.148"
	Magazine Capacity	29 Nails
	Tool Weight (Tool only)	4.6 lbs.



**Kit Includes:** MCN150 Metal Connector Nailer and Carrying Case

**MCN250**  
**35° Metal Connector Nailer**

- 1** Exposed nail tip places fastener point directly into connector holes for fast and precise nailing
- 2** Lightweight design for minimal fatigue
- 3** In-line magazine offers balance for maneuverability

	Fastener Length	1-1/2" - 2-1/2"
	Magazine Capacity	53 Nails
	Tool Weight (Tool only)	6.0 lbs.




**Kit Includes:** MCN250 Metal Connector Nailer and Carrying Case

**Also Available:** MCN250S Metal Connector with Single Stick Magazine

## PNEUMATIC • FRAMING NAILERS

### BTF83PT 30° Paper Tape Framing Nailer

- 1** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 2** Powerful enough to drive into engineered lumber
- 3** Tool-free selectable trigger system for sequential or contact operation modes
- 4** Adjustable metal rafter hook for left or right attachment



 <b>30°</b> <small>CLIPPED HEAD NAIL FULL HEAD NAIL</small>	Fastener Length	2" - 3-1/4"
	Fastener Diameter	.113" - .131"
	Magazine Capacity	90 Nails
	Tool Weight (Tool only)	7.9 lbs.



**Includes:** BTF83PT 30° Paper Tape Framing Nailer

### F33PT 33° Paper Tape Framing / Metal Connector Nailer

- 1** Two nailers in one: optional quick change nose pieces (sold separately) to convert tool to either framing or metal connector applications
- 2** Designed to drive into engineered lumber
- 3** Tool-free Dial-A-Depth® control for precisely driving recessed nails

 <b>30°</b> <small>CLIPPED HEAD NAIL FULL HEAD NAIL</small>	Paper Tape Framing Length	2" - 3-1/2"
	Paper Tape Framing Diameter	.113" - .162"
 <b>MC</b> <small>METAL CONNECTOR NAIL</small>	Metal Connector Length	1-1/2" - 2-1/2"
	Metal Connector Diameter	.131" - .162"
	Magazine Capacity	80 Nails
	Tool Weight (Tool only)	7.9 lbs.



**Includes:** F33PT Paper Tape Framing / Metal Connector Nailer  
**Also Available:** MCN-KIT2 Metal Connector Kit



*Pictured: BTF83WW*

**BTF83PL**  
**21° Plastic Collated Round Head Framing Nailer**

- 1** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 2** Powerful enough to drive into engineered lumber
- 3** Tool-free selectable trigger system for sequential or contact operation modes
- 4** Adjustable metal rafter hook rotates easily for convenience



	Fastener Length	2" - 3-1/4"
	Fastener Diameter	.113" - .148"
	Magazine Capacity	64 Nails
	Tool Weight (Tool only)	7.9 lbs.

**Includes:** BTF83PL 21° Plastic Collated Round Head Framing Nailer

**F21PL2**  
**21° Plastic Collated Framing / Metal Connector Nailer**

- 1** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 2** Designed to drive into engineered lumber



	Plastic Collated Framing Length	2" - 3-1/2"
	Plastic Collated Framing Diameter	.113" - .148"
	Metal Connector Length	1-1/2" - 2-1/2"
	Metal Connector Diameter	.131" - .148"
	Magazine Capacity	60 Nails
	Tool Weight (Tool only)	8.1 lbs.

**Includes:** F21PL2 Plastic Collated Framing / Metal Connector Nailer

**Also Available:** MCN-KIT2 Metal Connector Kit

**BRT130**  
**21° Plastic Collated Heavy-Duty Timber Framing Nailer**

- 1** Drives plastic collated framing nails for timber framing and crating
- 2** Tool-free adjustable exhaust directs air away from user
- 3** Smooth trip design for fast cycling
- 4** Secondary handle for ergonomics and control



	Fastener Length	4" - 5-1/8"
	Fastener Diameter	.131" - .165"
	Magazine Capacity	50 Nails
	Tool Weight (Tool only)	13.7 lbs.

**Kit Includes:** BRT130 21° Plastic Collated Heavy-Duty Timber Framing Nailer and Carrying Case

## PNEUMATIC • FRAMING NAILERS

### BTF83C 15° Coil Framing Nailer

- 1** Industrial-grade design for high volume framing and sheathing applications
- 2** Robust canister design with enhanced durability
- 3** Tool-free Dial-A-Depth® control for precise countersinking of nails
- 4** Light weight and balanced to minimize fatigue

<div style="border: 1px solid black; padding: 5px; width: 40px; margin: 0 auto;"> <b>15°</b> COIL NAIL         </div>	Fastener Length	2" - 3-1/4"
	Fastener Diameter	.099" - .148"
	Magazine Capacity	300 Nails
	Tool Weight (Tool only)	8.2 lbs.



**Includes:** BTF83C 15° Coil Framing Nailer

### N89C-1 15° High-Power Coil Framing Nailer

- 1** Lightweight magnesium design for durability
- 2** Patented push-button adjustable depth guide sets nails to desired depth quickly and conveniently
- 3** Adjustable exhaust directs air away from user

<div style="border: 1px solid black; padding: 5px; width: 40px; margin: 0 auto;"> <b>15°</b> COIL NAIL         </div>	Fastener Length	2" - 3-1/2"
	Fastener Diameter	.099" - .148"
	Magazine Capacity	300 Nails
	Tool Weight (Tool only)	8.1 lbs.



**Includes:** N89C-1 15° High-Power Coil Framing Nailer

### N80CB-1 15° Coil Framing Nailer

- 1** Lightweight aluminum design for durability
- 2** Heavy-duty, quick open canister designed to survive falls
- 3** Aggressive toe-nailing teeth grip lumber for slip-free nailing
- 4** Coil magazine holds up to 300 nails for high production applications

<div style="border: 1px solid black; padding: 5px; width: 40px; margin: 0 auto;"> <b>15°</b> COIL NAIL         </div>	Fastener Length	1-1/2" - 3-1/4"
	Fastener Diameter	.099" - .148"
	Magazine Capacity	300 Nails
	Tool Weight (Tool only)	8.4 lbs.



**Includes:** N80CB-1 15° Coil Framing Nailer

Pictured: N75C-1

**PNEUMATIC • ROOFING & SIDING**

## N66C-1 15° Coil Siding Nailer

- 1** Drives wire weld and plastic inserted coil nails
- 2** Adjustable depth guide sets nails to desired depth quickly and conveniently
- 3** Lightweight aluminum design for durability
- 4** Soft rubber foot prevents damage to softer woods
- 5** Tool-free adjustable exhaust conveniently directs air away from user
- 6** Adjustable rafter hook rotates easily for convenience



	Fastener Length	1-1/4" - 2-1/2"
	Fastener Diameter	.080" - .092"
	Magazine Capacity	300 Nails
	Tool Weight (Tool only)	4.7 lbs.


**Kit Includes:** N66C-1 15° Coil Siding Nailer and Carrying Case

## PNEUMATIC • ROOFING & SIDING

### N75C-1

#### 15° Sheathing / Siding Nailer

- 1** Perfect for high-volume nailing of wall and roof sheathing
- 2** Adjustable depth guide sets nails to desired depth quickly and conveniently
- 3** Lightweight aluminum design
- 4** Drives 15° wire weld and plastic inserted coil nails

	Fastener Length	1-1/2" - 3"
	Fastener Diameter	.090" - .131"
	Magazine Capacity	300 Nails
	Tool Weight (Tool only)	5.2 lbs.




**Kit Includes:** N75C-1 15° Sheathing / Siding Nailer and Carrying Case

### RN46-1

#### 15° Coil Roofing Nailer

- 1** Zero nail lockout feature eliminates dry firing and indicates when to reload the magazine
- 2** Nosepiece features carbide inserts for long-life performance
- 3** Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- 4** Adjustable depth guide sets nails to desired depth quickly and conveniently

	Fastener Length	3/4" - 1-3/4"
	Fastener Diameter	.120"
	Magazine Capacity	120 Nails
	Tool Weight (Tool only)	4.9 lbs.




**Includes:** RN46-1 15° Coil Roofing Nailer

### BRN175A

#### 15° Coil Roofing Nailer

- 1** Dual door magazine can be closed multiple ways
- 2** Adjustable depth guide sets nails to desired depth quickly and conveniently
- 3** Carbide nose inserts help to protect the nose from wear

	Fastener Length	3/4" - 1-3/4"
	Fastener Diameter	.120"
	Magazine Capacity	120 Nails
	Tool Weight (Tool only)	5.3 lbs.





**Includes:** BRN175A 15° Coil Roofing Nailer



**N66BC-1**  
**15° Cap Nailer**

- 1** Quick load magazine feature provides fast and easy loading of caps and nails
- 2** Lightweight aluminum design for added durability
- 3** Tool-free Dial-A-Depth® adjustment sets nails to desired depths quickly and conveniently
- 4** Tool-free adjustable exhaust conveniently directs air away from user


	Fastener Length	1-1/4" - 2-1/2"
	Fastener Diameter	.080" - .092"
	Magazine Capacity	300 Nails
	Tool Weight (Tool only)	5.8 lbs.



**Includes:** N66BC-1 15° Cap Nailer

**SL1838BC**  
**18 GA Cap Stapler**

- 1** Designed to be the preferred method of securing felt, house wrap, and thin foam
- 2** Tool-free Dial-A-Depth® control for precise depth adjustment
- 3** Tool-free selectable trigger system converts from sequential to contact operation
- 4** Includes internal air filter for maximum reliability


	Staple Length	3/4" - 1-1/2"
	Crown Width	5/16"
	Staple Magazine Capacity	163 Staples
	Cap Magazine Capacity	100 Caps
	Tool Weight (Tool only)	3.9 lbs.



**Kit Includes:** SL1838BC 18 GA Cap Stapler, 1/4" Swivel Air Fitting, Sample Fasteners, and Carrying Case

**438S2R-1**  
**16 GA Wide Crown Roofing Stapler**

- 1** Anti-Jam™ jam-free magazine
- 2** Nosepiece features carbide inserts for long-life performance
- 3** Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- 4** Power control valve adjusts power by 30%

	Fastener Length	1/2" - 1-1/2"
	Crown Width	1"
	Magazine Capacity	160 Staples
	Tool Weight (Tool only)	4.7 lbs.



**Includes:** 438S2R-1 16 GA Wide Crown Roofing Stapler




## PNEUMATIC • CONSTRUCTION STAPLERS

### BTFP71875

## Heavy Duty 3/8" Construction Stapler

- 1** Dual trigger design incorporates safety and comfort for all day use
- 2** Drives both heavy duty 3/8" crown staples and 18 GA brad nails for a wide range of applications
- 3** Oil-free operation requires no regular maintenance and reduces the risk of oil stains on work surface
- 4** Durable, lightweight die-cast aluminum design
- 5** Bottom loading for quick reloads



	Staple Length	1/4" - 9/16"
	Crown Width	3/8"
	Nail Length	1/2" - 5/8"
	Staple Magazine Capacity	84 Staples
	Nail Magazine Capacity	84 Nails
	Tool Weight (Tool only)	2.3 lbs.

**Includes:** BTFP71875 Heavy Duty 3/8" Construction Stapler and Sample Fasteners

## PNEUMATIC • CONSTRUCTION STAPLERS

### 651S5

#### 7/16" Construction Stapler

- 1 Durable, lightweight aluminum design
- 2 Tool-free jam clearance reduces downtime
- 3 Tool-free Dial-A-Depth® control for precise depth adjustment
- 4 Compatible with optional adaptor for vinyl siding (VSA4)

<b>16</b> GA MEDIUM CROWN STAPLE	Fastener Length	1" - 2"
	Crown Width	7/16"
	Magazine Capacity	120 Staples
	Tool Weight (Tool only)	4.3 lbs.



**Includes:** 651S5 7/16" Construction Stapler

## CONSTRUCTION STAPLER ACCESSORIES

### VSA4

#### Vinyl Siding Adaptor Kit

- 1 Attaches to nose of BOSTITCH® RN46-1 Coil Roofing Nailer
- 2 Converts roofing nailer into a vinyl siding nailer
- 3 Includes instructions for easy assembly




*Pictured: 651S5*

## PNEUMATIC • SPECIALTY NAILERS

### MIII812CNCT Concrete Nailer

- 1** Lightweight aluminum design for added durability
- 2** High-speed pneumatic power increases productivity over other fastening methods
- 3** Makes fastening of wood furring strips to concrete fast and easy
- 4** High-capacity magazine reduces reload time


	Fastener Length	9/16" - 2-1/4"
	Fastener Diameter	.097"
	Magazine Capacity	66 Nails
	Tool Weight (Tool only)	7.2 lbs.



**Includes:** MIII812CNCT Concrete Nailer

### PN50 Mini Impact Nailer

- 1** Rubber grip designed to insulate and reduce vibration
- 2** Drives most common bulk finish, framing, and timber nails
- 3** 360° swivel fitting for maximum accessibility
- 4** Front exhaust directs air away from user's palm


	Fastener Type	Bulk Finish Nails Bulk Framing Nails Bulk Timber Nails
	Tool Weight (Tool only)	1.0 lbs.



**Includes:** PN50 Mini Impact Nailer

### PN100K Impact Nailer

- 1** Heavy duty design hits harder on every stroke, driving nails faster and extending life
- 2** Efficient valving reduces air consumption and strain on compressor
- 3** Magnetic nose with recessed nail slot holds nails stable for accurate fastener placement
- 4** Hardened steel nose for extreme durability

	Fastener Type	Bulk Finish Nails Bulk Framing Nails Bulk Timber Nails
	Tool Weight (Tool only)	1.0 lbs.



**Kit Includes:** PN100 Impact Nailer, Standard Nose, Finish Nail Nose, Large Bore Nose, Leather Comfort Glove, Nose Wrench, Hex Wrench, Tool Lubricant, and Spare O-Rings



**COMPRESSORS &  
COMBO KITS**



*Pictured: CAP1512-OF  
Tools sold separately.*

## COMPRESSORS

### BTFP02012 6-Gallon Pancake Compressor

- 1** 150 max PSI, 6-gallon tank, and 2.6 SCFM\* at 90 PSI pump enable long air tool runtime with quick recovery
- 2** Long-life, oil-free, maintenance-free pump for convenient use
- 3** BOSTITCH® high-efficiency motor for easy startup in cold weather or extension cord application (14 GA or larger, 50 ft. or less)
- 4** 80 dBA\*\* operational noise level for a quiet work environment
- 5** 29 lb. weight makes unit easy to carry and store
- 6** BOSTITCH® high-flow regulator and two couplers to maximize air tool performance
- 7** Convenient cord wrap for easy storage






#### Specifications

Tank Size	6 Gallons
SCFM* at 90 PSI	2.6 SCFM
Max Tank PSI	150 PSI
Max Horsepower (Running)	0.8 HP
Tool Weight (Tool only)	29.0 lbs.

\*Tested per ISO 1217

\*\*Tested per ISO 3744

#### Recommended Tool Capacity

Application	Number of Tools
Finish	
Roofing	
Framing	



**Includes:** BTFP02012 6-Gallon Pancake Compressor

**CAP1512-OF**  
**1.2-Gallon High Output Trim Compressor**

- 1** High-output, oil-free pump delivers 2.8 SCFM\* at 90 PSI and 150 max PSI operating pressure for multiple-finish-tool operation
- 2** 1.5 max horsepower (running) motor draws 12 amps for easy start-up without tripping circuit breakers
- 3** 1.2-gallon, compact design weighs 23.5 lbs. for easy portability
- 4** Convenient storage pocket for hand tools, fasteners, and fittings; and an integrated cord wrap for easy storage
- 5** LED ON/OFF switch notifies the user of when the compressor is on to eliminate low-pressure misfires
- 6** Non-marring rubber feet



Specifications	
Tank Size	1.2 Gallons
SCFM* at 90 PSI	2.8 SCFM
Max Tank PSI	150 PSI
Max Horsepower (Running)	1.5 HP
Tool Weight (Tool only)	23.5 lbs.

Recommended Tool Capacity	
Application	Number of Tools
Finish	 













**Includes:** CAP1512-OF 1.2 Gallon High Output Trim Compressor

**BTFP02028**  
**26-Gallon Vertical Compressor**

- 1** 4.1 SCFM\* at 90 PSI pump, 26-gallon tank, and 150 max PSI enables all household and most professional applications
- 2** Long-life, oil-free pump for ease of operation and no oil maintenance
- 3** BOSTITCH® high-efficiency motor for easy startup in cold weather or extension cord application (12 GA, 50 ft. cord or less)
- 4** Welded pull handle and 10" wheels allow for easy movement
- 5** Vertical tank configuration takes up less space
- 6** Pull handle also serves as cord wrap
- 7** Ball valve drain allows for quick and thorough tank draining



Specifications	
Tank Size	26 Gallons
SCFM* at 90 PSI	4.1 SCFM
Max Tank PSI	150 PSI
Max Horsepower (Running)	1.6 HP
Tool Weight (Tool only)	125.0 lbs.

Recommended Tool Capacity	
Application	Number of Tools
Finish	   
Roofing	   
Framing	   

**Includes:** BTFP02028 26-Gallon Vertical Compressor

\*Tested per ISO 1217  
 \*\* Tested per ISO 3744



## COMBO KITS

### BTFP3KIT 3-Tool & Compressor Combo Kit



#### SB-1850BN

**18**<sup>GA</sup>  
BRAD NAIL

**Fastener Length**  
5/8" - 2"

#### SB-1664FN

**16**<sup>GA</sup>  
STRAIGHT NAIL

**Fastener Length**  
1" - 2-1/2"

#### BTFP71875

**HEAVY DUTY**  
3/8" / 10mm Crown

**Staple Length**  
1/4" - 9/16"

**18**<sup>GA</sup>  
BRAD NAIL

**Nail Length**  
1/2" - 5/8"

#### BTFP02012

*Features and Benefits on pg. 27*

Tank Size	6-Gallons
SCFM *at 90 PSI	2.6 SCFM
Max Tank PSI	150 PSI
Max Horsepower (Running)	0.8 HP
Tool Weight (Tool only)	29 lbs.

**Kit Includes:** BTFP02012 6 Gallon Pancake Compressor, SB-1850BN 18 GA Brad Nailer, SB-1664FN 16 GA Straight Finish Nailer, BTFP71875 3/8" Crown Stapler, 1/4" x 15' Air Hose and Fittings



## COMBO KITS

### BTFP2KIT 2-Tool & Compressor Combo Kit

**SB-1850BN**

**18**<sub>GA</sub>  
BRAD NAIL

**Fastener Length**  
5/8" - 2"

**SB-1664FN**

**16**<sub>GA</sub>  
STRAIGHT NAIL

**Fastener Length**  
1" - 2-1/2"



**Kit Includes:** BTFP02012 6 Gallon Pancake Compressor, SB-1850BN 18 GA Brad Nailer, SB-1664FN 16 GA Straight Finish Nailer, 1/4" x 15' Air Hose and Fittings

**BTFP02012** *Features and Benefits on pg. 27*

Tank Size	6-Gallons
SCFM* at 90 PSI	2.6 SCFM
Max Tank PSI	150 PSI
Max Horsepower (Running)	0.8 HP
Tool Weight (Tool only)	29 lbs.

### BTFP1KIT 1-Tool & Compressor Combo Kit

**SB-1850BN**

**18**<sub>GA</sub>  
BRAD NAIL

**Fastener Length**  
5/8" - 2"



**Kit Includes:** BTFP02012 6 Gallon Pancake Compressor, SB-1850BN 18 GA Brad Nailer, 1/4" x 15' Air Hose and Fittings

**BTFP02012** *Features and Benefits on pg. 27*

Tank Size	6-Gallons
SCFM* at 90 PSI	2.6 SCFM
Max Tank PSI	150 PSI
Max Horsepower (Running)	0.8 HP
Tool Weight (Tool only)	29 lbs.



*Pictured: BTFP3KIT*



## AIR ACCESSORIES & HOSES

## Industrial Fittings

- 1** Pre-applied thread sealant for airtight connections eliminates need for thread sealant tape and simplifies field installation
- 2** Plated steel construction with drag guard for jobsite durability and reliability (all plugs and couplers)



SKU	Series	Style	Size	Thread	Pieces
BTFP72318	1/4"	Plug	1/4"	Male	1
IP-14M-BM	1/4"	Plug	1/4"	Male	50
BTFP72319	1/4"	Plug	1/4"	Female	1
IP-14F-BM	1/4"	Plug	1/4"	Female	50
IP-38-38M	3/8"	Plug	3/8"	Male	1
IP-38-38F	3/8"	Plug	3/8"	Female	1
BTFP72333	1/4"	Swivel Plug	1/4"	Male	1
IC-14M	1/4"	Coupler	1/4"	Male	1
IC-14M-BM	1/4"	Coupler	1/4"	Male	50
IC-14F	1/4"	Coupler	1/4"	Female	1
IC-14F-BM	1/4"	Coupler	1/4"	Female	50
IHKIT-14F	1/4"	(1) BTFP72319, (1) IC-14F	1/4"	Female	2

## Automotive Fittings

- 1** Pre-applied thread sealant for airtight connections eliminates need for thread sealant tape and simplifies field installation
- 2** Plated steel construction with drag guard for jobsite durability and reliability (all plugs and couplers)



SKU	Series	Style	Size	Thread	Pieces
AP-14M	3/8"	Plug	1/4"	Male	1
AP-14F	3/8"	Plug	1/4"	Female	1
AP-38M	3/8"	Plug	3/8"	Male	1
AP-38F	3/8"	Plug	3/8"	Female	1

## Universal Couplers

- 1** Universal couplers accept industrial, automotive, and ARO style plugs
- 2** 6-ball design (1/4" coupler series) and 8-ball design (3/8" coupler series) for balanced, strong, and secure connections



**BTFP72321**

**UC38-14F**

SKU	Series	Style	Size	Thread	Pieces
BTFP72320	1/4"	Push-To-Connect	1/4"	Male	1
BTFP72321	1/4"	Push-To-Connect	1/4"	Female	1
UC38-14M	3/8"	Push-To-Connect	1/4"	Male	1
UC38-14F	3/8"	Push-To-Connect	1/4"	Female	1

## AIR ACCESSORIES

### Compressor Accessories



**BTFP72330**



**TIRE-14F**



**3WAY-RND**

SKU	Description	Size	Thread	Pieces
<b>BTFP72326</b>	Regulator and Gauge Kit	1/4"	-	2
<b>IREGULATOR</b>	Industrial Regulator and Gauge	1/4"	Female	1
<b>BTFP72328</b>	1-1/2" Pressure Gauge	1/4"	Female	2
<b>TIRE-14F</b>	Tire Chuck	1/4"	Female	1
<b>TEE-14F</b>	Tee Fitting	1/4"	Female	1
<b>BTFP72330</b>	Safety Blow Gun	1/4"	Female	3
<b>BTFP72327</b>	Ball Type Drain Valve	1/4"	Male	1
<b>3WAY-RND</b>	3-Way Manifold	3/8" NPT Inlet to 1/4" NPT Outlet	-	1

### Reducers and Bushings

- 1** Pre-applied thread sealant (male connections) for secure connections



**14M-14M**



**38F-38F**



**38M-14F**

SKU	Description	Size	Thread	Pieces
<b>14M-14M</b>	Hex Nipple	1/4"	Male	1
<b>14F-14F</b>	Hex Coupler	1/4"	Female	1
<b>38M-38M</b>	Hex Nipple	3/8"	Male	1
<b>38M-14F</b>	Hex Reducer Bushing	3/8" Male to 1/4" Female	Male to Female	1
<b>38M-14M</b>	Hex Reducer Nipple	3/8" Male to 1/4" Male	Male to Male	1
<b>38F-14F</b>	Hex Reducer Coupler	3/8" Female to 1/4" Female	Female to Female	1
<b>38F-14M</b>	Hex Adaptor	3/8" Female to 1/4" Male	Female to Male	1

## REPAIR ACCESSORIES

### THREADTAPE Thread Sealant Tape

- 1** Acts as a lubricant to efficiently and easily tighten and unscrew pipe threads



## AIR HOSES & REPAIR KITS

### Air Hoses

- 1 Designed to withstand the demands of the toughest jobsites



PRO-1450



HOPB38100

SKU	Description	Size	Length
PRO-1450	Premium Quality Ribbed Polyurethane Air Hose	1/4"	50 ft.
PRO-14100	Premium Quality Ribbed Polyurethane Air Hose	1/4"	100 ft.
PRO-3850	Premium Quality Ribbed Polyurethane Air Hose	3/8"	50 ft.
PRO-38100	Premium Quality Ribbed Polyurethane Air Hose	3/8"	100 ft.
HOPB1450	PVC and Rubber Blend Air Hose	1/4"	50 ft.
HOPB14100	PVC and Rubber Blend Air Hose	1/4"	100 ft.
BTFP72334	PVC and Rubber Blend Air Hose	3/8"	50 ft.
HOPB38100	PVC and Rubber Blend Air Hose	3/8"	100 ft.

### Air Hose Repair Kits

- 1 Quickly repair damaged hoses
- 2 Pre-applied thread sealant for a secure connection



PRO-14 REPAIR

SKU	Description
PRO-14REPAIR	Repair Kit for 1/4" PROZ-HOSE™ Ribbed Polyurethane Air Hose
PRO-38REPAIR	Repair Kit for 3/8" PROZ-HOSE™ Ribbed Polyurethane Air Hose
HREPAIR-38	Repair Kit for 3/8" Round Polyurethane Air Hose

### Rebuild Kits



N62-RK



MIIISK

SKU	Description
BOSCAP-RK	Rebuild Kit for SB150SLBC and SB-1664FN
BT55/SX-38-RK	Rebuild Kit BT1855K, SX1838K, and BTFP12233
B125K-RK	Rebuild Kit for B125K
BT200-RK	Rebuild Kit for BT200
FN16250K-RK	Rebuild Kit for BT16250K
FN1664K-RK	Rebuild Kit for FN1664K
MCN-RK	Rebuild Kit for MCN150 and MCN250
MIIISK	Rebuild Kit for MIIIFS, MIIIFN, and MII812CNCT
N62-RK	Rebuild Kit for N62
N66C-RK	Rebuild Kit for N66BC, N66C, N66, and N75
RN46-RK	Rebuild Kit for RN46
SX150-RK	Rebuild Kit for SX150
N62FNB-RK	Rebuild Kit for N62FNB
DA1564K-RK	Rebuild Kit for DA1564K

## KITS AND LUBRICANTS

### O-Ring Kits



**N88ORK**



**ORK1**

SKU	Description
<b>N88ORK</b>	O-Ring Kit for N88
<b>N89ORK</b>	O-Ring Kit for F21PL, F28WW, F33PT, and N89C
<b>ORK1</b>	O-Ring Kit for N50FN, N59FN, N60FN, T40, and T50
<b>ORK6</b>	O-Ring Kit for MIIIFS and MIIIFN
<b>ORK10</b>	O-Ring Kit for S32, BT35, BT50, and PC5000
<b>ORK11</b>	O-Ring Kit for N79, N80, N90, and N95
<b>ORK12</b>	O-Ring Kit for N63, N64, and SDCN14
<b>ORK13</b>	O-Ring Kit for for RN45
<b>120965</b>	O-Ring Kit for PN100
<b>186190</b>	O-Ring Kit for PN50

### Vinyl Siding and Depth Kits



**DS3**



**VSA4**

SKU	Description
<b>108551</b>	Vinyl Siding Trip for 650S4
<b>108550</b>	Vinyl Siding Trip for 438S4 and 538S4
<b>VSA4</b>	Vinyl Siding Adaptor for RN46
<b>DC3</b>	N80CB Dial-A-Depth® Kit

### Lubricants

**1**

BOSTITCH® lubricants and oils are designed for all pneumatic tools requiring oil. In the winter months, our all-season and winter lubricants allow you to get the job done, even in extreme temperatures



**WINTEROIL-4OZ**



**PREMOIL-20OZ**

SKU	Description
<b>PREMOIL-4OZ</b>	4 oz. Premium Grade Pneumatic Tool Lubricant
<b>PREMOIL-20OZ</b>	20 oz. Premium Grade Pneumatic Tool Lubricant
<b>WINTEROIL-4OZ</b>	4 oz. Winter Grade Pneumatic Tool Lubricant
<b>WINTEROIL-20OZ</b>	20 oz. Winter Grade Pneumatic Tool Lubricant
<b>PREMCOMOIL-32OZ</b>	Non-Detergent Air Compressor Lubricant
<b>SYNCOMOIL-20OZ</b>	All-Season Synthetic Lubricant
<b>9B12147R</b>	Gas Cordless Tool Oil




**MANUAL FASTENING**



## MANUAL FASTENING • TACKERS

### PC2K PowerSlam™ PowerCrown® Hammer Tacker

- 1** Quick-load magazine holds up to two full sticks of staples
- 2** Long-reach knuckle saver handle with comfortable, non-slip grip
- 3** Die-cast frame and through hardened steel components for durability
- 4** Anti-Jam™ magazine design for maximum productivity



Fastener Length	1/4" - 3/8"
Fastener Type	STCR5019
Crown Width	7/16"
Magazine Capacity	168 Staples
Tool Weight (Tool only)	2.25 lbs.


**Includes:** PC2K PowerSlam™ PowerCrown® Hammer Tacker



**H30-6 and H30-8  
PowerCrown® Hammer Tacker**

- 1** Die-cast frame and through hardened steel components for durability
- 2** Quick-load magazine
- 3** Tool-free jam clearing




	Fastener Length	1/4" - 3/8"
	Fastener Type	<b>H30-6</b> - STCR2619 <b>H30-8</b> - STCR5019
	Crown Width	7/16"
	Magazine Capacity	84 Staples
	Tool Weight (Tool only)	<b>H30-6</b> - 1.7 lbs. <b>H30-8</b> - 1.8 lbs.

**Includes:** PowerCrown® Hammer Tacker

**H30-8D6  
PowerCrown® Hammer Tacker with Holster**

- 1** Die-cast frame and through hardened steel components for durability
- 2** Quick-load magazine
- 3** Tool-free jam clearing




	Fastener Length	1/4" - 3/8"
	Fastener Type	STCR5019
	Crown Width	7/16"
	Magazine Capacity	84 Staples
	Tool Weight with Holster	2.25 lbs.

**Includes:** H30-8 PowerCrown® Hammer Tacker and Holster

**T6-80C2, T6-60C2, and T6-8  
Heavy-Duty Tackers**

- 1** Anti-Jam™ magazine design for maximum productivity
- 2** Patented easy-squeeze mechanism
- 3** Lightweight, die cast aluminum design
- 4** Steel handle with overmolded rubber grip for comfort
- 5** Nickel chrome-plated steel magazine and core provide smooth, durable sliding surfaces for staples



	Fastener Length	<b>T6-80C2 &amp; T6-8</b> - 1/4" - 9/16" <b>T6-60C2</b> - 1/2"
	Fastener Type	<b>T6-80C2 &amp; T6-8</b> - STCR5019 <b>T6-60C2</b> - STCR2619
	Crown Width	7/16"
	Magazine Capacity	84 Staples
	Tool Weight (Tool only)	<b>T6-80C2 &amp; T6-60C2</b> - 1.8 lbs. <b>T6-8</b> - 1.9 lbs.

**Includes:** Heavy-Duty Tacker


## MANUAL FASTENING • PLIERS

### P6C-8

#### PowerCrown® Stapling Plier

- 1** Case-hardened steel components for durability
- 2** Quick-load magazine
- 3** Ergonomic design and patented easy-squeeze bearing system for ease of use



	Fastener Length	1/4" - 3/8"
	Fastener Type	STCR5019
	Crown Width	7/16"
	Magazine Capacity	84 Staples
	Tool Weight (Tool only)	1.0 lbs.


**Includes:** P6C-8 PowerCrown® Stapling Plier

### P6C-6

#### PowerCrown® Light Wire Stapling Plier

- 1** Case-hardened steel components for durability
- 2** Quick-load magazine
- 3** Ergonomic design and patented easy-squeeze bearing system for ease of use




	Fastener Length	1/4" - 3/8"
	Fastener Type	STCR5619
	Crown Width	7/16"
	Magazine Capacity	84 Staples
	Tool Weight (Tool only)	1.0 lbs.

**Includes:** P6C-6 PowerCrown® Light Wire Stapling Plier

### P3-IND

#### Heavy-Duty Light Wire Stapling Plier

- 1** Case-hardened steel components for durability
- 2** Quick-load magazine
- 3** Ergonomic design and patented easy-squeeze bearing system for ease of use
- 4** Anti-Jam™ magazine design for maximum productivity



<b>P3-IND</b>	Fastener Length	1/4" - 3/8"
	Fastener Type	SP191/4 Staples
	Magazine Capacity	208 Staples
	Tool Weight (Tool only)	0.5 lbs.


**Includes:** Heavy-Duty Light Wire Stapling Plier

## MANUAL FASTENING • PLIERS

**P7**

### Collated Ring Plier

- 1** Case-hardened steel components for durability
- 2** Automatic feed system for ease of use and productivity
- 3** Ergonomic design and patented easy-squeeze bearing system for ease of use



Fastener Type	C Rings
Magazine Capacity	50 Rings
Tool Weight (Tool only)	0.8 lbs.

**Includes:** P7 Collated Ring Plier

## MANUAL FASTENING • STAPLE GUNS

**BT110**

### Heavy-Duty Staple Gun

- 1** Convenient handle lock for storage
- 2** Chrome-plated steel construction is durable and weather-resistant
- 3** Bottom-load magazine saves reload time and prevents loss of pusher



Fastener Length	1/4" - 9/16"
Crown Width	3/8"
Fastener Type	BTA700 or Arrow T50
Magazine Capacity	84 Staples
Tool Weight (Tool only)	1.7 lbs.

**Includes:** BT110 Heavy-Duty Staple Gun

**BT160HL**


### 2 in 1 Heavy-Duty Staple / Brad Gun

- 1** Aircraft-grade aluminum housing is lightweight and durable
- 2** Easy-squeeze handle reduces fatigue
- 3** Bottom-load magazine saves reload time and prevents loss of pusher
- 4** High/Low power switch for added versatility



Brad Nail Length	1/2" - 5/8"
Staple Length	1/4" - 9/16"
Crown Width	3/8"
Staple Type	BTA700 or Arrow T50
Magazine Capacity	84
Tool Weight (Tool only)	1.4 lbs.

**Includes:** BT160HL 2 in 1 Heavy-Duty Staple / Brad Gun



**FASTENERS**

## FASTENERS • FINISH

**23**<sup>GA</sup>  
PIN NAIL

SKU	Size	Point Style	Finish	QTY
PT-2312-3M	1/2"	Chisel	Coated	3000
PT-2319-3M	3/4"	Chisel	Coated	3000
PT-2325-3M	1"	Chisel	Coated	3000
PT-2330-3M	1-3/16"	Chisel	Coated	3000
BTPN23PP	1/2", 3/4", 1"	Chisel	Coated	900 (300 each)

**FITSTOOLS:** BOSTITCH® HP118K, BTFP2350K • DeWALT® DWFP2350K, • PORTER-CABLE® PIN100, PIN138 and most other 23 GA Pin Nailers

**18**<sup>GA</sup>  
BRAD NAIL

SKU	Size	Point Style	Finish	QTY	FITS
BT1300B-1M	5/8"	Chisel	Coated	1000	BOSTITCH® BTFP12233, BTFP1850K, GBT1850K, SB-1850BN, BT125K-2, SB-2IN1, BT200K-2, BTFP718175, BT1855K, BCN680D1
BT1300B	5/8"	Chisel	Coated	3000	
BT1303-1M	3/4"	Chisel	Coated	1000	
BT1303B	3/4"	Chisel	Coated	3000	
BT1309B-1M	1"	Chisel	Coated	1000	
BT1309B	1"	Chisel	Coated	3000	
BT1314B-1M	1-3/16"	Chisel	Coated	1000	
BT1314B	1-3/16"	Chisel	Coated	3000	
BT1332B-1M	1-1/4"	Chisel	Coated	1000	
BT1332SS	1-1/4"	Chisel	Stainless	500	
BT1335B-1M	1-3/8"	Chisel	Coated	1000	
BT1335B	1-3/8"	Chisel	Coated	3000	
BT1338B-1M	1-1/2"	Chisel	Coated	1000	
BT1338B	1-1/2"	Chisel	Coated	2000	
BT1340B	1-9/16"	Chisel	Coated	2000	
BT1342B-1M	1-9/16"	Chisel	Coated	1000	
BT1345B-1M	1-5/8"	Chisel	Coated	1000	
BT1345B	1-3/4"	Chisel	Coated	2000	
BT1350B-1M	2"	Chisel	Coated	1000	
BT1350SS	2"	Chisel	Stainless	500	
BT1350B	2"	Chisel	Coated	2000	
BTBN18PP	3/4", 1-1/4", 2"	Chisel	Coated	900 (300 each)	

**ALSO FITS:** DeWALT® DWFP12231, DWFP12233, DC608B, DC608K, DCN680B, DCN680D1 • PORTER-CABLE® BN138, BN125A, BN200B, BN200A, BN200C, BN200-SS, PCC790B, PCC790LA and most other 18 GA Brad Nailers

**18**<sup>GA</sup>  
BOSTITCH STAPLE

SKU	Size	Crown	Finish	QTY
SX50353/8G-9M	3/8"	7/32"	Coated	9000
SX50351/2G-7M	1/2"	7/32"	Coated	7000
SX50355/8G	5/8"	7/32"	Coated	5000
SX50535/4G-1M	3/4"	7/32"	Coated	1000
SX50353/4G	3/4"	7/32"	Coated	5000
SX50357/8G	7/8"	7/32"	Coated	5000
SX50351G-1M	1"	7/32"	Coated	1000
SX50351SS-1M	1"	7/32"	Stainless	1000
SX50351	1"	7/32"	Coated	5000
SX50351-3/16G	1-3/16"	7/32"	Coated	3000
SX50351-1/8G	1-1/8"	7/32"	Coated	3000
SX50351-1/4G	1-1/4"	7/32"	Coated	3000
SX50351-3/8SS1M	1-3/8"	7/32"	Stainless	1000
SX50351-3/8G	1-3/8"	7/32"	Coated	3000
SX503511/2G-1M	1-1/2"	7/32"	Coated	1000
SX503511/2G	1-1/2"	7/32"	Coated	3000
BTSX18PP	1/2", 3/4", 1"	7/32"	Coated	900 (300 each)

**FITS TOOLS:** BOSTITCH® SX1838K, EHF1838K • DeWALT® DWEHF1838K • and most other 18 GA 7/32" Narrow Crown Staplers

**BOSTITCH®**

## FASTENERS • FINISH



SKU	Size	Point Style	Finish	QTY
SB16-1.25-1M	1-1/4"	Chisel	Coated	1000
SB16-1.5-1M	1-1/2"	Chisel	Coated	1000
SB1615SS	1-1/2"	Chisel	Stainless	500
SB16-1.50	1-1/2"	Chisel	Coated	2500
SB16-1.75-1M	1-3/4"	Chisel	Coated	1000
SB16-2.00-1M	2"	Chisel	Coated	1000
SB1620SS	2"	Chisel	Stainless	500
SB16-2.00	2"	Chisel	Coated	2500
SB16-2.5-1M	2-1/2"	Chisel	Coated	1000
SB1625SS	2-1/2"	Chisel	Stainless	500
SB16-2.50	2-1/2"	Chisel	Coated	2500
BTSB16PP	1-1/4", 2", 2-1/2"	Chisel	Coated	900 (300 each)

**FITS TOOLS:** BOSTITCH® GFN1664K, FN16250K, BTFP1664K, FN1664K, BTFP1917, BCN662D1 • DEWALT® DWFP71917, DC616K, D51257K • PORTER-CABLE® FN250SB, and most other 16 GA straight finish nailers



SKU	Size	Point Style	Finish	QTY
DA-1520	1-1/4"	Chisel	Coated	4000
DA-1524	1-1/2"	Chisel	Coated	4000
DA1524-1M	1-1/2"	Chisel	Coated	1000
DA-1532	2"	Chisel	Coated	4000
DA1532-1M	2"	Chisel	Coated	1000
DA-1540	2-1/2"	Chisel	Coated	4000
DA1540-1M	2-1/2"	Chisel	Coated	1000

**FITS TOOLS:** BOSTITCH® DA1564K, BTFP72155 • DEWALT® D5127K, D51276K, DC628K, DWFP72155, DCN650B, DCN650D1 • PORTER-CABLE® DA250B, DA250C Hitachi® NT65GA, NT65MA2, NT65MA4 • Senco® FP35, FP41XP, FP42XP, SFN30, Cordless Finish 41, Fusion F-15 • Ridgid® R250AFA, R250AF18 and most other 15 GA "DA" style finish nailers



SKU	Size	Point Style	Finish	QTY
FN1520-1M	1-1/4"	Chisel	Coated	1000
FN1520	1-1/4"	Chisel	Coated	3655
FN1524-1M	1-1/2"	Chisel	Coated	1000
FN1524-1MSS	1-1/2"	Chisel	Stainless	1000
FN1524	1-1/2"	Chisel	Coated	3655
FN1528	1-3/4"	Chisel	Coated	3655
FN1532-1M	2"	Chisel	Coated	1000
FN1532-1MSS	2"	Chisel	Stainless	1000
FN1532	2"	Chisel	Coated	3655
FN1536	2-1/4"	Chisel	Coated	3655
FN1540-1M	2-1/2"	Chisel	Coated	1000
FN1540-1MSS	2-1/2"	Chisel	Stainless	1000
FN1540	2-1/2"	Chisel	Coated	3655
BTFN15PP	1-1/2", 2", 2-1/2"	Chisel	Coated	900 (300 each)

**FITS TOOLS:** BOSTITCH® BTFP72156, BCN650B, BCN650D1, N62FNK-2, N59FN, N60FN, N62FN and most other 15 GA "FN" style angled finish nailers

## FASTENERS • FLOORING

18 GA 5/16"  
Crown Staples

SKU	Size	Crown	Finish	QTY
SL50351G	1"	5/16"	Coated	5000
SL50351-1/2G	1-1/2"	5/16"	Coated	3000

**FITS TOOLS:** BOSTITCH® SB1838BC, SL1838BC

## FASTENERS • FLOORING



SKU	Size	Crown	Point Style	Finish	QTY
SB97-1GLS	1"	3/16"	Chisel	Coated	5000

**FITS TOOLS:** **BOSTITCH**® LHF2025K, LHF97125-2, S3297-LHF-2 • **DeWALT**® DWLHF2025K • **Powernail**® 20FS



SKU	Size	Crown	Gauge	Point Style	Finish	QTY
BCS1512	1-1/2"	1/2"	15.5	Chisel	Coated	9600
BCS1512-7M	1-1/2"	1/2"	15.5	Chisel	Coated	7000
BCS1512-1M	1-1/2"	1/2"	15.5	Chisel	Coated	1000
BCS1514	1-3/4"	1/2"	15.5	Chisel	Coated	7728
BCS1516	2"	1/2"	15.5	Chisel	Coated	7728
BCS1516-1M	2"	1/2"	15.5	Chisel	Coated	1000
BCS1516SS-1M	2"	1/2"	15.5	Chisel	Stainless	1000
BCS1516SQ	2"	1/2"	15.5	Chisel	Coated	500

**FITS TOOLS:** **BOSTITCH**® MIIIIFN, BTFP12569 • **DeWALT**® DWMIIIIFN, DWFP12569 • **Powernail**® 445FS • **Primatech**® 2250A, 245FS • **Freeman**® PFL618BRR  
Porta-Nails® 472A • **HUSKY**® OPFIK



SKU	Size	Gauge	Finish	QTY	Fits
FLN-150	1-1/2"	16 GA	Coated	1000	<b>BOSTITCH</b> ® MIIIIFN, BTFP12569, MFN-201
FLN-175	1-3/4"	16 GA	Coated	1000	
FLN-200	2"	16 GA	Coated	1000	
FLN18-150	1-1/2"	18 GA	Coated	1000	Powernail® 50P Primatech® Q550
FLN18-175	1-3/4"	18 GA	Coated	1000	
FLN18-200	2"	18 GA	Coated	1000	

## FASTENERS • FRAMING



SKU	Size	Shank	Point Style	Finish	QTY
PT-6D113FH5	2" x .113"	Smooth	Diamond	Coated	5000
PT-8D113FH5	2-3/8" x .113"	Smooth	Diamond	Coated	5000
PT-8D113GFH2	2-3/8" x .113"	Smooth	Diamond	Hot-Dipped	2000
PT-8DR113FH5	2-3/8" x .113"	Ring	Diamond	Coated	5000
PT-8DR113GFH2	2-3/8" x .113"	Ring	Diamond	Hot-Dipped	2000
PT-10D120FH25	3" x .120"	Smooth	Diamond	Coated	2500
PT-10D120GFH2	3" x .120"	Smooth	Diamond	Hot-Dipped	2000
PT-10D131FH25	3" x .131"	Smooth	Diamond	Coated	2500
PT-10DR120GFH2	3" x .120"	Ring	Diamond	Hot-Dipped	2000
PT-12D120FH25	3-1/4" x .120"	Smooth	Diamond	Coated	2500
PT-12D131FH25	3-1/4" x .131"	Smooth	Diamond	Coated	2500
PT-12D131GFH2	3-1/4" x .131"	Smooth	Diamond	Hot-Dipped	2000
PT-16D131FH2	3-1/2" x .131"	Smooth	Diamond	Coated	2000
PT-16D131GFH2	3-1/2" x .131"	Smooth	Diamond	Hot-Dipped	2000

**FITS TOOLS:** **BOSTITCH**® F33PT, LPF33PT, BCF30PTB, BCF30PTM1, BTf83PT • **DeWALT**® DWF83PT, DCN690M1, DCN692B, DCN692M1  
**Paslode**® F350S, CF325, CF325LI, PF350S, IM350, IM90i • **Hitachi**® NR83AA3, NR90AD, NR90GC • **PORTER-CABLE**® FC350A, FC350B  
**Senco**® SN901XP, SN951XP, FP701XP, FP601 • **Ridgid**® R350CHA • **Max**® SN890CH/34, SN883CH/34 • **Gripripte**® GRTCH350, GRTFC83

## FASTENERS • FRAMING



SKU	Size	Shank	Point Style	Finish	QTY	Fits
S6D-FH	2" x .113"	Smooth	Diamond	Coated	2000	<b>BOSTITCH®</b> N79WW, N80SB, N86S, N88WB, N100S, F28WW, GF28WW, BCF28WW, BTF23WW
S6DGAL-FH	2" x .113"	Smooth	Diamond	Thickcoat™	2000	
S6DR113-FH	2" x .113"	Ring	Diamond	Coated	2000	
S6DR113GAL-FH	2" x .113"	Ring	Diamond	Thickcoat™	2000	
S8D-FH	2-3/8" x .120"	Smooth	Diamond	Coated	2000	
S8D131-FH	2-3/8" x .131"	Smooth	Diamond	Coated	2000	
S8DGAL-FH	2-3/8" x .120"	Smooth	Diamond	Thickcoat™	2000	
S8DR-FH	2-3/8" x .120"	Ring	Diamond	Coated	2000	
S8DRGAL-FH	2-3/8" x .120"	Ring	Diamond	Thickcoat™	2000	
S8D131GAL-FH	2-3/8" x .131"	Smooth	Diamond	Hot-Dipped	2000	
S10D-FH	3" x .120"	Smooth	Diamond	Coated	2000	
S10DGAL-FH	3" x .120"	Smooth	Diamond	Thickcoat™	2000	
S10DR-FH	3" x .120"	Ring	Diamond	Coated	2000	
S10DRGAL-FH	3" x .120"	Ring	Diamond	Thickcoat™	2000	
S10DS-FH	3" x .120"	Screw	Diamond	Coated	2000	
S10D131-FH	3" x .131"	Smooth	Diamond	Coated	2000	
S10D131GAL-FH	3" x .131"	Smooth	Diamond	Hot-Dipped	2000	
S12D-FH	3-1/4" x .120"	Smooth	Diamond	Coated	2000	
S12DGAL-FH	3-1/4" x .120"	Smooth	Diamond	Thickcoat™	2000	
S12DS-FH	3-1/4" x .120"	Screw	Diamond	Coated	2000	
S12DSGAL-FH	3-1/4" x .120"	Screw	Diamond	Thickcoat™	2000	
S12D131-FH	3-1/4" x .131"	Smooth	Diamond	Coated	2000	
S12DR131-FH	3-1/4" x .131"	Ring	Diamond	Coated	2000	
S12D131GAL-FH	3-1/4" x .131"	Smooth	Diamond	Hot-Dipped	2000	
S12DR131GAL-FH	3-1/4" x .131"	Ring	Diamond	Hot-Dipped	2000	
S16D131-FH	3-1/2" x .131"	Smooth	Diamond	Coated	2000	<b>BOSTITCH®</b> N79WW, N80SB, N86S, N88WB, N100S, F28WW, GF28WW, BCF28WW
S16D131GAL-FH	3-1/2" x .131"	Smooth	Diamond	Thickcoat™	2000	
S20D131	4" x .131"	Smooth	Diamond	Coated	2000	

**ALSO FITS:** DEWALT® DWF83WW • MAX® SN883CH/28 • GRIP RITE® GRTFW83 • HITACHI® NR90AF(S)



SKU	Size	Shank	Point Style	Finish	QTY	Fits
PT-MC13115-1M	1-1/2" x .131"	Smooth	Diamond	Brite, Heat Treated	1000	<b>BOSTITCH®</b> F33PT, MCN150, MCN250
PT-MC13115.5M	1-1/2" x .131"	Smooth	Diamond	Brite	500	
PT-MC13115G-1M	1-1/2" x .131"	Smooth	Diamond	Galvanized	1000	
PT-MC14815-1M	1-1/2" x .148"	Smooth	Diamond	Brite, Heat Treated	1000	
PT-MC14815G-1M	1-1/2" x .148"	Smooth	Diamond	Galvanized	1000	
PT-MC14815G.5M	1-1/2" x .148"	Smooth	Diamond	Galvanized	500	
PT-MC14815B.5M	1-1/2" x .148"	Smooth	Diamond	Brite, Heat Treated	500	
PT-MC14825G-1M	2-1/2" x .148"	Smooth	Diamond	Galvanized	1000	<b>BOSTITCH®</b> F33PT, MCN250
PT-MC14825G.5M	2-1/2" x .148"	Smooth	Diamond	Galvanized	500	
PT-MC16225G.5M	2-1/2" x .162"	Smooth	Diamond	Galvanized	500	

**ALSO FITS:** DEWALT® DWMC150, DCN693MCN • Hitachi® NR65AK • Paslode® F250S-PP • Rap-A-Nail™ RN150, RN250

**21° Plastic Collated Metal Connector Nails**

RH-MC14815G-S	1-1/2" x .148"	Smooth	Diamond	Thickcoat™, Heat Treated	1000	<b>BOSTITCH®</b> N88RH-2MCN, F21PL
---------------	----------------	--------	---------	--------------------------	------	---------------------------------------



# FASTENERS • FRAMING

# BOSTITCH®



SKU	Size	Shank	Point Style	Finish	QTY	Fits
RH-S6DEP	2" x .113"	Smooth	Diamond	Coated	6000	<b>BOSTITCH®</b> N88RH, F21PL, LPF21PL, BTF83PL
RH-S8D113EP	2-3/8" x .113"	Smooth	Diamond	Coated	5000	
RH-S8D113HDG	2-3/8" x .113"	Smooth	Diamond	Hot-Dipped	5000	
RH-S8DR113HDG	2-3/8" x .113"	Ring	Diamond	Hot-Dipped	5000	
RH-S8D131HDG	2-1/2" x .131"	Smooth	Diamond	Hot-Dipped	5000	
RH-S10D120EP	3" x .120"	Smooth	Diamond	Coated	4000	
RH-S10D120HDG	3" x .120"	Smooth	Diamond	Hot-Dipped	4000	
RH-S10DR120HDG	3" x .120"	Ring	Diamond	Hot-Dipped	4000	
RH-S10D131EP	3" x .131"	Smooth	Diamond	Coated	4000	
RH-S10D131HDG	3" x .131"	Smooth	Diamond	Hot-Dipped	4000	
RH-S10DR131HDG	3" x .131"	Ring	Diamond	Hot-Dipped	4000	
RH-S12D120EP	3-1/4" x .120"	Smooth	Diamond	Coated	4000	<b>BOSTITCH®</b> N88RH, F21PL, N88RH-2MCN, N95RHN, LPF21PL, BTF83PL
RH-S12D131EP	3-1/4" x .131"	Smooth	Diamond	Coated	4000	
RH-S12D131HDG	3-1/4" x .131"	Smooth	Diamond	Hot-Dipped	4000	
RH-S16D131EP	3-1/2" x .131"	Smooth	Diamond	Coated	4000	<b>BOSTITCH®</b> F21PL, N79RH, N88RH-2MCN, N88RH, N95RHN, LPF21PL
RH-S16D131HDG	3-1/2" x .131"	Smooth	Diamond	Hot-Dipped	4000	
S38-100B	4" x .150"	Smooth	Diamond	Coated	1250	<b>BOSTITCH®</b> KN85PP, BIGBERTA160, BRT130
S38-115B	4-1/2" x .150"	Smooth	Diamond	Coated	1250	
S34S-115B	4-1/2" x .134"	Screw	Diamond	Coated	1250	
S38-130B	5-1/8" x .150"	Smooth	Diamond	Coated	1250	
S42-130B	5-1/8" x .165"	Smooth	Diamond	Coated	660	
S42-160B	6-1/4" x .165"	Smooth	Diamond	Coated	660	<b>BOSTITCH®</b> BIGBERTA160

**ALSO FITS:** DeWALT® DWF83PL • Hitachi® NR83A, NR83A2, NR83A3, NR90AE • PORTER-CABLE® FR350A, FR350B • Senco® SN901XP, SN951XP, FP701XP, FP601 • Ridgid® R350RHE • Max® SN883RH, SN883RH2 • Griprite® GRTRH350, GRTFR83



SKU	Size	Shank	Point Style	Finish	QTY	Fits
CP4STIF	1-1/2" x .099"	Smooth	Diamond	Stiff	3600	<b>BOSTITCH®</b> N75C, N80CB
AC4D113BDP	1-1/2" x .113"	Smooth	Blunt Diamond	Coated	7500	
C6P99D	2" x .099"	Smooth	Diamond	Coated	3600	
C6P99DG	2" x .099"	Smooth	Diamond	Thickcoat™	3600	
C6P99BC	2" x .099"	Ring	Blunt Chisel	Coated	3600	
C6R99BCG	2" x .099"	Ring	Blunt Chisel	Thickcoat™	3600	
C6R99BDSS	2" x .099"	Ring	Blunt Diamond	Stainless	3600	
C7PSTIF	2-1/4" x .099"	Smooth	Diamond	Stiff	3600	
C8P99D	2-1/2" x .099"	Smooth	Diamond	Coated	3600	
C8P99DG	2-1/2" x .099"	Smooth	Diamond	Thickcoat™	3600	
C8R99BCG	2-1/2" x .099"	Ring	Blunt Chisel	Thickcoat™	3600	
C8R99BD	2-1/2" x .099"	Ring	Blunt Diamond	Coated	3600	<b>BOSTITCH®</b> BTF83C, N80CB, N89C, N100C, N75C, BTF83C
C8R99BDSS	2-1/2" x .099"	Ring	Blunt Diamond	Stainless	3600	
C8P120D	2-1/2" x .120"	Smooth	Diamond	Coated	2700	
C8P131D-4.5M	2-1/2" x .131"	Smooth	Diamond	Coated	4500	
C8PR99D	2-3/8" x .099"	Smooth	Diamond	Coated	3600	
C8R131D	2-1/2" x .131"	Ring	Diamond	Coated	2700	
C8R131G	2-1/2" x .131"	Ring	Diamond	Thickcoat™	2700	
C8R99BCG	2-1/2" x .099"	Ring	Blunt Chisel	Thickcoat™	2700	
C8R113BD	2-3/8" x .113"	Ring	Blunt Diamond	Coated	2700	
C10P120D	3" x .120"	Smooth	Diamond	Coated	2700	
C10P120DG	3" x .120"	Smooth	Diamond	Thickcoat™	2700	
C10P131D	3" x .131"	Smooth	Diamond	Coated	2700	

**ALSO FITS:** DEWALT® DW325C, DWF83C • Duo-Fast® CNW-75 • Hitachi® NV83A • Makita® AN901 • Max® 890C • Paslode® F275C, P275C, F325C, P325C, 5300C • PORTER-CABLE® Coil350 • Senco® SCN60, SCN65

## FASTENERS • FRAMING



Continued from  
Page 46

SKU	Size	Shank	Point Style	Finish	QTY	Fits
AC10DR	3" x .120"	Ring	Diamond	Coated	4500	<b>BOSTITCH®</b> N80CB, N89C, N75C, BTF83C
C10S120DG	3" x .120"	Screw	Diamond	Thickcoat™	2700	
C12P120D	3-1/4" x .120"	Smooth	Diamond	Coated	2700	<b>BOSTITCH®</b> N80CB, N89C, BTF83C
C12P120DG	3-1/4" x .120"	Smooth	Diamond	Thickcoat™	2700	
C12R120DSS	3-1/4" x .120"	Ring	Diamond	Stainless	2700	
AC12DS	3-1/4" x .120"	Screw	Blunt	Coated	4500	
C12S120DG	3-1/4" x .120"	Screw	Diamond	Thickcoat™	2700	
C12P131D	3-1/4" x .120"	Smooth	Diamond	Coated	2700	
C16P131D	3-1/2" x .131"	Smooth	Diamond	Coated	2700	<b>BOSTITCH®</b> N89C
C16P131DG	3-1/2" x .131"	Smooth	Diamond	Thickcoat™	2700	
C20S120D	4" x .120"	Screw	Diamond	Coated	2700	<b>BOSTITCH®</b> N100CPP
C20P131D	4" x .131"	Smooth	Diamond	Coated	2700	
C20P131DG	4" x .131"	Smooth	Diamond	Thickcoat™	2700	

**ALSO FITS:** DeWALT® DW325C, DWF83C • Duo-Fast® CNW-75 • Hitachi® NV83A • Makita® AN901 • Max® 890C • Paslode® F275C, P275C, F325C, P325C, 5300C • PORTER-CABLE® Coil350 • Senco® SCN60, SCN65

## FASTENERS • ROOFING & SIDING



SKU	Size	Shank	Point Style	Finish	QTY
AC3D080BDP	1-1/4" x .080"	Smooth	Blunt Diamond	Coated	14000
AC3DR080BDP	1-1/4" x .080"	Ring	Blunt Diamond	Coated	14000
C3R80BDG	1-1/4" x .080"	Ring	Blunt Diamond	Thickcoat™	4200
C3R90BDSS	1-1/4" x .090"	Ring	Blunt Diamond	Stainless	3600
C3R90BDSS-316	1-1/4" x .090"	Ring	Blunt Diamond	316-Stainless	1800
AC4D080BDP	1-1/2" x .080"	Smooth	Blunt Diamond	Coated	14000
AC4DR080BDP	1-1/2" x .080"	Ring	Blunt Diamond	Coated	14000
C4R80BDG	1-1/2" x .080"	Ring	Blunt Diamond	Thickcoat™	4200
AC5DR080BDP	1-3/4" x .080"	Ring	Blunt Diamond	Coated	14000
C5R80BDG	1-3/4" x .080"	Ring	Blunt Diamond	Thickcoat™	4200
C4R90BDSS	1-1/2" x .090"	Ring	Blunt Diamond	Stainless	3600
C4R90BDSS-316	1-1/2" x .090"	Ring	Blunt Diamond	316-Stainless	1800
C5R90BDSS	1-3/4" x .092"	Ring	Blunt Diamond	Stainless	3600
C5R90BDSS-316	1-3/4" x .090"	Ring	Blunt Diamond	316-Stainless	1800
AC6D090BDP	2" x .092"	Smooth	Blunt Diamond	Coated	12000
C6P90BDG	2" x .092"	Smooth	Blunt Diamond	Thickcoat™	3600
AC6DR090BDP	2" x .092"	Ring	Blunt Diamond	Coated	12000
C6R90BDG	2" x .092"	Ring	Blunt Diamond	Thickcoat™	3600
C6R90BDSS	2" x .092"	Ring	Blunt Diamond	Stainless	3600
C6R90BDSS-316	2" x .090"	Ring	Blunt Diamond	316-Stainless	1800
C7P90BDG	2-3/16" x .092"	Smooth	Blunt Diamond	Thickcoat™	3600
C7R90BDG	2-3/16" x .092"	Ring	Blunt Diamond	Thickcoat™	3600
C7R90BDSS	2-3/16" x .092"	Ring	Blunt Diamond	Stainless	3600
C7R90BDSS-316	2-3/16" x .090"	Ring	Blunt Diamond	316-Stainless	1800
C8P90BDG	2-1/2" x .092"	Smooth	Blunt Diamond	Thickcoat™	3600
C8R90BDG	2-1/2" x .092"	Ring	Blunt Diamond	Thickcoat™	3600
AC8DRSS	2-1/2" x .092"	Ring	Blunt Diamond	Stainless	3600
C8R90BDSS-316	2-1/2" x .090"	Ring	Blunt Diamond	316-Stainless	1800

**FITS TOOLS:** BOSTITCH® N66BC-1, N66C-1 DeWALT® DW66C-1 • Hitachi® NV65AH • Makita® AN611 • Max® CN565

## FASTENERS • ROOFING & SIDING



SKU	Size	Shank	Point Style	Finish	QTY
ACP5DSALM	1-3/4" x .099"	Screw	Diamond	Aluminum	2400
ACP8D090BDG	2-1/2" x .090"	Ring	Diamond	Galvanized	3600

FITS TOOLS: **BOSTITCH**® N63CP, N65CP, N66C, N66BC, N75C • **DeWALT**® DW66C-1 • **Hitachi**® NV65AH • **Makita**® AN611 • **Max**® CN565 • **Senco**® SCN55S



SKU	Size	Shank	Point Style	Finish	QTY
CR19GAL	3/4"	Smooth	Diamond	Galvanized	7200
CR2DCGAL	7/8"	Smooth	Diamond	Galvanized	7200
CR2DGAL	1"	Smooth	Diamond	Galvanized	7200
CR3DGAL	1-1/4"	Smooth	Diamond	Galvanized	7200
CR4DGAL	1-1/2"	Smooth	Diamond	Galvanized	7200
CR5DGAL	1-3/4"	Smooth	Diamond	Galvanized	7200

FITS TOOLS: **BOSTITCH**® BRN175, RN46-1, N66C-1, **DeWALT**® DW45RN • **PORTER-CABLE**® RN175B



SKU	Description	QTY	Fits
SB-CAPS	BOSTITCH® Caps	1000	<b>BOSTITCH</b> ® SL1838BC, SB150SLBC, N66BC
CAPPAK-1M	BOSTITCH® Caps & 1" Staples	1000 Each	<b>BOSTITCH</b> ® SB150SLBC, SL1838BC
CAPPAK-5M	BOSTITCH® Caps & 1" Staples	5000 Each	

## FASTENERS • SPECIALTY



SKU	Size	Shank	Point Style	Finish	QTY
BT484GXH-2.5M	9/16" x .097"	Hardened/Coated	Diamond	Smooth	2500
BT461XH-2.5M	5/8" x .097"	Hardened	Diamond	Smooth	2500
BT488XH-2.5M	3/4" x .097"	Hardened	Diamond	Smooth	2500
BT490XH-2.5M	1-1/8" x .097"	Hardened	Diamond	Smooth	2500
BT471XH-2.5M	1-1/2" x .097"	Hardened	Diamond	Smooth	2500

FITS TOOLS: **BOSTITCH**® MIII812CNCT

## FASTENERS • STAPLES



SKU	Length	Crown	Point Style	QTY	Fits
BTA704TLS	1/4"	3/8"	Chisel	1500	<b>BOSTITCH®</b> BT110, BT160HL, BHT150, BTFP71875
BHT75329	1/4"	3/8"	Chisel	1250	
BTA705TLS	5/16"	3/8"	Chisel	1500	<b>BOSTITCH®</b> BT110, BT160HL, BHT150, BHT250, BTFP71875
BTA706TLS	3/8"	3/8"	Chisel	1500	
BHT73531	3/8"	3/8"	Chisel	1250	
BTA708TLS	1/2"	3/8"	Chisel	1500	<b>BOSTITCH®</b> BT110, BT160HL, BHT250, BTFP71875
BHT73532	1/2"	3/8"	Chisel	1250	
BTA709TLS	9/16"	3/8"	Chisel	1500	<b>BOSTITCH®</b> BT110, BT160HL, BTFP71875
BHT73533	9/16"	3/8"	Chisel	1250	



SKU	Size	Crown	Point Style	Finish	QTY
16S5-16FG10M	5/8"	7/16"	Chisel	Flash Galvanized	10000
16S5-19FG10M	3/4"	7/16"	Chisel	Flash Galvanized	10000
16S5-22FG10M	7/8"	7/16"	Chisel	Flash Galvanized	10000
16S5-25FG10M	1"	7/16"	Chisel	Flash Galvanized	10000
16S5-31FG10M	1-1/4"	7/16"	Chisel	Flash Galvanized	10000
16S5-35FG10M	1-3/8"	7/16"	Chisel	Flash Galvanized	10000
16S5-38FG10M	1-1/2"	7/16"	Chisel	Flash Galvanized	10000
16S5-45FG10M	1-3/4"	7/16"	Chisel	Flash Galvanized	10000
16S5-45SG10M	1-3/4"	7/16"	Chisel	Spec Galvanized	10000
16S5-50FG10M	2"	7/16"	Chisel	Flash Galvanized	10000
16S5-50SG10M	2"	7/16"	Chisel	Spec Galvanized	10000

FITS TOOLS: **BOSTITCH®** 651S5 • **DEWALT®** DW66C-1 • **Hitachi®** NV65AH • **Makita®** AN611 • **Max®** CN565



SKU	Size	Crown	Point Style	Finish	QTY
16S4-12FG10M	1/2"	1/2"	Chisel	Flash Galvanized	10000
16S4-12SG10M	1/2"	1/2"	Chisel	Spec Galvanized	10000
16S4-15FG10M	5/8"	1/2"	Chisel	Flash Galvanized	10000
16S4-19FG10M	3/4"	1/2"	Chisel	Flash Galvanized	10000
16S4-19SG10M	3/4"	1/2"	Chisel	Spec Galvanized	10000
16S4-22FG10M	7/8"	1/2"	Chisel	Flash Galvanized	10000
16S4-25FG10M	1"	1/2"	Chisel	Flash Galvanized	10000
16S4-25SG10M	1"	1/2"	Chisel	Spec Galvanized	10000
16S4-28FG10M	1-1/8"	1/2"	Chisel	Flash Galvanized	10000
16S4-31FG10M	1-1/4"	1/2"	Chisel	Flash Galvanized	10000
16S4-31SG10M	1-1/4"	1/2"	Chisel	Spec Galvanized	10000
16S4-34FG10M	1-3/8"	1/2"	Chisel	Flash Galvanized	10000
16S4-34SG10M	1-3/8"	1/2"	Chisel	Spec Galvanized	10000
16S4-38FG10M	1-1/2"	1/2"	Chisel	Flash Galvanized	10000
16S4-38SG10M	1-1/2"	1/2"	Chisel	Spec Galvanized	10000
16S4-38SS-1M	1-1/2"	1/2"	Chisel	Stainless Steel	1000
16S4-41FG10M	1-5/8"	1/2"	Chisel	Flash Galvanized	10000
16S4-41SG10M	1-5/8"	1/2"	Chisel	Spec Galvanized	10000
16S4-44FG10M	1-3/4"	1/2"	Chisel	Flash Galvanized	10000
16S4-44SG10M	1-3/4"	1/2"	Chisel	Spec Galvanized	10000
16S4-50FG10M	2"	1/2"	Chisel	Flash Galvanized	10000
16S4-50SG10M	2"	1/2"	Chisel	Spec Galvanized	10000

FITS TOOLS: **BOSTITCH®** 650S4

# FASTENERS • STAPLES

# BOSTITCH®



SKU	Size	Crown	Point Style	Finish	QTY
16S2-12FG10M	1/2"	1"	Chisel	Flash Galvanized	10000
16S2-15FG10M	5/8"	1"	Chisel	Flash Galvanized	10000
16S2-15SG10M	5/8"	1"	Chisel	Spec Galvanized	10000
16S2-19FG10M	3/4"	1"	Chisel	Flash Galvanized	10000
16S2-19SG10M	3/4"	1"	Chisel	Spec Galvanized	10000
16S2-22FG10M	7/8"	1"	Chisel	Flash Galvanized	10000
16S2-22SG10M	7/8"	1"	Chisel	Spec Galvanized	10000
16S2-25FG10M	1"	1"	Chisel	Flash Galvanized	10000
16S2-25SG10M	1"	1"	Chisel	Spec Galvanized	10000
16S2-31FG10M	1-1/4"	1"	Chisel	Flash Galvanized	10000
16S2-31SG10M	1-1/4"	1"	Chisel	Spec Galvanized	10000
16S2-38FG10M	1-1/2"	1"	Chisel	Flash Galvanized	10000
16S2-38SG10M	1-1/2"	1"	Chisel	Spec Galvanized	10000
16S2-50SG10M	2"	1"	Chisel	Spec Galvanized	10000

FITS TOOLS: **BOSTITCH®** T40S2



SKU	Size	Crown	Length	QTY	Fits
STCR50191/4-1M	.050" x .019"	7/16"	1/4"	1000	<b>BOSTITCH®</b> T6-8, H30-8, P6C-8, US056-1
STCR50191/4-6M	.050" x .019"	7/16"	1/4"	6000	
STCR50195/16-5M	.050" x .019"	7/16"	5/16"	5000	
STCR50193/8-1M	.050" x .019"	7/16"	3/8"	1000	
STCR50193/8-5M	.050" x .019"	7/16"	3/8"	5000	
STCR50191/2-1M	.050" x .019"	7/16"	1/2"	1000	<b>BOSTITCH®</b> T6-8, T6-80C2, PC3000, US056-1
STCR50191/2-4M	.050" x .019"	7/16"	1/2"	4000	<b>BOSTITCH®</b> T6-8, T6-80C2, US056-1
STCR50199/16-1M	.050" x .019"	7/16"	9/16"	1000	<b>BOSTITCH®</b> T6-8, T6-80C2, US056-1
STCR50199/16-4M	.050" x .019"	7/16"	9/16"	4000	



SKU	Size	Crown	Length	QTY	Fits
STCR26191/4	.026" x .019"	7/16"	1/4"	5000	<b>BOSTITCH®</b> H30-6, T5-6, P6C-6
STCR26195/16	.026" x .019"	7/16"	5/16"	5000	
STCR26193/8	.026" x .019"	7/16"	3/8"	5000	
STCR26191/2	.026" x .019"	7/16"	1/2"	5000	<b>BOSTITCH®</b> T5-6, PC30000C2, T6-60C2

Light-Wire  
Staples

SKU	Size	Crown	Length	QTY
SP191/4	.190"	3/8"	1/4"	5000

FITS TOOLS: **BOSTITCH®** P3-IND

# **BOSTITCH**<sup>®</sup>

www **BOSTITCH**.com

701 E. Joppa Rd. • Towson, MD 21286

Customer Service 1-800-556-6696 • Fax 1-800-842-9360