



*Water Heater Repair Parts • Range Replacement Parts
RV & Marine Fresh Water Antifreeze • Windshield Washer Fluid*



Aftermarket Specialists
Plumbing & Hardware


Universal Replacement Parts

Aftermarket Specialists

About Camco

Camco started in 1966 with one product and one employee. Don Caine and his wife Teresa, his one employee, mixed the antifreeze by hand in a 55 gallon drum with a big two by four plank. Lots of hard work, love and dedication have made Camco into the business it is today. Competitive pricing, superior service, quality products and customer satisfaction are the foundations upon which Camco operates.

Camco has always held a commitment to its employees and its country. It boasts over 700 employees and five separate manufacturing facilities in the United States, where it creates and assembles many of its 3000+ products. By working with inventors, entrepreneurs and small businesses, Camco has been able to bring and keep products in the market. Camco takes pride in meeting the ever changing demands of a challenging marketplace while maintaining its strong reputation of quality products and customer satisfaction.



Contents

Water Heater Diagram	3
WATER HEATER PARTS	
Water Heater FAQs	4
Elements	6
Water Heater Repair Kits	9
Thermostats	10
Gas Parts & Accessories	13
Connectors & Kits	14
T & P Valves, Heat Traps & Element Wrenches	15
Anode Rods & Accessories	16
Drain Valves & Water Hoses	17
Drain Pans & Fittings	18
Bulk Parts Program	21
OVEN/RANGE PARTS	
Electric Burners & Accessories	24
Pans, Bowls & Knob Kits	25
Bake & Broil Elements	26
Propane Campfires	28
Gas Matches and Sparkers	29
LIQUIDS PRODUCTS	
Fresh Water Antifreeze & Windshield Washer Fluid	30
Fire Sprinkler System & Boiler System Antifreeze	31
Retail Displays	32
Index	37

Online Troubleshooting Manuals

Download from www.camco.net

For Water Heaters For Electric Ranges

These Troubleshooting Manuals assist the end user in basic troubleshooting and repairs by helping to identify the problem and choose appropriate replacement parts.

70040 Water Heater Troubleshooting Manual

SKR212 Range Troubleshooting Manual (PDF only)



NEW WATER HEATER PARTS MODIFIED TO FIT LARGER HEATERS RESULTING FROM THE NEW NAECA REGULATIONS

Center Top Mount Runoff Tube

- 14" Horizontal / 59" Vertical
- Thermoplastic polypropylene
- Can be cut to length

Item# 10955 - page 16

Top Mount Runoff Tube

- 9.5" Horizontal / 59" Vertical
- Thermoplastic polypropylene
- Can be cut to length

Item# 10965 - page 16

50.5" Threaded Dip Tube w/5" Nipple

- Made of PEX
- Anti-siphon hole breaks damaging siphon action
- Can be cut to length
- Gasket sold separately

Item# 11163 - page 16

Plastic Drain Valve w/3" body

- Fits directly into water heater for easy draining
- Permanent installation
- 3/4" NPT x 3/4" male thread
- 3" long to accommodate thicker insulation

Item# 11543 - page 17

24" Gas Water Heater Stand Kit

- Constructed of galvanized steel
- Minimal assembly required
- For use with most residential water heaters
- 24" x 24" top; 18" tall
- Holds water heaters up to 100 gallons or 1000 lb

Item# 11235 - page 13

5" Long Dielectric Water Heater Heat Traps

- 2/card
- Thermoplastic lining prevents corrosion

Item# 01033 - page 15

5" Dielectric Nipples 3/4" x 3/4" NPT

- 2/card (Hot & Cold)
- Self-cleaning fittings prevent corrosion
- Dielectric inert thermoplastic lining

Item# 10634 - page 15

T & P Valve 3/4" w/ 3-5/16" Shank

- 3/4" Inlet/Outlet
- Extra-long 3 5/16" shank
- Sturdy brass construction
- Temperature Setting: 210° F (99 °C) / Pressure Setting: 150 psi

Item# 10427 - page 15



Residential Water Heater Construction

Flexible stainless steel or copper connectors — connects to hot and cold water pipe system

Dielectric nipples or heat traps — with thermoplastic lining to help prevent thread corrosion

Hot water outlet — water supply to house faucets

Anode rod — a rod composed of sacrificial metal to help prevent deterioration of the steel tank and elements by controlling electrolysis

Upper thermostat — turns heating elements on or off to maintain preset or desired temperature; regulates power to the lower thermostat

Lower thermostat — controls lower heating element to maintain desired temperature

Drain valve — a metal or plastic valve used when draining heater for periodic cleaning or replacement of a defective water heater element

Temperature and pressure (T & P) valve — safety device to relieve excessive pressure and/or temperature buildup in tank

Cold water inlet — supplies water for heating to the tank

Run-off tube — carries water or steam safely to drain or drain pan if T & P valve activates


Cold water dip tube — a non-metallic tube that directs incoming cold water to the bottom of the tank

Steel tank with glass lining — to prevent corrosion

Insulation — helps maintain consistent water temperature

Heating element — a resistant type electrical component to generate heat

Drain pan — plastic or metal pan to collect and drain off leaking water or water from activated T & P valve; must be plumbed to drain



Water Heater Element Warranty



Limited Warranty: Elements will be replaced to the original purchaser if proven defective in materials or workmanship. *No labor costs are included in this warranty.* Complete warranty information available upon request. Warranty is void if element is installed in anything other than a residential water heater.

Standard and Better Elements – 1 year from purchase date.

Premium Elements – 5 years from purchase date.

Our return policy is limited to the replacement of original purchase. No other liability, responsibility or warranty is expressed or implied, including any regarding merchantability or suitability for a particular purpose.

Frequently Asked Questions

Ordering and credit request instructions:

- Submit purchase orders via e-mail to plumbingPO@camco.net, or by FAX to 336-668-2049 Attn: Plumbing/Hardware
- Submit order status inquiries to plumbingPO@camco.net
- Submit all shortage/defective claims or RGA requests via e-mail to plumbingPO@camco.net. Please provide the item numbers and descriptions, reason for credit or RGA request and the PO number or invoice number on which the item(s) was/were originally purchased. Allow six weeks for processing.
- All Liquids orders must be on a separate purchase order. Please fax Liquids orders to 336-668-2049 Attn: Liquids Dept.
- Submit all inquiries for specials projects/job quotes to plumbingPO@camco.net; the request will be forwarded to Sales.

Electric Water Heater Elements

I don't have hot water. How do I determine what is wrong?

Check the breaker or fuse box for a blown fuse or tripped breaker. If this is not the problem, shut off the power to the water heater. (IMPORTANT!) The problem may be caused by a defective or shorted element(s) or thermostat(s) or both. If you are experienced with plumbing and electrical tools, you can do the repairs yourself. If you are at all hesitant, call a plumber or electrician. Camco Mfg. provides a water heater tester (#10023) that lets you test the elements and thermostats while they remain installed on the heater. Instructions are included.

What causes water heater elements to fail, some sooner than others?

Several reasons: power surges, lightning, lime buildup and dry-firing (see below: **What is meant by the term "dry-firing?"**). Most water heaters are sold with high watt-density (HWD) elements. These are the least expensive and are the most susceptible to these problems. On a "Standard-Better-Premium" scale the HWD elements are STANDARD.

Why are some water heater elements folded back?

These are low watt-density (LWD) elements. The heat output (watts) per square inch of surface area is lower than that of a regular element. In order for total heat to be the same, the total surface has been increased. It is folded back so the length will fit the tank. Not all LWD elements are fold-backs. In areas with "hard" water, a LWD element resists lime build-up on its surface, thus extending its life. These elements are BETTER.

What are Lime Life elements?

These elements are PREMIUM. They are made of high-grade nickel-chromium alloy steel and are ultra low watt-density. These features help prevent lime build-up and extend the life of

the element. A Lime Life element is resistant to dry-firing. These Lime Life elements carry a limited 5-year warranty. Because of the low watt-density, these elements are folded back to reduce the length. Some are rippled to further reduce the length to fit the diameter of the tank.

What is meant by the term "dry-firing?"

High watt density and low watt-density are designed to function in water. If not surrounded by water, the intense heat they generate (dry fire) will cause them to burn out. The water tank must be full of water whenever the power is on. Dry-fire failure is not covered by any warranty. It is a human error. Dry-fired elements are easily detected. The element is soft and easily bent. In most cases, a hole is burned through the surface.

Can I replace the element in my water heater with higher wattage elements?

It is not recommended. The water heater is designed for that element size. Higher wattage might require heavier gauge wire and a larger capacity circuit breaker.

Can I use a water heater element in an application other than a water heater?

It is not recommended. These elements are designed specifically for residential water heaters. We have no experience or knowledge of other uses. You may do so at your own risk. Non-water heater use of our elements and thermostats voids all warranties.

I just installed a water heater element and now my heater makes a humming sound.

This is called a "harmonic." If the element is installed so that the loop is horizontal, the vibration from the electric current will cause the element to hum. This noise can be prevented by installing so that the loop is vertical. The flanged elements have markings on the flange indicating the vertical position of the loop. Screw-in elements also have the vertical position marked; to eliminate the humming on screw-in elements, tighten the element another half turn. In some instances, less than a half turn will stop the harmonic.

Why aren't the two elements operating simultaneously?

In most residential water heaters only one element is on at any given time. The lower element does 90% or more of the heating. During periods of heavy use, the upper element clicks on (the lower switches off) and heats the upper part of the tank to 120°. It then shuts off, turns on the lower, and it heats the water to the setting of the lower thermostat.

Frequently Asked Questions

Electric Water Heater Thermostats

Are water heater thermostats adjustable?

Most water heater thermostats provided by Camco are adjustable. They are factory set at 120°. On a two-element water heater, it is not recommended that the upper thermostat be adjusted. If a higher water temperature is desired, adjust the lower to a higher setting. Both may be lowered if a cooler temperature is desired. On thermostats without a degree dial, the temperature range is:

the Dot =	110° F
Hot=	120° F
A=	130° F
B=	140° F
C=	150° F
Very Hot=	160° F

I noticed that there are two styles of water heater thermostats. Are they interchangeable?

Yes, like models of the two thermostat manufacturers are interchangeable. Use caution in selecting the correct model for their position on the heater (upper, lower, single element T-stat). Terminal positions between the brands may not be the same and in some cases the water heater wiring may need to be extended. When possible it is recommended to replace with the same brand.

How do I know which thermostat to buy?

A two-element water heater has two thermostats: an upper and a lower. Each must be replaced with a thermostat with the same function: upper for upper, lower for lower. They cannot be interchanged, as they perform specific functions. A single-element water heater has only one thermostat and that is called a "single element thermostat." The upper and lower thermostats for a two-element heater cannot be used on a single-element water heater and vice versa.

Other Miscellaneous Questions

I opened the drain valve and very little water flowed.

You probably have sediment and scale build-up on the bottom of the tank that is blocking the valve. In areas where the water is very "hard" or well water is used, lime build-up can occur. The high heat of the heater elements will cause scale and sediment to coat the elements and settle on the tank bottom. Light build-up of sediment may be removed by attaching a water hose to the drain valve. Drain the tank every 6–12 months, more often if necessary.

IMPORTANT: TURN OFF POWER FIRST OR IT COULD CAUSE ELEMENT BURN OUT.

The Temperature and Pressure relief valve has a threaded outlet. What attaches to it?

The T&P valve outlet must have a run-off tube attached to it. Most building codes require a tube that terminates 6" from the floor. If the T&P valve activates, water should flow into a drain or into a water heater pan that is plumbed to a drain. This run-off tube may be metal or plastic. Check local plumbing codes for correct material for your area.

What are dielectric fittings and connectors?

When fittings of unlike metals are joined together (copper with steel, brass with steel, etc.) the faint electrical current that is present in any water pipe system will cause erosion of the threads in one or both of the fittings and cause leaking. The plastic liner or sleeve in the dielectric fittings and connectors prevents this from happening.

What is an anode rod?

It is a magnesium or aluminum rod inserted in the heater, from the top, in an opening of its own or as part of the outlet nipple. The metal is self-sacrificing (corrodes); this helps protect the tank and elements from corroding. Replacement anode rods are available and easy to install.

Are water heater drain pans necessary?

It depends on the plumbing codes in your area and the location of your water heater. If your heater is in a garage or a non-finished basement where leaking water would flow harmlessly into a drain, a pan is not necessary. However, if the heater is in or above a living space where leaking could cause extensive water damage, it is cheap insurance to protect your home from such an event.

What type of pan should be used?

Plastic pans should be used with electric water heaters, and metal pans should be used for gas water heaters and can be used with electric water heaters. Codes in some areas require metal pans for all heaters installed in a living space.

What is the purpose of a water heater stand?

A stand is used primarily with gas water heaters when installed in garages and basements where combustible fumes may exist. Gas heaters have an open flame, and tests have shown that placing a gas water heater at least 16" above the floor will offer some protection against combustion of volatile fumes.

Water Heater Elements

Fits most models: • American • A O Smith • Bradford White
 • Craftmaster • General Electric • GS Wood (some models)
 • Kenmore • Lochinvar • Maytag • Mor-Flo • Reliance
 • Rheem • Richmond • Ruud • Sears • State • Whirlpool

Premium - Lime Life Water Heater Elements - Ultra Low Watt Density - Our best immersion elements

UL listed for USA and Canada - 5 year limited warranty (see page 3) Detailed instructions and gasket included with each packaged element



Made with high-grade nickel alloy and zinc-plated carbon steel bushings/flanges - Ultra low watt density - Resists dry firing - Best when water has high mineral content - Heats in lime and sand buildup that would burn out ordinary elements

Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
02853	-	-	1500w	120v	Ultra LWD	9"	12
02903	2500w	2000w	-	240v	Ultra LWD	12"	12
02913	3500w	2500w	-	240v	Ultra LWD	15"	12
02923	4500w	3500w	-	240v	Ultra LWD	15"	6
02933	5500w	4125w	-	240v	Ultra LWD	15"	12

Screw-In Foldback (1" NPSM; Fits most screw in type water heaters.) includes gasket #06822

Screw-In Ripple Foldback

(1" NPSM; Fits most screw in type water heaters.) includes gasket #06822

02953	4500w	3500w	-	240v	Ultra LWD	15"	6
02963	5500w	4125w	-	240v	Ultra LWD	15"	3

Universal Flange Foldback includes gasket #06882

04943	4500w	3500w	-	240v	Ultra LWD	15"	6
--------------	-------	-------	---	------	-----------	-----	---

Screw-In - Special Order Only

(1" NPSM; Fits most screw in type water heaters) includes gasket #06822

02152	1500w	1125w	-	240v	Ultra LWD	12"	12
02972	6000w	4500w	-	240v	Ultra LWD	24"	12



Better - Low Watt Density Elements - 1 year warranty

UL listed for USA and Canada - 1 year limited warranty (see page 3) Detailed instructions and gasket included with each packaged element

Made with plated copper tubing and zinc-plated carbon steel bushings/flanges - Low Watt Density



Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
02463	-	-	1500w	120v	LWD	10"	12

Screw-In (1" NPSM; Fits most screw in type water heaters) includes gasket #06822

Screw-In Foldback (1" NPSM; Fits most screw in type water heaters) includes gasket #06822

02493	2500w	2000w	-	240v	LWD	10"	12
02523	3500w	2500w	-	240v	LWD	11"	12
02583	4500w	3500w	-	240v	LWD	13"	12
02613	6000w	4500w	-	240v	LWD	17"	12

Flat Flange Foldback includes gasket #06842

04103	4500w	3500w	-	240v	LWD	13"	12
--------------	-------	-------	---	------	-----	-----	----

Universal Flange Foldback includes gasket #06882

04703	4500w	3500w	-	240v	LWD	13"	12
--------------	-------	-------	---	------	-----	-----	----

Screw-In Special Order Only - includes gasket #06822

Stock #	Watts @ 277v	Watts @ 240v	Watts @ 120v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
04752	2000w	1500w	-	277v	LWD	9"	12
04762	4500w	3380w	-	277v	LWD	15"	12



Water Heater Elements

Fits most models: • American • A O Smith • Bradford White
 • Craftmaster • General Electric • GS Wood (some models)
 • Kenmore • Lochinvar • Maytag • Mor-Flo • Reliance
 • Rheem • Richmond • Ruud • Sears • State • Whirlpool



Standard - High Watt Density Elements - 1 year warranty

UL listed for USA and Canada - 1 year limited warranty (see page 3) Detailed instructions and gasket included with each packaged element

Made with plated copper tubing and zinc-plated carbon steel bushings/flanges - High Watt Density

Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
Screw-In (1" NPSM; Fits most screw in type water heaters.) includes gasket #06822							
02483	-	-	1650w	120v	HWD	7.5"	6
02103	-	-	1000w	120v	HWD	8"	12
02143	-	-	1500w	120v	HWD	9"	6
02163	1500w	1200w	-	240v	HWD	9"	12
02183	-	-	1750w	120v	HWD	9"	12
02203	-	-	2000w	120v	HWD	9"	12
02223	2000w	1500w	-	240v	HWD	9"	12
02243	2500w	2000w	-	240v	HWD	10"	12
02263	3000w	2250w	-	240v	HWD	12"	12
02283	3500w	2500w	-	240v	HWD	14"	12
02293	3800w	3000w	-	240v	HWD	15"	12
02303	4000w	3000w	-	240v	HWD	15"	12
02343	4500w	3500w	-	240v	HWD	15"	12
02862	-	5500w	-	208v	HWD	17"	1

Screw-In Foldback (1" NPSM; Fits most screw in type water heaters.) includes gasket #06822

02363	5500w	4125w	-	240v	HWD	11"	12
02643	4500w	3500w	-	240v	HWD	9"	12

Flat Flange includes gasket #06842

03743	-	-	1500w	120v	HWD	9"	12
03923	3500w	2500w	-	240v	HWD	14"	12
03943	4500w	3500w	-	240v	HWD	15"	12

Universal Flange includes gasket #06882

04363	-	-	1500w	120v	HWD	9"	3
04383	1500w	1200w	-	240v	HWD	8"	12
04443	-	-	2000w	120v	HWD	9"	12
04483	2500w	2000w	-	240v	HWD	10"	6
04503	3000w	2250w	-	240v	HWD	12"	12
04523	3500w	2500w	-	240v	HWD	14"	12
04563	4000w	3000w	-	240v	HWD	15"	12
04603	4500w	3500w	-	240v	HWD	15"	6
04643	5500w	4125w	-	240v	HWD	11"	12

Universal Flange Foldback includes gasket #06882

04803	4500w	3500w	-	240v	HWD	9"	12
-------	-------	-------	---	------	-----	----	----

Screw-In - Special Order Only includes gasket #06822

Stock #	Watts @ 480v	Watts @ 277v	Watts @ 240v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
02382	4500w	-	-	480v	HWD	12"	12
02352	5000w	-	-	480v	HWD	12"	12
02392	6000w	-	-	480v	HWD	14"	12
04732	-	4500w	3380w	277v	HWD	15"	12



Screw-In

Screw-In Foldback

Flat Flange

Universal Flange

Universal Flange Foldback

See page 8 for Replacement Gaskets.

See page 21 for Bulk Parts Purchasing Program list

Water Heater Elements

Low Watt Density & Ultra Low Watt Density Duron® Elements

1-3/8" thread screw-in style elements for the State Industries manufactured Duron tank water heaters. Also used in Sears Duron tank water heaters. Each element includes two gaskets.

Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
---------	--------------	--------------	--------------	-----------------	------	--------------------	-----------

Better - Screw-In Foldback 1 year limited warranty (see page 3)

02713	3800w	3000w	-	240v	LWD	13	12
02723	4500w	3500w	-	240v	LWD	13	12

Premium - Screw-In Ripple Foldback 5 year limited warranty (see page 3)

02753	4500w	3500w	-	240v	Ultra LWD	15	6
-------	-------	-------	---	------	-----------	----	---

1-3/8" Thread
Screw-In Foldback



For the State Industries manufactured Duron tank water heaters. Also used in Sears Duron tank water heaters.

Premium Ultra Low Watt Density All-Stainless Elements — perfect for home-brewing applications

- Premium Ultra Low Watt Density electric elements help prevent scorching and caramelizing
- **Resists dry firing** • High performance nickel-chromium stainless steel alloy
- **Stainless steel bushing** (1" NPSM screw-in)
- 1-year limited warranty for non-water-heater applications
- 5-year limited warranty for water-heater applications

Stock #	Watts @ 240v	Watts @ 208v	Watts @ 120v	Nominal Voltage	Type	Min. Tank Diameter	Case Qty.
---------	--------------	--------------	--------------	-----------------	------	--------------------	-----------

Screw-In Foldback

02929	4500w	3500w	-	240v	Ultra LWD	15"	25
02935	5500w	4125w	-	240v	Ultra LWD	15"	25

Screw-In Ripple Foldback

02955	4500w	3500w	-	240v	Ultra LWD	15"	25
02965	5500w	4125w	-	240v	Ultra LWD	15"	25



Open Coil Dry Water Heater Elements

Stock#	Watts	Volts	Insulators	Min. Tank Diameter	Pkg.	Qty.
--------	-------	-------	------------	--------------------	------	------

Better Heavy gauge nichrome wire with spot welded terminals

05741	1500w	120v	7	12 3/4"	Box	12
05742	1500w	120v	7	12 3/4"	Bulk	25
05761	1750w	120v	7	12 3/4"	Box	12
05762	1750w	120v	7	12 3/4"	Bulk	25

Good Smaller gauge nichrome wire with spot welded terminals

05901	1500w	120v	6	11"	Box	12
05902	1500w	120v	6	11"	Bulk	25

05741
Better
Open Coil Element



05901
Good
Open Coil Element



Element Conversion Kit

Use a standard screw-in element to **replace a flat, universal or round flange element** using the Element Conversion Kit.

This adapter kit is intended for use with a screw-in type element.

Stock#	Description	Qty.
07223	Universal Adapter Kit	12

07223 contains: (1) 2-1/2" 4-bolt Adapt-a-Flange, (1) Four Hole Gasket, (4) 5/16" -18 5/8" Hex Washer-Head Bolts (1) Screw-In Gasket and (1) Thermostat Bracket

07222	2-1/2" 4-Hex Bolt Adapt-A-Flange only	50
-------	---------------------------------------	----



Element Gaskets

Stock #	Description	OD	ID	Thickness	Qty
06822	Screw-In Element Gasket	1.425"	1.225"	0.165"	25
06842	Flat Flange Element Gasket	1.625"	1.1875"	0.50"	25
06882	Universal Flange Element Gasket	1.64"	1.13"	0.35"	25
06902	Four Hole Element Gasket	-	1.5625"	0.0625"	25
07133	Universal Gasket Kit (One each of 06822, 06882, 06902)				12



See page 21 for Bulk Parts Purchasing Program list

Water Heater Repair

Water Heater Repair Kits

for the DIY or professional plumber

All the parts needed to repair or renew an electric water heater system

Fits most models: • American • A O Smith • Bradford White • Craftmaster • General Electric
 • GS Wood (some models) • Kenmore • Lochinvar • Maytag • Mor-Flo • Reliance
 • Rheem • Richmond • Ruud • Sears • State • Whirlpool

Standard - With High Watt Density Elements

Stock #	Description	Qty
07013	Plumber's Pack w/Therm-O-Disc Style T-stats Contains: (2) #02342 High Watt Density Elements 4500w 240v (1) #08122 Therm-O-Disc lower thermostat (1) #08162 Therm-O-Disc upper thermostat	6
07023	Plumber's Pack w/Apcom Style Thermostats Contains: (2) #02342 High Watt Density Elements 4500w 240v (1) #07722 Apcom style lower thermostat w/protector (1) #07862 Apcom style upper thermostat w/protector	6



Better - With Low Watt Density Elements

07033	Plumber's Pack w/Therm-O-Disc Style T-stats Contains: (2) #02582 Low Watt Density elements 4500w 240v (1) #08122 Therm-O-Disc lower thermostat (1) #08162 Therm-O-Disc upper thermostat	6
07043	Plumber's Pack w/Apcom Style Thermostats Contains: (2) #02582 Low Watt Density elements 4500w 240v (1) #07722 Apcom style lower thermostat w/protector (1) #07862 Apcom style upper thermostat w/protector	6



Best - With Ultra Low Watt Density Lime-Life Elements

07044	Plumber's Pack w/Apcom Style T-stats Contains: (2) #02922 Ultra Low Watt Density Lime Life elements 4500w 240v (1) #07722 Apcom style lower thermostat w/protector (1) #07862 Apcom style upper thermostat w/protector	6
-------	--	---



See page 21 for Bulk Parts Purchasing Program list



Water Heater Element Quick Change

Save time and water! With the patented Camco Water Heater Element Quick Change Tool, there is no need to drain your tank when replacing an element. Simply follow the included instructions and you will have your water heater repaired and operational in a fraction of the time that it takes to drain your tank. The patented Camco collapsible bucket is the perfect item to use in conjunction with this Quick Change tool. Watch the instructional video on YouTube: <https://www.youtube.com/watch?v=VymFv6vVjQI>

09973 Quick-Change Tool Carton Qty: 12


Collapsible Buckets

The perfect size for many around-the-house uses. Also great for RVing, camping, fishing and more. Great for use in tight spaces; under sink drain traps and water heater drain valves. Opens to 9.25 inches and folds down to less than 2 inches for compact storage. Zippered storage bag included.

42993 Blue Bucket Carton Qty: 4
 42994 Camouflage Bucket Carton Qty: 4



NO NEED to drain your tank



NEW



Water Heater Thermostats

Apcom Style

UL listed for US and Canada • Meets original specification lengths for American, AO Smith, Bradford White, GE, GSW, Kenmore, Maytag, Reliance, Rheem, Richmond, Rudd, Sears, State, Whirlpool

- Carded thermostats are packed in convenient cut cases and come complete with detailed instructions and wiring diagrams for easy installation
- Built-in safety switch to prevent overheating • Energy efficient range setting


Apcom Style Thermostats

Stock #	Description	Apcom Style	HLC	Terminal Protector	Application Voltage	Qty.
07863	Thermostat, Upper	WH10A	Yes	Yes	240/208/120	6
07723	Thermostat, Lower	WH9	-	Yes	240/208/120	6
07843	Thermostat, Single Element	WH9	Yes	Yes	240/208/120	6

Apcom Style Extended Shank

07853	Thermostat, Single Element	WH9	Yes	Yes	240/208/120	12
07733	Thermostat, Lower	WH9	-	Yes	240/208/120	6

HLC = High Limit Control



Apcom thermostats include a plastic terminal protector. All thermostats should have a terminal protector in place before the water heater cover plate is reinstalled.

Apcom Style Settings

Dot = 110°F B = 140°F
Hot = 120°F* C = 150°F
A = 130°F Very Hot = 160°F
* Factory preset at 120°




Apcom Style



Wiring Diagram of Thermostats to Standard Water Heater Elements

Note: Wire color may vary on some water heaters, but connections remain the same.

Double Element Water Heaters



Single Element Water Heaters



Stock thermostats that end in 3 are carded. To order items in bulk, change the last digit of the stock number to 2. Minimum order quantity for bulk items is 25.

Water Heater Thermostats

Therm-O-Disc Style

CSA listed • UL listed for USA and Canada • Meets original specification lengths for American, AO Smith, Bradford White, Craftmaster, GE, GSW, Kenmore, Maytag, Reliance, Rheem, Richmond, Rudd, Sears, State, Whirlpool

- Carded thermostats are packed in convenient cut cases and come complete with detailed instructions and wiring diagrams for easy installation
- Built-in safety switch on single and upper thermostats to prevent overheating • Energy efficient range setting

Therm-O-Disc Style Thermostats



Stock #	Description	Therm-O-Disc Style	HLC	Application Voltage	Qty.
08163	Thermostat, Upper	59T/66T	Yes	240/208/277/120/480	12
08123	Thermostat, Lower	59T	-	240/208/277/120/480	12
08143	Thermostat, Single Element	59T/66T	Yes	240/208/277/120/480	12
08013	Thermostat, Single Element 120V	59T/66T	Yes	120	12

HLC = High Limit Control

Therm-O-Disc Style Thermostats do not include a Plastic Terminal Protector. Order 08113 or 08103 if shield is damaged or missing.

Therm-O-Disc Style Terminal Protector

Stock #	Description	Qty.
08113	TOD Upper T-Stat Terminal Protector	12
08103	TOD Lower T-Stat Terminal Protector	12



Therm-O-Disc Style Upper/Lower Thermostat Kit with Jumper Wire

- Used when the wire between the upper and lower thermostats is too short
- Includes one upper and lower thermostat (Therm-O-Disc style 59T/66T)
- Includes one 6" long 10 gauge jumper wire and one push wire connector
- Includes 2 thermostat protectors and a thermostat mount bracket
- Most often used with Bradford White water heaters

Stock #	Description	Qty.
08130	TOD Upper/Lower Thermostat Kit with Jumper Wire	6




See page 21 for Bulk Parts Purchasing Program list

Therm-O-Disc Style



Wiring Diagram of Thermostats to Standard Water Heater Elements

Note: Wire color may vary on some water heaters, but connections remain the same.

Double Element Water Heaters



Single Element Water Heaters



Water Heater Thermostats and Accessories

About Electric Water Heater Thermostats

Double Element Heaters

The majority of residential water heaters are designed with two elements controlled by two different thermostats. The upper thermostat is the “brain” of the water heater. It controls the heat generated by the upper element, and it controls power delivered to the lower thermostat. Most residential water heaters are designed to have the upper and lower thermostats work separately.

The upper and the lower thermostats never operate simultaneously. The upper thermostat has a safety device attached to it called a High Limit Control (HLC). It has a heat sensor that will shut down the power to the heater if the temperature of the tank exceeds safety limits. The button may be reset to restore power to the heater. **Do not reset the HLC until the problem causing the unit to trip is corrected.**

Operation Cycle of Double Element Heaters

1. The upper thermostat senses cold water and has energized the upper element. Although contacts on both thermostats are normally closed in response to the cold water, the double-throw upper thermostat completes the circuit only to the upper heating element. Because of the double throw action, power to the lower thermostat is cut off.
2. As the upper element operates, it heats the water above it (approximately one quarter of the tank’s capacity).
3. The water in the upper quarter of the tank is heated until it reaches the temperature set on the upper thermostat. The upper thermostat then breaks the circuit to the upper heating element and completes the circuit to the lower thermostat.
4. The lower element then operates and heats the remainder of the water in the tank.
5. The lower thermostat breaks the circuit to the lower element when the water in the lower portion of the tank has been heated to its setting. The entire tank is now filled with hot water.
6. As hot water is drawn from the top of the tank, cool water is delivered to the bottom of the tank through the dip tube. The lower thermostat reacts to the entering cold water by closing its contacts, energizing the lower heating element and heating the water as it enters the tank.
7. Thermostats are factory preset at 120°.

Single Element Heaters (with high limit)

Most of the smaller water heaters and point-of-use heaters are designed with only one element and thus only one thermostat. Most of the single element water heaters are wired for 120v. Never connect or adapt a 120v water heater to a 240v system.

The high limit control is located on the thermostat. (See diagrams for proper wiring.)

NOTE: Because the HLC is attached to the single element thermostat, it looks similar to an upper thermostat for a two-element heater. Care should be taken in choosing the correct replacement thermostat. An upper thermostat will not work on a single element heater.

Therm-O-Disc Commercial Thermostats

Stock #	Description	T-O-D Style	HLC	Application Voltage	Qty.
08304	Upper Thermostat - 180° F	59T	Yes	480/240/208/120	6
08314	Lower Thermostat -180° F	59T	-	480/240/208/120	6

HLC = High Limit Control

For Commercial Use Only

UL Listed


These thermostats are for commercial use only, not to be used in a domestic setting.

Therm-O-Disc Style Thermostats are not supplied with a Protective Shield. Order 08113 or 08103 (page 11) if shield is damaged or missing.



Water Heater Tester

Tests elements and thermostats while they are in the heater. May also be used to test continuity in fluorescent lights, fuses and all appliances. Sensitive enough to measure even the fine filament wire in a light bulb. Sensitive LED light indicates continuity. More useful than a circuit tester. Complete instructions and batteries included.



Stock #	Description	Case Qty
10023	Water Heater Continuity Tester	12

10023
Water Heater Tester



Gas Leak Testing

Gas Leak Detector

Safe, clean-drying gas leak detector fluid detects dangerous leaks in anything that can be tested with air or gas pressure. Just daub or spray on and look for bubbles.

Stock#	Description	Qty.
10322	Gas Leak Detector 32 oz w/sprayer	4
10324	Gas Leak Detector 8 oz w/sprayer	6
10325	Gas Leak Detector 8 oz w/dauber	6
10367	Gas Leak Detector gallon	6
10368	Gas Leak Detector (55 gallon)	1

Gas Leak Detector



10325 10324 10322

Gas Pressure Test Kit

Tests LP and natural gas controls for correct pressure or leaks. 0-20 oz PSI on inner reading; 0-35" of water column on outer reading. Easy to use and read with 2.5" dial. Includes brass pressure tap fitting and 30" soft hose.

10389	Gas Pressure Test Kit	1
10399	GP Test Kit Tapered Rubber Nipple	1
10409	Gas Pressure Test Kit Hose - 36"	1

10389
Gas Pressure Test Kit



See page 21 for Bulk Parts Purchasing Program list

Gas Water Heater Parts & Accessories

Thermocouples

Kits contain thermocouple and positioning adapters to fit all gas water heaters as well as gas appliances. Made with copper tubing. For right-hand threads only

Stock#	Description	Qty.
09253	12" Thermocouple Kit	6
09273	18" Thermocouple Kit	6
09293	24" Thermocouple Kit	6
09313	30" Thermocouple Kit	6
09333	36" Thermocouple Kit	6
09353	48" Thermocouple Kit	6



09333
Thermocouple

See page 21
for Bulk Parts Purchasing Program list

Gasket Replacement Kit (FVIR)

Fits Richmond, Rheem, Ruud, Vanguard and General Electric brand water heaters. Kits contain burner access door gasket, #20 Torx-head tool, four torx-head screws, and four J-style clip-on nuts. Kit 09294 also includes a 24-inch thermocouple.

Stock#	Description	Qty.
09423	Burner Access Door Kit	6
09294	Thermocouple Install Kit	6



09294
Gasket Replacement Kit
w/24" Thermocouple

Natural Gas Controls


• 4" water column • 1-1/4" shank length • 1/2" NPT gas inlet by 1/2" inverted flare outlet
• Adjustable from 70° to 160° F

Stock#	Brand	Rating	Qty.
08401	White-Rodgers	42000 BTU	1
08421	Robertshaw	79000 BTU	1

LP Gas Controls

• 1/2" NPT gas inlet by 1/2" inverted flare outlet • Preset 10" water column - adjustable from 9" to 12" • 1-5/8" shank length • Adjustable from 120° to 160° F • 100,000 BTU/HR

08461 (Left Hand Threads) Robertshaw (for heaters manufactured after January 1986) 1



08401
Natural Gas



08421
Natural Gas



08461
LP Gas

Gas Control Extender

• Adds shank length to gas controls • 2" overall length • 3/4" Male NPT x 3/4" Female NPT • Dielectric construction • Thermoplastic lining prevents corrosion

09072 Gas Control Extender 50



09072
Gas Control Extender

Universal Gas Control Wrench

For simple installation and removal of gas controls. Adjustable with positive-lock screw.

09963 Gas Control Wrench 2



09963
Gas Control Wrench

Gas Water Heater Stands

Many local building codes require a water heater stand for gas water heaters located in areas where the accumulation of combustible fumes may occur. Constructed of galvanized steel. Minimal assembly required. Each stand is 18 inches high. For use with most residential water heaters;

11231	21" x 21" - For up to a 50 gal tank Holds up to 650 lb	1
11235	24" x 24" - For up to a 100 gal tank Holds up to 1200 lb	1



11235
Gas Water Heater
Stand


Water Heater Connectors & Kits

3/4" Water Heater Connector Kits

Stock #	Description	Qty
10183	15" Copper Connector Kit - Gas	6
10193	15" Copper Connector Kit - Gas or Electric	6
10223	15" x 3/4" Copper Connector Kit - Gas or Electric	6
10533	18" x 3/4" Copper Connector Kit - Gas or Electric	6



10183
Copper Connector Kit
Gas



10193
Copper Connector Kit
Gas or Electric




10223
Copper Connector Kit
Gas or Electric

Use...	For Water Heater Installation/Replacement of...
10183	GAS where "cold" supply or "hot" distribution lines are 3/4" copper (i.e. not threaded) and codes allow use of Flexible Gas Connector.
10223	GAS or ELECTRIC where "cold" supply and "hot" distribution lines are Threaded and Flexible Gas Connector is not needed or allowed by codes.
10193 10533	GAS or ELECTRIC where "cold" supply or "hot" distribution lines are 3/4" copper (i.e. not threaded) and Flexible Gas Connector is not needed or not allowed by codes.

Kit Contains:	Gas	Gas or Electric		
	10183	10193	10223	10533
(2) Copper Flexible Water Connectors, 3/4" FIP	✓	✓	✓	✓
(2) Dielectric Nipples, 3/4" NPT x 2" Long	✓	✓	✓	✓
(1) Roll Teflon Tape	✓	✓	✓	✓
(2) Compression Fittings, 3/4" Compression x 3/4" Male NPT	✓	✓		✓
(1) Stainless Steel Gas Connector, 1/2" OD x 24" 1/2" M X F (Tapped 3/8" Female NPT)	✓			

Compression Fittings

Stock#	Description	Qty.
10196	3/4" Compression x 3/4" NPT Fitting	6
10205	1/2" Compression x 3/4" NPT Fitting	6



10196
3/4" Compression Fitting

10205
1/2" Compression Fitting

Flexible Water Connectors—Seamless Corrugated Copper

3/4" SWT x 3/4" FIP - 7/8" ID flexible water connectors -125 PSI maximum

Stock #	Description	Qty
10032	18" x 3/4" FIP x SWT	25
10045	12" x 3/4" FIP x SWT	25
10055	15" x 3/4" FIP x SWT	25
10085	24" x 3/4" FIP x SWT	25

10032
Flexible Copper
Water Connector



10063
Flexible Copper
Water Connector



10747
Stainless Steel
Water Connector



10232
Flexible Gas Connector

3/4" FIP x 3/4" FIP flexible water connectors -125 PSI maximum

Stock #	Description	Qty
10043	12" Water Connector - Card	12
10053	15" Water Connector - Card	12
10063	18" Water Connector - Card	12
10083	24" Water Connector - Card	12

Flexible Water Connectors—Corrugated Stainless Steel

3/4" FIP x 3/4" FIP flexible water connectors-125 PSI maximum


Stock #	Description	Qty
10735	15" Stainless Water Connector	25
10747	18" Stainless Water Connector	12
10755	24" Stainless Water Connector	12
10072	Washer For Water Connectors - Bulk	25

Flexible Gas Connector*

Stock #	Description	Qty
10232	24" x 1/2" OD Stainless Steel, Coated	25

*Gas connectors are certified for household use to 1/2 PSI.

See page 21 for Bulk Parts Purchasing Program list



Water Heater Accessories

T & P Valves

- Setting of 150 PSI / 210°F • Stainless steel spring
- All brass body • ANSI Z21.22 Design • CSA certified
- Furnished with test lever • Epoxy coated extension probe

Stock #	Description	Qty
10421	1/2" Inlet/outlet T & P Valve w/4" Probe - Box	25
10423	1/2" Inlet/outlet T & P Valve w/4" Probe - Card	4
10463	3/4" Inlet/outlet T & P Valve w/1" Probe - Card	12
10471	3/4" Inlet/outlet T & P Valve w/4" Probe - Box	25
10473	3/4" Inlet/outlet T & P Valve w/4" Probe - Card	12
10491	3/4" Inlet/outlet Valve w/2-1/2" Shank - Box	25
10493	3/4" Inlet/outlet Valve w/2-1/2" Shank - Card	12



10423
T & P Valve
1/2" Inlet/outlet

10493
T & P Valve
3/4" Inlet/outlet
(2.5" shank)

10473
T & P Valve
3/4" Inlet/outlet

Extra-Long Shank T & P Valve

10427	3/4" Inlet/outlet Valve 3/4" w/ 3-5/16" Shank	12
-------	---	----

10427
T & P Valve
3/4" Inlet/outlet with extra-long
3-5/16" shank



Lead-Free T & P Valves

10413	1/2" w/4" Probe • Lead Free •	4
10433	3/4" w/ 1" Probe • Lead Free •	12
10443	3/4" w/4" Probe • Lead Free •	12
10453	3/4" w/2.5" Shank, 4" Probe • Lead Free •	12

T & P Valve Remover

10552	Universal T & P Valve Remover	25
-------	-------------------------------	----

Heat Traps

Helps prevent heat escape through inlet and outlet while idle
 • 3/4" NPT x 3/4" NPT x 3" Length • Self-cleaning fittings help prevent corrosion • Dielectric inert thermoplastic lining

01013	Dielectric Water Heater Heat Traps - 2/card	12
01022	Dielectric Water Heater Heat Traps - Bulk	24
01023	Dielectric Heat Trap - Flapper Style - 2/card	12

Extra-Long Heat Traps

01033	5" Long Dielectric Water Heater Heat Traps	
-------	--	--

Dielectric Nipples

For inlet and outlet hook-ups and other uses where dissimilar metals occur in piping and plumbing systems. Thermoplastic lining prevents corrosion. 3/4" NPT x 3/4" NPT x 2-1/2" Length

10622	Dielectric Nipples - 2.5" long - Bulk	50
10623	Dielectric Nipples - 2.5" long - 2/Card	12
10602	Dielectric Nipples - 3" long - Bulk	25

Extra-Long Dielectric Nipples

10634	Dielectric Nipples 3/4" x 3/4" NPT - 5" long	
-------	--	--

Element Wrenches

Zinc plated **Element Wrenches** fit all standard screw-in elements and 1-1/2" nuts. Works with your screwdriver. Goes into offsets where an adjustable wrench can't.

09882	5" Wrench - Bulk	25
09883	5" Wrench - Card	12
09942	4" Heavy Duty Wrench - Bulk	25
09943	4" Heavy Duty Wrench - Card	12

Chrome-plated **Professional Element Socket** fits standard 1/2" socket drive to make easy work of replacing screw-in water heater elements.

09951	Element Socket - Bulk	6
09953	Element Socket - Clam	6



NEW

01033
Extra-Long
5" Heat Traps


10634
Extra-Long
5" Dielectric
Nipples

01023
Flapper-Style
Heat Traps

01013
Heat Traps



10623
Dielectric Nipples



09942
Element Wrench



09951
Professional
Element Socket

See page 21 for Bulk Parts Purchasing Program list

FOR NEW LARGER-SIZE
WATER HEATERS

Anode Rods and Accessories

Runoff Tubes

• Thermoplastic polypropylene runoff tubes present rigid surface for gripping with standard wrenches • Can be cut to length

Stock #	Description	Qty
10862	Side Mount Runoff Tube	12
10952	Center Top Mount Runoff Tube	12
10962	Top Mount Runoff Tube	12

Water Inlet Dip Tubes

Anti-siphon hole breaks damaging siphon action • Can be cut to length • Made of PEX • Gasket sold separately (#06912)

11062	Flared Dip Tube (52" vertical)	12
11061	Flared Dip Tube (52" vertical) with gasket	12
11162	Threaded Dip Tube (48" vertical)	25
06912	Dip Tube Gaskets - Bag of 25 (Special order only)	1



FOR NEW LARGER-SIZE WATER HEATERS

Runoff Tubes and Dip Tubes for larger water heaters

Water Heater parts designed to fit larger water heaters resulting from the new NAECA regulations

10955	Center Top Mount Runoff Tube - 14" H / 59" V	12
10965	Top Mount Runoff Tube - 9.5" H / 59" V	12
11163	50.5" Threaded Dip Tube w/5" Nipple	12



Dielectric Unions

Use wherever dissimilar metals occur in piping and plumbing systems. Use in water heaters, water storage tanks, water conditioners and water pumps. 3/4" FIP x 3/4" SWT

Stock #	Description	Qty
23503	Dielectric Union 3/4" FIP - Card 2/card	12

Residential Water Heater Anode Rods

11572	5/8" OD Anode Rod 42" Long Aluminum	6
11582	3/4" OD Anode Rod 42" Long Aluminum	6
11612	5/8" OD Anode Rod 42" Long Aluminum Flexible (3 Section)	6
11622	3/4" OD Anode Rod 42" Long Aluminum w/Dielectric Nipple	6

RV & Marine Water Heater Anode Rods (not shown)

11533	1/2" NPT Anode Rod 4-1/2" long Magnesium with Drain - for Atwood water heaters	6
11553	1/2" NPT Anode Rod 4-1/2" long Magnesium for Atwood water heaters (not shown)	6
11563	3/4" NPT Anode Rod 9-1/2" long Aluminum for Suburban (Mor-Flo) water heaters (not shown)	6
11593	1/2" NPT Anode Rod 9-1/2" long Magnesium for Atwood 10 Gallon water heaters (not shown)	6



See page 21 for Bulk Parts Purchasing Program list

Drain Valves and Water Hoses

Brass Water Heater Drain Valve w/Recirculation Elbow

Stock #	Description	Qty
11502	Drain Valve w/Recirculation Elbow - Bulk	25

Backflow Preventers with stainless steel spring

23303	1/2" Brass Backflow Preventer - Card	6
23402	3/4" Brass Backflow Preventer - Bulk	25

Water Heater Drain Valves

Permanent installation. Fits directly into water heater for easy draining. 3/4" NPT x 3/4" male hose thread. 2-1/2" long. Brass valves are CSA Low Lead Content Certified.

11512	Drain Valve- Brass - Bulk	25
11513	Drain Valve- Brass - Card	12
11523	Drain Valve- Plastic - Card	12

Extra Long Shank Water Heater Drain Valves

Water Heater parts designed to fit larger water heaters resulting from the new NAECA regulations

11505	WH Drain Valve - Brass 4-3/8" Shank	12
11543	WH Drain Valve - Plastic 3" Shank	12

Water Pressure Regulators

Reduce water pressure to a safe, consistent 40–50 PSI of operational pressure. Protects equipment and helps prevent hose failure, helping to prolong equipment life. (3/4" M x F Garden Hose Threads) Patented. Brass regulator is CSA Low Lead Content Certified.

40143	3/4" Plastic Water Pressure Regulator	6
40055	3/4" Brass Water Pressure Regulator	6

See page 21 for Bulk Parts Purchasing Program list



Heated Drinking Water Hoses with thermostat

Protects to -20° F

Made with an NSF 61 certified, 5/8" I.D. drinking water safe hose that is BPA, phthalate and lead free. Won't leach harmful chemicals into water or leave it tasting like plastic. Energy saving thermostat only heats as needed, saving money on the electric bill. Fittings are heavy duty machined and plated for maximum corrosion resistance and the durable exterior jacket protects water hose and electrical components from damage or exposure. Protects to -20° F. Operates on 120 VAC.

Stock #	Description	Qty
22910	12 ft Heated Drinking Water Hose	1
22911	25 ft Heated Drinking Water Hose	1
22912	50 ft Heated Drinking Water Hose	1



Heavy Duty 5/8 inch Contractor Hoses

Rated for hot water up to 100° F

Reinforced, abrasion resistant hose for hot water use. Easier to clean; drinking water safe. Spring reinforced to reduce kinking. Stainless steel fittings. 10-year limited replacement warranty. 300 PSI burst strength. Available in 25 ft, 50 ft & 100 ft lengths.

Stock #	Description	Qty
22863	25 ft Contractor Hose	3
22873	50 ft Contractor Hose	3
22883	100 ft Contractor Hose	3



Drain Pans and Fittings

All pans on this page include
Dual-size 1" / 1.5" Drain Pan Fitting

Drain Pans and Fittings

Plastic—For electric water heaters ONLY • Durable no-break polypropylene pans will not rust, corrode or crack • Pre-cut side opening for drain fitting • 1"/1.5" drain fitting included (#11452 or #11442)

Stock #	Description	Qty
11260	20" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11266	20" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11460	22" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11466	22" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11360	24" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11366	24" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11400	26" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11406	26" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11410	28" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11416	28" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6
11420	30" ID Plastic Drain Pan w/PVC Fitting - 2.5+" Deep	6
11426	30" ID Plastic Drain Pan w/CPVC Fitting - 2.5+" Deep	6

Plastic Corner Pan—For electric water heaters ONLY • Will not rust, corrode or crack • 1"/1.5" drain fitting included (#11452 or #11442)

11480	24" ID Corner Plastic Drain Pan w/PVC Fitting - 3" Deep	6
11486	24" ID Corner Plastic Drain Pan w/CPVC Fitting - 3" Deep	6

Aluminum—For gas or electric water heaters • Will not rust or crack • 1"/1.5" drain fitting included (#11452 or #11442)
• Pre-cut side opening for drain fitting

20800	20" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20806	20" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
20840	22" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20846	22" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
20830	24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20836	24" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
20833	24" ID Aluminum Drain Pan w/PVC Fitting - 3" Deep	6
20810	26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20816	26" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
20813	26" ID Aluminum Drain Pan w/PVC Fitting - 3" Deep	6
20850	28" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20851	28" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6
20860	30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20866	30" ID Aluminum Drain Pan w/CPVC Fitting - 2.25" Deep	6

Aluminum without drain hole—For gas or electric water heaters
• Will not rust or crack • 1"/1.5" drain fitting included (#11452)

20801	20" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20841	22" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20831	24" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20811	26" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6
20861	30" ID Aluminum Drain Pan w/PVC Fitting - 2.25" Deep	6



All Camco plastic and aluminum
water heater pans are recyclable



11360
Plastic Drain Pan



11480
Plastic Corner Drain Pan



20830
Aluminum Drain Pan

New NAECA regulations
effective April 16th, 2015
have resulted in larger
diameter water heaters,
requiring the use of larger
pans during installation.



Item #	New Size - 32" Plastic Pans	Qty
11427	32" ID W/H Drain Pan PVC Fitting - 2.75" Deep	6
11429	32" ID W/H Drain Pan CPVC Fitting - 2.75" Deep	6

Item #	New Size - 32" Aluminum Pans	Qty
20868	32" ID W/H Drain Pan PVC Fitting - 2.38" Deep	6
20870	32" ID W/H Drain Pan CPVC Fitting - 2.38" Deep	6

Drain Pans and Fittings

Water Heater Drain Pans for Tankless Water Heaters

Drain Pans for Tankless Water Heaters

Stock #	Description	Qty
11470	Plastic - with PVC fitting	6
11476	Plastic - with CPVC fitting	6
11430	Aluminum - with PVC fitting	6
11432	Aluminum - with CPVC fitting	6

The Wall Saver™ allows for easier routine maintenance flushing and helps protect floors and walls from leaks, Made of injection-molded no-break polypropylene; will not rust, corrode or crack. Wall-mounted drain pan fits under most whole-house tankless water heaters and is required by building codes. Recyclable and non-toxic. U.S. Patents 8104634 and D653745. Each pan includes a dual-size 1-inch/1.5-inch drain fitting with gasket.

Plastic: W: 21.5"; H: 16"; D: 13.4"

Aluminum: W: 21.7"; H: 15.3"; D: 11.6"



Drain Pan Fittings

Replacements for all Camco water heater and washing machine drain pans. Includes fitting, locknut and washer.

Stock #	Description	Qty
11442	Drain Pan Fitting Kit ID 1"/1.5" CPVC	25
11452	Drain Pan Fitting Kit ID 1"/1.5" PVC	25



Galvanized Square—

For gas or electric heaters. 1"/1.5" drain fitting included

20922	ID 24" x 24" Heater Pan - 4" Deep - Bulk	1
20932	OD 30" x 30" Heater Pan - 6.25" Deep - Bulk	1

20922
Galvanized
Square Pan

Washing Machine Drain Pans

Standard-Size Washing Machine Drain Pans

- White polypropylene plastic • Will not rust, corrode or crack • Includes 1"/1.5" drain fitting • Bottom or side outlet (not pre-cut) • 1"/1.5" drain can pass all codes • Easy to install • Matte finish • ID 27" x 30" x 2-1/8"

Stock #	Description	Qty
20752	30" x 32" OD Washer Drain Pan - with PVC fitting	6
20756	30" x 32" OD Washer Drain Pan - with CPVC fitting	6

Apartment-Sized Washing Machine Drain Pans

- White polypropylene plastic washer drain pan designed and sized for apartment-sized washers. Will not rust, corrode or crack. Includes 1"/1.5" PVC drain fitting • Bottom or side outlet (not pre-cut) • 1"/1.5" drain can pass all codes • Easy to install • Matte finish • ID 25 x 27"

20762	28" x 30" OD Washer Drain Pan - 2.25" Deep - Bulk	6
-------	---	---

Low Profile Washing Machine Drain Pans

- Polypropylene plastic pan designed and sized especially for a full-size front-loading washer to allow clearance when opening pedestal drawer • Will not rust, corrode or crack • Includes 1"/1.5" PVC drain fitting • Bottom outlet (not pre-cut) • 1"/1.5" drain can pass all codes • Easy to install • Matte finish ID 29" x 33"


20786	31" x 35" OD Low Profile Drain Pan - 1.6" Deep - White	6
20788	31" x 35" OD Low Profile Drain Pan - 1.6" Deep - Pewter	6

Washing Machine Hoses

20500	5' Washing Machine Hose - Bag	12
20502	5' Washing Machine Hose - Bulk	25



20500
Washing Machine Hose




20762
Apartment-sized
Washing Machine
Pan

20786
Low-Profile
Washing Machine Pan
White



20788
Low-Profile
Washing Machine Pan
Pewter



Bulk Parts Program

Many of our retail-packaged items are available as bulk items, with no packaging. The following pages contain featured top-selling bulk items that are frequently used by contractors for building projects, apartment/building maintenance, etc. If there is a bulk item for which you are searching and it does not appear in the following bulk item list, please contact customer service to see if it is available.

Item#	Qty	Description
Range Accessories		
00102	25	GE/HP 6"x5 Trn Y Supt 1325W 240V Burners
00112	25	GE/HP 8"x6 Trn Y Supt 2350W 240V
00142	25	Universal 6"x3 Trn Y Supt 1250W 240V Economy Plug In
00152	25	Universal 8"x4 Trn Y Supt 2100W 240V Economy Plug In
00182	25	GE/HP 7"x5 Trn GE Supt 1325W 240V w/Porcelain & Trim Ring
00222	25	Universal 6"x3 Trn Delta Supt 1250W 240V Economy Plug In
00232	25	Universal 8"x4 Trn Delta Supt 2100W 240V Economy Plug In
00242	25	Universal 6"x4 Trn Y Supt 1500W 240V Deluxe Plug In
00252	25	Universal 8"x5 Trn Y Supt 2100W 240V Deluxe Plug In
00262	25	Universal 6"x4 Trn Delta Supt 1500W 240V Deluxe Plug In
00272	25	Universal 8"x5 Trn Delta Supt 2100W 240V Deluxe Plug In
00282	25	GE/HP 6"x5 Trn Y Supt 1325W 240V w/Porcelain no Trim Ring
00292	25	GE/HP 8"x6 Trn Y Supt 2125W 240V w/Porcelain no Trim Ring
00302	25	Trim Ring GE/HP 6" Chrome Electric
00312	25	Trim Ring GE/HP 8" Chrome Electric
00322	25	Drip Bowl GE/HP 6" Porcelain Electric
00332	25	Drip Bowl GE/HP 8" Porcelain Electric
00342	25	Trim Ring Universal 6" Chrome Electric
00352	25	Trim Ring Universal 8" Chrome Electric
00362	25	Drip Pan Round 7" Chrome Gas
00372	25	Drip Pan Square 7 3/4" Chrome Gas
00382	25	Drip Bowl Universal 6" Chrome Electric
00392	25	Drip Bowl Universal 8" Chrome Electric
00402	25	Drip Bowl GE/HP 6" Chrome Electric
00412	25	Drip Bowl GE/HP 8" Chrome Electric
00422	25	Drip Pan GE/HP 6" Chrome Electric
00432	25	Drip Pan GE/HP 8" Chrome Electric
00442	25	Drip Bowl GE/HP 6" Porcelain 1990 - Present
00452	25	Drip Bowl GE / HP 8" Porcelain 1990 - Present
00462	25	Drip Pan Universal 6" Chrome Electric
00472	25	Drip Pan Universal 8" Chrome Electric
00482	25	Drip Bowl GE / HP 6" Chrome 1990 - Present
00492	25	Drip Bowl GE / HP 8" Chrome 1990 - Present
00502	25	Drip Bowl Universal 6" Black Porcelain Electric
00512	25	Drip Bowl Universal 8" Black Porcelain Electric
00542	25	Drip Pan GE/HP 6" Black Porcelain Electric
00552	25	Drip Pan GE/HP 8" Black Porcelain Electric
00582	25	Drip Pan Universal 6" Black Porcelain Electric
00592	25	Drip Pan Universal 8" Black Porcelain Electric



Bulk Parts Program



Item#	Qty	Description
Water Heater Repair		
01022	24	Dielectric Water Heater Heat Trap Flapper Style
02102	25	1000W 120V Screw In Element HWD
02142	25	1500W 120V Screw In Element HWD
02162	25	1500W 240V Screw in Element HWD
02182	25	1750W 120V Screw In Element HWD
02202	25	2000W 120V Screw in Element HWD
02222	25	2000W 240V Screw In Element HWD
02242	25	2500W 240V Screw In Element HWD
02262	25	3000W 240V Screw In Element HWD
02282	25	3500W 240V Screw In Element HWD
02292	25	3800W 240V Screw In Element HWD
02302	25	4000W 240V Screw In Element HWD
02342	25	4500W 240V Screw In Element HWD
02362	25	5500W 240V Screw In Element HWD Foldback
02462	25	1500W 120V Screw In Element LWD
02492	25	2500W 240V Screw In Element LWD Foldback
02522	25	3500W 240V Screw In Element LWD Foldback
02582	25	4500W 240V Screw In Element LWD Foldback
02612	25	6000W 240V Screw In Element LWD Foldback
02642	25	4500W 240V Screw In Element HWD Foldback
02722	25	4500W 240V 1 3/8" Screw In LWD Duron Style
02852	25	1500W 120V Screw In Element LWD Lime Life
02862	25	5500W 208V Screw In Element
02912	25	3500W 240V Screw In Element LWD Lime Life Foldback
02922	25	4500W 240V Screw In Element LWD Lime Life Foldback
02932	25	5500W 240V Screw In Element LWD Lime Life Foldback
02952	25	4500W 240V Screw In Element LWD Lime Life Ripple Foldback
02962	25	5500W 240V Screw In Element LWD Lime Life Foldback
03922	25	3500W 240V Flat Flange Element HWD
03942	25	4500W 240V Flat Flange Element HWD
04602	25	4500W 240V Universal Element HWD
04942	25	4500W 240V Universal Element LWD Lime Life Foldback
05742	25	1500W 120V Open Coil Element 7 Insulators
05762	25	1750W 120V Open Coil Element 7 Insulators
05902	25	1500W 120V Open Coil Element 6 Insulators E-115
07031	1	Plumber's Pack-TOD T-stats 4500W 240V LWD Elmts (PRO, 6-PACK)
Water Heater Thermostats		
07722	25	Lower Thermostat - Apcom Style
07842	25	Single Element Thermostat - Apcom Style
07862	25	Upper Thermostat - Apcom Style
08012	25	Single Element Thermostat 120V - Thermodisc
08112	25	Thermodisc Upper T-Stat Protective Cover
08122	25	Lower Thermostat - Thermodisc
08142	25	Single Element Thermostat - Thermodisc
08162	25	Upper Thermostat - Thermodisc

Bulk Parts Program

Item#	Qty	Description
Gas Water Heater Parts and Accessories		
09072	25	Gas Control Extender 3/4" MPT 3/4" FPT
09291	1	Thermocouple Kit - 24" (PRO, 6-PACK)
09331	1	Thermocouple Kit - 36" (PRO, 6-PACK)
Miscellaneous Items for Water Heater Repair		
09882	25	Screw In Element Wrench 5"
09942	25	Heavy Duty Element Wrench 4"
Connectors		
10032	25	Water Connector 18" Flex Copper SWT x 3/4" FIP
10042	25	Water Connector 12" Flex Copper 3/4" FIP x 3/4" FIP
10045	25	Water Connector 12" Flex Copper SWT x 3/4" FIP
10052	25	Water Connector 15" Flex Copper 3/4" FIP x 3/4" FIP
10055	25	Water Connector 15" Flex Copper SWT x 3/4" FIP
10062	25	Water Connector 18" Flex Copper 3/4" FIP x 3/4" FIP
10072	25	Washer for Flex Connector
10082	25	Water Connector 24" Flex Copper 3/4" FIP x 3/4" FIP
10085	25	Water Connector 24" Flex Copper SWT x 3/4" FIP
10194	1	Compression Fitting 3/4" Comp x 3/4" NPT BagPair (PRO,12-PACK)
10232	25	Gas Connector 24" Flex Stainless Steel 1/2" OD
10735	25	Water Connector 15" Flex Stainless 3/4" FIP x 3/4" FIP Cut Case
10747	25	Water Connector 18" Flex Stainless 3/4" FIP x 3/4" FIP
10755	25	Water Connector 24" Flex Stainless 3/4" FIP x 3/4" FIP Cut Case
T & P Valves and Other Items		
10421	25	T & P Valve 1/2" w/ 4" Probe
10471	25	T&P Valve 3/4" w/4" Probe Coated, 150psi (Eng/Fr)
10491	50	T & P Valve 3/4" w/ 2 1/2" Probe
10552	25	T & P Valve Remover-Universal
10602	50	Dielectric Nipples 3/4" MPT x 3/4" MPT x 3"
10622	50	Dielectric Nipples, 3/4"NPT x 3/4"NPT x 2-1/2"Long LLC
Plastic Water Heater Drain Pans		
11442	25	Drain Pan Fitting 1" CPVC
11452	25	Drain Pan Fitting 1" PVC
Miscellaneous Items		
11502	25	WH Drain Valve Brass w/ Recirculating Elbow
11512	25	Water Heater Drain Valve Brass
23302	25	1/2" Back-Flow Preventer
23402	25	3/4" Back-Flow Preventer



Top Burners for Electric Ranges



UL listed

**GE / Hotpoint
Plug-in Style**



**Universal
Plug-in Style**

**GE/Hotpoint
with porcelain connector**



Delta Support



Y Support



Stock#	Description	Watts	Volts	Size	Turns	Support	Chromalox#	Qty.
GE/Hotpoint Plug-In								
00103	GE/Hotpoint Plug-in	1325w	240v	6"	5	Y	CH30x218	6
00113	GE/Hotpoint Plug-in	2350w	240v	8"	6	Y	CH30x219	6
GE/Hotpoint w/Porcelain Connector								
00183	GE/Hotpoint w/trim ring	1325w	240v	7"	5	GE	CH30x356	6
00193	GE/Hotpoint w/trim ring	2125w	240v	9"	6	GE	CH30x354	6
00283	GE/Hotpoint Plug-in w/o trim ring	1325w	240v	6"	5	GE	CH30x342	6
00293	GE/Hotpoint Plug-in w/o trim ring	2125w	240v	8"	6	GE	CH30x341	6
Economy Plug-In Universal								
00143	Universal Economy Plug-in	1250w	240v	6"	3	Y	SP12YA	6
00153	Universal Economy Plug-in	2100w	240v	8"	4	Y	SP21YA	6
00223	Universal Economy Plug-in	1250w	240v	6"	3	Delta	SP12MA	6
00233	Universal Economy Plug-in	2100w	240v	8"	4	Delta	SP21MA	6
Deluxe Plug-In Universal (Deluxe has more heating surface than Economy)								
00243	Universal Deluxe Plug-in	1500w	240v	6"	4	Y	MP15YA	6
00253	Universal Deluxe Plug-in	2100w	240v	8"	5	Y	MP21YA	6
00263	Universal Deluxe Plug-in	1500w	240v	6"	4	Delta	MP15MA	6
00273	Universal Deluxe Plug-in	2100w	240v	8"	5	Delta	MP21MA	6

Repair Parts

Stock#	Description	Qty.
00853	GE/Hotpoint Receptacle Block	6
Direct replacement for GE ranges. Includes: (1) metal/porcelain bracket, (2) machine screws, (1) sheet metal screw, (1) wire bracket and (1) nut		
00863	Universal Range Switch - Card	8
Includes: switch, mounting adapter parts, knob adapter		
00873	Universal Receptacle Block Kit	12
Fits most electric ranges except GE		



Pans, Bowls and Knob Kits



Bowl for plug-in elements
UNIVERSAL



Pan for hinged elements
EXCEPT GE / HOTPOINT —
UNIVERSAL



DEEP style bowl
for plug-in elements
GE / HOTPOINT TYPE



pan for hinged elements
GE / HOTPOINT TYPE

Universal Drip Pans and Bowls for Electric Ranges

Stock#	Description	Type	Qty.
00343	6" Chrome Trim Ring	-	12
00353	8" Chrome Trim Ring	-	12
00383	6" Chrome Drip Bowl	Plug-in	12
00393	8" Chrome Drip Bowl	Plug-in	12
00463	6" Chrome Drip Pan	Hinge	12
00473	8" Chrome Drip Pan	Hinge	12
00503	6" Black Porcelain Drip Bowl	Plug-in	12
00513	8" Black Porcelain Drip Bowl	Plug-in	12
00583	6" Black Porcelain Drip Pan	Hinge	12
00593	8" Black Porcelain Drip Pan	Hinge	12

Electric Knob Kit - 4/card

Stock#	Description	Qty.
00883	Electric Range Knobs-Top Burner - Black	12
00923	Electric Range Knobs-Top Burner - White	12
00903	Electric Range Knobs-Top Burner - Chrome	12

Electric Knob Kit - 1/card

00913	Electric Range Knob-Burner/Oven - Black	12
00893	Electric Range Knob-Burner/Oven - White	12
00933	Electric Range Knob-Burner/Oven - Chrome	12

Gas Knob Kit - 4/card

00943	Gas Range Knobs-Top Burner - Black	12
00983	Gas Range Knobs-Top Burner - White	12
00963	Gas Range Knobs-Top Burner - Chrome	12

Gas Knob Kit - 1/card

00973	Gas Range Knob-Burner/Oven - Black	12
00953	Gas Range Knob-Burner/Oven - White	12
00993	Gas Range Knob-Burner/Oven - Chrome	12

Drip Pans and Bowls for GE/Hotpoint Electric Ranges

Stock#	Description	Type	Qty.
00303	6" Chrome Trim Ring	-	12
00313	8" Chrome Trim Ring	-	12
00323	6" Black Porcelain Drip Bowl	Plug-in	12
00333	8" Black Porcelain Drip Bowl	Plug-in	12
00403	6" Chrome Drip Bowl	Plug-in	12
00413	8" Chrome Drip Bowl	Plug-in	12
00423	6" Chrome Drip Pan	Hinge	12
00433	8" Chrome Drip Pan	Hinge	12
00443	6" Blk Porcelain Drip Bowl 1990 - Present	Plug-in	12
00453	8" Blk Porcelain Drip Bowl 1990 - Present	Plug-in	12
00483	6" Chrome Drip Bowl 1990 - Present	Plug-in	12
00493	8" Chrome Drip Bowl 1990 - Present	Plug-in	12
00543	6" Black Porcelain Drip Pan	Hinge	12
00553	8" Black Porcelain Drip Pan	Hinge	12



Reflector Drip Pans for Gas Ranges

Stock#	Description	Type	Qty.
00363	Round Chrome Gas Drip Pan (7")	-	12
00373	Square Chrome Gas Drip Pan (7-3/4")	-	12

00973
Gas Range Knob



00903
Electric Range Knob Kit




Bake & Broil Elements

Stock#	Description	Watts	Volts	Qty.
Bake Elements				
00611	Bake Element	2400w	240v	6
00621	Bake Element	3000w	250v	6
00631	Bake Element	2700w	240v	6
00641	Bake Element	2500w	240v	6
00651	Bake Element	3000w	250v	6
00681	Bake Element	2585w	250v	6
00701	Bake Element	2600w	240v	6
00711	Bake Element	2585w	250v	6
00721	Bake Element	2475w	250v	6
00731	Bake Element	2200w	250v	6
00741	Bake Element	2585w	250v	6
00751	Bake Element	3100w	240v	6
00761	Bake Element	2400w	240v	6
00791	Bake Element	2500w	240v	6

Broil Elements


00771	Broil Element	3000w	250v	6
00801	Broil Element	3400w	250v	6
00811	Broil Element	3400w	240v	6
00831	Broil Element	3410w	250v	6

All elements include screw-in hardware.




00611
2400w 240v Bake Element

KENMORE
1312853
1311298-0
WHIRLPOOL
865940
CHROMALOX
CH775




00621
3000w 250v Bake Element

GE
WB44x126
WB44x118
WB44x105
WB44x133
WB44x120
WB44x112
HOTPOINT
297B774G3
CHROMALOX
CH44x126




00631
2700w 240v Bake Element

KENMORE
296119
296565
301444
321667
CHROMALOX
CH2858




00641
2500w 240v Bake Element

KENMORE
282717
314620
319837
320421
301471
319529
319238
324186
320420
CHROMALOX
CH776




00651
3000w 250v Bake Element

GE
WB44x5043
WB44x5049
WB44x5078
WB44x5080
HOTPOINT
663130
664640
684729
CHROMALOX
CH44x5043




00681
2585w 250v Bake Element

GE
WB44x105
WB44x118
WB44x120
WB44x126
WB44x133
WB44x5061
WB44x5099
CHROMALOX
CH44x5099



00701
2600w 240v Bake Element

WHIRLPOOL
308180
JENN-AIRE
202550
CHROMALOX
CH4836




00711
2585w 250v Bake Element

GE
WB44x5061
WB44x5082
WB44x5072
CHROMALOX
CH44x5082

Please visit www.camco.net for printable pictures with dimensions.

Bake & Broil Elements




00721
2475w 250v Bake Element

FRIDGIDAIRE

632305	632306
633114	1133051
752576	7525781
7526491	7526492
752660	7532556
7532557	8004204
	9950882

CHROMALOX
CH978



00731
2200w 250v Bake Element

WHIRLPOOL


255103; 257376;
257987; 326791

ROPER

326791

CHROMALOX

CH687




00741
2585w 250v Bake Element

GE

WB44x5083
WB44x5085

CHROMALOX

CH44x5083




00751
3100w 240v Bake Element

GE

WB44x200;
WB44x160

CHROMALOX

CH44x200



00761
2400w 240v Bake Element

FRIDGIDAIRE

8008245

KENMORE/KELVINATOR


1313171; 1313169

WHIRLPOOL

866375

CHROMALOX

CH4879



00791
2500w 240v Bake Element

ROPER/KENMORE


325883;
326365;
326364;
326366

GE

WB44x230

CHROMALOX

CH5853




00771
3000w 250v Broil Element

GE

WB44x134

CHROMALOX

CH44x134




00801
3400w 250v Broil Element

GE

WB44x149
WB44x150
WB44x167
WB44x168
WB44x173
WB44x185
WB44x5064

CHROMALOX

CH44x185




00811
3400w 240v Broil Element

ROPER/KENMORE

296121; 296566;
319487; 324163;
324249; 324251

CHROMALOX

CH2859



00831
3410w 250v Broil Element

GE

WB44x5074

CHROMALOX

CH44x5074

Propane Campfires



Big Red Campfire

Take your fire with you! Our Big Red Portable Campfire is great for campsites with restrictions against in-ground fires. Take it tailgating, or put it on the patio...its size is convenient for wherever you need a fire. Realistic log set (original) or lava rocks (CSA version) and full 9.5" diameter ring burner help create the natural look and ambiance of from-scratch campfires. Sturdy lid and security latches make it safe and easy to transport. Self storing lid can also serve as a Campfire base. Includes 10' propane hose for use with standard LP gas cylinders. RV campground approved. 13.25" fire tray diameter. 65,000 BTU/HR.

58035 | Big Red Campfire | 1

Little Red Campfire™

Take your fire with you! Our compact, portable campfire is great for campsites with restrictions against in-ground fires. Tailgating, or on the patio...its size is convenient for wherever you need a fire. Realistic log set (original) or lava rocks (CSA version) and full 9.5" diameter ring burner help create the natural look and ambiance of from-scratch campfires. Sturdy lid and security latches make it safe and easy to transport. Includes 8' propane hose for use with standard LP gas cylinders. RV campground approved. 11.25" fire tray diameter. 65,000 BTU/HR.

58031 | Little Red Campfire™ | 1



Portable Propane Campfire

Features like an elevated fire tray and heat resistant base make this Portable Campfire perfect for use in campgrounds with fire restrictions; great for residential porch and patio use as well. Large 14 1/2-inch burner ring allows for even distribution of gas and flame. 8-ft hose and adjustable regulator allows easy control of desired fire size up to 65,000 BTUs per hour with no ash, no mess and no smoke. Includes two bags of lava rocks. Legs fold completely under to fit into included storage bag.

58041 | Propane Campfire | 1

Propane Adapter

59213 | Propane Adapter (for use with 1-lb bottle) | 6

59213
Propane Adapter



Portable Fire Ring

Portable Fire Ring

Safely contain your campfire with Camco's Portable Campfire Ring. The large, 27-inch-wide steel ring will accommodate your natural wood-burning fire. Six-piece hinged design unfolds and assembles easily with no tools required. Tree cut-outs create a captivating ambiance. Folds flat for storage. Includes a zippered bag for easy transportation.

51091 | Portable Fire Ring | 1



Gas Matches

GM3 GasMatches™

One of our finest and most popular lighters. Long slender design lets you get at hard-to-reach places with total safety. Features a continuous ignition system (requires one AA battery, included), safety lock, fully adjustable flame, fuel viewing window. Refillable with butane lighter fluid. ISO 9001 certified. CPSC certified.

57433	GM3 - 14 3/4"	12
57543	GM3X - 26" (15" flex extender)	12
57684	GM3XE - 40 3/4" (36" flex extender)	20

57543
GM3X GasMatch

57433
GM3 GasMatch

57684
GM3XE GasMatch



GM4 GasMatches™

Our most popular mid-sized model. Piezo electric ignition, fully adjustable flame, safety lock, fuel viewing window, thousands of lights. CPSC certified. Refillable with butane lighter fluid. 11" long.

57453	Olympian™ GM4 GasMatch	12
-------	------------------------	----

GM9 2-pack Refillable GasMatches

Great for barbecues, fireplaces, pilot lights, kerosene heaters and candles. Safety lock, CPSC certified, adjustable flame, fuel viewing window. 11" long.

57473	Olympian™ GM9 GasMatches-2/card	12
-------	---------------------------------	----

Ronson® Butane

Multi-fill injectors in 78 gram and 165 gram sizes.

57416	Ronson 78 Gram Butane Fuel	12
57496	Ronson 165 Gram Butane Fuel	12

57453
GM4 GasMatch

57473
GM9 GasMatches

57416, 57496
Ronson Butane



Sparker Igniters

GM12 Continuous Ignition Multi-Sparker

This handy igniter is the one designed exclusively for igniting gas appliances. No butane to refill. The continuous ignition piezo electric sparker assures a large and immediate continuous spark. The automatic illumination micro-light and curved nozzle make tough lighting jobs easy. Uses one C battery (included).

57533	GM12 - 13" long (7" pipe)	12
57561	GM12X - 26" long (20" pipe)	24
57591	GM12XE - 31" long (25" pipe)	24



57591
GM12XE Multi-Sparker

57533
GM12 Multi-Sparker

57561
GM12X Multi-Sparker



Antifreeze for Potable Water Systems

Antifreeze for potable water systems

For use in winterization of fresh/potable water systems in campers, RVs and summer homes. High-grade formulas provide complete freeze protection down to -50° F. (-46 °C) with no mixing required. Use full strength—do not dilute. All ingredients are listed in the U.S. Federal Register (GRAS - generally regarded as safe). Not recommended for winterizing boat engines.

Easy Going™ -50

Virgin propylene glycol-based formula is safe, odorless and tasteless.

Stock#	Description	Size	Qty.
30757	Easy Going -50 Antifreeze	1 gallon	6
30759	Easy Going -50 Antifreeze	5 gallons	1
30758	Easy Going -50 Antifreeze	55 gallons	1

Arctic Ban™ -50

Ethyl alcohol/propylene glycol-based formula is safe, odorless and non-staining.

Stock#	Description	Size	Qty.
30807	Arctic Ban -50 Antifreeze	1 gallon	6
30809	Arctic Ban -50 Antifreeze	5 gallons	1
30808	Arctic Ban -50 Antifreeze	55 gallons	1



Antifreeze for Boiler Systems

30029
Boiler Antifreeze

30027
Boiler Antifreeze



36011
Antifreeze Test Strips

35106
Inhibitor Re-Charge

FreezeCheck Refractometer

Eliminates guesswork by reading freeze protection of ethylene glycol, methoxy propanol and propylene glycol, as well as actual burst protection of propylene glycol antifreezes. Rapid temperature compensation for accuracy in varying temperatures. Shock resistant design. Improved optics for ease of viewing. Completely immersible.

Stock#	Description	Size	Qty.
65401	Freeze-Check Refractometer	-	1

65401
Refractometer



Liquids orders must be sent on a separate P.O.

Boiler Antifreeze

- For hydronic heating and cooling systems • Safe • Odorless • Tasteless
- Protects to 100° below zero F (-73°C). A premium heat transfer fluid with special corrosion inhibitors added. For use in hot water and other closed boiler and solar systems. Concentrated, may be diluted to the desired burst protection level and flow temperature desired using the chart provided. Contains Propylene Glycol with corrosion inhibitor and inert ingredients. Non-Flammable
- No mixing required. Boiling point: 1000mm ... 116°C ... 240°F
- All ingredients are listed in the U.S. Federal Register (GRAS).*

* Generally regarded as safe

Stock#	Description	Size	Qty.
30027	Boiler Antifreeze -100	1 gallon	6
30029	Boiler Antifreeze -100	5 gallons	1
30028	Boiler Antifreeze -100	55 gallons	1

Ready-to-Use Boiler Antifreeze

All ingredients are listed in the U.S. Federal Register (GRAS).

* Generally regarded as safe

Stock#	Description	Size	Qty.
33129	RTU Boiler Antifreeze	5 gallons	1
33128	RTU Boiler Antifreeze	55 gallons	1

Boiler AL Antifreeze

Boiler AL (not shown) contains special corrosion inhibitors for use in boilers containing Aluminum.

Stock#	Description	Size	Qty.
33119	Boiler AL -100	5 gallons	1
33118	Boiler AL -100	55 gallons	1

Inhibitor Re-Charge for Boiler Antifreeze

Replaces depleted corrosion inhibitors in antifreeze solutions to prevent corrosion problems. Can also be added to uninhibited antifreeze solutions. **Not for use with Boiler AL.**

35106	Inhibitor Re-Charge	32 oz	6
-------	---------------------	-------	---

Boiler Antifreeze Text Strips

These strips test the pH of the solution to indicate the corrosion protection.

36011	Boiler Antifreeze Test Strips	50 strips	1
-------	-------------------------------	-----------	---

Antifreeze for Fire Sprinkler Systems

Liquids orders must be sent on a separate P.O.

Fire Sprinkler System Antifreezes PG and GL should be used in wet fire sprinkler systems that may be exposed to freeze conditions. When used undiluted, Fire Sprinkler System Antifreezes PG & GL will protect the system from freezing and ensure system flow in wet fire sprinkler systems.

PG38: Designed for metal fixed-sprinkler systems only

Fire Sprinkler System Antifreeze PG is 38% by volume Propylene Glycol solution which is a non-toxic and safe for all wet fire sprinkler systems with the exception of systems that contain CPVC. It is a factory pre-mix made to be in compliance with NFPA Guidelines. Contains Corrosion Inhibitors to protect metal components and system.

% of Fire Sprinkler System Antifreeze PG	Freeze Point Degree F	Flow Point Degree F	Burst Protection Degree F	Specific Gravity @ 77° F (25°C)
100	-15° F	-25° F	-50° F	1.137

GL48: Designed for CPVC and PEX systems only

Fire Sprinkler System Antifreeze GL is 48% by volume Glycerin based solution which is a non-toxic and safe for CPVC and PEX wet fire sprinkler systems as specified by manufacturers. It is a factory pre-mix made to be in compliance with NFPA Guidelines. Contains Inhibitors to improve product stability.

% of Fire Sprinkler System Antifreeze GL	Freeze Point Degree F	Flow Point Degree F	Burst Protection Degree F	Specific Gravity @ 77° F (25°C)
100	0° F	-15° F	-50° F	1.037

- Factory pre-mixed for accuracy
- Complies with NFPA guidelines
- Non-Toxic Formulation – (GRAS) FDA Classification of Generally Regarded as Safe
- Biodegradable and Environmentally Friendly

Stock#	Size
PG38 Fire Sprinkler Antifreeze	
33327	1 Gallon Bottle
33329	5 Gallon Pail
33328	55 Gallon Drum
33325	275 Gallon Tote

Stock#	Size
GL48 Fire Sprinkler Antifreeze	
33337	1 Gallon Bottle
33339	5 Gallon Pail
33338	55 Gallon Drum
33335	275 Gallon Tote



Windshield Washer Fluid



Xtreme Blue Windshield Washer Fluid

30907
-20° F

Rain Cutter Windshield Washer Fluid

31187
+32° F

30527
Ice Cutter

30522
Ice Cutter Spray

Xtreme Blue™ Windshield Washer Concentrate

Concentrated formula is better for the environment; takes less water and plastic to produce. Concentrated product must be diluted to comply with CARB (CA) regulations (Dilution chart is on product label).

Stock#	Description	Size	Qty.
30254	Windshield Washer Concentrate	16 oz	24
30256	Windshield Washer Concentrate	32 oz	6

Xtreme Blue™ Windshield Washer Fluid

Ready to use: no mixing required. Easily removes road grime, film and bugs. Excellent for all season use. Aids in melting frost, snow and ice.

Stock#	Description	Size	Qty.
30907	-20° Xtreme Blue™	1 gallon	6
30917	-25° Xtreme Blue™	1 gallon	6
30987	0° Xtreme Blue™	1 gallon	6
30977	+20° Xtreme Blue™	1 gallon	6

Rain Cutter™ Windshield Washer Fluid

Our exclusive formula sheds rain faster than the national brand. Premium product cuts road grime fast for cleaner windshields. Available with freeze protection down to -25° F. High-visibility colors for greater consumer recognition in store displays.

Stock#	Description	Size	Qty.
31177	-25° Rain Cutter Washer Fluid	1 gallon	6
31178	-25° Rain Cutter Washer Fluid	55 gallon	1
32037	0° Rain Cutter Washer Fluid	1 gallon	6
31187	32° Rain Cutter Washer Fluid	1 gallon	6

Ice Cutter -30 Windshield Washer Fluid

Melts frost and light ice on contact. No mixing required; excellent for all-season use. Easily removes road grime, film and bugs. Protect to -30° F.

Stock#	Description	Size	Qty.
30522	-30° Ice Cutter™ Spray	32 oz	6
30527	-30° Ice Cutter™ Washer Fluid	1 gallon	6


For questions about products on pages 30 & 31, please contact our Liquids Customer Service Department. 800-334-2004 ext 234

61605 Range Accessories Display



Stock #	Description	Qty	Stock #	Description	Qty
00103	GE/HP 6"x 5 Turn Plug-In Y Support	2	00463	Drip Pan Universal 6" Chrome Electric	4
00113	GE/HP 8"x 6 Turn Plug-In Y Support	2	00473	Drip Pan Universal 8" Chrome Electric	4
00143	Economy 6" x 3 Turn-Y Support	2	00503	Universal 6" Plug-In Reflect Bowl-Black Porc.	2
00153	Economy 8" x 4 Turn-Y Support	2	00513	Universal 8" Plug-In Reflect Bowl-Black Porc.	2
00243	Deluxe 6" Plug-In Y Support	2	00543	Drip Pan GE/HP 6" Black Porcelain Electric	2
00253	Deluxe 8" Plug-In Y Support	2	00553	Drip Pan GE/HP 8" Black Porcelain Electric	2
00303	Trim Ring - Electric 6" Chrome, GE/HP	2	00863	Universal Range Switch	2
00313	Trim Ring - Electric 8" Chrome, GE/HP	2	00873	Universal Receptacle Block Kit	2
00383	Universal 6" Plug-In Reflect Bowl	6	00883	Electric Range Top Burner Knob - Black -	2
00393	Universal 8" Plug-In Reflect Bowl	6	00903	Electric Range Knob Kit Top/Burner - Chrome -	2
00403	6" Drip Bowl GE/Hotpoint	4	00913	Electric Range Knob Kit Top/Oven - Black -	2
00413	8" Drip Bowl GE/Hotpoint	4	00933	Electric Range Knob Kit Top/Oven - Chrome -	2
00423	GE/HP 6" Hinged Reflect Pan	4	00943	Gas Range Top Burn Knob Kit - Black -	2
00433	GE/HP 8" Hinged Reflect Pan	4	00973	Gas Range Knob Kit Top/Oven - Black -	2

61585 Water Heater Repair Display



Stock #	Description	Qty	Stock #	Description	Qty
02143	1500w 120v Screw-In Element	4	09883	5" Screw-In Element Wrench	2
02203	2000w 120v Screw-In Element	2	09953	Professional Element Socket	4
02283	3800w 240v Screw-In Element	2	09973	Element Quick Change Tool	4
02343	4500w 240v Screw-In Element	4	10023	Water Heater Continuity Tester	2
02583	4500w 240v LWD/FB Screw-In Element	4	10063	18" Flex Water Connector	2
02923	4500w 240v Screw-In Lime Life Fold Back	4	10183	15" Water Heater Connector Kit -Gas	1
07223	Universal Adapter Kit	2	10193	15" Water Heater Connector Kit -Electric	1
07723	Thermostat (Lower) - Apcom Style	2	10473	3/4" T&P Valve 4" Coated	2
00843	Thermostat (Single Element) - Apcom Style w/HLC	2	10623	Dielectric Nipples	2
00863	Thermostat (Upper) - Apcom Style w/HLC	4	11523	Water Heater Drain Valve	2

All displays can be customized to meet our customers' specific needs.

61675 Water Heater Display (Apcom Thermostats)



Stock #	Description	Qty	Stock #	Description	Qty
02143	1500w 120v Screw-In Element	2	07843	Apcom Single Element Thermostat	2
02283	Element, Screw In - 3500W 240V HWD	2	07863	Apcom Upper Thermostat	6
02343	4500w 240v Screw-In Element	6	09943	4" Heavy Duty Element Wrench	2
02583	4500w 240v LWD/FB Screw-In Element	2	09953	Professional Element Socket	4
02923	4500w 240v Screw-In Lime Life Fold Back	2	10623	Dielectric Nipples 3/4", 2/card	4
07023	Plumber's Pack Apcom Style	4	10023	Water Heater Continuity Tester	2
07723	Apcom Lower Thermostat	2			

Also available with Therm-O-Disc thermostats

All displays can be customized to meet our customers' specific needs.

61595 Water Heater Display (Therm-O-Disc Thermostats)



Stock #	Description	Qty	Stock #	Description	Qty
02143	1500w 120v Screw-In Element	2	08163	Upper Therm-O-Disc Thermostat	4
02203	2000w 120v Screw-In Element	2	09883	5" Screw-In Element Wrench	2
02293	3800w 240v Screw-In Element	2	09953	Professional Element Socket	2
02343	4500w 240v Screw-In Element	6	09973	Quick Change Element Tool	2
02583	4500w 240v LWD/FB Screw-In Element	4	10023	Water Heater Continuity Tester	2
02923	4500w 240v Screw-In Lime Life Fold Back	2	10473	3/4" T&P Valve 4" Coated	2
07223	Universal Adapter Kit	2	10623	Dielectric Nipples	2
08123	Lower Therm-O-Disc Thermostat	2	11523	Water Heater Drain Valve	2
08143	Single Element Therm-O-Disc Thermostat	2			

Also available with Apcom thermostats

All displays can be customized to meet our customers' specific needs.

4 ft RV Products Display



Stock #	Description	Qty	Stock #	Description	Qty
11553	Anode Rod 4 1/2" Magnesium	1	40221	TST Singles	1
11563	Anode Rod 9 1/2"	1	40252	TST Grey Water Odor Control 32oz	1
20183	1" Hose Filter Washers 3/cd	2	40274	RV & Marine Toilet Tissue, 4/pk,2ply, 500 sheets	4
22505	90° Water Hose Elbow	1	41008	Black Streak Remover, Pro-Strength 32 oz	1
22735	25' Fresh Water Hose	1	41024	Awning Cleaner, Pro-Strength 32 oz	1
25553	Level, Curved Ball (Graduated)	1	41189	TST Orange Drop-Ins, 15/bag	2
36103	Blow Out Plug Plastic	1	41192	TST Orange Power Holding Tank Chemical	1
39144	Easy Slip Sewer Elbow	1	42061	De-Flapper	1
39163	Easy Slip Internal Hose Coupler	1	42123	Gutter Extensions, 4 pack	1
39173	Easy Slip Straight Hose Adapter	1	42563	RV Awning Stabilizer Kit	1
39413	Straight Sewer Hose Adapter	1	42733	RV Fabric Awning Hooks	1
39463	RV Sewer Cap w/Hose Connector	1	43041	15' Sidewinder Sewer Hose Support	1
39551	Easy Slip Ready To Use Sewer Kit	1	43511	Mini-Dish Drainer	1
39553	Twist It Clamp 3"	1	44412	Wheel Chock	2
39621	HTS 10' Heavy Duty Sewer Hose	1	44560	Stabilizer Jacks 4/Box	1
39631	HTS 20' Heavy Duty Sewer Hose	1	44573	Tri-Leveler, Yellow	1
39761	RhinoFLEX Kit	1	55163	PowerGrip 15M/30F 12" Elec.Adptr	1
40043	TastePure KDF Water Filter	3	55173	PowerGrip 50m/30F amp 18" Adptr	1
40055	Water Pressure Regulator Brass	2	55183	PowerGrip 30m/50F amp 18" Elec.Adptr	1
40103	Holding Tank Rinser	1	55191	PowerGrip 30 amp 25' ext. cord w/ Handles	1
40206	TastePure Drinking Water Freshener 16oz	1	55223	15M / 30F Amp Power Grip Adapter	1
			55233	30M / 15F Amp Power Grip Adapter	1

00103	GE/HP Plug-in 6"-5 turn Y.....	24	00721	Bake Element 2475w/250v.....	26, 27
00113	GE/HP Plug-in 8"-6 turn Y.....	24	00731	Bake Element 2200w/250v.....	26, 27
00143	Universal Economy Plug-in 6"-3 turn Y.....	24	00741	Bake Element 2585w/250v.....	26, 27
00153	Universal Economy Plug-in 8"-4 turn Y.....	24	00751	Bake Element 3100w/240v.....	26, 27
00183	GE/HP 7" -5 turn w/trim ring.....	24	00761	Bake Element 2400w/240v.....	26, 27
00193	GE/HP 9" -6 turn w/trim ring.....	24	00771	Broil Element 3000w/250v.....	26, 27
00223	Universal Economy Plug-in 6"-3 turn Delta.....	24	00791	Bake Element 2500w/240v.....	26, 27
00233	Universal Economy Plug-in 8"-4 turn Delta.....	24	00801	Broil Element 3400w/250v.....	26, 27
00243	Universal Deluxe Plug-in 6" -4 turn Y.....	24	00811	Broil Element 3400w/240v.....	26, 27
00253	Universal Deluxe Plug-in 8" -5 turn Y.....	24	00831	Broil Element 3410w/250v.....	26, 27
00263	Universal Deluxe Plug-in 6" -4 turn Delta.....	24	00853	GE/Hotpoint Receptacle Block.....	24
00273	Universal Deluxe Plug-in 8" -5 turn Delta.....	24	00863	Universal Range Switch.....	24
00283	GE/HP 6" -5 turn w/no trim ring.....	24	00873	Universal Receptacle Block Kit.....	24
00293	GE/HP 8" -6 turn w/no trim ring.....	24	00883	Electric Range Knobs-Top Burner - Black.....	25
00303	GE/HP 6" Chrome Trim Ring.....	25	00893	Electric Range Knob-Burner/Oven - White.....	25
00313	GE/HP 8" Chrome Trim Ring.....	25	00903	Electric Range Knobs-Top Burner - Chrome.....	25
00323	GE/HP 6" Black Porcelain Drip Bowl.....	25	00913	Electric Range Knob-Burner/Oven - Black.....	25
00333	GE/HP 8" Black Porcelain Drip Bowl.....	25	00923	Electric Range Knobs-Top Burner - White.....	25
00343	Universal Electric 6" Chrome Trim Ring.....	25	00933	Electric Range Knob-Burner/Oven - Chrome.....	25
00353	Universal Electric 8" Chrome Trim Ring.....	25	00943	Gas Range Knobs-Top Burner - Black.....	25
00363	Round Chrome Gas Drip Pan (7").....	25	00953	Gas Range Knob-Burner/Oven - White.....	25
00373	Square Chrome Gas Drip Pan (7-3/4").....	25	00963	Gas Range Knobs-Top Burner - Chrome.....	25
00383	Universal Electric 6" Chrome Drip Bowl.....	25	00973	Gas Range Knob-Burner/Oven - Black.....	25
00393	Universal Electric 8" Chrome Drip Bowl.....	25	00983	Gas Range Knobs-Top Burner - White.....	25
00403	GE/HP 6" Chrome Drip Bowl.....	25	00993	Gas Range Knob-Burner/Oven - Chrome.....	25
00413	GE/HP 8" Chrome Drip Bowl.....	25	01013	Dielectric Water Heater Heat Traps.....	15
00423	GE/HP 6" Chrome Drip Pan.....	25	01022	Dielectric Water Heater Heat Traps.....	15
00433	GE/HP 8" Chrome Drip Pan.....	25	01023	Dielectric Heat Trap- Flapper Style.....	15
00443	GE/HP 6" Blk Porcelain Drip Bowl 1990 - Present.....	25	01033	5" Long Dielectric Water Heater Heat Traps.....	15
00453	GE/HP 8" Blk Porcelain Drip Bowl 1990 - Present.....	25	02103	WH Element Screw-in/HWD.....	7
00463	Universal Electric 6" Chrome Drip Pan.....	25	02143	WH Element-Screw-in/HWD.....	7
00473	Universal Electric 8" Chrome Drip Pan.....	25	02152	WH Element-Screw-in/Ultra LWD.....	6
00483	GE/HP 6" Chrome Drip Bowl 1990 - Present.....	25	02163	WH Element-Screw-in/HWD.....	7
00493	GE/HP 8" Chrome Drip Bowl 1990 - Present.....	25	02183	WH Element-Screw-in/HWD.....	7
00503	Universal Electric 6" Black Porcelain Drip Bowl.....	25	02203	WH Element-Screw-in/HWD.....	7
00513	Universal Electric 8" Black Porcelain Drip Bowl.....	25	02223	WH Element-Screw-in/HWD.....	7
00543	GE/HP 6" Black Porcelain Drip Pan.....	25	02243	WH Element-Screw-in/HWD.....	7
00553	GE/HP 8" Black Porcelain Drip Pan.....	25	02263	WH Element-Screw-in/HWD.....	7
00583	Universal Electric 6" Black Porcelain Drip Pan.....	25	02283	WH Element-Screw-in/HWD.....	7
00593	Universal Electric 8" Black Porcelain Drip Pan.....	25	02293	WH Element-Screw-in/HWD.....	7
00611	Bake Element 2400w/240v.....	26	02303	WH Element-Screw-in/HWD.....	7
00621	Bake Element 3000w/250v.....	26	02343	WH Element-Screw-in/HWD.....	7
00631	Bake Element 2700w/240v.....	26	02352	WH Element-Screw-in/HWD.....	7
00641	Bake Element 2500w/240v.....	26	02363	WH Element-Screw-in Foldback/HWD.....	7
00651	Bake Element 3000w/250v.....	26	02382	WH Element-Screw-in/HWD.....	7
00681	Bake Element 2585w/250v.....	26	02392	WH Element-Screw-in/HWD.....	7
00701	Bake Element 2600w/240v.....	26	02463	WH Element-Screw-in/LWD.....	6
00711	Bake Element 2585w/250v.....	26	02483	WH Element-Screw-in/HWD.....	7

02493 WH Element-Screw-in Foldback/LWD	6	06882 Universal Element Gasket	8
02523 WH Element-Screw-in Foldback/LWD	6	06902 Four-Hole Element Gasket	8
02583 WH Element-Screw-in Foldback/LWD	6	06912 Dip Tube Gasket	16
02613 WH Element-Screw-in Foldback/LWD	6	07013 Plumber's Pack-Standard HWD/T-O-D	9
02643 WH Element-Screw-in Foldback/HWD	7	07023 Plumber's Pack-Standard HWD/Apcom	9
02713 WH Element-Duron Foldback/LWD	8	07033 Plumber's Pack-Better-LWD/T-O-D	9
02723 WH Element-Duron Foldback/LWD	8	07043 Plumber's Pack-Better-LWD/Apcom	9
02753 WH Element-Duron Foldback/Ultra LWD	8	07044 Plumber's Pack-Best - LWD/Apcom	9
02853 WH Element-Screw-in Foldback/Ultra LWD	6	07133 Universal Gasket Kit	8
02862 WH Element-Screw-in/HWD	7	07222 2 1/2" Hex Bolt Adopt-A-Flange	8
02903 WH Element-Screw-in Foldback/Ultra LWD	6	07223 Universal Element Adapter Kit	8
02913 WH Element-Screw-in Foldback/Ultra LWD	6	07723 WH Thermostat, Lower/Apcom style	10
02923 WH Element-Screw-in Foldback/Ultra LWD	6	07733 WH Thermostat, Lower-extended shank/Apcom style	10
02929 Heater Element-11 Acre Brew Supply/Ultra LWD	8	07843 WH Thermostat, Single Element/Apcom style	10
02933 WH Element-Screw-in Foldback/Ultra LWD	6	07853 WH Thermostat, Single Element-extended shank/Apcom style	10
02935 Heater Element-11 Acre Brew Supply/Ultra LWD	8	07863 WH Thermostat, Upper/Apcom style	10
02953 WH Element-Screw-in Ripple Foldback/Ultra LWD	6	08013 WH Thermostat, Single Element-120V/TOD style	11
02955 Heater Element-11 Acre Brew Supply/Ultra LWD	8	08103 Lower T-Stat Terminal Protector/TOD	11, 12
02963 WH Element-Screw-in Ripple Foldback/Ultra LWD	6	08113 Upper T-Stat Terminal Protector/TOD	11, 12
02965 Heater Element-11 Acre Brew Supply/Ultra LWD	8	08123 WH Thermostat, Lower/TOD style	11
02972 WH Element-Screw-in/Ultra LWD	6	08130 Thermostat Kit with Jumper Wire	11
03743 WH Element-Flat Flange/HWD	7	08143 WH Thermostat, Single Element/TOD style	11
03923 WH Element-Flat Flange/HWD	7	08163 WH Thermostat, Upper/TOD style	11
03943 WH Element-Flat Flange/HWD	7	08304 Commercial Thermostat, Upper/TOD	12
04103 WH Element-Flat Flange/LWD	6	08314 Commercial Thermostat, Upper/TOD	12
04363 WH Element-Universal Flange/HWD	7	08401 Natural Gas Control/White-Rodgers	13
04383 WH Element-Universal Flange/HWD	7	08421 Natural Gas Control/Robertshaw	13
04443 WH Element-Universal Flange/HWD	7	08461 LP Gas Control/Robertshaw	13
04483 WH Element-Universal Flange/HWD	7	09072 Gas Control Extender	13
04503 WH Element-Universal Flange/HWD	7	09253 12" Thermocouple Kit	13
04523 WH Element-Universal Flange/HWD	7	09273 18" Thermocouple Kit	13
04563 WH Element-Universal Flange/HWD	7	09293 24" Thermocouple Kit	13
04603 WH Element-Universal Flange/HWD	7	09294 Thermocouple Installation Kit	13
04643 WH Element-Universal Flange/HWD	7	09313 30" Thermocouple Kit	13
04703 WH Element-Universal Flange/LWD	6	09333 36" Thermocouple Kit	13
04732 WH Element-Screw-in/HWD	7	09353 48" Thermocouple Kit	13
04752 WH Element-Screw-in/LWD	6	09423 Burner Access Door Kit	13
04762 WH Element-Screw-in/LWD	6	09882 5" Screw-In Element Wrench/Bulk	15
04803 WH Element Universal Flange Foldback/HWD	7	09883 5" Screw-In Element Wrench/Card	15
04943 WH Element Universal Flange Foldback/Ultra LWD	6	09942 4" Heavy Duty Element Wrench/Bulk	15
05741 WH Element-Open Coil/Supreme	8	09943 4" Heavy Duty Element Wrench/Card	15
05742 WH Element-Open Coil/Supreme	8	09951 Professional Element Socket	15
05761 WH Element-Open Coil/Supreme	8	09953 Professional Element Socket - Clamshell	15
05762 WH Element-Open Coil/Supreme	8	09963 Gas Control Wrench	13
05901 WH Element-Open Coil/Economy	8	09973 Water Heater Element Quick Change	9
05902 WH Element-Open Coil/Economy	8	10023 Water Heater Continuity Tester	12
06822 Screw-in Element Gasket	8	10032 Flexible Water Connector-18"/Copper	14
06842 Round Rubber Element Gasket	8	10035 Flexible Water Connector-18"/Copper	14

Numerical Index 10043–20786

10043 Flexible Water Connector-12"/Copper.....	14	10965 Top Mount Runoff Tub - 9.5" H/ 59" V.....	16
10045 Flexible Water Connector-18"/Copper.....	14	11061 Flared Dip Tube (52" vertical) with gasket.....	16
10053 Flexible Water Connector-15"/Copper.....	14	11062 Dip Tube, Flared.....	16
10055 Flexible Water Connector-18"/Copper.....	14	11162 Dip Tube, Threaded.....	16
10063 Flexible Water Connector-18"/Copper.....	14	11163 48" Threaded Dip Tube w/5" Nipple	16
10072 Washer for Water Connectors.....	14	11231 Gas Water Heater Stand Kit.....	13
10083 Flexible Water Connector-24"/Copper.....	14	11235 Gas Water Heater Stand Kit.....	13
10085 Flexible Water Connector-18"/Copper.....	14	11260 WH Drain Pan, 20"/Plastic.....	18
10183 WH Connector Kit, Gas-15"/Copper.....	14	11266 WH Drain Pan, 20"/Plastic.....	18
10193 WH Connector Kit, Gas or Electric-15"/Copper.....	14	11360 WH Drain Pan, 24"/Plastic.....	18
10196 3/4" Compression x 3/4" NPT Fitting.....	14	11366 WH Drain Pan, 24"/Plastic.....	18
10205 1/2" Compression x 3/4" NPT Fitting.....	14	11400 WH Drain Pan, 26"/Plastic.....	18
10223 WH Connector Kit, Gas or Electric-15"x3/4"/Copper.....	14	11406 WH Drain Pan, 26"/Plastic.....	18
10232 Flexible Gas Connector-15"/Stainless Steel, Coated.....	14	11410 WH Drain Pan, 28"/Plastic.....	18
10322 Gas Leak Detector 32 oz w/sprayer.....	12	11416 WH Drain Pan, 28"/Plastic.....	18
10324 Gas Leak Detector, 8 oz sprayer.....	12	11420 WH Drain Pan, 30"/Plastic.....	18
10325 Gas Leak Detector, 8 oz dauber.....	12	11426 WH Drain Pan, 30"/Plastic.....	18
10367 Gas Leak Detector, gallon.....	12	11427 WH Drain Pan, 32"/Plastic.....	18
10368 Gas Leak Detector, 55 gallon.....	12	11429 WH Drain Pan, 32"/Plastic.....	18
10389 Gas Pressure Test Kit.....	12	11430 Tankless Water Heater Drain Pan, Aluminum.....	19
10399 Tapered Rubber Nipple for GP Test Kit.....	12	11432 Tankless Water Heater Drain Pan, Aluminum.....	19
10409 Hose for GPT Kit.....	12	11442 Drain Pan Fitting Kit 1"/1.5" CPVC.....	19
10413 T & P Valve-1/2" w/4" Probe - Lead Free.....	15	11452 Drain Pan Fitting Kit 1"/1.5" PVC.....	18, 19
10421 T & P Valve-1/2" w/4" Probe.....	15	11460 WH Drain Pan, 22"/Plastic.....	18
10423 T & P Valve-1/2" w/4" Probe.....	15	11466 WH Drain Pan, 22"/Plastic.....	18
10427 3/4" Inlet/outlet Valve 3/4" w/ 3-5/16" Shank.....	15	11470 Tankless Water Heater Drain Pan, Plastic.....	19
10433 T & P Valve-3/4" w/1" Probe - Lead Free.....	15	11476 Tankless Water Heater Drain Pan, Plastic.....	19
10443 T & P Valve-3/4" w/4" Probe - Lead Free.....	15	11480 WH Corner Drain Pan, 24"/Plastic.....	18
10453 3/4" w/2.5" Shank, 4" Probe - Lead Free.....	15	11486 WH Corner Drain Pan, 24"/Plastic.....	18
10463 T & P Valve-3/4" w/1" Probe.....	15	11502 Brass WH Drain Valve w/Recirculation Elbow.....	17
10471 T & P Valve-3/4" w/4" Probe.....	15	11505 WH Drain Valve - Brass 4-3/8" Shank.....	17
10473 T & P Valve-3/4" w/4" Probe.....	15	11512 Water Heater Drain Valve/Brass.....	17
10491 T & P Valve-3/4" w/2.5" Shank.....	15	11513 Water Heater Drain Valve/Brass.....	17
10493 T & P Valve-3/4" w/2.5" Shank.....	15	11523 Water Heater Drain Valve/Plastic.....	17
10533 WH Connector Kit, Gas or Electric-18"x3/4"/Copper.....	14	11533 Anode Rod with Drain - for Atwood water heaters.....	16
10552 T&P Valve Remover, Universal.....	15	11543 WH Drain Valve - Plastic 3" Shank.....	17
10602 Dielectric Nipples/3" long.....	15	11553 Anode Rod for Atwood Water Heaters.....	16
10622 Dielectric Nipples/2.5" long.....	15	11563 Anode Rod for Suburban Water Heaters.....	16
10623 Dielectric Nipples/2.5" long.....	15	11572 Anode Rod, 5/8" x 42"/Aluminum.....	16
10634 5" Dielectric Nipples 3/4" x 3/4" NPT.....	15	11582 Anode Rod, 3/4" x 42"/Aluminum.....	16
10735 Flexible Water Connector-15"/Stainless Steel.....	14	11612 Anode Rod-Flexible, 3/4" x 42"/Aluminum.....	16
10742 Flexible Water Connector-18"/Stainless Steel.....	14	11622 Anode Rod-w/dielectric nipple, 3/4" x 42"/Aluminum.....	16
10745 Flexible Water Connector-18"/Stainless Steel.....	14	20500 Washing Machine Hose, 5'.....	20
10755 Flexible Water Connector-24"/Stainless Steel.....	14	20502 Washing Machine Hose, 5'.....	20
10862 Runoff Tube, Side Mount.....	16	20752 Washing Machine Drain Pan.....	20
10952 Runoff Tube, Center Top Mount.....	16	20756 Washing Machine Drain Pan.....	20
10955 Center Top Mount Runoff Tube - 14" H / 59" V.....	16	20762 Apartment-sized Washing Machine Drain Pan.....	20
10962 Runoff Tube, Top Mount.....	16	20786 Low Profile Washer Drain Pan, White.....	20

20788 Low Profile Washer Drain Pan, Pewter.....	20	30907 Xtreme Blue™ Washer Fluid/-20°.....	31
20800 WH Drain Pan, 20"/Aluminum.....	18	30917 Xtreme Blue™ Washer Fluid/-25°.....	31
20801 20" ID Aluminum Drain Pan - unpunched.....	18	30977 Xtreme Blue™ Washer Fluid/+20°.....	31
20806 WH Drain Pan, 20"/Aluminum.....	18	30987 Xtreme Blue™ Washer Fluid/0°.....	31
20810 WH Drain Pan, 26"/Aluminum.....	18	31177 -25° Rain Cutter™ Washer Fluid.....	31
20811 26" ID Aluminum Drain Pan - unpunched.....	18	31178 -25° Rain Cutter™ Washer Fluid.....	31
20813 WH Drain Pan, 26"/Aluminum.....	18	31187 32° Rain Cutter Washer Fluid.....	31
20816 WH Drain Pan, 26"/Aluminum.....	18	32037 0° Rain Cutter™ Washer Fluid.....	31
20830 WH Drain Pan, 24"/Aluminum.....	18	33118 Boiler AL Antifreeze, 55 gallon.....	30
20831 24" ID Aluminum Drain Pan - unpunched.....	18	33119 Boiler AL Antifreeze, 5 gallon.....	30
20833 WH Drain Pan, 24"/Aluminum.....	18	33128 Boiler Antifreeze, Ready-To-Use, 55 gallon.....	30
20836 WH Drain Pan, 24"/Aluminum.....	18	33129 Boiler Antifreeze, Ready-To-Use, 5 gallon.....	30
20840 WH Drain Pan, 22"/Aluminum.....	18	33325 PG38 Fire Sprinkler Antifreeze, 275 gallon.....	31
20841 22" ID Aluminum Drain Pan - unpunched.....	18	33327 PG38 Fire Sprinkler Antifreeze, gallon.....	31
20846 WH Drain Pan, 22"/Aluminum.....	18	33328 PG38 Fire Sprinkler Antifreeze, 55 gallon.....	31
20850 28" ID Aluminum Drain Pan.....	18	33329 PG38 Fire Sprinkler Antifreeze, 5 gallon.....	31
20851 28" ID Aluminum Drain Pan.....	18	33335 GL48 Fire Sprinkler Antifreeze, 275 gallon.....	31
20860 WH Drain Pan, 30"/Aluminum.....	18	33337 GL48 Fire Sprinkler Antifreeze, gallon.....	31
20861 30" ID Aluminum Drain Pan - unpunched.....	18	33338 GL48 Fire Sprinkler Antifreeze, 55 gallon.....	31
20866 WH Drain Pan, 30"/Aluminum.....	18	33339 GL48 Fire Sprinkler Antifreeze, 5 gallon.....	31
20868 11427 H Drain Pan, 32"/Aluminum.....	18	35106 Inhibitor Re-Charge for Boiler Antifreeze.....	30
20870 11427 H Drain Pan, 32"/Aluminum.....	18	36011 Boiler Antifreeze Test Strips.....	30
20922 WH Drain Pan, 24" Square/Aluminum.....	19	40143 3/4" Plastic Water Pressure Regulator.....	17
20932 WH Drain Pan, 30" Square/Aluminum.....	19	42993 Collapsible Bucket.....	9
22863 25 ft Contractor Hose.....	17	42994 Camouflage Bucket.....	9
22873 50 ft Contractor Hose.....	17	51091 Portable Fire Ring.....	28
22883 100 ft Contractor Hose.....	17	57416 Butane Fuel, 78 gram.....	29
22910 12 ft Heated Drinking Water Hose.....	17	57433 GM3 GasMatch.....	29
22911 25 ft Heated Drinking Water Hose.....	17	57453 GM4 GasMatch.....	29
22912 50 ft Heated Drinking Water Hose.....	17	57473 GM9 GasMatches.....	29
23303 Backflow Preventer, 1/2".....	17	57496 Butane Fuel, 165 Grams.....	29
23402 Backflow Preventer, 3/4".....	17	57533 GM12 Multi-Sparker.....	29
23503 Dielectric Union 3/4" FIP.....	16	57543 GM3X GasMatch.....	29
30027 Boiler Antifreeze, gallon.....	30	57561 GM12X Multi-Sparker.....	29
30028 Boiler Antifreeze, 55 gallon.....	30	57591 GM12XE Multi-Sparker.....	29
30029 Boiler Antifreeze, 5 gallon.....	30	57684 GM3XE GasMatch.....	29
30254 Windshield Washer Concentrate.....	31	58031 Little Red Campfire™.....	28
30256 Windshield Washer Concentrate.....	31	58035 Big Red Campfire.....	28
30522 Ice Cutter™ Spray/32 oz.....	31	58041 Propane Campfire.....	28
30527 Ice Cutter™ Washer Fluid, gallon.....	31	59713 Propane Adapter (for use with 1-lb bottle).....	28
30757 Easy Going -50 Antifreeze, gallon.....	30	61065 Range Accessories Display.....	32
30758 Easy Going -50 Antifreeze, 55 gallon.....	30	61585 Water Heater Repair Parts Display.....	33
30759 Easy Going -50 Antifreeze, 5 gallon.....	30	61595 Water Heater Display (Thermodisc).....	35
30807 Arctic Ban -50 Antifreeze.....	30	61675 Water Heater Display (Apcom).....	34
30808 Arctic Ban -50 Antifreeze.....	30	65401 Freeze-Check Refractometer.....	30
30809 Arctic Ban -50 Antifreeze.....	30		

A

Anode Rod - for Atwood RV & Marine Water Heaters.....	16
Anode Rod for Suburban RV and Marine Water Heaters	16
Anode Rods.....	16
Anode Rod with Drain - for Atwood RV & Marine Water Heaters.....	16
Antifreeze	
Boiler Antifreeze.....	30
Boiler Antifreeze, AL.....	30
RV Fresh Water Antifreeze	30

B

Backflow Preventers.....	17
Bake & Broil Elements.....	26, 27
Big Red Campfire.....	28
Boiler Antifreeze Test Strips.....	30
Bucket, Collapsible	9
Bulk Parts Program.....	21
Butane Refills.....	29

C

Campfire, Big Red.....	28
Campfire, Little Red.....	28
Campfire, Portable Propane	28
Compression Fittings.....	14
Contractor Water Hoses.....	17

D

Dielectric Nipple	15
Dielectric Unions.....	16
Dip Tubes	16
Displays	
Range Accessories.....	32
Water Heater Repair.....	33
Water Heater Repair (Apcom).....	34
Water Heater Repair (Thermodisc).....	35
Drain Pan Fittings.....	19
Drain Pans for Tankless Water Heaters	19
Drain Valves.....	17
Drain Valve w/Recirculation Elbow -Brass.....	17

F-G

Fire Ring, Portable	28
Gas Connector.....	14
Gas Control Extender.....	13
Gas Control Wrench	13
Gas Leak Detector	12
GasMatches™	29
Gas Pressure Test Kit	12
Gas Water Heater Stand.....	13

H-I

Heated Drinking Water Hose with t-stat.....	17
Heat Traps	15
Ice Cutter -30 Windshield Washer Fluid.....	31
Inhibitor Re-Charge for Boiler Antifreeze.....	30

L-M

Little Red Campfire™	28
Multi-Sparker, GM12	29

P

Plumber's Packs	9
Propane Adapter (for use with 1-lb bottle).....	28

R

Rain Cutter™ Windshield Washer Fluid.....	31
Range Knobs.....	25
Range Repair Parts.....	24
Refractometer.....	30
Runoff Tubes.....	16

T

Thermocouple Installation Kit	13
Thermocouples.....	13
Thermostat Kit with Jumper Wire	11
Top Burners for Electric Ranges	24
T & P Valve Remover	15
T & P Valves.....	15
Troubleshooting Manuals	
Range Manual.....	1
Water Heater Manual	1

W

Washing Machine Drain Pans	
Apartment Size	20
Low Profile	20
Standard Size.....	20
Washing Machine Hoses.....	20
Water Connectors.....	14
Water Heater Connector Kits	14
Water Heater Drain Pans	18
Water Heater Element Conversion Kit.....	8
Water Heater Element Gaskets.....	8
Water Heater Element Quick Change	9
Water Heater Elements	6, 7, 8
Duron® LWD and Ultra LWD	8
High Watt Density	7
Lime Life-Ultra LWD.....	6
Low Watt Density	6
Open Coil Dry.....	8
Water Heater Element Warranty	3
Water Heater Element Wrenches	15
Water Heater Gas Controls	
LP Gas Control.....	13
Natural Gas Control.....	13
Water Heater Parts Diagram.....	3
Water Heater Repair Kits.....	9
Water Heater Tester	12
Water Heater Thermostats	
Apcom Style	10
Therm-O-Disc Commercial.....	12
Therm-O-Disc Style.....	11
Water Heater Thermostats, About.....	12
Water Hoses, Drinking.....	17
Windshield Washer Concentrate, Xtreme Blue™	31

X

Xtreme Blue™ Windshield Washer Fluid	31
--	----



**CamcoUSA / 121 Landmark Drive / Greensboro, NC 27409 / www.camco.net
PlumbingPO@camco.net / 800-334-2004 / Fax: 336-668-2049**