

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name	Carbona 2 in 1 Oven Rack and Grill Cleaner
Version #	1.0
Issue date	04-16-2013
Revision date	04-16-2013
CAS #	Mixture
Product code	13122004
Product use	consumer use
Manufacturer	
Address	376 Hollywood Ave., Suite 208 Fairfield, NJ 07004
Company name	Delta Carbona L.P. USA
Telephone number	(973)808-6260
Fax Contact person	(973)8008-5661 Tim Wells
Contact person E-mail	Twells@carbona.com
Emergency telephone number	(973) 808-6260
2. Hazards Identification	
Emergency overview	WARNING
	Irritating to eyes and skin. Irritating to respiratory system. Prolonged exposure may cause chronic effects.
OSHA regulatory status	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects	
Routes of exposure	Inhalation. Ingestion. Skin contact.
Eyes	Causes eye irritation. Avoid contact with eyes.
Skin	Irritating to skin. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Avoid contact with the skin.
Inhalation	Irritating to respiratory system. Prolonged inhalation may be harmful. Avoid breathing dust/fume/gas/mist/vapors/spray.
Ingestion	Components of the product may be absorbed into the body by ingestion. Do not ingest.
Target organs	Respiratory system. Skin.
Chronic effects	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Signs and symptoms	Irritating to mouth, throat, and stomach. Defatting of the skin. Skin irritation. Rash.
Potential environmental effects	Components of this product are hazardous to aquatic life. May cause long-term adverse effects in the environment.

3. Composition / Information on Ingredients

Components	CAS #	Percent	
SODIUM HYDROXIDE	1310-73-2	<= 1	

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off with warm water and soap. Get medical attention if irritation develops and persists. Take off contaminated clothing and wash before reuse.

Inhalation	Move to fresh air. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If ingestion of a large amount does occur, call a poison control center immediately.
Notes to physician	Symptoms may be delayed.
General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

5. Fire Fighting measures			
Flammable properties	No unusual fire or explosion hazards noted.		
Extinguishing media			
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Protection of firefighters			
Protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.		
Fire fighting equipment/instructions	Water runoff can cause environmental damage. Dike and collect water used to fight fire.		
Specific methods	Water runoff can cause environmental damage. Dike and collect extinguishing water.		
Hazardous combustion products	Carbon oxides.		
6. Accidental Release Meas	sures		
Personal precautions	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them.		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.		
Methods for containment	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.		
Methods for cleaning up	Should not be released into the environment. This product is miscible in water.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.		

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

7. Handling and Storage

Handling	Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid contact with eyes. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Avoid release to the environment. Handle and open container with care.
Storage	Store in a well-ventilated place. Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Use care in handling/storage.
	Avoid frost. Keep away from acids.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	
SODIUM HYDROXIDE (1310-73-2)	Ceiling	2 mg/m3	

Components	Туре	Value	
SODIUM HYDROXIDE (1310-73-2)	PEL	2 mg/m3	
ngineering controls	Ensure adequate ventilation, especi	ally in confined areas.	
ersonal protective equipment			
Eye / face protection	Avoid contact with eyes. Chemical goggles are recommended. Eye wash fountain is recommended.		
Skin protection	Avoid contact with the skin. Wear appropriate chemical resistant clothing. Chemical resistant gloves.		
Respiratory protection	Wear positive pressure self-contained breathing apparatus (SCBA).		
General hygiene considerations	Avoid contact with eyes. Avoid contact with skin. Keep away from food and drink. Handle accordance with good industrial hygiene and safety practice.		

9. Physical & Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance			
Physical state	Liquid.		
Form	liquid		
Color	White.		
Odor	Odorless.		
Odor threshold	Not available.		
рН	12.9		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Flash point	Not applicable.		
Evaporation rate	Not applicable.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or expl	osive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Vapor pressure	Not applicable.		
Vapor density	Not applicable.		
Relative density	Not available.		
Solubility(ies)	miscible		
Partition coefficient (n-octanol/water)	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not applicable.		
Explosive properties	Not available.		
Oxidizing properties	Not available.		
9.2. Other information			
Density	1.01 g/cm ³		
10 Chemical Stability & Reactivity Information			

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	None under normal conditions.
Incompatible materials	Strong acids.
Hazardous decomposition products	No hazardous decomposition products are known.

<u>11. Toxicological Information</u>

Toxicological data			
Components	Species	Test Results	
SODIUM HYDROXIDE (1310-	73-2)		
Acute			
Other			
LD50	Mouse	40 mg/kg	
Acute effects	Causes skin and eye irritation.		
Local effects		Components of the product may be absorbed into the body through the skin. Irritating to respiratory system. Irritating to eyes. Irritating to skin.	
Chronic effects	Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Due to lack of data the classification is not possible.		
Skin corrosion/irritation	Irritating to skin.		
Further information	Non-corrosive in the "Human S	kin Model Test"	

12. Ecological Information

Ecotoxicological data			
Components		Species	Test Results
SODIUM HYDROXIDE (1310-73-	-2)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affi	nis) 125 mg/l, 96 hours
Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment. Large amounts of the product may affect the acidity (pH-factor) in water with possible risk of harmful effects to aquatic organisms.		
Environmental effects	Harmful to aquatic organisms. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.		
Persistence and degradability	Not available.		
Mobility in environmental media	This product is miscible in water.		

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations	 This product is a "Hazardous Chemical" as defined by the OSHA Haza Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. 	ard Communication
Drug Enforcement Administ Not regulated. DEA Essential Chemical Co	aration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 13 de Number	10.04(f)(2)
-	ration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12	(c))
Not regulated. DEA Exempt Chemical Mixt Not regulated.	ures Code Number	
CERCLA (Superfund) reportable SODIUM HYDROXIDE: 1000	quantity	
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
Section 302 extremely hazardous substance	No	
Section 311 hazardous chemical	No	
Inventory status		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Pr	oposition 65): This material
US New Jareau BTK Sub	is not known to contain any chemicals currently listed as carcinogens of	or reproductive toxins.
US - New Jersey RTK - Subs SODIUM HYDROXIDE (C US - Pennsylvania RTK - Ha SODIUM HYDROXIDE (C	CAS 1310-73-2) Listed. zardous Substances: Listed substance	
16. Other Information		
Further information	HMIS® is a registered trade and convice mark of the NPCA	
HMIS® ratings	HMIS® is a registered trade and service mark of the NPCA. Health: 1 Flammability: 0 Physical hazard: 1	
NFPA ratings	Health: 1 Flammability: 0 Instability: 1	

The information in the sheet was written based on the best knowledge and experience currently available.