



GIBRALTAR

BUILDING PRODUCTS

AWARD | NOLL | NORWESCO | CMI

Flashing - Roofing



AZ, CA, CO, HI, NV, WY

800-576-9810

BALDWIN PARK, CA (Award Metals)
1450 Virginia Ave.,
Baldwin Park, CA 91706

Tel: 626-814-4410
Fax: 626-338-0318

BALDWIN PARK, CA (CMI)
1315 Vineland Ave.,
Baldwin Park, CA 91706

Tel: 909-390-9880
Fax: 951-685-1165

STOCKTON, CA (Noll)
1780 Industrial Drive,
Stockton, CA 95206

Tel: (209) 234-1600
Fax: 209-234-5992

AK, ID, MT, OR, UT, WA

800-426-0940

FIFE, WA (Norwesco)
3011 70th Ave. E.,
Fife, WA 98424-3609

Tel: 800-426-0940
Fax: 800-343-3063

NOTE: Product availability is subject to change without notice. All products are not necessarily stocked in all regions. Call your Gibraltar Building Products rep. for a detailed response.

Lineal Flashing

Bird Stop	3
Counter Flashing	3
Fascia Cap	3
Gravel Stop	3
L-Flashing, 90°	4
Roof Edge, Drip	5
Style-D Roof Edge	6
Roof Edge, Hemmed	6
Grip Edge	6
3-Way Roof Edge	6
T-Metal	6
Rain Diverter	6
Roof Starter	6

Transition Flashing

Roof to Wall	7
Saddle Stock	7
Termite Shield	6
Eave Riser	8
Tile Riser	8
Tile Hold Down Clip	8
Tile Pan	8
W-Valley	8
Z-Flashing	9
Siding Corner	9

Roll Flashing

Galvanized Rolls	10
Copper Barrier	10
Aluminum Rolls	10
Painted Roll Flashing	10
7 inch Spool Rolls	10

Flat Stock & Step Flashing

Flat Stock - 3 ft. x 4 ft.	11
Flat Shingles	11
Step Flashing	12

Pipe Flashing


Adjustable Pipe Flashing	13
FHA Pipe Flashing	13
Plumber's Flashing	14
Roof Outlet	14
Scuppers	14
Flue Guard™	14

Roofing Panels & Safety

2 1/2 in. Corrugated Panels	15
PBR Panels	15
Butyl Tape	15
Roof Brackets	15
Moss Control Zinc Roll	15
Fall Protection	15

Bird Stop

30 Gauge



	Charcoal	Red	QTY
Eagle Capistrano	3BSC30EC11	3BSR30EC	10
Eagle Malibu	3BSC30EM11	3BSR30EM11	10
MonierLifetile Barcelona	3BSC30LB	3BSR30LB	10
MonierLifetile Espana	3BSC30LE	3BSR30LE	10
MonierLifetile Villa	3BSC30MV	3BSR30MV	10

Counter Flashing

26 Gauge

26 GAUGE BUILDING CODE RECOMMENDED




Size: A x B	Galvanized	Zinc	QTY
3 in. x ½ in.	-	3CTF.53Z26	10
5 in. x ½ in.	3CTF.53Z26	3CTF.55Z26	10
6 in. x ½ in.	-	3CTF.56Z26	10

Fascia Cap


28 Gauge Painted

Protects roof edges by diverting water away from a wooden fascia board. The lower face has a drip edge; the upper face has a grip edge.

Dark Brown. • **FC2BRW** • QTY: 10

Gravel Stop

28 Gauge • Pack QTY: 10




Size: A x B	Galvanized	Bonderized	Zinc	Black	Brown	White
2 in. x 4 in.	-	GS24B + 1/2"	CS24Z + 1/4"	-	CS24BR + 1/4"	CS2418WH + 1/8"
2 ¼ in. x 2 in.	516769 + 5/8"	-	-	-	-	517770 + 5/8"
3 in. x 3 in.	GS33G + 1/2"	-	CS33Z + 1/4"	-	CS33BR + 1/4"	-
3 in. x 4 in.	CS34G + 1/4"	-	-	-	-	-
4 in. x 4 in.	-	GS44B + 1/2"	-	-	-	-

2 in. x 4 in. with 1/8" rise • **CS2418BR** • Brown

Gravel Stop

26 Gauge • QTY: 10

26 GAUGE BUILDING CODE RECOMMENDED




2 ¼ in. x 2 in.
Black **517870 + 5/8"**

2 in. x 4 in.
Galvanized **CS2418G-26 + 1/8"**
Zinc **CS24Z-26 + 1/4"**
White **CS2418WH-26 + 1/8"**

Grip Edge Gravel Stop

28 Gauge • QTY: 10




2 in. x 4 in.
Galvanized **GEGS24G**

4 in. x 4 in.
Galvanized **GEGS44G**


RAISE YOUR EXPECTATIONS!

Gibraltar's new lean assortment of Professional Grade roofing metal is **ready when you are.**



Bare Metal L-Flashing


Pack Quantities: 20



Size: A x B	Galvanized		Bonderized	Stainless	Zinc
	30 Ga.	28 Ga.	28 Ga.	28 Ga.	28 Ga.
1 in. x 1 in.	516707	-	-	-	-
1 in. x 1 ½ in.	516702	LF115G	-	-	-
1 ½ in. x 1 ½ in.	516704	LF15G	-	-	-
1 in. x 2 in.	516703	LF12G	-	LF12SS	-
1 in. x 3 in.	-	516752	-	-	-
2 in. x 2 in.	-	LF22G	-	-	-
2 in. x 3 in.	-	LF23G	-	-	-
2 in. x 4 in.	-	LF24G	-	-	-
3 in. x 3 in.	-	LF33G	LF33B	-	LF33Z
3 in. x 4 in.	-	516750	-	-	LF34Z
3 in. x 5 in.	-	-	-	-	LF35Z
4 in. x 4 in.	-	LF44G	-	-	-
4 in. x 5 in.	-	LF45G	-	-	-
4 in. x 6 in.	516695	LF46G	-	-	LF46Z
6 in. x 6 in.	-	LF66G	-	-	-

Painted L-Flashing


Pack Quantities: 20



Size: A x B	Black		Dark Brown		Gray	White	
	30 Ga.	28 Ga.	30 Ga.	28 Ga.	30 Ga.	30 Ga.	28 Ga.
1 in. x 1 ½ in.	-	-	516802	-	-	516902	-
1 ½ in. x 1 ½ in.	-	-	516804	LF15BRW	-	516904	-
1 in. x 2 in.	-	-	516803	-	-	516903	-
1 in. x 3 in.	-	-	516852	-	-	516952	-
2 in. x 2 in.	-	-	516805	LF22BRW	LF22GR-30	516905	-
2 in. x 3 in.	516653	-	516853	LF23BRW	-	516953	-
2 in. x 4 in.	-	-	516846	-	-	516946	-
3 in. x 3 in.	-	-	516806	-	-	516906	-
3 in. x 5 in.	-	-	-	516857	-	-	-
4 in. x 4 in.	-	516608	-	516808	-	-	516908
4 in. x 6 in.	-	-	-	820406	-	-	LF46WH
6 in. x 6 in.	-	-	-	516809	-	-	-

26 Gauge L-Flashing


Pack Quantities: 10



Size: A x B	Galvanized	Dark Brown	Gray	Black	Zinc
1 in. x 3 in.	-	-	-	516265	-
2 in. x 2 in.	LF22G-26	LF22BRW-26/517222	517220	517221	-
2 in. x 3 in.	-	517111	-	516206	-
2 in. x 4 in.	LF24G-26	-	-	-	-
3 in. x 4 in.	LF34G-26	-	-	-	LF34Z-26
4 in. x 4 in.	LF44G-26	-	516508	-	LF44Z-26
4 in. x 6 in.	LF46G-26	-	-	-	LF46Z-26

Bare Metal Roof Edge

Drip Edge · Pack Quantities: 20



* 110° bend

PNW - Pacific Northwest


	Galvanized			Bonderized		Copper	Stainless	Zinc	
Size: A x B	30 Ga.	28 Ga.	26 Ga.	28 Ga.	26 Ga.	16 oz.	28 Ga.	28 Ga.	26 Ga.
1 in. x 2 in.	-	RE12G	-	RE12B	-	-	-	-	-
1 3/8 in. x 1 3/4 in. 516764	-	-	-	-	-	-	-	-	-
1 1/2 in. x 1 1/2 in.	-	RE15G	RE15G-26	RE15B	-	-	RE15SS	RE15Z	RE15Z-26
1 1/2 in. x 2 in.	-	-	-	-	-	RE152CPR	-	-	-
2 in. x 3/4 in. 516765	-	-	-	-	-	-	-	-	-
2 in. x 2 in.	-	RE22G	RE22G-26	-	-	RE22CPR	-	RE22Z	RE22Z-26
2 in. x 2 in. PNW	-	516793	-	-	-	-	-	-	-
2 in. x 3 in.	-	RE23G	-	RE23B	-	-	-	-	-
2 in. x 4 in.	-	RE24G	RE24G-26	-	RE24B-110-26*	-	-	RE24Z	RE24Z-26
2 in. x 8 in.	-	RE28G	-	-	-	-	-	-	-
3 in. x 3 in.	-	RE33G	-	-	-	-	-	-	RE33Z-26

Painted Roof Edge

Drip Edge · Pack Quantities: 20

	Black			Brown		Charcoal		Dark Brown			Gray			R. Brown	White		
Size: A x B	30 Ga.	28 Ga.	26 Ga.	28 Ga.	26 Ga.	28 Ga.	26 Ga.	30 Ga.	28 Ga.	26 Ga.	30 Ga.	28 Ga.	26 Ga.	28 Ga.	30 Ga.	28 Ga.	26 Ga.
1 3/8 in. x 1 in.	-	516121	-	-	-	-	-	517978	-	-	-	-	-	-	517979	-	-
1 3/8 in. x 1 3/8 in. 5/12P 517480	-	-	-	-	-	-	-	517514	-	-	517193	-	-	-	517424	-	-
1 3/8 in. x 1 3/8 in. 516564	-	-	516172	-	-	-	-	516864	-	516170	516664	-	516173	-	516964	-	516171
1 1/2 in. x 1 1/2 in.	-	RE15BL	-	RE15BR	-	RE15CH	RE15CH-26	-	RE15BRW	-	-	RE15GR	RE15GR-26	RE15BRU	-	RE15WH	RE15WH-26
2 in. x 3/4 in.	-	-	-	-	-	-	-	516865	-	-	-	-	-	-	-	-	-
2 in. x 1 1/8 in. 100° bend	-	-	-	-	-	-	-	-	517187	-	-	-	-	-	-	517186	-
2 in. x 1 1/2 in. 100° bend	-	-	-	-	-	-	-	516346	517191	-	-	-	-	-	-	517185	-
2 in. x 2 in.	-	-	-	RE22BR	RE22BR-26	RE22CH	RE22CH-26	-	RE22BRW	-	-	-	RE22GR-26	RE22BRU	-	RE22WH	RE22WH-26
2 in. x 2 in. PNW 517776	-	-	517969	-	-	-	-	516876	-	517967	517966	-	517949	-	516976	-	517229
2 in. x 3 in.	-	-	-	RE23BR	-	RE23CH	-	-	RE23BRW	-	-	-	-	RE23BRU	-	RE23WH	-
2 in. x 4 in.	-	-	-	RE24BR	RE24BR-26	RE24CH	RE24CH-26	-	-	-	-	-	RE24GR-26	-	-	RE24WH	RE24WH-26
3 in. x 3 in.	-	RE33BL	-	RE33BR	-	RE33CH	RE33CH-26	-	RE33BRW	-	-	-	-	RE33BRU	516982	RE33WH	-
3 in. x 3 in. PNW 516890	-	-	-	-	-	-	-	516883	-	-	-	-	-	-	-	517656	-
4 in. x 1 3/8 in. x 3/8	-	-	-	-	-	-	-	-	517046	-	-	-	-	-	-	-	-
4 in. x 1 3/4 in. x 1/4	-	-	517572	-	-	-	-	-	-	517573	-	-	-	-	-	-	517574

Style-D




Size	Galvanized	QTY	Black	QTY	Brown	QTY	Dk. Brown	QTY	Gray	QTY	Royal Brn	QTY	White	QTY
30 Gauge Hemmed	516763	25	516663	25	-	-	516863	25	517963	25	-	-	516963	25
28 Gauge Hemmed PNW	SDG	25	SDBL	25	-	-	SDBRW	25	SDGR	25	SDBRU	25	SDWH	25
26 Gauge Hemmed	-	-	517970	10	-	-	517980	10	-	-	-	-	517990	10
26 Gauge No Hem	-	-	-	-	SDBR-26	25	-	-	-	-	-	-	SDWH-26	25

PNW - Pacific Northwest


UNBOXED 30 Gauge - 400 pieces
Dark Brown - **517070** • White - **516983**

Hemmed Roof Edge 28 Gauge




Galvanized	RE90G	10	Galvanized	REL90G	10
Black	RE90BL	10	Black	REL90BL	10
Clay	RE90CL	10	Roy. Brown	REL90BRU	10
Roy. Brown	RE90BRU	10	White	REL90WH	10
Tan	RE90TN	10	Special 90		
White	RE90WH	10	Dk. Brown	516837	10
			White	516937	10

Grip Edge 28 Gauge




Size: A x B	Galvanized	Brown	Charcoal	White	QTY
1 in. x 2 in.	GE12G	-	-	-	30
1 1/2 in. x 1 1/2 in.	GE15G	GE15BR	GE15CH	GE15WH	30
2 in. x 2 in.	GE22G	GE22BR	GE22CH	GE22WH	30
2 in. x 3 in.	-	-	-	GE23WH	30

3-Way Roof Edge 28 Gauge



Material	Part #	QTY
Bonderized Steel	3W4B	10
Brown Painted Steel	3W4BR	10
White Painted Steel	3W4WH	10


T-Metal 26 Gauge · QTY: 10



	Black	D. Brown	Gray	White
A	TMETBL-26	TMETBRW-26	516228	516226
B	517203	517201	-	517204

30 Gauge T-Metal (option A) Black: **516675** • Dark Brown: **516875**

Rain Diverter



Description	Part #	QTY
28 Ga. Galvanized - 1 1/2 in. x 4 in. x 1/2 in. - 6 ft. Length	RD672G	20

Roof Starter

#230. · QTY: 10


Size : A x B x C

3 1/4" x 1" with 1/4" hem


Ga.	Galvanized	Stainless	Black	Dk. Brown	White
28	RSG	RSSS	516670	516860	516960
26	-	-	517132	517130	517131

2 3/8" x 1 1/4" with 3/8" hem

Ga.	Black	Brown	Gray	White
26	517387	517388	517389	517390



Bare Metal Roof to Wall




* 120°

** 6 in. product has stiffener kick

Size: A x B	Galvanized 28 Ga.	Galvanized 26 Ga.	Bonderized 28 Ga.	16 oz. Copper	Zinc 28 Ga.	Zinc 26 Ga.	QTY
2 in. x 3 in.	RW23G	RW23G-26	-	-	-	-	10
2 in. x 4 in.	-	-	-	-	-	RW24Z-26-110	10
2 in. x 6 in.	RW26G	-	RW26B	-	-	RW26Z-26-110	10
3 in. x 5 in.	RW35G	-	-	-	RW35Z-110	-	10
4 in. x 4 in.	-	-	-	-	-	RW44Z-26-110	10
4 in. x 5 in.	RW45G-120*	-	-	-	-	-	10
4 in. x 6 in.	RW46G**	RW46G-26**	-	RW46CPR**	-	RW46Z-26-110**	10

9/12 Roof to Wall




26 Gauge

1 in. x 3 in. Black **517123** Brown **517121**
 3 in. x 5 in. **516260** **516261**

Painted Roof to Wall

Pack Quantities: 20



* 120°

** 6 in. product has stiffener kick


Size: A x B	Black			Dark Brown			Gray		White		
	30 Ga.	28 Ga.	26 Ga.	30 Ga.	28 Ga.	26 Ga.	30 Ga.	26 Ga.	30 Ga.	28 Ga.	26 Ga.
1 in. x 3 in.	516655	-	516215	516847	-	516213	517947	516216	516947	-	516214
2 in. x 3 in.	-	-	516219	-	-	516217	-	-	-	-	-
3 in. x 5 in.	-	RW35BL	516223	-	RW35BRW	516221	-	517956	-	516956	-
4 in. x 4 in.	-	516610	-	-	516810	-	-	-	-	516910	-
4 in. x 6 in.	-	-	-	-	516511	-	-	-	-	-	-
6 in. x 6 in.	-	-	-	-	516812	-	-	-	-	-	-

Saddle Stock




26 BUILDING CODE
GAUGE RECOMMENDED

Size: A x B	Galvanized	Black	Dk. Brown	Gray	QTY
4 in. x 14 in. - 28 Ga.	SS414G	-	-	-	10
4 in. x 14 in. - 26 Ga.	SS414G-26	-	-	-	10
5 in. x 13 in. - 28 Ga.	-	517772	518772	-	5
5 in. x 13 in. - 26 Ga.	-	517786	517784	517787	5




Eave Riser

28 Gauge Galvanized



Tile Riser

4:12 Pitch · Weep & Nail Holes




Size	Part #	QTY.
28 Gauge Charcoal	3TR1.5C28	10
26 Gauge Charcoal	3TR1.5C26	10
28 Gauge Brown	3TR1.5BR28	10
26 Gauge Brown	3TR1.5BR26	10
26 Gauge Weathered Gray	3TR1.5WGR26	10

Tile Hold Down Clip

18 Ga. G60 Galvanized

Size	Part #	QTY.
1 3/4 in.	3TH1.75	500
2 in.	3TH2	500
2 1/2 in.	3TH2.5	500
2 5/16 in.	3TH2.313	500
2 5/8 in.	3TH2.625	500
3 in.	3TH3	500


Tile Pan



Size: A x B x C	Galvanized	Zinc	QTY.
3 1/2 in. x 6 in. x 1/2 in. - 28 Ga.	TP10G	-	10
3 1/2 in. x 6 in. x 1/2 in. - 26 Ga..	TP10G-26	TP10Z-26	10
4 in. x 6 in. x 1 in. - 26 Ga.	TP11G-26	-	10
4 in. x 6 in. x 1 in. - 45° - 26 Ga.	TP11G-26-45	-	10
4 in. x 7 in. x 1 in. - 26 Ga.	TP12G-26	TP12Z-26	10
4 in. x 7 in. x 1 in. - 45° - 26 Ga.	TP12G-26-45	TP12Z-26	10
6 in. x 8 in. x 1 in. - 45° - 26 Ga.	TP15G-26-45	-	10
6 in. x 8 in. x 1 in. - 45° Hem+Rib - 26 Ga.	TP15G1R-26-45	-	10




W-Valley



Description	Galvanized	Zinc	Black	Brown	Charcoal	Dark Brown	White	Gray	WWood Gray	QTY.
18 in. - Hemmed	V18G	-	-	V18BR	V18CH	-	V18WH	-	-	10
24 in. - Hemmed	V24G	V24Z	V24BL	V24BR	-	V24BRW	-	-	-	10
18 in. - No Hem	-	-	516239	-	-	516237	-	-	-	10
20 in. - No Hem	-	-	-	-	V20BR-26-NH	-	-	-	V20WGR-26	10
24 in. - Hemmed	V24G-26	-	516247	-	-	516253	-	516257	-	10

Zinc W-Valley


26 Gauge · QTY: 10



Description	Part #
18 in., Hem	V18Z-26
18 in., No Hem	V18ZNH-26
24 in., 3 Rib, Hem	V24Z3R-26
24 in., 5 Rib, O. Hem	V24Z5ROH-26
24 in., Hem	V24Z-26
26 in., 3 Rib, O. Hem	V26Z3ROH-26

Clerestory


26 Gauge · QTY: 10



Size: A x B	Black	QTY
5 in. x 3 in.	517710	10

Millwork Z-Flashing

28 Gauge · Pack Quantity: 20




* 8 ft. lengths

Size: A x B x C	Galvanized	Bonderized	White
3/8 in. x 1 1/8 in. x 2 in.	SZB118G-2	-	SZB118WH-2
3/8 in. x 1 1/4 in. x 2 in.	SZB125G-2	-	-
3/8 in. x 1 1/2 in. x 2 in.	SZB115G-2	-	-
1/4 in. x 1 1/4 in. x 1 3/8 in.*	FLGAWF	-	-
1/2 in. x 1 1/2 in. x 2 in.	WT22G	WT22B	-

Z-Flashing

30 Gauge · Pack Qty: 20



Size: A x B x C	Galv.	Bond.	Dk. Brn	White
1/4 in. x 1 1/4 in. x 1 in.	516766	-	516866	516966
1/4 in. x 1 1/2 in. x 1 in.	516786	-	516886	516986
1/4 in. x 1 5/8 in. x 1 in.	-	-	516896	-
3/8 in. x 1/2 in. x 2 1/8 in.	-	517757	-	-
3/8 in. x 5/8 in. x 2 in.	-	517921	-	-
3/8 in. x 1 in. x 3/4 in.	870125	-	820290	516927
3/8 in. x 1 1/8 in. x 3/4 in.	820067	-	820294	516915
3/8 in. x 2 in. x 3/4 in.	-	-	516836	-

Z-Flashing

28 Gauge · Pack Quantity: 20


Size: A x B x C	Galvanized	Bonderized	Brown	Dark Brown	White
1/4 in. x 1 1/4 in. x 2 in.	-	-	-	-	517198*
3/8 in. x 5/16 in. x 2 1/4 in.	516724	-	-	-	-
3/8 in. x 3/8 in. x 2 1/4 in.	SZB38G	-	SZB38BR	516821	SZB38WH
3/8 in. x 7/16 in. x 2 1/4 in.	SZB716G	-	-	-	-
3/8 in. x 1/2 in. x 2 1/8 in.	SZB12G	-	-	SZB12BRW	516958
3/8 in. x 5/8 in. x 2 in.	SZB58G	SZB58B	SZB58BR	SZB58BRW	SZB58WH
3/8 in. x 3/4 in. x 1 7/8 in. - 8 ft.	SZB34GAL-8	-	-	-	-
3/8 in. x 3/4 in. x 1 7/8 in.	SZB34G	SZB34B	-	516859	516959
3/8 in. x 3/4 in. x 2 in.	-	-	-	-	517734*
3/8 in. x 1 in. x 1 5/8 in.	SZB38G-1158	-	-	-	517267
3/8 in. x 1 in. x 2 in.	SZB1G-2	-	-	516623*	517737*
3/8 in. x 1 1/2 in. x 6 in.	-	-	-	517314	-
3/8 in. x 2 in. x 3/4 in.	820099	-	-	-	-
3/8 in. x 2 1/2 in. x 1 1/2 in.	-	516592	-	-	-
2 in. x 1 in. x 2 in.	ZB5G	-	-	-	-
2 in. x 1 in. x 3 in.	ZB6G	ZB6B	-	-	-

All bends 90° except those marked with * 100° B leg

Z-Flashing

26 Gauge · Pack Quantity: 20


26 GAUGE BUILDING CODE RECOMMENDED



Size: A x B x C	Galvanized
3/8 in. x 1 in. x 2 in.	SZB1G-26
3/8 in. x 1 1/4 in. x 2 in.	SZB125G-26
3/8 in. x 1 1/2 in. x 2 in.	SZB112G-26
2 in. x 1 in. x 2 in.	ZB5G-26
2 in. x 1 in. x 3 in.	ZB6G-26
2 in. x 1 1/2 in. x 2 in.	ZB55G-26

Stainless Z-Flashing

28 Gauge · Pack Qty: 20



Size: A x B x C	Stainless Steel
3/8 in. x 5/8 in. x 2 in.	SZB58SS
3/8 in. x 3/4 in. x 1 in. 7/8 in.	SZB34SS
3/8 in. x 1 in. x 2 in.	SZB1SS-2
3/8 in. x 1 1/2 in. x 2 in.	SZB115SS-2

Siding Corners

26 Ga. Bonderized Steel



Size	Part #	QTY.
1/2 in. x 6 in.	513002	200
1/2 in. x 8 in.	SC128	200
3/4 in. x 8 in.	513010	200
3/4 in. x 12 in.	SC3412	200

Galvanized Roll Flashing



Size	30 Gauge					26 Gauge
	10 ft.	25 ft.	50 ft.	25 ft.	50 ft.	50 ft.
7 in.	518940	518945	518906	RV725G	-	-
8 in.	-	-	518907	-	-	RV850G-26
10 in.	518941	518946	ERV1050G	RV1025G	-	-
12 in.	-	-	-	RV1225G	-	-
14 in.	518942	518947	518902	RV1425G	RV1450G	-
16 in.	-	-	518917	-	-	-
20 in.	518943	518948	518904	RV2025G	-	RV2050G-26
24 in.	-	-	518919	-	RV2450G	-

Copper Roll

3 oz.



10 in. x 20 ft • CPS1020 • QTY: 8

Gibraltar Building
Products West

READY to ROLL

Put us to The Test!
800-576-9810

Aluminum Roll Flashing



	10 ft.	25 ft.	50 ft.
6 in.	-	RV625A*	-
7 in.	RV710A	518955	RV750A
8 in.	-	RV825A	-
10 in.	RV1010A	RV1025A	RV1050A
14 in.	-	RV1425A	RV1450A
20 in.	RV2010A	RV2025A	RV2050A
28 in.	-	-	511942

All pack quantities are 3, except 50 ft. which are 1, and RVA625* which is a 6 pack

Painted Steel Roll Flashing

Pack Quantity: 1

Size	Dark Brown 30 Gauge			Black/Gray 30 Ga.	Black/Dark Brown 26 Ga.
	10 ft.	25 ft.	50 ft.	50 ft.	50 ft.
7 in.	518980	518985	518932	-	-
8 in.	-	-	-	-	-
10 in.	518981	518986	518933	-	-
14 in.	518982	518987	518930	518991	519027
16 in.	-	-	518929	-	-
20 in.	518983	518988	-	RV2050BLGR	519028
24 in.	-	-	518960	-	-


Painted Aluminum Roll Flashing

White over Brown

Size	Part #	QTY
10 in. x 10 ft. - White/Brown Aluminum	RV1010WHBRA	3
14 in. x 10 ft. - White/Brown Aluminum	RV1410WHBRA	3

7" Spool Painted Steel Roll Flashing

7 inch diameter spool



Size	Part #	QTY
20 in. x 50 ft. - Black/Gray - 28 Ga.	RV2050BLGR	1
20 in. x 50 ft. - Dark Brown - 28 Ga.	RV2050BRW-7	1
20 in. x 50 ft. - White - 28 Ga.	RV2050WH-7	1

Galvanized Flat Shingles



Size	Part #	QTY
5 in. x 7 in. 30 Ga. Galvanized Steel	511001	100
5 in. x 8 in. 30 Ga. Galvanized Steel	511002	100
8 in. x 12 in. 30 Ga. Galvanized Steel	511011	50
5 in. x 7 in. 28 Ga. Galvanized Steel - 25 pack	S57G-25	10
5 in. x 7 in. 28 Ga. Galvanized Steel - each	S57EA-200	200
5 in. x 8 in. 28 Ga. Galvanized Steel - each	S58EA-200	200
6 in. x 8 in. 28 Ga. Galvanized Steel	S68G-100	100
8 in. x 8 in. 28 Ga. Galvanized Steel - 25 pack	S88G-25	10
8 in. x 12 in. 28 Ga. Galvanized Steel	S812G-50	50
8 in. x 12 in. 28 Ga. Galvanized Steel - each	S812EA-100	100

Flat Stock



Size	Part #	QTY
3 ft. x 4 ft. 28 Gauge Galvanized Steel	FS34G	25
3 ft. x 4 ft. 28 Gauge Bonderized Steel	FS34B	25



Painted Flat Shingles



Size	Part #	QTY
5 in. x 8 in. 26 Ga. Black/Dark Brown	511127	100
8 in. x 8 in. 26 Ga. Black/Dark Brown	511129	50
8 in. x 10 in. 26 Ga. Black/Dark Brown	511134	50
8 in. x 12 in. 26 Ga. Black/Dark Brown	511136	50

5 in. x 8 in. 30 Ga. Black/Gray	511024	100
5 in. x 8 in. 28 Ga. Black/Gray - each	S58BLGREA-200	200
8 in. x 8 in. 30 Ga. Black/Gray	511069	50
8 in. x 12 in. 30 Ga. Black/Gray	511018	50
8 in. x 12 in. 28 Ga. Black/Gray - each	S812BLGREA-100	100
8 in. x 14 in. 30 Ga. Black/Gray	511045	50

6 in. x 8 in. 28 Ga. Brown	S68BR-100	100
8 in. x 12 in. 28 Ga. Brown	S812BR-50	50

5 in. x 7 in. 30 Ga. Dark Brown	511006	100
5 in. x 8 in. 30 Ga. Dark Brown	511003	100
5 in. x 8 in. 28 Ga. Dark Brown - each	S58BRWEA-200	200
8 in. x 8 in. 30 Ga. Dark Brown	511019	50
8 in. x 12 in. 30 Ga. Dark Brown	511004	50
8 in. x 12 in. 28 Ga. Dark Brown - each	S812BRWEA-100	100
8 in. x 14 in. 30 Ga. Dark Brown	511005	50


8 in. x 8 in. 26 Ga. Gray	511093	100
---------------------------	---------------	-----

Products with the word "each" in the description are individually bar coded.





Galvanized Step Flashing



Size	Galvanized	QTY
3 in. x 3 in. x 7 in. - 28 Ga. - 25 pack	SF337G-25	10
3 in. x 4 in. x 7 in. - 28 Ga. - 50 pack	SF347G-50	50
3 in. x 4 in. x 7 in. - 28 Ga. - each	SF347EA-200	200
3 in. x 5 in. x 7 in. - 26 Ga.	SF357G-26-100	100
3 in. x 5 in. x 8 in. - 28 Ga. - 25 pack	SF358G-25	10
3 in. x 5 in. x 8 in. - 28 Ga.	SF358G-50	50
4 in. x 4 in. x 8 in. - 30 Ga.	511015	50
4 in. x 4 in. x 8 in. - 28 Ga. - each	SF448EA-50	50
4 in. x 4 in. x 12 in. - 30 Ga.	511013	50
4 in. x 4 in. x 12 in. - 28 Ga. - each	SF4412EA-100	100
4 in. x 4 in. x 14 in. - 30 Ga.	518004	50
4 in. x 6 in. x 14 in. - 28 Ga. - 25 pack	SF4614G-25	25
4 in. x 6 in. x 14 in. - 28 Ga. - each	SF4614EA-50	50



Painted Step Flashing



Size	Part #	QTY
4 in. x 4 in. x 8 in. 28 Ga. Black	511040	50
4 in. x 4 in. x 8 in. 26 Ga. Black	511062	50
4 in. x 4 in. x 12 in. 30 Ga. Black	511037	50
4 in. x 4 in. x 12 in. 28 Ga. Black - each	SF4412BLEA-100	100
4 in. x 4 in. x 14 in. 30 Ga. Black	518044	50

3 in. x 5 in. x 8 in. - 28 Ga. Brown	SF358BR-50	50
--------------------------------------	-------------------	----

4 in. x 4 in. x 8 in. 28 Ga. Dark Brown	511020	50
4 in. x 4 in. x 8 in. 26 Ga. Dark Brown	511061	50
4 in. x 4 in. x 12 in. 30 Ga. Dk. Brown	511008	50
4 in. x 4 in. x 12 in. 28 Ga. Dark Brown - each	SF4412BRWEA-100	100
4 in. x 4 in. x 14 in. 30 Ga. Dark Brown	518014	50
4 in. x 6 in. x 14 in. 28 Ga. Dk. Brown - 25 pack	SF4614BRW-25	100


4 in. x 4 in. x 8 in. - 30 Ga. Gray	511050	50
4 in. x 4 in. x 12 in. - 30 Ga. Gray	511038	25
4 in. x 4 in. x 14 in. - 30 Ga. Gray	518054	50

4 in. x 4 in. x 8 in. - 30 Ga. White	511060	50
4 in. x 4 in. x 12 in. - 30 Ga. White	511036	50
4 in. x 4 in. x 14 in. - 30 Ga. White	518034	50

Products with the word "each" in the description are individually bar coded.

Rubber Sleeve Adjustable Pipe Flashing

QTY: 20




Rubber Sleeve

Size	Part #
Combo Flashing - 1 ¼ – 1 ½ in.	CMIGB1
Combo Flashing - 2 in.	CMIGB2
Combo Flashing - 3 in.	CMIGB3
Combo Flashing - 4 in.	CMIGB4

Hard Plastic Base Adjustable Pipe Flashing

QTY: 20




Hard Plastic Base

Size	Part #
Hard Plastic Base - 1 - 3 in.	CMIHB31
Hard Plastic Base - 3 - 4 in.	CMIHB34

Galvanized Base Adjustable Pipe Flashing

QTY: 20



Galvanized Base

Size	Galvanized	Black	Brown	Gray
3 in 1 - 1 ¼ – 3 in.	3-1RJ	559159	559158	559161
3 in 1 - 3 – 4 in.	3-4RJ	559166	559165	559167

Aluminum FHA Pipe Flashing



Size	Part #	QTY
¾ in.	3FL75A	25
1 in.	3FL1A	25
1 ½ in.	3FL1.5A	25
2 in.	3FL2A	25
3 in.	3FL3A	25
4 in.	3FL4A	25
5 in.	3FL5A	25
6 in.	3FL6A	10
7 in.	3FL7A	10
8 in.	3FL8A	10

Galvanized FHA Pipe Flashing

26 Gauge



Size	Oval	QTY	Round	QTY
1 ½ in.	RJ15FHA-SP	25	RJ15FHA-SP-NL	10
2 in.	RJ2FHA-SP	25	RJ2FHA-SP-NL	10
3 in. Soil	RJ3FHA-SL	10	RJ3FHA-SL-NL	10
4 in.	RJ4FHA-SL	10	RJ4FHA-SL-NL	10

Size	Reg. Base		Shake Base	QTY
3 - 4 in.	RJ34STD	25	RJ34SH	25
5 - 6 in.	RJ56STD	25	RJ56SH	25
7 - 8 in.	-	-	RJ78SH	25

Zinc Pipe Flashing 26 Gauge

Size	Standard Base	FHA Base	QTY
½ in.	3STF.5Z26	3FF.5Z26	25
¾ in.	3STF.75Z26	3FF.75Z26	25
1 in.	3STF1Z26	-	25
1 ½ in.	3STF1.5Z26	3FF1.5Z26	25
2 in.	3STF2Z26	3FF2Z26	25
3 in.	3STF3Z26	-	25
3 in. Soil	3STF3Z26S	3FF3Z26S	25
4 in.	3STF4Z26S	3FF4Z26	25
4 in. Oval	-	3FF4Z26O	25
5 in.	3STF5Z26	3FF5Z26	10
6 in.	3STF6Z26	3FF6Z26	10
7 in.	-	3FF7Z26	10
8 in.	-	3FF8Z26	10


Plumber's Flashing

26 Gauge Galvanized with Round Cone




Size	Galvanized		Zinc		QTY
	Reg. Base	Shake Base	Reg. Base	RDS	
½ in.	3PF.5G26R	-	3PF.5Z26R	-	25
¾ in.	3PF.75G26R	-	-	-	25
1 in.	3PF1G26R	-	-	-	25
1 ½ in.	3PF1.5G26R	3PF1.5G26S	3PF1.5Z26R	3PF1.5Z26RDS	25
2 in.	3PF2G26R	3PF2G26S	-	3PF2Z26RDS	25
3 in.	3PF3G26R	3PF3G26S	-	-	25
4 in.	3PF4G26R	3PF4G26S	-	3PF4Z26RDS	25

Roof Outlet 28 Ga. Galvanized Steel



Size	Part #	QTY
2 Dia. x 10 in.	243016	12
3 Dia. x 10 in.	243018	12


Scupper - Left 10 in. tube



Pack Quantity: 5 pcs

Size: A x B	26 Ga. Galvanized
2 in. x 3 in.	3SPL23G26
3 in. x 4 in.	3SPL34G26
4 in. x 6 in.	3SPL46G26


Scupper - Center 10 in. tube



Pack Quantity: 10 pcs

Size: A x B	26 Ga. Galvanized
2 in. x 3 in.	3SPC23G26
3 in. x 4 in.	3SPC34G26
4 in. x 4 in.	3SPC46G26
4 in. x 6 in.	3SPC46G26

Scupper - Right 10 in. tube



Pack Quantity: 5 pcs

Size: A x B	26 Ga. Galvanized
2 in. x 3 in.	3SPR23G26
3 in. x 4 in.	3SPR34G26
4 in. x 6 in.	3SPR46G26

Flue Guard™ Spark Arrestor Chimney Cap



Sloped Lid • 20 Gauge Powder Coated Steel • No Tools Required
Universal Fit: 6" X 9" Up To 14" X 22"
5/8" Mesh



Genuine 5/8" mesh meets the strict California Fire Code!


Part #	QTY
CG3BLK	4



Flue Guard
PROTECT AND SAVE

The Best Value in a Chimney Cap.

2 1/2" Corrugated Roofing Panels




Galv. Woodfast Screws #10 x 1 1/2 in. - 100 pack · **SCWG1.5-100** · QTY: 20
 Corrugated Ridge Cap - 10 ft. · **CRC10G** · QTY: 10
 Corrugated Foam Closure Strip - 1/2 in. x 36 in. · **CLS24** · QTY: 100

Size	29 Gauge	QTY
6 ft.	CR6G-U	25
8 ft.	CR8G-U	25
10 ft.	CR10G-U	25
12 ft.	CR12G-U	25
14 ft.	CR14G-U	25
16 ft.	CR16G-U	25

Size	26 Gauge	QTY
8 ft.	13463	25
10 ft.	13458	25
12 ft.	13459	25

PBR Roofing Panels



PBR Inside Foam Closure Strip · **PBRCLSIN-EA** · QTY: 50
 PBR Outside Foam Closure Strip · **PBRCLSOUT-EA** · QTY: 50

Size	26 Ga. Galv.	QTY
8 ft.	PBR8G-26	50
10 ft.	PBR10G-26	50
12 ft.	PBR12G-26	50



Butyl Tape



45 ft. Butyl Tape · **99415** · QTY: 20
 1/2 X 3/32 X 50'

Roof Brackets

Quantity: 10

Size	Part #
10 in. - Adjustable	2500
10 in. - 45°	2501
6 in. - 90°	2502



Moss Control Roll

2 1/2 in. x 50 ft.

Z-Stop with Nails · **MB50** · QTY: 6 • Z-Stop without Nails · **519124** · QTY: 6



Safety Kit

Universal Fit Harness, Temper Anchor,
 Shock Absorber Lifeline,
 Training Video - online

HD-00815-QC · QTY: 3



Seraph Harness

Universal Fit

HD-11160 · QTY: 5



6 ft. Shock Absorbing Lanyard

HD-01220 · QTY: 6



50 ft. Lifeline

Heavy duty poly rope resists cuts,
 abrasions and water absorption.

Attached self locking carabiner

HD-01320 · QTY: 4



Roof Anchors

**Reusable Temper
 Roof Anchor**

Fasteners
 provided
HD-00455
 QTY: 10



**Permanent Double D
 Roof Anchor**

For permanent use
 on wood rooftops
HD-00510
 QTY: 10



Ventilation



AZ, CA, CO, HI, NV, WY

800-576-9810

BALDWIN PARK, CA (Award Metals)

1450 Virginia Ave.,
Baldwin Park, CA 91706

Tel: 626-814-4410
Fax: 626-338-0318

BALDWIN PARK, CA (CMI)

1315 Vineland Ave.,
Baldwin Park, CA 91706

Tel: 909-390-9880
Fax: 951-685-1165

STOCKTON, CA (Noll)

1780 Industrial Drive,
Stockton, CA 95206

Tel: (209) 234-1600
Fax: 209-234-5992

AK, ID, MT, OR, UT, WA

800-426-0940

FIFE, WA (Norwesco)

3011 70th Ave. E.,
Fife, WA 98424-3609

Tel: 800-426-0940
Fax: 800-343-3063

NOTE: Product availability is subject to change without notice. All products are not necessarily stocked in all regions. Call your Gibraltar Building Products rep. for a detailed response.

Gable Louvers

Rectangular Gable Louvers	17
Bonderized Gable Louvers	18
Round Gable Louvers	18
Copper Gable Louvers	18
Norwesco Reversible Vent.....	18

Rooftop Ventilation

Econo Vent	18
J-Vent.....	18
T-Top	19
Dormer Vent	19
Total Jack™	19
Vent Adapter.....	19
Stem Vent.....	20
Flue Guard™ Chimney Cap.....	20
Kwikmesh™	20
Stealth Vent.....	21
Static Vent	21
Code Caps.....	22

Side Wall Ventilation

Dryer Vent Cap	22
Two Way Vent	23
Aluminum Louvered Vent.....	23
Flat Screen Vent.....	23
Mini Louver	23
Stamped Foundation Vent.....	23
Adjustable Foundation Vent.....	23
Rim Vent.....	23

Eave & Soffit Ventilation


Continuous Soffit Vent	24
Flush Mount Soffit Vent	24
Soffit Vent.....	24
Eave Vent	24
Vulcan Vent® Mini Louver, Foundation, Gable End.....	24

Foundation Ventilation


Pour-In-Place Block Vent	25
Foam Plugs	25
Foundation Vent Clips.....	25
Damper Doors	25
Galvanized Vent Wells.....	25
Plastic Area Wells.....	25

Rectangular Gable Louver: Flange Center


1/8 inch galvanized insect screen.




Size: A x B	N.F.V.	Galvanized	Brown	White	QTY
12 in. x 12 in.	51 sq. in.	GLFC1212G	GLFC1212BR	GLFC1212WH	10
12 in. x 18 in.	75 sq. in.	GLFC1218G	GLFC1218BR	GLFC1218WH	10
14 in. x 12 in.	53 sq. in.	-	-	GLFC1412WH	10
14 in. x 18 in.	89 sq. in.	-	GLFC1418BR	GLFC1418WH	10
14 in. x 24 in.	119 sq. in.	GLFC1424G	GLFC1424BR	GLFC1424WH	10



Flange Center




Flange Front



Plaster Ground

Rectangular Gable Louver: Flange Front

1/4 inch galvanized insect screen.




Size: A x B	N.F.V.	Galvanized	White	QTY
12 in. x 12 in.	63 sq. in.	GLFF1212G	GLFF1212WH	10
12 in. x 18 in.	93 sq. in.	GLFF1218G	GLFF1218WH	10
14 in. x 12 in.	65 sq. in.	GLFF1412G	GLFF1412WH	10
14 in. x 18 in.	110 sq. in.	GLFF1418G	GLFF1418WH	10
14 in. x 24 in.	147 sq. in.	GLFF1424G	GLFF1424WH	10

Size: A x B	N.F.V.	Galvanized	White	QTY
18 in. x 24 in.	190 sq. in.	GLFF1824G	GLFF1824WH-5	5
24 in. x 24 in.	253 sq. in.	GLFF2424G	-	5
24 in. x 30 in.	317 sq. in.	GLFF2430G	-	5

Rectangular Gable Louver: Plaster Ground


1/4 inch galvanized insect screen.



Size: A x B	N.F.V.	Galvanized	QTY
12 in. x 12 in.	63 sq. in.	GLPG1212G	10
12 in. x 18 in.	93 sq. in.	GLPG1218G	10
14 in. x 12 in.	65 sq. in.	GLPG1412G	10
14 in. x 18 in.	110 sq. in.	GLPG1418G	10
14 in. x 24 in.	147 sq. in.	GLPG1424G	10

Size: A x B	N.F.V.	Galvanized	QTY
18 in. x 24 in.	190 sq. in.	GLPG1824G	5
24 in. x 24 in.	253 sq. in.	GLPG2424G	5
24 in. x 30 in.	317 sq. in.	GLPG2430G	5


Bonderized Gable Louver



Size: A x B	N.F.V.	Part #	QTY
14 in. x 18 in. Flange Front	110 sq. in.	GLFF1418B	10
14 in. x 18 in. Plaster Ground	110 sq. in.	GLPG1418B	10
14 in. x 24 in. Plaster Ground	147 sq. in.	GLPG1424B	10




Round Gable Louver




Diameter	N.F.V.	Bonderized	QTY
18 in. Flange Front	96 sq. in.	GLRDF18G	5
18 in. Plaster Ground	96 sq. in.	GLRDPG18G	5
24 in. Plaster Ground	171 sq. in.	GLRDPG24G	2

Copper Gable Louver 16 oz. Copper



Size: A x B	N.F.V.	Part #	QTY
14 in. x 12 in. Flange Front	65 sq. in.	GLFF1412CPR	10
14 in. x 24 in. Plaster Ground	147 sq. in.	GLFF1424CPR	10


Norwesco® Reversible Vent



Size: A x B	N.F.V.	Galv.	Dk. Brown	White	QTY
8 in. x 12 in.	24 sq. in.	553200	-	-	6
12 in. x 12 in.	62 sq. in.	553220	553520	-	6
12 in. x 18 in.	100 sq. in.	553230	553530	553830	6
14 in. x 24 in.	162 sq. in.	553250	553550	553850	6
24 in. x 30 in.	358 sq. in.	553270	-	-	2

30 Ga. Galvanized Steel. Louvered Screen. Reversible design for more flexible installation.


Econo Vent 26 Gauge Galvanized Steel. Flat roof.



Size	N.F.V.	Part#	QTY
12 in. x 12 in.	160 sq. in.	1212EV	2
18 in. x 18 in.	240 sq. in.	1818EV	2



J-Vent 26 Gauge Galvanized Steel



Size	N.F.V.	Part #	Flange	QTY
3 inch	7 sq. in.	JV328	3 in. x 8 in.	6
4 inch	12 sq. in.	JV428	4 in. x 9 in.	6
8 inch	50 sq. in.	JV826	8 in. x 15 in.	6



T-Top 26 Gauge




Description	Aluminum	Galvanized	Bonderized	Zinc	QTY
4 in. Standard Base	-	RJ4G	RJ4B	-	12
4 in. FHA Base - Hemmed	3TT4A	-	-	-	105
4 in. FHA Base - Unhemmed	-	3TT4G26	-	3TT4Z26	105
7 in. Standard Base	-	RJ7G	RJ7B	-	8
7 in. FHA Base - Unhemmed	3TT7A	-	-	3TT7Z26	50
7 in. Shake Base - Unhemmed	-	3TT7G26-HEM	-	-	50

T-Top Sub-Base

Size	Part #	QTY
4 in. Sub Base - 28 Ga.	SJ4G	20
5-6 in. Sub Flashing - 26 Ga.	3SBF56G26	20
7 in. Sub Base - 28 Ga.	SJ7G	20

Half Round Dormer

Conforms to Federal Spec. QQ-5775A, Type 1, Class 4 ASTM A-527. Meets FHA codes



Size	N.F.V.	Part #	QTY.
18 in. x 9 in. Galv.	75 sq. in.	STDH18GB	12
24 in. x 12 in. Galv.	100 sq. in.	BH24	12

Total Jack™

The only roof jack with an adjustable cap & turbine base.


Size	Galvanized	Black	Brown	QTY
6 inch	JACK6GZ	JACK6BLK	JACK6BRN	7
8 inch	JACK8GZ	JACK8BLK	JACK8BRN	6

US Patent #8,534,013 B3 and #8,615,943 B2.



Low Profile Dormer

Galvanized Steel • Hard Flange • 1/4 in. galvanized mesh



Size	N.F.V.	Part #	QTY.
18 in. x 7 in.	81 sq. in.	LPDH18	6
19 in. x 4 in.	43 sq. in.	LPDG19	10
20 in. x 2.75 in. (Simpson)	48 sq. in.	LPSD20	6


Dormer Sub-Base



Description	Part#	QTY
18" - 10 x 10 With Screen	3SBF1010S	20
18" - 10 x 10 No Screen	STD18SJ	20
24" - R0: 14 x 14 With Screen	3SBF1414S	20
24" - R0: 14 x 14 No Screen	STD24SJ	20

Soft Flange Dormer 1/4 in. galvanized mesh

Galvanized Steel + Aluminum Flange for curved tile roofs



Size	N.F.V.	Part #	QTY.
24 x 12 - Aluminum 2 sides	100 sq. in.	STDS24-2B	6
24 x 12 - Aluminum 3 sides	100 sq. in.	STDS24-3B	6

Vent Adapter For 6" circular roof vent



4 inch	6 inch	7 inch	QTY
559174	559176	559177	6

Metal Stem Vent




Size	Galv. - Stem Only	Black	Dark Brown	Gray	QTY
4 inch	556071	556060	556061	556074	2
6 inch	556072	556064	556065	-	2
8 inch	-	556070	556069	-	2

Plastic Stem Vent



Size	Black	Dark Brown	Gray	White	QTY
4 inch	559427	559428	559425	559429	4
5 inch	559433	559434	-	-	4
6 inch	559439	559440	559437	-	4

Plastic Roof Cap No stem



Size	Black	Dark Brown	QTY
4 inch	559415	559416	6



Flue Guard™ Spark Arrestor Chimney Cap

- Sloped lid to eliminate ponding
- 20 gauge powder coated steel
- Easy install with no tools required
- Fire Code Compliant 5/8" Mesh
- Universal fit for flues 6" x 9" to 14" x 22"



**Genuine 5/8" mesh
meets the strict
California Fire Code!**



CG3BLK - Pack Quantity: 24

SCREEN YOUR VISITORS!

Kwikmesh™ keeps invasive pests out of your home.
NO POISON PEST CONTROL



Kwik Mesh™



Size	Part #	QTY.
Galvanized - 1/8 in. mesh - 4 in. x 25 ft.	KM425	6 rolls
Galvanized - 1/8 in. mesh - 6 in. x 25 ft.	KM625	6 rolls
Galvanized - 1/8 in. mesh - 8 in. x 25 ft.	KM825	3 rolls
Galvanized - 1/8 in. mesh - 12 in. x 20 ft.	KM1220	3 rolls

Size	Part #	QTY.
Aluminum - 1/8 in. mesh - 4 in. x 100 ft.	969181	6 rolls
Aluminum - 1/8 in. mesh - 6 in. x 100 ft.	969182	4 rolls
Aluminum - 1/8 in. mesh - 8 in. x 100 ft.	969183	3 rolls
Aluminum - 1/8 in. mesh - 12 in. x 100 ft.	969186	2 rolls

24" Stealth Vent®

72 sq. in. N.F.V. · 26 Gauge Galvanized Steel · ICC ER-5463 · Dade County 80 mph wind driven rain test.




Black Mesh, 36, & 48 inch Stealth Vents available upon request, order minimum 100. Contact your Gibraltar Rep for further details.

Description	No Hem	QTY
Zinc	3STH24Z26ANH	50
Charcoal	3STH24CH26ANH	50
Sub-Base with Screen	3SBF24Z26STHS	10

Roof Deck Opening: 14 in. x 5 in.
Hemmed Vent for Tile Roofs; requires Sub-Base.
Sub Base not required for unhemmed composition shingle application.

Stealth® Flow - Low Profile Intake & Exhaust Vent



38 Sq. In. Steel Vent RV38

Slant Back · Galvanized Steel · 17 in. x 20 in. flange



Galvanized	Black	Dark Brown	Gray	White
558011	557167	556157	557157	556167

38 Sq. In. Steel Vent RVO38

Square Top · Galvanized Steel. 17 in. x 17 in. flange. Pack Quantity: 6



	Galvanized	Black	Dark Brown	Gray	White	QTY
Standard	556042	557059	556159	557159	556150	6
Torch Down	-	557168	556186	557171	557164	4

40 Sq. In. Vent


Galv. Steel
Slant back



Black.....RVG40010
BrownRVG40080
Pack Quantity9

49 Sq. In. Steel Vent RV49

18 in. x 22 in. Flange · Slant Back
Pack Quantity: 6



Galvanized	Black	Dk. Brown	Gray	Wth'd Gray	White
558012	557153	556154	557154	556156	557145


49 Sq. In. Steel Vent RVO49

18 in. x 18 in. Flange · Square Top
Pack Quantity: 6



Black	Dark Brown	Gray
557160	556158	557158

50 Sq. In. Aluminum



Mill Finish · RVA510000 · QTY:12

50 Sq. In. Steel Vent - Square



Description	Galvanized	Black	Brown	QTY
Square Top	RVG51000	RVG51010	RVG51080	9
Slant Back	-	RVG55016	RVG55086	6

50 Sq. In. Plastic Vent

Pack Quantity: 12



PRV-50



AF-50

	Black	Brown	Dark Brown	Gray	Wth'd Gray
PRV-50	559012	559010	559011	559013	559015
AF-50	559453	559450	559454	559451	559452

61 Sq. In. Plastic Vent



Black · 90121 · QTY: 10

92 Sq. In. Plastic Vent



Black	Brown	Dk. Brn	Gray	Trans.	Wth'd Gray	QTY
559471	559468	559472	559469	559445*	559470	8

* with Gray Base

Vent Caps



Oval



Round

Size	Round	Oval	QTY
3 inch	RBVC3	-	24
4 inch	RBVC4	OBVC4	24
5 inch	RBVC5	-	12
6 inch	RBVC6	-	6

Code Caps & Base



Top



Base

Size	Regular Base	QTY
3 inch	3CD3BaseR	6
4 inch	3CD4BaseR	6
5 inch	3CD5BaseR	6
6 inch	3CD6BaseR	6
8 inch	3CD8BaseR	6

Size	Shake Base	QTY
3 inch	3CD3BaseS	6
4 inch	3CD4BaseS	6
6 inch	3CD6BaseS	6
8 inch	3CD8BaseS	6

Size	Top Only	QTY
3 inch	3CD3TOP	6
4 inch	3CD4TOP	6
5 inch	3CD5TOP	6
6 inch	3CD6TOP	6
8 inch	3CD8TOP	6

4 inch oval · 3CD4TOP0 · QTY:6




Ventilating Access Door

1/4 inch mesh
For crawl space access

18 in. x 24 in.
R.O.: 18.25 in. x 25 in.

Access Door · CHADS · QTY:10



Tub Access Door

14 in. x 14 in.
For plumbing & electrical access. Piano hinge, Pressure fit door. Drywall Frame.



Access Door · TA14DW · QTY:10

4 Inch Dryer Cap



Galvanized Steel · Stucco Ready · DV4 · QTY:14

Aluminum Louvered Vents

For soffit and eave venting



Size: A x B	N.F.V.	R. Opening	Mill	Brown	White	QTY.
16 in. x 4 in.	28 sq. in.	15 in. x 3 in.	84126	84228	84226	24
16 in. x 6 in.	42 sq. in.	15 in. x 5 in.	84115	84217	84215	24
16 in. x 8 in.	56 sq. in.	15 in. x 7 in.	84210	84212	84211	24

Two Way Vent

With decorative floral plastic insert




14 in. x 6 in.

Vent + Insert · TWPIV · QTY:24 • Insert only · PIV614 · QTY:24

Two Way Vents


Galvanized steel. 1/4 in. mesh • Reversible flange for plaster or surface mount.



Size: A x B	N.F.V.	Rough Opening	Part #	QTY.
14 in. x 4 in.	33 sq. in.	13.75 in. x 3.25 in.	TW144	30
14 in. x 6 in.	52 sq. in.	13.75 in. x 5.25 in.	TW146	24
14 in. x 8 in.	71 sq. in.	13.75 in. x 7.25 in.	TW148	16

Flat Screen Vent

Galvanized Steel. 1/4 in. mesh



Size: A x B	N.F.V.	Rough Opening	Part #	QTY.
16 in. x 4 in.	27.2 sq. in.	14.5 in. x 2.5 in.	SCV164	25
16 in. x 6 in.	48.9 sq. in.	14.5 in. x 4.5 in.	SCV166	25
16 in. x 8 in.	70.7 sq. in.	14.5 in. x 6.5 in.	SCV168	25

Mini Louver

Aluminum, with Screen



Size	N.F.V.	Part #	QTY.
1 ½ inch diameter	0.399 sq. in.	ML1.5	12
2 inch diameter	0.803 sq. in.	559111	36
2 ½ inch diameter	1.210 sq. in.	559112	36
3 inch diameter	1.735 sq. in.	559001	36
4 inch diameter	3.500 sq. in.	559002	36

Mini Louver


Aluminum, no Screen



Size	N.F.V.	Part #	QTY.
2 inch diameter	0.842 sq. in.	ML2	100
3 inch diameter	1.822 sq. in.	ML3	50
4 inch diameter	3.682 sq. in.	ML4	20

Stamped Vent

Stucco Reveal



Description	N.F.V.	Galvanized	Bonderized	QTY.
14 in. x 6 in. - ¼ mesh	51 sq. in.	FV146G	FV146B	25
14 in. x 6 in. - ¼ mesh	34 sq. in.	FV1461/8G	-	25
16 in. x 8 in. - ¼ mesh	75 sq. in.	558037	-	30

Rim Vent

The perfect replacement for old cedar foundation vents.



Rugged UV resistant plastic

Description	N.F.V.	Part #	QTY.
16 in. x 8 in. - White	62 sq. in.	559408	24

Adjustable Vent

Aluminum, with sliding damper



Description	N.F.V.	Part#	QTY.
16 in. x 8 in. Foundation Vent	102 sq. in.	FA109000	12

Continuous Soffit Vent



Description	N.F.V.	Mill	Brown	White	QTY.
Aluminum	4.8 sq. in./ft.	556004	556018	556019	30
Plastic	8.2 sq. in./ft.	-	559006	559007	25

Soffit Vent

Stucco Ready · 1/4 inch mesh



Size: A x B	N.F.V.	Rough Opening	Part #	QTY.
14 in. x 5 in.	65 sq. in.	14.5 in. x 5.5 in.	SV145	26
22 in. x 3 in.	60 sq. in.	22.5 in. x 3.25 in.	SV223	9

Flush Mount Soffit Vent

1/8 inch Mesh · Pack Quantity: 12



Description	N.F.V.	Galvanized	Brown	White
16 in. x 4 in.	24 sq. in.	558005	556146	556446
16 in. x 6 in.	40 sq. in.	558006	556147	556447
16 in. x 8 in.	58 sq. in.	558007	556148	556448

Flush Mount Soffit Vent

With Damper

1/8 inch Mesh · Pack Quantity: 12



with manual damper

Description	N.F.V.	Galvanized	Brown	White
16 in. x 4 in.	24 sq. in.	558025	-	-
16 in. x 6 in.	40 sq. in.	558026	556162	-
16 in. x 8 in.	50 sq. in.	558027	556163	556463

Eave Vent



STU = Stucco Flange
REG = Straight Flange

Size	N.F.V.	Galvanized	Bonderized	Brown	QTY.
22 in. x 3 in. - 1/4 mesh - STU	39 sq. in.	EV223	-	-	25
22 in. x 3 in. - 1/8 mesh - REG	46 sq. in.	-	556017	556015	50
22 in. x 3 in. w/Louvers - REG	32 sq. in.	-	556007	-	50
22 in. x 5 in. - 1/8 mesh - REG	83 sq. in.	-	556177	-	50
22 in. x 6 in. - 1/4 mesh - REG	71 sq. in.	EV622	-	-	25
14 in. x 5 in. - 1/4 mesh - STU	44 sq. in.	EV145	-	-	25
14 in. x 6 in. - 1/4 mesh - REG	44 sq. in.	EV614	-	-	25

Vulcan Vent®

The vent with built-in fire suppression



VER2


Description	N.F.V.	Part#	QTY.
2 in. Mini Louver - Mill Finish Aluminum	1 sq. in.	VER2	25
14 in. x 6 in. Foundation Vent - Bonderized	41 sq. in.	VFS614FFB	10
14 in. x 18 in. Gable End Vent - Bonderized	86 sq. in.	VG1418FFB	5



VFS614FFB - Flange Front



VG1418FFB - Flange Front




Pour-In-Place Foundation Vent




Description	N.F.V.	Color	Part#	QTY
PFV-6-8 Combo	100 sq. in.	Gray	596037	12
PFV-6-8 Combo - with damper door	100 sq. in.	Gray	596137	12
6 in. - no door	72.5 sq. in.	Gray	559021	20
6 in. - with damper door	72.5 sq. in.	Gray	559023	20
6 in. - no door	72.5 sq. in.	Black	559020	20
6 in. - with damper door	72.5 sq. in.	Black	559022	20
8 in. - no door	72.5 sq. in.	Gray	559027	15
8 in. - no door	72.5 sq. in.	Black	559026	15
8 in. - with damper door	72.5 sq. in.	Black	559028	15
10 in. - with damper door	72.5 sq. in.	Gray	559035	12

Galvanized Vent Wells



Description	Part#	QTY
Arched- 20 in. x 4 in. x 12	FWW204-12	10
Rectangular - 20 in. x 4 in. x 12 - 20 Gauge	553031	5
Arched- 20 in. x 8 in. x 12	FWW208-12	10
Rectangular - 20 in. x 8 in. x 12 - 20 Gauge	553022	5
Rectangular - 20 in. x 12 in. x 12 - 20 Gauge	553001	6


Plastic Vent Wells



Description	Part#	QTY
Dark Brown - 19 in. x 4 in. x 12	569040	10
Gray - 19 in. x 4 in. x 12	569041	10
Gray - 19 in. x 8 in. x 12	569081	6

Damper Doors

Gray



Description	Part#	QTY
Vent-Aire	559217	80
Norwesco - PFV6-8	596140	72

Foundation Vent Clips

Plastic (sold in pairs)



PFVC-2 · Pack Quantity: 60

Foam Plugs

Sold in Pairs



Lawrence - 5.5 in. x 7.5 in.
DVBPSM-EA · QTY:45



Vent-Aire - 6.5 in. x 7.75 in.
DVBP · QTY:40



Norwesco - 6.5 in. x 8.75 in.
DVBPXL · QTY: 36

Gutter



AZ, CA, CO, HI, NV, WY

800-576-9810

BALDWIN PARK, CA (Award Metals)

1450 Virginia Ave.,
Baldwin Park, CA 91706

Tel: 626-814-4410
Fax: 626-338-0318

BALDWIN PARK, CA (CMI)

1315 Vineland Ave.,
Baldwin Park, CA 91706

Tel: 909-390-9880
Fax: 951-685-1165

STOCKTON, CA (Noll)

1780 Industrial Drive,
Stockton, CA 95206

Tel: (209) 234-1600
Fax: 209-234-5992

AK, ID, MT, OR, UT, WA

800-426-0940

FIFE, WA (Norwesco)

3011 70th Ave. E.,
Fife, WA 98424-3609

Tel: 800-426-0940
Fax: 800-343-3063

NOTE: Product availability is subject to change without notice. All products are not necessarily stocked in all regions. Call your Gibraltar Building Products rep. for a detailed response.

Steel Fascia Gutter

Fascia Gutter: Straight, Deco & Curves	27
Fascia Gutter End Caps	27
Fascia Gutter Slip Connectors	28
Fascia Gutter End Piece	28
Fascia Gutter Mitres	28
Fascia Gutter Elbows	28
Fascia Gutter Hangers	28
Conductor Heads	28

K-Style Gutter

26 Ga. Bare Metal Gutter: 4 in., 5 in. & 6 in.	29
28 Ga. Galvanized & Painted Gutter: 4 in. & 5 in. + 5 in. Painted Aluminum	29
Slip Connectors	29
Mitres	29
End Pieces	30
Splash Shield™	30
Drop Outlets	30
K-Style End Caps	31
Strainer	31
Silicone Sealant	31
Gutter Hangers	31


Half Round Gutters

Half Round Gutter: 5 in. & 6 in.	32
Half Round End Caps	32
Shank & Circle Hanger	32
Cross Bar Hanger (Imperial)	32

Downspouts


Downspouts: Round & Rectangle	33
Downspout Extensions	33
Titebond® Sealant	33
Downspout Straps	33

Straight




Size	With Wing		No Wing		QTY
	Galvanized	Bonderized	Galvanized	Bonderized	
2" x 4" x 10 ft.	216724	FG2410WWB	-	FG2410NWB	10
2" x 4" x 16 ft.	-	FG2416WWB	-	FG2416NWB	6
2" x 4" x 20 ft.	216823	FG2420WWB	216821	216822	6
2" x 4" x 25 ft.	216913	FG2425WWB	-	216912	6
2" x 4" x 26 ft.	216923	216924	-	-	4
2" x 4" x 30 ft.	216943	216944	-	-	4
2" x 6" x 20 ft.	216829	216830	216827	-	4
2" x 6" x 25 ft.	216919	216920	216917	-	4
2" x 6" x 26 ft.	216929	216930	-	-	4
2" x 6" x 30 ft.	-	216950	-	-	4

Deco w/Wing




With Wing	Galvanized	Bonderized	QTY
2" x 4" x 20 ft. - 5 Rib	-	216524	6
2" x 4" x 25 ft. - 5 Rib	-	216614	6
2" x 4" x 26 ft. - 5 Rib	216623	216624	4
2" x 4" x 30 ft. - 5 Rib	-	-	4
2" x 6" x 20 ft. - 7 Rib	-	217108	6
2" x 6" x 25 ft. - 7 Rib	-	217116	6
2" x 6" x 25 ft. - 7 Rib - Tile	-	217139	6
2" x 6" x 26 ft. - 7 Rib	-	217120	4
2" x 6" x 30 ft. - 7 Rib	-	217128	4

Curved w/Wing




With Wing	Galvanized	Bonderized	QTY
2" x 4" x 20 ft.	-	216834	6
2" x 4" x 25 ft.	216837	176046	6
2" x 4" x 30 ft.	-	176048	4
2" x 6" x 25 ft.	-	217178	6
2" x 6" x 25 ft. - Tile	-	216895	6

End Caps For Straight & Deco Fascia Gutter



	Galvanized	Bonderized	QTY
2" x 4" Left	FG24ECLHG	FG24ECLHB	50
2" x 4" Right	FG24ECRHG	FG24ECRHB	50
2" x 6" Left	FG26ECLHG	-	50
2" x 6" Right	FG26ECRHG	-	50

Curved End Caps



	Galvanized	QTY
2" x 4" Left	FG23ECLHCG	50
2" x 4" Right	FG23ECRHCG	50
2" x 6" Left	FG725ECLHCG	50
2" x 6" Right	FG725ECRHCG	50

Slip Connectors



	Galvanized	Bonderized	QTY
2 x 4	FG24SCG	FG24SCB	25

End Piece



	Bonderized	QTY
2 x 4 - 2 1/4 in square drop	FG24EP214B	12
2 x 4 - 2 in. round, drop	FG24EPD2B	12

Outside Mitre




	Galvanized	Bonderized	QTY
2 x 4	FG240MG	FG240MB	12

Inside Mitre



	Galvanized	Bonderized	QTY
2 x 4	FG24IMG	FG24IMB	12

Elbows 28 Ga. Bonderized Steel



	45°	75°	QTY
A - 1 3/4 in. x 2 3/4 in.	CE134234B-A45	CE134234B-A75	20
B - 1 3/4 in. x 2 3/4 in.	CE134234B-B45	CE134234B-B75	20
2 in. Round	CERD2B-45	CERD2B-75	20
3 in. Round - 26 Ga.	CERD3B-45-26	CERD3B-75-26	20

Conductor Head 26 Gauge



	Galvanized	Bonderized	QTY
1 3/4 in. x 2 3/4 in. Square Drop	CH134234G	CH134234B	10
2 in. x 3 in. Square Drop	CH3423G	-	10
3 in. x 4 in. Square Drop	CH34G	-	10
2 in. Round Drop	CHRD2G	CHRD2B	10
3 in. Round Drop	-	CHRD3B	10

Fascia Gutter Hangers

18 Ga. Galvanized




Gutter Hanger

Hidden Hanger

Gutter Spacer

Description	2 x 4	2 x 6	QTY
Gutter Hanger (Strap)	GH4G-18	GH725G-18	100
Hidden Hanger	HH24G-18	HAGAH45	100
Fascia Gutter Spacers	FGS24G-18	-	100
Tile Hanger	-	3HTP	100

K-Style Gutter 26 Gauge



Size	With Wing		No Wing		QTY
	Galvanized	Bonderized	Galvanized	Bonderized	
4 in x 10 ft.	-	-	216704	-	10
4 in x 20 ft.	216807	216808	216803	216804	6
5 in x 20 ft.	-	216820	216815	-	6
5 in x 25 ft.	216839	231417	-	-	6
5 in x 30 ft.	-	216844	-	-	4
6 in x 25 ft.	-	223420	-	-	6
6 in x 30 ft.	-	223421	-	-	4

K-Style Gutter 28 Gauge, No Wing, 10 ft. Lengths



	Galvanized	Royal Brown	White	White Alum.	QTY
4 in.	OG410G	OG410BR	OG410WH	-	10
5 in.	-	OG510BR	OG510WH	OG510WHA	10

Slip Connectors 28 Gauge



	Galvanized	Royal Brown	White	White Alum.	QTY
4 in.	OG4SCG	OG4SCBR	OG4SCWH	-	30
5 in.	-	OG5SCBR	OG5SCWH	OG5SCWHA	30

Outside Mitre



	Galvanized	Royal Brown	White	QTY
4 in. Steel	OG40MG	OG40MBR	OG40MWH	5
5 in Steel	-	OG50MBR	OG50MWH	5
5 in. Alum.	-	-	OG50MWHA	5

Inside Mitre



	Galvanized	Royal Brown	White	QTY
4 in. Steel	OG4IMG	OG4IMBR	OG4IMWH	5
5 in Steel	-	OG5IMBR	OG5IMWH	5
5 in. Alum.	-	-	OG5IMWHA	5

End Piece



	Galvanized	Royal Brown	White	QTY
4 in. Steel - with 2 in. Round Drop	OGEP42G	-	-	20
4 in. Steel - with 2 in. x 3 in Drop	OG4EP23G	OG4EP23BR	OG4EP23WH	12
5 in. Steel - with 2 in. x 3 in Drop	-	OG5EP23BR	OG5EP23WH	6
5 in. Alum. - with 2 in. x 3 in Drop	-	-	OG5EP23WHA	5

Drop Outlet

28 Ga. Galvanized Steel



Size	Part#	QTY
1 3/4 in. x 2 3/4 in.	FGD0134234G	25
2 in. x 3 in.	223012	50
2 in. Round - 26 Gauge	FGDORD2G	25
3 in. Round	FGDORD3G	50
3 in. Round - Half Round Gutter	223079	50

Universal Drop Outlet

Plastic

2 in. x 3 in. · **OGD023P** · QTY: 30

Touch Up Paint

4.5 oz.

Brown · **TPBR-4** · QTY: 6
White · **TPWH-4** · QTY: 6

Splash Shield™

Aluminum · 2 per pack.

White/Brown · **GGWHA** · QTY: 10

A-Elbows



	45°	60°	75°	75° Alum.	90°	QTY
1 3/4 in. x 2 3/4 in. - Galvanized	248049	248057	248065	-	248073	20
2 in. x 3 in. - Galv. Corrugated	-	-	CE23G-A75	-	-	30
2 in. x 3 in. - Galvanized	248051	248059	248067	-	-	20
2 in. x 3 in. - Royal Brown	-	-	CE23BR-A75	-	-	30
2 in. x 3 in. - White - Corrugated	-	-	CE23WH-A75	CE23WHA-A75	-	30

B-Elbows



	45°	75°	75° Corrugated	75° Alum.	QTY
1 3/4 in. x 2 3/4 in. - Galvanized	248050	248066	-	-	20
2 in. x 3 in. - Galvanized	-	248068	CE23G-B75	-	20
2 in. x 3 in. - Royal Brown	-	-	CE23BR-B75	-	30
2 in. x 3 in. - White	-	-	CE23WH-B75	CE23WHA-B75	30

Round Elbows

26 Gauge. Pack Quantity: 20

	45°	60°	75°	90°
2 in. - Galvanized	CERD2G-45	-	CERD2G-75	248184
3 in. - Galvanized	248185	248186	CERD3G-75	248188
4 in. - Galvanized	248189		248191	248192

End Caps

Pack Quantity: 30



	Galvanized	Royal Brown	White	White Aluminum
4 inch - Left	OG4ECLHG	OG4ECLHBR	OG4ECLHWH	-
4 inch - Right	OG4ECRHG	OG4ECRHBR	OG4ECRHWH	-
5 inch - Left	-	OG5ECLHBR	OG5ECLHWH	OG5ECLHWA
5 inch - Right	-	OG5ECRHBR	OG5ECRHWH	OG5ECRHWA

Tap-In End Caps

Galvanized Steel · Pack Quantity: 50

	Right	Left
5 inch	OG5ECRHAPG	OG5ECLHAPG
6 inch	OG6ECRHAPG	OG6ECLHAPG

Wire Strainers




Size	Part#	QTY
2 inch dia.	CPWSRD2G	25
3 inch dia.	248078	100
2 & 3 inch	248070	216

Silicone Sealant



1 oz. Carded · SEAMER10Z · QTY: 12
 10.1 oz. Tube · SEAMCA100Z · QTY: 12



Hidden

18 Gauge · with Screw



	Part #	QTY
4"	HHOG4G-18	100
5"	HHOG5G-18	100
5"	222105*	100
6"	HAGAH6WOL*	100

* without screw

Fascia Bracket

4 Pack



	Part #	QTY
4" Brown	OG4FBBR-4PK	12
4" White	OG4FBWH-4PK	12
5" Brown	OG5FBBR-4PK	12
5" White	OG5FBWH-4PK	12

Strap

18 Gauge · 4 Pack



	Part #	QTY
4 inch	GH4G-18-4	15
5 inch	GH5G-18-4	15
5 in. Nail	3H5GKN	100
6 in. Nail	3H6GKSN	100

Spike & Ferrule

10 Pack



	Part #	QTY
4" Galv.	GS7F4-10PK	12
4" Brown	BRS7F4-10PK	12
4" White	WHS7F4-10PK	12
5" Brown	BRS7F5-10PK	12
5" White	WHS7F5-10PK	12

Screw & Ferrule

10 Pack



	Part #	QTY
5" Brown	BRASR7F5-10PK	12
5" White	WHASR7F5-10PK	12

Gutter Spike

100 Pack



7 in. x 3/16 in.

	Part #	QTY
Galvanized	GS7EA-100	100


Ferrules



	Part #	QTY
4" Galv.	GF4EA-100	100
6" Black	FE6BL	1000

Half Round Gutter

26 Gauge • Single Bead



	With Wing		No Wing	QTY
	Galvanized	Bonderized	Galvanized	
5 in. x 20 ft.	216106	216751	216105	6
5 in. x 25 ft.	-	216202	-	6
6 in. x 20 ft.	216145	216624	-	6

Half Round End Cap

Galvanized Steel
Fits both Left & Right



5 inch	QTY
3EC5GH	50

6 inch	QTY
3EC6GH	100

Shank & Circle Hanger

Fascia Board Mount
Spring Clip Included



5 inch	6 inch	QTY
3CS5GS	3CS6GS	50



Cross Bar Hanger

Galvanized with
9" or 11" Rods




5 inch Nail	6 inch Nail	QTY
3CS5GHN	3CS6GHN	100

Steel Fascia Gutters




K-Style Gutters



Basic Installation



Downspout - Square



Smooth

Corrugated

Galvanized Steel • Pack Quantity: 10

Size	Ga.	Galvanized	Bonderized
1 3/4 in. x 2 3/4 in. x 10 ft.	26	237734	237735
1 3/4 in. x 2 3/4 in. x 11 ft.	26	237903	237904
1 3/4 in. x 2 3/4 in. x 11 ft.	28	-	CP13423411B
1 3/4 in. x 2 3/4 in. x 12 ft.	26	237907	-
1 3/4 in. x 2 3/4 in. x 20 ft.	26	-	237804
2 in. x 3 in. x 10 ft.	28	-	-
2 in. x 3 in. x 10 ft. - Corrugated	28	CP2310G	-
2 in. x 3 in. x 10 ft.	26	237738	237740
3 in. x 4 in. x 10 ft.	26	237743	237745
3 in. x 4 in. x 20 ft.x	26	-	237746

Painted 28 Gauge • Pack Quantity: 10

Size	Part#
2 in. x 3 in. x 10 ft. - White Aluminum - Corrugated	CP2310WHA
2 in. x 3 in. x 10 ft. - Royal Brown Steel - Corrugated	CP2310BR
2 in. x 3 in. x 10 ft. - White Steel - Corrugated	CP2310WH

Downspout - Round

Galvanized Steel • 10 ft. lengths • Pack Quantity: 10



Size	28 Ga.	26 Ga.
2 inch	CPRD210G	237702
3 inch	-	237705
4 inch	-	237708
5 inch	237711	-

Downspout - Round

Bonderized Steel • 10 ft. lengths • Pack Quantity: 10



Size	Part #
2 in. x 11 ft. - 28 Gauge	CPRD211B
3 in. x 10 ft. - 26 Gauge	237790
3 in. x 11 ft. - 26 Gauge	CPRD311B-26



Bonderized = Ready to Paint

Downspout-Extension

2 in. x 3 in. x 15 inch • Pack Quantity: 24



Size	Part#
White Aluminum	CPEXTWHA
White Steel	CP23EXTWH
Royal Brown Steel	CP23EXTBR

Sealant



Titebond® Ultimate MP • 10.1 oz • Pack Quantity: 12

Color	Part #	Color	Part #
Translucent	TB-CL71111	Gray	TB-GR71131
Black	TB-BK71091	Brick Red	TB-RD71211
Cocoa Brown	TB-BN71221	Bronze	TB-BR71121
Bone White	TB-WH71201	Evergreen	TB-GN71191

Downspout Straps



Size	Galvanized	Bonderized	Painted	QTY
1 3/4 in. x 2 3/4 in. - 26 Ga.	CPS134234G	CPS134234B	-	100
Flat: 2 in. x 3 in. - 26 Ga.	CPS23G	-	-	100
Flat: 2 in. x 3 in. - 28 Ga.	CPSF2G	-	-	100
Flat: 2 in. x 3 in. - Royal Brown	-	-	CPSF2BR	100
Flat: 2 in. x 3 in. - White	-	-	CPSF2WH	100
Flat: 2 in. x 3 in. - White Aluminum	-	-	CPSF2WHA	100
Flat: 3 in. x 4 in. - 26 Ga.	3PP34G26S	-	-	50
Formed: 3 in. x 4 in. - 26 Ga.	-	-	-	100
2 in.Round - 26 Ga.	CPSRD2G	CPSRD2B	-	100
3 in. Round - 26 Ga.	CPSRD3G	CPSRD3B	-	100
4 in. Round - 26 Ga.	CPSRD4G	CPSRD4B	-	100