



CORONA®

SEASON AFTER SEASON



GROW
90

CORONA® TOOLS SINCE 1928

IT STARTED IN 1928
WITH THE INVENTION OF THE ORANGE SHEARS
THAT REVOLUTIONIZED THE CITRUS INDUSTRY,
AND WE'VE BEEN GOING STRONG EVER SINCE.

1928

INVENTION OF THE FIRST CORONA TOOL,
THE ORANGE CLIPPERS THAT FOREVER
CHANGED THE CITRUS INDUSTRY



NEW RED COMFORT GRIP HANDLES
INTRODUCED WITH BETTER SPRING ACTION

2018

90 YEARS LATER, WE'VE DONE IT AGAIN
WITH THE NEW **MAXFORGED**
BYPASS ORANGE SHEARS FOR CLEANER
CUTS, COMFORT AND MORE CONTROL



1968



CORONA
SEASON AFTER SEASON

SENIOR

MAX

SHARPNESS & DURABILITY™

Our best-in-class MAX TOOLS with extensive replacement parts program are crafted using higher-grade materials that meet or exceed the rigorous demands of the **pro and passionate homeowner** who require heavy-duty durability and lasting performance, Season after Season®.

MAX FORGED

SHARPNESS & DURABILITY™

High-grade, heavy-duty steel is fire-heated and hammer-forged to form exceptionally strong and durable **pro-grade** tools that are guaranteed to provide their owners many years of Superior Performance.

RED

Known to many as our RED line, these CORONA® tools are designed for general use by **casual gardeners and landscaping enthusiasts** who demand a feature-rich tool for their gardening projects. CORONA tools and accessories combine lightweight control and comfort with trusted reliability, value and performance, Season after Season®.

PLANTING, CULTIVATING & TURNING SOIL

10-21

Hoes
Cultivators
Forks
Small Hand Tools
Garden Tools
Lawn & Garden Tools



RAKING, CLEANUP & HAULING

22-31

Level Head Rakes
Landscape Rakes
Bow Rakes
Leaf Rakes
Brooms
Wheelbarrows



SHOVELING & TRENCHING

32-47

All-Steel Shovels
MAXForged Shovels
Closed-Back Shovels
Standard Shovels
Lightweight Shovels
DIY Shovels
DIY Spades
Trench Shovels
Scoop Shovels
Post Hole Digger
Snow Shovels



DEMOLITION, SPLITTING & DIGGING

48-51

Hammers
Axes
Picks & Mattocks
Heavy Bars



SHAPING & SHARPENING

52-59



COMMERCIAL & MUNICIPAL MAINTENANCE

60-65

Cutting Tools
Valve Keys
Wrenches
Probes
Tamps & Post Drivers
Scrapers
Weed Cutters & Edgers



STEM, BRANCH & LIMB PRUNING

66-85

Hand Pruners
Hedge Shears
Grass Shears
Loppers
Pruning Saws
Machetes
Tree Pruners
Tree Pruner Components
Tree Pruner Saw Blades



THINNING, SHEARING & HARVESTING

86-91

Shears & Snips
Floral Shears
Hydroponic Tools
Fruit Picker



ACCESSORIES

92-93



SALES SUPPORT & MERCHANDISING

94-99



CORONA
SEASON AFTER SEASON

NEW FOR 2018



NEW

The patented innovations found in the **NEW** CORONA LAWN AND GARDEN TOOLS represent our continued dedication to putting industry leading design and quality into the hands of landscape professionals and passionate gardeners who need them most.

- A** CULTIVATOR / PAGE 16
Aerating around plants and weeding
- B** SCOOP / PAGE 16
Transporting soil, ice melt and pet food
- C** HOE/CULTIVATOR / PAGE 16
Cultivator for weeding between rows
- D** TROWEL / PAGE 16
Digging holes for small plants
- E** WEEDER / PAGE 16
Piercing soil, extracting weed at root
- F** TRANSPLANTER / PAGE 16
Transplanting smaller plants
- G** SIDEWALK & BORDER EDGER / PAGE 21
Cuts in grass, sod or soil
- H** SOD & LAWN TRANSPLANTER / PAGE 21
Fill-in grassless areas
- I** WEEDING TOOL / PAGE 20
Removes tough weeds
- J** GARDEN TILLER / PAGE 20
Tilling soil and seed-rows
- K** GARDEN & SOIL CULTIVATOR / PAGE 20
Weed, aerate and till soil
- L** LAWN & SOIL AERATOR / PAGE 20
Breaks up grass and compact soil
- M** TREE & SHRUB IRRIGATOR / PAGE 21
Provides water or fertilizer to the roots
- N** GROUND CLEARING TOOL / PAGE 21
Collects tree nuts and seed pods
- O** ORANGE SHEAR / PAGE 88
Orange, grapefruit and apple harvesting
- P** 2-PRONG WEEDER / PAGE 19
Pulls weeds at root source
- Q** 7-TINE RAKE / PAGE 19
Transport, break-up and level soil
- R** HOE/CULTIVATOR / PAGE 19
Breaks up clumpy-soil and digs up weeds



HEAVYDUTY FORGED STEEL SHOVEL

Heavy-duty sharpened forged steel blade for breaking rock and clay. Single-piece solid socket and double rivets for stronger connection.



CORONA
SEASON AFTER SEASON



MAXFORGED
SHARPNESS & DURABILITY

ClassicCUT®

Experience the performance and durability of forged tools with classic, simple designs that withstand the test of time. The ClassicCUT® family of tools is preferred by agricultural and landscaping professionals.



DualCUT

DualCUT tools pack a two-in-one punch for those needing control while trimming small stems or power while cutting large branches - all with the lasting forged sharpness that pros demand.



DualLINK™

Boosted power and reduced effort unite through DualLINK™ tools, that utilize a power-compounding-link feature that appeals to both engaged gardeners and landscapers searching for ease-of-cut.



Each ***RazorTOOTH Saw***® undergoes a four-part manufacturing process to ensure maximum durability and hardness, friction reduction and extremely fast and efficient cuts.

Razor**TOOTH**Saws®

MAX
SHARPNESS & DURABILITY™

Chrome-plated blade reduces
friction and improves efficiency

Replaceable blades in multiple lengths
attach to different handle types including
D-shape, folding and fixed with finger hook



SK5 steel blade contains more
carbon which means harder steel,
allowing blade to stay sharper longer

Triple-ground impulse-hardened
teeth remove up to 2.5X more
material per pull stroke



FURROW. WEED. AERATE.

Well-designed tools in the hands of knowledgeable gardeners, landscapers and farmers produce superior growing spaces. For nearly a century, we've worked alongside farmers, developing tools to cultivate a successful growing season.



MAX HOES

STRENGTH & DURABILITY

MAXFORGED | DRAW HOE

FH 70000 | 60 IN ASH HANDLE




- Forged, tempered head for maximum strength, long service life and superior blade sharpness
- Sharpened 6 1/4 in blade edge penetrates ground easily, slices through weeds easily
- Single-piece, solid-socket design prevents moisture from weakening handle, gives greater strength
- Extra-long 60 in handle lets you work upright, reduce back strain
- Limited Lifetime Warranty

MAXFORGED | EYE HOE

FH 71000 | 7 IN BLADE | 60 IN ASH HANDLE

FH 71002 | 7 2/3 IN BLADE | 60 IN ASH HANDLE


FH 71003 | 5 1/3 IN BLADE | 60 IN ASH HANDLE



- Forged, tempered steel blades for maximum strength, long service life and superior sharpness
- Sharpened-blade edges penetrate ground easily, slice through weeds easily
- 60 in Ash wood handle withstand heavy weed chopping
- Ox-eye connections for extra-thick handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 71000-4 - Handle
 - 71000-8 - 7 in head
 - 71002-8 - 7 2/3 in head

MAX | GARDEN HOE

SH 60060 | 6 IN BLADE | 60 IN ALUMINUM HANDLE



- Tempered steel head for strength and long life
- Gooseneck design ideal for working around plants
- 6 in wide blade most popular size for general maintenance tasks
- Lightweight aluminum, non-slip oval-shaped handle
- Limited Lifetime Warranty

MAX | OSCILLATING HOE

SH 60000 | 4 IN BLADE | 60 IN ASH HANDLE

SH 60001 | 5 IN BLADE | 60 IN ASH HANDLE



- Heavy-duty blade design for long service life
- Heads automatically angle to slice weeds just below surface on both forward and back stroke
- Concave blades sharpen during use
- Extra-long 60 in Ash wood handle lets you work upright, reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60100-4 - handle
 - 60101-8 - head, 5 in
 - 60100-8 - head, 4 in

MAX | OSCILLATING HOE

SH 60061 | 6 IN BLADE | 60 IN ALUMINUM HANDLE



- Heavy-duty, double-edged blade for push/pull weed cutting
- Slice weeds just below the surface with automatically angling blade
- 60 in lightweight aluminum, non-slip, 2X bolt-thru handle
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60061-8 - Head

MAX | DIAMOND HOE

SH 61000 | 8 IN BLADE | 60 IN ASH HANDLE



- 8 in diamond-shaped head with four sharpened edges cuts weeds on both forward and back strokes
- Points of diamond-shaped blade can nick even small weeds from hard to reach areas
- Easily sharpened carbon steel blade
- Extra-long 60 in handle lets you work upright, reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60001-4 - handle

MAX | HEAVY-DUTY WEEDING HOE

SH 63000 | 7 IN BLADE | 60 IN ASH HANDLE



- Tough, tempered, abrasion-resistant 7 in steel blade holds edge
- Notched and sharpened blade cuts on both push and pull stroke, slices easily through fibrous, overgrown weeds such as thistles, bindweed, wild mustard and clumping grasses
- Extra-long 60 in handle lets you work upright, reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60001-4 - handle

MAX | MCLEOD HOE

SH 65000 | 48 IN ASH HANDLE

SH 65000 | KNOCKED-DOWN



- Tempered steel tines for superior strength and long service life
- Very versatile, used for raking, scraping, grubbing and tamping
- 10 1/2 x 8 1/2 in head with 9 in sharpened edge and 3 1/2 in tines
- SH65000KD- Knocked-down version of SH 65000 for shipping purposes - assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 65001-8 - Head
 - 65000-4 - Handle

HOES



GARDEN HOE

SH 20000 | 6 IN BLADE | 54 IN WOOD HANDLE

- Swan-shaped neck keeps soil from building up on the tool
- Strong socket joint bolstered with a screw
- 6 in wide blade most popular size for general maintenance tasks
- Limited Warranty



MORTAR HOE

SH 42000 | 6 IN BLADE | 48 IN ASH HANDLE

- 6 in wide perforated steel head easily mixes plaster, mortar and concrete
- Reinforced riveted steel ferrule and welded shank prevent wobble
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Warranty



VALUE HOES

All Value Tools carry a 1-year limited warranty

LIGHT-DUTY GARDEN HOE

SH 10000 | 51 IN WOOD HANDLE

- 6 in wide blade

OSCILLATING HOE

SH 15000 | 54 IN WOOD HANDLE

- Lightweight tool for weeding
- Heat-treated carbon steel head
- 6 in concave blade stays sharp with use

WARREN HOE

SH 22000 | 54 IN WOOD HANDLE

- Tempered steel, 5x6 in V-shaped head has sharpened edges for furrowing and digging
- 54 in wood handle

MAX CULTIVATORS

MAX | 1 PRONG CULTIVATOR

CV 60061 | 60 IN ALUMINUM HANDLE

MAX | 3 PRONG CULTIVATOR

CV 60063 | 60 IN ALUMINUM HANDLE



MAX | 4 PRONG CULTIVATOR

CV 60064 | 60 IN ALUMINUM HANDLE

- Strong tempered steel heads for weeding and cultivating soil
- Reinforced riveted connections to prevent handle wobble
- Lightweight aluminum, non-slip, oval-shaped handles
- Limited Lifetime Warranty



CULTIVATORS

4 PRONG CULTIVATOR

CV 20004 | 54 IN ASH HANDLE

- Tempered steel head for long service life
- Welded tines have oval cross-section for reduced pulling effort
- Weeding and cultivating in one stroke
- Limited Warranty



DANDELION WEEDER

CV 22000 | 36 IN WOOD HANDLE

- Long-reach weeder digs out long taproot weeds without creating a large hole
- 36 in wood handle for weeding without stooping
- Limited Warranty



MAX FORKS

STRENGTH & DURABILITY

MAXFORGED | DIGGING FORKS

FK 70000 | 4 TINES | 48 IN ASH HANDLE



FK 70010 | 4 TINES | 30 IN D-GRIP ASH HANDLE



- Forged, tempered tines for maximum strength and long service life
- Tines are narrow and tapered for easier soil penetration, yet extra thick to prevent splaying
- Riveted steel tang for maximum strength head-to-handle connection
- Durable Ash wood handles, 2X varnished for weather resistance
- Limited Lifetime Warranty

MAXFORGED | HAY FORKS

FK 71004 | 4 TINES | 54 IN ASH HANDLE



FK 71005 | 5 TINES | 54 IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving loose hay, mulches, tree trimmings, landscape waste
- Oval tines for greater lifting strength
- Durable Ash wood handles, 2X varnished for weather resistance
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - **71001-4** - Handle (FK 71004)
 - **71002-4** - Handle (FK 71005)

MAXFORGED | REFUSE FORK

FK 70004 | 4 TINES | 54 IN ASH HANDLE



- Use to drag refuse and harvest root vegetables
- Heavy-duty forged steel head for maximum durability
- Steel ferrule design for stronger connection
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Limited Lifetime Warranty

MAXFORGED | ENSILAGE FORKS

FK 74000 | 10 TINES | 54 IN ASH HANDLE



FK 74010 | 10 TINES | 30 IN D-GRIP ASH HANDLE



- Heavy-duty forks for lifting ensilage, construction debris, mulch or other loose materials
- Forged, tempered steel heads for maximum strength, long service life
- Closely spaced oval tines for maximum lifting capacity
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - **74010-4** - D-Grip Handle
 - **71002-4** - Handle

MAXFORGED | MANURE FORKS

FK 72004 | 4 TINES | 54 IN ASH HANDLE



FK 72005 | 5 TINES | 54 IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - **71001-4** - Handle (FK 72004)
 - **71002-4** - Handle (FK 72005)

MAXFORGED | MANURE FORK

FK 72065 | 5 TINES | 54 IN ALUMINUM HANDLE



- Tempered steel head for superior strength and long service life
- 5-tine configuration is ideal for lifting and transferring materials
- Oval tines for greater lifting strength
- Lightweight aluminum, non-slip, oval-shaped handle
- Limited Lifetime Warranty

FORKS



DIGGING FORK

FK 42000 | 4 TINES | 29 IN D-GRIP ASH HANDLE



- Tempered steel tines for long service life
- 10 in tapered tines for easier soil penetration
- 29 in D-grip handle is easy to use in tight spaces
- Limited Warranty

ENSILAGE FORK

FK 44010 | 10 TINES | 30 IN D-GRIP ASH HANDLE



- Tempered welded steel head to lift ensilage, construction debris, mulch or other loose materials
- Durable Ash wood handle, 2X varnished for weather resistance
- Limited Warranty

MANURE FORK

FK 42010 | 10 TINES | 48 IN ASH HANDLE



- Tempered steel head to lift manure, compost or dense materials
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Long steel ferrule provides strength and durability
- Limited Warranty



MAX SMALL HAND TOOLS

Heavy-Duty Mattocks

- 14-gauge welded steel construction withstands repeated use and exposure to the elements
- 14-in handles with non-slip grips reduce hand strain, absorb vibration and make for easy work in close quarters.



MAX | BEDDING MATTOCK

HT 69100 | SINGLE-SIDED 3 IN BLADE

- Open holes up to 6 1/3 in deep
- Quickly set "color pack" plants
- Useful for working around irrigation boxes
- Limited Lifetime Warranty



MAX | PLANTING MATTOCK

HT 69200 | DUAL BLADES - 1 1/3 IN AND 2 IN WIDE

- Chop through hardpan soil up to 4 1/3 in deep
- Quickly set "pony pack" plants
- Limited Lifetime Warranty



MAX | CULTIVATING MATTOCK

HT 69300 | 1/3 IN WIDE BLADE | 3 TINES SET

- Break up compacted soil up to 3 in deep
- Loosen weeds around fragile seedlings and roots
- Limited Lifetime Warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SMALL HAND TOOLS



Premium Grade
StainlessSTEEL

ComfortGEL® Garden Tools

Our new line of stainless steel hand tools is built to work as hard as you do for the long haul. This fully featured line comes with ComfortGEL® grips, large diameter reinforced square tangs, welded joints and robust tool heads and blades.



TROWEL **NEW**

CT 3314 | ComfortGEL GRIP

- Integrated bag ripper
- Flat-ended tamper handle/grip
- Finger guard protects hand during digging
- Depth gauge for precise holes
- Limited warranty



HOE/CULTIVATOR **NEW**

CT 3344 | ComfortGEL GRIP

- Dual working heads - 2 tools in 1
- Sharp hoe to break up clumpy soil
- Cultivator for weeding between rows
- Limited warranty



TRANSPLANTER **NEW**

CT 3324 | ComfortGEL GRIP

- Depth gauge for precise holes
- Finger guard protects hand during digging
- Ideal for transplanting smaller plants
- Limited warranty



WEEDER **NEW**

CT 3354 | ComfortGEL GRIP

- 2-prong end for piercing soil, extracting weed at root
- Serrated-edge for cutting weeds and weed roots
- Limited warranty



CULTIVATOR **NEW**

CT 3334 | ComfortGEL GRIP

- Largest-diameter robust tines
- Finger guard protects hand during digging
- Ideal for aerating around young plants/weeding between rows
- Limited warranty



SCOOP **NEW**

CT 3364 | ComfortGEL GRIP

- Large scoop for transporting more soil, ice melt and pet food
- Finger guard protects hand during use
- Limited warranty

SMALL HAND TOOLS



StainlessSTEEL

ComfortGEL® Garden Tools

- Tactile gel grips with anti-slip thumb risers and finger guards deliver comfort to gardeners who seek an easier, more therapeutic gardening experience.
- Lightweight, one-piece construction and stainless steel alloy heads won't bend, break or rust.



TROWEL

CT 3214 | ComfortGEL GRIP

- Graduated 3 in wide blade with bag ripper
- Limited Warranty



TRANSPLANTER

CT 3224 | ComfortGEL GRIP

- Serrated 2 1/2 in wide blade with bag ripper
- Limited Warranty



CULTIVATOR

CT 3234 | ComfortGEL GRIP

- Penetrate soil easily with tapered tines
- Limited Warranty



HOE/CULTIVATOR

CT 3244 | ComfortGEL GRIP

- Convenient 2-in-1 tool for weeding and cultivating
- Limited Warranty



WEEDER

CT 3254 | ComfortGEL GRIP

- Easier weeding with 6 in serrated blade and forked tip
- Limited Warranty



SCOOP

CT 3264 | ComfortGEL GRIP

- Large capacity scoop
- Limited Warranty



SMALL HAND TOOLS

ErgoGRIP™ Garden Tools

- Die-cast aluminum alloy heads are lightweight and will not corrode
- Anti-slip thumb rises and finger guards for greater stability and control
- Ergonomic poly grips minimize hand stress

TROWEL

CT 3710 | ErgoGRIP

- Graduated 2 1/8 in wide blade with bag ripper
- Limited Warranty



TRANSPLANTER

CT 3720 | ErgoGRIP

- Serrated 2 3/8 in wide blade with bag ripper
- Limited Warranty



CULTIVATOR

CT 3730 | ErgoGRIP

- Penetrate soil easily with tapered cast aluminum tines
- Limited Warranty

U.S. Patent D582,227



HOE/CULTIVATOR

CT 3740 | ErgoGRIP

- Convenient 2-in-1 tool for weeding and cultivating
- Limited Warranty

U.S. Patent D581,752



WEEDER

CT 3750 | ErgoGRIP

- Easier weeding with 6 in serrated blade and forked tip
- Limited Warranty



Garden Tools

- Basic hand tools for a broad range of applications
- One-piece aluminum alloy heads are lightweight and durable
- Cushioned non-slip grips for comfort



TROWEL

CT 3010i

- Easily dig, plant, pot and more with a sharpened 3 in wide blade
- Limited Warranty



TRANSPLANTER

CT 3020i

- Insert new plants at proper depth with a 2 1/8 in wide marked and graduated blade
- Limited Warranty



CULTIVATOR

CT 3030i

- 3 angled tines set 1 1/4 in apart to break and mix up soil while avoiding damage to plants
- Limited Warranty



FORK

CT 3040i

- 3 straight tines set 1 1/2 in apart to break and mix up soil while avoiding damage to plants
- Limited Warranty



WEEDER

CT 3050i

- Get at weeds' roots with a tapered 7 1/4 in long blade
- Limited Warranty

WEEDING TOOL

WD 2200DC

- Ideal for weeding flower & vegetable beds, cracks in paved walkways and walls
- Simple hook design cuts weeds with a push, removes with a pull
- Easy taproot removal with beveled edge - simply dig in and pop out
- Quickly remove moss and grass from cracks with pointed end
- Limited Warranty





EXTENDED REACH

ComfortGEL® Garden Tools

- Designed for gardeners working on raised-bed gardens, small gardens and tight access locations
- Optimal length for long reach and balance - ideal for gardeners who have physical strength limitations that make large tools hard to manage.
- Unique, trapezoid shaped handles add comfort and control
- ComfortGEL® grips deliver comfort to gardeners who seek an easier, more therapeutic gardening experience



7-TINE RAKE **NEW**

GT 3234 | ComfortGEL GRIP

- 36 in. extended reach
- Tines cultivate soil during planting process
- 7 tine sides to transport, break-up and level soil
- Grooved top for fine smoothing of soil
- Limited warranty



HOE/CULTIVATOR **NEW**

GT 3244 | ComfortGEL GRIP

- 36 in. extended reach
- Breaks up clumpy-soil and digs up weeds
- Moves and aerates soil
- Limited warranty



2-PRONG WEEDER **NEW**

GT 3254 | ComfortGEL GRIP

- 40 in. extended reach
- Sharpened, fork-tipped blade pulls weeds at root source
- Limited warranty



ExtendaHANDLE® Garden Tools

- Lightweight steel handles extend from 18 in to 34 in for extra reach
- Heads are fully heat-treated for enhanced durability
- Protective coatings resist chipping and rust
- Comfortable non-slip grips
- Convenient hanging rings for easy storage
- Limited Warranty



GT 3040 - WEEDER



GT 3050 - RAKE



GT 3060 - GARDEN HOE/CULTIVATOR



GT 3070 - CULTIVATOR



GT 3080 - TROWEL



GT 3090 - 3 TINE HOE



LAWN & GARDEN TOOLS



ComfortGEL®

Lawn and Garden Tools

Introducing Corona's newest line of lawn and garden tools with ComfortGEL® grips for exceptional comfort and control. We've engineered and developed this range of tools to provide you with hand-held solutions to cultivate, weed, till and maintain your property. Repair your lawn, edge a border or prepare a garden bed with comfort and innovative features.



LAWN & SOIL AERATOR

NEW

YardBREATHER™

with ComfortGEL® grip

LG 3604

- Penetrates and breaks up grass and compact soil to allow air, water and nutrients to reach the roots, promoting growth
- Designed to automatically eject 3.5-in. long soil plugs with each step
- Slip-resistant, traction grooves on the footplate add safety and stability
- Heat-treated steel on footplate and spikes for lasting durability
- Limited warranty



GARDEN TILLER

NEW

SoilRIPPER™

with ComfortGEL® grip

LG 3624

- Used for tilling soil and the development of seed-rows in gardens
- A substitute for rototillers in small developed gardens or raised-bed gardens
- Durable, heat-treated high carbon steel tines versus cast aluminum
- Self-sharpening, large 9-in. wide x 6-in. long steel tines
- All metal footplate will withstand high-load bearing pressure
- Quick release plunger to push out dirt and mud clots from tool between submersions into soil
- Limited warranty



WEEDING TOOL


NEW

WeedSLAYER™

with ComfortGEL® grip

LG 3654

- Removes tough weeds without the use of chemicals
- All steel footplate with slip-resistant traction grooves for added control
- Fully heat-treated, high carbon steel blades for extra strength when driving into the soil
- Quick release plunger for removing weed from tool
- Limited warranty



GARDEN & SOIL CULTIVATOR

NEW

DiscCULTIVATOR™

with ComfortGEL® grip

LG 3634

- 3 tine-configurations for different uses: weed, aerate and till soil
- Three, easy to adjust sets of detachable rotational tines
- Large steel tines quickly break up soil and are self-cleaning
- All metal footplate versus plastic for added durability
- 60-in. long angled handle for enhanced leverage and reduced back strain
- Limited warranty





SIDEWALK & BORDER EDGER

NEW

EdgeMASTER™

with **ComfortGEL®** grip

LG 3684

- Quick clean cuts in grass, sod or soil
- Trim sidewalks, create borders for gardens or flower beds
- Ribbed blade that's self-sharpening, durable, fully heat-treated and made from high carbon steel.
- Double-traction grooved footplate supports additional load bearing pressure
- Limited warranty



TREE & SHRUB IRRIGATOR

NEW

RootIRRIGATOR

with **ComfortGEL®** grip

LG 3710

- Provides water or fertilizer directly to the roots for healthy growth
- Prompts trees to grow roots deeper and further from trunk for longevity
- Eliminates water runoff and evaporation
- Detachable, universal, 3-in. shut off brass valve makes it easy to control water flow
- Depth markers of 12-in., 18-in. and 24-in. for precise watering of tree roots
- Limited warranty



GROUND CLEARING TOOL

NEW

QuickCOLLECTOR

with **ComfortGEL®** grip

LG 3694

- Reduces time and effort in collecting tree nuts and seed pods
- Simple rolling action easily picks up and gathers nuts
- Flexible spring-steel cage makes emptying quick and easy
- 48-in. carbon steel handle for a comfortable, long reach
- Limited warranty



SOD & LAWN TRANSPLANTER

NEW

SodPLUGGER

with **ComfortGEL®** grip

LG 3720

- Fill grassless areas without the expense of buying and installing sod
- Creates properly sized holes to accept standard 3-in. grass and sod plugs
- The quick release plunger efficiently removes sod plugs
- Heat-treated, high carbon steel construction for lasting durability
- Slip-resistant traction grooves designed into the footplate
- Limited warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



PUSH. PULL. LIFT. DUMP.

To make things look good you have to break a sweat. Our collection of effort-saving rakes, brooms and wheelbarrows brings efficiency to outdoor improvement whether you're cleaning up the back yard or the back forty.



MAX BOW RAKES

STRENGTH & DURABILITY™



MAXFORGED | BOW HEAD RAKES

RK 65001 | 14 IN | 14 TINES | 60 IN ASH HANDLE

RK 65002 | 16 IN | 16 TINES | 60 IN ASH HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handles lets you work upright, reduce back strain
- Limited Lifetime Warranty



MAXFORGED | BOW HEAD RAKES

RK 65021 | 14 IN | 14 TINES | 60 IN FIBERGLASS HANDLE

RK 65022 | 16 IN | 16 TINES | 60 IN FIBERGLASS HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handle with poly jacket lets you work upright, reduce back strain
- Limited Lifetime Warranty



MAX | BOW HEAD RAKES

RK 65061 | 14 IN | 14 TINES | 60 IN ALUMINUM HANDLE

- 14 in bow-head design acts as spring for better control of tine depth, small head is ideal for working in close quarters
- Extra-thick, tempered steel tines for greater strength and long life
- Curved tines efficiently gather and move soil
- Lightweight aluminum, non-slip oval-shaped handle
- Limited Lifetime Warranty

BOW RAKES



BOW HEAD RAKE

RK 20002 | 16 IN | 16 TINES | 60 IN ASH HANDLE

RK 20022 | 16 IN | 16 TINES | 60 IN FIBERGLASS HANDLE*

- Tempered heads for long service life
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handles let you work upright, reduce back strain
- Limited Warranty

* with cushion grip

VALUE BOW RAKES All Value Tools carry a 1-year limited warranty

LIGHT-DUTY BOW HEAD RAKE

RK 10000 | 48 IN WOOD HANDLE

- Tempered head with 14 tines for greater durability and long-lasting performance
- Curved tines for easy penetration and gathering of soil

MAX LEVEL HEAD RAKES

STRENGTH & DURABILITY



MAXFORGED | LEVEL HEAD RAKE

RK 64002 | 16 IN | 14 TINES | 60 IN ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered, single-piece head for greater durability and long service life
- Flat-head design for smooth tamping of seed beds
- Extra-long 60 in handle lets you work upright, reduces back strain
- Limited Lifetime Warranty
- **REPLACEMENT PART AVAILABLE**
 - 64000-4 - Handle



MAX | DIRT/ASPHALT RAKE

RK 66000 | 16 IN | 14 TINES | 60 IN ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered steel head for greater durability and long service life
- Extra-long 60 in handle lets you work upright, reduces back strain
- Long, 1/2 in thick shank reduces need for downward pressure when moving rock and heavy soil
- Flat-head design for efficient moving and leveling of landscape and road beds
- Limited Lifetime Warranty



MAX | LEVEL HEAD RAKE

RK 64060 | 14 IN | 4 TINES | 60 IN ALUMINUM HANDLE

- Level-head design for efficient tilling and leveling of landscape materials, in close quarters
- Extra-thick, tempered steel tines for greater strength and long service life
- Flat head with straight tines for smooth tamping of seed beds
- Lightweight aluminum, non-slip, oval-shaped handle
- Limited Lifetime Warranty

MAX LANDSCAPE RAKES

STRENGTH & DURABILITY

MAX | ALUMINUM LANDSCAPE RAKES

- All-aluminum construction combines durability with ease of use during finish grading process
- Angled, extra-thick tine tips for long service life
- 66 in lightweight aluminum handles with non-slip vinyl sleeves for gripping comfort in extreme heat or cold
- Wrap-around brace supports and heavy-duty heads
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PART AVAILABLE**
 - 64000-4 - Handle*

* Product availability and packaging specifications are subject to change without notice. Please contact Corona® Customer Service for the latest information.



RK 61061 | 24 IN | 24 TINES



RK 61063 | 30 IN | 30 TINES



RK 61062 | 36 IN | 36 TINES



RK 61064 | 42 IN | 42 TINES

LAWN RAKE



THATCH/GROOM RAKE

RK 42000 | 16 IN HEAD | 54 IN WOOD HANDLE

- Head adjusts up or down to suit the height of the users
- 15 in head width works push and pull for easier removal of thatch and dead grass
- 54 in wood handle lets you work in an upright position, reduces back strain
- Limited Warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SPRING BRACE RAKES

STRENGTH & DURABILITY™



MAX | SPRING BRACE RAKE

RK 24061 | 24 IN | 24 TINES | 54 IN ALUMINUM HANDLE

- 54 in long aluminum handle with anti-slip vinyl sleeve for gripping comfort
- A-shaped head combines flexible tines with durability of metal for raking power
- Bolt-thru head to handle connection for added durability
- Stress distribution bar prevents the 24 tines from twisting or breaking
- Tines and spring are made of high carbon steel, providing long-lasting performance
- Powder-coated frame and tines resist rust
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62060-4 - Handle
 - 24003-8 - Head

SPRING BRACE RAKES



SPRING BRACE RAKES

RK 24002 | 22 IN | 22 TINES | 54 IN WOOD HANDLE

RK 24003 | 24 IN | 24 TINES | 54 IN WOOD HANDLE

- Fan-shaped heads combine flexible tines with durability of metal
- Stress distribution bars that prevent tines from twisting or breaking when pressed on
- Coated frames and tines resist rust
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 24003-4 - Handle
 - 24003-8 - Head, 24 in/24 Tines

SPRING BRACE RAKE REPLACEMENT HEAD

24003-8 | 24 IN | 24 TINES

- Easy to replace this fan-shaped replacement head for RK 24061 and RK 24003



MAX FIXED TINE RAKES

STRENGTH & DURABILITY™



MAX | FIXED TINE LEAF RAKES

RK 62001 | 19 IN | 25 TINES | 54 IN WOOD HANDLE

RK 62061 | 19 IN | 25 TINES | 54 IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- Tines apply light pressure for debris removal
- 3 Rivets hold heads to handles
- 25 extra-wide tines
- Double crimps hold tines in place
- 19 in/25 Tines
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62000-4 - Wood Handle
 - 62060-4 - Aluminum Handle
 - 62001-8 - Head

U.S. Patent 7,350,348



MAX | FIXED TINE SHRUB RAKES

RK 62000 | 8 IN | 11 TINES | 54 IN WOOD HANDLE

RK 62060 | 8 IN | 11 TINES | 54 IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- Tines apply light pressure for debris removal without damage to plant feeder roots
- Narrow heads for working between closely spaced plants
- 2 Rivets hold heads to handles
- Double crimps hold tines in place
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62000-4 - Wood Handle
 - 62060-4 - Aluminum Handle
 - 62000-8 - Head

U.S. Patent 7,350,348

POLY LEAF RAKES



BigLOAD™ LEAF RAKE

RK 45030 | 30 IN | 30 TINES | 63 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 30 in poly head is both lightweight and durable
- 63 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- **REPLACEMENT PART AVAILABLE**
 - 45030-4 - Handle



POLY SHRUB RAKE

RK 25008 | 8 IN | 14 TINES | 42 IN WOOD HANDLE

- Polypropylene heads for collecting and carrying lightweight, moderate-sized clippings or leaves
- 42 in wood handle
- Assembly required
- 8 in poly head for easy raking between closely spaced plants
- Limited Warranty



NEW BigLOAD™ JR LEAF RAKE

RK 45026 | 26 IN | 26 TINES | 63 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 26 in poly head is both lightweight and durable
- 63 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- **REPLACEMENT PART AVAILABLE**
 - 45030-4 - Handle



POLY LEAF RAKES

RK 25024 | 24 IN | 26 TINES | 48 IN WOOD HANDLE

RK 25030 | 30 IN | 30 TINES | 48 IN WOOD HANDLE

- Gather large amounts of leaves with closely spaced tines
- Extra-thick polypropylene construction with weather-resistant UV inhibitor
- Hardwood handles 2X varnished for weather resistance
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



LittleLOAD™ LEAF RAKE

RK 45008 | 8 IN | 11 TINES | 63 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 8 in poly head is both lightweight and durable
- 63 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- **REPLACEMENT PART AVAILABLE**
 - 45030-4 - Handle



VALUE LEAF RAKE All Value Tools carry a 1-year limited warranty

POLY LEAF RAKE

RK 25017 | 18 IN/20 TINES | 47 IN WOOD HANDLE

- Lightweight 18 in black poly head for light raking of leaves and plants
- Assembly required
- Formerly RK 25018



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


MAX BROOMS

STRENGTH & DURABILITY

MAX | LANDSCAPE BROOM

BM 60001 | 3 BRISTLES | 18 IN HEAD
60 IN BAMBOO HANDLE


- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | STREET BROOM

BM 62001 | 1 BRISTLE | 18 IN HEAD
60 IN BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | PUSH BROOM

BM 61002 | 2 BRISTLES | 24 IN HEAD
60 IN BAMBOO HANDLE


- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | PUSH BROOM

BM 62060 | 1 BRISTLES | 24 IN HEAD
60 IN ALUMINUM HANDLE

- Heavy-duty replaceable hardwood head
- Cast-metal socket with bolted connection and wrap-around braces
- Oval-shaped aluminum handle is sturdy and lightweight
- Assembly required
- Limited Lifetime Warranty



BROOMS

STREET BROOM

BM 43001 | 18 IN HEAD | 60 IN HARDWOOD HANDLE

- 5 in stiff orange poly bristles for rough surfaces will not absorb odors, mildew or water
- Hardwood block head is varnished for durability
- Metal handle-to-head connectors for strength - easy to assemble
- Assembly required
- Limited Warranty



PUSH BROOM

BM 41002 | 24 IN HEAD | 60 IN BAMBOO HANDLE

- Poly socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Warranty





EasyLIFTER®



MAX | EASYLIFTER® WHEELBARROWS

WB 2806 | STEEL HANDLES | PNEUMATIC TIRE

WB 2806FF | STEEL HANDLES | FLAT-FREE TIRE

- Heavy-duty all-steel frames and 6 cubic foot powder-coated trays for durability
- Lift with less effort by aligning wheel with center of gravity
- Effortless dumping with built-in fulcrum action
- Steel reinforcing plate under tray reduces puncture risk
- Two handle configurations: removable for easy transport and storage or 4-bolt semi-permanent connection*
- Heavy-Duty Wheel Options
- Smooth operation with 16 inch wheels featuring solid steel bushings and grease fittings
 - For typical applications: WB 2806 with pneumatic 4-ply tire
 - For the toughest jobs: WB 2806FF with flat-free tire
- Optional Dual Wheel Kit sold separately for heavier loads and increased stability
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | EASYLIFTER® DUAL WHEEL KITS

AC 2806 | 16 IN PNEUMATIC 4-PLY TIRE

AC 2806FF | 16 IN SOLID FLAT-FREE TIRE

- Increase capacity and stability to make short work of the toughest jobs
- Kits include 1 wheel, 1 axle and hardware
- Includes steel bushings and grease fitting
- Work in conjunction with single wheel on WB 2806 or WB 2806FF (sold separately)



All CORONA® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)

MAX WHEELBARROWS

STRENGTH & DURABILITY

6 Cubic Foot Wheelbarrows

- All Corona® MAX Wheelbarrows feature 6 cu ft class trays, optimizing carrying capacity with typical worker's lifting ability.

NEW



Leg stabilizers help to prevent tipping by distributing the load weight

MAX | HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706S | 60 IN STEEL HANDLES | 16 IN PNEUMATIC TIRE

WB 2706SFF | 60 IN STEEL HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- 6 cu ft class tray balances carrying capacity with typical worker's lifting ability
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Replacement parts fit WB 2706, WB 2706FF, WB 2706S, WB 2706SF



Leg stabilizers help to prevent tipping by distributing the load weight

MAX | HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706 | 60 IN WOOD HANDLES | 16 IN PNEUMATIC TIRE

WB 2706FF | 60 IN WOOD HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Wheel with steel bushings and grease fitting
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Replacement parts fit WB 2706, WB 2706FF, WB 2706S, WB 2706SF U.S. Patent D677,852



Leakproof tray

MAX | HEAVY-DUTY STEEL WHEELBARROWS

WB 2506K | 60 IN WOOD HANDLES | 16 IN PNEUMATIC TIRE

WB 2506KFF | 60 IN WOOD HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Contractor-grade hardwood handles
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Replacement parts fit WB 2506K, WB 2506KFF



Leakproof tray

MAX | HEAVY-DUTY STEEL WHEELBARROWS

WB 2606K | 60 IN STEEL HANDLES | 16 IN PNEUMATIC TIRE

WB 2606KFF | 60 IN STEEL HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Steel handles with comfort grips
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- Assembly required
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Replacement parts fit WB 2606K, WB 2606KFF

Flat Free Tires

- Fit all Corona models with a 16 in tire or axles that are 5/8 in diameter.

MAX | FLAT-FREE TIRE

AC 2500 | KNOBBY

- 16 in solid flat-free tire with steel bushings and grease fitting



MAX | FLAT-FREE TIRE

AC 2600 | RIBBED

- 16 in solid flat-free tire with steel bushings and grease fitting



WHEELBARROWS



6 CU FT STEEL WHEELBARROW

WB 2006 | 60 IN HARDWOOD HANDLES | 15 IN 2-PLY PNEUMATIC TIRE

WB 2006FF | 60 IN HARDWOOD HANDLES | 16 IN FLAT-FREE TIRE

- 1.0 mm wrinkle-free steel tray
- Reinforced steel front tray braces for added support and stability
- 15 in hub with ball bearings for years of smooth performance
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



6 CU FT POLY WHEELBARROW

WB 1006 | 60 IN HARDWOOD HANDLES | 15 IN 2-PLY PNEUMATIC TIRE

WB 1006FF | 60 IN HARDWOOD HANDLES | 16 IN FLAT-FREE TIRE

- Corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



10 CU FT POLY WHEELBARROW

WB 1010 | 60 IN HARDWOOD HANDLES | DUAL 15.5 IN 2-PLY PNEUMATIC KNOBBY TIRE

- Heavy-duty, corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- 2-ply knobby tires provide added control and stability when carrying heavy loads
- Steel hub bushings for years of smooth performance
- Contractor-grade hardwood handles
- Assembly required
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**

VALUE WHEELBARROW

All Value Tools carry a 1-year limited warranty

STEEL WHEELBARROW

WB 2004 | 4 CU FT | 57 IN WOOD HANDLES

- Great for light-duty jobs around the house
- Steel tray
- Assembly required
- 15 in pneumatic 2-ply tire with ball bearings



All CORONA® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)





DIG UP. DIG DOWN. TRENCH. SCOOP.

Tough, back-breaking work. Our team felt the pain, so we drew upon our on-the-job training to develop this selection of hard-working, effort-saving tools. With more than 100 shovels to choose from use our step-by-step process to select the best shovel for specific uses.



CHOOSE THE RIGHT SHOVEL

STEP 1 Select Shovel Head	MAX MAXFORGED									
	PRO/Master Gardener				General Use/DIY		Value			
	ALL-STEEL SHOVELS	MAXFORGED SHOVELS	CLOSED-BACK SHOVELS	STANDARD SHOVELS	LIGHTWEIGHT SHOVELS	DIY SHOVELS	VALUE SHOVELS			
	PRICE LEVELS				\$ \$ \$ \$		\$			
	QUALITY/GRADE LEVELS				★★★★★		★			
STEEL THICKNESS	HEAD TYPE				Closed- or Open-Back		Open-Back			
	Closed- or Open-Back				Closed- or Open-Back		Open-Back			
ALL-STEEL SHOVEL HEADS:										
• Feature closed backs that are welded onto steel handles										
• BEST FOR EXTREME DIGGING AND PRYING										
MAXFORGED SHOVEL HEADS:										
• Feature double rivets and single-piece, solid-socket designs for superior strength and durability.										
• BEST FOR BREAKING THROUGH CLAY, CAPSTONE AND CORAL										
CLOSED-BACK SHOVEL HEADS:										
• Welded, closed-back designs improve blade strength										
• BEST FOR PROTECTING HANDLE FROM MUD AND DIRT BUILD-UP										
OPEN-BACK SHOVEL HEADS:										
• Light weight design with textured epoxy blade finish to reduce rust.										
• BEST FOR LIGHT DUTY JOBS										
STEP 2 Select Shovel Handle	ALL-STEEL SHOVELS				LIGHTWEIGHT SHOVELS		VALUE SHOVELS			
	MAXFORGED SHOVELS				DIY SHOVELS		VALUE SHOVELS			
	CLOSED-BACK SHOVELS				DIY SHOVELS		VALUE SHOVELS			
	STANDARD SHOVELS				DIY SHOVELS		VALUE SHOVELS			
	LIGHTWEIGHT SHOVELS				DIY SHOVELS		VALUE SHOVELS			
AEROSPACE-GRADE STEEL HANDLES:										
• Extra-heavy-duty steel handles made for extreme pulling, pushing and digging										
SOLID-CORE FIBERGLASS HANDLES:										
• Made from millions of continuous parallel glass fibers, featuring thick, molded poly jackets and integral compression bars for heavy-duty use										
ASH WOOD HANDLES:										
• Specially coated with two layers of protectant for weather resistance and years of smooth, splinter-free performance.										
NON-SLIP FIBERGLASS:										
• Provides the perfect balance in durability, strength and value										
WARRANTY								LIMITED WARRANTY		1-YEAR WARRANTY
LIMITED LIFETIME WARRANTY								LIMITED WARRANTY		1-YEAR WARRANTY
LIMITED WARRANTY								LIMITED WARRANTY		1-YEAR WARRANTY

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11" 7/64"

14 GAUGE

0.08" 5/64"

15 GAUGE

0.07" 9/128"

16 GAUGE

0.06" 1/16"

MAX ALL-STEEL SHOVELS

STRENGTH & DURABILITY



MAX | ALL-STEEL

- For maximum digging and prying power
- Closed-back blade design provides extra strength and eliminates dirt buildup
- Thick, powder-coated, aerospace-grade steel handle is welded to the 12 gauge blade
- Limited Lifetime Warranty

Sharpshooters

Nursery Spades



AS 90100 AS 90110 AS 90230 AS 90210 AS 90240 AS 90220 AS 90030 AS 90010 AS 90040 AS 90020

Super -Duty Grade	●	●	●	●	●	●	●	●	●	●
Extreme Digging & Prying	●	●	●	●	●	●	●	●	●	●
Breaking through Hard Clay, Caprock & Coral	●	●	●	●	●	●	●	●	●	●
HEAD & BLADE										
12 GAUGE Heat Treated	●	●	●	●	●	●	●	●	●	●
Diamond			12 in	12 in	15 in	15 in				
Straight							12 in	12 in	15 in	15 in
Sharp Shooter	14.5 in L 5.75 in W	14.5 in L 5.75 in W								
HANDLE										
Straight	64 in		54 in		54 in		54 in		54 in	
D-Handle		29 in		26 in		26 in		26 in		26 in



FOOTPAD

- One FREE with all models, except sharpshooters

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX ALL-STEEL SHOVELS

STRENGTH & DURABILITY



MAX | ALL-STEEL

- For maximum digging and prying power
- Closed-back blade design provides extra strength and eliminates dirt buildup
- Thick, powder-coated, aerospace-grade steel handle is welded to the 12 gauge blade
- Limited Lifetime Warranty

Caprock Shovels

#2 Round Point

Wire & Edging Trencher



ABOUT LIFT

- Handles with **larger lift** provide greater leverage.
- Handles with smaller lift allow a nearly vertical cut.
- **Flat-bowled heads** are nearly flat for straight cuts.
- **Deep-bowled heads** are concave for "cupped" cuts.

The **1 IN LIFT** of AS 90310 allows for a nearly vertical cut. This flat bowl gives a flatter cutting edge.

1 IN LIFT

The **4 IN LIFT** of AS 90330 provides additional leverage. A deep bowl blade can leave a "cupped" mark when digging.

4 IN LIFT

Super-Duty Grade

Extreme Digging & Prying

Breaking through Hard Clay, Caprock & Coral

HEAD & BLADE

12 GAUGE Heat Treated

Caprock

#2 Round Pt.

Straight

HANDLE

Straight

T-Handle

AS 90310	AS 90320	AS 90330	AS 90340	AS 90300	AS 90400
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
10 in	10 in	10 in	13 in		
				12 in	
					10 in L 8.25 in W
48 in	48 in	48 in	48 in	48 in	
					45 in



FOOTPAD

- One FREE with AS 90340 and AS 90300

AC 90000 Universal Footpad

Universal rubber footpad reduces fatigue and shoe damage, fitting either side of the blade with pre-drilled holes (selected models).



STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11"
7/64"

14 GAUGE

0.08"
5/64"

15 GAUGE

0.07"
9/128"

16 GAUGE

0.06"
1/16"



MAXFORGED

• Limited Lifetime Warranty

REPLACEMENT
PARTS AVAILABLE

MAXFORGED Caprock Shovels

MAXFORGED #2 Irrigation Shovel

CLOSED-BACK SHOVELS

Large, forward-turned steps prevent material from spilling off rear of blade

#2 Round Point

#2 Square Point

Nursery Spade



SF 80000



SF 80020



SF 79000



SS 60000



SS 60020



SS 61000



SS 61020



SS 63010

Efficient Penetration in Dense
Soils/Cutting Roots



Lifting and Moving Loose
Materials



Breaking through Hard Clay,
Caprock & Coral



General Digging and Clean Out



HEAD & BLADE

FORGED Tempered Steel



14 GAUGE
Tempered Steel



HANDLE

Straight
Ash Wood

48 in

48 in

48 in

48 in

Straight
Solid-core Fiberglass

48 in

48 in

48 in

D-Handle
Steel / Ash Wood

30 in

SOLID-Core Fiberglass long handles pulled 854 lbs and did not break, returning to original shape (Break test)

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12
GAUGE

0.11"
7/64"

14
GAUGE

0.08"
5/64"

15
GAUGE

0.07"
9/128"

16
GAUGE

0.06"
1/16"

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX CLOSED-BACK SHOVELS

STRENGTH & DURABILITY™

MAX CLOSED-BACK Drain Spades

- Sharpened blades for easy ground penetration and slicing through roots
- Tapered, round nose and slightly cupped blades for efficient digging of deep, round-bottom drains and trenches
- Blade is enamel-finished to protect against rust
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



Efficient Penetration in Dense Soils/Cutting Roots	●	●	●	●	●	●	●	●
Digging Trenches and Smaller Holes	●	●	●	●	●	●	●	●
HEAD & BLADE								
14 GAUGE Tempered Steel	●	●	●	●	●	●	●	●
 Drain Spade	16 in	16 in	16 in	16 in	14 in	14 in	14 in	14 in
HANDLE								
Straight Ash Wood	48 in				48 in			
Straight Solid-core Fiberglass			48 in				48 in	
D-Handle Steel / Ash Wood		30 in				27 in		
D-Handle Solid-core Fiberglass				30 in				27 in

SOLID-Core Fiberglass long handles pulled 854 lbs and did not break, returning to original shape (Break test)
D-handle models pulled 548 lbs and did not break (Break test)

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12
GAUGE

0.11"
7/64"

14
GAUGE

0.08"
5/64"

15
GAUGE

0.07"
9/128"

16
GAUGE

0.06"
1/16"

MAX STANDARD SHOVELS



MAX STANDARD Shovels

- Sharpened blades for easy ground penetration and slicing through roots
- Large, forward-turned steps prevent material from spilling off rear of blade
- Extended widow's peak sockets with double rivets for stronger, secure connections
- Blade is enamel finished to protect against rust
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



SS 66000



SS 66010



SS 66020

#2 Round Point



SS 65000



SS 65010



SS 65020



SS 65500



SS 39000

Efficient Penetration in Dense Soils/Cutting Roots

Lifting and Moving Loose Materials

Efficient Removal of Shingles

HEAD & BLADE

14 GAUGE
Tempered Steel

14 GAUGE
Textured Epoxy Finish

Heavy-Duty Fulcrum Welded to Back for Added Leverage

Notched Blade

HANDLE

Straight
Ash Wood

Straight
Solid-core Fiberglass

D-Handle
Steel / Ash Wood

	●	●	●	●	●	●	
							●
	●	●	●	●	●	●	●
							●
							●
							●
	48 in			48 in		48 in	48 in
			48 in		48 in		
		30 in		30 in			

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11"
7/64"

14 GAUGE

0.08"
5/64"

15 GAUGE

0.07"
9/128"

16 GAUGE

0.06"
1/16"

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LIGHTWEIGHT SHOVELS

Lightweight Shovels

- Steel collar for strong head-to-handle connection
- Sharpened blade edges on round point shovels
- Large, forward-turned steps for firmer footing
- Textured epoxy finish protects head against rust
- Limited Warranty

	#2 Round Point		#2 Square Point	
				
	SS 30020	SS 30030	SS 31020	SS 31030
General Digging	●	●		
Lifting and Moving Loose Materials			●	●
HEAD & BLADE				
14 GAUGE Tempered Steel	●	●	●	●
HANDLE				
Straight/Non-Slip Cushion Grip Fiberglass Hollow Core	48 in		48 in	
D-Handle Fiberglass Hollow Core		30 in		30 in

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11" 7/64"

14 GAUGE

0.08" 5/64"

15 GAUGE

0.07" 9/128"

16 GAUGE

0.06" 1/16"

DIY SHOVELS



DIY Shovels

- Steel collar for strong head-to-handle connection
- Sharpened blade edges on round point shovels
- Forward-turned steps for firmer footing
- Textured epoxy finish protects head against rust
- Limited Warranty

#2 Round Point



SS 26000 SS 26010 SS 26020 SS 26030

#2 Square Point



SS 27000 SS 27010 SS 27020 SS 27030

Multi-Purpose Mini Shovel



SS 25010

General Digging	●	●	●	●					●
Lifting and Moving Loose Materials					●	●	●	●	●
Excellent for Working in Tight Spaces while Kneeling									●
HEAD & BLADE									
15 GAUGE Tempered Steel	●	●	●	●	●	●	●	●	●
HANDLE									
Straight Ash Wood	48 in				48 in				
Straight Fiberglass Hollow Core			48 in				48 in		
D-Handle Ash Wood		30 in				30 in			
D-Handle Fiberglass Hollow Core				30 in				30 in	
D-Handle Wood									26.75 in

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11"
7/64"

14 GAUGE

0.08"
5/64"

15 GAUGE

0.07"
9/128"

16 GAUGE

0.06"
1/16"

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


DIY SPADES

DIY Shovels

- Steel collar for strong head-to-handle connection
- Large forward-turned steps for firmer footing
- Textured epoxy finish protects head against rust
- Limited Warranty

Garden Spades

Drain Spades



Easily Penetrates Ground and Slicing Small Roots	●	●	●	●				
Efficient Digging of Deep, Round-Bottom Drains and Trenches					●	●	●	●
HEAD & BLADE								
14 GAUGE Tempered Steel	●	●	●	●	●	●	●	●
Rounded Blade Edge	●	●	●	●				
Slightly Cupped 16 In Blade with Round, Tapered Nose					●	●	●	●
HANDLE								
Straight Ash Wood	48 in				48 in			
Straight Fiberglass Hollow Core with Steel Collar			48 in				48 in	
D-Handle Ash Wood		30 in				30 in		
D-Handle Fiberglass Hollow Core with Steel Collar				30 in				30 in

VALUE SHOVELS All Value Tools carry a 1-year limited warranty

LIGHT-DUTY #2 ROUND POINT SHOVEL SS 10000 | 46 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Round point allows easy penetration of a variety of materials

LIGHT-DUTY #2 SQUARE POINT SHOVEL SS 11000 | 46 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Square-head design for efficient lifting and moving of loose material

LIGHT-DUTY FLORAL SHOVEL SS 47000 | 42 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Small 6 in x 8 in round point head design for easier use in gardens and tight spaces

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



MAX TRENCH SHOVELS



CORONA® offers industry correct, color-coded trenchers for digging new trenches & cleaning them out.

- Finish your job faster with heavy-duty 12-gauge tempered steel blades that outperform some thicker blades
- Quickly find the right-sized tool for the job with industry-standard head sizes and colors
- Work more efficiently with dual handle angles optimized for digging or clean-out. Choose from 35° and 28°
- Limited Lifetime Warranty

Sole Saver Step
REDUCES BOOT WEAR
WITH ROUNDED CORNERS



GENERAL PURPOSE TRENCHER

12 GAUGE STEEL

35°

IDEAL APPLICATION: Digging & Cleaning

35 DEGREE DESIGN ENGINEERED FOR EFFICIENT REMOVAL LOOSE SOIL & DEBRIS



DIGGING TRENCHER

12 GAUGE STEEL

28°

IDEAL APPLICATION: Efficient Digging

28 DEGREE DESIGN ENGINEERED TO PENETRATE & LOOSEN COMPACTED SOIL



HEAD & BLADE									
HEAVY-DUTY 12 GAUGE	●	●	●	●	●	●	●	●	●
BEVELED V-SHAPED BLADE	●	●	●	●	●	●	●	●	●
Slightly Cupped Blade with Round, Tapered Nose									
HANDLE									
48 In Ash Wood	SS 64103	SS 64104	SS 64105	SS 64106	SS 64303	SS 64304	SS 64305	SS 64306	
48 In Solid-core Fiberglass	SS 64223	SS 64224	SS 64225	SS 64226	SS 64333	SS 64334	SS 64335	SS 64336	
48 In Fiberglass Hollow Core	SS 64123	SS 64124	SS 64125	SS 64126	SS 64323	SS 64324	SS 64325	SS 64326	



35 degree is our most popular blade type; its sharper angle makes it easier to pick up loose soil and debris. Ash replacement handles are available.

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SCOOP SHOVELS

STRENGTH & DURABILITY

MAX

WESTERN SCOOP SHOVELS



- Large square-nose blade designs with reinforced ribs for strength
- Limited Lifetime Warranty

#14 Aluminum Scoops



SS 68431

SS 68436

SS 68440



SS 68231



SS 68000



SS 68010



SS 68030



SS 69010

#12 Steel Scoop

Efficient Lifting
and Transferring
of Loose Materials

HEAD & BLADE

12 GAUGE
High Strength Aluminum

Extra Large Head

Non-Spark

Heavy-Duty
High Carbon Steel

Corrosion Resistant

HANDLE

2X Varnish Coating

Straight
Ash Wood

D-Handle
Steel / Ash Wood

D-Handle
Solid-core Fiberglass

**REPLACEMENT PARTS
AVAILABLE**



48 in

31 in

36 in

40 in

31 in

30 in

30 in

30 in



STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12
GAUGE

0.11"
7/64"

14
GAUGE

0.08"
5/64"

15
GAUGE

0.07"
9/128"

16
GAUGE

0.06"
1/16"

SCOOP SHOVELS



EASTERN SCOOP SHOVELS



- General purpose scoops
- Level surfaces, use for clean up, moving or scraping debris
- Limited Warranty

#12 Plastic Scoops



SS 42001

SS 42011

#2 Aluminum Scoop

#2 Steel Scoops



SS 48248

SS 49100

SS 49234

Efficient Moving of Light Materials	●	●	●		
General Purpose				●	●
HEAD & BLADE					
Aluminum			● 11 in x 14 ½ in		●
Tempered Steel				● 11 ¼ in x 13 in	● 11 ¼ in x 13 in
Non-Spark	●	●	●		
Corrosion-Resistant	●	●	●		
Reinforced for Heavy-Duty Applications	●	●			
HANDLE					
2X Varnish Coating for Weather Resistance			●		●
Straight Ash Wood	48 in		48 in	48 in	
D-Handle Steel / Ash Wood					34 in
D-Handle Ash Wood		30 in			

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

12 GAUGE

0.11"
7/64"

14 GAUGE

0.08"
5/64"

15 GAUGE

0.07"
9/128"

16 GAUGE

0.06"
1/16"

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX POST HOLE DIGGERS

STRENGTH & DURABILITY

SHOVELING & TRENCHING


MAX

**Hercules Pattern
POST HOLE DIGGER
PD 60000**



- **Extra-heavy-duty, 10 gauge** tempered steel head for superior strength and long service life
- Sharpened blade edges easily penetrate ground, slice through small roots
- 48 in extra-thick Ash handles for durability and longer service life
- Square-to-round connection between handles and head prevents twisting
- Pivot point between blades optimally positioned to allow wider opening
- Lifetime Limited Warranty
- **REPLACEMENT HANDLES AVAILABLE**

**10
GAUGE STEEL**



Square-to-round connections between head and handles prevent twisting

Atlas Pattern POST HOLE DIGGERS



PD 40020 POST HOLE DIGGER

48 IN FIBERGLASS HANDLE

- Fiberglass handles for best combination of weight and durability
- Heavy-duty 12 gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Ruler markings make gauging depth of hole an easy task
- Limited Warranty



PD 40000 POST HOLE DIGGER

48 IN ASH HANDLE

- Heavy-duty 12 gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Limited Warranty



PD 20000 POST HOLE DIGGER

48 IN ASH HANDLE

- 14 gauge tempered steel head
- Limited Warranty



SNOW SHOVELS



- **CORONA®** lightweight blades minimize strain, yet resist impact and harsh weather.
- The tough poly blades are less likely to catch on surface edges or damage patios, decks and roofs.
- The weather-resistant hardwood handles are 45 1/2 in long and 2X varnished with oversized D-grips for easy use, with or without gloves.



SNOW SHOVEL

PS 10010 | 18 IN WIDE POLY BLADE

- Easily dig into packed snow with flat blade
- Fully assembled and ready to use
- Limited Warranty

Last chance - Limited quantities available



Slice, lift and throw packed snow



SNOW PUSHER

PS 10025 | 24 IN WIDE POLY BLADE

- Easily clear large flat areas of snow by pushing it to the side
- Easy to assemble
- Limited Warranty

Last chance - Limited quantities available



Quickly push light snow off flat surfaces



SNOW SHOVEL/PUSHER

PS 10030 | 19 IN WIDE POLY BLADE

- Move mounds of snow with deep, scoop-like blade
- Fully assembled and ready to use
- Limited Warranty

Last chance - Limited quantities available



Slice, push, lift and throw large scoops of packed snow



SNOW PUSHER

PS 10020 | 20 IN WIDE POLY BLADE

- Easily clear moderately large flat areas of snow by pushing it to the side
- Limited Warranty

Last chance - Limited quantities available



Quickly push light snow off flat surfaces



CHOP. POUND. FRACTURE. PRY.

Extreme work requires extreme tools. Only the toughest, most durable tools can stand up to this kind of abuse. Our entire Striking Tool lineup is fire-heated and hammer-forged for maximum strength and durability, offering many years of SUPERIOR PERFORMANCE & EXTREME SERVICE.



MAX AXES

STRENGTH & DURABILITY

MAXFORGED | MICHIGAN AXE

AX 70020 | 34 IN SOLID-CORE FIBERGLASS HANDLE

- Forged, 3 ½ lb tempered steel head hardened for maximum strength
- Sharpened and polished blade edge, cuts cleaner and with less effort
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- Limited Lifetime Warranty



MAXFORGED | PULASKI ROOT GRUBBING TOOL

AX 71020 | 34 IN SOLID-CORE FIBERGLASS HANDLE

- Sharpened 3 ½ lb axe blade with steep bevel holds edge while cutting roots in soil
- Triangular-shaped mattock blade for excavating around large roots
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- 34 in solid-core fiberglass handle
- Limited Lifetime Warranty



MAX HAMMERS

STRENGTH & DURABILITY

- Break through concrete, asphalt, masonry or drywall... virtually any material, with durable forged, tempered steel heads
- Minimize deflections and finish your work faster with dual ground and polished convex striking faces
- Your choice of naturally shock-absorbing Hickory wood handles or solid-core fiberglass handles
- Limited Lifetime Warranty

MAXFORGED | SLEDGEHAMMERS WITH HICKORY HANDLES

ST 40004 | 4 LB HEAD | 14 IN HANDLE

ST 40006 | 6 LB HEAD | 36 IN HANDLE

ST 40001 | 8 LB HEAD | 36 IN HANDLE

ST 40010 | 10 LB HEAD | 36 IN HANDLE

ST 40012 | 12 LB HEAD | 36 IN HANDLE

ST 40016 | 16 LB HEAD | 36 IN HANDLE

ST 40020 | 20 LB HEAD | 36 IN HANDLE

• REPLACEMENT PARTS AVAILABLE

- 40004-4 - 14 in Hickory Handle for 4lb Head
- 40001-4 - 36in Hickory Handle for 6-16 lb Heads



MAXFORGED | SLEDGEHAMMERS WITH SOLID-CORE FIBERGLASS HANDLES

ST 70020 | 4 LB HEAD | 15 IN HANDLE

ST 70022 | 4 LB HEAD | 15 IN HANDLE

ST 70021 | 8 LB HEAD | 32 IN HANDLE

ST 70023 | 10 LB HEAD | 32 IN HANDLE

ST 70024 | 12 LB HEAD | 34 IN HANDLE

ST 70025 | 16 LB HEAD | 34 IN HANDLE



MAXFORGED | DRILLING HAMMERS

ST 43003 | 3 LB HEAD | 10 IN HICKORY HANDLE

ST 73003 | 3 LB HEAD | 10 IN SOLID-CORE FIBERGLASS HANDLE

- Minimize deflections and finish your work faster with dual ground and polished convex striking faces
- Your choice of naturally shock-absorbing Hickory wood handles or solid-core fiberglass handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 43003-4 - 10 in Hickory handle for 3lb. head



MAX PICKS & MATTOCKS



Pick & Mattock Heads are hardened for maximum strength

- Heads connected through eye holes allowing easy replacement
- Your choice of Hickory wood handle with shock-absorbing Poly Guards or maximum strength solid-core fiberglass handle
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | RAILROAD PICK

PM 40000 | 36 IN POLY GUARD HICKORY HANDLE

PM 73020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

- Points for fracturing rock and concrete
- Chisels for smoothing of rough edges and light prying

MAXFORGED | PICK MATTOCK

PM 41000 | 36 IN POLY GUARD HICKORY HANDLE

PM 74020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Points for fracturing, prying rock



MAXFORGED | CUTTER MATTOCK

PM 75020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

PM 42000 | 36 IN POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Extra-sharp cutter blades for severing roots

Replacement Parts

MAX | 10 IN HICKORY HANDLE

43003-4 | FITS 3 LB DRILLING HAMMERS



MAX | 14 IN HICKORY HANDLE

40004-4 | FITS 4 LB SLEDGEHAMMERS



MAX | 36 IN HICKORY HANDLE

40001-4 | FITS 6-16 LB SLEDGEHAMMERS



MAXFORGED | RAILROAD PICK HEAD

40000-8



MAXFORGED | PICK MATTOCK HEAD

41000-8



MAXFORGED | CUTTER MATTOCK HEAD

42000-8



MAX | 36 IN SOLID-CORE FIBERGLASS HANDLE

73020-4



MAX | 36 IN POLYGUARD HICKORY HANDLE

41000-4



MAX | 36 IN HICKORY HANDLE

40000-4



MAX HEAVY BARS



MAXFORGED | SAN ANGELO BAR

BR 70090 | 14 LB | 60 IN

- Point for fracturing rock and concrete
- 2 in wide chisel edge for straight line concrete breaking, smoothing of rough edges and prying
- Limited Lifetime Warranty



MAXFORGED | WEDGE POINT BAR

BR 72090 | 18 LB | 60 IN

- 1 1/4 in wide head for better leverage and greater impact
- Limited Lifetime Warranty



MAXFORGED | PINCH POINT CROW BAR

BR 73090 | 18 LB | 60 IN

- 1 1/4 in wide pinch-point design places fulcrum close to object to be lifted, gives maximum leverage and enables lifting of objects from flat surfaces
- Limited Lifetime Warranty



MAXFORGED | DIGGING BAR

BR 71090 | 17 LB | 70 IN

- 2 3/8 in wide, thick blade for efficient digging in dense, heavy and rocky soils
- Tamp for compacting soils around fence posts, forms, etc.
- Limited Lifetime Warranty



MAXFORGED | LANDSCAPE BAR

BR 74090 | 32 LB | 69 IN

- Heavy-duty welded 2 1/8 in wide blade enables moving of large rocks and other extremely heavy landscape elements
- Large tamp, combined with weight of bar, enables maximum compaction of postholes and other landscape elements
- Limited Lifetime Warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



DEBURR. SHAPE. SMOOTH. SHARPEN.

Our premium quality CORONA® MAX™ files & rasps were designed with the tradesman and backyard mechanic in mind. Essential instruments for any shop, tool box or back pocket. They carry a Limited Lifetime Warranty and guaranteed to last from first scrape to final smooth.



MAX FILES

STRENGTH & DURABILITY

SINGLE CUT PATTERN

With a single set of parallel, diagonal rows of teeth, single-cut files are often used with light pressure to produce a smooth surface finish or to put a keen edge on loppers, knives, shears or saws.

DOUBLE CUT PATTERN

The overcut and the finer upcut teeth are arranged diagonally in 2 opposing directions so material is removed on both the push and pull strokes. A DOUBLE CUT file is used with heavier pressure than a SINGLE CUT and removes material faster from the workpiece.

Mill Files



General purpose files for shaping steel or restoring sharp edges and where a smooth finish is important. Ideal for sharpening tools such as loppers, hedge shears, pruners, knives, spades, shovels, hoes, scrapers, etc. Good for polishing and deburring work on lathes.

- **Shape:** rectangular cross-section with parallel surfaces and tapered edges towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH

LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
4 in			FE405504BCOBX
6 in		FE405506BC0CD	FE405506BCOBX
6 in	•	FE405506BC1CD	
8 in		FE405508BC0CD	FE405508BCOBX
8 in	•	FE405508BC1CD	
10 in		FE405510BC0CD	FE405510BCOBX
10 in	•	FE405510BC1CD	
12 in		FE405512BC0CD	FE405512BCOBX
14 in			FE405514BCOBX

SMOOTH CUT FINE FINISH

LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE405506SC0CD
8 in		FE405508SC0CD
10 in		FE405510SC0CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Flat Files



General purpose files for rapid removal or shaping of steel. High removal rate file for filing flat surfaces, sharp corners and shoulders as well as for deburring.

- **Shape:** rectangular cross-section with parallel surfaces and tapered edges towards the tip
- **Surfaces double cut and edges single cut**
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH

LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
6 in		FE400106BC0CD	
8 in		FE400108BC0CD	
8 in	•	FE400108BC1CD	
10 in		FE400110BC0CD	FE400110BCOBX
10 in	•	FE400110BC1CD	
12 in		FE400112BC0CD	FE400112BCOBX

SMOOTH CUT FINE FINISH

LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE400106SC0CD
8 in		FE400108SC0CD
10 in		FE400110SC0CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Round Files



General purpose files for filing holes, large fillets and concave surfaces. For rapid removal or shaping of steel on concave surfaces

- **Shape:** round cross-section tapered towards the point
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH			
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
6 in		FE400406BC0CD	
6 in	●	FE400406BC1CD	
8 in		FE400408BC0CD	
8 in	●	FE400408BC1CD	
10 in		FE400410BC0CD	FE400110BC0BX
10 in	●	FE400410BC1CD	
12 in		FE400412BC0CD	FE400112BC0BX


SMOOTH CUT FINE FINISH		
LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE400106SC0CD
8 in		FE400108SC0CD
10 in		FE400110SC0CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Half Round Files



General purpose files for rapid removal or shaping of steel on concave, flat surfaces and large holes. Suitable for deburring work.

- **Shape:** half-round cross-section with edges and surfaces tapered towards the tip
- **Double cut**
- **Choice of packaging:** individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH			
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
6 in		FE400306BC0CD	FE400306BC0BX
6 in	●	FE400306BC1CD	
8 in		FE400308BC0CD	
8 in	●	FE400308BC1CD	
10 in		FE400310BC0CD	
10 in	●	FE400310BC1CD	
12 in		FE400312BC0CD	FE400312BC0BX

SMOOTH CUT FINE FINISH		
LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE400306SC0CD
8 in		FE400308SC0CD
10 in		FE400310SC0CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

Pipeliners File




For deburring and filing down welds in large pipes, other concave, convex and flat surfaces.

BASTARD CUT ROUGH FINISH			
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
14 in			PF400314BC0BX

- **Extra-long:** convenient when working with tubes and pipes
- **Shape:** half-round cross-section with parallel edges
- **Double cut**
- **Choice of packaging:** boxed in bulk
- Limited Lifetime Warranty

Slim Taper Files



**SMOOTH CUT
FINE FINISH**

LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE404106SLOC
6 in	•	FE404106SL1CD
8 in		FE404108SLOC
8 in	•	FE404108SL1CD

OPTIONAL ERGO HANDLE




INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

For sharpening conventional saws blades with fine universal toothting. Ideal for sharpening saws with 60° angle saw teeth. Tapered point to file tight angles.

- **Shape:** triangular, with edges tapering towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display
- Limited Lifetime Warranty

Extra-Slim Taper Files



**SMOOTH CUT
FINE FINISH**

LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
4 in		FE404004XSOC	
5 in		FE404005XSOC	
6 in		FE404006XSOC	FE404006XS0BX
6 in	•	FE404006XS1CD	
7 in		FE404007XSOC	
8 in		FE404008XSOC	FE404008XS0BX

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC
FILE HANDLE - FA0001CD

For sharpening conventional saws blades with fine universal toothting. Ideal for sharpening saws with 60° angle saw teeth. Tapered point to file tight angles.

- **Shape:** triangular, with edges tapering towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display
- Limited Lifetime Warranty

Double Extra Slim Taper File

42% smaller cross-section than 6 in
Extra Slim Taper Files


It is NOT recommended to use a file on Corona® RazorTOOTH Saw® or QuickSAW® blades.

**SMOOTH CUT
FINE FINISH**

LENGTH	CARDED SKU#
6 in	FE404006XXOC



Cantsaw Files



For sharpening crosscut saws, circular saws and saw teeth with less than 60° angle.

BASTARD CUT ROUGH FINISH

LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
6 in			FE404506BCOBX
8 in			FE404508BCOBX
10 in			FE404510BCOBX

- **Shape:** triangular cross-section with parallel edges
- **Surfaces and edges single cut**
- **Choice of packaging:** boxed in bulk
- Limited Lifetime Warranty

Round Chainsaw Files



For sharpening cutters of saw chain.

- **Shape:** round and straight towards the tip
- **Surfaces and edges single cut**
- **Choice of packaging:** individual hang cards for peg display, bagged or boxed in bulk
- Limited Lifetime Warranty

SMOOTH CUT FINE FINISH

LENGTH	CARDED SKU#	BOXED SKU#	BAGGED SKU#
6 x 1/8 in	CF425018SC0CD		
6 x 5/32 in	CF4250532SC0CD		
8 x 5/32 in	CF4050532SC0CD	CF4050532SC0BX	
8 x 3/16 in	CF4050316SC0CD	CF4050316SC0BX	CF4050316SC0BG
8 x 13/64 in	CF405002SC0CD	CF405002SC0BX	
8 x 7/32 in	CF4050732SC0CD	CF4050732SC0BX	CF4050732SC0BG
8 x 1/4 in	CF405014SC0CD	CF405014SC0BX	

E mm	E in	E/2 = Pitch	Ø suitable file in in	Ø suitable file in mm
12,70	0.5 in	1/4 in	5/32 in	4,0
16,50	0.65 in	0.325 in	11/64 in - 3/16 in	4,5 - 4,8
18,64	0.75 in	3/8 in	13/64 in - 1/32 in	5,2 - 5,5
20,52	0.808 in	0.404 in	7/32 in	5,5
25,40	1 in	1/2 in	1/4 in	6,35
38,10	1.5 in	3/4 in	5/16 in	7,9

Handy File



BASTARD CUTS ROUGH FINISH

LENGTH	CARDED SKU#
8 in	HF106108ST0CD

Versatile general purpose file.

- **Single cut:** for fine filing of flat surfaces and for fine sharpening of tools and implements
- **Double cut:** for filing flat surfaces and for rough sharpening of edges on spades, hoes, mower blades, etc
- **Shape:** rectangular cross-section with parallel edges, one edge uncut
- **Surfaces and edges:** one side double-cut bastard, the other side single cut bastard. One edge single-cut, one edge uncut
- **Integral handle with hanging hole**
- **Choice of packaging:** individual hang cards for peg display
- Limited Lifetime Warranty

MAX RASPS

STRENGTH & DURABILITY

4 in 1 File and Rasp



4 in 1 file for work on wood, plastics and other soft materials combining rasp cut for extremely rapid removal and double cut for fast removal and smoothing.

- **Shape:** half-round cross-section with parallel edges
- Individual hang card packaging for peg display
- Limited Lifetime Warranty

BASTARD CUT/RASP BASTARD CUT ROUGH FINISH



LENGTH	CARDED SKU#	
8 in	FR4132080CD	

Farmer File



General purpose file for shaping metal or restoring sharp edges.

- Ideal for sharpening tools such as spades, shovels, hoes, scrapers, etc.
- **Shape:** rectangular cross-section with parallel edges
- **Surfaces and edges:** both sides single cut and both edges uncut
- Integral handle with hanging hole
- Limited Lifetime Warranty

BASTARD CUT ROUGH FINISH



LENGTH	CARDED SKU#	
6 in	FF408206CD	

Round Wood Rasp



For work in soft materials like wood, plywood, wallboard, plastics and other soft materials, ideal for holes and concave surfaces.

- **Shape:** round, tapered towards the tip
- **Type of cut:** medium
- Securely mounted ergonomic handle
- Individual hang card packaging for peg display
- Limited Lifetime Warranty

RASP BASTARD CUT ROUGH FINISH



LENGTH	CARDED SKU#	
8 in	FR410408BC1CD	

Half-Round Wood Rasp



For work in soft materials like wood, plywood, wallboard, plastics and other soft materials. Ideal for concave and flat surfaces and large holes.

- **Shape:** half-round cross-section with edges and surfaces tapered towards the tip
- **Type of cut:** medium
- Securely mounted ergonomic handle
- Individual hang card packaging for peg display
- Limited Lifetime Warranty

RASP BASTARD CUT ROUGH FINISH



LENGTH	CARDED SKU#	
8 in	FR410108BC1CD	

ACCESSORIES



UNIVERSAL FILE CARD FA0002CD

- Single-sided file cleaner
- The fine wire bristles of this tool help to remove filings and other gunk from the teeth of the file to insure longer life and efficiency



INTERCHANGEABLE ERGONOMIC FILE HANDLE FA0001CD

- Our file handles are ergonomically designed, following the Corona® process to reduce muscle tension and the risk of injury. The hard polypropylene core, covered with a thermoplastic elastomer, provides a comfortable non-slip grip and the handle's smooth contours fit into the hand naturally. Includes a set of inserts to fit most Corona files.



Convenience Sets

A complete selection of different sets of files to cover most needs.

Sets in Pouches



ALL PURPOSE 3-PIECE QUALITY FILE SET

FS0004PP

- Three 6 in files
Round (Bastard Cut)
Mill (Bastard Cut)
Slim Taper
- Limited Lifetime Warranty



ALL PURPOSE 5-PIECE QUALITY FILE SET

FS0005PP

- Three 6 in bastard cut files
Mill
Half Round
Round
- Additional files
Slim Taper - 6 in
4 in 1 - 8 in
- Limited Lifetime Warranty



NEEDLE HOBBY FILE SET

FS0006PP

- Six 6 in fine cut miniature files for detailed and intricate hobby
Warding
Round
Square
Half-round
Three Square
Pillar
- Can be used on wood, metal or plastics
- Limited Lifetime Warranty

Sets in Blister Packs



ALL PURPOSE QUALITY FILE SET

FS0001CS

- Three 8 in bastard cut files
Mill
Round
Half-Round
- Each with a securely mounted ergonomic handle
- Limited Lifetime Warranty



VERSATILE QUALITY FILE SET

FS0002CS

- Includes four files
Mill - 8 in, Bastard Cut
Round - 6 in, Bastard Cut
Slim Taper - 6 in
4 in 1 - 8 in
- One ergonomic handle and four handle inserts included
- Limited Lifetime Warranty



COMPLETE SET OF QUALITY FILES

FS0003CS

- Eight 8 in files, total 9 pieces
- Bastard cut and smooth cut versions of three files
Mill (2)
Round (2)
Half-Round (2)
- Additional files
Slim Taper (1)
Extra Slim Taper (1)
- One ergonomic handle and four handle inserts included
- Limited Lifetime Warranty

Assortments

Increase add-on sales now: popular file assortments with re-stockable displays



NEW

SHARPENING FILES WITH COUNTER DISPLAY

FE0003SA

- Includes four file types, six units each
Mill, Bastard Cut - 6 in
Mill, Bastard Cut - 8 in
Mill, Smooth Cut - 6 in
Mill, Smooth Cut - 8 in
- Compact display fits small spaces: 12 x 5 x 17 1/2 in

These assortments are only available to dealers and distributors.



NEW

BEST SELLING FILES WITH WALL DISPLAY

FE0004SA

- Includes fifteen file types, six units each
Mill, Bastard Cut - 6, 8, 10 and 12 in
Extra Slim Taper - 6, 7, and 8 in
4 in 1 File and Rasp - 8 in
Farmer File - 6 in
Handy File - 8 in
Round Chainsaw - 8 in, five diameters
13/64 in 1/32 in
1/4 in 5/32 in
3/16 in
- Also includes Interchangeable Ergonomic File Handle (6 units)
- Display mounts onto pegboard or slat wall



TWIST. EXTRACT. PROBE. TAMP.

Our CORONA® utility tools address the daily needs of the professional landscape contractor. You'll find everything you need for a tough, but typical, day on the job from driving posts to extracting broken sprinkler heads.




MAX PVC CUTTING TOOLS

MAX | PVC PIPE CUTTER

NEW

UT 65050

- Easy one-hand cutting with ratchet-action blade
- Replace the blade quickly by flipping up the tab, turning to release the blade
- Ergonomic handles with rubberized non-slip grips
- Use left- or right-handed
- Cuts schedule 40 PVC pipe
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 65050-1C - Replacement blade
 - 65050-3C - Pivot bolt, spring, washer



Change the blade quickly by flipping up the tab, turning to release the blade.

MAX | PVC HAND SAW

NEW

UT 65040

- Fine teeth cut PVC, plastics, laminates, wood and more
- High-carbon steel blade - 14 in long, 15 TPI, 16 PPI
- Oversized ergonomic handle with soft-touch grip for comfort
- Limited Lifetime Warranty



MAX | HACKSAW

NEW

UT 65030 | CUTS UP TO 4 1/2 IN

- 25% larger cutting capacity - cuts PVC pipes up to 4 1/4 in
- Two cutting angles - 90° and 55°
- High-speed steel blade - 12 in long, 24 TPI
- Large ergonomic handle
- Storage for 8 blades in the top bar
- Limited Lifetime Warranty
- **REPLACEMENT PART AVAILABLE**
 - 65030-1 - Replacement hacksaw blade (2 per card)



MAX EZ OUT TOOLS

MAX | 90° EZ OUTS

NEW

UT 65010 | 1 IN & 1 1/4 IN

UT 65020 | 1/2 IN & 3/4 IN

- Extractors to remove broken plastic riser stubs in irrigation systems
- Handles angled at 90° for easy access to tight areas
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Limited Lifetime Warranty

U.S. Patent D540,632




MAX | EZ OUTS

UT 65001 | 1 IN & 1 1/4 IN

UT 65002 | 1/2 IN & 3/4 IN

- Extractors to remove broken plastic riser stubs in irrigation systems
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Limited Lifetime Warranty

U.S. Patent D540,632



MAX VALVE KEYS

MAX | METER KEY

UT 62055 | 1 1/8 IN KEY SLOT | 30 IN SHAFT

- Opens and shuts standard meter valves
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handle for better leverage
- Limited Lifetime Warranty



MAX | METER KEYS

UT 62050 | 1/2 IN KEY SLOT | 29 3/4 IN SHAFT

UT 62051 | 3/4 IN KEY SLOT | 31 3/4 IN SHAFT

- For standard sprinkler and residential shut-off valves
- Heavy-duty all-steel construction for superior strength
- T-bar handles provide maximum leverage
- Limited Lifetime Warranty



UT 62050



UT 62051

MAX VALVE KEYS

STRENGTH & DURABILITY



MAX | HEAVY-DUTY SPRINKLER & VALVE KEY

UT 61000 | 3/8 IN DIAMETER PRONGS
WITH 1 1/2 IN OFFSET | 48 IN SHAFT

- 2-Prong head opens and shuts valves with cross and wheel handles
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handle for better leverage
- Limited Lifetime Warranty



MAX WRENCHES

STRENGTH & DURABILITY

MAX | OPERATING WRENCH 3-IN-1

UT 69000

- Multifunctional; used to open gate valves, extends from 3 to 5 ft easily by releasing a snap button
- Includes 3 interchangeable heads with snap button lock store on the tool - 1, 1 1/8 and 2 in
- 2 in square key operates gate valves with a 2 in square operating nut
- T-bar handle design for better leverage, solid steel construction for durability
- Red color so it's easier to find on the job
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



**1/2 IN SQUARE
METER KEY HEAD**
69000-050



**1 IN VALVE
KEY HEAD**
69000-100



1 1/8 IN METER KEY HEAD
69000-118




**2 IN SQUARE
METER KEY HEAD**
69000-200



**83 1/2 IN SQUARE TUBING
EXTENDER BAR**
69000-835

- Converts UT 69000 to easily adjust deep valves. Snap button locks at 7, 8 or 9 ft depths.



VALVE KEYS



CORONA
SEASON AFTER SEASON

RATCHET PRUNER

UT 60054 | 54 IN OVERALL LENGTH

UT 60030 | 30 IN OVERALL LENGTH

UT 60007 | 7 IN OVERALL LENGTH

- Use to turn sprinkler control valves on or off with ease
- Steel construction with triangular heads for better leverage
- Sturdy 0.28 in diameter rods
- Two-prong heads are 1.1 in wide
- Limited Warranty



MAX | HEAD TRIMMERS

UT 66004 | 4 IN DIAMETER | 29 IN SHAFT

UT 66006 | 6 IN DIAMETER | 29 IN SHAFT

- Easily trims around sprinkler heads with serrated edges
- Two sizes cover a complete range of heads
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handles for better leverage
- Limited Lifetime Warranty



MAX | OPERATING WRENCH

UT 62052 | 2 1/4 IN SQUARED KEY | 60 IN SHAFT

- Large squared key opens and shuts high-capacity gate valves
- Extra-long shaft reaches deeply set lines on commercial construction sites
- Heavy-duty all-steel construction for superior strength
- T-bar handle provides maximum leverage
- Limited Lifetime Warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SOIL PROBES


STRENGTH & DURABILITY

- Locate underground utilities and pipelines before digging
- Cushioned, non-slip T-bar handle for best control
- Limited Lifetime Warranty

MAX | STEEL SOIL PROBE

UT 64050 | 48 IN STEEL SHAFT

- High-quality welded steel construction for greater strength



MAX | FIBERGLASS SOIL PROBE

UT 64020 | 50 IN FIBERGLASS SHAFT

- Fiberglass for best combination of strength and weight
- Replaceable steel tip for long service life
- **REPLACEMENT PART AVAILABLE**
 - 64020-64 - Replacement tip



MAX DIRT TAMPS

STRENGTH & DURABILITY

- Heavy-duty steel construction for long service life
- 1/4 in steel plate and gussets for maximum strength and even tamping
- Limited Lifetime Warranty

MAX | DIRT TAMP

UT 60053 | 10 IN X 10 IN | 58 IN ASH HANDLE

- 56% larger plate helps you finish your job faster than with standard 8 in squared plate

UT 60050 | 8 IN X 8 IN | 43 IN ASH HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials
- **REPLACEMENT PARTS AVAILABLE**
 - 60050-4 - Wood handle and wedges



MAX | DIRT TAMP | ALL-STEEL

UT 60057 | 8 IN X 8 IN | 58 IN STEEL HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials

UT 60055 | 3 1/2 IN X 12 IN | 58 IN STEEL HANDLE

- Ideal for tamping in trenches and tight spaces

MAX POST DRIVERS

STRENGTH & DURABILITY

- Easily drive standard-sized square wooden stakes and steel posts into the ground
- Standard models feature two angled handles for best gripping position and control
- Long-reach model features one extended handle for driving posts close to ground level
- High-quality welded steel construction for long service life
- Limited Lifetime Warranty

MAX | POST DRIVER

UT 67002 | 27 LB

- 3 1/2 in squared hollow section



MAX | POST DRIVER

UT 67001 | 21 LB

- 2 1/2 in squared hollow section



MAX | POST DRIVER

UT 67003 | 22 LB | 65 IN HANDLE

- Long-reach 65 in handle - so no ladder is needed for installing taller posts
- 2 1/2 in squared hollow section





MAXFORGED | SCRAPER/CHOPPER

UT 71000 | 54 IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 4 in wide for efficient digging, edging and root cutting
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Lifetime Warranty



MAXFORGED | SIDEWALK SCRAPER

UT 70000 | 48 IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 7 in wide for efficient edging of sidewalks and ice chipping
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Lifetime Warranty

VALUE EDGERS & WEED CUTTERS All Value Tools carry a 1-year limited warranty

HALF-MOON EDGER

UT 20000 | 48 IN WOOD HANDLE

- Semi-circular edging knife for straight, even edges and borders
- Tempered steel blade
- Large forward-turned steps for firmer footing

DUAL WHEEL GRASS EDGER

UT 21000 | 6 IN BLADE | 48 IN WOOD HANDLE

- 6 in self-sharpening blade with an adjustable depth gauge
- Wide, dual treads for traction and easier handling on concrete

WEED CUTTER

UT 24000 | 14 IN BLADE | 30 IN WOOD HANDLE

- Used to trim tall grass and weeds around yards
- 14 in blade has serrations on each edge and cuts in either direction
- Blade is connected to handle with two bolts

SIDEWALK SCRAPER

UT 47000 | 7 IN BLADE | 48 IN WOOD HANDLE

- Used for removing and chipping snow and ice off sidewalks and steps and as a light-duty foot edger for sidewalks and driveways
- 7 in wide tempered steel blade



CLIP. TRIM. SAW. HACK.

This lineup includes our classic MAX FORGED™ PRO pruners and innovative pruners and loppers. Offering more power, reduced user fatigue and adjustability for making effortless, repetitive cuts.



MAX HAND PRUNERS


How to Pick the Right Size Pruner for Your Hand



SMALL HANDS
Wide: less than 3 1/4 inch
Height: less than 6 1/4 inch



MEDIUM HANDS
Wide: 3 1/2 to 4 inch
Height: 6 1/2 to 8 inch



LARGE HANDS
Wide: more than 4 inch
Height: more than 8 inch

MAXFORGED

STRENGTH & DURABILITY™

Forged tough. Proven performance. Season after season.

Experience the performance and durability of **MAXFORGED** tools with classic, simple designs that withstand the test of time. Agricultural and Landscaping Professionals' tool family of choice.




MAXFORGED | BYPASS PRUNERS

DualCUT

BP 7100D

- The **PrecisionZONE** area of hook & blade is for quick, repetitive cuts on stems and smaller branches
- The **PowerZONE** area of hook & blade is for maximum-leverage cuts on branches up to 1 in
- Maximum strength forged technology
- No blade crossover with fully forged steel construction for strength
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Patents U.S. D660,104, D664,406, 8,910,386
Canada 2,775,512



MAXFORGED | BYPASS PRUNERS

ProCUT

BP 7200

- Replaceable, resharpenable Dual Arc™ blade
- Advanced blade technology and high-performance blade coating reduce cutting effort by 25% when compared to titanium-coated or non-coated blades
- Comfortable handle with contoured soft grip
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

U.S. Patents D660,104 & D664,406





MAXFORGED | BYPASS PRUNERS

ClassicCUT®

CUTS UP TO
1 in

BP 3180D

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS PRUNERS

ErgoACTION

CUTS UP TO
1 in

BP 3670

- Built-in sprinkler adjuster fits common nozzles
- Resharpenable, replaceable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 3670-1C - Replacement blade
 - 3670-91C - Hardware kit - Pivot bolt and nut, spring, lock with screw and washer



U.S. Patent D652,272



MAXFORGED | BYPASS PRUNERS

ClassicCUT®

BP 3160 | CUTS UP TO 3/4 IN

BP 3130 | CUTS UP TO 1/2 IN

- Resharpenable high-carbon steel blades
- High-precision pivot bolts and locking nuts keep blades and hooks aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS PRUNERS

ErgoACTION

CUTS UP TO
3/4 in

BP 3640

- Resharpenable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Limited Lifetime Warranty

U.S. Patent D585,251



MAXFORGED | TWO-HANDED PRUNER

ClassicCUT®

CUTS UP TO
3/4 in

BP 3225D

- Lightweight, two-handed operation for easier cutting
- Forged, resharpenable bypass blade and hook
- Oval steel handles for greater comfort
- Handle length - 11 1/4 in
- Limited Lifetime Warranty



MAXFORGED | PRUNER + LOPPER

Convertible

CUTS UP TO
1 1/4 in

BP 7450

- Ease of a pruner with power of a lopper - all in one tool
- Easily converts for two-handed operation
- No blade crossover with fully forged steel construction for strength
- Right- or left-hand activation with center lock
- Comfortable handle with contoured grip
- Limited Lifetime Warranty

U.S. Patent D698,618



MAX HAND PRUNERS

STRENGTH & DURABILITY



MAXFORGED ALUMINUM Bypass Pruners

- Lightweight forged aluminum handles with non-slip grips
- High-carbon steel blades for lasting performance
- Easy access to tight areas with narrow profile hooks
- Geared pivot nuts permit precise blade adjustments
- Built-in wire cutters and sap grooves
- Volute springs resist clogging and maintain smooth cutting action
- Rubber bumpers absorb shocks
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6250

- Straight, non-angled head
- Blade and spring are interchangeable with Felco® 2*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6310

- Compact, great for smaller hands
- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 6*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 4250

- More affordable, heavier version of BP 6250
- Separate steel hook instead of one-piece aluminum hook
- Blade and spring fit Felco® 11*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6340

- For left handed users
- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 9*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 4840

- Unique rolling handle designed to reduce cutting effort and hand fatigue
- Blade interchangeable with Felco® 7*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6360

- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 8*



*Felco® is a registered trademark of Felco SA, Switzerland

HAND PRUNERS



BYPASS PRUNER

NEW

FlexDIAL™

with **ComfortGEL®** grip

BP 4214D

- Adjustable grip fits to hand size and reduces fatigue during repetitive cuts
- Anodized aluminum dial ranges from 1 for smaller hands to 8 for large hands
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty



Patents: U.S. D802,382, Canada 172123, 2986400



BYPASS PRUNER

NEW

DualLINK™

with **ComfortGEL®** grip

BP 4314D

- Dual compound lever provides added power with reducing cutting effort
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,381, Canada 172122



RATCHET PRUNER

NEW

RatchetCUT™

with **ComfortGEL®** grip

RP 4224D

- Ratchet action for easier, more comfortable multi-cuts through tough, thick branches
- 4-gear ratchet system
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,384, Canada 172122, 172120



ComfortGEL® Hand Pruners

- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Reduce hand fatigue with ShockGUARD® bumper system on some models

BYPASS PRUNER

ComfortGEL®

BP 3214D

- Bypass design for pruning live, green growth
- Suitable for right- and left-hand use
- Reduced hand fatigue with ShockGUARD® bumper system
- Limited Warranty



ANVIL PRUNER

ComfortGEL®

AP 3234

- For pruning dead and dry woody growth
- Reduced hand fatigue with ShockGUARD® bumper system
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**

SMALL/MEDIUM HAND PRUNER

ComfortGEL®

BP 3224

- Ideal for cutting fruit and veggie vines such as tomatoes, cucumbers and more
- Suitable for right- and left-hand use
- Built-in thorn stripper for stems up to 3/8 in diameter
- Limited Warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HAND PRUNERS



BYPASS PRUNER

BP 3140 | CUTS UP TO 5/8 IN

- Bypass design for pruning live, green growth
- Chrome body with non-stick coated steel blade
- Enclosed spring is protected from debris
- Lightweight, well-balanced design for extended use
- Textured grips for non-slip cutting comfort
- Limited Warranty



ANVIL PRUNER

AP 3110 | CUTS UP TO 3/4 IN

- Anvil design for pruning dry and woody growth
- Chrome body with resharpenable steel blade
- Enclosed spring is protected from debris
- Lightweight, well-balanced design for extended use
- Textured grips for non-slip cutting comfort
- Limited Warranty



RATCHET PRUNER

RP 3230 | CUTS UP TO 3/4 IN

- Power-multiplying ratchet action for easy cutting
- Non-stick coated blade for smooth cutting and easy cleaning
- Suitable for right- and left-hand use
- Limited Warranty



ERGONOMIC BYPASS PRUNER

BP 4180 | CUTS UP TO 3/4 IN

- Lightweight pruner for general-purpose pruning
- Ergonomic, reinforced nylon handles
- Resharpenable, high-carbon steel blade
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



BYPASS PRUNER

Cut'n'HOLD LongREACH

LR 3460

- High-carbon steel blade and hook are fully heat-treated
- Overall length of 46 in allows reach to otherwise inaccessible areas
- Non-stick coated blade for easier cutting
- Adjustable foam grip provides balance and ease of use
- Cut 'n' hold feature holds stem until you release the grip
- Ergonomic grip for comfort
- Limited Warranty



LONG REACH PRUNER

SwivelCUT

with **PowerGLIDE™** grip

TP 3206 | REACHES UP TO 62 IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62 in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2.5 lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Limited Warranty



MAX ACCESSORIES



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty

ACCESSORIES



UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in
- Limited Warranty



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty



Hedge Shears

From the shaping of large shrubs and hedges to the trimming of ornamental grasses and other plants, Corona® meets the needs of professionals with a diverse line of innovative specialty shears built to exacting standards of craftsmanship.



MAXFORGED | HEDGE SHEARS

Serrated **BLADE**

AH 6940 | 8 ½ IN BLADES | 13 IN ALUMINUM HANDLES

AH 6950 | 8 ½ IN BLADES | 21 IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

Serrated **BLADE**

HS 6920 | 8 ½ IN BLADES | 9 ½ IN HARDWOOD HANDLES

HS 6930 | 8 ½ IN BLADES | 20 IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Shock Stop® bumper
- Bolted-on hardwood handles with non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

Limb **NOTCH** Blade

AH 6970 | 10 ½ IN BLADES | 12 ½ IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEARS

Resharpenable **BLADE**

HS 6960 | 10 IN BLADES | 9 ¼ IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch
- Shock Stop® bumper
- Bolted-on hardwood handles, comfortable non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HEDGE SHEAR

Dual **CUT**

HS 7140 | 10 IN BLADES | 12 ½ IN STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design - includes limb notch
- Easy to resharpen
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Patents U.S. D660,104, D664,406, 8,910,386
Canada 2,775,512



MAXFORGED | HEDGE SHEARS

Extendable **REACH**


HS 3950 | 10 IN BLADES | 13 IN - 20 IN STEEL HANDLES

- Lightweight steel handles with comfort grips extend from 13 in to 20 in
- Forged, high-carbon steel blades for durability and strength
- Precision-made pivot bolt provides smooth cutting action
- Shock Stop® bumper reduces arm and shoulder fatigue
- Limited Lifetime Warranty

HEDGE SHEARS

DualLINK™

Boosted power and reduced effort unite through **DualLINK™** tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.



HEDGE SHEAR

DualLINK™

with **ComfortGEL®** grip
HS 4244 | 9 3/4 IN BLADES | 14 IN HANDLES

- Minimize cutting effort with PowerSource® linkage - open handles less to cut more
- Steel handle
- Less fatigue with ShockGUARD® bumper system
- Limited Warranty

U.S. Patent D703,498



EXTENDABLE HEDGE SHEAR

DualLINK™

with **ComfortGEL®** grip
HS 4344 | 9 3/4 IN BLADES | 16 3/4 IN - 24 5/8 IN HANDLES

- Minimize cutting effort with PowerSource® linkage - open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Aluminum outer handle, steel inner handle
- ComfortGEL® Hedge Shear
- Extendable handles with innovative locking mechanism
- Limited Warranty

U.S. Patent D703,498 and D712,230



HEDGE SHEAR

ComfortGEL®

HS 3244 | 9 IN BLADES | 13 IN HANDLES

- Lightweight steel handles with comfort grip
- Specially coated non-stick blades provide maximum cutting
- Reduced hand fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically shaped grips
- Limited Warranty



HEDGE SHEAR

HS 3911 | 8 1/2 IN BLADES | 9 1/2 IN HARDWOOD HANDLES

- Resharpenable steel alloy blades
- Fully heat-treated for strength
- Limb notch for larger branches
- Top-grade hardwood handles
- Comfortable non-slip grips
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**

VALUE HEDGE SHEAR All Value Tools carry a 1-year limited warranty

HEDGE SHEARS

AH 4220 | COMPOUND ACTION | 9 IN BLADES | 11 1/2 IN HANDLES

- Compound cutting action
- Steel blades - one serrated, one non-stick coated
- Aluminum handles with plastic grip

MAX GRASS SHEARS

STRENGTH & DURABILITY™



MAXFORGED | GRASS SHEAR

ClassicCUT®

GS 6750D

- Cuts tough sod and ground cover
- Professional cutting action
- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Comfortable, non-slip grip
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



PUMP-ACTION GRASS SHEAR

GS 3760

- Hard, chrome-plated, high-carbon steel blades are fully heat-treated
- Adjustable tension control for maximum shearing
- Steel body construction
- Foam grip for comfortable use
- Limited Warranty



SWIVEL GRASS SHEAR

GS 3750D

- Versatile three-position blade - vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision-ground, high-carbon steel blades
- Durable chrome plating
- Easy-to-set thumb lock
- Limited Warranty

GRASS SHEARS

Choose Your Lopper	MAXFORGED		
	PRO/Master Gardener	DIY	Value
	MAXFORGED LOPPERS	LOPPERS	VALUE LOPPER
PRICE LEVELS	\$ \$ \$	\$ \$	\$
KEY ADVANTAGE	Durability and Performance	Ease-of-Cut	Cost
MAX CUT CAPACITY	1 1/4 in to 3 in	1 1/4 in to 1 3/4 in	1 1/2 in
INTENSITY OF USE	High	Average	Low
FREQUENCY OF USE	Daily	Weekly	Monthly or Less
WARRANTY	LIMITED LIFETIME WARRANTY	LIMITED WARRANTY	1-YEAR WARRANTY

Determine Maximum Cut Capacity

- What is the largest diameter you are considering cutting?
- Not every branch is suitable for cutting with a lopper
- Consider the hardness of the branch
 - Bypass loppers are best for cutting green, live branches
 - A High-Torque Bypass Lopper can cut hard or frozen branches
 - Anvil loppers are best for cutting dry or hard branches
- Consider your own physical condition, ability and experience
- Be safe: use a saw if a branch is too big or too hard to cut

Determine Intensity and Frequency of Use

- Professionals can continuously make thousands of large cuts a week: all Corona® MAXFORGED loppers offer Limited Lifetime Warranties and most offer extensive replacement parts to get the job done, season after season
- Landscaping enthusiasts, casual gardeners and homeowners can make hundreds of moderate-sized cuts a month maintaining their yards and gardens: Corona® RED loppers feature design innovations that can make cutting easier and more comfortable



MAXFORGED | BYPASS LOPPER

DualLINK™

SL 8180 | 31 IN | STEEL HANDLES

- Boosted power and reduced effort unite through DualLINK™ tools, that utilize a power-compounding link feature that appeals to both engaged gardeners and landscapers searching for ease-of-cut.
- Fully forged steel construction for strength
- Easy to sharpen
- Comfortable handle with contoured soft grip, fits various hand sizes
- Less fatigue with ShockGUARD® bumper system
- No-fail metal end cap
- Limited Lifetime Warranty

Patents U.S. D660,104, D664,406 & D802,383, Canada 172121



MAXFORGED | BYPASS LOPPER

ProCUT™

SL 7280 | 31 IN | STEEL HANDLES

- Fully forged steel construction for strength
- Easy to sharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

U.S. Patents D660,104 & D664,406

*Blade technology and high-performance coating reduce cutting effort by 25% when compared to titanium or non-coated blades



MAXFORGED | BYPASS LOPPER

DualCUT™

SL 7180 | 31 IN | STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design
- Fully forged steel construction for strength
- Easy to sharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

Patents U.S. D660,104, D664,406, 8,910,386, Canada 2,775,512



MAXFORGED | BYPASS LOPPER

ClassicCUT™

AL 6470 | 36 IN | ALUMINUM HANDLES

AL 6450 | 32 IN | ALUMINUM HANDLES

AL 6420 | 26 IN | ALUMINUM HANDLES

- Resharpenable forged Radial Arc® bypass blade
- Fully heat-treated steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning bolt
- Lightweight, high-strength elliptical aluminum handles
- Shock Stop® bumper
- **REPLACEMENT PARTS AVAILABLE**

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX LOPPERS

STRENGTH & DURABILITY™



MAXFORGED | VINE LOPPER **NEW**

ClassicCUT®

CUTS UP TO
1 1/4 in

AL 8350 | 20 IN | ALUMINUM HANDLES

- Resharpenable, replaceable Radial Arc® bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20 in
- Shock Stop® bumper
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HIGH-TORQUE BYPASS LOPPER

RadialARC®

CUTS UP TO
2 in

AL 6512 | 26 IN | ALUMINUM HANDLES

- Resharpenable forged steel Radial Arc® blade
- Forged steel hook with self-cleaning sap groove
- Prune frozen branches and dead wood with high-torque cutting action
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | VINE LOPPER **NEW**

ClassicCUT®

CUTS UP TO
1 1/2 in

AL 8360 | 20 IN | ALUMINUM HANDLES

- Resharpenable, replaceable Radial Arc® bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20 inches
- Shock Stop® bumper
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPERS

ClassicCUT®

CUTS UP TO
2 1/4 in

WL 6420 | 26 IN | HICKORY HANDLES

WL 6450 | 32 IN | HICKORY HANDLES

WL 6470 | 36 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HIGH-PERFORMANCE VINE LOPPERS

DualARC™

CUTS UP TO
1 1/4 in

AL 8311 | 16 IN | ALUMINUM HANDLES

AL 8321 | 19 IN | ALUMINUM HANDLES

- Resharpenable forged steel blades
- Dual Arc™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPERS

ClassicCUT®

CUTS UP TO
1 1/2 in

WL 6320 | 20 IN | HICKORY HANDLES

WL 6330 | 22 IN | HICKORY HANDLES

WL 6350 | 26 IN | HICKORY HANDLES

WL 6370 | 30 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HIGH-PERFORMANCE ORCHARD LOPPERS

DualARC™

CUTS UP TO
2 1/4 in

AL 8442 | 26 IN | ALUMINUM HANDLES

AL 8462 | 32 IN | ALUMINUM HANDLES

AL 8482 | 36 IN | ALUMINUM HANDLES

- Resharpenable forged steel blades
- Dual Arc™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength elliptical aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPER

ClassicCUT®

CUTS UP TO
1 1/4 in

WL 6310 | 20 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPERS

SuperDUTY

CUTS UP TO
3 in

WL 6490 | 37 IN | HICKORY HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Tapered Hickory wood handles
- Eyelet for shoulder harness attachment
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | BYPASS LOPPERS

SuperDUTY

CUTS UP TO
3 in

SL 6500 | 32 IN | STEEL HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Comfortable grips
- Limited Lifetime Warranty



MAXFORGED | BYPASS LOPPERS

HeavyDUTY

CUTS UP TO
1 1/2 in

WL 6381 | 30 IN | HICKORY HANDLES

WL 6341 | 22 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc™ bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Dual forged-in bumper cups with elastomer bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**


Last chance - Limited quantities available

LOPPERS



DualLINK™

Boosted power and reduced effort unite through DualLINK™ tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.



BYPASS LOPPER

DualLINK™

CUTS UP TO
1 3/4 in

with **ComfortGEL®** grip

SL 4264 | 31 IN | STEEL HANDLES

- Minimize cutting effort with PowerSource® linkage - open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Strong and lightweight metal handles
- Extreme comfort grips
- Limited Warranty

U.S. Patents D726,523



EXTENDABLE BYPASS LOPPER

DualLINK™

CUTS UP TO
1 3/4 in

with **ComfortGEL®** grip

SL 4364 | 29 1/2 - 37 1/2 IN | STEEL HANDLES

- Extendable handles with innovative locking mechanism
- Aluminum outer handle, steel inner handle ComfortGEL® Bypass Lopper
- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Limited Warranty

U.S. Patents D726,523 & D712,230

LOPPERS



BYPASS LOPPER

ComfortGEL®

CUTS UP TO
1 1/2 in

SL 3264 | 30 IN | STEEL HANDLES

- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Limited Warranty



EXTENDABLE BYPASS LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

FL 3470 | 25 1/2 - 28 1/2 IN

FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- Extra-long foam grips for comfort - 6 in
- Limited Warranty



BYPASS LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

AL 4110 | 28 IN | ALUMINUM HANDLES

- Resharpenable, non-stick coated steel blade
- Lightweight, aluminum handles
- Ergonomic, non-slip grips
- Limited Warranty



BYPASS LOPPER

Resharpenable

CUTS UP TO
1 1/2 in

SL 4150 | 29 IN | ALUMINUM HANDLES

- Resharpenable steel blade
- Lightweight aluminum handles with non-slip grips
- Shock Stop® bumper
- Limited Warranty



ANVIL LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

FL 3420 | 31 IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated steel blade for cutting dead wood
- Replaceable blade and anvil
- 24-in fiberglass handles
- Extra-long foam grips for comfort - 6 in
- Limited Warranty



BYPASS LOPPER

Resharpenable

CUTS UP TO
1 1/2 in

WL 3351 | 26 IN | HARDWOOD HANDLE

- Resharpenable steel blade
- Hardwood handles
- Limited Warranty



BYPASS LOPPER

EasyCUT

CUTS UP TO
1 1/2 in

FL 3460 | 32 IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- Extra-long foam grips for comfort - 8 in
- Limited Warranty

VALUE LOPPERS

All Value Tools carry a 1-year limited warranty

BYPASS LOPPER

SL 3310 | 9 1/2 IN | STEEL HANDLES | CUTS UP TO 1 1/2 IN

- Resharpenable steel blade
- Tubular steel handles
- Bumper

MAX PRUNING SAWS

STRENGTH & DURABILITY



QuickSAW®

- Exert less force with QuickSAW's tapered, friction-minimizing blade that cuts up to 2.5X faster than conventional saws
- Maintain sharpness and eliminate tooth snaps with electromagnetically hardened tips
- Stays sharp over thousands of strokes thanks to the same superior grade steel as advanced tactical knives
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | PRUNING SAW

QuickSAW®

QS 7900 | 13 IN BLADE

7900-1 | REPLACEMENT BLADE

- For large branches
- QuickSaw® GRIPS dampen vibrations, providing superior control when wet or dry, and with or without gloves
- Secure, well-controlled cuts thanks to a unitary blade design with a full tang that extends through the entire handle
- Limited Lifetime Warranty



MAX | FOLDING SAW

QuickSAW®

QS 7800 | 7 IN BLADE

7800-1 | REPLACEMENT BLADE

- For small to medium branches
- QuickSaw® GRIPS dampen vibrations, providing superior control when wet or dry, and with or without gloves
- Lightweight, high-strength aluminum handle and release button
- Limited Lifetime Warranty



RazorTOOTH Saw®

- Each RazorTOOTH Saw® blade goes through 4 manufacturing processes for maximum durability and hardness, friction reduction, and making extremely fast and efficient cutting.
- Saw blade with triple-ground impulse-hardened teeth for 2.5x more material removed per stroke.
- SK5 steel blade contains more carbon which means harder steel, allowing blade to stay sharper longer.
- Chrome-plated blade reduces friction and improves efficiency.
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | FOLDING SAW

RazorTOOTH Saw®

RS 7041 | 7 IN BLADE

AC 7041 | REPLACEMENT BLADE

- For small to medium branches
- Cushioned, pistol-grip handle
- Positive open/close blade lock
- Convenient hanging hole



MAX | FOLDING SAW

RazorTOOTH Saw®

RS 7245 | 7 IN BLADE

7245-1 | REPLACEMENT BLADE

RS 7255 | 8 IN BLADE

7255-1 | REPLACEMENT BLADE

RS 7265D | 10 IN BLADE

AC 7265 | REPLACEMENT BLADE

- For small to medium branches
- Ergonomic non-slip handles

U.S. Patent D513,956

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX PRUNING SAWS

STRENGTH & DURABILITY



MAX | FOLDING SAW

RazorTOOTH Saw.

RS 7120 | 13 IN BLADE

7100-1 | REPLACEMENT BLADE

- For medium to large branches
- Co-molded pistol-grip with finger hook
- Replaceable blade



MAX | PRUNING SAW

RazorTOOTH Saw.

RS 7395 | 7 IN BLADE

AC 7395 | REPLACEMENT BLADE

- For large branches
- Replaceable blade
- Ergonomic non-slip handle

U.S. Patents D508,193



MAX | RAKER SAW

RazorTOOTH Saw.

RS 7160 | 21 IN BLADE

7160-4 | REPLACEMENT HANDLE

- For large branches
- Self-cleaning raker tooth pattern
- Durable hardwood handle



MAX | PRUNING SAW

RazorTOOTH Saw.

RS 7510D | 18 IN BLADE

- For large branches and limbs
- Ergonomic, non-slip D-handle designed for gloved or 2-handed operation

NEW

PRUNING SAWS



GENERAL PURPOSE FOLDING SAW

RS 4040 | 6 1/2 IN BLADE

- Cuts faster and cleaner than conventional saws
- Blade locks open and closed
- Non-slip handle
- Limited Warranty



GENERAL PURPOSE FOLDING SAW

RS 4060 | 6 1/2 IN BLADE

- For medium to large roots and small branches
- Cuts on both the push and pull stroke
- Aggressive tooth design for fast cuts
- Hard, chrome-plated blade
- Ergonomic poly handle
- Limited Warranty

VALUE PRUNING SAWS

All Value Tools carry a 1-year limited warranty

FOLDING SAWS

PS 4040 | 8 IN BLADES

PS 4050 | 10 1/2 IN BLADES

- For small to medium branches
- Conventional curved-steel blades
- Wood handles



MAX | MACHETES

ErgoHANDLE

MA 60061 | 18 IN

- Tough tempered steel retains sharpness
- Easy to resharpen
- Ergonomically balanced with blade length
- Lanyard attachment hole
- Built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988

MACHETES



MACHETE

MA 60041 | 18 IN

MA 60042 | 22 IN

- For brisk brush cleaning on any terrain
- Resharpenable tempered steel blades
- Blades extend through handles for forceful chopping
- Riveted non-slip handles for a secure grip
- Limited Warranty



CANE KNIFE

MA 61040 | 14 IN

- Quickly cuts cane and similar plants' stalks
- Resharpenable tempered steel blade
- Convenient cane-pulling hook on top of blade
- Blade extends through handle for forceful chopping
- Riveted hardwood handle for a secure grip
- Limited Warranty



CORN KNIFE

MA 62040 | 18 IN

- For swift cleaning of corn stalks and brush
- Resharpenable tempered steel blade
- Blade extends through the handle for forceful copping
- Riveted hardwood handle for a secure grip
- Limited Warranty

MAX ACCESSORIES



MAX | LEATHER SCABBARD

AC 7300 | 14 IN

- For use with QS 7900, RS 7395 and other 13 to 14 in curved saws
- Top-grain leather construction
- Stitched and riveted for durability
- Limited Lifetime Warranty



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty

ACCESSORIES



MACHETE SHEATHS

- Durable reinforced nylon construction
- Belt loops and leg straps for a secure fit
- Built-in button snap holds tool safely in place
- Limited Warranty

AC 7310 | 18 IN

- Fits MA 60051, MA 60041, MA 62040 and other machetes up to 18 in

AC 7330 | 22 IN

- Fits MA 60042 and other machetes up to 22 in



PLASTIC SCABBARD

AC 7400

- Fits curved pruning saws with blades up to 14 in such as CORONA® RS 7395, RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carabiner hole
- Limited Warranty

U.S. Patent D518,952



UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in
- Limited Warranty



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty

MAX TREE PRUNERS

RazorTOOTH Saw® Tree Pruners

- Saw blade with triple-ground impulse-hardened teeth for 2.5x more material removed per stroke.
- SK5 steel blade contains more carbon which means harder steel, allowing blade to stay sharper longer.

- Chrome-plated blade reduces friction and improves efficiency.
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**

MAX | DUAL COMPOUND ACTION ARBORIST TREE-PRUNING SYSTEM

RazorTOOTH Saw®

TP 6881 | 16 IN BLADE | REACHES UP TO 12 FT

- 16 in RazorTOOTH Saw® blade and quick-connect ferrule
- Heavy-duty forged steel hook and Radial Arc™ blade with 1½ in diameter cutting capacity

- Compound action, dual pulley system triples your cutting power
- Two six-ft high-strength fiberglass pole sections can be combined or used separately with saw and pruning head
- System includes two poles, saw blade and pruning head as shown below



MAX | DUAL COMPOUND ACTION TREE PRUNER

RazorTOOTH Saw®

TP 6870 | 13 IN BLADE | REACHES UP TO 14 FT

- RazorTOOTH Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive

- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼ in
- Exclusive Powerglide™ rope pull system for smooth action
- Overall length extends up to 14 ft with twist-lock adjustment
- Comfortable 28 in foam grip



MAX | DUAL COMPOUND ACTION TREE PRUNER

RazorTOOTH Saw®

TP 6830 | 13 IN BLADE | REACHES UP TO 12 FT

- Razor Tooth Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty rope drive

- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 1/4 in
- Exclusive Powerglide™ rope pull system for smooth action
- Overall length extends up to 12 ft with twist-lock adjustment
- Comfortable 28 in foam grip
- **REPLACEMENT PARTS AVAILABLE**



TREE PRUNERS

TREE SAW AND COMPOUND ACTION PRUNER WITH ROPE DRIVE

NEW

DualLINK™

TP 4210 | 12 IN BLADE | REACHES UP TO 10 FT

TP 4212 | 12 IN BLADE | REACHES UP TO 12 FT

TP 4214 | 12 IN BLADE | REACHES UP TO 14 FT

TP 4216 | 12 IN BLADE | REACHES UP TO 16 FT

- Pruning head with 3X Power Multiplier™ linkage and non-stick blade for cuts up to 1 in
- Tempered steel triple-ground saw blade
- Overall length extends with twist-lock adjustment
- Rope drive activation
- Tree pruner with 12 in conventional saw blade
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



DUAL COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3841 | 15 IN BLADE | REACHES UP TO 12 FT

- Tempered steel conventional saw blade
- Pruning head with 3X cutting power features a compound action pulley system and rope drive
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 in
- Overall length extends up to 12 ft with twist-lock adjustment
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3714 | 15 IN BLADE | REACHES UP TO 14 FT

- Die-cast zinc alloy pruning head with non-stick blade and rope drive cuts up to 1 in
- Compound-action pulley system triples your cutting power
- Tempered steel conventional saw blade
- Overall length extends up to 14 ft with twist-lock adjustment
- Limited Warranty
- **REPLACEMENT PARTS AVAILABLE**



LONG REACH PRUNER

SwivelCUT™ with PowerGLIDE™ grip

TP 3206 | REACHES UP TO 62 IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62 in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2.5 lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Limited Warranty



CUTS UP TO 1 1/4 in

MAX TREE PRUNER COMPONENTS

STRENGTH & DURABILITY™



MAXFORGED | PROFESSIONAL TREE PRUNER HEAD

6880-8

- Compound action, dual rope-pull system triples your cutting power
- Heavy-duty forged steel hook and Radial Arc® blade with 1½ in diameter cutting capacity
- Thickest, most weather-resistant polypropylene pull rope and wood grip
- Built-in ferrule fits TP 6881 poles snap-button
- Can also be attached to other 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Limited Lifetime Warranty



MAX | ARBORIST TREE PRUNER HEAD

AC 9300

- Strong and lightweight aluminum casting for rugged, all-day tree care services
- Large cutting capacity cuts limbs up to 1¼ in diameter
- Heat-treated alloy steel blade for maximum strength and durability
- Resharpenable steel blade maintains optimum performance and extends life
- Non-binding swivel pulley for more leverage and less pressure on the pulley arm
- Built-in ferrule fits 1¼ in diameter arborist head poles by adding fasteners (not included)*
- Can also be attached to other 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Requires an eye bolt on pole to anchor rope (not included)
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAX | BYPASS PRUNERS

AC 9000

- 3X cutting power with compound action pulley system
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼ in
- Exclusive PowerGLIDE™ rope-pull system for smooth action
- Convertible-action pulley system converts from compound to direct pull, giving workers a choice between faster cutting or less required force
- Includes pivot bolt for mounting AC 7241 RazorTOOTH Saw® tree pruner blade (sold separately, see page 83)
- Built-in ferrule can be attached to 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Limited Lifetime Warranty



MAX | TREE PRUNER SAW HEAD

AC 9100

- Strong and lightweight aluminum casting for rugged, all-day tree care service
- Double-curved hook design optimized for pulling branches, raising lines and guiding tree fall
- Built-in utility loop for attaching ropes, carabiners and for easy storage
- Blade-mounting system fits popular tree pruner blades by Corona® and other brands, such as Razor Tooth Saw® AC 7240 and QuickSaw® AC series blades (sold separately, see page 83)
- Can be attached to 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Limited Lifetime Warranty



MAX | TREE PRUNER DIRECT-CONNECT ADAPTER

AC 9200

- Simple, lightweight design connects tree pruner saw blades to wood and fiberglass poles
- High-strength aluminum tube mounts onto 1¼ in diameter poles by drilling holes in pole and fastening with included screws and bolts
- Slotted end with wooden inner plug fits Corona® blades AC 9010 and AC 9020, as well as other brands
- Limited Lifetime Warranty

MAX TREE PRUNER SAW BLADES

STRENGTH & DURABILITY



QuickSAW® Replacement Blades

- Cut 2.5X faster than conventional saws
- Stay sharp over thousands of strokes thanks to the same superior-grade steel as advanced tactical knives
- Cut faster and exert less force with friction-minimizing tapered blade
- Fits CORONA® AC 9100 and standard tree pruner saw heads for arborists
- Limited Lifetime Warranty

MAX | TREE PRUNER BLADE

AC 7990 | 13 IN BLADE

- Fits most standard tree pruner heads



MAX | TREE PRUNER BLADE

AC 7991 | 13 IN BLADE | 1 HOOK

- Save time with a sharpened front hook that avoids blade pull-out, keeps it inside the cut channel



MAX | TREE PRUNER BLADE

AC 7992 | 13 IN BLADE | 2 HOOKS

- Minimize exposure to disease-causing bacteria with rear hook for undercuts that prevent peeling bark



RazorTOOTH Saw® Replacement Blades

- 2X faster cut with RazorTOOTH Saw® technology
- 3-sided impulse-hardened teeth stay sharp longer
- Chrome-plated blades reduce friction and improves efficiency
- SK5 steel blade contains higher carbon which means harder steel, allowing blade to stay sharper longer
- Limited Lifetime Warranty

MAX | TREE PRUNER BLADE

AC 7242 | 12 IN BLADE

- Fits Corona® TP 3714 and other tree pruners



MAX | TREE PRUNER BLADE

AC 7240 | 13 IN BLADE

- Fits Corona® TP 3714 and standard tree pruner saw heads for arborists



MAX | TREE PRUNER BLADE

AC 7241D | 15 IN BLADE

- Fits Corona® TP 6870, TP 6830, AC 9000



MAX | TREE PRUNER BLADE

AC 7610 | 16 IN BLADE

- Tang design fits Corona® TP 6881 and AC 9200



MAX | BLADE AND MOUNTING FERRULE

AC 7672 | 16 IN BLADE

- Built-in ferrule fits TP 6881 poles snap-button system
- Can also be attached to other 1 1/4 in diameter poles by drilling holes in pole and adding fasteners (not included)



MAX | TREE PRUNER BLADE

AC 9020 | 17 IN BLADE

- Tang design fits Corona® AC 9200
 - Integral hook shape for pulling branches from trees
- Last chance - Limited quantities available



VALUE REPLACEMENT BLADES

All Value Tools carry a 1-year limited warranty

CONVENTIONAL SAW TREE PRUNER BLADE

AC 9010 | 17 IN BLADE

- Tang design fits Corona® AC 9200
 - Curved, tempered steel saw blade
- Last chance - Limited quantities available

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



SNIP. SHEAR. THIN. HARVEST.

This collection of tools is where it all started for CORONA® 90 years ago. To this day, it includes many of the classically designed MAX FORGED™ PRO shears and snips, alongside innovative tools that are based on those classics, but answer to needs and conditions of current agricultural industry, not only here in the states, but worldwide.



MAX SHEARS & SNIPS

STRENGTH & DURABILITY



Since the early 1920s, when other manufacturers were settling for stamped or cast tools, CORONA® has been forging high-quality, classically designed agricultural shears and snips that deliver superior performance and reliability. Generations later, these same tools are shearing California grape vines, pruning lemon, orange and avocado trees in the Southwest, apples in the Northwest, Midwest and East, while clipping, plucking and shaping landscapes around the world.

MAXFORGED | ORANGE SHEAR | BYPASS

NEW

AG 5060

- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes synthetic strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5060-42 - Synthetic Strap



MAXFORGED | ORANGE SHEAR | ANVIL

AG 5050


- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes leather strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5000-42 - AG Leather Strap



MAXFORGED | GRAPE SHEAR

AG 5030 | 2 1/2 IN BLADES

- Designed for rapid, high-volume grape harvesting and thinning
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Special curved blades cut hard-to-reach stems
- Non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | AVOCADO SHEAR

AG 5040

- Designed for rapid, high-volume harvesting of avocados, mangos, persimmons, tomatoes and other delicate fruits
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Non-slip grips
- Includes leather strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5000-42 - AG Leather Strap



MAXFORGED | LEMON SHEAR

AG 5010

- Designed for rapid, high-volume lemon and lime harvesting
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- Close-tolerance pivot bolt
- Includes leather strap
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 5000-42 - AG Leather Strap



AG LEATHER STRAP

5000-42

- Use with AG 5050, AG 5040 or AG 5010



SYNTHETIC STRAP

5060-42

- Use with AG 5060, AG 5050, AG 5040 or AG 5010

MAX | STAINLESS STEEL SHORT STRAIGHT SNIPS

AG 4910SS | 1 IN BLADES

- Short, straight, blunt-nosed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | STAINLESS STEEL LONG CURVED SNIPS

AG 4940SS | 1 3/4 IN BLADES

- Designed for picking and field-dressing grape bunches
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | STAINLESS STEEL LONG STRAIGHT SNIPS

AG 4930SS | 1 3/4 IN BLADES

- Long, straight, pointed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | STAINLESS STEEL SHORT CURVED SNIPS

AG 4920SS | 1 IN BLADES

- For use in harvesting apples, pitted fruits and berries
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Limited Lifetime Warranty



MAX | CURVED GRAPE SNIPS

AG 4980SS | 2 IN BLADES

- Designed primarily for harvesting table grapes
- Heat-treated stainless steel curved blades
 - Corrosion-resistant for better durability and performance
 - Can be sterilized or disinfected to prevent cross contamination
 - Sap release prevents blades from sticking
 - Speed up harvesting production
- Non-slip grips for better control
- Double-sided thumb lock for left- or right-hand use
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



SHEARS & SNIPS

SHORT STRAIGHT SNIPS

AG 4910 | 1 IN BLADES

- Short, straight, blunt-nosed blade for a wide range of applications
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



LONG STRAIGHT SNIPS

AG 4930 | 1 3/4 IN BLADES

- Long, straight, pointed blade for a wide range of applications
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



SHORT CURVED SNIPS

AG 4920 | 1 IN BLADES

- For use in harvesting apples, pitted fruits and berries
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



LONG CURVED SNIPS

AG 4940 | 1 3/4 IN BLADES

- Designed for picking and field-dressing grape bunches
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Limited Warranty



HYDROPONIC TOOLS

HYDROPONIC FINGER MICRO SNIPS

FS 4110 | 1 1/4 IN BLADES

- Sharp stainless steel blades and tip allows for precision cutting
- Handle and blade can be sterilized to limit cross contamination
- Spring in the handle helps to open the blades after each cut
- Durable ABS-plastic handle for lightweight comfort and performance
- Large finger hole in the handle for comfort with push-button thumb lock for safety
- Limited Warranty



HYDROPONIC MICRO SNIPS

FS 4120 | 2 5/16 IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Durable handle with soft-touch feel for lightweight comfort and performance
- Double-sided lock for left- or right-hand use
- Adjustable pivot bolt for personal comfort
- Limited Warranty



HYDROPONIC SCISSORS

FS 4130 | 2 IN BLADES

- Stainless steel blades with double beveled tapered tips for precision cuts
- Durable handle offers lightweight comfort and performance
- Handle and blades can be sterilized to limit cross contamination
- Limited Warranty



MAX FLORAL SHEARS

STRENGTH & DURABILITY



MAXFORGED | THINNING SHEAR

FS 4350 | 1 3/4 IN BLADES

- Resharpenable, straight, narrow blades for tight spaces
- Forged steel alloy construction
- Scissor-cutting action
- Suitable for left- and right-hand use
- Non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



MAXFORGED | HOUSEPLANT SHEAR

FS 4310 | 1 1/4 IN BLADES

- Resharpenable, narrow blades for delicate plants
- Forged steel alloy construction
- Compact design for smaller hands
- Suitable for left- and right-hand use
- Non-slip grips
- Limited Lifetime Warranty
- **REPLACEMENT PARTS AVAILABLE**



FLORAL SHEARS

MICRO SNIPS

NEW

ComfortGEL®

FS 3214D | 1 3/4 IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Full stainless steel core
- Maximize comfort and control with soft, ergonomically shaped grips
- Built-in lock
- Limited Warranty



FLORAL SNIPS

ComfortGEL®

FS 3204 | 1 3/4 IN BLADES

- Fully heat-treated blades maintain sharpness
- Volute spring resists dirt build-up and clogging
- Thorn stripper for stems up to 3/8 in diameter
- Maximize comfort and control with soft, ergonomically shaped grip
- Limited Warranty



FLORAL SCISSORS

FS 4000 | 3 IN BLADES

- Great for cutting an assortment of plants and flowers
- Stainless steel blades are resharpenable
- Serrated blade for easy, clean cuts
- Ergonomic grips for comfort
- Limited Warranty



FRUIT PICKER

EXTENDABLE FRUIT PICKER

FP 2312 | REACHES UP TO 12 FT

- Hook the fruit between the prongs and gently pull to pick
- Foam cushion in basket reduces fruit bruising
- Catch the fruit in a 5 1/2 in deep basket
- Powder-coated basket resists rust and corrosion
- Twist pole to extend upper pole to desired length
- Aluminum pole extends to 12 ft
- Limited Warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



STOW. SHARPEN. CATCH.

The CORONA® ACCESSORY line includes a choice of top-grain leather, nylon and high-strength reinforced poly scabbards for stowing hand pruners, curved pruning saws and folding pruning saws. Also included is our 5 in super carbide sharpening tool for use on most blades, a durable, reinforced nylon machete sheath in 18 and 22 in sizes and our unique heavy-duty leaf & grass catcher.



MAX | LEATHER SCABBARD

AC 7300 | 14 IN

- For use with QS 7900, RS 7395 and other 13 to 14 in curved saws
- Top-grain leather construction
- Stitched and riveted for durability
- Limited Lifetime Warranty



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty

ACCESSORIES



MACHETE SHEATHS

- Durable reinforced nylon construction
- Belt loops and leg straps for a secure fit
- Built-in button snap holds tool safely in place
- Limited Warranty

AC 7310 | 18 IN

- Fits MA 60051, MA 60041, MA 62040 and other machetes up to 18 in

AC 7330 | 22 IN

- Fits MA 60042 and other machetes up to 22 in



PLASTIC SCABBARD

AC 7400

- Fits curved pruning saws with blades up to 14 in such as CORONA® RS 7395, RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carabiner hole
- Limited Warranty

U.S. Patent D518,952



UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in
- Limited Warranty

Sharpener not included



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty



LEAF AND GRASS CATCHER

AC 8350

- Used to manually pick up grass, leaves and yard debris
- Thick, heavy-duty galvanized steel pan
- Heavy-duty steel wire frame
- Canvas is water- and mildew-resistant
- Limited Warranty

SALES SUPPORT



PRINCIPLES OF PLANTING

CC 9313


- Bilingual
- English and Spanish
- 8 1/2 in X 5 1/2 in



PRINCIPLES OF PRUNING

CC 9312

- Bilingual
- English and Spanish
- 8 1/2 in X 5 1/2 in



BIN TAGS

MH 9226

- Excellent for identifying position for each product at the shelf and reorder when inventory is depleted.
- 25 sheets per pad
- 2 3/4 in X 3 3/4 in



CORONA® VINYL BANNER

MH 9213

- Fence or store flag
- 3 ft x 5 ft, 6 grommets
- Place indoors or outdoors



HEADER SIGN | TRENCH SHOVELS

MH 9112

- 36 in x 12 in

Last chance - Limited quantities available



HEADER SIGN | CORONA LOGO 2-SIDED

MH 9149


- 36 in x 8 in
- Corona logo on front
- Spanish "Born in the orange groves of Southern California in the 1920s" on back



3 IN "L" STYLE SIGN HOLDERS

MH 9229

- For vertical surfaces
- Six per bag
- Recommend 1 bag per sign



3 IN "T" STYLE SIGN HOLDERS

MH 9228

- For horizontal surfaces
- Six per bag
- Recommend 1 bag per sign

MERCHANDISING



- Corona® not only produces classically designed tools that deliver superior performance, but also racks that help you display tools in a way that ensures an attractive, attention-getting, point-of-purchase look.
- Please refer to the following pages for those racks that will best fit your needs.
- If you would like to take it one step further and make sure your tools are well organized, we also offer labels to specify which tools will be kept on that rack.
- Contact your local Corona® representative or Corona® Customer Service for details.

DISPLAY RACK
MR 9115



WHEELBARROW RACK
MR 9192

- Display two fully-assembled wheelbarrows
- Display rack only, does not include tools



PRODUCT DISPLAY LABELS



HEAVY BAR RACK
MR 9157

- Used for displaying heavy bars




LONG HANDLE TOOL ROLLING RACK
MR 9161

- Tools not included

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MERCHANDISING



TRENCH SHOVEL RACK
MR 9154



BROOM RACK
MR 9155



RAKE RACK
MR 9156



**LONG TOOL
WATERFALL RACK**
MR 9162



**LONG HANDLE TOOL HANGING
MULTI-TOOL DISPLAY**
MR 9163



**WALL MOUNTING RACK
BOW/LEVEL RAKE**
MR 9168



LOPPER RACK
MR 9111



TREE PRUNER RACK
MR 9112



**HEDGE SHEAR/
LOPPER RACK**
MR 9114



HEDGE SHEAR RACK
MR 9116B



**HEDGE SHEAR/
LOPPER RACK**
MR 9123B



LOPPER RACK
MR 9125B



LOPPER RACK
MR 9126



ALL-STEEL FOOTPAD RACK
MR 9182

- Only displays long-handled All-Steel Shovel and Spade models with footpads, head-up



FILE/RASP WALL DISPLAY
MR 9185


- Display rack with header sign only, does not include tools

FILE/RASP WALL DISPLAY WITH TOOLS
FE0004SA

- Includes MR 9185 and 6 units each of 15 file types - see page 57



FOLDING RACK
MR 9180



HAND TOOL/PRUNER RACK
MR 9178



STRIKING TOOL RACK
MR 9179

MERCHANDISING RACKS BY MODEL

MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER
ALL-STEEL SHOVELS		DIY SHOVELS (CONT.)		LANDSCAPE RAKES	
AS 90210	MR 9182	SS 27010	MR 9162	PD 60000	MR 9180
AS 90010	MR 9182	SS 27020	MR 9162	PD 40020	MR 9180
AS 90220	MR 9182	SS 27030	MR 9162	PD 40000	MR 9180
AS 90020	MR 9182	SS 28000	MR 9162	PD 20000	MR 9180
AS 90230	MR 9182	SS 28010	MR 9162	RK 61064	MR 9156
AS 90030	MR 9182	SS 28020	MR 9162	RK 61063	MR 9156
AS 90240	MR 9182	SS 28030	MR 9162	RK 61062	MR 9156
AS 90040	MR 9182	SS 29000	MR 9162	RK 61061	MR 9156
AS 90310	MR 9182	SS 29010	MR 9162		
AS 90320	MR 9182	SS 29020	MR 9162	LEVEL HEAD RAKES	
AS 90330	MR 9182	SS 29030	MR 9162	RK 64060	MR 9168
AS 90340	MR 9182			RK 64002	MR 9168
AS 90300	MR 9182	VALUE SHOVELS			
AS 90400	MR 9182	SS 47000	MR 9162	LEAF RAKES	
		SS 10000	MR 9162	RK 63003	MR 9112
		SS 11000	MR 9162	RK 62061	MR 9112
FORGED SHOVELS				RK 62060	MR 9112
SF 80020	MR 9162	TRENCH SHOVELS		RK 62000	MR 9112
SF 80000	MR 9162	SS 64103	MR 9154, MR 9157	RK 62001	MR 9112
SF 79000	MR 9162	SS 64104	MR 9154, MR 9157	RK 25030	MR 9112
		SS 64105	MR 9154, MR 9157	RK 25024	MR 9112
CLOSED-BACK SHOVELS		SS 64106	MR 9154, MR 9157	RK 25018	MR 9112
SS 60000	MR 9162	SS 64123	MR 9154, MR 9157	RK 25008	MR 9112
SS 60020	MR 9162	SS 64124	MR 9154, MR 9157	RK 24061	MR 9162
SS 61000	MR 9162	SS 64125	MR 9154, MR 9157	RK 24003	MR 9162
SS 61020	MR 9162	SS 64126	MR 9154, MR 9157	RK 24002	MR 9162
SS 62000	MR 9162	SS 64223	MR 9154, MR 9157	RK 12030	MR 9162
SS 62010	MR 9162	SS 64224	MR 9154, MR 9157	RK 12024	MR 9162
SS 62020	MR 9162	SS 64225	MR 9154, MR 9157	RK 12010	MR 9162
SS 62030	MR 9162	SS 64226	MR 9154, MR 9157		
SS 62100	MR 9162	SS 64303	MR 9154, MR 9157	BOW HEAD RAKES	
SS 62110	MR 9162	SS 64304	MR 9154, MR 9157	RK 65061	MR 9168
SS 62120	MR 9162	SS 64305	MR 9154, MR 9157	RK 65022	MR 9168
SS 62130	MR 9162	SS 64306	MR 9154, MR 9157	RK 65021	MR 9168
SS 63010	MR 9162	SS 64323	MR 9154, MR 9157	RK 65002	MR 9168
		SS 64324	MR 9154, MR 9157	RK 65001	MR 9168
STANDARD SHOVELS		SS 64325	MR 9154, MR 9157	RK 20022	MR 9168
SS 65000	MR 9162	SS 64326	MR 9154, MR 9157	RK 20002	MR 9168
SS 65010	MR 9162	SS 64333	MR 9154, MR 9157	RK 10000	MR 9168
SS 65020	MR 9162	SS 64334	MR 9154, MR 9157		
SS 66000	MR 9162	SS 64335	MR 9154, MR 9157	SPECIALTY RAKES	
SS 66010	MR 9162	SS 64336	MR 9154, MR 9157	RK 66000	MR 9168
SS 66020	MR 9162			RK 42000	MR 9112
SS 39000	MR 9162	SCOOP SHOVELS			
LIGHTWEIGHT SHOVELS		SS 42001	MR 9162	HOES	
SS 30020	MR 9162	SS 42011	MR 9162	SH 10000	MR 9163
SS 30030	MR 9162	SS 48248	MR 9162	SH 15000	MR 9163
SS 31020	MR 9162	SS 49100	MR 9162	SH 20000	MR 9163
SS 31030	MR 9162	SS 49234	MR 9162	SH 42000	MR 9163
SS 39000	MR 9162	SS 68000	MR 9162	SH 60000	MR 9163
		SS 68010	MR 9162	SH 60001	MR 9163
DIY SHOVELS		SS 68030	MR 9162	SH 60060	MR 9163
SS 26000	MR 9162	SS 68231	MR 9162	SH 60061	MR 9163
SS 26010	MR 9162	SS 68431	MR 9162	SH 61000	MR 9163
SS 26020	MR 9162	SS 68436	MR 9162	SH 63000	MR 9163
SS 26030	MR 9162	SS 68440	MR 9162	SH 65000	MR 9180
SS 27000	MR 9162	SS 69010	MR 9162	FH 70000	MR 9163

MERCHANDISING RACKS BY MODEL



MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER	MODEL NUMBER	RACK NUMBER
HOES (CONT.)		UTILITY TOOLS (CONT.)		LOPPERS (CONT.)	
FH 71000	MR 9163	UT 61000	MR 9162	SL 4264	MR 9126
FH 71002	MR 9163	UT 64050	MR 9162	SL 4364	MR 9126
FH 71003	MR 9163	UT 62052	MR 9162	SL 8181	MR 9126
CULTIVATORS		UT 62050	MR 9162	WL 6490	MR 9126
CV 20004	MR 9163	UT 62051	MR 9162	WL 6470	MR 9125B
CV 22000	MR 9163	UT 63050	MR 9162	WL 6450	MR 9125B
CV 60061	MR 9163	UT 64020	MR 9162	WL 6420	MR 9125B
CV 60063	MR 9163	UT 60054	MR 9163	WL 6381	MR 9126
CV 60064	MR 9163	UT 60030	MR 9163	WL 6370	MR 9125B
FORKS		UT 60007	MR 9163	WL 6361	MR 9126
FK 74010	MR 9162	UT 47000	MR 9163	WL 6350	MR 9125B
FK 74000	MR 9162	UT 24000	MR 9163	WL 6341	MR 9126
FK 72065	MR 9162	UT 21000	MR 9163	WL 6330	MR 9125B
FK 72005	MR 9162	UT 20000	MR 9163	WL 6320	MR 9125B
FK 72004	MR 9162	BROOMS		WL 6310	MR 9125B
FK 71005	MR 9162	BM 43001	MR 9180	WL 3351	MR 9116B
FK 71004	MR 9162	BM 41002	MR 9180	TREE PRUNERS	
FK 70010	MR 9162	BM 62060	MR 9180	TP 3811	MR 9112
FK 70004	MR 9163	BM 62001	MR 9155	TP 3841	MR 9112
FK 70000	MR 9162	BM 61002	MR 9155	TP 6830	MR 9112
FK 60000	MR 9162	BM 60001	MR 9155	TP 6850	MR 9112
FK 44010	MR 9162	HEDGE SHEARS		TP 6870	MR 9112
FK 42010	MR 9162	AH 6970	MR 9116B	TREE PRUNERS	
FK 42000	MR 9162	AH 6950	MR 9116B	CT 30X0i	MR 9178
AXES		AH 6940	MR 9116B	CT 37X0	MR 9178
AX 71020	MR 9180	HS 7140	MR 9116B	GT 30X0	MR 9178
AX 70020	MR 9180	HS 6960	MR 9116B	MULTI-TOOL	
SLEDGEHAMMERS		HS 6930	MR 9116B	ROLLING RACK	MR 9115
ST 400XX	MR 9179	HS 6920	MR 9116B	PEG HOOKS	MR 9124
ST 700XX	MR 9179	HS 3950	MR 9116B	(for MR 9115)	
ST 43003	MR 9179	HS 3911	MR 9116B	WHEELBARROWS	
ST 73003	MR 9179	AH 4220	MR 9116B	WB 2806FF	MR 9192
PICKS AND MATTOCKS		HS 3070	MR 9116B	WB 2806	MR 9192
PM 40000	MR 9180	AH 4250	MR 9116B	WB 2706	MR 9192
PM 41000	MR 9180	HS 4244	MR 9116B	WB 2606KFF	MR 9192
PM 42000	MR 9180	HS 4344	MR 9116B	WB 2606K	MR 9192
PM 73020	MR 9180	HS 3244	MR 9116B	WB 2506KFF	MR 9192
PM 74020	MR 9180	LOPPERS		WB 2506K	MR 9192
PM 75020	MR 9180	AL 8482	MR 9126	WB 2006	MR 9192
HEAVY BARS		AL 8462	MR 9126	WB 1006	MR 9192
BR 70090	MR 9157	AL 8442	MR 9126	WB 2004	MR 9192
BR 71090	MR 9157	AL 8321	MR 9126		
BR 72090	MR 9157	AL 8311	MR 9126		
BR 73090	MR 9157	AL 4110	MR 9126		
BR 74090	MR 9157	FL 3470	MR 9125B		
UTILITY TOOLS		FL 3460	MR 9125B		
UT 71000	MR 9163	FL 3420	MR 9114		
UT 70000	MR 9163	SL 7280	MR 9111		
UT 69000	MR 9163	SL 7180	MR 9111		
UT 62055	MR 9162	RL 3560	MR 9126		
		SL 3264	MR 9125		
		SL 6500	MR 9126		
		SL 4150	MR 9116B		
		SL 3310	MR 9116B		

INDEX

24003-4	26	AC 2500	31	AL 6512	76	BP 7200	68
24003-8	26	AC 2600	31	AL 8311	76	BP 7450	69
3670-1C	69	AC 2806	29	AL 8321	76	BR 70090	51
3670-91C	69	AC 2806FF	29	AL 8350	76	BR 71090	51
40000-4	51	AC 4510	72, 82, 93	AL 8360	76	BR 72090	51
40000-8	51	AC 7041	79	AL 8442	76	BR 73090	51
40001-4	50, 51	AC 7220	72, 81, 93	AL 8462	76	BR 74090	51
40004-4	50, 51	AC 7240	85	AL 8482	76	CC 9312	94
41000-4	51	AC 7241D	85	AP 3110	72	CC 9313	94
41000-8	51	AC 7242	85	AP 3234	71	CF405002SCOBX	57
42000-8	51	AC 7265	79	AS 90010	35	CF405002SC0CD	57
43003-4	50, 51	AC 7300	81, 93	AS 90020	35	CF405014SCOBX	57
45030-4	27	AC 7310	82, 93	AS 90030	35	CF405014SC0CD	57
5000-42	88	AC 7330	82, 93	AS 90040	35	CF4050316SC0BG	57
5060-42	88	AC 7395	80	AS 90100	35	CF4050316SC0BX	57
60001-4	12	AC 7400	82, 93	AS 90110	35	CF4050316SC0CD	57
60050-4	64	AC 7610	85	AS 90210	35	CF4050532SC0BX	57
60061-8	12	AC 7672	85	AS 90220	35	CF4050532SC0CD	57
60100-4	12	AC 7990	85	AS 90230	35	CF4050732SC0BG	57
60100-8	12	AC 7991	85	AS 90240	35	CF4050732SC0BX	57
60101-8	12	AC 7992	85	AS 90300	36	CF4050732SC0CD	57
62000-4	26	AC 8300	72	AS 90310	36	CF425018SC0CD	57
62000-4	26	AC 8300	82, 93	AS 90320	36	CF4250532SC0CD	57
62000-8	26	AC 8350	93	AS 90330	36	CT 3010i	18
62001-8	26	AC 9000	84	AS 90340	36	CT 3020i	18
62060-4	26	AC 90000	36	AS 90400	36	CT 3030i	18
62060-4	26	AC 9010	85	AX 70020	50	CT 3040i	18
64000-4	25	AC 9020	85	AX 71020	50	CT 3050i	18
64020-64	64	AC 9100	84	BM 41002	28	CT 3214	17
65000-4	12	AC 9200	84	BM 43001	28	CT 3224	17
65001-8	12	AC 9300	84	BM 60001	28	CT 3234	17
65030-1	62	AG 4910	90	BM 61002	28	CT 3244	17
65050-1C	62	AG 4910SS	89	BM 62001	28	CT 3254	17
65050-3C	62	AG 4920	90	BM 62060	28	CT 3264	17
6880-8	84	AG 4920SS	89	BP 3130	69	CT 3314	16
69000-050	63	AG 4930	90	BP 3140	72	CT 3324	16
69000-100	63	AG 4930SS	89	BP 3160	69	CT 3334	16
69000-118	63	AG 4940	90	BP 3180D	69	CT 3344	16
69000-200	63	AG 4940SS	89	BP 3214D	71	CT 3354	16
69000-835	63	AG 4980SS	89	BP 3224	71	CT 3364	16
7100-1	80	AG 5010	88	BP 3225D	69	CT 3710	18
71000-4	12	AG 5030	88	BP 3640	69	CT 3720	18
71000-8	12	AG 5040	88	BP 3670	69	CT 3730	18
71001-4	14	AG 5050	88	BP 4180	72	CT 3740	18
71002-4	14	AG 5060	88	BP 4214D	71	CT 3750	18
71002-8	12	AH 4220	74	BP 4250	70	CV 20004	13
7160-4	80	AH 6940	73	BP 4314D	71	CV 22000	13
7245-1	79	AH 6950	73	BP 4840	70	CV 60061	13
7255-1	79	AH 6970	73	BP 6250	70	CV 60063	13
73020-4	51	AL 4110	78	BP 6310	70	CV 60064	13
74010-4	14	AL 6420	75	BP 6340	70	FA0001CD	58
7800-1	79	AL 6450	75	BP 6360	70	FA0002CD	58
7900-1	79	AL 6470	75	BP 7100D	68	FE0003SA	59, 97

FE0004SA	59, 97	FE405506BCOBX	54	GS 3760	74	MR 9155	96
FE400106BCOCD	54	FE405506BCOCD	54	GS 6750D	74	MR 9156	96
FE400106SCOCD	54	FE405506BC1CD	54	GT 3040	19	MR 9157	95
FE400106SCOCD	55	FE405506SCOCD	54	GT 3050	19	MR 9161	95
FE400108BCOCD	54	FE405508BCOBX	54	GT 3060	19	MR 9162	96
FE400108BC1CD	54	FE405508BCOCD	54	GT 3070	19	MR 9163	96
FE400108SCOCD	54	FE405508BC1CD	54	GT 3080	19	MR 9168	96
FE400108SCOCD	55	FE405508SCOCD	54	GT 3090	19	MR 9178	97
FE400110BCOBX	54	FE405510BCOBX	54	GT 3234	19	MR 9179	97
FE400110BCOBX	55	FE405510BCOCD	54	GT 3244	19	MR 9180	97
FE400110BCOCD	54	FE405510BC1CD	54	GT 3254	19	MR 9182	97
FE400110BC1CD	54	FE405510SCOCD	54	HF106108STOCD	57	MR 9185	97
FE400110SCOCD	54	FE405512BCOBX	54	HS 3244	74	MR 9192	95
FE400110SCOCD	55	FE405512BCOCD	54	HS 3911	74	PD 20000	46
FE400112BCOBX	54	FE405514BCOBX	54	HS 3950	73	PD 40000	46
FE400112BCOBX	55	FF408206CD	58	HS 4244	74	PD 40020	46
FE400112BCOCD	54	FH 70000	12	HS 4344	74	PD 60000	46
FE400306BCOBX	55	FH 71000	12	HS 6920	73	PF400314BCOBX	55
FE400306BCOCD	55	FH 71002	12	HS 6930	73	PM 40000	51
FE400306BC1CD	55	FH 71003	12	HS 6960	73	PM 41000	51
FE400306SCOCD	55	FK 42000	15	HS 7140	73	PM 42000	51
FE400308BCOCD	55	FK 42010	15	HT 69100	15	PM 73020	51
FE400308BC1CD	55	FK 44010	15	HT 69200	15	PM 74020	51
FE400308SCOCD	55	FK 70000	14	HT 69300	15	PM 75020	51
FE400310BCOCD	55	FK 70004	14	LG 3604	20	PS 10010	47
FE400310BC1CD	55	FK 70010	14	LG 3624	20	PS 10020	47
FE400310SCOCD	55	FK 71004	14	LG 3634	20	PS 10025	47
FE400312BCOBX	55	FK 71005	14	LG 3654	20	PS 10030	47
FE400312BCOCD	55	FK 72004	14	LG 3684	21	PS 4040	80
FE400406BCOCD	55	FK 72005	14	LG 3694	21	PS 4050	80
FE400406BC1CD	55	FK 72065	14	LG 3710	21	QS 7800	79
FE400408BCOCD	55	FK 74000	14	LG 3720	21	QS 7900	79
FE400408BC1CD	55	FK 74010	14	LR 3460	72	RK 10000	24
FE400410BCOCD	55	FL 3420	78	MA 60041	81	RK 20002	24
FE400410BC1CD	55	FL 3460	78	MA 60042	81	RK 20022	24
FE400412BCOCD	55	FL 3470	78	MA 60061	81	RK 24002	26
FE404004XS0CD	56	FP 2312	91	MA 61040	81	RK 24003	26
FE404005XS0CD	56	FR410108BC1CD	58	MA 62040	81	RK 24061	26
FE404006XS0BX	56	FR410408BC1CD	58	MH 9112	94	RK 25008	27
FE404006XS0CD	56	FR4132080CD	58	MH 9149	94	RK 25017	27
FE404006XS1CD	56	FS 3204	91	MH 9213	94	RK 25024	27
FE404006XX0CD	56	FS 3214D	91	MH 9226	94	RK 25030	27
FE404007XS0CD	56	FS 4000	91	MH 9228	94	RK 42000	25
FE404008XS0BX	56	FS 4110	90	MH 9229	94	RK 45008	27
FE404008XS0CD	56	FS 4120	90	MR 9111	96	RK 45026	27
FE404106SLOCD	56	FS 4130	90	MR 9112	96	RK 45030	27
FE404106SL1CD	56	FS 4310	91	MR 9114	96	RK 61061	25
FE404108SLOCD	56	FS 4350	91	MR 9115	95	RK 61062	25
FE404108SL1CD	56	FS0001CS	59	MR 9116B	97	RK 61063	25
FE404506BCOBX	57	FS0004PP	59	MR 9123B	97	RK 61064	25
FE404508BCOBX	57	FS0005PP	59	MR 9125B	97	RK 62000	26
FE404510BCOBX	57	FS0006PP	59	MR 9126	97	RK 62001	26
FE405504BCOBX	54	GS 3750D	74	MR 9154	96	RK 62060	26

INDEX

RK 62061	26	SS 27030	41	SS 64335	43	UT 61000	63
RK 64002	25	SS 28000	42	SS 64336	43	UT 62050	62
RK 64060	25	SS 28010	42	SS 65000	39	UT 62050	62
RK 65001	24	SS 28020	42	SS 65010	39	UT 62051	62
RK 65002	24	SS 28030	42	SS 65020	39	UT 62051	62
RK 65021	24	SS 29000	42	SS 65500	39	UT 62052	63
RK 65022	24	SS 29010	42	SS 66000	39	UT 62055	62
RK 65061	24	SS 29020	42	SS 66010	39	UT 64020	64
RK 66000	25	SS 29030	42	SS 66020	39	UT 64050	64
RP 3230	72	SS 30020	40	SS 68000	44	UT 65001	62
RP 4224D	71	SS 30030	40	SS 68010	44	UT 65002	62
RS 4040	80	SS 31020	40	SS 68030	44	UT 65010	62
RS 4060	80	SS 31030	40	SS 68231	44	UT 65020	62
RS 7041	79	SS 39000	39	SS 68431	44	UT 65030	62
RS 7120	80	SS 42001	45	SS 68436	44	UT 65040	62
RS 7160	80	SS 42011	45	SS 68440	44	UT 65050	62
RS 7245	79	SS 48248	45	SS 69010	44	UT 66004	63
RS 7255	79	SS 49100	45	ST 40001	50	UT 66006	63
RS 7265D	79	SS 49234	45	ST 40004	50	UT 67001	64
RS 7395	80	SS 60000	37	ST 40006	50	UT 67002	64
RS 7510D	80	SS 60020	37	ST 40010	50	UT 67003	64
SF 79000	37	SS 61000	37	ST 40012	50	UT 69000	63
SF 80000	37	SS 61020	37	ST 40016	50	UT 70000	65
SF 80020	37	SS 62000	38	ST 40020	50	UT 71000	65
SH 10000	13	SS 62010	38	ST 43003	50	WB 1006	31
SH 15000	13	SS 62020	38	ST 70020	50	WB 1006FF	31
SH 20000	13	SS 62030	38	ST 70021	50	WB 1010	31
SH 22000	13	SS 62100	38	ST 70022	50	WB 2004	31
SH 42000	13	SS 62110	38	ST 70023	50	WB 2006	31
SH 60000	12	SS 62120	38	ST 70024	50	WB 2006FF	31
SH 60001	12	SS 62130	38	ST 70025	50	WB 2506K	30
SH 60060	12	SS 63010	37	ST 73003	50	WB 2506KFF	30
SH 60061	12	SS 64103	43	TP 3206	72	WB 2606K	30
SH 61000	12	SS 64104	43	TP 3206	83	WB 2606KFF	30
SH 63000	12	SS 64105	43	TP 3714	83	WB 2706	30
SH 65000	12	SS 64106	43	TP 3841	83	WB 2706FF	30
SH 65000	12	SS 64123	43	TP 4210	83	WB 2706S	30
SL 3264	78	SS 64124	43	TP 4212	83	WB 2706SFF	30
SL 3310	78	SS 64125	43	TP 4214	83	WB 2806	29
SL 4150	78	SS 64126	43	TP 4216	83	WB 2806FF	29
SL 4264	77	SS 64223	43	TP 6830	83	WD 2200DC	18
SL 4364	77	SS 64224	43	TP 6870	82	WL 3351	78
SL 6500	77	SS 64225	43	TP 6881	82	WL 6310	76
SL 7180	75	SS 64226	43	UT 20000	65	WL 6320	76
SL 7280	75	SS 64303	43	UT 21000	65	WL 6330	76
SL 8180	75	SS 64304	43	UT 24000	65	WL 6341	77
SS 25010	41	SS 64305	43	UT 47000	65	WL 6350	76
SS 26000	41	SS 64306	43	UT 60007	63	WL 6370	76
SS 26010	41	SS 64323	43	UT 60030	63	WL 6381	77
SS 26020	41	SS 64324	43	UT 60050	64	WL 6420	76
SS 26030	41	SS 64325	43	UT 60053	64	WL 6450	76
SS 27000	41	SS 64326	43	UT 60054	63	WL 6470	76
SS 27010	41	SS 64333	43	UT 60055	64	WL 6490	77
SS 27020	41	SS 64334	43	UT 60057	64		

WARRANTY INFORMATION



the CORONA® Promise

The lifespan of a tool is dependent upon frequency of use, as well as, the conditions and environment in which it is used.

Tools used by professionals, everyday, on every job, will more likely wear out long before tools used by occasional or infrequent users.

Typically, any defects in materials or workmanship will emerge early in the life of the tool.

CORONA® tools are designed, engineered and manufactured to perform their intended purpose, **Season after Season.®**

Customer Satisfaction is at the top of our priority list, so in the event our tool fails to perform as intended due to materials and/or workmanship,

CORONA® promises to provide a solution based on our three product lines and associated warranties.

MAX FORGED
SHARPNESS & DURABILITY™

MAX FORGED
STRENGTH & DURABILITY™

MAX | **MAX**
SHARPNESS & DURABILITY™ | STRENGTH & DURABILITY™

CORONA® MAX TOOLS represent our best-in-class and have been specifically designed, engineered and manufactured for **PROFESSIONALS** and **PASSIONATE GARDENERS** that demand **maximum durability and lasting performance.**

MAX AND **MAX FORGED TOOLS** CARRY A **LIMITED LIFETIME WARRANTY**

CORONA® MAX TOOLS are guaranteed to be free of defects in materials and workmanship for the life of the tool.

If a **CORONA® MAX TOOL** is found to be defective, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

WHAT'S NOT COVERED

CORONA® is dependable and trustworthy and we rely on our customers to be the same. We do not and cannot cover normal wear, lost or stripped parts, altered or modified products, or product damage due to negligence, misuse, or abuse.

OUR DEFINITION OF ABUSE- Using a tool in a manner for which it was not designed.



CORONA®

CORONA® RED TOOLS are designed for **CASUAL GARDENERS** who want control and comfort, but not the maximum durability expectations designed and built into our **CORONA® MAX** line of tools.

CORONA® RED TOOLS CARRY A **LIMITED WARRANTY**

Corona® warrants RED tools to be free of defects in materials and workmanship. If your tool is found to be defective within ten (10) years from date of purchase, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

MAKING WARRANTY CLAIMS OUTSIDE THE U.S.

The warranties outlined here apply specifically to products purchased in the United States. If you purchased your product outside of the U.S., your local **CORONA®** distributor's standard product warranty will apply. Outside the U.S., warranty claims can be made by returning the tool to where you bought it within the relevant timeframe, along with its packaging and original proof of purchase.

Corona reserves the right to ask Dealers and Distributors to send in product photo and contact information for a warranty claim. In some cases, a Return Merchandise Authorization (RMA) number may be required for product returns.

Value Tools

Budget-friendly **Value Tools** are designed for performing basic tasks.

CORONA® Value Tools are covered by a standard manufacturer's

One-Year Limited Warranty against defects in materials or workmanship.

If your **Value Tool** is found to be defective within one (1) year from date of purchase, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

PRODUCT SUBSTITUTION

CORONA® will make an effort to either repair or replace any defective tool with one that is similar. If, for any reason, this is not possible, **CORONA®** may choose to satisfy your claim by substituting a different product.

GENUINE REPLACEMENT PARTS

All **CORONA®** tools are built to last, but certain components will wear out after heavy or repeated use. That's why we offer genuine replacement parts for most MAX products.


Visit coronatoolsusa.com to see available replacement parts by item number, or contact the **CORONA® Customer Experience Team** for more information at the number noted below.

CORONA® Customer Experience Team:

Corona Clipper, Inc
Attn: Warranty
22440 Temescal Canyon Rd.
Corona, CA 92883
(800) 234-2547
sales@corona.bellota.com



Corona, Inc.
22440 Temescal Canyon Road • Corona, CA 92883
(951) 737-6515 | (800) 847-7863 | sales@corona.bellota.com
coronatoolusa.com



Connect with Corona Tools!

© Copyright 2018 Corona, Inc.



CC 9330 - 0/00 - XX,000