TileLab® Grout Haze Remover

1 Product Name

TileLab® Grout Haze Remover

2 Manufacturer

Custom Building Products
Technical Services

10400 Pioneer Boulevard, Unit 3 Santa Fe Springs, CA 90670 Customer Support: 800-272-8786 Technical Services: 800-282-8786

Fax: 800- 200-7765

Email: contactus@cbpmail.net custombuildingproducts.com

3 Product Description

A pre-mixed, ready-to-use, mild acid solution. Removes dried Portland cement grout haze and mortar residue from tile, concrete and masonry. Safe for use on colored grouts. Removes hard water deposits, efflorescence and also etches concrete.

Key Features

- Liquid acidic treatment
- · Removes efflorescence

Uses

Used for removal of dried Portland cement grout and mortar residue from the surface of glazed and unglazed ceramic tile, concrete and masonry. It is ideal for neutralizing efflorescence. It can also be used to slightly etch concrete surfaces to create a better bond for adhesives.

Limitations to the Product

May etch some glazed tile. Do not use on marble or polished stone. Do not allow product to contact metal objects. Do not transfer contents to unlabeled containers.

Packaging

1 quart (946 mL) bottle

4 Technical Data

Technical Properties Chart

- pH of mixed solution is 2 3
- · Complies with all Federal and SCAQMD Standards for VOC

5 Instructions

Application of Product

USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.

Read entire label before using. Follow surface preparation instructions. Surface must be saturated with water at least one hour prior to acid solution application. Avoid contact with metal. Scrub surface with a nylon bristled brush after applying solution. Work in small areas only. Flush with water immediately after brushing surface. Do not allow solution to set longer than is necessary for brushing to be completed on Portland cement grout, glazed ceramic and unglazed quarry tile or masonry installations. Wash thoroughly with water as soon as brushing is completed. Do not use repeated acid washings as damage to surface may result. For heavy concrete etching, solution may be allowed to set on surface of concrete for up to 30 minutes prior to flushing with clean water.





Cleaning of equipment

Clean tools and hands with water before material dries.

Storage

- · Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 40°F 90°F (4°C and 32°C)
- · Store in areas inaccessible to small children
- · Do not reuse empty container, wrap and discard in trash or recycle

Health Precautions

DANGER: CORROSIVE. HARMFUL IF SWALLOWED. CAUSES EYE, SKIN AND RESPIRATORY IRRITATION. Wear skin and eye protection. Do not breathe vapor or spray. Contains glycolic acid. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, move to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention. KEEP OUT OF REACH OF CHILDREN. Do not transfer contents to unlabeled containers. Close container after each use.

6 Availability & Cost

Location	Item Code	Size	Package
USA	TLGHRRAQT-3	1 quart (946 ml)	Bottle
Canada	CTLGHRQT-3	1 quart (946 ml)	Bottle

7 Product Warranty

Obtain the applicable LIMITED PRODUCT WARRANTY at www.custombuildingproducts.com/product-warranty or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

8 Product Maintenance

Properly installed product requires no special maintenance.

9 Technical Services Information

For technical assistance, contact Custom® Building Products.

10 Filing System

Additional product information is available from the manufacturer upon request.



TileLab® Grout Haze Remover

Coverage

SIZE	Min Coverage	Max Coverage
Quart (946 mL)	75 sq. ft. (7 M²)	

