

FlowGuard Gold®

List Price Schedule CTS-114
Effective January 20, 2014
(Updated March 1, 2017)
Supersedes Price Schedule CTS-513

Possession of this price list shall not be construed as an offer to sell the products listed. FlowGuard Gold is a registered trademark of Lubrizol Corp.
 Charlotte and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
 © 1995-2017 Charlotte Pipe and Foundry Company

>> CPVC Copper-Tube-Size Pipe and Fittings



STRAIGHT LENGTHS			PLAIN END SDR 11 CPVC COPPER-TUBE-SIZE PIPE						ASTM D 2846	
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER BUNDLE	TRUCKLOAD PERCENT PER SKID	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	MAX WORK PRESSURE AT 23° C OR 73° F	WT. PER 100 FT. (LBS.)	LIST PRICE PER 100 FT.
CTS 12005	½" x 10'	04979	500'	2.083	12,000'	.625	.068	400 PSI	8.3	\$ 242.00
CTS 12005	½" x 20'	04993	1,000'	5.000	24,000'	.625	.068	400 PSI	8.3	\$ 242.00
CTS 12007	¾" x 10'	04980	250'	2.083	6,000'	.875	.080	400 PSI	13.9	\$ 372.00
CTS 12007	¾" x 20'	05145	500'	5.000	12,000'	.875	.080	400 PSI	13.9	\$ 372.00
CTS 12010	1" x 10'	05146	150'	2.083	3,600'	1.125	.102	400 PSI	22.2	\$ 798.00
CTS 12010	1" x 20'	05147	300'	5.000	7,200'	1.125	.102	400 PSI	22.2	\$ 798.00
CTS 12012	1¼" x 10'	05148	100'	2.083	2,400'	1.375	.125	400 PSI	33.3	\$ 1393.00
CTS 12012	1¼" x 20'	05321	200'	5.000	4,800'	1.375	.125	400 PSI	33.3	\$ 1393.00
CTS 12015	1½" x 10'	05150	60'	2.083	1,440'	1.625	.148	400 PSI	46.6	\$ 1853.00
CTS 12015	1½" x 20'	05306	120'	5.000	2,880'	1.625	.148	400 PSI	46.6	\$ 1853.00
CTS 12020	2" x 10'	05152	40'	2.083	960'	2.125	.193	400 PSI	79.5	\$ 3127.00
CTS 12020	2" x 20'	05322	80'	5.000	1,920'	2.125	.193	400 PSI	79.5	\$ 3127.00

NOTE: STRAIGHT LENGTH PIPE ARE SHIPPED IN FULL BUNDLE QUANTITY ONLY.

COILED PIPE SDR 11			COILED SDR CPVC COPPER-TUBE-SIZE PIPE						ASTM D 2846	
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER BUNDLE	TRUCKLOAD PERCENT PER SKID	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	MAX WORK PRESSURE AT 23° C OR 73° F	WT. PER 100 FT. (LBS.)	LIST PRICE PER 100 FT.
CTS 12005	½" x 150'	05313	150'	4.166	3,750'	.625	.068	400 PSI	8.3	\$ 415.00
CTS 12007	¾" x 100'	05314	100'	4.166	2,500'	.875	.080	400 PSI	13.9	\$ 820.00
CTS 12010	1" x 100'	10643	100'	4.166	1,200'	1.125	.102	400 PSI	22.2	\$ 1491.00

Size	UPC# 611942-	Bag Quantity	Carton Quantity	List Price Each	Size	UPC# 611942-	Bag Quantity	Carton Quantity	List Price Each
------	--------------	--------------	-----------------	-----------------	------	--------------	--------------	-----------------	-----------------



Part No. CTS 2100
Coupling
(S x S)

½	04994	100	1000	\$1.32
¾	05154	50	500	1.65
1	05155	10	100	7.42
1¼	05156	10	100	10.13
1½	05157	10	100	14.33
2	05158	10	50	25.82
¾ x ½	05159	50	250	3.07
1 x ¾	05160	10	100	9.27
1¼ x 1 ^(F)	09942	-	60	32.46



Part No. CTS 2100 I
Transition Coupling
(CTS SOCKET x SCH. 40 SOCKET)

¾	04996	50	250	\$5.96
1	05175	10	100	11.28

^(F) Fabricated

You can't beat the system.®



Size	UPC# 611942-	Bag Quantity	Carton Quantity	List Price Each	Size	UPC# 611942-	Bag Quantity	Carton Quantity	List Price Each
 Part No. CTS 2107 Reducer Bushing (S x SPG)					 Part No. CTS 2116 Cap (S)				
3/4 x 1/2	04998	100	500	\$1.99	1/2	05002	100	500	\$1.37
1 x 1/2	05177	10	100	6.53	3/4	05202	50	250	1.83
1 x 3/4	05178	10	100	6.53	1	05203	10	100	6.70
1 1/4 x 1/2	05179	10	100	9.39	1 1/4	05204	10	100	9.53
1 1/4 x 3/4	05180	10	100	8.48	1 1/2	05205	10	100	14.66
1 1/4 x 1	05181	10	100	7.41	2	05206	10	50	29.60
1 1/2 x 1/2	05182	10	100	11.04	 Part No. CTS 2300 Elbow 90° (S x S)				
1 1/2 x 3/4	05183	10	100	11.04	1/2	04982	100	1000	\$1.52
1 1/2 x 1	05184	10	100	10.47	3/4	04983	50	500	2.50
1 1/2 x 1 1/4	05185	10	100	10.47	1	04984	10	100	7.30
2 x 1/2	05186	10	50	26.21	1 1/4	05006	10	100	14.54
2 x 3/4	05187	10	50	24.47	1 1/2	05207	10	100	26.25
2 x 1	05188	10	50	23.64	2	05208	5	50	50.33
2 x 1 1/4	05189	10	50	27.84	3/4 x 1/2	05209	50	250	5.76
2 x 1 1/2	05190	10	50	23.64	 Part No. CTS 2300 D Drop Ear Elbow (ALL-CPVC SOCKET x SOCKET)				
 Part No. CTS 2107 I Transition Bushing (CTS SOCKET x IPS SPIGOT)					1/2	05007	50	250	\$4.78
1/2	04999	10	100	\$8.75	 Part No. CTS 2304 Street Elbow 90° (SPG x S)				
3/4	05191	10	100	8.84	1/2	05011	100	500	\$1.90
1	05192	10	100	9.76	3/4	04985	50	250	2.97
1 1/4	05193	10	100	12.50	1	09922	10	100	13.55
1 1/2	05194	10	100	15.75	 Part No. CTS 2309 Elbow 45° (S x S)				
2	05195	10	50	16.60	1/2	05012	100	500	\$2.03
 Part No. CTS 2109** Male Adapter (MPT x ALL-CPVC SOCKET)					3/4	05228	50	250	3.52
1/2	05000	100	1000	\$1.66	1	05229	10	100	8.46
3/4	05196	50	500	2.84	1 1/4	05230	10	100	18.96
1	05197	10	100	12.71	1 1/2	05231	10	100	27.46
1 1/4	05198	10	100	20.80	2	05232	5	25	54.39
1 1/2	05199	10	100	25.64	 Part No. CTS 2110** Male Adapter, Reducing (ALL CPVC SOCKET x MPT)				
2	05200	10	50	42.29	3/4 x 1/2	05252	50	250	\$6.75

** For cold water application only. Does not conform to the requirements of ASTM D 2846.

Size	UPC# 611942-	Bag Quantity	Carton Quantity	List Price Each	Size	UPC# 611942-	Bag Quantity	Carton Quantity	List Price Each
------	--------------	--------------	-----------------	-----------------	------	--------------	--------------	-----------------	-----------------



Part No. CTS 2310
Street Elbow 45°
(SPG x S)

1/2	05013	100	500	\$4.08
3/4	05233	50	250	5.77
1	10652	10	100	16.60




Part No. CTS 2400
Tee
(S x S x S)

1/2	05014	100	500	\$2.06
3/4	05238	50	250	3.65
1	05239	10	100	19.13
1 1/4	05240	10	100	29.37
1 1/2	05241	5	50	38.25
2	05242	5	25	61.85



Part No. CTS 2400
Reducer Tee
(One-piece molded design)
(S x S x S)

1/2 x 1/2 x 3/4	10685	50	250	\$7.16
3/4 x 1/2 x 1/2	05244	50	250	3.77
3/4 x 1/2 x 3/4	05245	50	250	5.16
3/4 x 3/4 x 1/2	05243	50	250	3.97
3/4 x 3/4 x 1	11784	10	100	42.22
1 x 1/2 x 1/2	11785	10	100	45.49
1 x 1/2 x 3/4	11786	10	100	44.74
1 x 1/2 x 1	11787	10	100	34.41
1 x 3/4 x 1/2	11788	10	100	42.47
1 x 3/4 x 3/4	10598	10	100	23.21
1 x 3/4 x 1	05025	10	100	33.99
1 x 1 x 1/2	10599	10	100	21.74
1 x 1 x 3/4	05469	10	100	20.74
1 1/4 x 1 x 1	11594	10	100	65.91
1 1/4 x 1 1/4 x 1/2	11262	10	60	53.05
1 1/4 x 1 1/4 x 3/4	11192	10	60	47.21
1 1/4 x 1 1/4 x 1	11233	10	100	49.88
1 1/2 x 1 x 1	11593	5	50	64.25
1 1/2 x 1 1/2 x 1/2	11592	5	50	57.09
1 1/2 x 1 1/2 x 3/4	11232	5	50	47.61
1 1/2 x 1 1/2 x 1	10686	5	50	43.58
2 x 2 x 1/2	11234	5	25	80.03
2 x 2 x 3/4	11235	5	25	65.48
2 x 2 x 1	10687	5	25	62.04
2 x 2 x 1 1/2	11236	5	25	69.96



Part No. CTS 2612
Slab Sweep
(S x SPG)

1/2	10656	-	25	\$41.53
3/4	10657	-	25	54.18

>> Low-Lead CPVC Copper-Tube-Size x Brass Fittings

Note: Different discount may apply to brass items. Please contact sales office.



Part No. CTS 2105L
Low-Lead Female Adapter, Brass
Threads
(BRASS FPT x CTS SOCKET)

1/2	12360	10	100	\$ 57.44
3/4	12361	5	50	67.35
1	12362	5	25	153.18
1 1/4	12404	5	25	217.76
1 1/2	12405	5	25	243.98
2	12406	5	20	490.60



Part No. CTS 2115L
Low-Lead Male Adapter, Brass Threads
(BRASS MPT x CTS SOCKET)

1/2	11639	10	100	\$ 43.24
3/4	12363	5	50	47.62
1	12374	5	25	135.08
1 1/4	12407	5	25	181.82
1 1/2	12408	5	25	207.32
2	12409	5	20	409.56



Part No. CTS 2302 L
Low-Lead CPVC/Brass Drop Ear
Elbow 90°
(BRASS FPT x CTS SOCKET)

1/2	11640	10	50	\$ 63.79
-----	-------	----	----	-----------------

S = Socket
SPG = Spigot

MPT = Male Pipe Thread
FPT = Female Pipe Thread
IPS = Iron-Pipe-Size

Terms of Sale

We are pleased to present our list price schedule for use in ordering Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products. To determine current prices, please refer to the prices shown in the list price schedule. You may seek further clarification from our local manufacturers' agent or the factory sales office. **All prices in list price schedules are subject to change without notice. Orders will be billed at the prevailing price at the time of shipment.** All quotations, sales, and agreements are subject to strikes, accidents, transportation failures or other causes beyond our control. Any tax, effective under present or future laws, shall be added as an extra to the price of the product and shall be paid by the purchaser. **Possession of product information or list price schedules shall not be construed as an offer to sell the product listed.**

ARBITRATION: CHARLOTTE PIPE AND CUSTOMER AGREE THAT ANY DISPUTE, CLAIM OR CONTROVERSY OF ANY NATURE, WHETHER BASED ON CONTRACT, TORT, STATUTE, OR ANY OTHER LEGAL OR EQUITABLE THEORY, ARISING OUT OF OR RELATED TO THE SALE OF PRODUCTS FROM CHARLOTTE PIPE TO CUSTOMER SHALL BE RESOLVED THROUGH BINDING ARBITRATION ADMINISTERED PURSUANT TO TITLE 9 OF THE U.S. CODE BY JAMS UNDER ITS COMPREHENSIVE ARBITRATION RULES AND PROCEDURES, AND JUDGMENT ON THE AWARD ENTERED BY THE ARBITRATOR(S) MAY BE ENTERED BY ANY COURT HAVING JURISDICTION THEREOF. EITHER PARTY MAY APPLY TO THE ARBITRATOR SEEKING INJUNCTIVE RELIEF UNTIL THE ARBITRATION AWARD IS ENTERED OR THE MATTER IS RESOLVED. EITHER PARTY ALSO MAY, WITHOUT WAIVING ANY REMEDY AVAILABLE TO IT, SEEK FROM ANY COURT OF COMPETENT JURISDICTION ANY PROVISIONAL OR INTERIM RELIEF THAT IS NECESSARY TO PROTECT ITS RIGHTS PENDING THE ARBITRATOR(S)' DETERMINATION OF THE MERITS OF THE DISPUTE, CLAIM OR CONTROVERSY.

CLASS ACTION WAIVER: CHARLOTTE PIPE AND CUSTOMER AGREE THAT THERE WILL BE NO RIGHT OR AUTHORITY FOR ANY CLAIM, DISPUTE AND/OR CONTROVERSY COVERED UNDER THE PARTIES' AGREEMENT TO ARBITRATE TO BE BROUGHT, HEARD, OR ARBITRATED AS A CLASS ACTION AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. NOR SHALL THE ARBITRATOR(S) HAVE ANY AUTHORITY TO HEAR OR ARBITRATE ANY SUCH CLASS AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. REGARDLESS OF ANYTHING ELSE IN THESE TERMS AND CONDITIONS OR BY VIRTUE OF ANY ARBITRATION RULES OR PROCEDURES OF THE AAA THAT NOW APPLY OR ANY AMENDMENTS AND/OR MODIFICATIONS TO THOSE RULES, THE ENFORCEABILITY AND VALIDITY OF THIS CLASS ACTION WAIVER MAY BE DETERMINED ONLY BY A COURT AND NOT BY AN ARBITRATOR. NOTWITHSTANDING ANY OTHER CLAUSE CONTAINED IN THESE TERMS AND CONDITIONS, THIS CLAUSE ENTITLED CLASS ACTION WAIVER SHALL NOT BE SEVERABLE FROM THESE TERMS AND CONDITIONS IN ANY CASE IN WHICH THE DISPUTE TO BE ARBITRATED IS BROUGHT AS A CLASS AND/OR COLLECTIVE ACTION. THIS CLASS ACTION WAIVER AND THE AGREEMENT TO ARBITRATE ANY CLAIM, DISPUTE OR CONTROVERSY PRECLUDES CUSTOMER FROM LITIGATING IN COURT OR ARBITRATING ANY CLAIMS AGAINST CHARLOTTE PIPE AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY.

FlowGuard Gold® CPVC CTS Limited Warranty

Charlotte Pipe and Foundry Company (Charlotte Pipe®) warrants to the original owner of the structure in which its FlowGuard Gold CTS CPVC Pipe and Fittings (the "Products") have been installed, that the Products will be free from manufacturing defects and conform to currently applicable ASTM standards under normal use and service for a period of ten (10) years. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than the transmission of domestic water.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the ASTM standard or that are not marked in a manner to indicate the entity that manufactured them.
- 4) The Products fail due to defects or deficiencies in design, engineering, or installation of the water distribution system of which they are a part.
- 5) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 6) The Products fail due to the freezing of water in the Products.
- 7) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents not compatible with CPVC compounds.

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

3/25/10

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



You can't beat the system.®

Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
FlowGuard Gold is a registered trademark of Lubrizol Corp.

WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
- NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.