SAFETY DATA SHEET

07-Feb-2018

1. IDENTIFICATION

Product identifier Product Name	Clorox Pool & Spa Green Algae Eliminator2
<u>Other means of identification</u> Product Code UN/ID no.	42232CLX UN1760
Recommended use of the chemical	and restrictions on use
Recommended Use	Swimming pool algaecide.
Uses advised against	Do not mix with other chemicals
Details of the supplier of the safety	data sheet
Supplier Address	
Easy 123 Pool Care LLC	
1725 N. Brown Road	
Lawrenceville, GA 30043	
Telephone: 800-767-7665	

Emergency telephone number

Emergency Telephone

Chemtrec (Transportation) 1-800-424-9300, 703-527-3887 Poison Control Center (Medical) : (877) 800-5553

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Corrosive to metals	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if inhaled Causes severe skin burns and eye damage Causes serious eye irritation May cause an allergic skin reaction May be corrosive to metals



Color Blue green

Physical state liquid

Odor Slight

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace Keep only in original container

Precautionary Statements - Response

IF exposed or if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up. Store in original plastic container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

40.91% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
copper sulphate	7758-98-7	13.07
Poly[oxy-1,2-ethanediyl(dimethyliminio)-1,2-ethane	31512-74-0	6.5
diyl(dimethyliminio)-1,2-ethanediyl dichloride		
aluminium sulfate	10043-01-3	3-8

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Call a physician immediately.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

No information available.

> Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Use personal protective equipment as required.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not mix with other chemicals.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.
Incompatible materials	Bases. Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
copper sulphate	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and mist
7758-98-7	-		TWA: 1 mg/m ³ Cu dust and mist
aluminium sulfate	-	(vacated) TWA: 2 mg/m ³ Al	TWA: 2 mg/m ³ Al
10043-01-3		Aluminum	_

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid aqueous solution Blue green	Odor Odor threshold	Slight No information available
Property	Values	Remarks • Method	
pH	3 - 4	in 1% Solution	
Melting point / freezing point	No information available		
Boiling point / boiling range	No information available		
Flash point	> 100 °C	Pensky-Martens Close	d Cup (PMCC)
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		

Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Density Bulk density Explosive properties Oxidizing properties Other Information	No information available No information available Miscible in water No information available No information available No information available 13.4 mPa.s No information available 1.234 No information available No information available This product is not classified as an oxi	g/ml dizer under GHS.
Softening point Molecular weight VOC Content (%)	No information available No information available No information available	

10. STABILITY AND REACTIVITY

Reactivity

No data available <u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Bases. Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

Hazardous Decomposition Products

copper oxides. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract. Not an expected route of exposure.
Eye contact	Severely irritating to eyes. May cause burns.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
copper sulphate	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	-
7758-98-7			
Poly[oxy-1,2-ethanediyl(dimethylimi nio)-1,2-ethane diyl(dimethyliminio)-1,2-ethanediyl dichloride 31512-74-0	= 1850 mg/kg (Rat)	> 2 g/kg (Rabbit)> 2000 mg/kg (Rabbit)	-
aluminium sulfate 10043-01-3	= 1930 mg/kg(Rat)	-	_

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization by skin contact.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	No information available.			
Reproductive toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Chronic toxicity	No information available.			
Target Organ Effects	Eyes, Skin.			
Aspiration hazard	No information available.			
Numerical measures of toxicity - Product Information				
Oral LD50	3500 mg/kg (rat)			

0. a. 2200	0000
Dermal LD50	> 5000 mg/kg (rabbit)
Inhalation LC50	> 2.03 mg/l Aerosol (rat)

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

Ecotoxicity

Very toxic to aquatic life with long lasting effects

24.13201% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
copper sulphate	-	0.1: 96 h Oncorhynchus mykiss	0.0058 - 0.0073: 48 h Daphnia
7758-98-7		mg/L LC50	magna mg/L EC50 Static
aluminium sulfate	-	100: 96 h Carassius auratus mg/L	136: 15 min Daphnia magna mg/L
10043-01-3		LC50 37: 96 h Gambusia affinis	EC50
		mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

<u>Mobility</u>

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container. Refer to all federal, state and local regulations prior to disposal of container and unused contents by reuse, recycle or disposal.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name copper sulphate		California Hazardous Waste Status Toxic			
7758-98-7		TOXIC			
14. TRANSPORT INFORMATION					
Note:	Limited quantity (LQ) exception is possible				
DOT UN/ID no. Proper shipping name Hazard Class Packing Group Marine pollutant	UN1760 Corrosive liquids, n.o.s. (alum 8 III This product contains a chemic DOT.	inum sulfate) cal which is listed as a severe marine pollutant according to			
IATA UN/ID no. Proper shipping name Hazard Class Packing Group	UN1760 Corrosive liquid, n.o.s. (alumin 8 III	um sulfate)			
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group Marine pollutant	UN1760 Corrosive liquid, n.o.s. (aluminum sulfate) 8 III This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO				

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
copper sulphate - 7758-98-7	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
copper sulphate 7758-98-7	10 lb	X	-	Х
aluminium sulfate 10043-01-3	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
copper sulphate	10 lb	-	RQ 10 lb final RQ
7758-98-7			RQ 4.54 kg final RQ
aluminium sulfate	5000 lb	-	RQ 5000 lb final RQ
10043-01-3			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
copper sulphate 7758-98-7	Х	X	Х
aluminium sulfate 10043-01-3	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number 5185-513-90106

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear protective evewear (safety glasses or goggles) and rubber gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Flammability 0

HMIS

Health hazards 3 Flammability 0

Physical hazards 0

Instability 0

Physical and Chemical Properties -Personal protection X

Prepared By **Regulatory Affairs Revision Date** 07-Feb-2018 **Revision Note** No information available

Health hazards 3

Disclaimer

NFPA

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet