SAFETY DATA SHEET

13-Aug-2018

1. IDENTIFICATION

Product identifier

Product Name Clorox Pool&Spa XTRABLUE Algaecide

Other means of identification

Product Code 43340CLX UN/ID no. UN1760

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
Swimming pool algaecide.
Do not mix with other chemicals

Details of the supplier of the safety data sheet

Supplier Address Easy 123 Pool Care LLC 1725 N. Brown Road Lawrenceville, GA 30043 Telephone: 800-767-7665

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Corrosive to metals	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if inhaled
Causes severe skin burns and eye damage
Causes serious eye irritation
May cause an allergic skin reaction
May be corrosive to metals



•

Color Blue green Physical state liquid Odor Slight

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Contaminated work clothing should not be allowed out of the workplace
Keep only in original container

Precautionary Statements - Response

IF exposed or if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up. Store in original plastic container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

40.91% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
copper sulphate	7758-98-7	13.07
Poly[oxy-1,2-ethanediyl(dimethyliminio)-1,2-ethane	31512-74-0	6.5
diyl(dimethyliminio)-1,2-ethanediyl dichloride		
aluminium sulfate	10043-01-3	3-8

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a

physician.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. If skin irritation persists, call a physician.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a

physician.

•

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Call a physician immediately.

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on the

ground or into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly. Use personal protective equipment as

required.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas. Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Do not mix with other chemicals.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated

place. Keep in properly labeled containers.

Incompatible materials Bases. Incompatible with oxidizing agents. Do not mix with other swimming pool/spa

chemicals in their concentrated forms.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
copper sulphate TWA: 1 mg/m³ Cu dust and mist		-	IDLH: 100 mg/m ³ Cu dust and mist
7758-98-7	-		TWA: 1 mg/m³ Cu dust and mist
aluminium sulfate	-	(vacated) TWA: 2 mg/m³ Al	TWA: 2 mg/m ³ Al
10043-01-3		Aluminum	_

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor Slight

Color Blue green Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 3 - 4 in 1% Solution

Melting point / freezing point

Boiling point / boiling range

No information available
No information available

Flash point > 100 °C Pensky-Martens Closed Cup (PMCC)

Evaporation rate

No information available

No information available

Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No information available
No information available
No information available

Vapor density No information available

Specific Gravity 1.234

Water solubility Miscible in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available

Kinematic viscosity 13.4 mPa.s

Dynamic viscosity No information available

lb/gal **Density** 10.29

Bulk density No information available **Explosive properties** No information available

Oxidizing properties This product is not classified as an oxidizer under GHS.

Other Information

No information available Softening point Molecular weight No information available No information available **VOC Content (%)**

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Bases. Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

Hazardous Decomposition Products

copper oxides. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

May cause irritation of respiratory tract. Not an expected route of exposure. Inhalation

Eye contact Severely irritating to eyes. May cause burns.

Skin contact Contact causes severe skin irritation and possible burns.

Ingestion Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
copper sulphate	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	-
7758-98-7			
Poly[oxy-1,2-ethanediyl(dimethylimi	= 1850 mg/kg (Rat)	> 2 g/kg (Rabbit) > 2000 mg/kg (-
nio)-1,2-ethane		Rabbit)	
diyl(dimethyliminio)-1,2-ethanediyl		,	
dichloride			
31512-74-0			
aluminium sulfate	= 1930 mg/kg (Rat)	-	-
10043-01-3	3 3 (,		

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization by skin contact.

Germ cell mutagenicityNo information available.
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
No information available.
No information available.
No information available.

Target Organ Effects Eyes, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

 Oral LD50
 3500 mg/kg (rat)

 Dermal LD50
 > 5000 mg/kg (rabbit)

 Inhalation LC50
 > 2.03 mg/l Aerosol (rat)

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

Ecotoxicity

Very toxic to aquatic life with long lasting effects

24.13201% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
copper sulphate	-	0.1: 96 h Oncorhynchus mykiss	0.0058 - 0.0073: 48 h Daphnia
7758-98-7	7758-98-7		magna mg/L EC50 Static
aluminium sulfate	aluminium sulfate -		136: 15 min Daphnia magna mg/L
10043-01-3		LC50 37: 96 h Gambusia affinis	EC50
		mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

14. TRANSPORT INFORMATION

Note: Limited quantity (LQ) exception is possible

DOT

UN/ID no. UN1760

Proper shipping name Corrosive liquids, n.o.s. (aluminum sulfate)

Hazard Class 8
Packing Group III

Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

<u>IATA</u>

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s. (aluminum sulfate)

Hazard Class 8
Packing Group III

IMDG

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s. (aluminum sulfate)

Hazard Class 8
Packing Group III

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
copper sulphate - 7758-98-7	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
copper sulphate 7758-98-7	10 lb	X	-	Х

aluminium sulfate	5000 lb	-	-	X
10043-01-3				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ī	copper sulphate	10 lb	=	RQ 10 lb final RQ
1	7758-98-7			RQ 4.54 kg final RQ
ſ	aluminium sulfate	5000 lb	-	RQ 5000 lb final RQ
L	10043-01-3			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
copper sulphate 7758-98-7	X	X	X
aluminium sulfate 10043-01-3	Х	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number 5185-513-90106

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (safety glasses or goggles) and rubber gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Affairs Revision Date Regulatory Affairs

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet