



ON THE JOB
SINCE 1865™



General Information

Minimum order requirement is \$250.
Each product is identified by size and color with a case code number. Please use this number when ordering.

Order Codes

DAP manufacturer's code No: 70798

Customer Service Information

Call our Customer Service Department for assistance on order placement, deliveries, billing inquiries and authorization to return materials.

Customer Service Department

800-DAP-3339
410-675-2100
(8:00 a.m. – 6:00 p.m. Eastern Time)

Mail correspondence and confirming purchase orders to:

DAP Products Inc.
2400 Boston Street, Suite 200
Baltimore, MD 21224
Fax order to: 410-558-1068
E-mail order to: orders@dap.com

International Customer Service

800-323-0645
(8:00 a.m. – 6:00 p.m. Eastern Time)

Technical Customer Service

888-327-8477 or 888-DAP-TIPS
(8:00 a.m. – 6:00 p.m. Eastern Time)

Corporate Office Baltimore

800-543-3840
410-675-2100

Supplemental Price Lists

For a copy of a current price list and conditions of sale, please contact your sales representative.

SDS Requests

To obtain an SDS for any DAP product, please visit our website www.dap.com or call 888-DAP-TIPS.

Reduce Environmental Impact by Choosing Low VOC Content Products



DAP is dedicated to the development of adhesives and sealants with low volatile organic compound (VOC) content. Many of our products actually have a low enough VOC content, indicated by this symbol, to meet one or more of the guidelines outlined below:

- The South Coast Air Quality Management District (SCAQMD) Rule # 1168
- The Bay Area Air Quality Management District Regulation 8, Rule 51
- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction & Major Renovations Version 2.2, EQ Credit 4.1 (Indoor Environmental Quality – Low Emitting Materials: Adhesives & Sealants)
- NAHB Model GREEN Home Building Guideline Section 7.1.3 (Global Impact - Products)

Increase Energy Efficiency by Sealing the Building Envelope



In order to meet green building guidelines for energy efficiency you will need to take an integrated and comprehensive approach to an energy efficient design of the building site, the building envelope and mechanical space conditioning systems. Utilize products highlighted with this symbol when sealing the building envelope in accordance with the following guidelines:

- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction and Major Renovations Version 2.2, EA Prerequisite 2 for Minimum Energy Performance. (Energy & Atmosphere – Minimum Energy Performance)
- NAHB Model GREEN Home Building Guidelines Section 3.3.1 Building Envelope (PP) B. (Energy Efficiency – Implement an Integrated and Comprehensive Approach to Energy – Efficient Design of Building Site, Building Envelope and Mechanical Space Conditioning Systems)
- ANSI/ASHRAE/IESNA Standard 90.1-2004 – Energy Standard for Buildings Except Low Rise Residential Buildings SI Edition – Section 5.4 and 5.5 (Building Envelope)



Retail Product Guide

Table of Contents

DAP® Caulks & Sealants 1–21

- Interior/Exterior Sealants 1
- Kitchen/Bath Sealants 7
- Specialty Sealants 9
- Specialty Sealants - Fire System Sealants 12
- Interior/Exterior Advanced Sealants & Silicones 13
- Window/Door Advanced Sealants & Silicones 15
- Kitchen/Bath Advanced Sealants & Silicones 16
- Specialty Advanced Sealants & Silicones 18
- Accessories 21

DAP® Repair Products 22–39

- Spackling Compounds 22
- Joint Compounds 27
- Plasters & Stuccos 28
- Wood Repair Products 31
- Glazing Compounds 35
- Concrete & Masonry Products 36
- Miscellaneous Products 39

DAP® Construction Adhesives 40–54

- Contact Cements 40
- Industrial Contact Cements 41
- Spray Adhesives 42
- Specialty Adhesives 43
- SmartBond® Construction Adhesives 45
- DynaGrip® Construction Adhesives 47
- Cartridge & Canned Construction Adhesives 51
- Floor Covering Adhesives 52

DAP® Foam Products

- Foam Sealants 55



DAP® ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone



Excellent quality, all purpose acrylic latex caulk for sealing a wide variety of interior and exterior surfaces. It contains silicone additives for greater flexibility and adhesion and shrinks less for a durable, 100% waterproof seal. Paintable in just 30 minutes and won't shine through or discolor paint for better paint finish results. Easy to apply and tool, low odor and cleans up with water. Cured caulk is mold and mildew resistant. Interior/exterior use. 40 Year. Exceeds ASTM C834.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various product variants like 18128, 18129, 18722, etc.

DAP® ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone Contractor Pack



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists Contractor Pack variants like 18656, 18660.

DAP® ALEX PLUS® All Purpose Easy Caulk Acrylic Latex Caulk Plus Silicone



ALEX PLUS® formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED! Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and for smaller jobs. Interior/exterior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists Easy Caulk variant 18736.



DAP® ALEX FAST DRY®
All Purpose
Acrylic Latex Caulk
Plus Silicone



Specifically formulated to meet the demanding needs of Professional Painters and deliver outstanding paint finish results. It can be brush painted 20 minutes after application or spray painted immediately, so the job gets finished faster. This durable, flexible caulk resists cracking, dirt pickup and paint glossing. It applies smoothly and easily, has outstanding adhesion to a wide variety of surfaces and provides a 100% waterproof seal. Low odor and easy water clean-up. Cured caulk is mold and mildew resistant. Interior/exterior use. 50 Year. Exceeds ASTM C834.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18408	5.5 FL OZ	WHITE	11425	4.06	6	9.5"x5.5"x3.5"	0.11	8	468
18436	5.5 FL OZ	WHITE	11425	9.82	15	7.75"x7.37"x10	0.33	8	120
18425	10.1 FL OZ	WHITE	18425	14.75	12	8"x6"x12"	0.33	1	108

DAP® ALEX FAST DRY®
Acrylic Latex Caulk
Plus Silicone
Contractor Pack



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18426	10.1 OZ	WHITE	18425	14.75	12	8"x6"x12"	0.33	1	108

DAP® ALEX FLEX®
Premium Molding & Trim
Acrylic Latex Sealant



Specifically formulated for use on molding and trim applications. A premium performance sealant that delivers maximum adhesion and flexibility for a crack proof seal. Paint ready in 30 minutes to finish the job faster. It provides a long lasting, durable seal that will not shine through or discolor paint. Ideal for achieving a professional look with paint projects when sealing around windows, doors, trim, crown molding, chair rails and baseboards. Excellent adhesion to wood, PVC and composite molding. It is easy to apply and tool, low in odor and cleans up with water. Cured sealant is mold and mildew resistant. Interior/exterior use. 60 Year. Meets ASTM C920, Class 12.5.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18542	10.1 FL OZ	WHITE	18542	13.64	12	8"x6"x12"	0.33	5	108



DAP® DYNAFLEX ULTRA™ Advanced Exterior Sealant



ALL WEATHER PROTECTION

DAP® DYNAFLEX ULTRA™ Advanced Exterior Sealant for Windows, Doors, Siding & Trim is powered by innovative WEATHER MAX™ Technology for long-lasting, All Weather Protection. It provides exceptional UV resistance against color fading, yellowing, cracking, chalking and crumbling so the sealant stays looking new. Once cured, DYNAFLEX ULTRA™ resists dirt build-up and water absorption for a durable, 100% waterproof seal that stands up to the elements. It has strong multi-material adhesion and stays permanently flexible to endure expansion and contraction caused by sun, heat, cold, wind and rain. It is rain and paint ready in one hour* to save time and provide better productivity. Easy to gun out for less fatigue and smooth tooling for a better finish. Easy water clean up and low odor. Exterior/interior use. Meets ASTM C920, Class 35 (White & Colors), Class 25 (Clear).

*Clear is ready in 2 hours.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various colors like White, Beige, Clay, Iron Gray, Dark Bronze, and Clear.

DAP® DYNAFLEX 230® Premium 100% Waterproof Indoor/Outdoor Elastomeric Sealant



Premium elastomeric "Silicone Tough" latex formulation delivers outstanding performance against the elements. Provides superior flexibility and elongation to seal joints up to 2" wide and endure expansion and contraction without cracking or losing its seal. 100% waterproof and weather proof. Won't crack, crumble or chalk. It has excellent adhesion to a wide range of building materials including wood, MDF, fiber cement, vinyl, aluminum, PVC polystyrene and composite trimboard. Paintable, easy gunning, smooth tooling and water clean-up. Cured sealant is mold and mildew resistant. Meets ASTM C920, Class 25.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various colors like White, Clear, Almond, Gray, Clay, Brown, Cedar Tan, Dark Bronze, and Black.



DAP® DYNAFLEX 230®
Premium 100% Waterproof
Indoor/Outdoor
Elastomeric Sealant
Contractor Pack



Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 6 cartridges of DYNAFLEX 230® Premium Indoor/Outdoor Elastomeric Sealant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18273	10.1 FL OZ	WHITE	18300	6.55	6	6.55"x6.25"x4.25"	0.18	9	198

DAP® EXTREME STRETCH
Premium Crackproof
Elastomeric Sealant



DAP® EXTREME STRETCH Premium Crackproof Elastomeric Sealant provides urethane acrylic technology for extreme flexibility and strength with long lasting durability. It has over 600% total stretch without cracking or losing adhesion. It is paint ready in just 2 hours and won't shine through, dull, discolor or crack paint. With its strong, multi-material adhesion, it is ideal for a wide variety of application such as sealing around windows, doors, siding, trim, baseboards, crown molding and more. Easy and smooth application with water clean up and low odor. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18715	10.1 FL OZ	WHITE	18715	11.9	12	8"x6"x12"	0.333	3	108



DAP® SIMPLE SEAL™
Paint Projects
Easy-to-Use
Home Sealant

No
Caulk Gun
Needed!

DAP® SIMPLE SEAL™ Paint Projects Sealant is an easy way to achieve professional-looking results by sealing gaps and cracks around trim, molding and baseboards prior to painting. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. SIMPLE SEAL™ dries fast and is ready to paint in only 30 minutes to save time. Cured sealant is mold and mildew resistant. Low odor. Cleans up easily with water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18774	9 OZ	WHITE	18774	6.64	9	8.75"x8.75"x7.50"	0.33	0	140

DAP® SIMPLE SEAL™
Weatherproofing
Easy-to-Use
Home Sealant

No
Caulk Gun
Needed!

DAP® SIMPLE SEAL™ Weatherproofing Sealant is an easy way to seal out drafts and moisture around windows, doors, baseboards, inside or outside of the home to save energy and improve comfort. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL™ to seal out air leaks and moisture to improve the energy efficiency of the home and make it more comfortable. Cured sealant is mold and mildew resistant. Low odor and paintable. Cleans up easily with water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18773	9 OZ	WHITE	18773	6.64	9	8.75"x8.75"x7.50"	0.33	3	140



**DAP® ALEX®
Painter's
Acrylic Latex Caulk**

All purpose acrylic latex painter's caulk that applies smoothly and easily to a wide variety of surfaces. Paintable, low odor and easy water clean-up. Cured caulk is mold and mildew resistant. Interior/exterior use. 25 Year. Meets ASTM C834.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18670	10.1 FL OZ	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108
18609	10.1 FL OZ	WHITE	18065	35.80	30	12"x10"x12"	0.83	9	48

**DAP® ALEX®
Painter's
Acrylic Latex Caulk
Contractor Pack**

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18618	10.1 FL OZ	WHITE	18065	14.40	12	8"x6"x12"	0.33	9	108

**DAP® RELY-ON®
Latex Caulk**

Economical latex for general caulking purposes. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18260	10.1 FL OZ	WHITE	18250	14.40	12	8"x6"x12"	0.33	9	108



DAP® KWIK SEAL ULTRA® Premium Siliconized Kitchen & Bath Sealant



MILDEW CAN'T GROW STAINS WON'T STICK DIRT RINSES OFF

High performance, premium siliconized kitchen and bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mold and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It is 100% waterproof and crack proof and can be exposed to water in as little as 4 hours after application without washing out. It offers long-lasting durability and excellent adhesion to a wide range of materials. Safe for granite and marble. Easy-to-use formula applies easily and smoothly, is low in odor and cleans up with water.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various product variants for DAP KWIK SEAL ULTRA.

DAP® KWIK SEAL PLUS® Premium Kitchen & Bath Adhesive Sealant with MICROBAN® Antimicrobial Product Protection



Premium adhesive sealant with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the sealant. Specially formulated siliconized latex provides excellent adhesion and flexibility for a durable, 100% waterproof seal. Paintable. Low odor and easy water clean-up. Backed by a Crack-Proof Guarantee.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Lists various product variants for DAP KWIK SEAL PLUS.



DAP® KWIK SEAL®
Kitchen & Bath
Adhesive Caulk



Bonds like a glue and seals like a caulk. Provides a durable, 100% waterproof seal. Cured caulk is mold and mildew resistant. Applies easily and tools smoothly. Excellent adhesion. Paintable. Low odor and easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18873	5.5 FL OZ	WHITE	18001	9.74	15	7.75"x7.37"x10"	0.33	7	120
18001	5.5 FL OZ	WHITE	18001	7.58	12	9.5"x7.25"x4.25"	0.17	7	240
18008	5.5 FL OZ	CLEAR	18008	5.19	12	9.5"x7.25"x4.25"	0.17	6	240
18013	5.5 FL OZ	ALMOND	18013	7.52	12	9.5"x7.25"x4.25"	0.17	0	240
18034	5.5 FL OZ	WHITE	18001	4.02	6	9.50"x5.5"x3.5"	0.09	7	468
18038	5.5 FL OZ	CLEAR	18008	2.66	6	9.50"x5.5"x3.5"	0.09	6	468
18039	5.5 FL OZ	ALMOND	18013	3.90	6	9.30"x5.5"x3.5"	0.09	0	468
18032	10.1 FL OZ	WHITE	18002	14.17	12	8"x6"x12"	0.33	4	108
18242	10.1 FL OZ	CLEAR	18242	9.76	12	8"x6"x12"	0.33	4	108

DAP® SIMPLE SEAL™
Kitchen & Bath
Easy-to-Use
Home Sealant



DAP® SIMPLE SEAL™ Kitchen & Bath Sealant is an easy way to fill and seal gaps around tubs, sinks, showers, counter tops or anywhere a clean, waterproof seal is needed in kitchens and bathrooms. NO CAULK GUN NEEDED! Simply press and seal to dispense an even bead of caulk. Compact design fits in the palm of the hand to easily navigate tight spaces and corners. Use SIMPLE SEAL™ to seal out water and moisture or replace stained or mildewed caulk. Cured sealant is mold and mildew resistant. Low odor and paintable. Cleans up easily with water.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18772	9 OZ	WHITE	18772	6.64	9	8.75"x8.75"x7.50"	0.33	6	140



DAP® Premium Polyurethane Construction Adhesive Sealant



One-part, moisture-curing, non-sag elastomeric commercial-grade sealant specifically formulated to provide a long-lasting, durable seal when filling exterior gaps, joints and cracks. This high-performance sealant offers superior adhesion to most substrates and remains flexible to withstand up to 35% joint movement when installed into a properly prepared joint. Exceptional cut and tear resistance. Handles foot and vehicle traffic. Paintable. Interior/exterior use. Meets or exceeds ASTM C920, Type S, Grade NS, Class 35. NSF/ANSI Standard 61. Use T, NT, O, M, I. CAN/CGSB 19.13-M87 and Federal Specification TT-S-00230C, Type II, Class A.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18810	10.1 FL OZ	WHITE	18810	14.10	12	8"x6"x13"	0.36	5	132
18814	10.1 FL OZ	GRAY	18814	14.50	12	8"x6"x13"	0.36	3	132
18816	10.1 FL OZ	BLACK	18816	14.10	12	8"x6"x13"	0.36	7	132

DAP® Concrete & Masonry Filler & Sealant



High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Paintable. Easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18096	10.1 FL OZ	GRAY	18021	14.87	12	8"x6"x12"	0.33	5	108

DAP® Roof Asphalt Filler & Sealer



High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and waterproof seal. Can be used for both wet and dry applications. Will not run, sag or bubble. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18268	10.1 FL OZ	BLACK	18270	14.51	12	8"x6"x12"	0.33	7	108



DAP® Gutter & Flashing Advanced VOC-Compliant Exterior Sealant



Advanced polymer formula gutter and flashing sealant delivers superior wet weather and low temperature application with virtually no VOCs (<1%). 100% water and weatherproof. Also adheres to wet or dry surfaces and is 30 minute water ready. Ideal for gutters, drain spouts, lap joints, flashings, roof vents, aluminum siding and other metal joints.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01801	10.1 FL OZ	WHITE	01801	13.00	12	8"x6"x12"	0.33	3	108
01835	10.1 FL OZ	MEDIUM GRAY	01835	13.75	12	8"x6"x12"	0.33	8	108

DAP® Gutter & Flashing BUTYL-FLEX® Sealant

Butyl rubber formula provides a durable, flexible and waterproof seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Adheres to wet or dry surfaces. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18182	10.1 FL OZ	WHITE	18184	13.75	12	8"x6"x12"	0.33	7	108
18188	10.1 FL OZ	ALUMINUM GRAY	18185	13.75	12	8"x6"x12"	0.33	4	108

DAP® Gutter & Flashing BUTYL-FLEX® VOC-Compliant Adhesive

Butyl rubber-based, lower solvent formula provides a durable, flexible and waterproof bond for gutters, drainspouts, lap joints, flashing, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Adheres to wet or dry surfaces. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27062	10.1 FL OZ	WHITE	27062	13.75	12	8"x6"x12"	0.33	6	108

DAP® Clear Flexible Sealant



A high performance, elastomeric sealant that stays crystal clear and flexible. It has excellent adhesion to a wide variety of surfaces and even adheres to wet surfaces. This versatile, all purpose sealant can be used anywhere a durable, clear sealant is required. Clearer than silicone for an invisible seal. UV resistant and non-yellowing. 100% waterproof and paintable. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18381	5.0 FL OZ	CRYSTAL CLEAR	18386	5.19	15	7.75"x7.38"x10"	0.33	5	120
18383	5.0 FL OZ	CRYSTAL CLEAR	18386	2.20	6	9.50"x5.50"x3.5"	0.09	5	468
18384	10.1 FL OZ	CRYSTAL CLEAR	18376	9.25	12	8"x6"x12"	0.33	6	105



DAP® Blacktop Asphalt Filler & Sealer



High performance, asphalt-based compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18020	10.1 FL OZ	BLACK	18017	14.51	12	8"x6"x12"	0.33	8	108

DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer



Asphalt-based, low solvent formulation for the quick and easy repair of cracks in asphalt surfaces. Perfect for playgrounds, driveways, pavement and parking lots. Provides a durable, waterproof, elastic seal. Repairs are ready for traffic in 24 hours. Textured for a professional looking finish. Resists gas, oil, grease and salt. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27065	10.1 FL OZ	TEXTURED BLACK	27065	15.00	12	8"x6"x12"	0.33	7	108

DAP® SEAL 'N PEEL® The Original Solvent Formula All Season Removable Weather Stripping Sealant



Removable Weatherstrip Sealant is formulated for use as a seasonal weatherstripping product. It provides a watertight, weatherproof and fast drying seal against air and moisture, keeping homes warmer in winter, cooler in summer, while also reducing energy bills. Use it to seal drafty windows, seasonally used doors, around air conditioners, vents or fans. Then easily peel it away when no longer needed. Interior/Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18351	10.1 FL OZ	CRYSTAL CLEAR	18324	9.27	12	8"x6"x12"	0.33	7	108



DAP® BLOCKADE®
Fire-Rated
High Performance
Intumescent Acrylic
Latex Sealant



Meets ASTM E814/UL 1479 Specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red color for easy inspection.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18858	10.1 FL OZ	RED	18858	12.25	12	8"x6"x12"	0.33	7	132

DAP® Fire Stop
Fire-Rated
Silicone Sealant



Meets ASTM E814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of ±25% dynamic joint movement.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18806	10.1 FL OZ	LIMESTONE GRAY	18806	12.75	12	8"x6"x12"	0.33	8	132

DAP® High Heat
Fire-Resistant Mortar



A non-combustible silicate cement for applications in wood frame construction where an ASTM E136 sealant is required. Can also be used for patching and sealing around fireplaces and wood-burning stoves. Withstands temperatures up to 2000°F, sets rock hard when fired. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18854	10 FL OZ	BLACK	18854	15.60	12	8"x6"x12"	0.33	9	102



DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant



DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant is ideal for sealing windows, door frames, corner joints, siding, trim, butt joints, baseboards, molding, pipes, ducts and vents. It delivers outstanding performance on fiber cement, vinyl, aluminum and wood. Water and paint ready in 30 minutes to finish the job faster. It can be applied in extreme temperatures: 20°F to 120°F. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof and weatherproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 35.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18360	9.0 FL OZ	WHITE	18360	12.15	12	8"x6"x12"	0.33	5	108

DAP® 3.0™ Crystal Clear Window, Door, Trim & Siding High Performance Sealant



DAP® 3.0™ Window, Door, Trim & Siding High Performance Sealant is ideal for sealing windows, door frames, corner joints, siding, trim, butt joints, baseboards, molding, pipes, ducts and vents. It delivers outstanding performance on fiber cement, vinyl, aluminum and wood. The crystal clear color blends in with most building material substrates for a better finished appearance. Water and paint ready in 30 minutes to finish the job faster. It can be applied in extreme temperatures: 20°F to 120°F. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof and weatherproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18362	9.0 FL OZ	CRYSTAL CLEAR	18362	9.90	12	8"x6"x12"	0.33	9	108

DAP® SILICONE MAX™ Premium All Purpose 100% Silicone



DAP® SILICONE MAX™ Premium All Purpose 100% Silicone provides maximum silicone performance to seal out air and water in window, door and siding applications. It has +/-50% joint movement for maximum flexibility and adhesion so it withstands contraction and expansion caused by extreme temperature and weather fluctuations without cracking or losing adhesion. Water ready in 30 minutes for a 100% waterproof and weatherproof seal. Shrink and crack proof. Cured sealant is mold & mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 50.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08796	2.8 FL OZ	WHITE	08796	2.21	12	5.75"x7.63"x8.00"	0.20	5	200
08792	2.8 FL OZ	CLEAR	08792	2.75	12	5.75"x7.63"x8.00"	0.20	7	200
08790	10.1 FL OZ	WHITE	08790	11.96	12	8"x6"x12"	0.33	4	108
08791	10.1 FL OZ	CLEAR	08791	9.74	12	8"x6"x12"	0.33	0	108



**DAP® SILICONE PLUS™
Premium Window, Door &
Siding 100% Silicone
Rubber Sealant**

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Cured sealant is mold and mildew resistant. Low in odor. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08780	10.8 FL OZ	WHITE	08780	11.96	12	8"x6"x12"	0.33	4	108
08771	10.8 FL OZ	CLEAR	08771	9.74	12	8"x6"x12"	0.33	2	108

DAP® Window, Door & Siding 100% Silicone Rubber Sealant

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, 100% waterproof seal. Resists cracking, crumbling and chalking. Cured sealant is mold and mildew resistant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Specification C719, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00752	2.8 FL OZ	WHITE	00683	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
00684	2.8 FL OZ	CLEAR	00684	3.50	6	8.44"x4.75"x4.12"	0.10	3	495
08646	9.8 FL OZ	WHITE	08646	9.75	12	8"x6"x12"	0.33	3	108
08641	9.8 FL OZ	CLEAR	08641	9.75	12	8"x6"x12"	0.33	8	108
08649	9.8 FL OZ	ALMOND	08649	10.20	12	8"x6"x12"	0.33	4	108
08643	9.8 FL OZ	ALUMINUM	08643	9.50	12	8"x6"x12"	0.33	2	108
08647	9.8 FL OZ	BRONZE	08647	9.70	12	8"x6"x12"	0.33	0	108
08642	9.8 FL OZ	BLACK	08642	9.70	12	8"x6"x12"	0.33	5	108



**DAP® DYNAFLEX® 800
Advanced All Weather
Sealant**

DAP® DYNAFLEX® 800 Advanced All Weather Sealant is a premium exterior elastomeric sealant developed for professional siding and window installations. It won't shrink or crack to provide a long lasting, flexible seal that prevents water and air intrusion. Can be applied in extreme temperatures: 0°F to 120°F and on wet or damp surfaces. Cures in 24 hours, paintable in 1 hour. Low odor, easy tooling & VOC Compliant. Exterior/interior. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
80800	10.1 FL OZ	WHITE	80800	9.25	12	8.10"x 6.25"x 13"	0.38	3	108

**DAP® SIDE WINDER®
Advanced Siding & Window
Sealant**

Advanced polymer formula siding and window sealant delivers excellent performance on fiber cement, vinyl, aluminum and wood siding, windows, doors and trim. Elastomeric formula stays flexible to withstand expansion and contraction without cracking, shrinking or losing adhesion. Extreme temperature application: 20°F to 120°F. Adheres to wet or damp surfaces. Primerless adhesion. Low odor, easy tooling and VOC compliant. Sealant cures in 24 hours and is paint ready in 1 hour. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00801	10.1 FL OZ	WHITE	00801	13.00	12	8"x 6"x 12"	0.33	4	108
00813	10.1 FL OZ	ALMOND	00813	13.75	12	8"x 6"x 12"	0.33	7	108
00810	10.1 FL OZ	TAN	00810	13.75	12	8"x 6"x 12"	0.33	6	108
00804	10.1 FL OZ	CLAY	00804	13.75	12	8"x 6"x 12"	0.33	5	108
00823	10.1 FL OZ	CEDAR	00823	13.75	12	8"x 6"x 12"	0.33	6	108
00807	10.1 FL OZ	LIGHT GRAY	00807	13.75	12	8"x 6"x 12"	0.33	6	108
00835	10.1 FL OZ	MEDIUM GRAY	00835	13.75	12	8"x 6"x 12"	0.33	9	108

**DAP® SIDE WINDER®
Crystal Clear
Advanced Siding
& Window Sealant**

Advanced polymer formula siding and window sealant delivers excellent performance on fiber cement, vinyl, aluminum and wood siding, windows, doors and trim. The crystal clear color blends in with most building material substrates for a better finished appearance. Elastomeric formula stays flexible to withstand expansion and contraction without cracking, shrinking or losing adhesion. Extreme temperature application: 20°F to 120°F. Adheres to wet or damp surfaces. Primerless adhesion. Low odor, easy tooling and VOC compliant. Sealant cures in 24 hours and is paint ready in 1 hour. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00816	10.1 FL OZ	CRYSTAL CLEAR	00816	9.25	12	8"x 6"x 12"	0.33	8	108



DAP® 3.0™ Kitchen, Bath & Plumbing High Performance Sealant



DAP® 3.0™ Kitchen, Bath and Plumbing High Performance Sealant is ideal for sealing tubs, showers, sinks, backsplashes, counter tops and fixtures. It offers 10 year mold resistance and is specially formulated with MICROBAN® Antimicrobial Product Protection to fight the growth of stain and odor-causing mold and mildew on the sealant. Safe for granite and marble. It is water and paint ready in 30 minutes to finish the job faster. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. Low in odor and VOC compliant. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00790	9.0 FL OZ	GLOSS WHITE	00790	12.80	12	8"x6"x12"	0.33	1	108
00795	9.0 FL OZ	CRYSTAL CLEAR	00795	9.90	12	8"x6"x12"	0.33	6	108
00799	9.0 FL OZ	GLOSS BISCUIT	00799	12.80	12	8"x6"x12"	0.33	4	108

DAP® SILICONE MAX® Premium Kitchen & Bath® 100% Silicone Sealant



DAP SILICONE MAX® Premium Kitchen & Bath 100% Silicone provides maximum silicone performance to seal out water and moisture in kitchen and bathroom applications. It is backed by a 10 year mold and mildew resistance guarantee and offers maximum flexibility and adhesion for a crack proof, 100% waterproof seal. Water ready in just 30 minutes to save time. VOC compliant. Lifetime Guarantee. NSF certified - making it safe for incidental food contact.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08795	2.8 FL OZ	GLOSS WHITE	08795	2.75	12	5.75"x7.63"x7.88"	0.20	8	200
08794	2.8 FL OZ	CLEAR	08794	2.75	12	5.75"x7.63"x7.88"	0.20	1	200
08667	10.1 FL OZ	GLOSS WHITE	08667	9.17	12	8"x6"x12"	0.33	8	108
08668	10.1 FL OZ	CLEAR	08668	9.17	12	8"x6"x12"	0.33	5	108
08793	10.1 FL OZ	GLOSS ALMOND	08793	9.17	12	8"x6"x12"	0.33	4	108

DAP® SILICONE PLUS™ Premium Kitchen & Bath 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Cured sealant is mold and mildew resistant. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Low in odor. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08770	10.8 FL OZ	WHITE	08770	11.96	12	8"x6"x12"	0.33	5	108
08781	10.8 FL OZ	CLEAR	08781	11.96	12	8"x6"x12"	0.33	1	108
08785	10.8 FL OZ	ALMOND	08785	11.96	12	8"x6"x12"	0.33	9	108



**DAP® Kitchen & Bath
100% Silicone Rubber
Sealant**

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, 100% waterproof seal. Cured sealant is mold and mildew resistant. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00750	2.8 FL OZ	WHITE	00680	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
00751	2.8 FL OZ	CLEAR	00751	1.55	6	8.44"x4.75"x4.12"	0.10	6	495
08640	9.8 FL OZ	WHITE	08640	9.75	12	8"x6"x12"	0.33	1	108
08648	9.8 FL OZ	CLEAR	08648	9.70	12	8"x6"x12"	0.33	7	108

**DAP® Commercial Kitchen
100% Silicone Sealant**



DAP® Commercial Kitchen Silicone is an NSF certified product suitable for food-zone areas in commercial and industrial kitchens. This 100% silicone product is 100% waterproof and has a wide temperature range of -75°F to 350°F (intermittent temperatures up to 400°F). Meets FDA Reg 21, CFR 177.2600 and is certified by NSF/ANSI Standard 51.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08656	9.8 FL OZ	WHITE	08656	9.80	12	8"x6"x12"	0.33	2	108
08658	9.8 FL OZ	CLEAR	08658	9.80	12	8"x6"x12"	0.33	6	108
08660	9.8 FL OZ	STAINLESS STEEL	08660	9.80	12	8"x6"x12"	0.33	9	108



**DAP® 3.0™
Gutter & Flashing
High Performance Sealant**



DAP® 3.0™ Gutter & Flashing High Performance Sealant is ideal for sealing seams, joints and gaps on gutters, flashing, drain spouts, lap joints, vents and other metal joints. Water and paint ready in 30 minutes. It can be applied to wet or dry surfaces and in extreme temperatures: 20°F to 120°F. The crystal clear color blends in with most building material substrates for a better finished appearance. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18377	9.0 FL OZ	CRYSTAL CLEAR	18377	12.15	12	8"x6"x12"	0.33	3	108

**DAP® 3.0™
Self-Leveling
Concrete & Masonry
High Performance Sealant**



DAP® 3.0™ Concrete & Masonry is an advanced self-leveling sealant that requires no tooling, making it ideal for filling cracks and gaps in horizontal surfaces. It can be applied in extreme temperatures: 20°F to 120°F and exposed to water after only 1 hour without washing out or bubbling. Paint ready in 1 hour. Withstands foot and vehicle traffic after fully cured. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a 100% waterproof seal. Cured sealant is mold and mildew resistant. Low in odor and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18370	9.0 FL OZ	GRAY	18370	13.12	12	8"x6"x12"	0.33	4	108

**DAP® SILICONE PLUS™
Premium Concrete
& Masonry
100% Silicone Rubber
Sealant**

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Withstands foot and vehicle traffic after fully cured. Cured sealant is mold and mildew resistant. Low in odor. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08675	10.8 FL OZ	GRAY	08675	11.96	12	8"x6"x12"	0.33	3	108



DAP® HVAC SILICONE
100% RTV
SILICONE SEALANT



DAP® HVAC SILICONE is a high-performance sealant designed especially for HVAC applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from -40 to 475°F. Meets Fed. Spec. TT-S-00230 C Class A, TT-S-001543 A Class A, ASTM C920, Class 25, FDA Reg. No. 21 CFR 177, 2600 when fully cured. Safe for incidental food contact—NSF Certified.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08010	10.3 FL OZ	WHITE	08010	9.17	12	8"x6"x12"	0.33	2	108
08011	10.3 FL OZ	CLEAR	08011	9.17	12	8"x6"x12"	0.333	9	108
08012	10.3 FL OZ	ALUMINUM	08012	9.17	12	8"x6"x12"	0.333	6	108

DAP® HIGH TEMP SILICONE
100% RTV
Silicone Sealant



DAP® HIGH TEMP SILICONE is a high-performance sealant designed especially for extreme high temperature applications. It provides a long-lasting, weather-resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from 40°F to 550°F (intermittent). Meets Fed. Spec. TT-S-00230C, TT-S-001543A, ASTM C920, FDA Reg. No. 21 CFR 177, 2600. Safe for incidental food contact.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08013	10.3 FL OZ	RED	08013	9.17	12	8"x6"x12"	0.333	3	108



**DAP® All Purpose
100% Silicone
Adhesive Sealant**

Long-lasting, 100% silicone rubber is ideal for quick household repairs and projects. Forms a strong, waterproof seal. Won't shrink or crack. Stays flexible. Safe for incidental food contact. Dishwasher and microwave safe. Also ideal for building or repairing aquariums. Harmless to fresh and saltwater fish when cured.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00755	2.8 FL OZ	CLEAR	00688	1.55	6	8.44"x4.75"x4.12"	0.10	1	495

**DAP® Auto/Marine
100% RTV Silicone
Sealant**

Long-lasting, 100% RTV silicone rubber seals and bonds for automotive and marine maintenance and repair applications. Forms a strong waterproof and weatherproof seal. Stays flexible. Won't shrink or crack. Resists vibration, expansion and contraction. Endures sunlight and withstands saltwater.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00756	2.8 FL OZ	CLEAR	00694	1.55	6	8.44"x4.75"x4.12"	0.10	2	495

**DAP® Gasket
100% RTV Silicone
Sealant**

Easily forms 100% RTV silicone rubber gaskets for mechanical repair and household use. Forms a durable, waterproof seal. Stays flexible. Won't crack, crumble or dry out. Withstands extreme temperatures and pressure. Unaffected by vibration. Resistant to oil, grease and fuels. Requires no mixing.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00754	2.8 FL OZ	BLACK	00686	1.55	6	8.44"x4.75"x4.12"	0.10	7	495



DAP® CAULK-BE-GONE® Latex Caulk Remover

Specially formulated gel softens many types of latex caulks and sealants for easy removal. Fast-acting formula works in as little as two hours. Has a fresh scent and will not harm most surfaces. Interior/ exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18026	5.5 FL OZ	GREEN	18025	5.21	12	9.5"x7.25"x4.25"	0.17	3	240

DAP® PRO Caulk™ 8-piece Caulking Tool Kit

The easy, no-mess way to a perfect, professional seal in seconds. Creates a perfect looking seal every time – any edge, any corner, any joint – while reducing the amount of wasted caulk, sealant or compound.

The Tool Kit includes:

- (3) Sealing Tools
- Caulk Removal Tool
- (3) Caulk Saver Caps
- Extended Reach Nozzle

The tools can be used indoors or out, on just about every caulking and sealing project.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09125	1 EA	BLUE	09125	1.20	4	5.5"x4.75"x11"	0.17	2	224

DAP CAP™ Caulk Finishing Tool

Two tools in one. Smooths and finishes bead of caulk or sealant easily for a professional-looking appearance. Works with all types of caulks and sealants. Reseals any cartridge for storage and reuse.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18570	1 EA	YELLOW	18570	0.82	12	10.5"x4.5"x10.5"	0.29	8	99



DAP® ALEX FLEX® Flexible Spackling



Provides a solution to eliminate reoccurring cracks in drywall. Its ready-to-use formula spreads easily for fast, flexible repairs that can be sanded to a smooth finish. This professional-grade formula will not shrink or crack and is perfect for interior or exterior applications.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18742	1 PT	WHITE	18742	21.97	12	12"x8.25"x8.25"	0.47	9	85
18743	1QT	WHITE	18743	28.15	8	10.38"x10.38"x10.25"	0.64	6	64

DAP® ALEX PLUS® Spackling



Provides unsurpassed performance for filling holes & cracks in surfaces such as drywall, plaster, wood, brick, metal and stone. Its ready-to-use, smooth white formula spreads easily for fast professional repairs that will not crack, crumble or flake. This professional-grade formula will not sink or shrink, provides superior paintability and exceptional durability. Perfect for interior and exterior applications.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18744	7 OZ	WHITE	18744	5.68	6	6.63"x6.25"x9.38"	0.23	3	168
18745	1 PT	WHITE	18745	25.19	12	12"x8.25"x8.25"	0.47	0	85
18746	1 QT	WHITE	18746	32.72	8	10.38"x10.38"x10.25"	0.64	7	64
18747	1 GA	WHITE	18747	32.86	2	16"x8"x8.25"	0.61	4	75



DAP® CRACKSHOT® High Performance Spackling Paste (RTU)

Professional knife-grade spackling paste for easy application and superior paintability. Its creamy texture applies smoothly, dries hard and sands effortlessly, delivering quality results every time. This professional-grade formula will not shrink and will not “flash” paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12374	0.5 PT	WHITE	12374	13.26	12	13.5"x10"x3.75"	0.29	8	120
12378	1 QT	WHITE	12378	25.65	6	15"x10"x5.25"	0.46	6	96
12380	1 GA	WHITE	12380	33.82	2	16"x8"x8.25"	0.61	9	75

DAP® DRYDEX® Dry Time Indicator Spackling (RTU)

Contains patented DRYDEX® Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12347	1 GA	WHITE	12347	28.8	2	16"x8"x8.25"	0.61	2	75
12328	0.5 PT	WHITE	12328	12.90	12	13.50"x10"x3.75"	0.29	1	154
12330	1 QT	WHITE	12330	24.93	6	15"x10"x5.25"	0.46	4	96
12337	5.5 OZ	WHITE	12346	10.89	15	7.5"x7.38"x10"	0.32	5	120

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling

A complete project solution. Repairs holes up to 3" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:



- DRYDEX® Spackling - Goes on pink, dries white
- 5" x 5" Fiber Tough Patch
- 4" x 3" 100-grit sand paper
- Putty knife



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12345	1 EA - 0.5 PT	WHITE	12345	6.75	6	21.38"x7.25"x8.25"	0.74	8	60



DAP® FAST 'N FINAL®
Lightweight Spackling
(RTU)



A lightweight spackling lets you patch and prime in one easy step, saving time and money. It dries fast with no need to sand or prime, letting you paint in minutes for a virtually invisible repair. Ideal for repairing holes, cracks and dents in drywall, plaster, wood and stucco. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12317	2.8 OZ	WHITE	12317	1.75	6	8.75"x5.75"x3.75"	0.11	8	340
12140	0.5 PT	WHITE	12140	3.50	12	13.5"x10"x3.75"	0.29	9	154
12141	1 PT	WHITE	12141	7.50	12	15.5"x12"x4.75"	0.51	6	80
12142	1 QT	WHITE	12142	7.25	6	15"x10"x5.25"	0.46	3	96
12143	1 GA	WHITE	12143	18.25	4	16"x16"x8.25"	1.19	0	30

DAP® ELASTOPATCH®
Pro-Grade Elastomeric
Patching Compound-
Smooth
(RTU)

A high performance, elastomeric pro-grade patching, sealing and bridging compound for repairing recurring cracks in wood, masonry, stucco, drywall and plaster. It is 50% more flexible than traditional vinyl and acrylic spackling compounds to expand and contract with surface movement and prevent cracks from reappearing. Won't shrink or crack. Provides excellent paintability and won't gloss paint. Smooth finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12276	10.1 OZ	WHITE	12276	14.72	12	8"x6"x12"	0.33	5	108
12278	1 QT	WHITE	12278	22.19	6	15"x10"x5.25"	0.46	9	96
12280	1 GA	WHITE	12280	28.25	2	16"x8"x8.25"	0.61	2	75

DAP® ELASTOPATCH®
Pro-Grade Elastomeric
Patching Compound-
Textured
(RTU)

A high performance, elastomeric pro-grade patching, sealing and bridging compound for repairing recurring cracks in wood, masonry, stucco, drywall and plaster. It is 50% more flexible than traditional vinyl and acrylic spackling compounds to expand and contract with surface movement and prevent cracks from reappearing. Won't shrink or crack. Provides excellent paintability and won't gloss paint. Textured finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12286	10.1 OZ	OFF WHITE	12286	12.79	12	8"x6"x12"	0.33	4	108
12288	1 QT	OFF WHITE	12288	18.45	6	15"x10"x5.25"	0.46	8	96
12290	1 GA	OFF WHITE	12290	24.22	2	16"x8"x8.25"	0.61	1	75



**DAP® FASTPATCH® 30
PATCHING COMPOUND
POWDER**

A high-performance, multi-purpose powder patching compound formulated to set fast and dry hard. It allows you to finish interior repair projects in less time than traditional patching compounds, which can take as long as 1-5 hours to dry. It sets hard in 30 minutes, so you can patch and paint in one day. It's easy to mix, apply and sand. No priming needed before painting. This powerful patch may be filed, drilled, nailed or chiseled and provides exceptional anchoring strength for fasteners. Won't shrink or crack. High compressive strength and provides superior impact resistance for drywall repair.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58550	3.5 lbs	WHITE	58550	15.5 lbs	4	11.25"x8.25"x10.75"	0.90	9	60

**DAP® Vinyl Spackling
(RTU)**

All-purpose, heavyweight spackling compound for repairing and filling cracks and holes in wallboard, drywall, plaster, wood, brick and stone. It spreads smoothly, sands easily and resists cracking for fast professional repairs. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12130	0.5 PT	WHITE	12130	12.81	12	13.5"x10"x3.75"	0.29	0	154
12132	1 QT	WHITE	12132	24.75	6	15"x10"x5.25"	0.46	4	96
12133	1 GA	WHITE	12133	33.08	2	16"x8"x8.25"	0.61	1	75

**DAP® Spackling Paste
(RTU)**

Heavy-duty spackling compound. Ideal for do-it-yourself and professional projects. Fills and conceals small cracks, nail holes and blemishes in plaster, wallboard and wood. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10200	0.5 PT	WHITE	10200	12.28	12	13.5"x10"x3.75"	0.29	2	154
10203	1 PT	WHITE	10203	8.28	4	8"x8"x4.75"	0.18	6	270
10204	1 QT	WHITE	10204	23.70	6	15"x10"x5.25"	0.46	0	96



DAP® PATCH STICK®
Nail Hole & Crack Filler
(RTU)

Quick and easy spackling stick, conveniently sized for filling nail holes and small cracks in interior surfaces. Dries in minutes and does not require sanding. Won't shrink or crack. Comes with built-in spackling knife. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12314	2.8 OZ	WHITE	12314	1.75	6	8.75"x5.75"x3.75"	0.11	8	340
12312*	2.8 OZ	WHITE	12316	2.50	12	7"x5.25"x8.25"	0.18	8	240

*stick display case



DAP® Wallboard Joint Compound (RTU)

A pre-mixed, professional grade compound for taping, finishing and texturing interior gypsum wallboard. It can be used to cover and finish gypsum wallboard joints, embed reinforcing tape, metal corner beads, screw or nail holes. It is easy to apply, has minimal shrinkage and sands easily. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10100	3 LB	WHITE	10100	19.50	6	15"x10"x5.25"	0.46	5	96
10102	12 LB	WHITE	10102	51.08	4	16"x16"x8"	1.19	9	30

DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10114	1 GA	WHITE	10114	42.92	4	16"x16"x8.25"	1.22	2	30

DAP® DRYDEX® Lightweight Low Dust Joint Compound

Premium, pre-mixed joint compound for the ultra-smooth, high quality finishing of gypsum panel joints, nail head and metal corner beads. Sands effortlessly and produces 70% less airborne dust than other low dust joint compounds for less mess and fast clean-up. Easy handling, lightweight formula goes on PINK and dries WHITE indicating when additional coats can be applied or when it's ready for finishing. De-aired formula eliminates the formation of pinhole bubbles for an ultra-smooth finish. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12385	1 QT	WHITE	12385	23.92	8	10.38"x10.38"x10.25"	0.64	4	75
10120	1 GAL	WHITE	10120	21.58	2	16"x8"x8.25"	0.61	3	75



DAP® All-Purpose Stucco Patch (RTU)

An easy-to-use patching compound for repairing minor cracks and breaks in stucco. It creates a hard durable patch which when painted, blends evenly with the original stucco. Textured finish. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10504	1 QT	WHITE	10504	25.20	6	15"x10"x5.25"	0.46	1	96
60590	1 GA	WHITE	60590	66.28	4	16"x16"x8.25"	1.22	9	30

DAP® All-Purpose Stucco Patch (Dry Mix)

Professional-quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10502	25 LB	WHITE	10502	25.16	1	19.5"x10.5"x4"	0.47	7	96

DAP® Plaster Wall Patch (Dry Mix)

Professional-quality formula for repairs in plaster walls and ceilings. Provides longer working time of 2-3 hrs. Easy to mix, use and sand. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10304	25 LB	WHITE	10304	25.25	1	19.5"x10.5"x4"	0.47	7	96



**DAP® WEBPATCH™ 90
Floor Leveler and Patch
(Dry Mix)**

General purpose, gypsum-based floor leveler and patch. Use to patch cracks and holes in drywall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring and other materials. Can also be used on walls and ceilings. Ready to mix with water or DAP® Bonding Liquid & Floor Leveler Additive. Interior use.



NOTE: Not for use under vinyl sheet goods. Use Concrete Floor Leveler & Patch or Concrete Patcher & Resurfacer.

Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10314	4 LB	OFF WHITE	10314	25.32	6	12.5"x8.5"x8.5"	0.52	6	90
63050	25 LB	OFF WHITE	63050	25.24	1	19.5"x10.5"x4"	0.47	5	96

**DAP® PRESTO PATCH®
Multi-Purpose
Patching Compound
(Dry Mix)**

All-purpose, high-performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58505	4 LB	WHITE	58505	25.20	6	12.5"x8.5"x8.5"	0.52	8	90
58552	25 LB	WHITE	58552	25.24	1	19.5"x10.5"x4"	0.47	2	96

**DAP® PRESTO PATCH®
Ready-Mixed Multi-Purpose
Patching Compound
(RTU)**

Ready-to-use, multi-purpose patching compound for filling, leveling or patching cracks and holes in concrete, masonry, plaster, wallboard, wood and stucco. This high-performance patching compound has a smooth working consistency and dries quickly. Once dry, it can be drilled, nailed, filed or painted. Saves time - NO MIXING REQUIRED. Smooth finish. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58555	1 GA	OFF WHITE	58555	30.50	2	16"x8"x8.25"	.61	3	75



DAP® Plaster of Paris (Dry Mix)

For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10308	4 LB	WHITE	10308	26.14	6	19.5"x13.5"x7"	1.07	5	42
10310	8 LB	WHITE	10310	34.52	4	16.5"x9"x15.5"	1.33	8	36
10312	25 LB	WHITE	10312	25.24	1	19.5"x10.5"x4"	0.47	2	96
10318	4 LB BOX	WHITE	10318	25.32	6	12.5"x8.5"x8.5"	0.52	4	90

DAP® Plaster of Paris Hobby & Craft (Dry Mix)

Ideal for hobby, molds and casts. Sets hard in 20-30 minutes without shrinking. Has a 7-12 minute working time. It can be painted with any latex-based paint when dry. Great for casting molds. Can be used for patching applications. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
53005	4.4 LB	WHITE	53005	27.72	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® Patching Plaster (RTU)

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
52084	1 QT	WHITE	52084	23.70	6	15"x10"x5.25"	0.46	4	96



**DAP® PLASTIC WOOD®
Solvent Professional
Wood Filler (RTU)**



High-performance, solvent-based wood filler that hardens to give a repair that is 3X stronger*. This professional-grade, heavy-duty wood filler contains real wood fibers so it looks and acts like real wood. It can be sanded, cut, drilled, screwed, planed, varnished, painted or lacquered. It provides strong nail and screw anchoring without splitting. DAP® PLASTIC WOOD® Professional Wood Filler dries fast and hard, and is shrink and crack resistant. For use on furniture, doors, paneling, molding, plywood and other wood surfaces. Available in several popular wood shades, this high-performance wood filler can also be stained to match any wood surface. Interior/ exterior use.

**Than competitive product*



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21506	1 PT	NATURAL	21506	14.00	12	14"x10.37"x4.5"	0.38	1	117
21502	4 OZ	NATURAL	21502	3.95	12	7.5"x5.25"x4.25"	0.10	3	378
21400	4 OZ	LIGHT OAK	21400	3.95	12	7.5"x5.25"x4.25"	0.10	2	378
21404	4 OZ	PINE	21404	3.95	12	7.5"x5.25"x4.25"	0.10	0	378
21408	4 OZ	GOLDEN OAK	21408	3.95	12	7.5"x5.25"x4.25"	0.10	8	378
21412	4 OZ	WHITE	21412	3.95	12	7.5"x5.25"x4.25"	0.10	5	378
21434	4 OZ	WALNUT	21434	3.95	12	7.5"x5.25"x4.25"	0.10	7	378
21500	1.87 OZ	NATURAL	21500	2.46	12	5"x5.5"x6.5"	0.10	9	336
21510	1.87 OZ	NATURAL	21510	1.30	6	7"x4.4"x9.3"	0.18	8	208

**DAP® PLASTIC WOOD-X™
All Purpose Wood Filler with
DryDex® Dry Time Indicator**

High quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain. Formulated to create a surface that looks and acts like real wood. It can be used to repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and molded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. For interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00540	5.5 OZ	NATURAL	00540	4.59	12	8.5"x6"x6"	0.177	2	312
00541	0.5 PT	NATURAL	00541	3.46	6	8.75"x4.25"x5"	0.11	9	280
00542	16 OZ	NATURAL	00542	8.75	8	9"x8.75"x5"	0.227	6	140
00543	1 QT	NATURAL	00543	8.51	4	12"x6"x6"	0.25	3	126



**DAP® PLASTIC WOOD-X™
Wood Repair Kit with DryDex®
Dry Time Indicator**

A complete wood repair project solution. High-quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain.

Includes all the necessary tools:

- PLASTIC WOOD-X® DRYDEX® Spackling- Goes on pink, dries natural
- 2" Putty Knife
- Dual-Grit (60/100) Sanding Block



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00595	1 EA-0.5 PT	NATURAL	00596	4.8	6	21.38"x7.25"x8.25"	0.74	2	312

**DAP® PLASTIC WOOD®
Latex All Purpose
Wood Filler (RTU)**

High quality latex-based wood filler formulated to create a surface and body that looks and acts like real wood and provides a repair that is 3X stronger than competitive product. It can be used to repair cracks, gouges, holes and other surface defects on furniture, molding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and molded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00525	1 QT	NATURAL	00525	8.51	4	12"x6"x6"	0.23	9	171
00529	1 PT	NATURAL	00527	8.75	8	9"x8.75"x5"	0.23	3	140
08135	0.5 PT	NATURAL	08135	3.46	6	8.75"x4.25"x5"	0.11	2	280
08111	5.5 OZ	NATURAL	08111	4.60	12	8.5"x6"x6"	0.18	6	312
08114	5.5 OZ	GOLDEN OAK	08114	4.60	12	8.5"x6"x6"	0.18	7	312
08116	5.5 OZ	RED OAK	08116	4.60	12	8.5"x6"x6"	0.18	1	312
08118	5.5 OZ	WALNUT	08118	4.60	12	8.5"x6"x6"	0.18	5	312
00580	3 OZ	NATURAL	00580	1.87	6	14.5"x3.75"x6.75"	0.177	8	180
00581	6 OZ	NATURAL	00581	3.17	6	17"x3.75"x7.75"	0.177	5	156
00582	6 OZ	GOLDEN OAK	00582	3.17	6	17"x3.75"x7.75"	0.177	2	156
00583	6 OZ	RED OAK	00583	3.17	6	17"x3.75"x7.75"	0.177	9	156
00584	6 OZ	WALNUT	00584	3.17	6	17"x3.75"x7.75"	0.177	6	156
00585	6 OZ	WHITE	00585	3.17	6	17"x3.75"x7.75"	0.177	3	156



DAP® PLASTIC WOOD®
Wood Putty
(RTU)

An easy-to use, non-hardening wood putty ideal for filling small holes and minor defects in interior wood surfaces after assembly and finishing. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints. Colors can be blended for custom color matching. Available in 12 popular tones to match most finished wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21245	3.7 OZ	WHITE	21245	1.75	6	7.5"x4.75"x2.25"	0.05	9	630
21247	3.7 OZ	LIGHT OAK	21247	1.75	6	7.5"x4.75"x2.25"	0.05	3	630
21250	3.7 OZ	CHERRY	21250	1.75	6	7.5"x4.75"x2.25"	0.05	3	630
21251	3.7 OZ	LIGHT WALNUT	21251	1.75	6	7.5"x4.75"x2.25"	0.05	0	630
21255	3.7 OZ	DARK WALNUT	21255	1.75	6	7.5"x4.75"x2.25"	0.05	8	630
21262	3.7 OZ	RED OAK	21262	1.75	6	7.5"x4.75"x2.25"	0.05	6	630
21266	3.7 OZ	EBONY	21266	1.75	6	7.5"x4.75"x2.25"	0.05	4	630
21268	3.7 OZ	RED MAHOGANY	21268	1.75	6	7.5"x4.75"x2.25"	0.05	8	630
21270	3.7 OZ	MAPLE	21270	1.75	6	7.5"x4.75"x2.25"	0.05	1	630
21272	3.7 OZ	NATURAL PINE	21272	1.75	6	7.5"x4.75"x2.25"	0.05	5	630
21274	3.7 OZ	PICKLED OAK	21274	1.75	6	7.5"x4.75"x2.25"	0.05	9	630
21276	3.7 OZ	NATURAL OAK	21276	1.75	6	7.5"x4.75"x2.25"	0.05	3	630

DAP® BLEND STICK®
Value Packs

The quick, easy way to repair nail holes, scratches and other minor blemishes in finished wood surfaces. Its unique teardrop shape makes it easier to use than other blending products. It is ideal for wood and simulated wood surfaces such as paneling, woodwork, molding, furniture and cabinets. It will not shrink, stain or discolor and is available in 3 value packs, featuring 4 colors in each pack, to match most wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
04080	1 EA	LIGHT WOODS	04080	1.50	12	7.75"x4"x6.75"	0.12	9	360
04083	1 EA	RED WOODS	04083	1.50	12	7.75"x4"x6.75"	0.12	0	360
04085	1 EA	DARK WOODS	04085	1.50	12	7.75"x4"x6.75"	0.12	4	360



DAP® WOOD FINISH REPAIR KIT™

WOOD FINISH REPAIR KIT™ features two Wood Stain Pens (Light and Dark), each with a premium felt tip, ideal for color-blending and the repair of scratches on woodwork, furniture and paneling. Also included are four colored blending sticks and application tools to repair minor defects in any finished wood surface. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
97500	1 EA	MULTICOLOR	97500	2.00	6	8.87"x3.87"x4.75"	0.09	2	280

DAP® Painter's Putty '53'® (RTU)

Smooth, easy-working putty designed for the special needs of professional painters. Ideal for filling nail holes, dents and cracks in wood surfaces. May also be used to glaze wood sashes. Resists oil bleeding. Exceptional paintability. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12240	0.5 PT	WHITE	12240	13.18	12	13.5"x10"x3.75"	0.2929	6	154
12242	1 PT	WHITE	12242	25.94	12	15.5"x12"x4.75"	0.51	0	80
12244	1 QT	WHITE	12244	25.50	6	15"x10"x5.25"	0.46	4	96



DAP® '33'® Window Glazing (RTU)



Ready-to-use, paintable window glazing for use on wood, metal and aluminum sashes. Forms an airtight, watertight seal. Resists sagging, cracking and shrinking. Excellent weather resistance. Knife-grade. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12120	0.5 PT	WHITE	12120	14.98	12	13.5"x10.5"x3.75"	0.29	1	154
12121	1 PT	WHITE	12121	29.54	12	15.5"x12"x4.75"	0.51	8	80
12122	1 QT	WHITE	12122	29.10	6	15"x10"x5.25"	0.46	5	96
12019	1 GA	WHITE	12019	38.42	2	16"x8"x8.25"	0.61	8	75
12124	3.5 GA	WHITE	12124	66.74	1	12"x12"x10.75"	0.90	9	36

DAP® Latex Window Glazing (RTU)



Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12108	10.1 OZ	WHITE	12049	16.00	12	8"x6"x12"	0.33	5	108

DAP® '1012'® Window Glazing (RTU)



Professional-quality glazing compound for face glazing metal sashes. No painting required. Knife-grade. Meets Federal Specifications TT-G-410E, CID-A-A-373A, ASTM C669. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12056	3.5 GA	ALUMINUM GRAY	12056	66.50	1	12"x12"x10.25"	0.85	3	36
12059	1 GA	ALUMINUM GRAY	12059	37.62	2	16"x8"x8.25"	0.61	4	75



DAP® Concrete Floor Leveler (Dry Mix)

General purpose, concrete-based floor leveling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10414	5 LB	GRAY	10414	31.20	6	12.5"x8.5"x8.5"	0.52	3	90
10416	25 LB	GRAY	10416	25.18	1	19.5"x10.5"x4"	0.47	7	96

DAP® Concrete Patcher & Resurfacer (Dry Mix)

A fast-setting, polymer-fortified Portland cement patch. An economical product for the repair of cracks, chips and breaks in concrete and masonry. It adheres to concrete, brick, stone, stucco, wood subfloors and other clean masonry surfaces. Crack-resistant formula. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10466	5 LB	GRAY	10466	31.20	6	12.5"x8.5"x8.5"	0.52	2	90
10468	10 LB	GRAY	10468	43.18	4	16.5"x8.5"x12"	0.97	6	30

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
35082	1 PT	WHITE	35082	7.50	6	8"x5.5"x8"	0.20	3	152
35090	1 GA	WHITE	35090	34.50	4	13"x13"x13"	1.27	8	27



DAP® Concrete Bonding Additive

Bonds old concrete to new. Perfect for concrete patching, resurfacing and leveling. Excellent for capping walls, patching steps and tuck pointing. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
02131	1 QT	WHITE	02131	28.00	12	14.12"x11.87"x10.75"	1.04	0	33
02132	1 GA	WHITE	02132	36.00	4	13"x13"x13"	1.27	7	27

DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and leveling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
59184	1 QT	LIGHT GRAY	59184	24.00	6	15"x10"x5.25"	0.46	4	96
59190	1 GA	LIGHT GRAY	59190	63.50	4	16"x16"x8.25"	1.22	5	30

DAP® Liquid Cement Crack Filler (RTU)

Easy-to-use, ready-mixed product for the repair of cracks in concrete. Repairs are ready for traffic in 30-45 minutes. It is self-leveling and dries gray to match most existing concrete. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
37584	1 QT	GRAY	37584	22.00	6	10.75"x7.5"x10.5"	0.49	0	84



DAP® Ready-Mixed Concrete Patch (RTU)

A high-strength patching compound for repairing cracks or breaks in concrete and mortar joints. It can also be used to patch and spot level interior or exterior concrete and masonry surfaces. It dries to a durable hard finish. Provides a non-shrinking patch. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
31084	1 QT	LIGHT GRAY	31084	25.05	6	15"x10"x5.25"	0.46	1	96
31090	1 GA	LIGHT GRAY	31090	65.88	4	16"x16"x8.25"	1.22	2	30

DAP® QUICK PLUG® Hydraulic & Anchoring Cement (Dry Mix)

A versatile, high-performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete and masonry surfaces. It creates a watertight seal in 3-5 minutes, even while water is flowing. It works both above and below ground level. Also great as fast-setting anchoring cement to permanently anchor fence and railing posts, bolts, machinery and fixtures into concrete and masonry surfaces. Interior/exterior use.




Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
14084	2.5 LB	GRAY	14084	15.80	6	12.25"x7.25"x4"	0.21	4	180
14086	5 LB	GRAY	14086	31.20	6	12.5"x8.5"x8.5"	0.52	8	90
14090	10 LB	GRAY	14090	43.18	4	16.5"x16.5"x8.25"	1.30	5	30



DAP® T.S.P.

The all-purpose cleaner used by professionals prior to painting exterior surfaces. It removes mold and de-glosses surfaces that are oil-base painted. Ideal for cleaning garage or basement floors, it can also be used to restore dried, used paintbrushes. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
63001	1 LB	WHITE	63001	6.56	6	5.75"x4"x9"	0.12	7	279
63004	4 LB	WHITE	63004	25.20	6	12.5"x8.5"x8.5"	0.52	8	90

DAP® Wall Repair Patch

Repair wall holes and cracks easily—just clean the surface, apply the patch, spackle and finish. Patches are self-adhesive so there's no pre-pasting required, and they are repositionable. The no-rust mesh aluminum backing provides a sturdy surface while allowing more air circulation for quicker drying time. The patch is strong enough to repair wall holes, yet cuts easily with scissors to match the size of the hole.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09146	6"x6"	WHITE/METALLIC	09146	3.20	12	8.37"x5.25"x7.75"	0.20	7	225

DAP® Presto Patch® Drywall Plug

DAP® Presto Patch® is a simple, structural and invisible solution for permanently and easily repairing holes in drywall. Product includes one precut drywall circle with oversized taping paper attached, a foam template and step-by-step instructions.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09151	1/2"x4"	WHITE	09151	1.5	6	8"x4.25"x9.25"	0.18	9	192



DAP® WELDWOOD® Original Contact Cement



Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00271	1 PT	TAN	00271	13.75	12	14"x10.5"x4.25"	0.36	5	130
00272	1 QT	TAN	00272	12.67	6	13.5"x9"x5"	0.35	2	144
00273	1 GA	TAN	00273	31.67	4	13.5"x13.5"x8"	0.84	9	45

DAP® WELDWOOD® Contact Cement



Instantly bonds on contact. Can be used on a variety of materials. Provides a durable, water resistant bond. Handy applicator included in 1 oz. bottle.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00102	1 OZ	TAN	00102	2.50	12	7"x7"x4.5"	0.13	2	240
00107	3 OZ	TAN	00105	5.55	12	6.25"x6.75"x6.25"	0.11	3	336

DAP® WELDWOOD® Gel Formula Contact Cement



WELDWOOD® Original Contact Cement formula in an easy-to-use gel that won't drip. No mess. Ideal for vertical and overhead surfaces. Easy spread provides excellent coverage. Long assembly/open time.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25312	1 QT	TAN	25312	13.00	6	13.5"x8.75"x5.13"	0.35	4	144

DAP® WELDWOOD® Nonflammable Contact Cement



High solids polychloroprene, waterborne contact adhesive that meets the stringent requirements of the professional user. Complies with all current VOC requirements. Dries in 60-70 minutes. Water resistant when dry. Exceeds industry performance requirements. Low odor. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25332	1 QT	NATURAL	25332	15.75	6	13.5"x8.75"x5.25"	0.36	2	144
25336	1 GA	NATURAL	25336	39.25	4	13.5"x13.5"x8"	0.84	0	45



Extremely Flammable—Brush Grade

DAP® 0308 Premium Brush Grade High Heat Resistant Contact Adhesive

Superior quality adhesive designed to allow maximum application of

adhesive with minimum strokes of brush or roller. DAP® 0308 Premium has developed a broad range of applications in industry. Dries rapidly with high strength and high heat resistance.

Case Code	Size	Color	Case Pack	Case Weight (lbs.)
00094	5 GA	NATURAL	1	36.75

DAP® 2056 Professional Brush Grade Contact Adhesive

A medium viscosity formulation which meets the requirements of many applications. A general

purpose contact adhesive, DAP® 2056 Professional is often the choice of shops and tradesmen engaged in a variety of projects requiring contact adhesive. Easy to apply. Fast drying.

Case Code	Size	Color	Case Pack	Case Weight (lbs.)
00241	5 GA	NATURAL	1	35.00

Extremely Flammable—Spray Grade

DAP® Landau Top & Trim High Heat Resistant Contact Cement

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric and many other materials during automobile refurbishment. Easy to apply with hot or cold spray equipment.

Case Code	Size	Color	Case Pack	Case Weight (lbs.)
00233	1 GA	NATURAL	4	29.50
00234	5 GA	NATURAL	1	36.00
00235	55 GA	NATURAL	1	404.00
00237	5 GA	RED	1	36.00

DAP® 0306/0307 High Heat Resistant Contact Adhesive

This industry standard, used with confidence for years, meets the

requirements of a wide range of applications. Features ease of use and excellent end results. May be applied with standard hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00095	5 GA	NATURAL		1	37.00
00097	5 GA	RED		1	37.00
04051	55 GA	NATURAL	O.H.*	1	414.00
04054	55 GA	RED	O.H.*	1	424.00

Description			Solids (percent)	Viscosity, cPs	Density, lbs./gal.	Color(s)	Sq. Ft. Coverage (2-3 g dry)	Shelf Life	VOC Less H-0/ Exempt g/L	Sizes (Gallons)
Brush Grade (Flammable Solvent)										
0308	Premium	HHR*	24	900-1200	6.8	NATURAL	309	1 yr	592/475	5-55
2056	Prof.	HHR*	20	550-800	6.7	NATURAL	253	1 yr	606/490	5-55
Spray Grade (Flammable Solvent)										
0307	Std.	HHR*	19	130-200	6.6	RED	237	1 yr	621/499	5-55
0306	Std.	HHR*	19	130-200	6.6	NATURAL	237	1 yr	621/499	5-55
LANDAU	Std.	HHR*	19	130-200	6.6	RED NATURAL	237	1 yr	621/499	1-5-55

*(T.H.) Tight Head *(O.H.) Open Head *(HHR) High Heat Resistance

For more detailed information, request the technical data sheet for any of our products by calling 1-888-327-8477 or visit our website at dap.com



DAP® WELDWOOD® Contact Cement Spray Adhesive



DAP® WELDWOOD® Contact Cement Spray Adhesive is a high-strength, high-temperature-resistant formulation that bonds laminate, veneer, upholstery, kickplates, trim, wood, metal, plastic & more. It is ideal for use on trim work, door panels, decorative laminates, upholstery work, and many other demanding applications.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00122	16 OZ	CLEAR	00122	9.00	6	9.25"x6.25"x9.5"	0.56	0	128

DAP® WELDWOOD® High Strength Spray Adhesive



DAP® WELDWOOD® High Strength Spray Adhesive wide web spray formula is a high-strength, high-temperature and water resistant formulation that bonds laminate, veneer, upholstery, particle board, wood, metal, plastic & more. Ideal for demanding applications including trim and upholstery work and laminates. Long open time.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00121	16 OZ	CLEAR	00121	17.00	12	12"x9.25"x9.75"	0.63	3	80

DAP® WELDWOOD® Multi-Purpose Spray Adhesive



DAP® WELDWOOD® Multi-Purpose Spray Adhesive is a mist spray formula that can be used for the temporary or permanent bonding of lightweight materials including foil, paper, foam, metal, cardboard, plastic & more. Fast tack. Ideal for hobby and craft applications. VOC compliant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00118	16 OZ	CLEAR	00118	17.00	12	12"x9.25"x9.75"	0.63	3	80



DAP® RapidFuse® All-Purpose Adhesive

RapidFuse® All-Purpose Adhesive provides a fast-setting, professional-strength, clear bond that's 40% stronger than polyurethane glues* without the expanding foam or dripping glue mess. Bonds Virtually Everything including plastic, wood, rubber, metal, ceramics, glass, fabric, stone, tile & more. Sets in 30 seconds. 2X more durable than regular Super Glue. Water resistant formula ideal for both Interior and Exterior Use.

*40% Stronger than polyurethane glues based on averaging strength on ABS plastic, polycarbonate, white oak, rubber, and steel. 2X more durable than traditional cyanoacrylates.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00155	.85 OZ	CLEAR	00155	1.38	6	6.75"x4.38"x7"	0.119	8	324
00158	(2) 3g TUBES	CLEAR	00158	1	12	6.75"x4"x8"	0.125	9	275
00170	5g Pen	CLEAR	00170	0.65 lb	12	4.75"x4.5"x7.25"	0.09	1	630
00173	16g Brush	CLEAR	00173	1 lb	6	6.75"x4.38"x7"	0.12	2	336

DAP® RapidFuse® Fast Curing Wood Adhesive

RapidFuse® Wood Adhesive creates a professional-strength, durable bond that fully cures in just 30 minutes for full return to service – ready to plane, sand and stain. Repositionable for up to 3 minutes. Works on all wood types, no activator required. Water resistant formula won't swell, crack or damage wood. Cures to a clear bond that can be sanded, stained or painted. Ideal for interior or exterior use. Easily bonds to other surfaces like ABS, melamine, particle board, rubber, steel, PVC, glass, stone, and more.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00156	.85 OZ	CLEAR	00156	1.38	6	6.75"x4.38"x7"	0.119	5	324
00157	4 OZ	CLEAR	00157	3.33	6	8.75"x5.31"x9.25"	0.249	2	170



DAP® WELDWOOD® All Purpose Wood Glue



Professional quality aliphatic resin wood and multi-purpose glue that provides a high strength bond. Sets fast, grips tight and sands easily when dry. Heat, water and solvent resistant. Non-toxic. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00490	8 OZ	YELLOW	00490	17.50	24	13"x10"x7.5"	0.56	0	56
00491	1 PT	YELLOW	00491	15.90	12	12.25"x8.5"x9.25"	0.56	7	72
00492	1 QT	YELLOW	00492	32.00	12	17.5"x9.5"x10"	0.96	4	40
00493	1 GA	YELLOW	00493	37.50	4	13"x12.5"x11.5"	1.08	1	27
00494	5 GA	YELLOW	00494	46.00	1	12.25"x12.25"x14.75"	1.28	8	36
00495	55 GA	YELLOW	00495	541.50	1	23.5"x23.5"x34.25"	10.95	5	4

DAP® BLUESTIK® Reusable Adhesive Putty

Reusable, removable blue adhesive putty that replaces tape, tacks, staples and magnets. No more holes in walls and no more chipped, peeled paint. Sticks just about anything to slick or hard surfaces such as wood, tile, glass, concrete, porcelain, metal and painted surfaces. Use to fasten decorations, posters, notes and paintings. Can be used time and time again. Packaged in a new, resealable bag that keeps product clean and fresh for optimal adhesion and reuse. Won't dry out. Non-toxic. Conforms to ASTM D4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01201	1 OZ	BLUE	01201	1.25	12	6"x4.25"x4.5"	0.07	1	528

DAP® WELDWOOD® Plastic Resin Glue

Powdered, urea-formaldehyde wood glue activated by mixing with water. Forms a bond stronger than the wood itself. Meets Federal Specification A-A-3052. Low VOC content.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00203	1 LB	TAN	00203	8.00	6	15"x10"x5"	0.43	6	54
00204	4.5 LB	TAN	00204	21.50	4	16"x16"x8"	1.18	3	30
00208	300 LB	TAN	00208	317.00	1	23.5"x23.5"x34.25"	10.95	1	4



DAP® SmartBond® Subfloor Straw-Grade Construction Adhesive

DAP® SmartBond® Subfloor Construction Adhesive is a unique technology that applies as a foam and transforms by collapsing into a high-strength, fast-curing adhesive gel. SmartBond Subfloor Adhesive Construction Adhesive develops a strong, durable and permanent bond to dimensional lumber, plywood, OSB and Enhanced OSB for all subfloor applications. Bonds to wet, dry, frozen and treated lumber. The easy-to-use SmartBond Straw-Grade aerosol canister offers all-in-one convenience and a tab to seal the straw between uses.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00036	20 OZ	TAN	00036	9.61	6	9"x6.25"x10.75"	.35	0	136

DAP® SmartBond® Subfloor Gun-Grade Construction Adhesive

DAP® SmartBond® Subfloor Construction Adhesive is a dynamic polyurethane adhesive foaming gel that is faster and easier to use than traditional cartridge adhesives. Jobs become more efficient as a single can of SmartBond provides 8X the coverage of traditional 28 oz. cartridge adhesives, meaning you can do more with less.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00042	20 OZ	TAN	00042	9.2	6	5.5"x8"x9.25"	.24	1	200

DAP® SmartBond® Cleaner for Applicator Gun

DAP® SmartBond® Cleaner is engineered for use with any DAP SmartBond Pro-Grade Applicator Gun. This specially formulated cleaner dissolves and removes uncured construction adhesive from the applicator gun. SmartBond Cleaner is designed to keep the applicator free of excessive adhesive which allows the system to work smoothly. A special adaptor is included which attaches to the Applicator Gun to clean residual adhesive from inside the gun.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00044	8.6 OZ	CLEAR	00044	6.00	6	8"x5.5"x7.75"	.2	5	273



DAP® SmartBond® Pro-Grade Applicator Gun

DAP® SmartBond® Pro-Grade Applicator Gun is a premium applicator gun designed to work with all Gun-Grade SmartBond Construction Adhesives. This Applicator Gun get big jobs done faster with less gunning, less changeout, and less fatigue. Gun-Grade SmartBond Construction Adhesives are easily attached, using the screw-on top to thread cans onto the Applicator Gun. Features a non-drip, instant on/off value tip for superior control.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00048	N/A	BLACK	00046	3.50	2	14"x5"x10"	0.41	9	96

DAP® SmartBond® 22" Pro-Grade Applicator Gun

DAP® SmartBond® 22" Pro-Grade Applicator Gun is a premium applicator gun designed to work with all Gun-Grade DAP Products. Gun-Grade DAP products are easily attached, using the screw-on top to thread cans onto the Applicator Gun. The Pro-Grade Applicator Gun's 22" barrel offers an extended reach ideal for subfloor & insulation applications. Features a non-drip, instant on/off value tip for superior control. This premium applicator gun provides up to 30 days of reusability for cans securely stored on the gun.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00050	N/A	BLACK	00050	1.45	1	31"x8"x2"	.13	6	240



DAP® DYNAGRIP® All-Purpose Construction Adhesive

DYNAGRIP® All PURPOSE construction adhesive is a premium grade adhesive ideal for paneling, interior remodeling, and other interior projects. DYNAGRIP® ALL PURPOSE adhesive delivers a strong permanent bond and excellent adhesion on common building materials. Offering an easy water clean up and excellent instant grab, this adhesive delivers the perfect combination of convenience and performance for interior projects.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 27500, 27501, and 27502.

DAP® DYNAGRIP® Heavy Duty Construction Adhesive

DYNAGRIP® HEAVY DUTY is a premium grade, high strength construction adhesive ideal for heavier construction jobs. DYNAGRIP® HEAVY DUTY adhesive delivers exceptional instant grab and a strong permanent bond for heavier remodeling jobs. This exterior grade adhesive delivers excellent adhesion on common building materials, ideal for interior or exterior jobs.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 27508, 27509, and 27510.

DAP® DYNAGRIP® Heavy Duty Max Construction Adhesive

DYNAGRIP® HEAVY DUTY MAX is a premium hybrid adhesive that delivers up to 5x faster bond strength, than competitive polyurethane based heavy duty adhesives, for heavier applications where bond strength and speed are critical. This easy to gun moisture curing adhesive can be applied in a wide range of temperatures for heavier interior or exterior jobs. Offering exceptional adhesion to porous & non-porous building materials where traditional adhesives struggle such as, wet surfaces, PVC, glass, marble, and metal, this is a versatile high performance adhesive ideal for tackling the toughest jobs.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 27511 and 27512.

Coming Soon →



DAP® DYNAGRIP® Subfloor Construction Adhesive

DYNAGRIP® SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DYNAGRIP® SUBFLOOR is an easy to gun adhesive that delivers a strong durable bond.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 27514 and 27515.

DAP® DYNAGRIP® Advanced Subfloor Construction Adhesive

DYNAGRIP® ADVANCED SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DYNAGRIP® ADVANCED SUBFLOOR adhesive delivers a high strength weatherproof bond on wet, frozen and treated lumber. This solvent based formula won't freeze and is easy to gun down to 0°F.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 27516 and 27042.

DAP® DYNAGRIP® 4000 Subfloor Construction Adhesive



DYNAGRIP® 4000 SUBFLOOR is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This easy to gun solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. 4000 SUBFLOOR adhesive delivers a high strength weatherproof bond on wet, frozen & treated lumber.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 27517 and 25117.



DAP® DYNAGRIP® Drywall Construction Adhesive

DYNAGRIP® DRYWALL construction adhesive is a premium grade adhesive specifically formulated for drywall installation. This VOC compliant, instant grab adhesive prevents nail pops and helps limit air and sound movement between walls. DYNAGRIP® DRYWALL is an easy to gun adhesive that delivers a strong permanent bond.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27518	28 OZ	WHITE	27518	37	12	10.5"x8"x17"	0.83	8	60

DAP® DYNAGRIP® Foamboard Construction Adhesive

DYNAGRIP® FOAMBOARD construction adhesive is a premium grade adhesive specifically formulated for insulation foam paneling installation. This VOC compliant adhesive provides excellent adhesion to foam panels and a variety of construction materials. DYNAGRIP® FOAMBOARD is an instant grab adhesive that provides a strong permanent bond and will not etch or burn through foam panels.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27519	10.3 OZ	WHITE	27519	13.25	12	8"x6"x12"	0.33	5	108

DAP® DYNAGRIP® Wood-Panel-Trim Construction Adhesive

DYNAGRIP® WOOD, PANEL, TRIM construction adhesive is a premium grade, high strength adhesive. This VOC compliant adhesive is specifically formulated for decorative panel and molding installation. DYNAGRIP® WOOD, PANEL, TRIM is an instant grab adhesive that delivers a precise vertical hold on wood, foam, and PVC trim ideal for decorative interior projects.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27520	10.3 OZ	WHITE	27520	14	12	8"x6"x12"	0.33	1	108



**DAP® DYNAGRIP®
Tub Surround
Construction Adhesive**

DYNAGRIP® TUB SURROUND construction adhesive is a premium grade, high strength adhesive specifically formulated for tub surround installation. This premium adhesive is safe for use on all tub surround materials and dries clear for an ideal finish. DYNAGRIP® TUB SURROUND is an instant grab adhesive that is moisture, steam, water, and heat resistance once fully cured.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27521	10.3 OZ	WHITE	27521	12.50	12	8"x6"x12"	0.33	8	108

**DAP® DYNAGRIP®
Mirror-Marble-Granite
Construction Adhesive**

DYNAGRIP® MIRROR, MARBLE, GRANITE is a premium grade hybrid adhesive specifically formulated for mirror and countertop installation. This premium hybrid adhesive provides a permanent vertical hold in one-hour ideal for mirror installation. This VOC compliant adhesive is easy to gun and will not stain or damage mirrors, countertops or finished surfaces. DYNAGRIP® MIRROR, MARBLE, GRANITE is a high strength adhesive that delivers exceptional adhesion on porous/non-porous construction materials.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27522	10 OZ	WHITE	27522	14.86	12	8"x6"x12"	0.33	5	108



DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25082	10.3 OZ	GRAY	25082	26.58	24	12"x8"x12"	0.67	6	54
25084	28 OZ	GRAY	25084	35.50	12	10.5"x8"x17"	0.83	0	60
25098	10.3 OZ	GRAY	25082	12.75	12	8"x6"x12"	0.33	6	108

DAP® BEATS THE NAIL®
All-Purpose Trowelable
Construction Adhesive

An all-purpose, trowelable construction adhesive for bonding bath panel, tub enclosure and other types of wall panels to drywall, hardboard, plywood, plaster, masonry and other structurally-sound surfaces. It may be used to repair loose ceramic tiles, sink tops, backsplashes and moldings or to install Fiberglass Reinforced Panels (FRP). It provides a water and moisture-proof barrier between wall and panel. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25488	1 GAL	TAN	25488	44.25	4	13.5"x13.5"x8"	0.84	6	45



DAP® WELDWOOD® Multi-Purpose Floor Adhesive



High-strength, trowel-grade, latex-based adhesive for bonding many types of floor coverings over a variety of surfaces. Formula provides greater shrink resistance and allows for easy repositioning during installation. Water resistant. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00141	1 QT	OFF WHITE	00141	16.75	6	15.25"x10.25"x5"	0.45	1	84
00142	1 GA	OFF WHITE	00142	43.25	4	15.5"x15.5"x7.75"	1.08	8	30
00144	4 GA	OFF WHITE	00144	43.00	1	12"x12"x14"	1.17	2	36

DAP® WELDWOOD® Sheet Flooring Adhesive



Trowel-grade, latex-based, water-resistant adhesive designed for the installation of synthetic felt-backed resilient sheet goods. Allows for easy repositioning during installation. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25176	1 QT	OFF WHITE	25176	16.75	6	15.25"x10.25"x5"	0.45	2	84
25178	1 GA	OFF WHITE	25178	43.25	4	15.5"x15.5"x7.75"	1.08	6	30

DAP® WELDWOOD® Wood Floor Adhesive



High-solids, trowel-grade, water-based synthetic adhesive developed specifically for installation of pre-finished wood flooring. For use on, above or below grade. Allows for normal expansion and contraction of wood floor. Good initial grab and firm-setting. Excellent water resistance. Low VOC content, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25133	1 GA	OFF WHITE	25133	48.00	4	15.5"x15.5"x7.75"	1.08	5	30
25136	4 GA	OFF WHITE	25136	47.75	1	12"x12"x14"	1.17	6	36



DAP® WELDWOOD® Multi-Purpose Ceramic Tile Adhesive

High-strength, trowel-grade, latex-based adhesive for installing ceramic and mosaic tile to floors, walls and countertops. Easy to spread, quick-grab formula requires no bracing. Provides excellent water resistance. Nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 25190 and 25192.

DAP® WELDWOOD® Cove Base Adhesive



Trowel-grade, latex-based adhesive for installing vinyl rubber cove base. Provides good initial tack and easy spreading for rapid installation. No bracing required. Non-staining and excellent water resistance. Low odor, low VOC content, nonflammable and easy water clean-up. Available in cartridge and trowel-grade formats. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 25032, 25053, and 25054.

DAP® WELDWOOD® Carpet Adhesive



High-strength, trowel-grade, latex-based adhesive designed for the installation of most interior carpets. Water resistant when dry. Low odor, low VOC content, nonflammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include 00185 and 00186.



DAP® WELDWOOD® All Weather Outdoor Carpet Adhesive

High-strength, trowel-grade, solvent-based adhesive for the installation of most outdoor carpets and artificial turfs. Weatherproof formula withstands rain, snow, ice and freezing. Use in cool or hot weather. Fast-grab. Resists curling. Exterior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 00442 and 00443.

DAP® WELDWOOD® Floor Tile Adhesive



Trowel-grade, latex-based, pressure-sensitive adhesive for the installation of interior floor tile. Offers longer working time for easy repositioning. Dries transparent, eliminating dark lines between tiles. Water resistant. Low odor, low VOC content, non-flammable and easy water clean-up. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 00136, 00137, and 00139.

DAP® FRP Adhesive

Trowel grade, latex-based formula for bonding FRP panels to concrete, plaster, plywood and gypsum wallboard. Nonflammable, fast-setting and water resistant. Interior use.



Table with 10 columns: Case Code, Size, Color, Product Code, Case Weight (lbs.), Case Pack, Case Dimensions LxWxH, Case Volume (cu.ft.), UPC Check Digit, Cases per Pallet. Rows include product codes 60480 and 60481.



DAP® Fireblock Polyurethane Foam Sealant

Quickly fill and seal large gaps around vents, pipes, ducts and wires and at wall-to-floor or ceiling-to-floor joints. Evaluated per ICC-ES Report ESR-1868. For use in Type V residential construction, the foam is bright orange for easy code identification and expands 2-1/2 to 3 times its dispensed size. Just one can of this expanding foam yields up to fifteen large caulk tubes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
44242	12 OZ	ORANGE	44242	10.00	9	9.12"x9.12"x9.25"	0.45	9	100

DAPtex® PLUS Multi-Purpose Latex Insulating Foam Sealant



Designed to meet the tough standards demanded for professional window and door installations while effectively filling and sealing large cracks, gaps and voids. Unlike polyurethane foams, DAPtex® Plus will not overexpand, is toolable, moldable and cleans up easily with water. Remains soft and flexible when dry so it will not bow, buckle or distort frames. The innovative latex polymer foam technology provides water resistance and is paintable with latex paints once cured. Helps reduce energy loss as well as pest infiltration. Ideal for sealing air leaks to improve energy efficiency and reduce heating and cooling costs. Non-clogging, reusable applicator. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18836	12 OZ	WHITE	18836	13.14	12	10.75"x8.25"x8.5"	0.44	5	90

DAP® KWIK FOAM® Polyurethane Insulating Foam Sealant



A one-part, moisture-curing polyurethane foam sealant that expands to fill and seal large cracks, gaps and cavities. Stops air, moisture and pest infiltration. Will not shrink or degrade. Waterproof. Contains a flame retardant. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18230	12 OZ	TAN	18230	13.10	12	12"x9.25"x8.5"	0.55	1	75



DAP Products Inc.
2400 Boston Street, Suite 200
Baltimore, MD 21224
(800) 543-3840
www.dap.com

'33', '1012', 2000, 4000, 7000, Alex, Alex Fast Dry, Alex Plus, Beats The Nail, the Black Band, Blend Stick, Blockade, Bondex, Butyl-Flex, DAP Corporate Logo, DynaGrip, Caulk-Be-Gone, CrackShot, CONTACT STIK, DAP, DAPtex Plus, DryDex, Dynaflex 230, Elastopatch, Fast 'N Final, Fast Patch, Kwik Foam, Kwik Seal, Kwik Seal Plus, Kwik Seal Ultra, Patch Stick, Painter's Putty '53', Partial Putty Knife, Plastic Wood, Presto Patch, RapidFuse, Rely-On, Seal 'N Peel, SIDE Winder, SmartBond, StrongStik, the Putty-Knife Logo, Weldwood

3.0™, BlueStik™, DAP CAP™, DynaFlex Ultra™, ON THE JOB SINCE 1865™, Primer 920™, Weather Max™ and Wood Finish Repair Kit™ are trademarks of DAP Brands Company.

Webpatch™ 90 is a trademark of Bostik Findley Inc., Wauwatosa, WI.

Pro Caulk is a trademark of National Express Inc.

MICROBAN® and the MICROBAN symbol are registered trademarks of the Microban Products Company, Huntersville, NC.