SAFETY DATA SHEET

Issuing Date 28-Sep-2017

Revision Date 19-Oct-2017

Revision Number 0

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name DRYLOK Latex Concrete Floor Paint

Other means of identification

Product Code(s) 1094893

Recommended use of the chemical and restrictions on use

Recommended Use Floor (Paint or Coating)

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification United Gilsonite Laboratories

Address 1396 Jefferson Ave.

Dunmore PA 18509 US

Telephone Phone:570-344-1202

Fax:570-969-7634

E-mail sales@ugl.com

Emergency telephone number

Company Emergency Phone

570-344-1202

Number

2. HAZARDS IDENTIFICATION

Classification

Specific target organ toxicity (repeated exposure)

Category 1



Appearance Multiple Colors

Physical state Liquid

Odor Amine

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life.

Unknown acute toxicity

50.59632 % of the mixture consists of ingredient(s) of unknown toxicity

47.59632 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

50.59632 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50.59632 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

50.59632 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

50.59632 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Hydrous Alum Silicates	1332-58-7	10	-	-
Quartz	14808-60-7	9	-	-
Titanium dioxide	13463-67-7	7	-	-
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate	25265-77-4	3	-	-



4. FIRST AID MEASURES

First aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.



Methods for cleaning up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	09	SHA PEL	NIOSH IDLH		
Hydrous Alum Silicate	s	TWA: 2 mg/m³ particulate			mg/m³ total dust			m³ total dust
1332-58-7		matter containing i			ng/m³ respirable	TWA:	5 mg/m ³	respirable dust
		and <1% crystal	,		fraction			
		respirable particu	late matter	(vacated) TV	TWA: 10 mg/m³ total			
					dust			
				(vacated)) TWA: 5 mg/m³			
				respir	able fraction			
Quartz		TWA: 0.025 mg/m	³ respirable	TWA: 0.1 mg/m ³ (vacated)		IDLH: 50 mg/m ³ respirable dust		
14808-60-7		fraction	1	, ,		TWA: 0.05 mg/m ³ respirable		
						dust		
Titanium dioxide		TWA: 10 m	TWA: 10 mg/m ³		mg/m³ total dust		IDLH: 50	00 mg/m ³
13463-67-7				(vacated) TWA: 10 mg/m³ total				-
					dust			
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V		Quebec
Hydrous Alum Silicates		ΓWA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TW	A: 5 mg/m ³
1332-58-7					_			
Quartz	ΤV	/A: 0.025 mg/m ³	TWA: 0.025 mg/m ³		TWA: 0.10 mg/m ³		TWA	N: 0.1 mg/m ³
14808-60-7		· ·						
Titanium dioxide	Т	WA: 10 mg/m ³	TWA: 10 mg/m ³		TWA: 10 mg/n	1 ³	TWA	A: 10 mg/m ³
13463-67-7		ŭ	TWA: 3	3 mg/m ³				J

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment



Eye/face protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

None known

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid

Appearance Multiple Colors

Odor Amine

ColorNo information availableOdor ThresholdNo information available

Property Values Remarks Method

pH 9

Melting / freezing point No data available

Boiling point / boiling range 100 °C / 212 °F

Flash Point 5001 C / 9034 F Evaporation Rate No data available

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Flammability Limit in Air

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.3

Water Solubility Completely soluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperature No data available None known

Decomposition temperature No data available None known

Kinematic viscosity No data available None known

No data available None known

Dynamic viscosity 71

Other Information

No information available **Explosive properties** No information available **Oxidizing properties Softening Point** No information available Molecular Weight No information available No information available **VOC Content (%) Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.



Revision Date 19-Oct-2017

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 55,897.00 mg/kg

Unknown acute toxicity 50.59632 % of the mixture consists of ingredient(s) of unknown toxicity

47.59632 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

50.59632 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50.59632 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

50.59632 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (yapor)

50.59632 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
2,2,4-Trimethylpentane-1,3-diol	= 3200 mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat)6 h
monoisobutyrate	- -		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Classification based on data available for ingredients. This product contains titanium dioxide

in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to



this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Titanium dioxide 13463-67-7	-	Group 2B	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
2,2,4-Trimethylpentane-1	72h EC50: = 18.4 mg/L	96h LC50: = 30 mg/L	-	96h LC50: > 95 mg/L
,3-diol monoisobutyrate	(Pseudokirchneriella	(Pimephales promelas)		
	subcapitata)			

Persistence and Degradability

No information available.

Bioaccumulation

Chemical name	Log Pow
2,2,4-Trimethylpentane-1,3-diol monoisobutyrate	3.47

MobilityNo information available.Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.



Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name NON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA

DSL/NDSL

EINECS/ELINCS

ENCS

KECL

PICCS

AICS

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances



PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Quartz - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Third Party Formulation (TP # 1112389) -	Carcinogen

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Hydrous Alum Silicates	X	X	Х		
1332-58-7					
Quartz	X	Х	X		X
14808-60-7					
Titanium dioxide	X	Х	X		
13463-67-7					

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 1* Flammability 0 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Product Stewardship



23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 28-Sep-2017

Revision Date 19-Oct-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



