

SAFETY DATA SHEET

Revision Date 21-Sep-2016

Revision Number 1

1. IDENTIFICATION

Product Identifier

Product Name AF-0044

Other means of identification

Product Code(s) AF-0044
Product Type Adhesive

Recommended use of the chemical and restrictions on use
Recommended Use For industrial use only.
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

Dural

550 Marshall Ave. Dorval, PQ Canada H9P 1C9

Emergency telephone number

Company Phone Number 800-361-2340

Emergency Telephone Number CANUTEC 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Carcinogenicity	Category 1A

Label elements

Emergency Overview

Signal Word Danger

Hazard Statements

May cause an allergic skin reaction May cause cancer





Appearance White Physical State Liquid Odor None

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see Section 4 on this SDS)

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Keep from freezing

Precautionary Statements - Disposal

Dispose of in accordance with federal, state and local regulations

Hazards not otherwise classified (HNOC)

None under normal processing

Other Information

Unknown acute toxicity

2.09 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Components	CAS No.	Weight-%	Trade Secret
Limestone	1317-65-3	30-60	*
Attapulgite	12174-11-7	1-5%	*
1,2-Propylene glycol	57-55-6	1-5%	*
Quartz	14808-60-7	1-5%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water. Take off contaminated clothing and

wash before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation Remove to fresh air.

Ingestion None under normal use conditions. Clean mouth with water and drink afterwards plenty of

water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Consult a physician if necessary.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable Extinguishing Media

Specific test data for the substance or mixture is not available.

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses. Dried product is capable of burning. Sealed containers may rupture when heated.

Explosion Data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection equipment. Ensure adequate ventilation. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local

regulations.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up Pick up and transfer to properly labeled containers. Prevent environmental discharge

consistent with regulatory requirements. Disposal should be in accordance with applicable

regional, national and local laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

Incompatible Products Water-reactive materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Limestone	-	TWA: 15 mg/m ³	TWA: 10 mg/m ³	-
1317-65-3		TWA: 5 mg/m ³	TWA: 5 mg/m ³	
		(vacated) TWA: 15 mg/m ³	_	
		(vacated) TWA: 5 mg/m ³		
Attapulgite	TWA: 1 mg/m ³	-	-	-
12174-11-7	_			
1,2-Propylene glycol	TWA: 10 mg/m ³	-	-	10 mg/m³ TWA
57-55-6				_
Quartz	TWA: 0.025 mg/m ³	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³	-
14808-60-7	_		TWA: 0.05 mg/m ³	

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Eye protection.

Skin and Body Protection Wear protective gloves/protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance White

AppearanceWhiteOdorOdorlessColorWhiteOdor ThresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Specific test data for the substance or

mixture is not available

Melting point / freezing point No information available

Boiling Point / Boiling Range Specific test data for the substance or

mixture is not available

Flash Point Specific test data for the substance or

mixture is not available No information available No information available

Flammability (solid, gas) Flammability Limit in Air

Evaporation Rate

Upper Explosive Limits Specific test data for the substance or

mixture is not available

Lower Explosive Limits Specific test data for the substance or

mixture is not available

Vapor pressure Negligible

Vapor Density Specific test data for the substance or

mixture is not available

Specific Gravity >1.0

Water Solubility Miscible with water

Solubility in other solvents Specific test data for the substance or

mixture is not available No information available

Partition coefficient

Autoignition Temperature

Autoignition Temperature

Decomposition TemperatureNo information availableKinematic viscosityNo information available

Dynamic viscosity 1.0 ± 0.1 MMcPs ("F" Tbar/2rpm/25°C)

Explosive Properties

Oxidizing Properties

No information available
No information available

Other Information

Softening Point Specific test data for the substance or mixture is not available

Solids 71.0 - 73.0 %

10. STABILITY AND REACTIVITY

Reactivity

None under normal processing

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Water-reactive materials.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking.

Ingestion Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
1,2-Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Quartz	= 500 mg/kg (Rat)	-	-
14808-60-7			

Information on toxicological effects

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects Specific test data for the substance or mixture is not available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Components	ACGIH	IARC	NTP	OSHA
Attapulgite	-	Group 2B	-	X
12174-11-7		Group 3		
Quartz	A2	Group 1	Known	X
14808-60-7				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 33,841.00

 ATEmix (dermal)
 1,386,666.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

4.31665401 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Components	Algae/aquatic plants	Toxicity to Fish	Daphnia Magna (Water Flea)
1,2-Propylene glycol - 57-55-6	19000: 96 h Pseudokirchneriella	51600: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
	subcapitata mg/L EC50	mg/L LC50 static 41 - 47: 96 h	EC50 Static
		Oncorhynchus mykiss mL/L LC50	
		static 51400: 96 h Pimephales	
		promelas mg/L LC50 static 710: 96	
		h Pimephales promelas mg/L LC50	

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated.

IATA Not regulated.

IMDG/IMO Not regulated.

15. REGULATORY INFORMATION

TSCA 8(b)

All components are listed or exempt

All components are listed or exempt

All components are listed or exempt

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Components	Weight-%	HAPS data
Styrene 100-42-5	<0.1%	Present
Ethylbenzene 100-41-4	<0.1%	Present
Dipropylene glycol monomethyl ether 34590-94-8	<0.1%	Present
Methyl alcohol 67-56-1	<0.1%	Present
Formaldehyde 50-00-0	<0.1%	Present
Acetaldehyde 75-07-0	<0.1%	Present
1,4-Dioxane 123-91-1	<0.1%	Present
Ethylene oxide	<0.1%	Present

75-21-8	
73-21-0	

CWA (Clean Water Act)

See information supplied by the manufacturer

CERCLA

See information supplied by the manufacturer

US State Regulations

California Proposition 65

This product contains (a) Proposition 65 chemical(s)

Components	California Proposition 65	
Attapulgite - 12174-11-7	Carcinogen	
Quartz - 14808-60-7	Carcinogen	
Ethylbenzene - 100-41-4	Carcinogen	
Methyl alcohol - 67-56-1	Developmental	
Formaldehyde - 50-00-0	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	
1,4-Dioxane - 123-91-1	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen	
	Developmental Female Reproductive Male Reproductive	

U.S. EPA Label Information

EPA Pesticide Registration Number No data available

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS / WHMIS Health Hazard 1 Flammability 0 Physical hazards 0 Personal Precautions X

Revision Date 21-Sep-2016

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet