

# DEWALT®

## NEW PRODUCTS HIGHLIGHT - MAY 2015

Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

### HAMMERS

**DCH273P2**  
20V MAX\* Brushless  
Rotary Hammer

INCLUDES (2) 5.0 Ah BATTERIES



XR



- Brushless motor for extended runtime and durability vs. brushed motors
- SHOCKS Active Vibration Control® System
- Retractable Utility Hook

**DCH273B**  
20V MAX\* Brushless Rotary  
Hammer (Tool Only)



XR



- Brushless motor for extended runtime and durability vs. brushed motors
- SHOCKS Active Vibration Control® System
- Retractable Utility Hook

**D25133K**  
1" Pistol Grip SDS  
Hammer Kit



- 8.0 Amp high performance motor
- 2.6 Joules of impact energy
- Integral Clutch

**D25260K**  
7/8" Compact SDS  
Hammer Kit



- 7.0 Amp high performance motor
- 26 Joules of impact energy
- Integral clutch

**D25262K**  
1" SDS Rotary  
Hammer Kit



- 8.0 Amp motor
- 2.8 Joules of impact energy
- SHOCKS Active Vibration Control® System

**D25263K**  
1-1/8" D-Handle SDS  
Hammer Kit



- 8.5 Amp motor
- 3.0 Joules of impact energy
- SHOCKS Active Vibration Control® System

\*With respect to 20V MAX\*, Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

DEWALT's Perform & Protect™ line of Power Tools is designed to provide a high level of one or more of the following: control, dust containment, or low vibration, without sacrificing performance.





## HAND TOOLS & STORAGE

**DWMT74433**  
40" 5 Drawer Top Chest  
Metal Storage



- Heavy duty drawer slides with 100 lb. capacity
- Thick gauge steel body for durability
- 10-3/8" Deep top lid
- 18" Drawer depth

**DWMT74434**  
40" 8 Drawer  
Roller Cabinet



- Heavy duty drawer slides with 100 lb. capacity
- Thick gauge steel body for durability
- 10-3/8" Deep top lid
- 18" Drawer depth

**DWHT51048**  
16 oz. One-Piece Steel Hammer



- Optimal Weight Distribution for a controlled swing
- Side Nail Puller for efficient nail pulling
- Single piece steel construction
- Oval Shaped Strike Face makes toe-nailing easier

**DWHT51054**  
20 oz. One-Piece Steel Hammer



- Optimal Weight Distribution for a controlled swing
- Side Nail Puller for efficient nail pulling
- Single piece steel construction
- Oval Shaped Strike Face makes toe-nailing easier

**DWHT51064**  
22 oz. One-Piece Steel Hammer



- Optimal Weight Distribution for a controlled swing
- Side Nail Puller for efficient nail pulling
- Single piece steel construction
- Nail start system for one-handed nail placement



# NEW DEWALT NAILERS

## DWFP12233 18 GA Precision Point™ Brad Nailer

- Precision Point™ Technology: Precise nail placement due to a smaller nose, compared to current DEWALT nailers, and no need to compress the contact trip to actuate



## DWFP71917 16 GA Precision Point™ Finish Nailer

- Precision Point™ Technology: Precise nail placement due to a smaller nose, compared to current DEWALT nailers, and no need to compress the contact trip to actuate



## DWFP72155 15 GA Precision Point™ "DA" Style Angle Finish Nailer

- Precision Point™ Technology: Precise nail placement due to a smaller nose, compared to current DEWALT nailers, and no need to compress the contact trip to actuate



## DWFP1838 18 GA Finish Stapler

- Long life maintenance-free motor
- Selectable trigger: sequential or contact actuation
- Low staple lockout alerts when to reload



## DW325PL 21° Plastic Collated Framing Nailer

- Selectable trigger
- Tool free depth of drive adjustment



## DW325PT 30° Paper Tape Framing Nailer

- Selectable trigger
- Tool free depth of drive adjustment



## DW325C 15° Coil Framing Nailer

- Heavy-Duty, quick open canister
- Aggressive toe-nailing teeth grip lumber



## DWMC150 Metal Connector Nailer

- Low nail lockout helps prevent jamming
- In-line magazine
- Tool-free adjustable rafter hook



## DW66C-1 15° Coil Siding and Fencing Nailer

- Tool-free adjustable exhaust
- Tool-free adjustable rafter hook for convenience
- Durable, lightweight aluminum housing



## DWSL18CAP Cap Stapler

- Tool-free depth of drive adjustment
- Selectable trigger
- Low nail lockout prevents dry firing



## DW450S2 Wide Crown Lathing Stapler

- Jam-free magazine to minimize downtime
- Power control valve adjusts power by up to 30% for precise setting of fasteners





# DEWALT OUTDOOR 40V MAX\* LITHIUM ION

## DCST990M1

40V MAX\* Lithium Ion XR™ Brushless  
15" String Trimmer (4.0 Ah)



- Dual 0.080" line with bump feed
- Variable trigger with speed control

## DCST990H1

40V MAX\* Lithium Ion XR™ Brushless  
15" String Trimmer (6.0 Ah)



- Dual 0.080" line with bump feed
- 6.0 Ah Premium High Capacity Battery

## DCHT860M1

40V MAX\* Lithium Ion  
22" Hedge Trimmer (4.0 Ah)



- Powerful high output motor for cuts up to 3/4" thick
- 22" laser cut, hooked-tooth blade design

## DCBL790M1

40V MAX\* Lithium Ion XR™  
Brushless Blower (4.0 Ah)



- 400 CFM and 120 MPH performance
- Variable trigger and speed lock

## DCBL790H1

40V MAX\* Lithium Ion XR™  
Brushless Blower (6.0 Ah)



- 400 CFM and 120 MPH performance
- High Capacity 6.0 Ah Lithium Ion Battery

## DCB404

40V MAX\* 4.0 Ah Lithium Ion  
Battery Pack



- 4-LED fuel gauge allows immediate feedback on state of charge
- Compatible with all DEWALT 40V MAX\* tools

## DCB406

40V MAX\* Premium XR™  
6.0 Ah Lithium Ion  
Battery Pack



- Premium XR™ Lithium Ion battery provides up to 50% more capacity than the 4.0 Ah battery (DCB404)
- Compatible with all DEWALT 40V MAX\* tools

## DCB114

40V MAX\* Lithium Ion  
Battery Charger



- Charges 4.0 Ah battery in 90 minutes or less
- Charges 6.0 Ah battery in 130 minutes or less

## DW01DT801

50' Spool 0.080"  
Trimmer Line



- Combination of hard and flexible nylon for good cut impact and wear resistance
- Twisted line improves the aerodynamics for a clean cut

## DW01DT802

225' Spool 0.080"  
Trimmer Line



- Combination of hard and flexible nylon for good cut impact and wear resistance
- Twisted line improves the aerodynamics for a clean cut

\*With respect to 40V MAX\*, Maximum initial battery voltage (measured without a workload) is 40 volts. Nominal voltage is 36.

**Terms and Conditions:** Offer only available at participating authorized participating retail locations on purchases made May 1, 2015 through May 31, 2015, while supplies last. Offer subject to change without notice.

Copyright ©2015 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. CG New Products May 040915.ai/TS/GDS/15-0989

Dealer Stamp

#ICNPFMAY15

IC NEW PRODUCT FLYER - MAY 2015



# DEWALT®

## NEW PRODUCTS HIGHLIGHT - APRIL 2015

Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

### XR™ DCF620 DRYWALL SCREWGUN

#### DCF620M2



DCF620 Drywall Screwgun, Charger, (2) DCB204: 20v MAX XR™ Lithium Ion Batteries (4.0Ah), Belt Clip and Kit Bag

#### SPECIFICATIONS

No Load Speed	0-4400 rpm
Drive	1/4" (6.35 mm)
Tool Length	10-3/4" (273 mm)
Head Length	8-3/4" (222 mm)
Tool Weight	3.8 lbs (1.72 kg)



Similar Weight and Feel Compared to the DW272 Corded Screwgun

#### DCF6201 COLLATED DRYWALL SCREWGUN ATTACHMENT

FOR USE WITH DCF620 CORDLESS SCREWGUN ONLY



**DCF620D2**  
DCF620, (2) DCB203 20V MAX\* XR™ Compact Lithium Ion Batteries (2.0 Ah), Charger and Kitbag.



**DCF620M2**  
DCF620, (2) DCB204 20V MAX\* XR™ Lithium Ion Batteries (4.0 Ah), Charger and Kitbag.



**DCK261D2**  
DCF620, DCF886, (2) DCB203 20V MAX\* XR™ Compact Lithium Ion Batteries (2.0 Ah), Charger and Kitbag.



**DCK262M2**  
DCF620, DCF886, (2) DCB204 20V MAX\* XR™ Lithium Ion Batteries (4.0 Ah), Charger and Kitbag.



**DCK263D2**  
DCF620, DCS551, (2) DCB203 20V MAX\* XR™ Compact Lithium Ion Batteries (2.0 Ah), Charger, Drywall Bit, General Purpose Cut-out tool Bit, 1/8" (3.17 mm) Collet, 1/4" (6.35 mm) Collet and Kitbag.

**Terms and Conditions:** Offer only available at participating authorized participating retail locations on purchases made April 1, 2015 through April 30, 2015, while supplies last. Offer subject to change without notice.

Copyright ©2015 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. CG New Products April 030415\_f.ai/Vv/GDS/15-0521

Dealer Stamp



# DEWALT®

## NEW PRODUCTS HIGHLIGHT - FEBRUARY 2015


Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

### INCREASED POWER

INTRODUCING OUR **NEXT GENERATION** MOTOR!



COPPER



**MORE COPPER = MORE POWER!**

\*The Power Meter

• 11 Amp AC/DC 11,000 rpm motor • Dust Ejection System™ • Quick-Change™

### DWE402K

4-1/2" (115mm) Small Angle Grinder Kit



### DWE402G

4-1/2" (115mm) Paddle Switch Grinder (Grounded)



# DEWALT®

## LAMINATE TRIMMER ACCESSORIES NOW AVAILABLE



### DWE6000

Laminate Trimmer


- 31,000 RPM, 4.5 amp motor
- Quick release clips to remove the motor from the base
- Spindle lock button



### DWE6014

Laminate Trimmer D-Shaped Sub Base


- Clear (see through) Visibility
- D-Base for Support on Edge
- Will accept Porter Cable® template guides



### DWE6015

Laminate Trimmer Dust Collection Adapt

- Clear (see through) visibility
- Multiple vac hook up options
- Easy and quick hookup



### DWE6018

Laminate Trimmer Roller Guide

- Tool Free Attachment
- Vertical and Horizontal Adjustments
- For use with non-bearing or unplotted bits



### DWST20880

Multi-Level Workshop

- Single pull-up latch, for quick and easy opening
- Reinforced Telescopic, Metal Pull Handle, for easy maneuvering and comfortable hold
- Ball Bearing Slides, for smooth opening
- Creates workstation, for storage of large tools in bottom bin, organization of small parts in middle compartments and top tool box



Tools Not Included



**Terms and Conditions:** Offer only available at participating authorized participating retail locations on purchases made February 1, 2015 through February 28, 2015, while supplies last. Offer subject to change without notice.

Copyright ©2015 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. CG New Products Feb 011615\_f.ai/TH/GDS/15-0024

Dealer Stamp

#ICNPFEB15

IC NEW PRODUCT FLYER - FEBRUARY 2015


# DEWALT®

## NEW PRODUCTS HIGHLIGHT - DECEMBER 2014

Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

### INCREASED POWER

INTRODUCING OUR **NEXT GENERATION** MOTOR!



**MORE COPPER = MORE POWER!**

• 11 Amp AC/DC 11,000 rpm motor • Dust Ejection System™ • Quick-Change™

**DWE402**  
Small Angle Grinder



**DWE402N**  
Small Angle Grinder  
w/ No Lock-On



**DCL043**  
20V MAX\* Jobsite  
LED Spotlight



- 2 Brightness settings
- 90 Degree Pivoting Head
- 1 Bright RED LED to preserve night vision
- Integral hook for hands free use

# DEWALT®

## TRIGGER CLAMPS

Get up to 600 lbs. of clamping force and easy conversion to a spreader



### SMALL TRIGGER CLAMPS

**DWHT83191** 4-1/2" Small Trigger Clamp

- 35 LB. Clamping Force
- Converts to Spreader
- Removable Jaw Pads, help reduce marring
- Reinforced Nylon Body & Heat-Treated Steel Bar, for strength and durability

### MEDIUM TRIGGER CLAMPS

**DWHT83139** 6" Medium Trigger Clamp

**DWHT83140** 12" Medium Trigger Clamp

- 100 LB. Clamping Force
- Removable Jaw Pads, help reduce marring
- Reinforced Nylon Body & Heat-Treated Steel Bar, for strength and durability

### LARGE TRIGGER CLAMPS

**DWHT83192** 6" Large Trigger Clamp

**DWHT83193** 12" Large Trigger Clamp

**DWHT83194** 24" Large Trigger Clamp

**DWHT83195** 36" Large Trigger Clamp

- 300 LB. Clamping Force
- Quick Change Button, allows for easy conversion to a spreader
- Removable Jaw Pads, help reduce marring
- Reinforced Nylon Body & Heat-Treated Steel Bar, for strength and durability

### EXTRA LARGE TRIGGER CLAMPS

**DWHT83185** 12" Extra Large Trigger Clamp

**DWHT83186** 24" Extra Large Trigger Clamp

**DWHT83187** 36" Extra Large Trigger Clamp

**DWHT83188** 50" Extra Large Trigger Clamp

- 600 LB. Clamping Force
- Quick Change Button, allows for easy conversion to a spreader
- Full Face Removable Jaw Pads, help reduce marring
- Reinforced Nylon Body & Heat-Treated Steel Bar, for strength and durability



\*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

**Terms and Conditions:** Offer only available at participating DEWALT retail locations on purchases made December 1, 2014 through December 31, 2014, while supplies last. Offer subject to change without notice.

Copyright ©2014 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. CG New Products Dec 112414.ai/TH/GDS/14-3230

Dealer Stamp



# DEWALT®

## NEW PRODUCTS HIGHLIGHT - NOVEMBER 2014

Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

# A WHOLE NEW TOUGH. MECHANICS TOOLS

**GUARANTEED TOUGH:**  
**LIFETIME WARRANTY**  
**HASSLE FREE REPLACEMENT**

Warranty applies to DEWALT Mechanics Tools.

### TOUGH SETS



- Each case firmly stacks and clips together for secure transport
- Build your own platform allows user to create a set that is ideal for the jobs specific to them

### RATCHETS



- 72-Tooth Gear System for high torque ratcheting
- 5° arc swing and slim head design for maneuverability in constricted areas
- Low profile directional lever for one-hand operation

### SOCKETS



- Knurled beauty rings provide a non-slip gripping surface
- Deep laser etched markings for socket size identification

### REVERSE RATCHETING WRENCHES

- 400% more gripping power\*
- Reversible ratcheting gear system for productivity and offers low arc swing
- Long panel forging for further reach and additional leverage
- Knurled panel rings provide non-slip gripping surface
- 15 degree box end offset for knuckle clearance



### COMBINATION WRENCHES

- 400% more gripping power\*
- Anti-slip design locks the wrench onto the fastener to help prevent slippage & provide extra torque
- Long panel forging for long reach and leverage
- 15 degree box end offset for knuckle clearance



\* Versus standard combination wrenches

Terms and Conditions: Offer only available at participating DEWALT retail locations on purchases made November 1, 2014 through November 30, 2014, while supplies last. Offer subject to change without notice.

Copyright ©2014 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. CG New Products Nov 4pg 101714.ai/KA/GDS/14-2898



# DEWALT®

## NEW PRODUCTS HIGHLIGHT - NOVEMBER 2014

Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

# BUILT TOUGH FOR YOU. AIR TOOLS

## DESIGNED TO DELIVER PREMIUM PERFORMANCE

### DWMT70773L 1/2" Drive Impact Wrench - Heavy Duty

- Maximum Torque 650 ft-lb helps to break free fasteners that are stuck
- 7500 RPM (Free Speed @90PSI) helps provide high power fastening



### DWMT70776L Air Ratchet

- Ergonomic Handle with rubber cushion grip for comfort
- Maximum Torque 65 ft-lb helps free stubborn bolts
- Touch Control Trigger allows user to apply needed amount of power



### DWMT70781L Palm Sander

- Composite Body Design provides durability and lightweight design
- 12000 RPM (Free Speed @90PSI) for professional quality sanding
- Stick-On Pad for quick and easy changeover



### DWMT70782L Angle Die Grinder

- 20000 RPM (Free Speed @90PSI) for heavy duty applications
- Rear Air Exhaust helps blow exhaust away from work surface
- Touch Control Trigger allows user to apply needed amount of power



### DWMT70786L 3/8" Reversible Drill

- Quick-Change Keyless Chuck for easy change over between bits
- 2100 RPM (Free Speed @90PSI) helps drill through durable materials
- Variable Speed Trigger allows user to apply needed amount of



### DWMT70774 1/2" Drive Impact Wrench

- Includes 1/2" Square Drive
- Torque- 600 ft-lbs
- Speed- 7300 RPM / 1000 BPM
- Adjustable Power Regulator
- Ergonomic Handle Design



### DWMT70775 3/8" Drive Impact Wrench

- 3/8" Square Drive
- Composite Body Design
- Twin Hammer Mechanism
- Torque- 300ft-lbs
- Speed- 11000 RPM / 1200 BPM



### DWMT70780 High Speed Sander

- Ergonomic Speed Control Dial
- Aluminum Body Design
- Ergonomic Rubber Handle Design
- Touch Control Trigger
- Cushion Grip Housing Cover



### DWMT70783 Straight Die Grinder

- Ergonomically Designed Cushion Grip
- Speed- 25000
- Touch Control Trigger
- Aluminum Body Design
- Rear Air Exhaust



### DWMT70784 Cut Off Tool

- Ergonomically Designed Cushion Grip
- Speed- 19000
- Touch Control Trigger
- Aluminum Body Design
- Rear Air Exhaust



### DWMT70785 Chisel Hammer

- Medium Barrel Design
- 2600 BPM
- Aluminum Body Design
- Shock Absorbing Handle Design
- Accepts Standard .401" Chisel Shanks
- Touch Control Trigger



### DWMT70777 HVLP Spray Gun

- Gravity High Volume Low Pressure Design
- Well-Balanced & Lightweight
- 600cc Aluminum Paint Cup with Lid



### DWMT7078 Touch Up Spray Gun

- Gravity Touch-Up
- Fine Spray, Compact Size for Precision Jobs
- Well-Balanced & Lightweight



### DWMT7079 Siphon Spray Gun

- Siphon Conventional Design
- Cam Style 1000cc Cup
- Multi-Purpose Applications
- High Volume / High Pressure
- Convertible to Pressure Feed





# DEWALT®

## NEW PRODUCTS HIGHLIGHT - NOVEMBER 2014

Contact your DEWALT Representative for more details. Launch Dates Subject to Change.

### DWE4887 1-1/2" Die Grinder

- 4.2 Amp, 25,000 rpm motor provides high power and speed for all 1-1/2" grinding applications
- AC/DC capacity works off welding machines and generators for productivity and versatility
- Convenient paddle switch with lock-on button for easy gripping



### DWE4887N 1-1/2" Die Grinder, no Lock-On

- 4.2 Amp, 25,000 rpm motor provides power and speed for all 1-1/2" grinding applications
- AC/DC capacity works off welding machines and generators for productivity and versatility
- Precision 1/4" collet securely holds all proper accessories (1/8" reducing sleeve as optional accessory)



### DCR006

#### Jobsite BLUETOOTH® Speaker

- AC/DC Powered
- Up to 100 ft Range
- Runs Off DEWALT 12V MAX\* / 20V MAX\* Battery Packs



### DC9182C

#### 18V XRP Lithium Tower Battery and 1 Hour Charger

- Compatible with DEWALT 18V Tools
- Lightweight design- 1 lbs
- No memory and virtually no self-discharge



### DCR006



BLUETOOTH® is a registered trademark owned by Bluetooth SIG, Inc. and any use of such marks by DEWALT is under license.

\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.

\*With respect to 20V MAX\*, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.