# **S** Permatex

## SAFETY DATA SHEET

Revision Date 18-Jun-2015

Version 1

## 1. IDENTIFICATION

Product Identifier

Product Name

DEVCON HOME FLOW-MIX COLD WELD (RESIN)

Other means of identification

Product Code Synonyms 24445

None

Recommended use of the chemical and restrictions on use

Recommended Use

(Epoxy resin)

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Distributor

ITW Permatex

ITW Permatex Canada 35 Brownridge Road, Unit 1

10 Columbus Blvd. Hartford, CT 06106 USA

Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

**Company Phone Number** 

1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number

Chem-Tel: 800-255-3924 International Emergency:

00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address

mail@permatex.com

## 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Carcinogenicity	Category 2

## Label elements

**Emergency Overview** 

## Warning

May cause an allergic skin reaction Suspected of causing cancer



Appearance Black

Physical state Viscous liquid

Odor Mild

## **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

- Harmful to aquatic life with long lasting effects

Unknown acute toxicity

96.31 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
EPOXY RESIN (EPICHLOROHYDRIN, BISPHENOL A)	25085-99-8	60 - 100	*
BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN	25068-38-6	1 - 5	*
CARBON BLACK	1333-86-4	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

## 24445 - DEVCON HOME FLOW-MIX COLD WELD (RESIN)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

IF SWALLOWED:, Do NOT induce vomiting. Never give anything by mouth to an Ingestion

unconscious person. Call a physician.

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Self-protection of the first aider

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Note to physicians

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

None in particular.

Explosion data

Sensitivity to Mechanical Impact

Sensitivity to Static Discharge

**None.** 

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Personal precautions

Use personal protective equipment as required.

Environmental precautions\_

See Section 12 for additional ecological information. **Environmental precautions** 

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Methods for containment

Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel Methods for cleaning up

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Store locked up.

Incompatible materials Strong oxidizing agents, Bases, Acids, Amines

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure Guidelines

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ľ	CARBON BLACK	TWA: 3 mg/m³ inhalable fraction	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
	1333-86-4	0	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>o</sup>
- 1			' '	TWA: 0.1 mg/m3 Carbon black in
- 1				presence of Polycyclic aromatic
-1				hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

## Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eyelface protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Viscous liquid Appearance Black

Odor Mild

Odor threshold No information available

Property Values Remarks • Method

pH No information available

## 24445 - DEVCON HOME FLOW-MIX COLD WELD (RESIN)

Melting point / freezing point

Boiling point / boiling range
Flash point

No information available
No information available
> 204 °C / > 400 °F

Evaporation rate

Flammability (solid, gas)

No information available
No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure0.03 mmHgVapor density>1Relative density1.16Water solubilityNegligible

No information available Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Kinematic viscosity Dynamic viscosity No information available No information available **Explosive properties** Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
No information available
0

Density

No information available

No information available

## 10. STABILITY AND REACTIVITY

## Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## Conditions to avoid

Excessive heat.

## Incompatible materials

Strong oxidizing agents, Bases, Acids, Amines

## **Hazardous Decomposition Products**

Carbon oxides Phenols

## 11. TOXICOLOGICAL INFORMATION

Air = 1

## information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN 25068-38-6	= 11400 mg/kg (Rat)	-	-
CARBON BLACK 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	•

## Information on toxicological effects

**Symptoms** 

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
CARBON BLACK	A3	Group 2B	-	×
1333-86-4				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)

16286 mg/kg

## 12. ECOLOGICAL INFORMATION

## Ecotoxicity

97.417 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

OT. TIT TO OI GIO HINKOIC CONDICIO	Or corribotionito(c) or continuent in	Edito to the educate distribution	
Chemical Name	Algae/aquatic plants	Fish	Crustacea
CARBON BLACK	•	-	5600: 24 h Daphnia magna mg/L
1333-86-4			EC50

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

## **Mobility**

No information available.

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

**US EPA Waste Number** 

Not applicable

## 14. TRANSPORT INFORMATION

Proper shipping name:

Not regulated

IATA

UN/ID no

3082

Ш

E1

Proper shipping name:

Environmentally hazardous substances, liquid, n.o.s, (Epoxy resin), Limited Quantity (LQ)

**Hazard Class Packing Group ERG Code** 

IMDG

UN/ID no

3082

Proper shipping name:

**Hazard Class** 

Environmentally hazardous substances, liquid, n.o.s, (Epoxy resin), Limited Quantity (LQ)

**Packing Group** EmS-No

Ш F-A, S-F

## 15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** DSL/NDSL Complies Not Listed. **EINECS/ELINCS** Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard No Sudden release of pressure hazard No Reactive Hazard No

## 24445 - DEVCON HOME FLOW-MIX COLD WELD (RESIN)

**CWA (Clean Water Act)** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
CARBON BLACK - 1333-86-4	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
CARBON BLACK	X	×	X
1333-86-4			

### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

NFPA_	Health hazards 2	Flammability 1	Instability 0	•
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Revision Date

18-Jun-2015

## Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

## SAFETY DATA SHEET

Revision Date 18-Jun-2015

Version 3

## 1. IDENTIFICATION

Product identifier

**Product Name** 

DEVCON HOME FLOW-MIX COLD WELD EPOXY (HARDENER)

Other means of identification

**Product Code** Synonyms

24445V

None

Recommended use of the chemical and restrictions on use

**Recommended Use** 

Epoxy curing agent

No information available Uses advised against

Details of the supplier of the safety data sheet

Manufacturer Address

Distributor

ITW Permatex

**ITW Permatex Canada** 

10 Columbus Blvd. Hartford, CT 06106 USA 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

**Company Phone Number** 

1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number

Chem-Tel: 800-255-3924 International Emergency:

00+1+813-248-0585

Contract Number: MIS0003453

E-mail address

mail@permatex.com

## 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

## Label elements

## **Emergency Overview**

## Warning

Causes skin irritation

Causes serious eye irritation



Appearance Yellow

Physical state Liquid

Odor Mercaptan

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

## **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)\_

Not applicable

## Other Information

- Not applicable

Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
MERCAPTAN AMINE BLEND (TSRN 679485-6533P)	_	60 - 100	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## **Description of first aid measures**

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

## 24445V - DEVCON HOME FLOW-MIX COLD WELD EPOXY (HARDENER)

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

None in particular.

**Explosion data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

Strong oxidizing agents, Acids, Alkalis

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters\_

## Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

**Appearance** Odor

Odor threshold

Liquid Yellow Mercaptan

No information available

**Property** 

Flash point

Melting point / freezing point

Boiling point / boiling range

**Evaporation rate** Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: Lower flammability limit: Vapor pressure

Vapor density Relative density

Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** 

Kinematic viscosity Dynamic viscosity **Explosive properties** Oxidizing properties

Values\_

No information available

No information available Not Applicable

> 93 °C / > 200 °F No information available

No information available

No information available No information available No information available No information available

1.13 Insoluble in water

No information available Remarks · Method

Pensky-Martens Closed Cup (PMCC)

## 24445V - DEVCON HOME FLOW-MIX COLD WELD EPOXY (HARDENER)

## Other Information

Softening point Molecular weight No information available No information available

VOC Content (%)

Density

No information available
Bulk density

No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

## Chemical stability

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Excessive heat.

## Incompatible materials

Strong oxidizing agents, Acids, Alkalis

## **Hazardous Decomposition Products**

Carbon oxides
Nitrogen oxides (NOx)
Oxides of sulfur
Hydrogen sulfide

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes.

## Information on toxicological effects

Symptoms No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

100 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

## 24445V - DEVCON HOME FLOW-MIX COLD WELD EPOXY (HARDENER)

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

### **Mobility**

No information available.

## Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

## 14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

**IATA** 

UN/ID no 3334

Proper shipping name: Aviation regulated liquid, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class 9
Packing Group III
ERG Code 9A

<u>IMDG</u>

Proper shipping name: Not regulated

## 15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** DSL/NDSL Complies **EINECS/ELINCS** Not determined **ENCS** Not determined **IECSC** Not determined **KECL** Not determined **PICCS** Not determined **AICS** Not determined

<u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA_	Health hazards 2	Flammability 1	Instability 0	-
HMIS_	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

mivilo (mazaruous ivialenar iniormation byst

**Revision Date** 

18-Jun-2015

#### <u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

