



 **DRIPLESS**<sup>®</sup>  
YELLOW. IT WORKS 

**DRIPLESS, Inc.**  
1.800.960.1773 tel  
1.707.568.5081 tel  
1.707.568.5085 fax  
[www.dripless.com](http://www.dripless.com)

**PRODUCT CATALOG**

# INDEX



Ergo Tech Series -	Page 3
Consumer Grade -	Page 6
Contractor Grade -	Page 7
High Ratio/Performance Tools -	Page 8
Bulk Load/Sausage Pack Tools -	Page 9
Dual Component Tools -	Page 10
Accessories and Sundry Items -	Page 12
Terms and Specifications -	Page 15



# ERGONOMIC TECHNOLOGY SERIES INTRODUCTION

Engineered for lightweight durability and ergonomically designed to reduce jobsite fatigue.



## ERGO TECH SERIES FEATURES

- Models for every job
- Drip/Dripless option
- Super strong rod and drive mechanism for long life
- Engineered ergonomic triggers
- Rotating barrel
- Rugged composite construction
- Sharp precision cutter
- Extra long clean out

**Tough,  
Durable and  
Rugged.**

**We put our  
guns to the test !**



**YELLOW. IT WORKS.**

# ERGONOMIC TECHNOLOGY SERIES MODELS



**ETS1000, 10 oz. Consumer Grade - 12:1 ratio**  
Full time dripless feature  
Compact grip for the slightly smaller hand.  
[upc: 7 64509 01110 2](#)



**ETS 2000, 10 oz. Professional Grade - 12:1 ratio**  
40% lighter than comparable models  
Rotating barrel  
Full time dripless feature  
High quality peened rod  
Powder metal drive dog  
[upc: 7 64509 01002 0](#)



**ETS 3000, 10 oz. Industrial Grade - 18:1 ratio**  
Drip/No Drip option  
Rotating barrel  
High quality peened rod  
Powder metal drive dog  
[upc: 7 64509 01003 7](#)



**ETS 5000, 29 oz. Industrial Grade - 18:1 ratio**  
Drip/No Drip option  
Rotating barrel  
High quality peened rod  
Powder metal drive dog  
[upc: 7 64509 01005 1](#)



**ETS6000, 10 or 20 oz. Professional Grade Sausage Pack Caulker - 18:1 ratio**  
2 1/8" diameter rotating barrel  
Easy release front cap, Drip/No Drip option  
Adaptable to standard 10 oz cartridge  
Comes with 6 nozzels in 2 sizes  
*High ratio applicator suitable for high viscosity products*  
[upc: 7 64509 01006 8](#)

**YELLOW. IT WORKS.**

# SPECIAL FEATURES

Designed for the professional, ERGO/TECH guns address weight, balance and hand fatigue while applying caulk and sealants.




## WHEN TO USE THE DRIP/NO DRIP OPTION SWITCH

Turn the Dripless option **OFF** to apply products such as construction adhesives and polyurethanes. This keeps constant pressure on the tube for easier dispensing.

Turn the Dripless option **ON** to apply products such as acrylic and silicone caulks to eliminate run-on.

Turn the Dripless option **OFF** to apply products such as construction adhesives and polyurethanes. This keeps constant pressure on the tube for easier dispensing.



**YELLOW. IT WORKS.**

# CONSUMER GRADE

Occasional to light daily recommended usage.  
Not recommended for highly viscous products.



## **C100, 10 oz. Economy Round-Rod**

**5:1 ratio**

Ladder Hook,

upc: 7 64509 01100 3



## **C150, 10 oz. Economy Round-Rod**

**5:1 ratio**

Ladder Hook,

Seal Punch

Cutter

upc: 7 64509 01150 8



## **CR175, 10 oz. Economy Ratchet Drive**

**6:1 ratio**

Ladder Hook,

Seal Punch

Cutter

upc: 7 64509 01175 1



## **ETS1000, 10 oz. DIY Grade Composite Round-Rod**

**12:1 ratio**

Compact Grip for the slightly  
smaller hand.

upc: 7 64509 01110 2

**YELLOW. IT WORKS.**

# CONTRACTOR GRADE

Professional quality designed for daily use,  
suitable for most caulks and sealants



**CR200AP, 10 oz. Contractor-Grade Cradle Ratchet Rod**  
**CR400, 29 oz. Contractor-Grade Cradle Ratchet Rod**  
**10:1 ratio**

Full time dripless feature  
Lightweight redesigned body  
Sharp blade cutter  
Ladder Hook  
Seal Punch and Cutter

upc: 7 64509 01220 8 (CR200)  
upc: 7 64509 01420 2 (CR400)



**CH200AP, 10 oz. Contractor-Grade Cradle Hex-Rod**  
**10:1 ratio**

Cradle Hex-Rod  
Contractor's #1 Choice  
Ladder Hook  
Seal Punch and Cutter

upc: 7 64509 01200 0



**SH200AP, 10 oz. Contractor-Grade Skeleton Frame Hex-Rod**  
**10:1 ratio**

Open Frame Hex-Rod  
Cut away front cap for easy loading  
Compact design for the tool box  
Ladder Hook, Seal Punch and Cutter

upc: 7 64509 01210 9



**SH111, 10 oz. Contractor-Grade Enhanced Power Skeleton Frame**  
**12:1 ratio**

Enhanced Power Open Frame Hex-Rod  
Ladder Hook, Seal Punch and Cutter

upc: 7 64509 01215 4

# HIGH RATIO/HIGH PERFORMANCE

Industrial quality recommended for heavy-duty use

Powerfully built in 10 oz. and quart size for high viscosity products



**SI300, 10 oz. Industrial High Performance**  
**SI500, 29 oz. Industrial High Performance**

**16:1 ratio**

Rotating Barrel

Drip/No Drip Option for bead control

Ladder Hook, Seal Punch

and Extra-Sharp Cutter

upc: 7 64509 01300 7 (SI300)

upc: 7 64509 01450 9 (SI500)



**HR300, 10 oz. High Ratio Specialty**

**26:1 ratio,**

360 degrees rotary type carriage

Double steel gripper plates

5.5mm travel distance

Adjustable screw to cut thrust gaps

Built in puncture tool

Metal push disc

upc: 7 64509 02300 6



**HR900, 29 oz. High Ratio Specialty**

**26:1 ratio,**

360 degrees rotary type carriage

Double steel gripper plates

5.5mm travel distance

Adjustable screw to cut thrust gaps

Built in puncture tool

Metal push disc

upc: 7 64509 02990 9

**YELLOW. IT WORKS.**



# BULK LOADER/SAUSAGE TOOL

Heavy-duty, high ratio tools for thick product application.  
Bulk loaders and sausage pack tools built to last with top quality construction.



## PS600 10 or 20 oz. Sausage Pack Caulker

**16:1 ratio**

2 1/8" diameter anodized aluminum barrel  
Neoprene Plunger, Contoured Handle  
and Trigger Mechanism

Comes with 6 - N08 nozzles

upc: 7 64509 01600 8



## BL6500 15 oz. Ergonomic Bulk Load Dispenser

## BL7500 30 oz. Ergonomic Bulk Load Dispenser

**18:1 ratio**

Double seal system achieves maximum fill  
Easy on/off front cap design  
Load/Dispense switch

Comes with 6 nozzles (N09-L, N09-LW)

Works with 5 gallon follow plate, item #FP5

upc: 7 64509 06501 3 (BL6500)

upc: 7 64509 07501 2 (BL7500)



## ETS6000 10 or 20 oz. Sausage Pack Caulker

**18:1 ratio**

2 1/8" diameter rotating barrel  
Specially hardened rod

Quick release caps

Comes with 6 nozzles (N09-L, N09-LW)

Drip/No Drip option

*Professional quality recommended for  
heavy-duty usage.*

*Higher ratio for reduced hand fatigue;  
suitable for higher viscosity products.*


upc: 7 64509 01006 8

# DUAL COMPONENT

Super tough construction for long life in multi-component application situations.  
Popular configurations for many specialty products.



**DC 200, 6.5 oz. Dual Component 1:1 or 2:1**  
**26:1 ratio**  
5.5 mm travel distance  
Aluminum handle  
Composite push disc  
Top-bottom rods design  
Two steel gripper plates  
Adjustable screw to cut thrust gaps  
[upc: 7 64509 02200 9](#)



**DC 600 22 oz. Dual Component 1:1 or 2:1**  
**26:1 ratio**  
3.5 mm travel distance  
Aluminum handle  
Metal push disc  
Two steel gripper plates  
Adjustable screw to cut thrust gaps.  
[upc: 7 64509 02600 7](#)



**DC 900 28 oz and 30 oz Dual Component**  
**26:1 ratio**  
2:1 or 10:1 capacity 30 oz  
3.5 mm travel distance  
Aluminum handle  
Metal push disc  
Two steel gripper plates  
Adjustable screw to cut thrust gaps.  
[upc: 7 64509 02900 8](#)

# DUAL COMPONENT



## DC 1500 Dual Component

50 oz. Capacity

26:1 ratio

Aluminum trigger, metal cage and handle

Double steel gripper plates

3.5 mm travel distance

Adjustable screw to cut thrust gaps

Aluminum push disc

upc: 7 64509 02150 7



## DC 200L Multi Component

1:1, 2:1 or 10 oz. single cartridge

10 oz. Capacity

26:1 ratio

Double steel gripper plates

5.5mm travel distance

Adjustable screw to cut thrust gaps

Patented holder for top rod

Plastic push disc

Built in puncture tool

Adjustable plastic cartridge grips on cage

upc: 7 64509 02100 2

# THE PAINT DAWG FAMILY

Multiliner Paint Buckets in three convenient sizes

Scoot over Rover,  
there's another "man's best friend" on the job site

## the paint dawg



With **24** polyethylene liners (.7 ml) pre-packed inside every bucket. The liners are form fitting and peel out one after another providing a **clean bucket in seconds.**

Three sizes: 5 Quart, 2 Gallon and 5 Gallon.  
Can be used with spray equipment, eliminates clean up.  
Bucket Cap preserves paint up to 10 days.

**QUICK and EASY, saves time and money while going Green.**



Meets EPA guidelines for safe paint disposal.

**YELLOW. IT WORKS.**

# ACCESSORIES



## Paintdawg Buckets in 3 convenient sizes

**PD-50: The Big Dawg**  
5 gallon multi-liner bucket  
upc: 7 64509 01550 6

**PD-20: The Paint Dawg**  
2 gallon multi-liner bucket  
upc: 7 64509 01020 4

**PD-01: The Paint Pup**  
5 quart multi-liner bucket  
upc: 7 64509 01001 3



## Bucket Grid

Simply turn 90 degrees for either a 5 gallon or 2 gallon bucket

**It's EZ Fit:** Simply turn 90 degrees to snap onto either a 5 gallon or 2 gallon bucket

**It's EZ Roll:** Beveled edges eliminate your roller catching on the grid's bottom edge

**It's EZ Clean:** The polypropylene material resists paint sticking.

upc: 7 64509 01310 6



## Giant Utility Spatula, GPS90

14" handle  
6" x 4.5" paddle  
for use with  
5 and 55 gallon  
containers

upc: 7 64509 01090 7



## Mini-Spatula, MPS95

4" x 2.5" spatula  
fits on the end of any  
standard size paint  
stick. Use with all  
gallon, quart and  
pint size containers

upc: 7 64509 01095 2

**YELLOW. IT WORKS.**

# NOZZLES AND REPLACEMENT PARTS



**Follow Plate for:  
BL6500  
and  
BL7500**

**FP-5** upc: 7 64509 05000 2

Designed to simplify loading the BL6500 and BL7500 from a 5 gallon bucket. Sturdy edge minimizes left-over waste. Built-in handles make removal quick and easy. Smooth surfaces for easy clean up - no rivets to trap material. Made of steel for strength and long life.



**Nozzles for  
sausage and bulk load tools**

**N09-L** upc: 7 64509 06002 5

**N09-LW** upc: 7 64509 06003 2

**N08** upc: 7 64509 01060 0

# DRIPLESS, INC.

QUALITY. INNOVATION. SERVICE.

## TERMS AND CONDITIONS

Standard drop ship prepaid with minimum order of \$250. Orders outside the continental U.S. and under minimum will be quoted FOB. Contact your sales representative for details.

Dripless, Inc. stands behind its product and shipping logistics but damage and shortages sometimes occur. Please report any discrepancies within 48 hours. For damages over reasonable amounts (more than 2%) please submit a detailed report - with pictures if possible - especially for freight shipped by common carrier.

Delinquent bills may be subject to a 1.5% monthly finance charge.

There is a restocking fee of 15%. Freight on returned product will be paid by the customer. Refunds will be made on returns in original condition only.

Dripless, Inc. is open to any feedback which will help us better serve our customers.

Prices are subject to change without notice.

## SPECIFICATIONS

SIZE	ITEM#	UPC	COUNT	CASE UPC	ITEM#	UPC	COUNT	CASE UPC
10oz	C100	7 64509 01100 3	12	1 07 64509 01100 0	C050	7 64509 01050 1	12	1 07 64509 01050 8
10 oz	C150	7 64509 01150 8	12	1 07 64509 01150 5	R1101	7 64509 01101 0	12	1 07 64509 01101 7
10 oz	CR175	7 64509 01175 1	12	1 07 64509 01175 8	PD01	7 64509 01001 3	20	3 07 64509 01001 4
10 oz	CH200AP	7 64509 01200 0	12	1 07 64509 01200 7	PD20	7 64509 01020 4	20	3 07 64509 01020 5
10 oz	CR200AP	7 64509 01220 8	12	1 07 64509 01220 5	PD50	7 64509 01550 6	10	3 07 64509 01550 3
29 oz	CR400	7 64509 01420 2	12	1 07 64509 01420 9	MPS95	7 64509 01095 2	50	1 07 64509 01095 9
10 oz	SH200AP	7 64509 01210 9	12	1 07 64509 01210 6	GPS90	7 64509 01090 7	12	1 07 64509 01090 4
10 oz	SH111	7 64509 01215 4	12	1 07 64509 01215 1	PG52	7 64509 01310 6	12	1 07 64509 01310 3
10 oz	SI300	7 64509 01300 7	6	1 07 64509 01300 4	FP5	7 64509 05000 2	1	
29 oz	SI500	7 64509 01450 9	6	1 07 64509 01450 6				
10 oz	ETS1000	7 64509 01110 2	12	1 07 64509 01110 9				
10 oz	ETS2000	7 64509 01002 0	6	1 07 64509 01002 7				
10 oz	ETS3000	7 64509 01003 7	6	1 07 64509 01003 4				
29 oz	ETS5000	7 64509 01005 1	6	1 07 64509 01005 8				
sausage	PS600	7 64509 01600 8	1	1 07 64509 01600 5				
sausage	ETS6000	7 64509 01006 8	1	1 07 64509 01006 5				
15 oz	BL6500	7 64509 06501 3	1	1 07 64509 06501 0				
30 oz	BL7500	7 64509 07501 2	1	1 07 64509 07501 9				
29 oz	HR900	7 64509 02990 9	6	1 07 64509 02990 6				
10 oz	HR300	7 64509 02300 6	6	1 07 64509 02300 3				
200 ml	DC200	7 64509 02200 9	1	1 07 64509 02200 6				
22 oz	DC600	7 64509 02600 7	1	1 07 64509 02600 4				
900 ml	DC900	7 64509 02900 8	1	1 07 64509 02900 5				
1500 ml	DC1500	7 64509 02150 7	1	1 07 64509 02150 4				
300 ml	DC200L	7 64509 02100 2	1	1 07 64509 02100 9				

ITEM#	UPC	CASE PACK
N09-L Nozzle	7 64509 06002 5	6
N09-LW Nozzle	7 64509 06003 2	6
N08 Nozzle	7 64509 01060 0	6
Front cap ring for ETS6000	7 64509 06001 8	1
Rear cap ring for ETS6000, BL	7 64509 06004 9	1
Front/rear cap ring for PS600	7 64509 01061 7	1
Front cap ring for BL6500/7500	7 64509 06006 3	1
BL6500/BL7500 chinking plate	7 64509 06015 5	1
BL6500/BL7500 seal assembly kit	7 64509 06020 9	1
PS600/ETS6000 pusher plate	7 64509 06025 4	1

# DRIPLESS, INC.

QUALITY.

INNOVATION.

SERVICE.



**FLAT OUT**  
the best tool  
you'll ever own.

Fully guaranteed  
or your money back.....Well, most of the time.

At Dripless, Inc our mission is making quality tools  
that are strong, reliable, useful, and long lasting.

We start with quality engineering and  
manufacturing, follow up with constant  
innovation, and seal the deal with  
over-the-top customer service.

We take our time.

We listen to our customers.

From the re-designed standard  
metal caulk guns, through  
our state-of-the-art  
ETS composite models  
to the new line of  
exclusive industrial  
tools, you cannot  
find a better product  
on the shelf.

Dripless, Inc. / Santa Rosa, CA / [www.dripless.com](http://www.dripless.com) / 707-568-5081



*If it's not yellow, it's not Dripless*