

Bovine IgG

Escherichia Coli Antibody • Bovine Origin

Dura-Start 50

Indications:

Dura-Start 50 (Bovine IgG - Escherichia Coli Antibody) aids in the treatment of failure of passive transfer in calves in the first 24 hours of birth.

Aids in the prevention of mortality and in the reduction of diarrhea due to *E.coli*.

Approved For Use On:

Beef Cattle and Dairy Cattle

Guaranteed Analysis

Bovine IgG, Min.	50g/400g
Crude Protein, Min.	11.0%
Crude Fat, Min.	0.5%
Crude Fiber, Max.	0.15%
Vitamin A, Min.	94,000 IU/lb
Vitamin D3, Min.	16,000 IU/lb
Vitamin E, Min.	1,008 IU/lb
Total Lactic Acid Producing Bacteria, Min.	2,800,000,000 cfu/lb

(*Lactobacillus acidophilus*, *Lactobacillus lactis*,
Lactobacillus casei, *Bifidobacterium bifidum*,
Enterococcus diacetylactis, *Enterococcus faecium*)

Directions for Use:

- Mix one dose (1 - 400g package) Dura-Start 50 into 1.5 liters / 1.6 quarts of warm water (43° C, 110° F).
- Administer by bottle, pail, or esophageal feeder within the first 24 hours of birth.
- Use entire contents when first opened.

Packaging:

400 gm pouch, 12 pouches per case
UPC# 7-45801-06640-3



Dura-Start 50

Tel 800-821-5570 | Fax 816-224-3080 | info@durvet.com

010620