




Cooper Lighting by Eaton offers innovative, energy-efficient LED and solar residential solutions, including a unique selection of floodlights and worklights.

Outdoor Security and Worklights



Cooper Lighting by Eaton floodlights add safety and security to your home with improved reliability, area coverage and stable performance, overcoming problems typical to traditional security lights. Our selection of worklights are great tools to have around the house, garage, workshop or automobile for handling almost any type of project or job.



MOTION-ACTIVATED



MS276RD Series
Precision Plus
Doppler Radar
Page 22-5



MS280D Series
Precision Plus
Doppler Radar
Page 22-5



MS245R Series
Page 22-5



MS248 Series
Page 22-6



MS185D Series
Precision Plus
Doppler Radar
Page 22-6



MS185 Series
Page 22-6



MS185R Series
Page 22-7



MS188 Series
Page 22-7



MS180 Series
Page 22-7



MS34 Series
Page 22-8



MS600 Series
Page 22-8



MS80 Series
Page 22-8



MAC100 Series
Page 22-9



MS100PG
Page 22-9

MOTION-ACTIVATED – SOLAR

FLOODLIGHTS



MSLED100
Page 22-10



MSLED180 Series
Page 22-10



MQF150 Series
Page 22-11



TMQ150 Series
Page 22-11



ML300Q Series
Page 22-11



EQ300WL
Page 22-12



GP500WL
Page 22-12



GP800WL
Page 22-12




MT125 Series
Page 22-13



MT250 Series
Page 22-13



MX1 Series
Page 22-13



PWT250 Series
Page 22-14



VT100G
Page 22-14



SP125
Page 22-14

DUSK TO DAWN



FE13PC Series
Page 22-15



FFL23PC-T24 Series
Page 22-15



PFL23PC-T24 Series
Page 22-15



FW26PC - FW42PC Series
Page 22-16



FNF18PC - FNF26PC Series
Page 22-16



MD42FL
Page 22-16



MD70H Series
Page 22-17



AL6501FL
Page 22-17



AL70 Series
Page 22-17



AL100 Series
Page 22-18




E70H
Page 22-18



MT250PC Series
Page 22-19



PWT250PC Series
Page 22-19



SP100PC
Page 22-19

SEE PAGE 22-25 FOR NEW PRODUCTS.

WORKLIGHTS LED



**LED130 Series
Might-D-Light**
Page 22-20



**LED125 Series
Might-D-Light Mini**
Page 22-20



LED 110
Page 22-21



LED120
Page 22-21

WORKLIGHTS HALOGEN



PQS2504IN1
Page 22-22



PQS45
Page 22-22



PQS600R
Page 22-22



SQS505QD
Page 22-23



TQS1000QD
Page 22-23



TQS1200QDR
Page 22-23

SEE PAGE 22-25 FOR NEW PRODUCTS.

270° 200 WATT PAR MOTION-ACTIVATED SECURITY FLOODLIGHT

MS276RD SERIES
PRECISION PLUS
DOPPLER RADAR

FEATURES

- Motion sensor detects motion 270° up to 90 ft.
- Die-cast metal housing with decorative lamp covers
- Combines Doppler radar with traditional PIR technology
- Detects lateral movement plus movement towards and away from the home
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) PAR bulbs sold separately
- Available in bronze (MS276RD) and white (MS276RDW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



MS276RDW White

100W PAR BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS276RD	270° 200W PAR with Reflectors - Bronze	11.4H x 6.7W x 5.4D	2.20	12.0H x 7.2W x 11.4D	5.20	2
MS276RDW	270° 200W PAR with Reflectors - White	11.4H x 6.7W x 5.4D	2.20	12.0H x 7.2W x 11.4D	5.20	2

270° 200 WATT QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT

MS280D SERIES
PRECISION PLUS
DOPPLER RADAR

FEATURES

- Motion sensor detects motion 270° up to 90 ft.
- Heavy-duty, die-cast metal rectangular twin head design
- Combines Doppler radar with traditional PIR technology
- Detects lateral movement plus movement towards and away from the home
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) halogen bulbs included
- Available in bronze (MS280D) and white (MS280DW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant




ALTERNATE COLOR



MS280DW White

100W HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS280D	270° 200W Halogen - Bronze	6.8H x 12.1W x 6.9D	2.60	7.6H x 12.6W x 13.8D	6.10	2
MS280DW	270° 200W Halogen - White	6.8H x 12.1W x 6.9D	2.60	7.6H x 12.6W x 13.8D	6.10	2

270° 200 WATT PAR MOTION-ACTIVATED SECURITY FLOODLIGHT



MS245R SERIES

FEATURES

- Motion sensor detects motion 270° up to 70 ft.
- Heavy-duty, die-cast metal housing construction
- Metal lamp covers provide maximum bulb protection
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) PAR bulbs sold separately
- Available in bronze (MS245R) and white (MS245RW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant




ALTERNATE COLOR



MS245RW White

100W PAR BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS245R	270° PAR - Bronze	11.5H x 6.8W x 5.0D	2.25	11.8H x 10.3W x 7.0D	5.00	2
MS245RW	270° PAR - White	11.5H x 6.8W x 5.0D	2.25	1.8H x 10.3W x 7.3D	5.00	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

270° 200 WATT QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT

FEATURES

- Motion sensor detects motion 270° up to 70 ft.
- Heavy-duty, die-cast metal housing construction
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) GY8.6 halogen bulbs included
- Available in bronze (MS248) and white (MS248W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



MS248W White

100W GY8.6 HALOGEN BULB



MS248 SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS248	270° Halogen - Bronze	11.5H x 8.6W x 4.0D	2.50	12.0H x 8.8W x 8.5D	5.25	2
MS248W	270° Halogen - White	11.5H x 8.6W x 4.0D	2.50	12.0H x 8.8W x 8.5D	5.25	2

FEATURES

- Motion sensor detects motion 180° up to 70 ft.
- Die-cast metal housing
- Combines Doppler radar with traditional PIR technology
- Detects lateral movement plus movement towards and away from the home
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) PAR bulbs sold separately
- Available in bronze (MS185D) and white (MS185DW)


Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: ETL Listed, ENERGY STAR Qualified, RoHS Compliant



180° 200 WATT PAR MOTION-ACTIVATED SECURITY FLOODLIGHT

ALTERNATE COLOR



MS185DW White

100W PAR BULB

MS185D SERIES
PRECISION PLUS
DOPPLER RADAR

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS185D	180° 200W PAR - Bronze	7.6H x 5.31W x 5.91D	1.57	8.27H x 6.5W x 11.42D	3.62	2
MS185DW	180° 200W PAR - White	7.6H x 5.31W x 5.91D	1.57	8.27H x 6.5W x 11.42D	3.62	2

FEATURES

- Motion sensor detects motion 180° up to 70 ft.
- Heavy-duty, die-cast metal housing construction
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) PAR bulbs sold separately
- Available in bronze (MS185) and white (MS185W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



MS185W White

100W PAR BULB



MS185 SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS185	180° PAR - Bronze	7.6H x 5.7W x 4.1D	1.5	8.3H x 9.1W x 6.3D	3.25	2
MS185W	180° PAR - White	7.6H x 5.7W x 4.1D	1.5	8.3H x 9.1W x 6.3D	3.25	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

180° 200 WATT PAR MOTION-ACTIVATED SECURITY FLOODLIGHT

**FEATURES**

- Motion sensor detects motion 180° up to 70 ft.
- Heavy-duty, die-cast metal housing construction
- Metal lamp covers provide maximum bulb protection
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) PAR bulbs sold separately
- Available in bronze (MS185R) and white (MS185RW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.


COMPLIANCES: UL/cUL Listed, RoHS Compliant



MS185R SERIES

ALTERNATE COLOR

MS185RW White

100W PAR BULB**ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS185R	180° PAR - Bronze	9.1H x 5.7W x 4.9D	2.10	9.9H x 10.4W x 6.3D	4.65	2
MS185RW	180° PAR - White	9.1H x 5.7W x 4.9D	2.10	9.9H x 10.4W x 6.3D	4.65	2

180° 300 WATT QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT

**FEATURES**

- Motion sensor detects motion 180° up to 70 ft.
- Heavy-duty, die-cast metal housing construction
- Perfect for wall-mount or eave-mount applications
- 300W (maximum) halogen bulb included
- Available in bronze (MS188) and white (MS188W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.


COMPLIANCES: UL/cUL Listed, RoHS Compliant



MS188 SERIES

ALTERNATE COLOR

MS188W White

300W HALOGEN BULB**ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS188	180° Halogen - Bronze	7.0H x 8.3W x 7.5D	2.50	7.5H x 15.5W x 9.0D	5.25	2
MS188W	180° Halogen - White	7.0H x 8.3W x 7.5D	2.50	7.5H x 15.5W x 9.0D	5.25	2

180° 300 WATT MOTION-ACTIVATED SENSOR

**FEATURES**

- Motion sensor detects motion 180° up to 70 ft.
- Maximum load of 300 Watts
- Available in bronze (MS180) and white (MS180W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



MS180 SERIES

ALTERNATE COLOR

MS180W White

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS180	180° Sensor - Black	5.0H x 3.5W x 2.8D	0.50	5.3H x 7.3W x 6.3D	2.25	4
MS180W	180° Sensor - White	5.0H x 3.5W x 2.8D	0.50	5.3H x 7.3W x 6.3D	2.25	4

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

FEATURES


- Motion sensor detects motion 110° up to 60 ft.
- Durable plastic construction
- Perfect for wall-mount or eave-mount applications
- Two 150W (maximum) PAR bulbs sold separately
- Available in black (MS34) and white (MS34W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**110° 300 WATT PAR MOTION-ACTIVATED SECURITY FLOODLIGHT****ALTERNATE COLOR**

MS34W White

150W PAR BULB**MS34 SERIES****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS34	110° PAR - Black	6.3H x 5.0W x 5.0D	1.00	6.8H x 15.5W x 10.3D	6.50	6
MS34W	110° PAR - White	6.3H x 5.0W x 5.0D	1.00	6.8H x 15.5W x 10.3D	6.50	6

FEATURES


- Motion sensor detects motion 110° up to 70 ft.
- Durable plastic construction with hidden sensor
- Perfect for wall-mount applications only
- Two 150W (maximum) PAR bulbs sold separately
- Available in black (MS600) and white (MS600W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**110° 300 WATT PAR MOTION-ACTIVATED SECURITY FLOODLIGHT****ALTERNATE COLOR**

MS600W White

150W PAR BULB**MS600 SERIES****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS600	110° PAR - Black	6.80H x 4.73W x 4.78D	1.00	7.5H x 5.31W x 10.1D	2.50	2
MS600W	110° PAR - White	6.80H x 4.73W x 4.78D	1.00	7.5H x 5.31W x 10.1D	2.50	2

FEATURES


- Motion sensor detects motion 110° up to 70 ft.
- Heavy-duty, die-cast metal housing construction
- Perfect for wall-mount or eave-mount applications
- 150W (maximum) halogen bulb included
- Available in black (MS80) and white (MS80W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**ALTERNATE COLOR**

MS80W White

150W HALOGEN BULB**MS80 SERIES****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS80	110° Halogen - Black	6.3H x 6.85W x 5.2D	1.50	7.10H x 11.0W x 7.5D	3.50	2
MS80W	110° Halogen - White	6.3H x 6.85W x 5.2D	1.50	7.10H x 11.0W x 7.5D	3.50	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

110° 100 WATT QUARTZ HALOGEN MOTION-ACTIVATED CAMERA AND FLOODLIGHT



- FEATURES**
- Motion sensor detects motion 110° up to 40 ft.
 - 24-hour surveillance of home or business
 - Delivers audio and color video through TV
 - Video signal can be recorded (Recording device sold separately)
 - Receiver and cords included
 - Camera detects images 60° and up to 20 ft.
 - 100W (maximum) halogen bulb included
 - Available in black (MAC100) and white (MAC100W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: ETL Listed, RoHS Compliant

MAC100 SERIES



ALTERNATE COLOR



MAC100W White

100W HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MAC100	110° Halogen with Receiver - Black	9.0H x 8.5W x 5.5D	3.50	9.8H x 11.5W x 9.3D	7.25	2
MAC100W	110° Halogen with Receiver - White	9.0H x 8.5W x 5.5D	3.50	9.8H x 11.5W x 9.3D	7.25	2

110° 100 WATT QUARTZ HALOGEN MOTION-ACTIVATED PLUG-IN SECURITY LIGHT



- FEATURES**
- Motion sensor detects motion 110° up to 40 ft.
 - Versatile plug-in design with 8' extra-reach electrical cord
 - Adjustable time and light sensitivity settings
 - Manual override - allows use as standard floodlight
 - Perfect for most indoor/outdoor wall-mount applications
 - 100W (maximum) halogen bulb included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: CSA Listed - Wet Location, RoHS Compliant

MS100PG



100W HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MS100PG	110° Halogen - Gray	13.3H x 6.5W x 5.5D	2.75	13.8H x 11.0W x 7.0D	6.25	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

100° LED MOTION-ACTIVATED SOLAR LIGHT

FEATURES

- Motion sensor detects motion 100° up to 23 ft.
- Durable, weather-resistant plastic construction
- Installs easily with no wiring necessary
- Built-in solar panel
- Includes three NI-MH rechargeable "AA" batteries
- Auto one-minute fixed time setting
- Long-life, bright white LEDs
- Black finish

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: RoHS Compliant



MSLED100

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MSLED100	100° LED Solar - Black	6.5H x 7.9W x 4.7D	1.45	7.3H x 10.2W x 8.7D	3.42	2

180° LED MOTION-ACTIVATED SOLAR FLOODLIGHT

FEATURES

- Motion sensor detects motion 180° up to 70 ft.
- Durable, weather-resistant plastic construction
- Easy wall-mounting with no wiring necessary
- Adjustable time settings
- 6" x 8" solar panel for maximum charging power with 16' cord
- LED indicator light flashes when unit needs to recharge
- Can be used as a twin or single floodlight, depending on application
- Long-life, bright white LEDs
- Available in black (MSLED180) and white (MSLED180W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: RoHS Compliant

ALTERNATE COLOR

MSLED180W White



MSLED180 SERIES

**ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MSLED180	180° LED Solar - Black	7.8H x 10.5W x 8.9D	3.53	8.5H x 11.1W x 18.5D	8.18	2
MSLED180W	180° LED Solar - White	7.8H x 10.5W x 8.9D	3.53	8.5H x 11.1W x 18.5D	8.18	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

150 WATT QUARTZ HALOGEN COMPACT FLOODLIGHT



- FEATURES**
- Heavy-duty, die-cast metal construction
 - Attractive compact design
 - Perfect for wall-mount or eave-mount applications
 - Half the size of conventional halogen floodlights
 - 150W (maximum) halogen bulb included
 - Available in bronze (MQF150) and white (MQF150W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



MQF150W White

150W HALOGEN BULB



MQF150 SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MQF150	150W Halogen - Bronze	5.0H x 5.8W x 4.5D	1.25	5.5H x 27.3W x 6.3D	8.50	6
MQF150W	150W Halogen - White	5.0H x 5.8W x 4.5D	1.25	5.5H x 27.3W x 6.3D	8.50	6

300 WATT QUARTZ HALOGEN COMPACT TWIN FLOODLIGHT



- FEATURES**
- Heavy-duty, die-cast metal construction
 - Perfect for wall-mount or eave-mount applications
 - Two 150W (maximum) halogen bulbs included
 - Available in bronze (TMQ150) and white (TMQ150W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



TMQ150W White

150W HALOGEN BULB



TMQ150 SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
TMQ150	300W Halogen - Bronze	7.0H x 7.3W x 5.5D	2.50	7.8H x 11.5W x 7.8D	5.50	2
TMQ150W	300W Halogen - White	7.0H x 7.3W x 5.5D	2.50	7.8H x 11.5W x 7.8D	5.50	2

300 WATT QUARTZ HALOGEN DECORATIVE LOW-PROFILE FLOODLIGHT



- FEATURES**
- Heavy-duty, die-cast metal construction
 - Attractive low-profile design
 - Half the size of conventional halogen floodlights
 - Perfect for wall-mount or eave-mount applications
 - 300W (maximum) halogen bulb included
 - Available in bronze (ML300Q) and white (ML300QW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



ML300QW White

300W HALOGEN BULB



ML300Q SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
ML300Q	300W Halogen - Bronze	5.1H x 7.1W x 4.5D	1.65	5.9H x 27.3W x 7.6D	10.65	6
ML300QW	300W Halogen - White	5.1H x 7.1W x 4.5D	1.65	5.9H x 27.3W x 7.6D	10.65	6

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Heavy-duty, die-cast metal construction
- Hooded design helps protect fixture from rain and directs light out
- Perfect for wall-mount or eave-mount applications
- 300W (maximum) halogen bulb included
- Bronze finish

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



300W HALOGEN BULB

**300 WATT QUARTZ HALOGEN FLOODLIGHT**

EQ300WL

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
EQ300WL	300W Halogen - Bronze	5.8H x 7.5W x 4.8D	1.75	6.3H x 16.0W x 15.0D	12	6

FEATURES

- Heavy-duty, die-cast metal construction
- Hooded design helps protect fixture from rain and directs light out
- Perfect for wall-mount or eave-mount applications
- 500W (maximum) halogen bulb included
- Bronze finish

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



500W HALOGEN BULB

**500 WATT QUARTZ HALOGEN FLOODLIGHT**

GP500WL

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
GP500WL	500W Halogen - Bronze	6.5H x 8.8W x 5.8D	2.50	7.3H x 12.0W x 9.0D	5.50	2

FEATURES


- Heavy-duty, die-cast metal construction
- Hooded design helps protect fixture from rain and directs light out
- Perfect for wall-mount or eave-mount applications
- 300W and 500W (maximum) halogen bulb included
- Bronze finish

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



300W/500W HALOGEN BULB

**300/500 WATT QUARTZ HALOGEN FLOODLIGHT**

GP800WL

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
GP800WL	300W/500W Halogen - Bronze	6.5H x 8.6W x 5.8D	2.52	7.0H x 8.9W x 11.9D	5.70	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

150 WATT PAR METAL FLOODLIGHT



MT125 SERIES

FEATURES

- Heavy-duty, die-cast metal construction
- Perfect for wall-mount or eave-mount
- 150W (maximum) PAR bulb sold separately
- Available in bronze (MT125) and white (MT125W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant




ALTERNATE COLOR



MT125W White

150W PAR BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MT125	150W PAR - Bronze	6.3H x 5.3W x 3.0D	0.75	6.8H x 18.3W x 5.5D	4.25	6
MT125W	150W PAR - White	6.3H x 5.3W x 3.0D	0.75	6.8H x 18.3W x 5.5D	4.25	6

300 WATT PAR METAL TWIN FLOODLIGHT



MT250 SERIES

FEATURES

- Heavy-duty, die-cast metal construction
- Perfect for wall-mount or eave-mount
- Two 150W (maximum) PAR bulbs sold separately
- Available in bronze (MT250) and white (MT250W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant




ALTERNATE COLOR



MT250W White

150W PAR BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MT250	300W PAR - Bronze	6.3H x 5.5W x 3.0D	1.00	6.8H x 18.5W x 6.0D	5.75	6
MT250W	300W PAR - White	6.3H x 5.5W x 3.0D	1.00	6.8H x 18.5W x 6.0D	5.75	6

200 WATT QUARTZ HALOGEN TWIN FLOODLIGHT



MX1 SERIES

FEATURES

- Heavy-duty, die-cast metal construction
- Decorative floodlight, twin head design
- Perfect for wall-mount or eave-mount applications
- Two 100W (maximum) GY8.6 halogen bulbs included
- Available in bronze (MX1) and white (MX1W)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



ALTERNATE COLOR



MX1W White

100W GY8.6 HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MX1	200W Halogen - Bronze	7.0H x 6.8W x 4.0D	1.50	7.5H x 8.5W x 7.5D	3.50	2
MX1W	200W Halogen - White	7.0H x 6.8W x 4.0D	1.50	7.5H x 8.3W x 7.5D	3.50	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

FEATURES


- Weatherproof and corrosion-resistant construction
- Perfect for wall-mount or eave-mount applications
- Two 150W (maximum) PAR bulbs sold separately
- Available in bronze (PWT250BR) and white (PWT250WH)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**ALTERNATE COLOR**

PWT250WH White

150W PAR BULB**300 WATT PAR PLASTIC TWIN FLOODLIGHT****PWT250 SERIES****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
PWT250BR	300W PAR - Bronze	6.3H x 5.3W x 3.0D	1.00	6.8H x 12.5W x 5.8D	3.50	4
PWT250WH	300W PAR - White	6.3H x 5.3W x 3.0D	1.00	6.8H x 12.5W x 5.8D	3.50	4

FEATURES

- Durable, low maintenance lighting
- Perfect for barn, workshop, shed or livestock lighting
- Ceiling mount applications
- 100W (maximum) incandescent bulb sold separately

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**100W INCANDESCENT BULB****100 WATT VAPOR TIGHT FLOODLIGHT****VT100G****ORDERING INFORMATION**


Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
VT100G	100W Incandescent - Silver	9.5H x 4.5W x 4.8D	2.25	10.0H x 24.0W x 10.5D	23	10

FEATURES

- Heavy-duty, metal construction lasts years longer than plastic models
- 3 ft., 18 gauge, 3-wire grounded power cord
- Perfect for landscaping, accents and holiday decorations
- 150W (maximum) PAR bulb sold separately
- Green finish

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**150W PAR BULB****150 WATT PAR LANDSCAPE LIGHT****SP125****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
SP125	150W PAR Light - Green	11.3H x 5.8W x 3.3D	1.00	12.0H x 20.0W x 6.0D	6.75	6

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

13 WATT FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL



FE13PC SERIES

FEATURES

- High impact, weather-resistant housing and lens
- Nighttime ON/Daytime OFF
- Built-in photo control
- Electronic ballast design provides reliable starting in cold weather
- Perfect for patio or entrance lighting
- 13W (maximum) fluorescent bulb included
- Available in bronze (FE13PC) and white (FE13PCW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant




ALTERNATE COLOR



FE13PCW White

13W FLUORESCENT BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
FE13PC	13W Fluorescent - Bronze	9.5H x 6.3W x 4.8D	1.50	10.0H x 10.0W x 6.8D	3.25	2
FE13PCW	13W Fluorescent - White	9.5H x 6.3W x 4.8D	1.50	10.0H x 10.0W x 6.8D	3.25	2

23 WATT FLUORESCENT GU24 FLOODLIGHT WITH PHOTO CONTROL



FFL23PC-T24 SERIES

FEATURES

- Frosted high-impact protective lens
- Perfect for wall-mount or eave-mount applications
- Self-diagnostic LED (Title 24) indicator light
- Will accept 13W-23W GU24 bulb
- Fluorescent bulb lasts 5 times longer than standard incandescent bulbs
- Photo control provides convenient nighttime ON/daytime OFF
- Heavy-duty, die-cast aluminum housing
- 120 Volts (standard household supply)
- Available in black (FFL23PC-T24) and white (FFL23PCW-T24)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant, California Title 24




ALTERNATE COLOR



FFL23PCW-T24 White

23W GU24 FLUORESCENT BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
FFL23PC-T24	23W Fluorescent GU24 Floodlight - Black	6.8H x 7.1W x 6.9D	1.94	7.5H x 13.4W x 7.6D	5.07	2
FFL23PCW-T24	23W Fluorescent GU24 Floodlight - White	6.8H x 7.1W x 6.9D	1.94	7.5H x 13.4W x 7.6D	5.07	2

23 WATT FLUORESCENT GU24 PATIO LIGHT WITH PHOTO CONTROL



PFL23PC-T24 SERIES

FEATURES

- Frosted high-impact protective lens
- Self diagnostic LED (Title 24) indicator light
- Will accept 13W-27W GU24 bulb
- Fluorescent bulb lasts 5 times longer than standard incandescent bulbs
- Photo control provides convenient nighttime ON/daytime OFF
- Heavy-duty, die-cast aluminum housing
- 120 Volts (standard household supply)
- Available in black (PFL23PC-T24) and white (PFL23PCW-T24)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant, California Title 24




ALTERNATE COLOR



PFL23PCW-T24 White

23W GU24 FLUORESCENT BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
PFL23PC-T24	23W Fluorescent GU24 Patio Light - Black	8.8H x 7.1W x 5.4D	2.2	9.4H x 11.7W x 7.5D	5.5	2
PFL23PCW-T24	23W Fluorescent GU24 Patio Light - White	8.8H x 7.1W x 5.4D	2.2	9.4H x 11.7W x 7.5D	5.5	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

FEATURES


- High-impact, weather-resistant housing and lens
- Nighttime ON/Daytime OFF
- Built-in photo control
- Electronic ballast design provides reliable starting in cold weather
- Perfect for patio or entrance lighting
- Available in 26W or 42W (maximum) 4 pin fluorescent bulb included
- Available in bronze (FW26PC/FW42PC) and white (FW26PCW/FW42PCW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**26/42 WATT FLUORESCENT WALL PACK WITH PHOTO CONTROL****ALTERNATE COLOR**

FW26PCW/FW42PCW
White

26/42W FLUORESCENT BULB


**FW26PC - FW42PC
SERIES**

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
FW26PC	26W Fluorescent - Bronze	11.3H x 6.0W x 4.0D	2.00	12.0H x 12.5W x 12.5D	13.50	6
FW26PCW	26W Fluorescent - White	11.3H x 6.0W x 4.0D	2.00	12.0H x 12.5W x 12.5D	13.50	6
FW42PC	42W Fluorescent - Bronze	11.3H x 6.0W x 4.0D	2.25	12.0H x 12.5W x 12.5D	14.25	6
FW42PCW	42W Fluorescent - White	11.3H x 6.0W x 4.0D	2.25	12.0H x 12.5W x 12.5D	14.25	6

18/26 WATT FLUORESCENT FLOODLIGHT WITH PHOTO CONTROL**ALTERNATE COLOR**

FNF18PCW/FNF26PCW
White

18W/26W 4-PIN FLUORESCENT BULB

**FNF18PC -
FNF26PC SERIES**

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
FNF18PC	18W Fluorescent - Bronze	8.8H x 5.8W x 4.8D	1.75	9.5H x 14.5W x 12.0D	12.50	6
FNF18PCW	18W Fluorescent - White	8.8H x 5.8W x 4.8D	1.75	9.5H x 14.5W x 12.0D	12.50	6
FNF26PC	26W Fluorescent - Bronze	8.8H x 5.8W x 4.8D	1.75	9.5H x 14.5W x 12.0D	12.50	6
FNF26PCW	26W Fluorescent - White	8.8H x 5.8W x 4.8D	1.75	9.5H x 14.5W x 12.0D	12.50	6

FEATURES


- Heavy-duty, die-cast metal housing
- Nighttime ON/Daytime OFF
- Built-in light photo control
- Easily mounts to standard lampholder mounting plate
- Perfect for lighting porches, decks or work areas
- 42W (maximum) medium base fluorescent bulb included
- Available in black (MD42FLB) and white (MD42FLW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**ALTERNATE COLOR**

MD42FLW White

42W FLUORESCENT BULB

MD42FL

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MD42FLB	42W Fluorescent - Black	11.5H x 10.0W x 10.3D	4.5	12.5H x 21.3W x 11.0D	9.5	2
MD42FLW	42W Fluorescent - White	11.5H x 10.0W x 10.3D	4.5	12.5H x 21.3W x 11.0D	9.5	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

70 WATT HIGH PRESSURE SODIUM ENTRY AND PATIO LIGHT WITH PHOTO CONTROL



- FEATURES**
- Heavy-duty, die-cast metal housing
 - Nighttime ON/Daytime OFF
 - Built-in photo control
 - Easily mounts to standard lampholder mounting plate
 - Perfect for lighting porches, decks or work areas
 - 70W (maximum) medium base high pressure sodium bulb included
 - Available in black (MD70HB) and white (MD70HW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant




ALTERNATE COLOR



MD70HW White

70W HIGH PRESSURE SODIUM BULB



MD70H SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MD70HB	70W High Pressure Sodium - Black	11.5H x 7.8W x 7.8D	5	8.5H x 16.0W x 12.3D	11	2
MD70HW	70W High Pressure Sodium - White	11.5H x 7.8W x 7.8D	5	8.5H x 16.0W x 12.3D	11	2

65 WATT FLUORESCENT SECURITY AREA LIGHT WITH PHOTO CONTROL




- FEATURES**
- Corrosion-resistant, die-cast aluminum housing
 - Nighttime ON/Daytime OFF
 - Photo control
 - Mounting pattern on box for quick and easy installation
 - Perfect for lighting dark, secluded areas
 - 65W (maximum) mogul base fluorescent bulb included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



65W FLUORESCENT BULB



AL6501FL

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)
AL6501FL	65W Fluorescent	14H x 11W x 11D	4.5

70 WATT METAL HALIDE SECURITY AREA LIGHT WITH PHOTO CONTROL



- FEATURES**
- Corrosion-resistant, die-cast aluminum housing
 - Nighttime ON/Daytime OFF
 - Twist-lock replaceable photo control
 - Perfect for where medium to large concentration of light is needed
 - 70W (maximum) medium-base, metal halide bulb included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



70W METAL HALIDE BULB



AL70 SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)
AL70MH	70W Metal Halide	16.0H x 11.3W x 11.3D	8.5

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

100 WATT METAL HALIDE SECURITY AREA LIGHT WITH PHOTO CONTROL

FEATURES

- Corrosion-resistant, die-cast aluminum housing
- Nighttime ON/Daytime OFF
- Twist-lock replaceable photo control
- Perfect for where medium to large concentration of light is needed
- 100W (maximum) medium-base, metal halide bulb included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



100W METAL HALIDE BULB



AL100 SERIES

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)
AL100MH	100W Metal Halide	16.0H x 11.3W x 11.3D	8.5

70 WATT HIGH PRESSURE SODIUM SECURITY AREA LIGHT WITH PHOTO CONTROL

FEATURES

- Corrosion-resistant, die-cast aluminum housing
- Nighttime ON/Daytime OFF
- Twist-lock replaceable photo control
- Mounting pattern on box for quick and easy installation
- Perfect for lighting dark, secluded areas
- 70W (maximum) medium-base high pressure sodium bulb included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



70W HIGH PRESSURE SODIUM BULB



E70H

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)
E-70-H	70W High Pressure Sodium	16.0H x 11.3W x 11.4D	6.5

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

300 WATT PAR METAL TWIN FLOODLIGHT WITH PHOTO CONTROL



FEATURES

- Heavy-duty, die-cast metal housing
- Nighttime ON/Daytime OFF
- Built-in photo control
- Perfect for wall-mount or eave-mount applications
- Two 150W (maximum) PAR bulbs sold separately
- Available in bronze (MT250PC) and white (MT250PCW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



MT250PC SERIES

ALTERNATE COLOR



MT250PCW White

150W PAR BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
MT250PC	300W PAR - Bronze	6.5H x 5.8W x 3.5D	1.75	7.3H x 22.8W x 6.0D	8.00	6
MT250PCW	300W PAR - White	6.5H x 5.8W x 3.5D	1.75	7.3H x 22.8W x 6.0D	8.00	6

300 WATT PAR PLASTIC FLOODLIGHT WITH PHOTO CONTROL



FEATURES

- Weatherproof and corrosion-resistant construction
- Nighttime ON/Daytime OFF
- Built-in photo control
- Perfect for wall-mount or eave-mount applications
- Two 150W (maximum) PAR bulbs sold separately
- Available in bronze (PWT250PC) and white (PWT250PCW)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant




PWT250PC SERIES

ALTERNATE COLOR



PWT250PCW White

150W PAR BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
PWT250PC	300W PAR - Bronze	6.5H x 5.5W x 3.5D	1.00	7.3H x 14.8W x 6.0D	4.25	6
PWT250PCW	300W PAR - White	6.5H x 5.5W x 3.5D	1.00	7.3H x 14.8W x 6.0D	4.25	6

75 WATT QUARTZ HALOGEN LANDSCAPE LIGHT WITH PHOTO CONTROL



FEATURES

- Heavy-duty, die-cast metal construction
- 3 ft., 18 gauge, 3-wire grounded power cord
- Nighttime ON/Daytime OFF
- Built-in photo control
- Perfect for landscaping, accents and holiday decorations
- 75W (maximum) GY8.6 halogen bulb included
- Green finish

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



SP100PC

75W GY8.6 HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
SP100PC	75W Halogen with Photo Control	13.0H x 9.0W x 3.5D	1.25	13.5H x 21.5W x 9.3D	10.00	6

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- 80 long-life LED lights
- Cordless rechargeable unit with AC/DC charging adapters included
- Durable polycarbonate lens
- Nylon swivel hook
- Easy-grip cushioned handle
- Convenient ON/OFF switch
- Reflective strips for higher visibility during roadside applications
- Integrated neodymium magnets for securing to most metals
- Up to two-hour battery life

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**ALTERNATE COLOR**

LED130C Camouflage

LED RECHARGEABLE FOLDING WORKLIGHT**LED130 SERIES
MIGHT-D-LIGHT****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
LED130	80 LED Rechargeable Folding Worklight	10.5H x 7.5W x 7.3D	2.50	10.9H x 15.0W x 7.8D	6.25	2
LED130C	80 LED Rechargeable Folding Camo Worklight	10.5H x 7.5W x 7.3D	2.50	10.9H x 15.0W x 7.8D	6.25	2

FEATURES

- Two super-bright LED lights
- Three-way integrated switch: Both panels ON/single panel ON/OFF
- Hinge adjusts up to 270°
- Durable polycarbonate lenses
- Extendable bungee hooks stow inside each panel for easy storage
- Up to 4.5 hour battery life
- Versatile bungee hooking mechanism attaches to hard-to-hang places
- Three Integrated neodymium magnets for securing to most metals
- Three AA batteries included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant

**ALTERNATE COLOR**

LED125C Camouflage

LED COMPACT FOLDING WORKLIGHT**LED125 SERIES
MIGHT-D-LIGHT
MINI****ORDERING INFORMATION**

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
LED125	Compact Folding LED Worklight	12H x 12W x 2D	.95	13.7H x 13.81W x 12.88D	7.72	6
LED125C	Compact Folding Camo LED Worklight	12H x 12W x 2D	.95	13.7H x 13.81W x 12.88D	7.72	6

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

LED PLUG-IN WORKLIGHT



- FEATURES**
- 60 long-life LED lights
 - 15 ft., 18 gauge power cord
 - Durable plastic construction with polycarbonate lens
 - 360° rotating swivel hook
 - Cushioned grip with instant-ON switch
 - 120 Volts (standard household supply)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



LED110

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
LED110	60 LED Plug-in Worklight	18.1H x 4.0W x 5.0D	2.10	18.9H x 10.8W x 8.8D	9.30	4

LED RECHARGEABLE WORKLIGHT



- FEATURES**
- 35 total long-life LED lights
 - Cordless rechargeable unit with AC/DC charging adapters included
 - Nine LED lights on the end of light doubles as a spotlight/flashlight
 - Durable plastic construction with polycarbonate lens
 - 360° Rotating swivel hook
 - Cushioned grip with convenient instant-ON switch
 - Magnetic clamp
 - Up to 12 hours of battery life (when used only as a flashlight)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



LED120

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
LED120	35 LED Rechargeable Worklight	17.4H x 4.0W x 4.0D	1.90	18.1H x 8.8W x 8.8D	8.82	4

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

250 WATT QUARTZ HALOGEN 4-IN-1 PORTABLE WORKLIGHT

FEATURES


- 4-in-1 includes hook, clamp, spike and base
- Weatherproof ON/OFF switch
- Heavy-duty wire grill guard and tempered glass for added safety
- Die-cast aluminum housing
- 3 ft., 18 gauge, 3-prong grounded power cord
- 250W halogen bulb included

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



250W HALOGEN BULB



PQS2504IN1

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
PQS2504IN1	250W Halogen 4-in-1 worklight	7.48H x 6.69W x 9.06	3.3	20.47H x 14.17W x 9.84D	21.3	6

500 WATT QUARTZ HALOGEN PORTABLE WORKLIGHT

FEATURES


- Weatherproof ON/OFF switch
- Heavy-duty wire grill guard and tempered glass for added safety
- Comfortable foam grip handle
- Die-cast aluminum housing
- 3 ft., 18 gauge, 3-prong grounded power cord
- Two 500W halogen bulbs (includes spare)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



500W HALOGEN BULB



PQS45

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
PQS45	500W Halogen Portable Worklight	10.75H x 9.0W x 6.5D	4.25	19.0Wx11.5Hx14.0D	18.75	4

600 WATT QUARTZ HALOGEN PORTABLE WORKLIGHT

FEATURES


- Ratcheting head to easily adjust light angle
- Thermal switch turns unit OFF if fixture becomes too hot
- Weatherproof HI/LO switch for adjustable light control
- Light Output (wattage) 300/600/OFF
- Heavy-duty wire grill guard and tempered glass for added safety
- Comfortable foam grip handle
- Die-cast aluminum housing
- 3 ft., 18 gauge, 3-prong grounded power cord
- Three 300W halogen bulbs (includes spare)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed, RoHS Compliant



300W HALOGEN BULB



PQS600R

ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
PQS600R	600W Halogen worklight	9.84H x 8W x 12.20D	6.94	20.47H x 16.93W x 13D	29.50	4

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

500 WATT QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT



SQS505QD

FEATURES

- Tripod stand with non-skid feet, adjusts up to 4 ft. of total height
- Quick disconnect feature for easy release from stand
- Weatherproof ON/OFF switch
- Heavy-duty wire grill guard and tempered glass for added safety
- Comfortable foam grip handle
- 5 ft., 18 gauge, 3-prong grounded power cord
- Two 500W halogen bulbs (includes spare)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



500W HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
SQS505QD	500W Halogen Stand Worklight	11.8H x 6.3W x 24.8D	8.95	13.38H x 12.59W x 25.59D	19.67	2

1000 WATT QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT



TQS1000QD

FEATURES

- Tripod stand with non-skid feet, adjusts to over 5 ft. of total height
- Quick disconnect feature for easy release from stand
- Weatherproof ON/OFF switch
- Stand collapses within sled for compact storage
- Heavy-duty wire grill guard and tempered glass for added safety
- 6 ft., 18 gauge, 3-prong grounded power cord with wrap
- Foam grip handles and pads on sled for comfort and surface protection
- Three 500W halogen bulbs (includes spare)

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



500W HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
TQS1000QD	1000W Halogen Stand Worklight	28.74H x 13.78W x 7.48D	17.35	15.74W x 14.37W x 29.52D	37.37	2

1200 WATT QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT



TQS1200QDR

FEATURES

- Tripod stand with non-skid feet, adjusts to over 5 ft. of total height
- Quick disconnect feature for easy release from stand
- Ratcheting head for easy angle adjustments
- Thermal switch turns the light OFF if the unit becomes too hot
- Weatherproof HI/LO switch for adjustable light control
- Stand collapses within the sled for compact storage
- Heavy-duty wire grill guard and tempered glass for added safety
- Foam grip handles and pads on sled for comfort and surface protection
- 6 ft., 18 gauge, 3-prong grounded power cord with wrap

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed, RoHS Compliant



300W HALOGEN BULB



ORDERING INFORMATION

Model	Description	Unit Carton Dimension (Inches)	Unit Carton Weight (Pounds)	Master Carton Dimension (Inches)	Master Carton Weight (Pounds)	Master Carton Quantity
TQS1200QDR	1200W Halogen Stand Worklight	28.74H x 16.14W x 7.28D	21.51	16.73H x 15.35W x 29.52D	46.14	2

NOTE: Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit our website at www.cooperlighting.com for available options, accessories and ordering information.

A large, two-story stone and wood residence with a prominent stone chimney and a balcony, illuminated at night. The house features large windows and a covered patio area with outdoor furniture. The lighting is warm and inviting, highlighting the architectural details and the surrounding landscape.

Crystal Lake Residence, Aspen, CO

Lighting Design: Robert Singer & Associates, Inc.,
Basalt, CO

Photography: Nick Tininenko Photography

Cooper Lighting SOURCE Awards Winner

Innovation you can rely on