Eastman™

Appliance Installation & Repair

Product Catalog



RWC

About RWC

Established in 1949, RWC is a global leader and manufacturer of plumbing solutions for residential and commercial applications. Through our trusted portfolio of leading brands, we strive to continuously find solutions that help make our customers lives easier and more efficient.

Global scale, local service

14
Manufacturing Facilities

29
Distribution Centers

70+
Years of engineering experience

250+
Patents



The complete solution from our family of trusted brands

From pipe and fitting systems to firestopping, gas connectors and valves, our innovative products are designed to make plumbing better.

SharkBite™ HoldRite™ CashAcme™ John Guest™ Eastman™ EZ-Flo™

Pipe and Fitting Systems



Secondary Pipe Supports



Valves and Supply Stops



Supply Lines and Connectors



Firestopping



Water Heater Accessories



Appliance and Fixture Boxes



Gas Connectors and Valves



Appliance and Installation Repair

We offer an extensive range of connectors, hoses, fittings, cords and other accessories that are made to the highest quality standards for long lasting performance and seamless installation.

Laundry


Industry-leading water connectors for laundry, complemented by robust dryer venting, protective pans, power cords, gas connectors, and outlet boxes.






Ice Makers

Complete offering of water connectors for ice makers and water dispensers, designed for optimal efficiency and ease of installation.



Dishwasher

A full suite of dishwasher installation essentials, including high-performance water connectors, power cords, install brackets, and drain pans.






Range

A comprehensive assortment featuring heavy-duty cords, stainless steel gas connectors, fittings, valves, and our Patented ArmorBoost™ Excess Flow Valve for enhanced safety and reliability.






Contents

10
Ice Maker Installation Supplies

Flood Defender™ 12
PEX Connector 12
Stainless Steel Braided Connectors 13
Reinforced PVC Connector 13
Installation Kits 14
Valves & Fittings 16
Filters 18

20
Dishwasher Installation Supplies

Flood Defender™ 22
Stainless Steel Braided Connectors 22
Reinforced PVC Connector 25
Dishwasher Installation Kits 25
Fittings 28
Tee Stops 30
Dual Outlet Stops 31
Mounting Bracket 32
Electrical Cords 33
Corrugated Drain Hoses 35
Hot Water Drain Hoses 37
Rubber Dishwasher/ Disposal Connectors 38
Air Gaps 39
Stainless Steel Hose Clamps 40
Dishwasher Pan 40

42
Washing Machine Installation Supplies

Stainless Steel Braided Connectors 44
Rubber Fill Hoses 45
High Efficiency Connectors 46
PVC Fill Hose 47
Rubber Utility/Dehumidfier Drain Hose 47
Rubber 'Y' Mixer Hose 47
Rubber Extension Hose 48
Rubber Drain Hose 48
Flexible PVC Drain Hose 49
Accessories 50

52
Dryer/Steam Dryer Installation Supplies

Stainless Steel Steam Dryer Kit 54
Rubber Steam Dryer Kit 54
Stainless Steel Steam Dryer Adapter Hose 55
Rubber Extension Hose 55
'Y' Connectors for Steam Dryer 56
Accessories 57
Clamps 57
Gas Dryer Connector Kits 58
Electric Dryer Cords 59
Lint Wizard™ 59
ArmorFlex™ Super Dryer Duct 60
Foil Duct 60
Gas Valves 61

62
Electric & Gas Range Installation Supplies

Electric Range Cords 64
Gas Range Connector Kits 65
Gas Valves 65
Retail Bagged Gas Valves 66
Range Elements & Reflector Pans 66
Miscellaneous 71

74
Outlet Boxes

Ice Maker Outlet Boxes 76
Appliance Fixture Boxes 79
Laundry Outlet Boxes 80
Funnel Attachment 85
Outlet Box Trim Plate 85
Washing Machine Valves 86
Ice Maker Valves 88
Access Panels 89
Stainless Steel Hammer Arrestors 90
Copper Hammer Arrestors 92




Ice Maker
Installation Supplies

Flood Defender™ 12
PEX Connector 12
Stainless Steel Braided Connectors 13
Reinforced PVC Connector 13
Installation Kits 14
Valves & Fittings 16
Filters 18

Flood Defender™

Ice Maker Connectors



Eastman™ Flood Defender™ Ice Maker Connector

Features and benefits

- Stainless steel braided
- 1/4 in. inlet
- Burst strength: 1500 PSI
- 5-Year warranty
- Built-in auto-shutoff valve



Part #	Description
98554	10 ft. Flood Defender Ice maker SS Connector

PEX Connector

Eastman™ PEX Ice Maker Connector

Features and benefits

- PEX-b 1/8 in. ID (1/4 in. OD) gray roll
- Includes captured brass nuts on each end



Part #	Description
65013	6 ft. PEX Ice Maker Connector with captured nuts
48316	8 ft. PEX Ice Maker Connector with captive nuts
65015	10 ft. PEX Ice Maker Connector with captured nuts
65017	15 ft. PEX Ice Maker Connector with captured nuts

Stainless Steel Braided Connectors

Eastman™ Steel-Flex™ Ice Maker Connector 1/4 in. comp x 1/4 in. comp

Features and benefits

- Brass barbs
- Nickel-plated brass nut
- 5-Year warranty
- Male 3/8 in. OD copper compression outlet



Part #	Description
48383	1/4 in. comp x 1/4 in. comp 12 in. SS Ice Maker Hose
48384	1/4 in. C x 24 in. SS Ice Maker Hose
48387	1/4 in. comp x 1/4 in. comp 60 in. SS Ice Maker Hose
41035	1/4 in. comp x 60 in. SS Ice Maker Hose-Bulk
48388	1/4 in. comp x 1/4 in. comp 72 in. SS Ice Maker Hose
48283	1/4 in. comp x 1/4 in. comp 96 in. SS Ice Maker Hose
48389	1/4 in. comp x 1/4 in. comp 120 in. SS Ice Maker Hose
48390	1/4 in. C x 180 in. SS Ice Maker Hose
48391	1/4 in. C x 240 in. SS Ice Maker Hose
48392	1/4 in. comp x 1/4 in. comp 25ft. SS Ice Maker Hose

Reinforced PVC Connector

Eastman™ PVC Ice Maker Connector 1/4 in. comp x 1/4 in. comp

Features and benefits

- Reinforced PVC
- Nickel-plated brass nuts



Part #	Description
48379	1/4 in. Comp x 60 in. Vinyl Ice Maker Hose
41062	1/4 in. Comp x 72 in. Vinyl Ice Maker Hose
48380	1/4 in. Comp x 120 in. Vinyl Ice Maker Hose
48996	1/4 in. Comp x 12 in. Vinyl Ice Maker Hose

Installation Kits

SharkBite Max™ Ice Maker Connection Kit



Features and benefits

- Quick and easy push-to-connect installation with no special tools needed
- Slip Tee included for installation on rigid copper or CPVC pipes and replacing leaking saddle valves
- Fittings can be rotated for easy installation in tight spaces, reducing errors and saving time

Includes

- 1/2 in. Service Slip Tee Adapter (U4482)
- 1/2 in. x 1/4 in. (3/8 in. OD) Angle Stop Valve (UR23048)
- 10 ft. Coil of 1/4 in. PEX pipe
- 1/4 in. (3/8 in. OD) Compression Adapter 1/4 in. (3/8 in. OD) x 1/4 in. Stop Valve Connector (U3524LF)
- 1/4 in. Disconnect Clip (U706)
- 1/2 in. Disconnect Clip (U708)

Part #	Description
25024	Ice Maker Connection Kit

John Guest™ Ice Maker Kit



Features and benefits

- Reverse osmosis
- Filtration systems
- Automatic coffee brewers
- Ice makers and most refrigeration hookup

Includes

- 1/4 in. x 25 ft. LLDPE Tubing
- 1/4 in. OD Angle Stop Adapter Valve
- 1/4 in. OD Faucet Connector

Part #	Description
Ice Maker Kit	Ice Maker Kit

Eastman™ Copper Tube Ice Maker Kit



Includes

- 1/4 in. x 15 ft. Copper Tube
- Self-Piercing Saddle Valve
- 1/4 in. comp x comp Union

Part #	Description
48398	Copper Ice Maker Kit – 15ft.

Eastman™ Polyethylene Tubing Ice Maker Kit



Includes

- 1/4 in. x 25 ft. Poly Tube
- Self-Piercing Saddle Valve
- 1/4 in. comp x comp Union
- Brass Inserts
- Delrin Sleeves

Part #	Description
48362	Ice Maker Install Kit with 25ft. Poly Tube

Eastman™ Polyethylene Tubing Ice Maker Filter Kit



Includes

- 10 in. Taste and Odor Water Filter
- 25 ft. x 1/4 in. Poly Tube
- Self-Piercing Saddle Valve
- 1/4 in. MIP x comp Adapters

Part #	Description
48355	Polyethylene Tubing Ice Maker Kit

Valves & Fittings

SharkBite Max™ Tee Stop



Features and benefits

- Ideal for adding supply lines to fixtures and appliances such as dishwashers, humidifiers and ice makers
- Sleek chrome finish for an attractive appearance
- Quarter-turn full-port brass ball valve
- Compatible with PEX, copper, CPVC, PE-RT and SDR-9 HDPE pipe
- No special tools, crimping, glue or soldering is needed
- Can be installed in wet lines
- Can be rotated for easier and faster installation
- Ideal for working in tight spaces
- Remove using a Disconnect Clip or Disconnect Tongs (both sold separately)

Part #	Description
UR24983	Stop Valve 1/2 in. x 1/2 in. x 1/4 in. compression
UR24985	Stop Valve 3/4 in. x 3/4 in. x 1/4 in. compression
UR24987	Stop Valve 1/2 in. x 1/2 in. x 1/4 in. (3/8 in. OD)

SharkBite™ Brass Crimp Tee Stop



Features and benefits

- Sleek chrome finish for an attractive appearance
- Quarter-turn full-port brass ball valve
- Compatible with PEX and PE-RT pipe

Part #	Description
UC24983	Stop Valve 1/2 in. x 1/2 in. x 1/4 in.

John Guest™ Angle Stop Adapter Valve



Features and benefits

- For use with plastic or copper OD sized tubing
- Threads onto 3/8 in. compression chrome supply stop
- Quarter turn to open or close
- White Polypropylene body, EPDM seals
- Lead Free materials
- Quick and easy connection/disconnection
- NSF61 listed

Part #	Description
ASVPP1LF	3/8 in. Female x 3/8 in. Male x 1/4 in. tube

Eastman™ SpeedFlex™ F1807 PEX Inlet



Features and benefits

- Dual-Outlet Tee
- For use with PEX Tubing – Crimp F1807
- Chrome plated

Part #	Description
10780LF	1/2 in. PEX x 1/2 in. PEX x 1/4 in. OD

Eastman™ Add-An-Outlet Adapter



Features and benefits

- Screws on existing straight or angle supply stop and converts it to a dual-outlet
- Brass construction

Part #	Description
25881LF	3/8 in. OD x 3/8 in. OD x 1/4 in. OD

Valves & Fittings

Eastman™ Compression Female Adapter



Features and benefits

- Brass
- Comp x FIP

Part #	Description
65423LF	1/4 in. OD Tube x 1/4 in. FIP

Filters

Eastman™ In-Line Water Filter – 6 in.



Features and benefits

- In-line filter for ice maker and drinking water
- 6 in. Taste and odor water filter
- Includes 2 brass 1/4 in. MIP x 7/16 in. comp adapters

Part #	Description
60476N	6 in. Filter with fittings – Taste & odor

Eastman™ In-Line Water Filter – 10 in.

Features and benefits


- 1,500 Gallon capacity
- 10 in. Water filter
- Includes 2 brass 1/4 in. MIP x 7/16 in. comp adapters

Part #	Description
60458N	10 in. Filter with fittings - Scale
60461N	10 in. Filter with fittings - Taste & odor



Dishwasher
Installation Supplies

Flood Defender™	22
Stainless Steel Braided Connectors	22
Reinforced PVC Connector	25
Dishwasher Installation Kits	25
Fittings	28
Tee Stops	30
Dual Outlet Stops	31
Mounting Bracket	32
Electrical Cords	33
Corrugated Drain Hoses	35
Hot Water Drain Hoses	37
Rubber Dishwasher/Disposal Connectors	38
Air Gaps	39
Stainless Steel Hose Clamps	40
Dishwasher Pan	40



Flood Defender™

Eastman™ Flood Defender™ Dishwasher Connector



Features and benefits
- Stainless steel braided
- Burst strength: 1500 PSI
- Built-in auto-shutoff valve
- 5-Year warranty

Includes
- 1/2 in. Comp valve adapter
- 1/2 in. FIP valve adapter
- 3/4 in. FHT elbow
- 3/8 in. MIP elbow
- 6 ft. Connector

Part #	Description
98556	6 ft. Flood Defender dishwasher SS connector kit

Stainless Steel Braided Connectors

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Connector – Universal-Fit



Features and benefits
- Stainless steel braided
- Nickel-plated brass nuts
- 5-Year warranty

Includes
- Stainless steel braided connector
- 1/2 in. compression adapter
- 1/2 in. FIP adapters
- 3/8 in. MIP elbow
- 3/4 in. FHT elbow

Part #	Description
41130	5 ft. SS dishwasher supply connector with fittings
41132	8 ft. SS dishwasher supply connector with fittings
69008	12 ft. SS dishwasher supply connector with fittings

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Connector – 3/8 in. comp x 3/8 in. comp



Features and benefits
- Fits all dishwasher connections
- Stainless steel braided
- 5-Year warranty

Includes
- 2 elbow fittings 3/8 in. MIP and 3/4 in. FHT
- Nickel-plated brass nuts

Part #	Description
41037	Universal 4 ft. dishwasher connector SS
41041	Universal 5 ft. dishwasher connector SS
41045	Universal 6 ft. Dishwasher connector
41059	Universal 8 ft. dishwasher connector SS
41060	Universal 10 ft. dishwasher connector SS
41058	Universal 12 ft. dishwasher connector

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Connector – 3/8 in. comp x 3/8 in. MIP Elbow



Features and benefits
- Stainless steel braided
- Nickel-plated brass nuts
- 5-Year warranty

Includes
- 3/8 in. comp x 3/8 in. MIP elbow

Part #	Description
48747	3/8 in. Comp x 3/8 in. MIP Elbow – 4 ft
48364	3/8 in. Comp x 3/8 in. MIP Elbow – 5 ft
48365	3/8 in. Comp x 3/8 in. MIP Elbow – 6 ft
41040	3/8 in. Comp x 3/8 in. MIP Elbow – 6 ft
48366	3/8 in. Comp x 3/8 in. MIP Elbow – 8 ft
48363	1/2 in. Comp x 3/8 in. MIP Elbow – 5 ft.

Stainless Steel Braided Connectors

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Connector – 1/2 in. FIP x 3/8 in. MIP Elbow



Features and benefits
- Stainless steel braided
- Nickel-plated brass nuts
- 5-Year warranty

Features and benefit
- 3/8 in. comp x 3/8 in. MIP elbow
- 3/4 in. FHT elbow

Part #	Description
41032	1/2 in. FIP x 3/8 in. MIP x 72 in. SS dishwasher kit

Eastman™ Steel-Flex™ Stainless Steel Dishwasher connector – 3/8 in. comp x 3/4 in. FHT Elbow



Features and benefits
- Stainless steel braided
- Nickel-plated brass nuts
- Connects directly to 3/4 in. hose thread inlet
- 5-Year warranty

Part #	Description
41042	3/8 in. C x 3/4 in. FHT x 5 ft. Dishwasher connector
41043	3/8 in. C x 3/4 in. FHT x 6 ft. Dishwasher SS connector
41013	3/8 in. C x 3/4 in. FHT x 8 ft. Dishwasher connector
41015	3/8 in. C x 3/4 in. FHT x 10 ft. Dishwasher connector

Reinforced PVC Connector

Eastman™ Reinforced PVC Dishwasher Connector 3/8 in. comp x 3/8 in. comp



Features and benefits
- Reinforced PVC
- Nickel-plated brass nuts

Includes
- 3/8 in. MIP elbow
- 3/4 in. FHT elbow

Part #	Description
41061	3/8 in. C x 3/8 in. MIP x 72 in. Vinyl Dishwasher Kit

Dishwasher Installation Kits

SharkBite Max™ Dishwasher Connection Kit



Features and benefits
- Quick and easy push-to-connect installation with no special tools needed
- Slip Tee included for installation on rigid copper or CPVC pipes and replacing leaking saddle valves
- Fittings can be rotated for easy installation in tight spaces, reducing errors and saving time

Kit Includes
- Dual Outlet Angle Stop Valve (UR25558)
- 1/4 in. (3/8 in. OD) x 3/8 in. Compression Adapter (U3523LF)
- 1/4 in. (3/8 in. OD) X 3/8 in. MNPT Dishwasher Elbow (U2276LF)
- 1/4 in. (3/8 in. OD) x 3/ in. Female Hose Thread Universal Dishwasher Elbow (UR281)
- (10 ft.) Coil of 1/4 in. PEX-b pipe
- 1/4 in. Disconnect Clip (U706)
- 1/2 in. Disconnect Clip (U708)

Part #	Description
25568	Dishwasher Connection Kit with Dual Valve

Dishwasher Installation Kits

Eastman™ Steel-Flex™ Stainless Steel Quick-Connect Dishwasher Kit 3/8 in. Comp x 3/4 in. FHT elbow



Includes

- 6 ft. Stainless steel braided water connector with 3/4 in. FHT elbow
- 5 ft. 4 in. UL listed straight cord with built-on harness for quick install, 3 wire nuts and 1 stainless steel hose clamp
- Works with most major brands

Part #	Description
41140	6 ft. deluxe quick connect kit

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Installation Kit 3/8 in. comp x 3/8 in. comp



Includes

- 6 ft. stainless steel braided water connector
- Both elbow fittings – hose thread and male pipe thread
- One hose clamp for drain hose
- 3 wire nuts and one 1/2 in. romex connector for cord

Part #	Description
48336	6 ft. Installation Kit

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Kit 3/8 in. comp x 3/8 in. comp



Includes

- 6 ft. Stainless steel braided water connector
- 3/8 in. MIP elbow and 3/4 in. FHT elbow
- 6 ft. UL listed straight or angled cord, 3 wire nuts, 1 stainless steel hose clamp, 1 romex connector and teflon tape

Part #	Description
41150	6 ft. Kit with Straight Cord
48337N	6 ft. Kit with Angled Cord

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Kit 3/8 in. comp x 3/4 in. FHT Elbow – Straight Cord



Includes

- 6 ft. Stainless steel braided water connector with 3/4 in. FHT elbow
- 6 ft. UL listed, heavy-duty straight cord, 3 wire nuts, 1 stainless steel hose clamp, 1 romex connector and teflon tape

Part #	Description
41145	5 ft. Dishwasher Kit with HD 15 amp cord
41146	6 ft. Dishwasher Kit with HD 15 amp cord
41148	8 ft. Dishwasher Kit with HD 15 amp cord

Eastman™ Steel-Flex™ Stainless Steel Dishwasher Kit 3/8 in. comp x 3/4 in. FHT elbow – Angled Cord



Includes

- 6 ft. Stainless steel braided water connector with 3/4 in. FHT elbow
- 6 ft. UL listed angled cord, 3 wire nuts, 1 stainless steel hose clamp, 1 romex connector and teflon tape

Part #	Description
41154	6 ft. Kit

Fittings

SharkBite Max™ Brass Push Dishwasher Elbow



Features and benefits

- Compatible with PEX, Copper, CPVC, PE-RT and SDR-9 HDPE pipe
- No special tools, crimping, glue or soldering required
- Remove using a Disconnect Clip or Disconnect Tongs (both sold separately)
- 25-year warranty

Part #	Description
U276LF	Brass Push Elbow 1/4 in. (3/8 in. OD) x 3/8 in. MNPT
U2276LF	Brass Push Elbow 1/4 in. (3/8 in. OD) x 3/4 in. FHT
UR281	Brass Push Elbow 1/2 in. x 3/8 in. MNPT

Eastman™ Compression Dishwasher Elbow



Features and benefits

- Fits dishwashers with 3/4 in. MHT inlet
- 3/4 in. FHT x 3/8 in. comp

Part #	Description
65446LF	Without Nut and Sleeve
65447LF	With 3/8 in. OD Nut and Ring

Eastman™ Compression Male Elbow



Features and benefits

- Brass
- Comp x MIP

Part #	Description
65509LF	3/8 in. OD Tube x 3/8 in. MIP

SharkBite™ Dual Outlet Stop Valve Adapter



Features and benefits

- Ideal for pairing with Straight Stops or Angle Stops
- Add supply lines for fixtures such as faucets, toilets, dishwashers, ice makers and other small diameter appliances
- Compatible with 1/4 in. (3/8 in. OD) PEX pipe
- No special tools, crimping, glue or soldering is needed
- Can be installed in wet lines
- Can be rotated for easier and faster installation
- Ideal for working in tight spaces
- Remove if needed using Disconnect Clip (sold separately)
- 25-year warranty

Part #	Description
U3358LF	1/4 in. (3/8 in. OD) x 1/4 in. (3/8 in. OD) x 3/8 in. Compression
U4358LF	1/4 in. (3/8 in. OD) x 1/4 in. (3/8 in. OD) x 1/4 in. (3/8 in. OD)

Eastman™ Add-An-Outlet Adapter



Features and benefits

- Screws on existing straight or angle supply stop and converts it to a dual-outlet
- Brass construction

Part #	Description
25882LF	3/8 in. OD x 3/8 in. OD x 3/8 in. OD

Tee Stops

SharkBite Max™ Tee Stop



Features and benefits

- Easily add a new line to a fixture by tapping into a 1/2 in. or 3/4 in. pipe with a quarter-turn full-port brass valve for on/off control
- Ideal for adding supply lines to dishwashers, humidifiers, and ice makers, featuring a sleek chrome finish
- Compatible with PEX, copper, CPVC, PE-RT, and SDR-9 HDPE pipe, with no special tools, crimping, glue, or soldering required

Part #	Description
UR24983	Brass Push Elbow 1/4 in. (3/8 in. OD) x 3/8 in. MNPT
UR24984	Brass Push Elbow 1/4 in. (3/8 in. OD) x 3/8 in. MNPT
UR24986	Brass Push Elbow 1/4 in. (3/8 in. OD) x 3/4 in. FHT

SharkBite™ Brass Crimp Tee Stop



Features and benefits

- Sleek chrome finish for an attractive appearance
- Quarter-turn full-port brass ball valve
- Compatible with PEX and PE-RT pipe

Part #	Description
UC24983	1/2 in. PEX x 1/2 in. PEX x 3/8 in. comp

Dual Outlet Stops

Eastman™ SpeedFlex™ Iron Pipe Inlet

Features and benefits

- High-performance celcon stem
- 5 year warranty

Part #	Description	Finish
04326LF	3/8 in. OD x 3/8 in. OD x 1/2 in. FIP	Chrome Plate

Angle fitting

Part #	Description	Finish
04325LF	3/8 in. OD x 3/8 in. OD x 1/2 in. FIP	Chrome Plate



04326LF



04325LF

Eastman™ SpeedFlex™ Compression Inlet

Features and benefits

- High-performance celcon stem
- 5 year warranty

Part #	Description	Finish
04353LF	3/8 in. OD x 3/8 in. OD x 5/8 in. OD (1/2 in. Nom.)	Chrome Plate

Angle fitting

Part #	Description	Finish
04352LF	3/8 in. OD x 3/8 in. OD x 5/8 in. OD (1/2 in. Nom.)	Chrome Plate



04352LF



04353LF

Dual Outlet Stops

Eastman™ Speed-Flex™ F1807 PEX Inlet



48673LF



04343LF

Features and benefits

- For use with PEX Tubing – Crimp F1807
- High-performance celcon stem
- 5 year warranty

Dual Handle

Part #	Description	Finish
48673LF	3/8 in. OD x 3/8 in. OD x 1/2 in. PEX	Chrome Plate

Three-Way

Part #	Description	Finish
04343LF	3/8 in. OD x 3/8 in. OD x 1/2 in. PEX	Chrome Plate

Mounting Bracket



Eastman™ Dishwasher Mounting Bracket

Features and benefits

- Easy installation under any type of counter
- Eliminates dishwasher anchoring problems
- 22-gauge galvanized steel

Part #	Description
41016	Under-Counter EZ Bracket
41016PK	Under-Counter EZ Bracket

Electrical Cords

Eastman™ Universal Dishwasher Power Cord Kit



Features and benefits

- Works with most major brands

Includes

- 5 ft. 4 in. straight or angled cord with built-on harness for quick install
- 16-Gauge, 13 Amp, 125 Volt, 3-wire power cord
- 3 wire nuts

Part #	Description
69011	5 ft. 4 in. Straight Cord Kit
69012	5 ft. 4 in. Angled Cord Kit

Eastman™ Straight 16/3 Pigtail Cord



Features and benefits

- 16/3 Wire
- Rated 13 Amp/125 Volt
- For garbage disposals, motors, tools and appliances

Part #	Description
60651	3 ft. Length
60655	6 ft. Length

Eastman™ Straight 14/3 Pigtail Cord



Features and benefits

- 14/3 Wire
- Rated 15 Amp/125 Volt
- For garbage disposals, motors, tools and appliances

Part #	Description
69022	3 ft.
69024	6 ft.

Electrical Cords

Eastman™ Angled 16/3 Pigtail Cord



Features and benefits

- 16/3 Wire
- Rated 13 Amp/125 Volt
- For garbage disposals, motors, tools and appliances

Part #	Description
60657	3 ft. Length
60663	6 ft. Length

Eastman™ Angled 14/3 Pigtail Cord



Features and benefits

- 14/3 Wire
- Rated 15 Amp/125 Volt
- For garbage disposals, motors, tools and appliances

Part #	Description
69018	3 ft.
69020	6 ft.
69021	8 ft.

Eastman™ Appliance Extension Cord



Features and benefits

- 14-3 SPT 3-wire - rated 15 Amps at 120 Volts
- For refrigerators, microwaves and small room air conditioners

Part #	Description
60627	3 ft.
60628	6 ft.
60629	10 ft.

Eastman™ Dishwasher Power Cord Kit for Bosch



Features and benefits

- 3-Prong power cord kit (rear connection) – 47-1/4 in., 16-Gauge, 13 Amp
- Compatible with all 300, 500, 800, and 800 Plus Series (excluding SH_9) Bosch dishwashers only

Features and benefits

- The power cord, edge protector, and instructions

Part #	Description
69035	Fits Bosch-Style

Eastman™ Dishwasher Junction Box Kit for Bosch



Features and benefits

- For use when a hard-wired installation is required
- Compatible with most Bosch® and Thermador® Dishwashers
- Compare to Bosch® model number SMZPCJB1UC

Part #	Description
69036	Dishwasher Junction Box

Corrugated Drain Hoses

Eastman™ Universal-Fit Dishwasher Discharge Hose



91225



91227

Features and benefits

- 5/8 in. or 7/8 in. drain outlet

Straight ends, white plastic

Part #	Description
91225	6 ft.

90° Rubber elbow end, gray plastic

Part #	Description
91227	6 ft.
91218	8 ft.

Corrugated Drain Hoses

Eastman™ Dishwasher Discharge Hose Extension



Features and benefits
- Fits GE® dishwashers
- White plastic

Part #	Description
69009	12 ft.

Eastman™ Stainless Steel Dishwasher Supply and Drain Kit



Features and benefits
- 10 ft. Stainless steel braided water connector
- 10 ft. White corrugated discharge hose
- 1/2 in. comp and 1/2 in. FIP water supply valve adapters
- 3/8 in. MIP elbow

Includes
- 1 stainless steel hose clamp

Part #	Description
69007	10 ft. Small Port Kit
69006	10 ft. Large Port Kit

Eastman™ Dishwasher Discharge Hose Extension



Features and benefits
- Fits Maytag® and Whirlpool® dishwashers
- 5/8 in. or 7/8 in. drain outlet
- Replaces factory hose for extended length
- White plastic

Part #	Description
69010	12 ft.

Eastman™ PVC Washing Machine Discharge Hose



Features and benefits
- Black flexible corrugated PVC

Part #	Description
60352	6 ft.

Eastman™ Drain Hose Extension Kit For Bosch



Features and benefits
- Fits Bosch® Dishwashers
- Gray plastic

Part #	Description
69037	6.4 ft. Length

Hot Water Drain Hoses

Eastman™ Automotive Heater Hose – Precut



Features and benefits
- Rubber construction
- High resistance to weather and heat
- Reinforced for increased strength and durability
- Designed for use with automotive coolant

Part #	Description
98590	5/8 in. ID x 10 ft.
98591	3/4 in. ID x 10 ft.

Hot Water Drain Hoses

Eastman™ Dishwasher Hot Water Drain Hose

Features and benefits
- Reinforced EPDM rubber hose
- Sold and priced per coil only

Part #	Description
60363	5/8 in. ID x 50 ft.
98592	7/8 in. ID x 2 ft.
60365	7/8 in. ID x 50 ft.



Rubber Dishwasher/Disposal Connector

Eastman™ Rubber Garbage Disposal Connector

Features and benefits
- Rubber boot

Part #	Description
60424	With 2 Screw Clamps
60423	With 4 Screw Clamps



60424



60423

Air Gaps

EZ-Flo™ Heavy-Pattern Air Gaps

Features and benefits
- For dishwasher and disposal installation

Part #	Description
04470	Blue Body with Chrome Cap
40471	Blue Body with Brushed Nickel Cap
04499	Copper Body with Chrome Cap



04470 40471 04499

EZ-Flo™ Air Gap Replacement Cap

Features and benefits
- High-impact ABS plastic

Part #	Description
60419	Chrome
90429	Brushed Nickel



EZ-Flo™ Economy Air Gaps

Features and benefits
- For dishwasher and disposal installation
- Plastic body and cap

Part #	Description
60421	Plastic Air Gap with Chrome Cap



Stainless Steel Hose Clamp

Eastman™ Hose Clamp – Stainless Steel Band



Features and benefits

- Slotted 5/16 in. hex-head, zinc-plated

Carbon steel screw

Part #	Description
43257	#10 - 9/16 in. to 1-1/16 in.
43259	#12 - 11/16 in. to 1-1/4 in.
43296	#12 - 11/16 in. to 1-1/4 in. 500 pk

Stainless steel screw

Part #	Description
43309	#12 – 11/16 in. to 1-1/4 in.
43311	#16 – 13/16 in. to 1-1/2 in.

Dishwasher Pan

Eastman™ Dishwasher Pan



Features and benefits

- Protects floor from dishwasher leaks
- High-impact plastic will not rust, corrode or crack

Part #	Description
70486	24 in. x 20.5 in. OD


Washing Machine
Installation Supplies

Stainless Steel Braided Connectors 44
Rubber Fill Hoses 45
High Efficiency Connectors 46
PVC Fill Hose 47
Rubber Utility/Dehumidfier Drain Hose 47
Rubber ft.Yft. Mixer Hose 47
Rubber Extension Hose 48
Rubber Drain Hose 48
Flexible PVC Drain Hose 49
Accessories 50



Stainless Steel Braided Connectors

Washing Machine Connectors



Eastman™ Steel-Flex™ Stainless Steel Washing Machine Hose

Features and benefits

- 3/4 in. FHT x 3/4 in. FHT
- Stainless steel braided
- Nickel-plated brass nuts with stainless steel ferrules
- 3/8 in. Full-flow, high-pressure hose
- Working temperature of 15ºF - 158ºF
- For residential use only
- 5 year warranty

Single

Part #	Description
48367	4 ft.
48368	5 ft.
48369	6 ft.
41019	8 ft.
48640	10 ft.
41029	4 ft.
41028	5 ft.

Pair

Part #	Description
48370	4 ft. pair
48371	5 ft. pair
48372	6 ft. pair
41063	5 ft. pair
41067	6 ft. pair

Single – with 90º elbow

Part #	Description
48373	4 ft.
48374	5 ft.
48375	6 ft.



48367



48373

Pair – with 90º elbow

Part #	Description
48376	4 ft. Pair
48377	5 ft. Pair
41065	5 ft. Pair
48378	6 ft. Pair
41066	6 ft. Pair

Pair – Corrosion resistant PVC coated

Part #	Description
48319	4 ft. Pair



48319
(PVC coated)

Rubber Fill Hoses

Eastman™ Rubber Washing Machine Hose

Features and benefits

- 3/4 in. FHT x 3/4 in. FHT
- 3/8 in. Black rubber, high-pressure hose
- 200 PSI working pressure
- 800 PSI burst pressure
- 5 year warranty

Single

Part #	Description
60321N	4 ft.
60323N	5 ft.
60325N	6 ft.
60327N	8 ft.
60329N	10 ft.

Pair

Part #	Description
60322N	4 ft. Pair
60326N	5 ft. Pair
60320N	6 ft. Pair
60304	8 ft. Pair

Single – 90º elbow

Part #	Description
60331N	4 ft.
60333N	5 ft.
60335N	6 ft.

Pair – 90º elbow

Part #	Description
60350	4 ft. Pair
60308	5 ft. Pair
60310	6 ft. Pair



60321N



60331N

Rubber Fill Hoses

Eastman™ Red & Blue Rubber Washing Machine Hose


60482


60314

Features and benefits
- 3/4 in. FHT x 3/4 in. FHT
- Red and blue rubber
- 200 PSI working pressure
- 800 PSI bursting pressure

Pair

Part #	Description
60482	4 ft. Pair
60484	5 ft. Pair
60486	6 ft. Pair

Pair – with 90º elbow

Part #	Description
60314	4 ft. Pair
60315	5 ft. Pair
60318	6 ft. Pair

High Efficiency Connectors

Eastman™ Steel-Flex™ High-Flow PVC-coated Stainless Steel Washing Machine Hose with 90º Elbow – pair



Features and benefits
- 3/4 in. FHT x 3/4 in. FHT
- Triple reinforced, PVC wrapped, stainless steel hoses for maximum burst strength
- Extremely flexible for fast and easy installation
- 90º Elbow fits easier in tight spaces
- Heavy-duty solid brass nuts
- 1/2 in. Hose diameter for faster fill

Part #	Description
41180	6 ft. Pair

PVC Fill Hose

Eastman™ PVC Washing Machine Hose with 90º Elbow – single



Features and benefits
- 3/4 in. FHT x 3/4 in. FHT
- Black PVC

Part #	Description
95111	5 ft.

Rubber Utility/Dehumidfier Drain Hose

Eastman™ Rubber Utility/ Dehumidifier Drain Hose



Features and benefits
- Premium EPDM rubber construction
- Lays flat and does not coil
- 3/ in. FHT connection x open

Part #	Description
60307	5 ft.
60309	12 ft.

Rubber ft.Yft. Mixer Hose

Eastman™ Rubber Washing Machine ft.Yft. Mixer Hose



Features and benefits
- 3/4 in. FHT x 3/4 in. FHT inlet
- 3/4 in. MHT outlet
- Black rubber

Part #	Description
60349N	1 ft. Legs

Rubber Extension Hose

Eastman™ Rubber Washing Machine Extension Hose – 3/4 in. MHT x 3/4 in. FHT



Features and benefits

- 3/8 in. Rubber hose
- Nickel-plated brass nuts
- Extends reach to water supply

Part #	Description
41133	1 ft.
41134	2 ft.
41135	3 ft.
41136	4 ft.
41138	3 ft.

Molded Rubber Drain Hose

Eastman™ Washing Machine Discharge Hose



Features and benefits

- Molded rubber
- Fits 3/4 in., 7/8 in., 1 in., 1-1/8 in. or 1-1/4 in. outlets

Part #	Description
60355	6 ft.

Flexible PVC Drain Hose

Eastman™ PVC Washing Machine Discharge Hose



Features and benefits

- Black flexible corrugated PVC

Part #	Description
60352	6ft.

Eastman™ SSD-Style Washing Machine Discharge Hose



Features and benefits

- Universal-fit gray flexible PVC
- Fits 1 in., 1-1/8 in. or 1-1/4 in. outlets

Part #	Description
48397	6ft.
60357	8ft.

Accessories

Eastman™ Washing Machine Filter Hose Washer



Features and benefits

- Brass mesh screen

Part #	Description
70144	Filter Hose Washer - 10 Pack

Eastman™ Washing Machine Hose Washer



Features and benefits

- Red rubber washer

Part #	Description
70145	Hose Washer - 10 Pack

Eastman™ Washing Machine Gooseneck Drain Hook



Features and benefits

- Secures washing machine drain hose
- 1 in. Drain diameter

Part #	Description
41190	1 in. Aluminum Gooseneck

Eastman™ Aluminum Lint Trap



Features and benefits

- Slips over end of drain hose to prevent lint from clogging tub or sink

Part #	Description
91221	Lint Trap - 10 pack

Eastman™ Washing Machine Pan

Features and benefits

- Protects floor from washing machine leaks
- High-impact plastic will not rust, corrode or crack
- 52525 – Deeper pan depth allows side mount of drain fitting
- 52528 – Low-profile designed to work with front loading machines

Part #	Description
52525	30 in. x 32 in. OD
52528	Low Profile – 30.5 in. x 34.5 in. OD

52525



52528



Eastman™ Anti-vibration Pads



Features and benefits

- Reduces noise and vibrations from washers and dryers
- Works on any type of floor surface, reducing surface scratches
- Recessed area on top surface to keep washer steady

Part #	Description
69001	4 Pack

Dryer/Steam Dryer
Installation Supplies

Stainless Steel Steam Dryer Kit 54
Rubber Steam Dryer Kit 54
Stainless Steel Steam Dryer Adapter Hose 55
Rubber Extension Hose 55
'Y' Connectors for Steam Dryer 56
Accessories 57
Clamps 57
Gas Dryer Connector Kits 58
Electric Dryer Cords 59
Lint Wizard™ 59
ArmorFlex™ Super Dryer Duct 60
Foil Duct 60
Gas Valves 61



Stainless Steel Steam Dryer Kit

Eastman™ Steel-Flex™ Steam Dryer Water Supply Installation Kit



Includes
- 12 in. Adapter hose
- 'Y' connector
- 60 in. x 3/4 in.
- 3/4 in. FHT x 3/4 in. FHT connection

Part #	Description
69023	5 ft.

Eastman™ Steel-Flex™ Stainless Steel Steam Dryer Installation Kit



Includes
- 12 in. Adapter hose
- 'Y' connector
- 72 in. x 3/4 in. FHT x 3/4 in. FHT fill hose with 90º elbow

Part #	Description
41025	6 ft.

Rubber Steam Dryer Kit

Eastman™ Rubber Steam Dryer Installation Kit



Includes
- 1 ft. Adapter hose
- 'Y' connector
- 5 ft. x 3/4 in. FHT x 3/4 in. FHT fill hose

Part #	Description
41024	5 ft.

Stainless Steel Steam Dryer Adapter Hose

Eastman™ Steel-Flex™ Stainless Steel Steam Dryer Adapter Hose



Features and benefits
- Stainless steel braided
- Nickel-plated brass nuts

3/4 in. FHT x 3/4 in. FHT

Part #	Description
41021	12 in.

3/4 in. MHT X 3/4 in. FHT

Part #	Description
41131	12 in.

Rubber Extension Hose

Eastman™ Rubber Steam Dryer Installation Kit



Includes
- 2 ft., 3/4 in. FHT x 3/4 in. Adapter hose
- 'Y' connector 3/4 in. FHT x 3/4 in. MHT x 3/4 in. MHT

Part #	Description
60353	2 ft.

Rubber Extension Hose

Eastman™ Rubber Washing Machine Extension Hose



Features and benefits

- 3/8 in. Rubber hose
- Nickel-plated brass nuts
- Extends reach to water supply

3/4 in. MHT X 3/4 in. FHT

Part #	Description
41136	4 ft.

3/4 in. MHT X 3/4 in. MHT

Part #	Description
41138	3 ft.

'Y' Connectors for Steam Dryer

Eastman™ 'Y' Adapter for Steam Dryer



Features and benefits

- For steam dryer installations
- Heavy-duty

Brass

Part #	Description
41003	3/4 in. MHT x 3/4 in. MHT x 3/4 in. MHT
41005	3/4 in. FHT x 3/4 in. MHT x 3/4 in. MHT

Chrome plated brass

Part #	Description
41017	3/4 in. MHT x 3/4 in. MHT x 3/4 in. MHT
41006	3/4 in. FHT x 3/4 in. MHT x 3/4 in. MHT

Nylon

Part #	Description
41023	3/4 in. MHT x 3/4 in. MHT x 3/4 in. MHT

Accessories

Eastman™ Washing Machine Filter Hose Washer



Features and benefits

- Brass mesh screen

Part #	Description
70144	Filter Hose Washer - 10 Pack

Eastman™ Washing Machine Hose Washer



Features and benefits

- Red rubber washer

Part #	Description
70145B	Hose Washer - 10 Pack

Clamps

Eastman™ Metal Spring-Tension Clamp



Features and benefits

- Use with 4 in. ducting
- Sold and priced per bag

Part #	Description
60642	4 in. Tension Clamp - 10 Pack
60702	4 in. Tension Clamp - 2 Pack

Clamps

Eastman™ Dryer Hose Clamps



Features and benefits
- Use with 4 in. ducting
- Sold and priced per bag

Part #	Description
60608N	4 in. Dryer Hose Clamps - 2 Pack

Eastman™ Hose Clamp – Stainless Steel Band



Features and benefits
- Slotted 5/16 in. hex-head
- Zinc-plated
- Carbon steel screw

Part #	Description
43287	#72 - 4-1/8 in. to 5 in.

Gas Dryer Connector Kits

Eastman™ Gas Dryer Install Kit



Features and benefits
- Fits most dryers with gas ratings up to 60,500 BTUs
- ArmorBoost™ EFV protects against ruptures and disconnects

Includes
- 48 in. 1/2 in. OD epoxy-coated gas dryer connector
- 1/2 in. MIP (Tapped 3/8 in. FIP) ArmorBoost™ EFV auto shut-off valve
- 3/8 in. MIP (Tapped 1/4 in. FIP) fitting
- 1/2 in. FIP fitting
- 1/2 in. MIP (Tapped 3/8 in. FIP) fitting
- Leak detector solution
- Thread sealant

Part #	Description
20YE52V05148K	48 in.-1/2 in. OD Dryer Connector Kit Epoxy Coated

Electric Dryer Cords

Eastman™ Electric Dryer Cord – 30 Amps



61249



61253

Features and benefits
- Rated 30 Amps – 125/250 Volts
- UL approved for electric dryers
- 10-gauge wires
- Closed-eyelet terminals

3-prong wire

Part #	Description
61249	4ft. – 3-Wire
61250	5ft. – 3-Wire
61251	6ft. – 3-Wire
61252	10ft. – 3-Wire

4-prong wire

Part #	Description
61253	4ft. – 4-Wire
61254	5ft. – 4-Wire
61255	6ft. – 4-Wire
61259	10ft. – 4-Wire

Lint Wizard™

Eastman™ Lint Wizard™ Dryer Vent Cleaning Kit



Features and benefits
- Professional design and quality
- Reduces drying times which saves energy and time doing laundry
- Helps prevent dryer fires by removing lint buildup in the exhaust vent, lint trap and around dryer

Small kit includes
- 2 ft. long flexible quick-snap rods
- Self-feeding 4 in. auger brush
- 2-1/2 in. diameter lint trap brush

Large kit includes
- 2 ft. Long flexible quick-snap rods
- Blockage removal tool
- Self-feeding 4 in. auger brush
- 2-1/2 in. diameter lint trap brush

Part #	Description
60766	Small Duct Cleaning Kit
60768	Large Duct Cleaning Kit
60767	Nylon Extension Rods (4 Rods)

ArmorFlex™ Super Dryer Duct

Eastman™ ArmorFlex™ Super Dryer Duct

ArmorFlex SUPER DRYER DUCT



Features and benefits

- The flexibility of foil with the strength of semi-rigid
- Easy to install with no elbows needed
- Saves energy by maintaining efficient airflow
- Tear and puncture-resistant
- Crush and flame-resistant
- Easy to work with and trim
- Meets semi-rigid classification

Part #	Description
69028	4 in. x 8 ft. with Clamps

Foil Duct

Eastman™ Flexible Aluminum Dryer Duct

Features and benefits

- 4-Ply aluminum foil construction for increased durability
- Ideal for both gas and electric clothes dryer installations

Part #	Description
60583	4 in. x 20 ft.
60582	4 in. x 8 ft.

With two 4 in. tension clamps

Part #	Description
60618	4 in. x 5 ft.
60616	4 in. x 8 ft.
60612	4 in. x 25 ft.

With two 4 in. worm gear clamps

Part #	Description
69033	4 in. x 8 ft.



60618



60618 / 60616 / 60612



69033

Gas Valves

Eastman™ Brass Gas Ball Valves

Features and benefits

- Lever handle
- For use with liquefied petroleum, natural gas and air mixtures up to 175 PSI
- Brass body

Straight – Flare x Female

Part #	Description
60001	1/2 in. FIP x 3/8 in. OD Tube
60003	1/2 in. FIP x 1/2 in. OD Tube
60030	3/4 in. FIP x 1/2 in. OD Tube

Straight – Flare x Flare

Part #	Description
60004	3/8 in. OD Tube x 3/8 in. OD Tube
60006	1/2 in. OD Tube x 1/2 in. OD Tube

Straight – Female x Female

Part #	Description
60009	1/2 in. FIP

Angle – Flare x Female

Part #	Description
60032	1/2 in. FIP x 3/8 in. OD Tube
60034	1/2 in. FIP x 1/2 in. OD Tube

Retail bagged – Straight – Flare x FIP

Part #	Description
60001B	1/2 in. FIP x 3/8 in. OD Tube
60003B	1/2 in. FIP x 1/2 in. OD Tube

Retail bagged – Straight – FIP x FIP

Part #	Description
60009B	1/2 in. FIP



60001



60004



60009



60032

Electric & Gas Range
Installation Supplies

Electric Range cords 64
Gas Range Connector Kits 65
Gas Valves 65
Retail Bagged Gas Valves 66
Range Elements & Reflector 66
Miscellaneous 71



Electric Range Cords

Eastman™ Electric Range Cord – 40 Amps

Features and benefits

- Rated 40 Amps – 125/250 Volts
- UL approved for electric ranges
- Closed-eyelet terminals

3 Wire

Part #	Description
61256	4ft. - 3-Wire
61268	5ft. - 3-Wire
61269	6ft. - 3-Wire

4 Wire

Part #	Description
61271	4ft. - 4-Wire
61272	5ft. - 4-Wire
61273	6ft. - 4-Wire



61256



61271

Eastman™ Electric Range Cord – 50 Amps

Features and benefits

- Rated 50 Amps – 125/250 Volts
- UL approved for electric ranges
- Closed-eyelet terminals

3 Wire

Part #	Description
61241	4ft. - 3-Wire
61242	5ft. - 3-Wire
61243	6ft. - 3-Wire
61244	10ft. - 3-Wire

4 Wire

Part #	Description
61245	4ft. - 4-Wire
61246	5ft. - 4-Wire
61247	6ft. - 4-Wire
61248	10ft. - 4-Wire



61241



61245

Gas Range Connector Kits

Eastman™ Gas Range Connector Kit

Features and benefits

- Designed to fit most major brand gas ranges
- Kit includes pipe thread sealant and leak test solution
- Includes additional adapters to fit various installations

Part #	Description
30YE50505448K	36 in. – 5/8 in. OD Dryer Connector Kit Epoxy Coated
30YE54V45048K	48 in. – 5/8 in. OD Dryer Connector Kit Epoxy Coated



Gas Valves

Eastman™ Brass Lever Handle Gas Valves

Features and benefits

- Lever handle
- For use with liquefied petroleum, natural gas and air mixtures up to 175 PSI
- Brass body

Female x Female

Part #	Description
60011	3/4 in. FIP

Flare x Female

Part #	Description
60031	1/2 in. FIP x 5/8 in. OD Flare
60005	3/4 in. FIP x 15/16 in. OD Flare

Angle – Flare x Female

Part #	Description
60029	3/4 in. FIP x 15/16 in. OD Flare



60011



60031



60029

Retail Bagged Gas Valves

Eastman™ Brass Lever Handle Gas Valves

Features and benefits
- Designed to fit most major brand gas ranges

Includes
- Pipe thread sealant
- Leak test solution
- Additional adapters to fit various installations



60011B


60005B


60029B

Female x Female

Part #	Description
60011B	3/4 in. FIP

Flare x Female

Part #	Description
60005B	3/4 in. FIP x 15/16 in. OD Flare

Angle – Flare x Female

Part #	Description
60029B	3/4 in. FIP x 15/16 in. OD Flare

Range Elements & Reflector Pans

Eastman™ Chrome Trim Ring



Features and benefits
- Fits GE®/Hotpoint®
- Use with pan 60722 (6 in.) and 60723 (8 in.)
- Chrome finish

Part #	Description
60725	6 in.
60726	8 in.

Eastman™ Chrome Deep Reflector Bowl



Features and benefits
- Fits GE®/Hotpoint®
- For use with removable element
- 1¾ in. ID bottom hole – 1¾ in. deep
- Chrome finish

Part #	Description
60727	6 in. (Actual OD 7-9/16 in.)
60728	8 in. (Actual OD 9-5/8 in.)

Eastman™ Range Reflector Pan



Features and benefits
- Fits hinged-type GE® or Hotpoint® ranges
- Chrome finish

Part #	Description
60722	6 in.
60723	8 in.

Eastman™ Chrome Reflector Bowl and Ring


60761


60763

Features and benefits
- Fits new-style GE® and Hotpoint®
- Range pan and ring combination
- Replaces GE® #WB32X5075 and #WB32X5076 pans

Single element notch

Part #	Description
60761	6 in.
60762	8 in.

3 element notches

Part #	Description
60763	6 in.
60764	8 in.

Range Elements & Reflector Pans

Eastman™ Reflector Bowl and Ring

Features and benefits

- Range pan and ring combination
- Black finish
- Single-element notch

Fits GE®/Hotpoint®

Part #	Description
60729	6 in.
60730	8 in.

Fits Whirlpool®

Part #	Description
60719	6 in.
60720	8 in.



60729



60719

Eastman™ Range Reflector Bowl

Features and benefits

- Fits Whirlpool®
- For use with removable elements
- 2 in. ID bottom hole – 1¾ in. deep
- Chrome finish

Part #	Description
60746	6 in. (actual OD 7-9/16 in.)
60747	8 in. (actual OD 9-5/8 in.)



Eastman™ Universal Range Reflector Pan

Features and benefits

- Fits most hinged-type elements for electric ranges except GE®/Hotpoint®
- Chrome finish

Part #	Description
60748	6 in.
60749	8 in.



Eastman™ Universal Trim Ring

Features and benefits

- Use with pan #60748 (6 in.) or #60749 (8 in.)
- Chrome finish

Part #	Description
60750	6 in.
60751	8 in.



Eastman™ Universal Range Reflector Bowl

Features and benefits

- For use with removable elements
- Fits most electric ranges
- Chrome finish

Part #	Description
60752	6 in.
60753	8 in.



Eastman™ Broiler Pan

Features and benefits

- Porcelain and chrome-plated steel


Part #	Description
60759	16-1/2 in. x 13 in.



Range Elements & Reflector Pans

Eastman™ Plug-in Surface Element

Features and benefits
- Replaces most plug-in elements


61730

61732

61706

61714

61716

Economy

Part #	Description
61730	6 in. - OEM #MP15YA –4-Turn
61731	8 in. - OEM #MP26YA – 5-Turn

Deluxe

Part #	Description
61732	6 in. - OEM #MP15MA – 4-Turn
61733	8 in. - OEM #MP26MA – 5-Turn

GE® style

Part #	Description
61706	6 in. – OEM #WB30M1 – 5-Turn
61707	8 in. – OEM #WB30M2 – 6-Turn
61714	6 in. – OEM #WB30X218 – 5-Turn
61715	8 in. – OEM #WB30X219 – 6-Turn

Whirlpool® style

Part #	Description
61716	6 in. - OEM #SP12YA – 3-Turn
61717	8 in. - OEM #SP21YA – 4-Turn

Eastman™ Wire-in Surface Element

Features and benefits
- Fits GE® style wire-in elements


61708


61712

3-Wire

Part #	Description
61708	6 in. – OEM #WB30X342 – 5-Turn
61709	8 in. – OEM #WB30X341 – 6-Turn

2-Wire with Block

Part #	Description
61712	6 in. - OEM #WB30X359 – 5-Turn
61713	8 in. - OEM #WB30X348 – 6-Turn

Miscellaneous

Eastman™ Electric Range Knob Set

Features and benefits
- Universal-fit

Includes
- 4 plastic knobs
- 8 aluminum overlays
- 4 sets of adapters (5 per set), bagged with instructions



Part #	Description
61201	Black Knob

Eastman™ Universal Range Knob Set

Features and benefits
- For electric ranges

Includes
- 4 plastic knobs
- 8 aluminum overlays
- 4 sets of adapters (5 per set)



Part #	Description
61207	Universal Range Knob Set

Miscellaneous

Eastman™ Appliance Brush Set



Features and benefits

- Universal brush is great for almost all appliance brands and models
- Great for refrigerator and air conditioner coils
- Clean dryer and vent filters
- Comfortable flex handle ideal for cleaning hard-to-reach areas

Includes

- 30 in. long narrow brush
- 36 in. long wide brush

Part #	Description
60765	Appliance Brush Set



Supply Boxes

Ice Maker Boxes	76
Fixture Boxes	79
Washing Machine Boxes	80
Funnel Attachment	85
Supply Box Trim Plate	85
Washing Machine Valves	86
Ice Maker Valves	88
Access Panels	89
Stainless Steel Hammer Arrestors	90
Copper Hammer Arrestors	92




Ice Maker Boxes

Valve Connection Types



1/2 in. Copper Sweat | 1/2 in. CPVC | 1/2 in. F1960 PEX | 1/2 in. F1807 PEX



SharkBite Max™ Push-to-Connect Ice Maker Outlet Box

Features and benefits

- Quarter-turn shut-off with 1/4 in. compression outlet
- Snap-on faceplate accommodates up to 3/4 in. drywall. Compatible with PEX, Copper, CPVC and PE-RT pipe
- No special tools, crimping, glue or soldering is needed
- Can be rotated for easier and faster installation
- Remove using a Disconnect Clip or Disconnect Tongs (both sold separately)

Without Hammer Arrestor

Part #	Description
25032	1/2 in. SharkBite x 1/4 in. compression

With Hammer Arrestor

Part #	Description
25033	1/2 in. SharkBite x 1/4 in. compression



25032



25033

SharkBite™ PEX Crimp Ice Maker Outlet Box

Features and benefits

- Quarter-turn shut-off with 1/4 in. compression outlet
- Snap-on faceplate accommodates up to 3/4 in. drywall
- Compatible with PEX and PE-RT pipe
- Connects to PEX pipe with copper crimp rings or stainless steel clamps
- Minimum working temperature 33ºF at 160 psi. Maximum working temperature 200ºF at 80 psi

Part #	Description
25740	1/2 in. SharkBite PEX x 1/4 in. compression



Eastman™ Ice Maker Outlet Box – No Valves



Features and benefits

- Heavy-duty plastic

Part #	Description
60235	Without Valve

Eastman™ Ice Maker Outlet Box



60232



60241

Features and benefits

- Quarter-turn ball valve installed
- 1/4 in. OD compression outlet

Without Hammer Arrestor

Part #	Description
60232	1/2 in. sweat connection
60234	1/2 in. CPVC connection
60233	1/2 in. crimp PEX (F1807) connection
60262	1/2 in. expansion PEX (F1960) connection

With Hammer Arrestor

Part #	Description
60241	1/2 in. Sweat Connection
60240	1/2 in. CPVC Connection
60242	1/2 in. Crimp PEX (F1807) Connection
60258	1/2 in. Expansion PEX (F1960) Connection

Ice Maker Boxes

HoldRite™ Ice Maker Outlet Box



HR-IMR-P-0



HR-IMRA-P-0

Features and benefits

- End Connection pipe tail pieces – All supply inlets are ½ in. CTS tubing
- Copper Type L Tubing: ASTM B88 (sweat, press or PTC)
- CPVC Tubing: ASTM D24896 (Glue or PTC)
- Pex-A Tubing: ASTM F876, ASTM F877, CSA B137.5 and listed for approval with following connection methods: ASTM F1807/F2098/F1960/F2159/F3347/F3348 AND ASSE 1061
- Designed for use in Residential or Commercial applications
- 1/4 in. O.D. compression outlet
- Fire Rated & Non-Fire Rated options available (1hr & 2hr ratings)
- White Paintable Trim Cover – snaps into place, no adhesives or fasteners needed (will fit 1 or 2 layers of 1/2 in. or 5/8 in. sheetrock)
- Will ship with rough-in debris cover
- Attaches to 170/170-26 brackets (only in Top position), Hyco or directly to studs
- Can be installed upright or inverted position. Top or bottom supply

Without Hammer Arrestor

Part #	Description
HR-IM-M-0	Ice Maker Box - Copper, 1/2 in. x 1/4 in. Comp
HR-IM-P-0	Ice Maker Box - Pex, 1/2 in. x 1/4 in. Comp
HR-IM-C-0	Ice Maker Box - CPVC, 1/2 in. x 1/4 in. Comp

With Hammer Arrestor

Part #	Description
HR-IMA-M-0	Ice Maker Box - With Arrestor - Copper, 1/2 in. x 1/4 in. Comp
HR-IMA-P-0	Ice Maker Box - With Arrestor - Pex, 1/2 in. x 1/4 in. Comp
HR-IMA-C-0	Ice Maker Box - With Arrestor - CPVC, 1/2 in. x 1/4 in. Comp

Fire-Rated without Hammer Arrestor

Part #	Description
HR-IMR-M-0	Ice Maker Box - Fire rated, Copper, 1/2 in. x 1/4 in. Comp
HR-IMR-P-0	Ice Maker Box - Fire rated, Pex, 1/2 in. x 1/4 in. Comp
HR-IMR-C-0	Ice Maker Box - Fire rated, CPVC, 1/2 in. x 1/4 in. Comp

Fire-Rated with Hammer Arrestor

Part #	Description
HR-IMRA-M-0	Ice Maker Box - Fire rated, With Arrestor - Copper, 1/2 in. x 1/4 in. Comp
HR-IMRA-P-0	Ice Maker Box - Fire rated, With Arrestor - Pex, 1/2 in. x 1/4 in. Comp
HR-IMRA-C-0	Ice Maker Box - Fire rated, With Arrestor - CPVC, 1/2 in. x 1/4 in. Comp

Fixture Boxes

HoldRite™ Appliance Fixture Box



HR-AFR-P-1



HR-AFRA-P-1

Features and benefits

- End Connection pipe tail pieces – All supply inlets are 1/2 in. CTS tubing
- Copper Type L Tubing: ASTM B88 (sweat, press or PTC)
- CPVC Tubing: ASTM D24896 (Glue or PTC)
- Pex-A Tubing: ASTM F876, ASTM F877, CSA B137.5 and listed for approval with following connection methods: ASTM F1807/F2098/F1960/F2159/F3347/F3348 AND ASSE 1061
- Designed for use in Residential or Commercial applications
- 3/8 in. O.D. compression outlet
- Fire Rated & Non-Fire Rated options available (1hr & 2hr ratings)
- White Paintable Trim Cover – snaps into place, no adhesives or fasteners needed (will fit 1 or 2 layers of 1/2 in. or 5/8 in. sheetrock)
- Will ship with rough-in debris cover
- Attaches to 170/170-26 brackets (only in Top position), Hyco or directly to studs
- Can be installed upright or inverted position. Top or bottom supply

Without Hammer Arrestor

Part #	Description
HR-AF-M-1	Appliance/Fixture Box - Copper, 1/2 in. x 3/8 in. Comp
HR-AF-P-1	Appliance/Fixture Box - Pex, 1/2 in. x 3/8 in. Comp
HR-AF-C-1	Appliance/Fixture Box - CPVC, 1/2 in. x 3/8 in. Comp

With Hammer Arrestor

Part #	Description
HR-AFA-M-1	Appliance/Fixture Box - With Arrestor - Copper, 1/2 in. x 3/8 in. Comp
HR-AFA-P-1	Appliance/Fixture Box - With Arrestor - Pex, 1/2 in. x 3/8 in. Comp
HR-AFA-C-1	Appliance/Fixture Box - With Arrestor - CPVC, 1/2 in. x 3/8 in. Comp

Fire-Rated without Hammer Arrestor

Part #	Description
HR-AFR-M-1	Appliance/Fixture Box - Fire rated, Copper, 1/2 in. x 3/8 in. Comp
HR-AFR-P-1	Appliance/Fixture Box - Fire rated, Pex, 1/2 in. x 3/8 in. Comp
HR-AFR-C-1	Appliance/Fixture Box - Fire rated, CPVC, 1/2 in. x 3/8 in. Comp

Fire-Rated with Hammer Arrestor

Part #	Description
HR-AFRA-M-1	Appliance/Fixture Box - Fire rated, With Arrestor - Copper, 1/2 in. x 3/8 in. Comp
HR-AFRA-P-1	Appliance/Fixture Box - Fire rated, With Arrestor - Pex, 1/2 in. x 3/8 in. Comp
HR-AFRA-C-1	Appliance/Fixture Box - Fire rated, With Arrestor - CPVC, 1/2 in. x 3/8 in. Comp

Washing Machine Boxes

SharkBite Max™ Push-to-Connect Washing Machine Outlet Box

Features and benefits

- Innovative push-to-connect design makes for quick and easy installation
- Accommodates left, right and center drain installations
- Forward mounted valves give easy access for on/off operation
- EZ out test caps are raised for easy removal and knock-outs are oversized so they won't fall down the drain
- Back of box rests against the back Sheetrock for sturdy recessed box installation



24763



25031

Without Hammer Arrestor

Part #	Description
24763	1/2 in. PTC x 3/4 in. MHT

With Hammer Arrestor

Part #	Description
25031	1/2 in. PTC x 3/4 in. MHT

SharkBite™ Crimp Washing Machine Outlet Box

Features and benefits

- Quarter-turn shut-off with 3/4 in. washing machine hose outlet
- Compatible with PEX and PE-RT pipe, connecting with copper crimp rings or stainless steel clamps
- Forward-mounted valves offer easy access for on/off operation, and can be inverted for top mount and center drain option
- Lead-free DZR brass construction ensures durability and reliability



Part #	Description
25739	1/2 in. PEX x 3/4 in. MHT

HoldRite™ Washing Machine Outlet Box

Features and benefits

- Compact design
- End Connection pipe tail pieces – All supply inlets are 1/2 in. CTS tubing
- Copper Type L Tubing: ASTM B88 (sweat, press or PTC)
- CPVC Tubing: ASTM D24896 (Glue or PTC)
- Pex-A Tubing: ASTM F876, ASTM F877, CSA B137.5 and listed for approval with following connection methods: ASTM F1807/F2098/F1960/F2159/F3347/F3348 AND ASSE 1061
- Paintable trim cover that Snaps into place – no adhesives or fasteners needed (will fit 1 or 2 layers of 1/2 in. or 5/8 in. sheetrock)
- Ships with debris cover and also includes optional hot/cold valve marking labels
- Attaches to 170/170-26 brackets (only in top position), hyco bar or directly to studs
- Valves can be installed in upright or inverted position
- Drain knockout on both sides of box. Each drain knockout also includes (1x) 3/4 in. CTS and (1x) 3/4 in. IPS knockout for use with condensate or T&P relief piping (utilizing box drain)
- Optional funnel/diverter attachment for use when utilizing condensate/T&P to provide water wall effect to avoid splashing within the box



HR-W-P



HR-WA-P



HR-W-M



HR-WA-M



HR-W-C



HR-WA-C

Without Hammer Arrestor

Part #	Description
HR-W-P	3/4 in. MHT PEX-A – Expansion (ASTM F1960), Crimp/Barb (ASTM F1807), Poly Crimp/Barb (ASTM F2159), PTC
HR-W-M	3/4 in. MHT Copper – Sweat, Press, PTC
HR-W-C	3/4 in. MHT CPVC – Glue, PTC

With Hammer Arrestor

Part #	Description
HR-WA-P	3/4 in. MHT PEX-A – Expansion (ASTM F1960), Crimp/Barb (ASTM F1807), Poly Crimp/Barb (ASTM F2159), PTC
HR-WA-M	3/4 in. MHT Copper – Sweat, Press, PTC
HR-WA-C	3/4 in. MHT CPVC – Glue, PTC

Washing Machine Boxes

HoldRite™ Fire-Rated Washing Machine Outlet Box



HR-WR-P



HR-WRA-P

Features and benefits

- Compact design
- End Connection pipe tail pieces – All supply inlets are 1/2 in. CTS tubing
- Copper Type L Tubing: ASTM B88 (sweat, press or PTC)
- CPVC Tubing: ASTM D24896 (Glue or PTC)
- Pex-A Tubing: ASTM F876, ASTM F877, CSA B137.5 and listed for approval with following connection methods: ASTM F1807/F2098/F1960/F2159/F3347/F3348 AND ASSE 1061
- Paintable trim cover that Snaps into place - no adhesives or fasteners needed (will fit one or two layers of 1/2 in. or 5/8 in. sheetrock)
- Ships with debris cover and also includes optional hot/cold valve marking labels
- Attaches to 170/170-26 brackets (only in top position), hyco bar or directly to studs
- Valves can be installed in upright or inverted position
- Drain knockout on both sides of box. Each drain knockout also includes (1x) 3/4 in. CTS and (1x) 3/4 in. IPS knockout for use with condensate or T&P relief piping (utilizing box drain)
- Optional funnel/diverter attachment for use when utilizing condensate/T&P to provide water wall effect to avoid splashing within the box

Without Hammer Arrestor

Part #	Description
HR-WR-P	3/4 in. MHT Expansion (ASTM F1960), Crimp/Barb (ASTM F1807), Poly Crimp/Barb (ASTM F2159), PTC
HR-WR-M	3/4 in. MHT Sweat, Press, PTC
HR-WR-C	3/4 in. MHT Glue, PTC

With Hammer Arrestor

Part #	Description
HR-WRA-P	3/4 in. MHT Expansion (ASTM F1960), Crimp/Barb (ASTM F1807), Poly Crimp/Barb (ASTM F2159), PTC
HR-WRA-M	3/4 in. MHT Sweat, Press, PTC
HR-WRA-C	3/4 in. MHT Glue, PTC

Eastman™ Washing Machine Outlet Box (without valves)

Features and benefits

- Heavy-duty plastic
- 2 in. Drain coupling with knock-out test cap molded
- Less valves

Part #	Description
60256	Center Drain
60251	Dual Drain

Eastman™ Dual-Drain Washing Machine Outlet Box with Single-lever Valve



Features and benefits

- Quarter turn ball valve installed
- 3/4 in. MHT outlet

Part #	Description
60267	1/2 in. Sweat Connection

Eastman™ Steam Dryer Outlet



Features and benefits

- Quarter turn ball valve installed
- 3/4 in. MHT outlet

Part #	Description
60270	1/2 in. Sweat connection

Washing Machine Boxes

Eastman™ Washing Machine Outlet Box

Features and benefits

- Quarter turn ball valves installed
- 3/4 in. MHT outlet

Center Drain

Part #	Description
60248	1/2 in. Sweat connection
60249	1/2 in. CPVC connection
60250	1/2 in. Crimp PEX (F1807) connection
60260	1/2 in. Expansion PEX (F1960) connection

Center Drain – with Hammer Arrestor

Part #	Description
60253	1/2 in. Sweat connection
60246	1/2 in. CPVC connection
60247	1/2 in. Crimp PEX (F1807) connection
60254	1/2 in. Expansion PEX (F1960) connection

Dual Drain

Part #	Description
60243	1/2 in. Sweat connection
60244	1/2 in. CPVC connection
60245	1/2 in. Crimp PEX (F1807) connection
60261	1/2 in. Expansion PEX (F1960) connection

Dual Drain – with Hammer Arrestor

Part #	Description
60252	1/2 in. Sweat connection
60227	1/2 in. CPVC connection
60230	1/2 in. Crimp PEX (F1807) connection
60231	1/2 in. Expansion PEX (F1960) connection



60248



60246



60243



60252

Funnel Attachment

HoldRite™ Washing Machine Outlet Box Funnel Attachment

Features and benefits

- Specialized accessory designed to funnel water when utilizing condensate/T&P knockouts to provide water wall effect & avoid splashing within the box

Part #	Description
HR-W-FN	Washing Machine Supply Box Funnel Attachment



Supply Box Trim Plate

HoldRite™ Washing Machine Outlet Box Face Plate

Features and benefits

- Used to cover and protect the washing machine outlet box that's installed in the wall behind the washing machine
- The face plate is the visible part of the outlet box and is designed to provide a polished and finished appearance
- Crafted with high-quality ABS material, the faceplate has openings to allow access to the water supply valves and drain connection

Part #	Description
HR-W-FP	Replacement Face Plate



Supply Box Trim Plate

Eastman™ Outlet Box Trim Plate

Features and benefits

- Fits Eastman™ square ice maker and washing machine outlet boxes

Part #	Description
60220	Washing Machine
60222	Ice maker

Washing Machine Valves

SharkBite™ Brass Crimp Washing Machine Valve

Features and benefits

- Compatible with PEX and PE-RT pipe
- Connects to PEX pipe with copper crimp rings or stainless steel clamps
- Minimum working temperature 33ºF at 160 psi. Maximum working temperature 200ºF at 80 psi
- Certified for potable and radiant heating applications

Part #	Description
24998A	1/2 in. DZR Brass – Hot
24813A	1/2 in. DZR Brass – Cold



24998A 24813A

HoldRite™ Washing Machine Outlet Box Valve

Features and benefits

- Available for various use cases and may be needed during a remodeling or renovation project to match the new aesthetic or accommodate changes in plumbing configurations

Part #	Description
HR-WZ-RH	Right hand
HR-WZ-A-RH	Right hand
HR-WZ-LH	Left hand
HR-WZ-A-LH	Left hand



Eastman™ Quarter Turn Washing Machine Valves

Features and benefits


- Brass ball mechanism
- Teflon seats
- Forged brass body

Brass

Part #	Description
60280	1/2 in. MIP or Sweat x 3/4 in. MHT – Hot
60281	1/2 in. MIP or Sweat x 3/4 in. MHT – Cold
60282	1/2 in. Crimp PEX (F1807) x 3/4 in. MHT – Hot
60283	1/2 in. Crimp PEX (F1807) x 3/4 in. MHT – Cold

Chrome

Part #	Description
10758	1/2 in. MIP or Sweat x 3/4 in. MHT - Hot
10759	1/2 in. MIP or Sweat x 3/4 in. MHT - Cold



60280 60281



10758 10759

Ice Maker Valves

SharkBite™ Brass Crimp Ice Maker Valve



Features and benefits

- Compatible with PEX and PE-RT pipe
- Connects to PEX pipe with copper crimp rings or stainless steel clamps
- Minimum working temperature 33ºF at 160 psi
- Maximum working temperature 200ºF at 80 psi
- Certified for potable and radiant heating applications

Brass

Part #	Description
25095A	1/2 in. DZR Brass

Eastman™ Quarter-turn Ice Maker Valves – Brass



60284 60285

Features and benefits

- Brass ball mechanism
- Teflon seats
- Forged brass body

Part #	Description
60284	1/2 in. MIP or Sweat x 1/4 in. OD Comp
60285	1/2 in. Crimp PEX (F1807) x 1/4 in. OD Comp

Access Panels

Eastman™ Spring-Style Access Panel

Features and benefits

- Quick installation – frameless
- Simply clicks into and out of place
- White plastic, can be painted or wallpapered

Part #	Description
34026	9-1/4 in. x 9-1/4 in., Service Opening 8 in. x 8 in.
34027	15-1/4 in. x 15-1/4 in., Service Opening 14 in. x 14 in.

Eastman™ Access Panel with Frame – Plastic

Features and benefits

- Provides access to plumbing lines behind walls or ceilings
- White plastic

Part #	Description
34021	8 in. x 11 in. x 3/4 in., Service opening – 6 in. x 9 in.
34020	11 in. x 11 in. x 3/4 in., Service opening – 8 in. x 8 in.
34022	17 in. x 17 in. x 3/4 in., Service opening – 14 in. x 14 in.

Eastman™ Access Panel with Frame – Metal



Features and benefits

- Doors are prime coated, suitable for painting or wallpapering
- Fabricated from durable 16-gauge galvanized steel
- Door is flush to frame with rounded safety corners

Part #	Description
34060	7-5/8 in. x 7-5/8 in. x 1-3/16 in., Service opening 6 in. x 6 in.
34062	9-5/8 in. x 9-5/8 in. x 1-3/16 in., Service opening 8 in. x 8 in.
34064	13-5/8 in. x 13-5/8 in. x 1-3/16 in., Service opening 12 in. x 12 in.
34066	15-5/8 in. x 15-5/8 in. x 1-3/16 in., Service opening 14 in. x 14 in.

Stainless Steel Hammer Arrestors

SharkBite™ Washing Machine Hammer Arrestor



Features and benefits

- Can be installed in wet lines
- Size AA Water Hammer Arrestors, used for 'point of use' residential appliance applications
- Swiveled thread for easy install

Part #	Description
WHAWM34Z	3/4 in. Swivel FHT x MHT Washing Machine Hammer Arrestor

SharkBite™ Compression Hammer Arrestor



Features and benefits

- Can be installed in wet lines
- Size AA Water Hammer Arrestors, used for 'point of use' residential appliance applications
- Swiveled thread for easy install

Part #	Description
WHASV38Z	3/8 in. Female compression x 3/8 in. compression – DZR Brass

SharkBite™ Washing Machine Hammer Arrestor

Features and benefits

- Size AA Water Hammer Arrestors, used for 'point of use' residential appliance applications
- Swiveled thread for easy install

Part #	Description
WHAMIP12Z	1/2 in. MIP
WHASWT12Z	1/2 in. Male Sweat
WHAEX12	1/2 in. PEX-A Expansion



WHAMIP12Z WHAEX12 WHANPT12

SharkBite™ Toilet Hammer Arrestor

Features and benefits

- Stops banging noises in pipes
- Swiveled thread for easy install
- Size AA Water Hammer Arrestors, used for 'point of use' residential appliance applications

Part #	Description
WHATL78Z	7/8 in. Male BC x 7/8 in. BC




Copper Hammer Arrestors

SharkBite™ Brass Push Water Hammer Arrestor

Features and benefits

- Compatible with PEX, copper, CPVC and PE-RT pipe
- No special tools, crimping, glue or soldering required
- Can be installed in wet lines
- Approved for behind-the-wall applications with no access panels
- Remove using a Disconnect Clip or Disconnect Tongs (both sold separately)
- Size AA Water Hammer Arrestors, used for 'point of use' residential appliance applications



Residential

Part #	Description
22630LF	1/2 in.
22632LF	3/4 in.


Commercial

Part #	Description
22631LF	1/2 in.
22633LF	1 in.

SharkBite™ Brass Crimp Water Hammer Arrestor

Features and benefits

- Compatible with PEX and PE-RT pipe
- Connects to PEX pipe with copper crimp rings or stainless steel clamps
- Size AA Water Hammer Arrestors, used for 'point of use' residential appliance applications
- Certified for potable and radiant heating applications



Residential

Part #	Description
25401	1/2 in. DZR Brass

Alphabetic Index

A

Access Panel with Frame – Metal 89
Access Panel with Frame – Plastic 89
Add-an-outlet Adapter 17
Add-an-outlet Adapter 29
Air Gap Replacement Cap 39
Aluminum Lint Trap 50
Angle Stop Adapter Valve 17
Angled 14/3 Pigtail Cord 34
Angled 16/3 Pigtail Cord 34
Anti-vibration Pads 51
Appliance Brush Set 72
Appliance Extension Cord 34
Armorflex™ Super Dryer Duct 60
Automotive Heater Hose – Precut 37

B

Brass Gas Ball Valves 61
Brass Lever Handle Gas Valves 65
Broiler Pan 69

C

Chrome Trim Ring 66
Compression Dishwasher Elbow 28
Compression Female Adapter 18
Compression FHT Adapter 18
Compression Hammer Arrestor 88
Compression Male Elbow 28
Copper Tube Ice Maker Kit 15
Crimp Ice Maker Valve 86
Crimp Tee Stop 16

C

Crimp Washing Machine Outlet Box 80
Crimp Washing Machine Valve 85
Crimp Water Hammer Arrestor 92

D

Dishwasher Connection Kit 25
Dishwasher Discharge Hose Extension 36
Dishwasher Discharge Hose Extension 36
Dishwasher Hot Water Drain Hose 38
Dishwasher Junction Box Kit for Bosch 35
Dishwasher Mounting Bracket 32
Dishwasher Pan 40
Dishwasher Power Cord Kit 35
Drain Hose Extension Kit For Bosch 37
Dryer Hose Clamps 58
Dual-Drain Washing Machine Outlet Box with Single-lever Valve 80
Dual Outlet Stop Valve Adapter 29
Dual-Drain Washing Machine Outlet Box with Single-lever Valve 83

E

Economy Air Gaps 39
Electric Dryer Cord – 30 Amps 59
Electric Range Cord – 40 Amps 64
Electric Range Cord – 50 Amps 64
Electric Range Knob Set 71

F

Fire-Rated Washing Machine Outlet Box 82
Flexible Aluminum Dryer Duct 60
Flexible PVC Drain Hose 49
Flood Defender™ Dishwasher Connector 22
Flood Defender™ Ice Maker Connector 12

G

Gas Dryer Install Kit 58
Gas Range Connector Kit 65

H

Heavy-Pattern Air Gaps 39
High-Efficiency PVC-coated Stainless Steel Washing Machine Hose with 90º Elbow – pair 46
Hose Clamp – Stainless Steel Band 40
Hose Clamp – Stainless Steel Band 59

I

Ice Maker Connector 1/4 in. comp x 1/4 in. comp 12
Ice Maker Connection Kit 14
Ice Maker Outlet Box 76
Ice Maker Outlet Box – No valves 76
In-line Water Filter – 6 in. 18
In-line Water Filter – 10 in. 19

L

Lint Wizard™ Dryer Vent Cleaning Kit 59

M

Metal Spring-Tension Clamp 58

P

Outlet Box Trim Plate 85
PEX Crimp Ice Maker Outlet Box 77
PEX Ice Maker Connector 13
Plug-in Surface Element 70
Polyethylene Tubing Ice Maker Filter Kit 15
Polyethylene Tubing Ice Maker Kit 15
PVC Ice Maker Connector 1/4 in. comp x 1/4 in. comp 13
PVC Washing Machine Discharge Hose 49
PVC Washing Machine Discharge Hose 37
PVC Washing Machine Hose with 90º Elbow – single 47
Push Dishwasher Elbow 28
Push-to-Connect Ice Maker Outlet Box 76
Push-to-Connect Washing Machine Outlet Box 80

Alphabetic Index

Q

Push Water Hammer Arrestor 90
Quarter-turn Ice Maker Valves – Brass 86

R

Quarter Turn Washing Machine Valves 85
Red & Blue Rubber Washing Machine Hose 46
Reflector Bowl and Ring 68
Reinforced PVC Dishwasher Connector 3/8 in. comp x 3/8 in. comp 25
Rubber Garbage Disposal Connector 38
Rubber Steam Dryer Installation Kit 54
Rubber Steam Dryer Installation Kit 55
Rubber Utility/Dehumidifier Drain Hose 47
Rubber Washing Machine Extension Hose 56
Rubber Washing Machine Extension Hose – 3/4 in. MHT x 3/4 in. FHT 48
Rubber Washing Machine Hose 45
Rubber Washing Machine 'Y' Mixer Hose 47

S

Speed-Flex™ Compression Inlet 31
Speed-Flex™ F1807 PEX Inlet 17
Speed-Flex™ F1807 PEX Inlet 32
Speed-Flex™ Iron Pipe Inlet 31
Spring-style Access Panel 89
SSD-Style Washing Machine Discharge Hose 49
Stainless Steel Dishwasher Connector – 1/2 in. FIP x 3/8 in. MIP Elbow 24
Stainless Steel Dishwasher connector – 3/8 in. comp x 3/4 in. FHT Elbow 24
Stainless SteelDishwasher Connector – 3/8 in. comp x 3/8 in. comp 23
Stainless Steel Dishwasher Connector – 3/8 in. comp x 3/8 in. MIP Elbow 23
Stainless Steel Dishwasher Connector – Universal-Fit 22
Stainless Steel Dishwasher Installation Kit 3/8 in. comp x 3/8 in. comp 26
Stainless Steel Dishwasher Kit 3/8 in. comp x 3/4 in. FHT elbow – angled cord 27
Stainless Steel Dishwasher Kit 3/8 in. comp x 3/4 in. FHT elbow –straight cord 27
Stainless Steel Dishwasher Kit 3/8 in. comp x 3/8 in. comp 26
Stainless Steel Dishwasher Supply and Drain Kit 36
Stainless Steel Quick-connect Dishwasher Kit 3/8 in. Comp x 3/4 in. FHT elbow 26
Stainless Steel Steam Dryer Adapter Hose 55
Stainless Steel Steam Dryer Adapter Hose 55
Stainless Steel Steam Dryer Installation Kit 54
Stainless Steel Washing Machine Hose 44
Steam Dryer Outlet 83
Steam Dryer Water Supply Installation Kit 54
Straight 14/3 Pigtail Cord 33
Straight 16/3 Pigtail Cord 33
Supply Box Trim Plate 85

T

Tee Stop 16
Tee Stop 30
Toilet Hammer Arrestor 91

U

Universal Dishwasher Power Cord Kit 33
Universal-Fit Dishwasher Discharge Hose 35
Universal Range Knob Set 71
Universal Range Reflector Bowl 69
Universal Trim Ring 69
Washing Machine Discharge Hose 48

W

Washing Machine Filter Hose Washer 50
Washing Machine Filter Hose Washer 57
Washing Machine Gooseneck Drain Hook 50
Washing Machine Hammer Arrestor 90
Washing Machine Hammer Arrestor 91
Washing Machine Hose Washer 50
Washing Machine Hose Washer 57
Washing Machine Outlet Box 81
Washing Machine Outlet Box (without valves) 83
Washing Machine Outlet Box Face Plate 85
Washing Machine Outlet Box Replacement Valve 87
Washing Machine Pan 51
Water Filtration Systems 18
Wire-in Surface Element 70

Y

'Y' Adapter for Steam Dryer 56

Notes

Notes

SharkBite™

HoldRite™

CashAcme™

John Guest™

Eastman™

EZ-Flo™

Connect with us

Certifications

The most up-to-date certifications and warranty can be found at eastmanplumbing.com

Tel: 1-877-700-4242 | Fax: 1-877-700-4280

Manufactured & Distributed by Reliance Worldwide Corporation®.
RWC_CAT_Appliance Installation and Repair_128252147_1024