SAFETY DATA SHEET

1. Identification

Product identifier Envirotex Lite Hardener

Other means of identification

SDS number 7511900

Product code 02008, 02016, 02032, 02064, 02128

Recommended use High Gloss Coating

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

Fields Landing CA 95537, USA.

Telephone number 001 707-443-9323

E-maill mail@eti-usa.com

Contact person Technical Director

Emergency phone number 800-424-9300 (CHEMTREC)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation

Serious eye damage/eye irritation

Sensitization, skin

Category 1

Category 1

Reproductive toxicity (fertility, the unborn

Category 2

child)

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin

reaction. Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Response If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Envirotex Lite Hardener SDS US

903574 Version #: 02 Revision date: 22-July-2019 Issue date: 17-April-2014

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Polyoxypropylenediamine	Proprietary	20-60
Nonylphenol	Proprietary	10-60
N-Aminoethylpiperazine	Proprietary	1-25
Polyoxypropylenediamine	Proprietary	1-25

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.

4. First-aid measures

Inhalation

If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Get medical attention immediately.

Skin contact

Remove contaminated clothing. Rinse skin thoroughly with lukewarm water for at least 15 minutes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or Poison Control Center immediately. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and delayed

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of skin.

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed such as: Carbon oxides. Nitrogen Oxides

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighte Fire fighting

In case of fire do not breath fumes. Move container from fire area if it can be done without risk.

equipment/instructions Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not get in eyes, on skin or on clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Envirotex Lite Hardener SDS US

903574 Version #: 02 Revision date: 22-July-2019 Issue date: 17-April-2014

(NOx).

Methods and materials for containment and cleaning up Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get this material in your eyes, on your skin, or on your clothing. Do not taste or swallow. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Use personal protective equipment as required. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the SDS.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values Exposure guidelines

No biological exposure limits noted for the ingredient(s).

No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Chemical resistant gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Skin protection

Other

Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection

If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.

Form Pourable liquid.

Clear. Color

Odor Minimal. Not distinct. Ammonia-like.

Odor threshold Not available.

>= 11.7

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point > 249.8 °F (> 121.0 °C) Closed Cup

Envirotex Lite Hardener SDS US 3/8 Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density > 1 (Air=1)

Relative density
Solubility(ies)

Solubility (water)

Slightly solube (0.1-1%)

Partition coefficient

Not available.

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid temperatures exceeding the flash point. Reacts violently with strong acids. This product may

react with oxidizing agents. Do not mix with other chemicals. Avoid incompatible materials and

intense heat.

Incompatible materials Acids. Strong oxidizing agents. Oxidizing agents. Alkaline metals.

Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

When heated, the vapors/fumes given off may cause respiratory tract irritation.

Skin contact Causes severe skin burns. May cause an allergic skin reaction. May be harmful if absorbed

through skin.

Eye contact Causes serious eye damage.

Ingestion Under normal conditions of intended use, this material does not pose a risk to health. Harmful if

swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering

of skin.

Information on toxicological effects

Acute toxicity Harmful if swallowed. May be harmful if absorbed through skin. May cause digestive tract burns.

Components Species Test Results

N-Aminoethylpiperazine (CAS Proprietary)

Acute Dermal

LD50 Rabbit 880 mg/kg

Oral

LD50 Rat > 1000 mg/kg

Envirotex Lite Hardener SDS US

Components Species Test Results

Nonylphenol (CAS Proprietary)

<u>Acute</u>

Dermal

LD50 Rabbit 2031 mg/kg

Oral

LD50 Rat 1200 mg/kg

Polyoxypropylenediamine (CAS Proprietary)

<u>Acute</u>

Dermal

LD50 Rabbit 610 mg/kg

Oral

LD50 Rat 220 mg/kg

Skin corrosion/irritation Causes severe skin burns.
Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity Possible reproductive hazard. Possible risk of harm to the unborn child. Possible risk of impaired

fertility.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard.

Chronic effects Prolonged exposure may cause chronic effects. Possible adverse reproductive and

developmental effects.

12. Ecological information

Ecotoxicity Expected to be very toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

Components Species Test Results

N-Aminoethylpiperazine (CAS Proprietary)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 1950 - 2460 mg/l, 96 hours

Nonylphenol (CAS Proprietary)

Aquatic

Acute

AlgaeEC50Scenedesmus subspicatus1.3 mg/l, 72 HoursCrustaceaEC50Daphnia magna0.085 mg/l, 48 HoursFishLC50Pimephales promelas0.128 mg/l, 96 Hours

Chronic

Crustacea NOEC Daphnia magna 24 µg/l, 21 days

Envirotex Lite Hardener SDS US

903574 Version #: 02 Revision date: 22-July-2019 Issue date: 17-April-2014

Components Species Test Results

Fish NOEC Pimephales promelas 0.0074 mg/l, 33 days

Polyoxypropylenediamine (CAS Proprietary)

Aquatic Chronic

Algae NOEC Algae 0.32 mg/l, 72 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Nonylphenol 5.71

Mobility in soil No data available.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsDispose in accordance with applicable federal, state, and local regulations. Do not allow this

material to drain into sewers/water supplies.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s. (Nonyl Phenol Mixture)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Environmental hazards

Environmentai nazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s. (Nonyl Phenol Mixture)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s. (Nonyl Phenol Mixture)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III

Envirotex Lite Hardener SDS US

903574 Version #: 02 Revision date: 22-July-2019 Issue date: 17-April-2014

Environmental hazards

Marine pollutant Yes

Not available. **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not established.

Nonylphenol (CAS Proprietary) 1.0 % One-Time Export Notification only.

TSCA Chemical Action Plans, Chemicals of Concern

Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Nonylphenol (CAS Proprietary)

Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Nonylphenol Proprietary 10-60

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

N-Aminoethylpiperazine (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

N-Aminoethylpiperazine (CAS Proprietary)

Nonylphenol (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

N-Aminoethylpiperazine (CAS Proprietary)

US. Rhode Island RTK

Not regulated.

Envirotex Lite Hardener

903574 Version #: 02 Revision date: 22-July-2019 Issue date: 17-April-2014 7/8

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information, including date of preparation or last revision

Issue date17-April-2014Revision date22-July-2019

Version # 02

HMIS® ratings Health: 3*

Flammability: 0 Physical hazard: 0

List of abbreviations LD50: Lethal Dose 50%.

LC50: Lethal Concentration 50%. EC50: Effective Concentration, 50%.

NOAEC: No Observed Adverse Effect Concentration.

PEL: Permissible Exposure Limit. STEL: Short-term Exposure Limit. TWA: Time Weighted Average Value.

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer Environmental Technology, Inc. cannot anticipate all conditions under which this information and

its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Envirotex Lite Hardener SDS US

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).