


Estwing®

AMERICA'S FIRST AND FINEST SOLID STEEL STRIKING TOOLS SINCE 1923



Generations of Quality ~ An American Tradition of Excellence


★ **AMERICAN MADE** ★



**Committed to American
Workers Since 1923**



For ninety years the Estwing family has taken pride in designing and manufacturing the world's most durable, comfortable and



Ernest Estwing, founder

attractive striking tools. Estwing Mfg. company was founded by Ernest Estwing in 1923 with patents on one-piece, solid steel forgings.

Estwing was originally known for our iconic leather grips and in the 1950's Estwing introduced our exclusive nylon vinyl grip which was molded directly to the steel hammer shank. This innovative grip quickly became popular with our customers.



Today, Estwing's shock reduction grip provides our customers comfort, durability and reduces the vibrations caused by impact. This Estwing innovation is sure to be the standard for ergonomically correct hammers for decades to come.



In 1972, Norm Estwing and current president Bob Youngren present an award to Ace Hardware representatives Ole Runestad, Al Rucker and "Mac" McClaskey.



Estwing Hammers were even chosen by NASA for use on the moon.

Estwing hammers are unique in appearance, balance and durability and are asked for by name -- and they continue to dominate construction projects throughout the world.

Estwing began and is still located in Rockford, Illinois, and we are committed to keeping our tools "Made in the U.S.A."

Comfort, durability and dependability are the foundation of our proud tradition. We hope you will put this proud tradition to work for you!

Estwing's Mission:

To provide the consumer with the world's finest striking tools.



TABLE OF CONTENTS

	NAIL HAMMERS	4-9
	AXES & WOOD SPLITTING TOOLS	10-16
	BRICKLAYER HAMMERS	17-19
	SPECIALTY TOOLS	20-24
	DRYWALL HAMMERS	25-26
	HATCHETS & ROOFING TOOLS	27-29
	PRY BARS	30-33
	GEOLOGICAL TOOLS	34-44
	SOFT FACE HAMMERS	45-48
	INTERNATIONAL HAMMERS	49-52
	SURE STRIKE HAMMERS	53-58
	MERCHANDISERS	59

KEEPING JOBS IN AMERICA!

NAIL HAMMERS

- CLAW HAMMERS
- RIP HAMMERS
- FRAMING HAMMERS
- BUILDER SERIES FRAMING HAMMERS
- HAMMERTOOTH™
- CLAW HAMMER (ENGLISH PATTERN)



- Since 1923 -

M.J. ADAMBY
2017

★ AMERICA



Estwing

MAN MADE





NYLON VINYL SHOCK REDUCTION GRIP

Claw Hammers



Unsurpassed Balance & Temper
Head & Handle Forged in 1 Piece - Fully Polished

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12C	0 34139 62261 1	12 oz / 336 g	11" / 279 mm	2	48	63 lbs / 28.4 kg
Smooth Face	E3-16C	0 34139 62361 8	16 oz / 448 g	13" / 330 mm	2	24	44 lbs / 19.8 kg
Smooth Face	E3-20C	0 34139 62461 5	20 oz / 560 g	13.5" / 343 mm	4	24	48 lbs / 21.6 kg

Rip Hammers



Molded on Shock Reduction Grip

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12S	0 34139 62301 4	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
Smooth Face	E3-16S	0 34139 62381 6	16 oz / 448 g	13" / 330 mm	4	24	44 lbs / 19.8 kg
Smooth Face	E3-20S	0 34139 62501 8	20 oz / 560 g	13.5" / 343 mm	4	24	48 lbs / 21.6 kg

Framing Hammers



Shock Reduction Grip
Reduces Shock Up to 70%

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-20SM	0 34139 62521 6	20 oz / 560 g	13.5" / 343 mm	4	24	55 lbs / 24.9 kg
Milled Face	E3-22CMR	0 34139 62581 0	22 oz / 616 g	13.5" / 343 mm	4	24	58 lbs / 26.3 kg
Smooth Face	E3-22CR	0 34139 62601 5	22 oz / 616 g	13.5" / 343 mm	4	24	58 lbs / 26.3 kg
Milled Face	E3-22CM	0 34139 62561 2	22 oz / 616 g	16" / 406 mm	4	20	42 lbs / 18.9 kg
Smooth Face	E3-22C	0 34139 62541 4	22 oz / 616 g	16" / 406 mm	4	20	42 lbs / 18.9 kg
Milled Face	E3-22SMR	0 34139 62681 7	22 oz / 616 g	13.5" / 343 mm	4	24	54 lbs / 24.4 kg
Smooth Face	E3-22SR	0 34139 62701 2	22 oz / 616 g	13.5" / 343 mm	4	24	54 lbs / 24.4 kg
Milled Face	E3-22SM	0 34139 62661 9	22 oz / 616 g	16" / 406 mm	4	20	46 lbs / 20.7 kg
Smooth Face	E3-22S	0 34139 62641 1	22 oz / 616 g	16" / 406 mm	4	20	46 lbs / 20.7 kg
Milled Face	E3-24SM	0 34139 62821 7	24 oz / 672 g	16" / 406 mm	4	20	50 lbs / 22.5 kg
Smooth Face	E3-24S	0 34139 62801 9	24 oz / 672 g	16" / 406 mm	4	20	50 lbs / 22.5 kg
Milled Face	E3-28SM	0 34139 62901 6	28 oz / 784 g	16" / 406 mm	4	20	52 lbs / 23.4 kg
Smooth Face	E3-28S	0 34139 62881 1	28 oz / 784 g	16" / 406 mm	2	20	52 lbs / 23.4 kg
Milled Face	E3-30SM	0 34139 62941 2	30 oz / 840 g	16" / 406 mm	4	20	56 lbs / 25.2 kg
Smooth Face	E3-30S	0 34139 62921 4	30 oz / 840 g	16" / 406 mm	4	20	56 lbs / 25.2 kg




Builder Series Framing Hammers

with larger face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-25S	0 34139 62826 2	25 oz / 700 g	18" / 457 mm	4	20	46 lbs / 20.7 kg
Milled Face	E3-25SM	0 34139 62831 6	25 oz / 700 g	18" / 457 mm	2	20	46 lbs / 20.7 kg

Hammertooth®



- Great for straightening all 2x boards.
- Makes work with pneumatic nailers quick and safer.
- With our patented Shock Reduction Grip.
- Forged in one piece.

Grab and Straighten!

Straighten warped or twisted boards by securing 2x lumber between the tooth and the claw of the Hammertooth and twisting. Hold the lumber in position until it is nailed.

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-22T	0 34139 62711 1	22 oz / 616 g	13.5" / 343 mm	4	24	35 lbs / 15.8 kg
Milled Face	E6-22TM	0 34139 62691 6	22 oz / 616 g	13.5" / 343 mm	4	24	35 lbs / 15.8 kg
Smooth Face	E6-24T	0 34139 62816 3	24 oz / 672 g	16" / 406 mm	4	24	54 lbs / 24.3 kg
Milled Face	E6-24TM	0 34139 62811 8	24 oz / 672 g	16" / 406 mm	2	24	54 lbs / 24.3 kg

Claw Hammer (English Pattern)



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-28C-24	0 34139 62841 5	24 oz / 672 g	13.5" / 343 mm	4	24	54 lbs / 24.3 kg



LEATHER GRIP HAMMERS

Claw Hammers



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E12C	0 34139 61081 6	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
Smooth Face	E16C	0 34139 61141 7	16 oz / 448 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
Smooth Face	E20C	0 34139 61201 8	20 oz / 560 g	12.5" / 318 mm	4	24	44 lbs / 19.9 kg

Rip Hammers



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E12S	0 34139 61101 1	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
Smooth Face	E16S	0 34139 61161 5	16 oz / 448 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
Smooth Face	E20S	0 34139 61221 6	20 oz / 560 g	12.5" / 318 mm	4	24	44 lbs / 19.9 kg

Claw Hammers (English Pattern)



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24C	0 34139 61281 0	24 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg
Smooth Face	E28C (24)	0 34139 61341 1	24 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg
Smooth Face	E28C (28)	0 34139 61361 9	28 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg

Rip Hammer (English Pattern)



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24S	0 34139 61301 5	24 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg




Proper Tool Use and Safety Instructions:


Always use the correct tool for the job!




Tools can be made to chip if struck against another tool or hard object with possible eye or other bodily injury. Always wear safety goggles when using striking or struck tools. Bystanders shall also wear safety goggles.




Nail hammers are for driving and withdrawing common and finishing nails only.




Axes and wood splitting tools are intended for felling trees, trimming trees, splitting wood, notching timbers and driving wooden or plastic stakes.




Drilling hammers are intended to be used for striking chisels, punches, star drills, spikes and hardened nails.




The striking face of the ball peen hammer is used for striking punches and chisels. The ball peen end is used for riveting, shaping and straightening unhardened metals.




Drywall hammers are used for scoring and installing drywall.




Shingler's hammers are used for installing and trimming composition and fiberglass shingles.



Shingler's hatchets are used for installing wood composition and fiberglass shingles.




Bricklayer hammers are used for setting or splitting bricks, masonry tile and chipping mortar.



Carpenter's Hatchets are an all-purpose tool for carpenters, with a striking head, an axe edge and a notch for pulling.



Pry bars are designed for pulling, prying and straightening.



Picks are used for prying rocks from the ground.

AXES ★ SPLITTING TOOLS ★ HAMMERS

- Since 1923 -


OUTDOOR HANDTOOLS

- CAMPER'S AXE
- FIRESIDE FRIEND®
- SURE SPLIT WEDGE®
- SPORTSMAN'S AXE
- LEATHER SHEATHS
- SPECIAL EDITION TOOLS



★ OUTDOOR H

WILDMEN



M.J. ADAMANY
2013

HANDTOOLS ★



NYLON VINYL SHOCK REDUCTION GRIP

Camper's Axe
(with Sheath)



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E45A	0 34139 67021 6	4" / 102 mm	26" / 660 mm	1	6	23 lbs / 10.4 kg

Camper's Axe
(with Sheath)



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E44A	0 34139 67001 8	4" / 102 mm	16" / 406 mm	2	20	58 lbs / 26.1 kg

Fireside Friend®
Splitting Tool



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-FF4	0 34139 61031 1	2-3/8" / 60 mm	14" / 356 mm	2	12	52 lbs / 23.4 kg

Sure Split Wedge®



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E-5	0 34139 74001 8	1-7/8" / 48 mm	9" / 229 mm	2	12	57 lbs / 25.7 kg




**Sportsman's Axe
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E24A	0 34139 61241 4	3-1/4" / 83 mm	14" / 356 mm	2	24	46 lbs / 20.7 kg
E14A	0 34139 61121 9	2-3/4" / 70 mm	12" / 305 mm	4	48	65 lbs / 29.3 kg

Replacement Sheaths



Order Number	UPC Number	Replacement Sheaths	Pack
#1	0 34139 81001 8	Leather Replacement Sheath for E24A Sportsman's Axe	Bulk
#2	0 34139 81021 6	Leather Replacement Sheath for E14A Sportsman's Axe	Bulk
#5	0 34139 81081 0	Leather Replacement Sheath for E44A and E45A Camper's Axe	Bulk
#9	0 34139 20040 6	Nylon Replacement Sheath for E44A and E45A Camper's Axe - Blue	Bulk

**Tomahawk Blue
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-TA	0 34139 677017	27 oz / 771 g	16.25" / 41.275 cm	2	TBD	TBD

**Double Bit Blue
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-DBA	0 34139 677048	38 oz / 1 kg	17.1875" / 43.18 cm	2	TBD	TBD



SPECIAL EDITION OUTDOOR TOOLS

Estwing is excited to introduce our new Black Eagle and Special Edition Outdoor Tools. These tools expand our offerings for the serious sportsmen. They include two brand new designs, the Tomahawk and the Double Bit Axes. Along with these new axes, we have included some of our best selling traditional axes with new finishes and handles.

Available with Estwing's patented vinyl shock reduction grip, or our traditional genuine leather grip, Black Eagle tools are perfectly balanced, weighted and made to last. American forged in one piece out of genuine American steel. These axes are the world's best!



Replacement Sheaths Special Edition



Order Number	UPC Number	Replacement Sheaths	Pack
#16	0 34139 20032 1	Replacement Sheath for Special Edition Sportsman Axe E24ASEA - Black	Bulk
#15	0 34139 20031 4	Replacement Sheath for Special Edition Camper's Axes E45ASE & E44ASE - Black	Bulk
#12	0 34139 82001 7	Replacement Sheath for Special Edition Double Bit Axe EBDBA - Black	Bulk
#14	0 34139 20030 7	Replacement Sheath for Special Edition Double Bit Axe E6-DBA - Blue	Bulk
#11	0 34139 82000 0	Replacement Sheath for Special Edition Tomahawk Axe EBTA - Black	Bulk
#13	0 34139 20020 8	Replacement Sheath for Special Edition Tomahawk Axe E6-TA - Blue	Bulk

SPECIAL EDITION Rock Pick Leather



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E30SE	0 34139 613824	30 oz. / 850 g	12.5" / 31.75 cm	4	36	70 lbs / 31.5 kg



**SPECIAL EDITION
Camper's Axe 26"
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E45ASE	0 34139 670223	56 oz. / 1587 g	26" / 66.04 cm	1	6	23 lbs / 10.4 kg

**SPECIAL EDITION
Camper's Axe 16"
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E44ASE	0 34139 670025	46 oz. / 1304 g	19" / 48.26 cm	2	20	58 lbs / 26.1 kg

**SPECIAL EDITION
Fireside Friend®
Splitting Tool**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
EFF4SE	0 34139 610328	4.33 lbs / 1964 g	14.25" / 36.2 cm	2	12	52 lbs / 23.4 kg

**SPECIAL EDITION
Sportsman Axe
Leather**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E24ASEA	0 34139 612421	29 oz. / 822 g	13" / 33.02 cm	2	24	46 lbs / 20.7 kg



NEW - AXES / WOOD SPLITTING TOOLS

Tomahawk
Matte Black
(with Sheath)



#11

Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
EBTA	0 34139 677031	27 oz / 771 g	16.25" / 41.275 cm	2	TBD	TBD

Tomahawk - Leather
(with Sheath)



#11

Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
ETA	0 34139 677024	27 oz / 771.1 g	16.25" / 41.275 cm	2	TBD	TBD

Double Bit - Black
Matte Black
(with Sheath)



#12

Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
EBDBA	0 34139 677062	38 oz / 1 kg	17.1875" / 43.18 cm	2	TBD	TBD

Double Bit- Leather
(with Sheath)



#12

Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
EDBA	0 34139 677055	38 oz / 1.088 kg	17.1875" / 43.18 cm	2	TBD	TBD

BRICKLAYER HAMMERS



- BRICKLAYER MASON'S HAMMERS
- CROSS PEEN HAMMERS
- DRILLING HAMMERS
- ENGINEER'S HAMMER



Bricklayer Patented Grip and End Cap

Estwing's Patented grip is designed for rugged use. Super tough nylon end caps are molded and bonded into Estwing's exclusive Shock Reduction Grip.

SHOCK REDUCTION GRIP



Bricklayer or Mason's Hammer

with PATENTED Bricklayer Grip™



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12BL*	0 34139 62241 3	12 oz / 336 g	10" / 254 mm	4	48	68 lbs / 30.6 kg
Smooth Face	E3-16BLC	0 34139 62251 2	16 oz / 448 g	11" / 279 mm	4	24	40 lbs / 18.0 kg
Smooth Face	E3-20BLC	0 34139 62451 6	20 oz / 560 g	11" / 279 mm	2	24	44 lbs / 19.8 kg
Smooth Face	E3-24BLC	0 34139 62771 5	24 oz / 672 g	11" / 279 mm	4	24	48 lbs / 21.6 kg

*End cap not available with this model

BIG BLUE Bricklayer or Mason's Hammer



Top view of the Big Blue Bricklayer Hammer

Wider Blade

Large Hammer Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-22BLC	0 34139 627661 1	22 oz / 616 g	10" / 254 mm	2	12	27 lbs / 11.97 kg

Bricklayer Hammer

Wooden Handle



Top view of the Big Blue Bricklayer Hammer

Wider Blade

Large Hammer Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	EW6-21BL	0 34139 62770 8	21 oz / 588 g	12" / 305 mm	2	12	16 lbs / 7 kg



Ninety Years of Excellence

Estwing and its employees are committed to produce only the best American made products.

Product improvement and innovation continue to drive Estwing's success and assure our mission, to provide the consumer with the world's finest striking tools.



ESTWING MANUFACTURING Co.

MANUFACTURERS OF FINE

HAMMERS AND HATCHETS



ROCKFORD ILLINOIS

Sept. 6, 1927 —



Mr. Progressive Hardware Dealer:

These New Tools merit your attention. They have been tested and adopted by the Union carpenters because,

- 1 - Handle will never break or loosen, no matter how or how long used.
- 2 - Pull everything within the strength of the user.
- 3 - Drive smoother, no "jar" or "back-bounce".
- 4 - Unsurpassed temper and appearance.

Sold thru responsible dealers only. Our 33% off list, or 50% on your investment gives you real satisfaction.

This Christmas campaign to 405,000 Union carpenters and 375,000 "Popular Science" readers will make a HARVEST season for our dealers. Our tryout last year made November the biggest month and December second.

Getting and trying one will be a pleasant and profitable surprise to you.

Ed. Estwing



Four color Christmas box special for each tool. Free, if asked for thru jobbers or direct.

Best for Electricians, Gas Fitters, etc. Grip is a non-conductor of electricity heat or cold. This and curved steel 18 or 16 oz. head . . . List \$2.00

Best Ax, sporty appeal and absolute dependability. Thin easy cutting bit. Unsurpassed for billocks. With leather sheath . . . \$2.00

EUO-Ax has many practical uses, the strong tempered claw at end of handle will get any nail anywhere, prying, straightening cleaved nails etc. The hook pulls staples, opens boxes, etc. Thin easy cutting bit. Indispensable for tarring, farm, home, store, etc. With leather sheath . . . \$2.25

Thin bit, easy cutting, easy grinding. No. 8 . . . \$2.25

Thin bit, easy cutting, easy grinding. No. 8 . . . \$2.25

Thin bit, easy cutting, easy grinding. No. 8 . . . \$2.25

PROVE THIS YOURSELF



Bite into the body and pull the head of 60d spikes or pins through a 2 in. plank.



TOOL STEEL BAR

ONE POUND FORGING MADE BY 22 BLOWING OF A 200 LBS. STEAM HAMMER

Thin, light I beam, and sole leather washers gives greatest strength and comfort.



KEEPING JOBS
In AMERICA!



AMERICA

Estwing

- Since 1923 -



SPECIALTY TOOLS



- ENGINEER'S HAMMER
- LINEMAN'S HAMMER
- BALLPEEN HAMMERS
- WELDING CHIPPING HAMMER
- TINNER'S HAMMER



MADE IN THE U.S.A.

M.J. ADAMANY
2013



NYLON VINYL SHOCK REDUCTION GRIP

Cross Peen Hammers

with PATENTED End Cap



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-24CP	0 34139 62032 7	24 oz / 680 g	13" / 330 mm	4	16	40 lbs / 18.0 kg
Smooth Face	E6-32CP	0 34139 62033 4	32 oz / 907 g	14" / 356 mm	4	16	44 lbs / 19.8 kg
Smooth Face	E6-40CP	0 34139 62034 1	40 oz / 1134 g	14.25" / 362 mm	4	16	48 lbs / 21.6 kg

Drilling Hammers



	Order Number	UPC Number	Head Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish	B3-2LB	0 34139 62001 3	2 lb / .91 k	10.5" / 267 mm	4	20	56 lbs / 25.2 kg
Painted Finish	B3-3LB	0 34139 62021 1	3 lb / 1.3 k	11" / 279 mm	2	12	46 lbs / 20.7 kg
Painted Finish	B3-4LB	0 34139 62041 9	4 lb / 1.8 k	11.5" / 292 mm	4	12	55 lbs / 24.8 kg

Drilling Hammer

with long handle



	Order Number	UPC Number	Head Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish Long Handle	B3-4LBL	0 34139 62061 7	4 lb / 1.8 k	16" / 406 mm	4	8	44 lbs / 19.8 kg



Engineer's Hammer

with PATENTED End Cap



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-48E	0 34139 62031 0	48 oz / 1344 g	16" / 406 mm	4	12	36 lbs / 16.2 kg

Lineman's Hammer



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-40L	0 34139 62991 7	40 oz / 1134 g	13.5" / 343 mm	4	24	62 lbs / 27.9 kg

Ballpeen Hammers



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-8BP	0 34139 62311 3	8 oz / 224 g	11" / 279 mm	2	48	54 lbs / 24.3 kg
E3-12BP	0 34139 62331 1	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
E3-16BP	0 34139 62341 0	16 oz / 448 g	13" / 330 mm	2	24	43 lbs / 19.4 kg
E3-24BP	0 34139 62781 4	24 oz / 672 g	13.5" / 343 mm	2	24	54 lbs / 24.3 kg
E3-32BP	0 34139 62961 0	32 oz / 896 g	14.5" / 368 mm	4	24	62 lbs / 27.9 kg



NYLON VINYL SHOCK REDUCTION GRIP

Welding Chipping Hammer



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-WC	0 34139 62181 2	14 oz / 392 g	11" / 279 mm	4	24	21 lbs / 9.5 kg

Tinner's Hammers



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
T3-12	0 34139 61451 7	12 oz / 340 g	11" / 279 mm	4	48	36 lbs / 16.3 kg
T3-18	0 34139 61471 5	18 oz / 510 g	12" / 305 mm	4	24	38 lbs / 17.1 kg

- Nail Hammers are for driving and withdrawing common nails only.
- Drilling Hammers are intended to be used for striking chisels, punches, star drills and hardened nails.
- Ball Peen Hammers have two separate uses. The striking face of the ball peen is used for striking punches and chisels. The ball peen end is used for riveting, shaping and straightening unhardened metals.
- Drywall Hammers are to be used for scoring and installing drywall.
- Shingler's Hatchets are to be used for installing and trimming composition, wood and fiberglass shingles.
- Bricklayer Hammers are used for setting or splitting bricks.



Always wear safety goggles when using striking or struck tools. Bystanders shall also wear safety goggles.

DRYWALL HAMMERS



• DRYWALL HAMMERS





NYLON VINYL SHOCK REDUCTION GRIP

Drywall Hammers

Round Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-11	0 34139 62221 5	11 oz / 308 g	13.5" / 343 mm	2	24	16 lbs / 7.5 kg

- Nail Hammers are for driving and withdrawing common nails only.
- Drilling Hammers are intended to be used for striking chisels, punches, star drills and hardened nails.
- Ball Peen Hammers have two separate uses. The striking face of the ball peen is used for striking punches and chisels. The ball peen end is used for riveting, shaping and straightening unhardened metals.
- Drywall Hammers are to be used for scoring and installing drywall.
- Shingler's Hatchets are to be used for installing and trimming composition, wood and fiberglass shingles.
- Bricklayer Hammers are used for setting or splitting bricks.

Unique Design and Construction Features

Estwing's first and finest solid steel hammers are unsurpassed in quality, balance and finish. Forged one-piece tool steel is the strongest construction known. Fully polished head and handle neck. All with Estwing's exclusive Shock Reduction Grip.



The World's Best Shock Reduction Grip
Permanently molded and bonded to handle.



Estwing Hammers are also available in beautiful laminated leather grips. Laminated **leather** washers are pressed on and riveted. Grip is triple laquered for a beautiful finish.

Protect Your Eyes, Wear Safety Goggles



OSHA regulations 29 CFR 1910.133 requires the use of eye protection not only for workers using striking tools, but for nearby workers in the immediate working area. Similar requirements are contained in OSHA Construction Standards 29 CFR 1926.102. Mine Safety and Health Administration requires eye protection in the Mining environment 30-CFR 55.14-4, 30 CFR 56-15-4, 30 CFR 57-15-4, 30 CFR 75.1720 (a) and 30 CFR 77.1710 (a).

HATCHETS AND ROOFING TOOLS



- SHINGLER'S HAMMERS
- SHINGLER'S HATCHETS
- RIGGER'S AXE
- BLADES, GAUGES, KNIVES



Shingler's Hammers

with Replaceable Blade and Gauge



	Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-CA	0 34139 62081 5	1.8125" / 46 mm	12.5" / 318 mm	2	24	63 lbs / 28.4 kg
Milled Face light weight	E3-UL	0 34139 62091 4	1.8125" / 46 mm	12.5" / 318 mm	4	24	49 lbs / 22.0 kg

Shingler's Hatchets

Replaceable Gauge



	Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-S	0 34139 62141 6	1.875" / 48 mm	12.5" / 318 mm	4	24	63 lbs / 28.4 kg
Milled Face light weight	E3-LS	0 34139 62161 4	1.625" / 46 mm	12.5" / 318 mm	4	24	49 lbs / 22.0 kg

Rigger's Axe



	Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-R	0 34139 62121 8	3.5" / 89 mm	16.75" / 425 mm	2	20	60 lbs / 27.0 kg

Blades and Gauges



B20



EG



CA-39R

Use With	Order Number	UPC Number	Shelf Pack	Master Pack	Weight lbs/kilos
E3-CA	B20	0 34139 73091 0	20 per pkg.	10 pkgs. per bag	2.25 lbs / 1.01 kg
E3-CA & E3-S	EG	0 34139 73041 5	10 per pkg.	5 pkgs. per bag	1.125 lbs / .51 kg
E3-CA & E3-39	CA-39R	0 34139 73081 1	1 card	20 cards	2 lbs / .90 kg



Roofing Knife and Replacement Blades



RK-7



R-1



R-2

Order Number	UPC Number	Packaging	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
RK-7	0 34139 62111 9	Carded	7" / 18 mm	10	100	32 lbs / 14.4 kg
R-1	0 34139 62112 6	Carded	2.5" / 6 mm	10	100	4 lbs / 1.8 kg
R-2	0 34139 62113 3	Carded	2.5" / 6 mm	10	100	4 lbs / 1.8 kg

Carpenter's Hatchets

Shock Reduction Grip



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-2H	0 34139 62421 9	3.625" / 92 mm	13" / 330 mm	4	24	49 lbs / 22.2 kg

Carpenter's Hatchets

Leather Grip



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E2H	0 34139 61181 3	3.625" / 92 mm	13" / 330 mm	4	24	49 lbs / 22.2 kg

BARS AND NAIL PULLERS



- WRECKING & PRY BARS
- HANDY BAR & HANDY CLAW
- NAIL & MOULDING PULLERS
- ROOFING, SIDING CONSTRUCTION BAR



Handy Claw (carded)

The best tool for getting under and removing nails, with a comfortable vinyl grip.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
HC-10	0 34139 63001 2	10" / 254 mm	2	48	72 lbs / 32.4 kg

Lightweight I-Beam Construction Pry Bar

I-Beam Construction gives added strength and eliminates weight. Beveled nail slot. Rocking head provides maximum leverage.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
PB-18	0 34139 65021 8	18" / 457 mm	2	24	55 lbs / 24.8 kg

Handy Bar

Forged half round for added strength less weight. Wide, thin blade for easy prying.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
HB-15	0 34139 64001 1	15" / 381 mm	4	48	42 lbs / 18.9 kg
HB-21	0 34139 64001 1	21" / 533 mm	4	24	36 lbs / 16.2 kg

Nail Pullers


12" double end nail puller (DEP12) and the 15" nail puller with a chisel end (NPC15)



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
DEP12	0 34139 660019	11" / 279mm	4	24	29lbs / 13.2kg
NPC15	0 34139 665014	15 / 381mm	2	24	15lbs / 6.9kg

Gooseneck Wrecking Bars

Pulls, pries and straightens. A chisel on one end for prying, one end slotted for pulling nails, and a chisel end at an angle for lifting.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack
EWB-12	0 34139 10001 0	12" / 304 mm	4
EWB-18	0 34139 10011 9	18" / 457 mm	4
EWB-24	0 34139 10021 8	24" / 610 mm	4
EWB-30	0 34139 10031 7	30" / 762 mm	4
EWB-36	0 34139 10041 6	36" / 914 mm	4

Gooseneck Wrecking Bars



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack
EWB-24PS	0 34139 20021 5	24" / 609 mm	2
EWB-36PS	0 34139 20041 3	36" / 914 mm	2

Protect Your Eyes, Wear Safety Goggles



OSHA regulations 29 CFR 1910.133 requires the use of eye protection not only for workers using striking tools, but for nearby workers in the immediate working area. Similar requirements are contained in OSHA Construction Standards 29 CFR 1926.102. Mine Safety and Health Administration requires eye protection in the Mining environment 30-CFR 55.14-4, 30 CFR 56-15-4, 30 CFR 57-15-4, 30 CFR 75.1720 (a) and 30 CFR 77.1710 (a).

**Pro-Claw™
Roofing, Siding
& Construction
(RSC) Bar
(3-in-1)**



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
RSC	0 34139 10441 4	16.8" / 426.7 mm	2	24	72 lbs / 32.7 kg

Three tools in one!

Plus it offers a full 2-1/2" of lift.

Removes shingles, sheeting and siding.

Removes imbedded nails

Removes gutters and down spouts.



**Estwing
Moulding
Pullers**



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
MP250G	0 34139 10406 3	10" / 254 mm	4	48	37 lbs / 16.7 kg
MP300G	0 34139 10426 1	12" / 305 mm	4	48	49 lbs / 22.2 kg

**Estwing
Nail Pullers**



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
PC210G	0 34139 10276 2	9" / 228 mm	4	48	30 lbs / 13.6 kg
PC250G	0 34139 10296 0	10.6" / 269 mm	4	48	37 lbs / 16.8 kg
PC280G	0 34139 10326 4	11" / 279 mm	4	48	44 lbs / 19.9 kg
PC300G	0 34139 10426 1	12.5" / 317 mm	4	48	52 lbs / 23.4 kg
PC360G	0 34139 10386 8	15" / 381 mm	4	48	73 lbs / 33 kg

The tools the pros use!

- Since 1923 -

GEOLOGICAL TOOLS

- ROCK PICKS
- CHIPPING & CRACK HAMMERS
- CROSS PEEN & ENGINEER'S HAMMERS
- ROCK CHISELS
- PANS, ROCK BAGS, PACS AND MISCELLANEOUS



ESTWING'S GEO



LOGICAL TOOLS



NYLON VINYL SHOCK REDUCTION GRIP

Rock Pick (Square Head)

Larger striking face, Shock Reduction Grip, and protective end-cap




Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-24PC	0 34139 62728 9	24 oz / 72 g	13" / 330 mm	2	12	24 lbs / 10.8 kg

Rock Picks (Pointed Tip)



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-14P	0 34139 62321 2	14 oz / 392 g	11" / 279 mm	4	24	21 lbs / 9.5 kg
E3-22P	0 34139 62621 3	22 oz / 616 g	13" / 330 mm	4	24	51 lbs / 23.0 kg

Rock Pick (Pointed Tip) Long Handle



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-23LP	0 34139 62721 0	22 oz / 616 g	16.5" / 419 mm	4	24	53 lbs / 23.9 kg

Lightweight Rock Picks



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-13P	0 34139 76361 1	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
E3-13PM	0 34139 76401 4	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg



**BIG BLUE
Rock Pick
(Chisel Edge)**



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-22BLC	0 34139 627661 1	22 oz / 616 g	10" / 254 mm	2	12	27 lbs / 11.97 kg

**Rock Picks
(Chisel Edge)**



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12BL*	0 34139 62241 3	12 oz / 336 g	10.4" / 264 mm	4	24	34 lbs / 15.4 kg
Smooth Face	E3-16BLC	0 34139 62251 2	16 oz / 448 g	11" / 279 mm	4	24	40 lbs / 18.0 kg
Smooth Face	E3-20BLC	0 34139 62451 6	20 oz / 560 g	11" / 279 mm	4	24	44 lbs / 19.8 kg
Smooth Face	E3-24BLC	0 34139 62771 5	24 oz / 672 g	11" / 279 mm	4	24	48 lbs / 21.6 kg

*No end cap.

**Burpee
Pick**



Estwing supports nationally recognized Burpee Museum of Natural History, in Rockford, Illinois.



	Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
	BP500	0 34139 78492 0	2.25 lbs / 1.02 kg	17" / 431.8 mm	TBD	TBD	TBD



GEOLOGICAL TOOLS

Geo / Paleo Pick™



Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GP-100	0 34139 78491 3	4 lb / 1.8 k	25" / 625 mm	1	1	4 lbs / 1.8 kg

Chipping Hammer



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-WC	0 34139 62181 2	14 oz / 392 g	11" / 279 mm	4	24	68 lbs / 30.6 kg

Crack Hammer



	Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish	B3-2LB	0 34139 62001 3	2 lb / 896 g	10.5" / 267 mm	4	20	56 lbs / 25.2 kg
Painted Finish	B3-3LB	0 34139 62021 1	3 lb / 1.3 k	11" / 279 mm	2	12	46 lbs / 20.7 kg
Painted Finish	B3-4LB	0 34139 62041 9	4 lb / 1.8 k	11.5" / 292 mm	4	12	55 lbs / 24.8 kg

Crack Hammer Long Handle



	Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish	B3-4LBL	0 34139 62061 7	4 lb / 1.8 k	16" / 406 mm	4	8	44 lbs / 19.8 kg



**Rock Pick
(Pointed Tip)
Leather Grip**



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E30	0 34139 61381 7	22 oz / 616 g	12.5" / 318 mm	4	36	70 lbs / 31.5 kg

**Lightweight
Rock Picks
Leather Grip**



	Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E13P	0 34139 76341 3	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
Milled Face	E13PM	0 34139 76381 3	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg

**SPECIAL EDITION
Rock Pick
Leather**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E30SE	0 34139 613824	30 oz. / 850 g	12.5" / 31.75 cm	4		



NYLON VINYL SHOCK REDUCTION GRIP

Cross Peen Hammers

with PATENTED End Cap



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-24CP	0 34139 62032 7	24 oz / 680 g	13" / 330 mm	4	16	40 lbs / 18 kg
E6-32CP	0 34139 62033 4	32 oz / 907 g	14" / 356 mm	4	16	44 lbs / 19.8 kg
E6-40CP	0 34139 62034 1	40 oz / 1134 g	14.25" / 362 mm	4	16	48 lbs / 21.6 kg

Engineer's Hammer

with PATENTED End Cap



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-48E	0 34139 62031 0	48 oz / 1344 g	16" / 406 mm	4	12	36 lbs / 16.2 kg

Rock Chisels Vinyl Handles


with Hard Cap



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack
ERC-12C	0 34139 69014 6	8 oz / 224 g	12" / 305 mm	6
ERC-9C	0 34139 69013 9	1.6 lbs / 7.2 kg	12.1875" / 229 mm	6
ERC-8C	0 34139 69012 2	18 oz / 510 g	8.625" / 203 mm	6
ERC-7C	0 34139 69011 5	24 oz / 672 g	8.5" / 178 mm	6



Gad Pry Bar



Order Number	UPC Number	Weight approx. oz / grams	Overall Length approx. in / mm	Shelf Pack	Master Pack
GP-18	0 34139 65001 0	19.7 oz / 558 g	18" / 45.72 cm	2	Bulk

Steel Gold Pans



Order Number	UPC Number	Weight approx. oz / grams	Overall Length approx. in / mm	Pack
#10-10	0 34139 86001 3	8 oz / 224 g	10" / 254 mm	Bulk
#12-12	0 34139 86021 1	12 oz / 336 g	12" / 305 mm	Bulk
#14-14	0 34139 86041 9	20 oz / 560 g	14" / 356 mm	Bulk
#16-16	0 34139 86061 7	28 oz / 784 g	16" / 406 mm	Bulk

Black Plastic Gold Pans



Order Number	UPC Number	Weight approx. oz / grams	Overall Length approx. in / mm	Pack
BP-10	0 34139 86071 6	5 oz / 140 g	10" / 254 mm	Bulk
BP-12	0 34139 86081 5	6 oz / 168 g	12" / 305 mm	Bulk
BP-14	0 34139 86101 0	9 oz / 252 g	14" / 356 mm	Bulk
BP-16	0 34139 86121 8	13 oz / 364 g	16" / 406 mm	Bulk

Geo Rock Bag



Order Number	UPC Number		Shelf Pack	Master Pack
GRB	0 34139 86141 6	Geo Rock Bag/1000 Denier Cordura Nylon	1	Bulk



GEOLOGICAL BACKPACKS/BAGS/ACCESSORIES

Geo Harness Belt Pack*

- Padded Belt
- Clip on suspenders
- All-in-one hammer/chisel sheath
- Two pouches
- Water bottle holder



Order Number	UPC Number	Weight approx. lbs./kg	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GSUSP	0 34139 86162 1	4.3 lbs / 1.9 kg	48" / 330 mm	-	-	-

Geo Backpack*

- Heavy duty with waist support
- Front pick/hammer pocket for easy access
- Cell phone holder
- Water bottle holder



Order Number	UPC Number	Weight approx. lbs./kg	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GBP2	0 34139 86145 4	2.5 lbs / 1.05 kg	20" / 508 mm	-	-	-

Geo Backpack Large

- Heavy duty with waist support
- Front pick hammer pocket for easy access
- Cell phone holder
- Water bottle holder
- Huge bottom compartment with plastic case to carry articles.



Order Number	UPC Number	Weight approx. lbs./kg	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GBP	0 34139 86143 0	2.8 lbs / 1.136 kg	20.5" / 521 mm	-	-	-



Geo Briefcase*

- Front pick/hammer pocket for easy access
- Padded shoulder strap
- 3 compartments with tool pouch insert.
- Cell phone holder
- Water bottle holder



Order Number	UPC Number	Weight approx. lbs./kg	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GRB1	0 34139 86146 1	4.9 lbs / 2.08 kg	19" / 482.6 mm	-	-	-

Geo Waist Pack

- Suitable for light convenient use.
- Flap design
- 6 easy access pockets



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GWP	0 34139 86230 7	15 oz / 425 g	12" / 304 mm	-	-	-

Geo Backpack Kids - Pink

- Heavy duty with waist support
- Front pick/hammer pocket for easy access
- Cell phone holder
- Water bottle holder



Order Number	UPC Number	Weight approx. lbs./kg	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GBP1	0 34139 86144 7	2.5 lbs / 1.05 kg	16" / 406 mm	-	-	-

*Water bottle and tool not included

GEOLOGICAL BACKPACKS/BAGS/ACCESSORIES

Geo Belt Pacs



GP1



GP2

pouches and hammer holder can be removed.

Order Number	UPC Number	Description	Shelf Pack	Master Pack
GP1	0 34139 86161 4	Geo Pac 1 /1000 Denier Cordura Nylon	1	Bulk (12)
GP2	0 34139 86181 2	Geo Pac 2 /1000 Denier Cordura Nylon	1	Bulk (12)

Geo Accessories



Order Number	UPC Number	Description	Pack
GBAGS	0 34139 86163 8	Clip-on pouches (combo of 3)	Bulk
GCAP	0 34139 86160 7	Baseball cap with Geo logo	Bulk
GHAT	0 34139 86164 5	Bucket hat with strap and Geo logo	Bulk

Safety Goggles



Order Number	UPC Number	Description	Shelf Pack	Master Pack
#6	0 34139 82001 7	Clear Safety Goggles	1	120

Leather Pick Sheaths



#3



#4

Order Number	UPC Number	Description	Master Pack
#3	0 34139 81041 4	Replacement Sheath for Pointed Tip Picks	Bulk
#4	0 34139 81061 2	Replacement Sheath for Chisel Edge Picks	Bulk

SOFT FACE HAMMERS




- DEADBLOW HAMMERS
- RUBBER MALLETS





NYLON VINYL SHOCK REDUCTION GRIP

Soft Face Hammers



One-piece hot cast polyurethane construction for longer life and more elasticity. Self-healing memory for high resistance to wear, even in tough applications. Oil and chemical tolerant.

Steel canister and rod are welded together for strength and safety. Fully encased in polyurethane—no exposed metal on head or handle. Plus a comfortable vinyl grip for ease of use and reduced fatigue.

Power from within through movement of hundreds of steel shot for maximum power and control.

Polyurethane Deadblow Hammers (with Vinyl Grip)



Order Number	UPC Number	Face Diameter in. / mm	Head Length in. / mm	Length approx. in. / mm	Weight approx. oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
14E*	0 34139 31201 7	1.25" / 32 mm	3.125" / 79 mm	10.125" / 257 mm	14 oz / 392 g	4	48	43 lbs / 19.4 kg
22E	0 34139 31221 5	1.625" / 41 mm	3.75" / 95 mm	11.25" / 286 mm	22 oz / 616 g	4	24	34 lbs / 15.3 kg
27E	0 34139 31241 3	2" / 51 mm	4.125" / 105 mm	12.75" / 324 mm	27 oz / 756 g	4	24	42 lbs / 18.9 kg
45E	0 34139 31261 1	2.25" / 57 mm	4.625" / 117 mm	14.375" / 365 mm	45 oz / 1.26 kg	2	12	35 lbs / 15.8 kg
54E*	0 34139 31281 9	2.625" / 67 mm	5.625" / 137 mm	15.25" / 387 mm	54 oz / 1.51 kg	2	12	42 lbs / 18.9 kg

Polyurethane Deadblow Hammers Slimline (with Vinyl Grip)



Order Number	UPC Number	Face Diameter in. / mm	Head Length in. / mm	Length approx. in. / mm	Weight approx. oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
9S*	0 34139 31301 4	.875" / 22 mm	2.875" / 73 mm	9.325" / 238 mm	9 oz / 252 g	4	48	28 lbs / 12.6 kg
18S	0 34139 31321 2	1.25" / 32 mm	4.1875" / 106 mm	10.625" / 270 mm	18 oz / 504 g	4	24	28 lbs / 12.6 kg
23S	0 34139 31341 0	1.5" / 38 mm	4.25" / 108 mm	12.125" / 308 mm	23 oz / 644 g	4	24	36 lbs / 16.2 kg
27S	0 34139 31361 8	1.625" / 41 mm	5.25" / 133 mm	12.75" / 324 mm	27 oz / 756 g	4	24	42 lbs / 18.9 kg

*No vinyl grip on these models.



Estwing's Deadblow Hammers

with all polyurethane
construction



Order Number	UPC Number	Face Diameter in. / mm	Length approx. in. / mm	Weight approx. oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
CCD13	0 34139 32603 8	1.25" / 32 mm	10.12" / 257 mm	13 oz / 368 g	2	12	9.75 lbs / 4.4 kg
CCD21	0 34139 32604 5	1.75" / 44 mm	11.25" / 286 mm	21 oz / 595 g	2	12	15.7 lbs / 7.1 kg
CCD26	0 34139 32605 2	2" / 51 mm	12.75" / 324 mm	26 oz / 737 g	2	12	19.5 lbs / 8.8 kg
CCD45	0 34139 32601 4	2.25" / 57 mm	14.37" / 364 mm	45 oz / 1275 g	2	12	22.5 lbs / 10.2 kg
CCD53	0 34139 32700 4	2.75" / 70 mm	15.25" / 387 mm	53 oz / 1500 g	2	12	26.5 lbs / 12 kg

Polyurethane Deadblow Sledge Hammers



Order Number	UPC Number	Face Diameter in. / mm	Head Length approx. in. / mm	Length approx. in. / mm	Weight lbs / kilos	Shelf Pack	Master Pack	Weight lbs/kilos
88E	0 34139 31381 6	2.75" / 70 mm	7" / 178 mm	20" / 510 mm	5.5 lbs / 2.5 k	1	1	6 lbs / 27.0 kg
144E	0 34139 31401 1	2.75" / 70 mm	7" / 178 mm	30" / 760 mm	9 lbs / 4.0 k	1	1	9.5 lbs / 42.8 kg
176E	0 34139 31421 9	3.5" / 89 mm	8" / 203 mm	30" / 760 mm	11 lbs / 4.9 k	1	1	11.5 lbs / 51.8 kg
192E	0 34139 31441 7	3.5" / 89 mm	8" / 203 mm	36" / 915 mm	12 lbs / 5.4 k	1	1	12.5 lbs / 56.3 kg

Deadhead® Bounce Resistant Black Rubber Mallets

(with Hickory Handles)



Order Number	UPC Number	Face Diameter in. / mm	Head Length approx. in. / mm	Length approx. in. / mm	Weight oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
DH-12	0 34139 31101 0	2.325" / 60 mm	4.25" / 108 mm	13" / 330 mm	12 oz / 336 g	2	10	14 lbs / 6.3 kg
DH-18	0 34139 31121 8	2.5" / 64 mm	4.5" / 114 mm	14.5" / 368 mm	18 oz / 504 g	2	10	17 lbs / 7.7 kg



SOFT FACE HAMMERS

**Deadhead®
Bounce Resistant
Gray Rubber Mallets**
Non-marring
(with Hickory Handles)



Order Number	UPC Number	Face Diameter in. / mm	Head Length approx. in. / mm	Length approx. in. / mm	Weight oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
DH-12N	0 34139 31681 7	2.325" / 60 mm	4.25" / 108 mm	13" / 330 mm	12 oz / 336 g	2	10	14 lbs / 6.3 kg
DH-18N	0 34139 31701 2	2.5" / 64 mm	4.5" / 114 mm	14.5" / 368 mm	18 oz / 504 g	2	10	17 lbs / 7.7 kg

**Red and Yellow
Rubber Mallet
Hammers**



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
DFH12	0 34139 16032 8	12 oz / 340 g	12"	2	24	21 lbs / 9.5 kg

**Black and Grey
Rubber Mallet
Hammers**



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
DFH24	0 34139 16020 5	24 oz / 680 g	14"	2	24	42 lbs / 19.1 kg

**Steel Face
Ball Peen
Hammers**


with all polyurethane construction and steel shot.



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
CCBP26	0 34139 32701 1	26 oz	12.5"	4	16	26 lbs / 12 kg
CCBP36	0 34139 32602 1	36 oz	12.75"	4	16	36 lbs / 16 kg
CCBP47	0 34139 32703 5	47 oz	13.5"	4	8	23.5 lbs / 10 kg
CCBP50	0 34139 32704 2	50 oz	16.25"	4	8	25 lbs / 11.3 kg




INTERNATIONAL HAMMERS



- GERMAN PATTERN HAMMERS
- ENGLISH PATTERN HAMMERS
- HOLSTERS





INTERNATIONAL HAMMERS

Schlosserhammers
(German Pattern)

Leather Grip



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E300	0 34139 76001 6	11 oz / 308 g	12.5" / 318 mm	4	24	16 lbs / 7.5 kg
E400	0 34139 76011 5	14 oz / 392 g	13" / 330 mm	4	24	21 lbs / 9.5 kg
E600	0 34139 76031 3	21 oz / 588 g	14" / 356 mm	4	24	31.5 lbs / 14.1 kg

Schlosserhammers
(German Pattern)

Nylon Vinyl Grip



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-300	0 34139 76061 0	11 oz / 308 g	12.5" / 318 mm	4	24	16 lbs / 7.5 kg
E3-400	0 34139 76071 9	14 oz / 392 g	13" / 330 mm	4	24	21 lbs / 9.5 kg
E3-600	0 34139 76091 7	21 oz / 588 g	14" / 356 mm	4	24	31.5 lbs / 14.1 kg

Latthammers
(German Pattern)

Leather Grip



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled - Magnet E239MM	0 34139 76121 1	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg
Smooth - Magnet E239MS	0 34139 76141 9	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg
Milled E239M	0 34139 76161 7	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg
Smooth E239S	0 34139 76181 5	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg



**Latthammers
(German Pattern)**

Nylon Vinyl Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled - Magnet	E3-239MM	0 34139 76201 0	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg
Smooth - Magnet	E3-239MS	0 34139 76221 8	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg
Milled	E3-239M	0 34139 76241 6	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg
Smooth	E3-239S	0 34139 76261 4	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg

**Dachdecker
Spitzhammers
(German Pattern)**

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
	E13P	0 34139 76341 3	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg
Milled	E13PM	0 34139 76381 3	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg

**Dachdecker
Spitzhammers
(German Pattern)**

Nylon Vinyl Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
	E3-13P	0 34139 76361 1	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg
Milled	E3-13PM	0 34139 76401 4	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg



INTERNATIONAL HAMMERS

**Claw Hammer
(English Pattern)**

Nylon Vinyl Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-28C-24	0 34139 62841 5	24 oz / 672 g	13.5" / 343 mm	4	24	36 lbs / 16.2 kg

**Claw Hammers
(English Pattern)**

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24C	0 34139 61281 0	24 oz / 672 g	13.5" / 343 mm	4	24	36 lbs / 16.2 kg

**Rip Hammers
(English Pattern)**

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24S	0 34139 61301 5	24 oz / 672 g	13.5" / 343 mm	4	24	36 lbs / 16.2 kg

Protect Your Eyes, Always Wear Safety Goggles

OSHA regulations 29 CFR 1910.133 requires the use of eye protection not only for workers using striking tools, but for nearby workers in the immediate working area.

Similar requirements are contained in OSHA Construction Standards 29 CFR 1926.102.

Mine Safety and Health Administration requires eye protection in the Mining environment

30 CFR 55.14-4, 30 CFR 56-15-4, 30 CFR 57-15-4, 30 CFR 75.1720 (a) and

30 CFR 77.1710 (a).




SURE STRIKE TOOLS



All tools in the Sure Strike Line are made to Estwing's demanding standards and specifications and yet are economically priced for value and service.





SURE STRIKE FIBERGLASS HANDLE HAMMERS

**Curve Claw
Hammers
Jacketed
Fiberglass Handle**

Injection Molded Grip



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRF16C	0 34139 93021 1	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRF20C	0 34139 92181 3	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

**Rip Claw
Hammers
Jacketed
Fiberglass Handle**

Injection Molded Grip



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRF16S	0 34139 93001 3	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRF20S	0 34139 92161 5	20 oz / 560 g	14"	2	24	30 lbs / 13.4 kg


**Framing
Hammers
Jacketed
Fiberglass Handle**

Injection Molded Grip



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRF22S	0 34139 92141 7	22 oz / 616 g	16"	4	24	33 lbs / 14.8 kg
Milled Face	MRF22SM	0 34139 92121 9	22 oz / 616 g	16"	2	24	33 lbs / 14.8 kg

SURE STRIKE WOOD HAMMERS



Curve Claw Hammers

Hickory Handle
Triple Wedge



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRW7C	0 34139 93041 9	7 oz / 196 g	11.5"	4	24	10.5 lbs / 4.7 kg
Smooth Face	MRW20C	0 34139 94021 0	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

Rip Claw Hammers

Hickory Handle
Triple Wedge



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRW16S	0 34139 94001 2	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRW20S	0 34139 94041 8	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

Framing Hammers


Hickory Handle
Triple Wedge



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Milled Face	MRW20LM	0 34139 94081 4	20 oz / 560 g	16"	4	24	30 lbs / 13.4 kg



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Milled Face with Magnet	MRW25LM	0 34139 95001 1	25 oz / 708.7 g	17.5"	2	24	55.0 lbs / 25 kg



SURE STRIKE WOOD HANDLE HACHETS

Screw Gauge and Cutting Blade

Hickory Handle
Triple Wedge Construction
Replacement Parts Available



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW18R	0 34139 92441 8	18 oz / 510 g	14"	4	24	41.5 lbs / 18.8 kg

Fixed Blade/ Replaceable Gauge

Hickory Handle
Triple Wedge Construction
Replacement Parts Available



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRWS	0 34139 92421 0	20 oz / 560 g	13"	2	24	30 lbs / 13.4 kg

Replaceable Gauges and Blades

Order Number	UPC Number	Package Description	Shelf Pack	Master Pack	Weight lbs
MR-01	0 34139 92661 0	Gauge for MRWS & MRW20R	50	300	7.4 lbs / 3.4 kg
MR-02	0 34139 92681 8	Gauge for MRW18R	50	300	9.7 lbs / 4.4 kg
MR-03	0 34139 92701 3	10 Pack of Replacement Blades	50	300	2.5 lbs / 1.1 kg
MR-04	0 34139 92721 1	Blade Keeper and 2 screws	50	300	10.1 lbs / 4.5 kg

Always discard tool if any of the following occur:



Chips or dents on face



Mushroom face



Crack in claw section




Dents in hammer handle

WARNING!

Never strike a hammer or any striking tool against another tool or hardened object.





3 lb. Drilling Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW-3LB	0 34139 92561 3	48 oz / 1,360 g	10.5"	2	12	55.5 lbs / 25.1 kg

5 oz. Tack Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRWT	0 34139 92641 2	5 oz / 141.7 g	10.5"	2	24	17.4 lbs / 7.9 kg

Wood Handle Ball Peen Hammers




Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW12BP	0 34139 92481 4	12 oz / 340 g	13"	4	24	34.9 lbs / 15.4 kg
MRW16BP	0 34139 92501 9	16 oz / 454 g	14"	4	24	38.9 lbs / 17.6 kg
MRW24BP	0 34139 92521 7	24 oz / 680 g	15"	4	24	55.5 lbs / 25.1 kg

Fiberglass Ball Peen Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF16BP	0 34139 92601 6	16 oz / 454 g	13"	4	24	43.7 lbs / 19.8 kg



SURE STRIKE SPECIALTY TOOLS

Wood Handle Drywall Hammers



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW12	0 34139 92541 5	14 oz / 397 g	15.5"	4	24	21 lbs / 9.5 kg

Sure Strike Engineer's Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF40E	0 34139 926221	40oz / 1134g	14"	2	12	37.7lbs / 17.1kg
MRF64E	0 34139 926214	64oz / 1.81kg	14"	2	8	37.2lbs / 16.9kg

Sure Strike Blacksmith's Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF40BS	0 34139 926313	40oz / 1134g	14"	2	12	37.6lbs / 17.1kg
MRF64BS	0 34139 926320	64oz / 1.81kg	14"	2	8	37.2lbs / 16.9kg

Sure Strike 2lb and 3lb Drilling Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF2LB	0 34139 926702	2lb / 896g	11"	2	16	40lbs / 18.2kg
MRF3LB	0 34139 926429	3lb / 1360g	11"	2	12	42lbs / 19.1kg



Estwing 20 oz. Hammer Display Merchandiser

Display Estwing's popular 20 oz. hammers in an eye-catching merchandiser. Three single pack boxes, each holding 10 hammers are stacked to create this attractive display with product description and area for pricing. Perfect for aisle display.



DESCRIPTION	MODEL #	ORDER	WEIGHT	SIZE
20 oz. Solid Steel Hammer with Shock Reduction Grip™	E3-20S/SO	30 each	60 lbs.	18 3/4" x 16 1/2" x 39 1/2"

Sure Strike Hammer Quarter Pallet Display Merchandiser

Make our popular Sure Strike hammers easy to locate with this merchandiser. This display holds up to 30 hammers in the three individual boxes stacked on the base. For aisle or shelf display.



DESCRIPTION	ORDER	WEIGHT	SIZE
Sure Strike Display	30 each	60 lbs.	18 3/4" x 16 1/2" x 39 1/2"

AVAILABLE FOR THE FOLLOWING ITEMS:

MRF16C	MRW16S
MRF16S	MRW20C
MRF20C	MRW20S
MRF20S	



Safety First

Nail hammers are made to drive or withdraw common nails only. ALWAYS WEAR SAFETY GOGGLES!

Estwing Hammers

Estwing's warranty does not apply to tools that have been misused, abused or are considered worn out. Misused tools and/or worn out tools will not be replaced.

Misuses include:

1. Chipping or denting the face against hardened steel such as other hammer faces, hatchets, drills, punches, chisels and hardened steel nails.
2. Pulling hardened nails, screws or nail sets.
3. Filing nicks or over-striking on the handle or claws, resulting in dents, and weakened steel at these points which can cause breakage.

Estwing all-steel tools have unbreakable handles in normal use. However, wooden handles are not unbreakable, nor are wooden handles covered under warranty.

Made in the U.S.A.



Estwing®

Estwing Manufacturing Co., 2647 8th Street, Rockford, IL 61109
(815) 397-9558 • FAX (815) 397-8665 • www.estwing.com

All original artwork by Rockford native, Mark J. Adamany, www.adamany.com