



P Y G A R
TOOLS FOR PROFESSIONALS



CATALOG

Sole importer of FELCO, SWIZA, TINA and ISTOR products in USA and Canada



In a world of standardization, driven by short-term goals, PYGAR has chosen to maintain the tradition to offer the highest standards of excellence, durability and sustainability in the products it sells; there never will be a compromise.

FELCO, TINA and ISTOR are known world-wide as unsurpassed leaders in the manufacture of pruning, cutting and sharpening tools; made to last and give satisfaction for many years of intensive use.

Made in Switzerland and Germany, these tools are designed with the professional in mind and produced with state of the art technology, decades of know-how and the tradition of quality workmanship.

FELCO, TINA and ISTOR are multi-generation family owned manufacturers continuously striving for excellence to serve the most demanding professionals. We will make sure that your experience with PYGAR will commit to the absolute best quality products the industry has to offer.

Distributor of SILKY, BERGER and SWIZA products





Green range

One hand pruners - Classic

Strength, reliability and versatility



F2

F11

F100

F4

F4 C&H

FELCO 2

The Icon - thick & rigid anvil blade

FELCO 11

F2 with thinner anvil blade

FELCO 100

F11 with cut and hold

FELCO 4


Simplified version of F2

FELCO 4 C&H

F4 with cut and hold

One hand pruners - Experts

Ergonomy, strength and reliability



F8

F7

F9

F10

F13

F6

F12

F16

F17

FELCO 8

Medium - large handles

FELCO 7

F8 with rotating handle

FELCO 9

Left handed F8

FELCO 10

F9 with rotating handle

FELCO 13

Large/X-Large handles

FELCO 6

Small/Medium handles

FELCO 12

F6 with rotating handle

FELCO 16

Left handed F6

FELCO 17

Left handed F12



Green range

One hand pruners - Essential and Snips

Reliability, versatility and affordability



F5 F160L F160S F300 F310

FELCO 5
M/L handles made of steel

FELCO 160L
M/L handles made of composite

FELCO 160S
S/M handles made of composite

FELCO 300
Flower and herb pruner

FELCO 310
Fruit harvesting pruner

One hand pruners - Specialities



F19 F31 F32 F50 F51

FELCO 31
Anvil pruner - Straight anvil

FELCO 32
Anvil pruner - Curved anvil

FELCO 19
F8 with spray device

FELCO 50
Hoof shear with rotating handle


FELCO 51
Hoof shear without rotating handle




Green range

Major spare parts for one hand pruners


Refer to FELCO website www.felco.com for more details



Blades	F2	F4	F5	F6/12	F7/8	F9/10	F11	F13	F16/17	F31	F32	F50/51	F100	F160S	F160L
2/3	■						■								
5/3			■												■
6/3				■											
7/3					■										
9/3						■									
13/3								■							
16/3									■						
30/3										■					
32/3											■				
50/3												■			
100/3													■		
160S/3														■	



Anvil blades	F2	F4	F5	F6/12	F7/8	F9/10	F11	F13	F16/17	F31	F32	F50/51	F100	F160S	F160L
2/4	■														
4/4		■													
6/4			■												
7/4				■											
9/4					■										
11/4						■									
13/4							■								
16/4								■							
31/4									■						
32/4										■					
50/4											■				
100/4												■			
160S/4													■		
160L/4														■	



Springs	F2	F4	F5	F6/12	F7/8	F9/10	F11	F13	F16/17	F31	F32	F50/51	F100	F160S	F160L
2/91	■														
5/91		■													
6/91			■												
30/91				■											



Bolt & nut sets	F2	F4	F5	F6/12	F7/8	F9/10	F11	F13	F16/17	F31	F32	F50/51	F100	F160S	F160L
2/90	■														
2/94		■													
4/90			■												
5/94				■											
6/90					■										
6/94						■									
7/90							■								
7/94								■							
30/90									■						
160/94										■					



Repair & 1/2 opening sets	F2	F4	F5	F6/12	F7/8	F9/10	F11	F13	F16/17	F31	F32	F50/51	F100	F160S	F160L
2/92	■														
2/92B		■													
30/92										■					



Green range

Loppers - NEW

Strength, Reliability and Value



F211A40

F211A50

F211A60

FELCO 211 series

Curved cutting head


Cutting capacity of 30 mm/1.2 in

F211A40 - 400 mm/15.7 in

F211A50 - 500 mm/19.7 in

F211A60 - 600 mm/23.6 in

Spare Parts for FELCO 211 Lopper Line



*New lopper line parts are interchangeable except for the handles parts 211/22, 211/32, 211/42



Green range

Loppers - Experts

Ergonomy, strength and reliability



F200A40 F200A50 F200A60 F210C60
Carbon handles

FELCO 200 series
Straight cutting head
Cutting capacity of 30 mm/1.2 in
F200A40 - 400 mm/15.7 in
F200A50 - 500 mm/19.7 in
F200A60 - 600 mm/23.6 in
F200C60 - carbon, ultra light

FELCO 210 series
Curved cutting head
Cutting capacity of 35 mm/1.4 in
F210A50 - 500 mm/15.7 in
F210A60 - 600 mm/23.6 in
F210C60 - carbon, ultra light

Loppers - Experts

Ergonomy, strength and reliability



F220 F230 F231

FELCO 220
Cutting capacity of 40 mm/1.6 in
By-pass with lever-action
800 mm/31.5 in - 1335 gr/47.1 oz

FELCO 230
Cutting capacity of 40 mm/1.6 in
Straight anvil with lever-action
800 mm/31.5 in - 1150 gr/40.5 oz

FELCO 231
Cutting capacity of 40 mm/1.6 in
Curved anvil with lever-action
800 mm/31.5 in - 1150 gr/40.5 oz



Green range

Loppers - Classic

Strength, reliability and versatility



FELCO 20

Cutting capacity of 35 mm/1.4 in
 By-pass, forged aluminium handles
 430 mm/16.9 in - 790 gr/27.0 oz

FELCO 21


Cutting capacity of 35 mm/1.4 in
 By-pass, forged aluminium handles
 630 mm/24.8 in - 1150 gr/40.0 oz

FELCO 22

Cutting capacity of 45 mm/1.8 in
 By-pass, forged aluminium handles
 840 mm/33.1 in - 1980 gr/69.8 oz

Major spare parts for loppers

Refer to FELCO website www.felco.com for more details



Blades	F20	F21	F22	F200	F210	F220	F230	F231
22/3								
200/3								
210/3								
220/3								

Anvil blades - Anvils	F20	F21	F22	F200	F210	F220	F230	F231
22/4								
200/4								
210/4								
220/4								
230/4								
231/4								

Shock absorbers	F20	F21	F22	F200	F210	F220	F230	F231
20/93								
21/93								
220/93								

Repair set	F20	F21	F22	F200	F210	F220	F230	F231
20/92								



Green range

Horticultural knives

Made by VICTORINOX
Stainless steel blades



Light pruning
3.90 10



Rose budding
3.90 20



Fruit tree budding
3.90 40



All purpose
3.90 50



Light grafting and pruning
3.90 60



All purpose budding knife
3.91 10



Pruning or large tree grafting
Rosewood handle - 1.92 00



Heavy pruning and destucking
Rosewood handle - 1.93 00



Paring knives
Pointed blade - 882-R
Straight blade - 891-R





Green range

FELCO Pocket Knife Series

Made by SWIZA

Stainless steel blades



F500



F501



F502



F503



F504



F505



F506

FELCO 500

One line knife

FELCO 501

One line knife with corkscrew

FELCO 502

One line knife with screw driver

FELCO 503

Two line knife with corkscrew

FELCO 504

Two line knife with screw driver

FELCO 505

Three line knife with corkscrew

FELCO 506

Three line knife with screw driver




Green range


Saws



FELCO 600
 Folding saw - blade 160 mm/6.3 in
 Spare blade 600/3



FELCO 621
 Fixed blade 240 mm/9.5 in
 Spare blade 621/3
 Sheath included



FELCO 611
 Fixed blade 330 mm/13.0 in
 Spare blade 611/3
 Sheath included



FELCO 640
 Fixed blade 270 mm/10.5 in
 Spare blade 640/3



FELCO 630
 Fixed blade 330 mm/13.0 in
 Spare blade 630/3

Accessories



F902



F903



F904



F980



F990

Maintenance

- F902 - Ceramic sharpening stone
 - F903 - Diamond coated sharpener
 - F904 - Metallic ceramic insert sharpener
 - F980 - Cleaning spray
 - F990 - Grease
-

Accessories



F910



F910+



F919



F912



F920



F916



F918

Leather holsters

F910 - Flat with clip and belt loop

F910+ - F910 with side pouch for F903

F912 - Cone with clip

F916 - For electric pruner

F918 - For small lopper

F919 - F910 with belt loop only

F920 - Two cones, with belt loop only



Industrial range


Cable cutters



CP



C7



C9



C112



C12



C16

FELCO CP

Universal cutter

FELCO C7

One hand - capacity 7 mm/0.28 in

FELCO C9

Two hands - capacity 9 mm/0.35 in

FELCO C12

Two hands - capacity 12 mm/0.47 in

FELCO C16

Two hands - capacity 16 mm/0.63 in

FELCO C112

Two hands - capacity 12.7 mm/0.50 in

With cam action



Power assisted range - FELCOmatic

Pneumatic pruning shears

Strength, rapidity, efficiency and reliability



FELCO 70

Standard version

Cutting capacity: 30 mm/1.2 in

Weight: 710 gr/1.6 lb

Pressure: 7-15 bars/100-210 psi

Compressor flow should be:

- 35 to 60 l/min

- 1.25 to 2.00 cubic ft/min

F73 with progressive action


F75 with 600 mm/2 ft extension

F76 with 1200 mm/4 ft extension

F77 with 1500 mm/5 ft extension

Major spare parts for pneumatic shears

Refer to FELCO website www.felco.com for more details





Power assisted range - FELCOtronic

Electroportable pruning shears

Strength, rapidity, ergonomy, efficiency and reliability



FELCO 801

Medium cutting head

Nominal cutting capacity: 25 mm/1.0 in

Weight: 745 gr/26.3 oz



FELCO 811

Large cutting head

Nominal cutting capacity: 35 mm/1.4 in

Weight: 815 gr/28.7 oz



FELCO 820

Extra large cutting head

Nominal cutting capacity: 45 mm/1.8 in

Weight: 980 gr/34.7 oz



FELCO 880 Powerpack

Universal fit for F800 / F810 / F820 generation of tools

Light and comfortable harness

Can be used with one or two batteries

Control housing with USB port

Remote housing with START/STOP function & useful options



FELCO 880/100-100

1.0 meter, 3 ft. extension pole compatible with FELCO 801, FELCO 811 and FELCO 820



FELCO 880/100-150

1.5 meter, 5 ft. extension pole compatible with FELCO 801, FELCO 811 and FELCO 820



Power assisted range - FELCOtronic

Major spare parts for electric shears

Refer to FELCO website www.felco.com for more details



800F - For F800 and F801
Small cutting head



800M - For F800 and F801
Hoof shear cutting head

Blades	F800	F800G	F801	F801G	F810	F811A	F811B	F820
800F/1	■		■					
800G/1		left		left				
800M/1	■		■					
801/1	■							
810/1					■			
811A/1						■		
811B/1							■	
820/1								■

Anvil blades	F800	F800G	F801	F801G	F810	F811A	F811B	F820
800F/2	■		■					
800G/2		left		left				
800M/2	■		■					
800/2	■							
810/2					■			
811A/2						■		
811B/2							■	
820/2								■



Grease pump refill

991/1

Spare charger

880/290



880/193



880/194

Spare batteries

880/192 - Single capacity LiPo battery

880/194 - Double capacity Li-Ion battery



Marketing material

More marketing material available on request
Please visit www.felco.com



Displays

92331 - Large display with feet

200x60x20 cm/80x24x8 in
Without tools

92332 - Half display without feet

100x60x20 cm/40x24x8 in
Without tools

92333 - Small display without feet

60x40x20 cm/24x16x8 in
Without tools

92355- Rotating Display

38x25x25 cm / 18x10x10 in
Without tools

Displays accessories

92334 - Demo tool (F8) with attachment

92321 - Feet for half or small display

Catalogs

90804 - FELCO general catalog

90103 - FELCO green range catalog

90415 - F801 catalog

90416 - F811 catalog

90413 - F820 catalog

All catalogs available on PDF
Other catalogs, brochures and flyers
available upon request



Marketing material

More marketing material available on request
Please visit www.felco.com



Swiss Army knives

- 91015 - Victorinox knife - medium
- 91016 - Victorinox knife - large



Pouches

- P731 - Leather pouch
For Victorinox knife # 91016



Pens

- 91055 - Ballpoint pen (pack of ten)



Hats

- 91079 - Red cap with FELCO logo
One size fit all

- Not shown**
- Gray
 - With FELCO logo in black

T-Shirts

- P743 - Small
- P744 - Medium
- P745 - Large
- P746 - X-Large



TINA®



T600A-12

[Extra heavy grafting knife](#)



T605

[Grafting and all purpose knife](#)

Also existing for left handed: T605L



T606

[Grafting knife for berries](#)

Narrow straight blade



T607

[Grafting knife for gooseberries](#)

Narrow curved blade



T608

[Grafting and cutting knife in one](#)



T683

[Grafting knife American pattern](#)

Fixed blade



T685

[Grafting knife standard pattern](#)

Fixed blade and handle similar to T605



TINA®



T640-10

Budding and grafting knife

Also existing for left handed: T640-10L



T641-10

Budding knife standard pattern

Also existing for left handed: T641-10L



T642-10

Budding knife with special pattern



T645-9F

Budding knife for roses

Fixed brass barklifter



T648-10

Budding knife for fruit trees

Curved blade, gaucher pattern



T650-105E

Budding knife for alitarian pattern

Buffalo horn handle with pointed barklifter



T650-105S

Budding knife with Steinfurth pattern

Buffalo horn handle with curved barklifter



T671

Walnut/pecan budding knife

Two fixed blades and brass barklifter



TINA®



T613-105

Light pruning knife

Could also be used as grafting knife



T620-10

Pruning knife for garden and nursery



T626-11

Medium to heavy pruning knife for nursery



T630-11

Heavy pruning knife



T940

Fine grain sharpening stone

One side flat, one side curved



T900

Bow saw

Spare blade T900-3

Blade length: 350 mm/13 in

Weight: 450 gr/16 oz

SWISS ISTOR SHARPENER®



I-10

Standard - with metallic ceramic insert

Length: 100 mm/3.9 in

Weight: 24 gr/0.8 oz



I-15

Professional - with ergonomic handle

Length: 145 mm/5.7 in

Weight: 48 gr/1.7 oz



I-20

Duplex - with diamond grinder

Length: 190 mm/7.5 in

Weight: 96 gr/3.4 oz

 **BERGER**
Germany



B-4490

Hedge shear with straight blades

Overall length: 540 mm/21.3 in

Blades length: 235 mm/9.3 in

Weight: 1020 gr/2.2 lb



B-4590

Hedge shear with waivy blades

Overall length: 540 mm/21.3 in

Blades length: 240 mm/9.4 in

Weight: 1020 gr/2.2 lb



HAYATE pole saw - XLG teeth

Blade length: 420 mm/16.5 in
Spare blade: H-373-42 (SILKY ref. 373-42)

H-371 (SILKY ref. 371-42)
Max. 4.99 m/16.4 ft - 2 ext.
3080 gr - 6.8 lb

H-372 (SILKY ref. 372-42)
Max. 6.10 m/20.0 ft - 3 ext.
Weight: 3950 gr/8.7 lb

HAYAUCHI pole saw - XLG teeth

Blade length: 390 mm/15.4 in
Spare blade: S-78-3 (SILKY ref. 177-02-03)

S-78 (SILKY ref. 178-39)
Max. 4.90 m/16.0 ft - 2 ext.
Weight: 2160 gr/4.8 lb

S-79 (SILKY ref. 179-39)
Max. 6.30 m/21.0 ft - 3 ext.
Weight: 3060 gr/6.7 lb

ZUBAT pole saw - LG teeth

Blade length : 330 mm/13.0 in
Spare blade: S-330-3 (SILKY ref. 271-33)

S-330 (SILKY ref. 272-15)
Max. 3.30 m/11.0 ft - 1 ext.
Weight: 1500 gr/3.3 lb

ZUBAT curved saw - LG teeth

Blade length: 300 mm/11.8 in
Spare blade: S-300-3 (SILKY ref. 271-30)

S-300 (SILKY ref. 270-30)
Overall length: 445 mm/17.5 in
Weight: 280 gr/0.6 lb

PYGAR Companies are part of the FELCO Group



PYGAR USA Inc.

5470 Shilshole Ave NW
Suite 302
Seattle, WA 98107

PYGAR Sales Canada Ltd.

PO Box 75548
RPO Edgemont Village
North Vancouver, BC V7R 4X1

www.pygar.us
info@pygar.us
service@pygar.us

www.pygar.ca
info@pygar.ca
service@pygar.ca

Phone 206-258-2901
Fax 206-258-2620

Rev. 01/2018 E