



FIOCCCHI[®]

2021 AMMUNITION



HERITAGE. INNOVATION. PERFORMANCE.

If there is one word I can identify that best describes the current state of Fiocchi, it would be progress. All of us have had more than our share of challenges over the last year. Between the Covid-19 pandemic, the shift of political winds, supply chain disruptions, and the realization that life can change quite dramatically in a very short time, most of us understand that overcoming those challenges inevitably brings change. The key is turning change into opportunities for a better outcome tomorrow.

During these unprecedented times, Fiocchi has gone beyond merely reacting to the challenges buffeting the shooting sports and personal defense segments; Fiocchi has instead forged ahead with bold initiatives that shore up not only our business but also help to advance innovation and performance for the benefit of our consumers and the generations of shooting and hunting enthusiasts to follow.

Among those initiatives is the physical growth of our U.S. facilities. The expansion of our Ozark, Missouri, factory with a new corporate office and standing up a new, state-of-the-art production facility in Little Rock, Arkansas are two prime examples. These moves will broaden

Fiocchi's manufacturing and distribution capabilities and allow us to keep pace with the increased demand for quality ammunition and the projected growth trends in the shooting sports, personal defense, and hunting categories.

While we continue to apply our technological and innovation expertise to deliver the highest-quality ammunition possible, we are also using that expertise to deliver sustainable solutions to meet new challenges and expectations that are on the horizon. In short, Fiocchi is committed to an "enviroclean" approach to ammunition manufacturing and use. Witness Fiocchi's line of Blue Guardian defense ammo and the new Knockdown hunting cartridges. These lead-free primer and lead-free projectile cartridges, along with lead-free Golden Waterfowl shotshells, are only the beginning of our planned initiatives to lead the ammunition category in viable, Earth-friendly technology.

Through these changes and advancements, we equally commit to upholding Fiocchi's nearly century and a half heritage of blending Old-World craftsmanship with new technology to ensure our consumers can always depend on the Fiocchi brand to deliver reliable performance, shot after shot.

Propelling the "new" while adhering to the traditions and values that got us here...that's progress.



ANTHONY ACITELLI
President, Fiocchi of America



Fiocchi was founded in 1876 in Lecco Italy and has been producing high quality ammunition ever since. In the 1950s, Fiocchi began importing ammunition into the United States and by the 1980s demand had grown and the decision was made to build a manufacturing facility in the US to help service the US market.

In 1983 a site in Ozark Missouri was chosen, right in the heart of America, and a facility was built on a former dairy farm. Since then we have continued to grow and expand, currently employing nearly 200 hardworking Americans to produce some of the highest quality shotshell and centerfire ammunition available. While the company still has roots in Italy and receive a portion of our products from our facility in Lecco, around 80% of Fiocchi brand products that are sold in the US market are loaded right here in Ozark or in our new facility near Little Rock Arkansas.

While we continue to grow, we remain true to both our Italian and American heritage and lineage and will continue to focus on quality craftsmanship, innovation, and unequalled customer service for many years to come.

6**NEW FOR 2021****8****RIFLE**

- 9** Large Game
- 11** Varmint & Predators
- 12** Self-Defense
- 13** Match Target
- 15** Range Training
- 16** Rifle Ballistic Data

20**PISTOL AND REVOLVER**

- 21** Self-Defense
- 23** Range & Target
- 25** Classic & Specialty
- 26** Pistol & Revolver Ballistic Data
- 27** Ammunition Reference Guide

34**COWBOY ACTION**

- 35** Cowboy Ballistic Data

36**RIMFIRE**

- 37** Rimfire Ballistic Data

38**SHOTSHELLS**

- 39** Pheasant & Field
- 40** Waterfowl
- 41** Upland
- 42** Clay Target
- 45** Three-Gun Match
- 46** Slugs & Buckshot
- 47** Special Application

48**SPECIAL USE TABLES**

- 49** Dram Equivalent Chart

50**FIOCCHI PRO STAFF**

AMMUNITION MADE BY SHOOTERS **FOR SHOOTERS**
FUEL YOUR PASSION





NEW FOR 2021

HYPERFORMANCE™

HIGH-QUALITY AMMUNITION.

When it comes to top shelf superior performance, look no further. Fiocchi has brought the term hi-performance to a new level. The new Hyperperformance line features loads specified for the hunter, competitor and defender. Maximizing results from “here” to “way out there” is what Fiocchi’s Hyperperformance Hunt line is all about. Fiocchi’s Hyperperformance Match cartridges are designed from case head to bullet tip with one mission only—synchronize point-of-aim with point-of-impact at extreme distances...shot after shot. Developed on the theory that “the first shot is the shot that counts,” Fiocchi’s new Hyperperformance Defense handgun provides the precision, confidence and reliability when every shot counts.



HYPERFORMANCE™ HUNT

Accuracy, expansion, and weight retention are mandatory in a quality hunting bullet - Fiocchi delivers all three! Utilizing only the best projectiles on the market, you can be assured of consistent performance and quality with every use. The tipped designs initiate consistent expansion while the core and jacket together provide superior weight retention by minimizing core-jacket separation. Flat shooting, it offers improved long range ballistics to impart instant damage to tissue, bone, and vital-organs on game from hogs and whitetail deer to elk and moose.



HYPERFORMANCE™ DEFENSE

Designed with both personal defense and hunting in mind, the XTP® bullet has a deep cavity with a pre-cut jacket to initiate rapid expansion and achieves consistent performance across a wide range of velocities to deliver devastating terminal ballistics without overpenetration. Put your trust in Fiocchi Hyperformance Defense to perform with more consistency than any personal defense ammunition on the market.



HYPERFORMANCE™ COMPETE

With a thick jacket, improved boat-tail, and long ogive, MatchKing® bullets have long been the standard by which all others are measured. Loaded at the state-of-the-art Fiocchi facility in Ozark Missouri, Fiocchi Hyperformance Match ammo provides precision you can count on at a factory-loaded price you can afford.

BLUE GUARDIAN™

TRAIN. PROTECT.

Fiocchi merges the latest cartridge technology with its Old-World heritage craftsmanship to deliver the new Blue Guardian series defense and training ammo.

Building on its years of producing NATO-certified cartridges and components, such as heavy metal-free primers, Fiocchi brings its innovative, duty-proven military ammunition manufacturing expertise to bear on a new line of specialized ammo for law enforcement professionals and personal defense applications.



BLUE GUARDIAN™ REDUCED RICOCHET

Intended for duty use and personal/home protection where ricochet is a concern in hard structure environments, Blue Guardian HP delivers the ideal combination of terminal performance and collateral safety. Incorporating an environmentally safe lead-free primer, Blue Guardian HP is based on a lead-free hollow point frangible bullet. The hollow point design induces critical fragmentation upon penetration of soft tissue yet disintegrates on impact with hard surfaces. Available for .380, 9mm Luger, .40 S&W, and .45 ACP.

RIFLE

Five generations of experience, state of the art technology and a passion for the outdoors, Fiocchi USA centerfire rifle ammunition has been able to achieve a very rare combination of quality, match-grade precision and devastating terminal performance. Whether you are high volume shooter or a world-class tack driver, we strive to match the passion and dedication to their craft by never compromising our quality standards, constantly improving our efficiency, and employing special loading practices to ensure out-of-box performance and accuracy with every shot. Providing the industry's widest selection of centerfire rifle ammunition is our unwavering dedication to our customer's shooting and outdoor obsessions.

We manufacture and assemble our ammunition with premium components honed to demanding tolerances right here in the USA. Our ammunition more than lives up to the original Fiocchi name and heritage but with the added value of being tailor-made by American men and women to match any pursuit. Fiocchi centerfire rifle ammunition is an emerging fixture of performance at shooting ranges and the hunting grounds of America and beyond.



LARGE GAME

243 WIN



7MM MAG



270 WIN



7MM-08 REM



308 WIN



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
243 WINCHESTER							
243HSB	95	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
243SCA	90	SCIROCCO	HYPERFORMANCE	200	20	10	
243SPB	70	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
243SPD	100	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
7MM MAGNUM							
7RMA	139	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
7RMB	175	INTERLOCK FIREBALL	FIELD DYNAMICS	200	20	10	
7RMHSA	154	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
7RMSCA	150	SCIROCCO	HYPERFORMANCE	200	20	10	
270 WINCHESTER							
270HSB	150	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
270SCA	130	SCIROCCO	HYPERFORMANCE	200	20	10	
270SPB	130	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
7MM - 08 REM.							
7MM08B	139	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
7MM08HSA	139	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
308 WINCHESTER							
308B	150	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
308D	165	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
308HSA	150	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
308HSC	180	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
308SCA	150	SCIROCCO	HYPERFORMANCE	200	20	10	

CENTERFIRE RIFLE

LARGE GAME

LARGE GAME



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
25-06 REM							
2506B	117	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
260 REMINGTON							
24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
260HSA	129	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
6.5 CREEDMOOR							
24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
65CMB	129	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
65CMHSA	129	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
65CMSCA	130	SCIROCCO	HYPERFORMANCE	200	20	10	
45-70 GOVERNMENT							
24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
4570B	300	HOLLOW POINT FLAT NOSE	FIELD DYNAMICS	200	20	10	
30-06 SPRINGFIELD							
3006B	150	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
3006C	165	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
3006D	180	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
3006GKB	165	GAMEKING	HYPERFORMANCE	200	20	10	
3006HSC	180	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
3006SCA	165	SCIROCCO	HYPERFORMANCE	200	20	10	
300 BLACKOUT							
300BLKHA	125	SUPER SHOCK TIP	HYPERFORMANCE	500	25	20	
300 WIN - MAG							
300WMB	180	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
300WMHSA	180	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
300WMSCA	180	SCIROCCO	HYPERFORMANCE	200	20	10	

VARMINT & PREDATORS



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
204 RUGER							
204HVA	32	V-MAX	FIELD DYNAMICS	1000	50	20	
204HVB	40	V-MAX	FIELD DYNAMICS	1000	50	20	
222 REMINGTON							
222HVA	50	V-MAX	FIELD DYNAMICS	200	20	10	
223 REMINGTON							
223B50	55	POINTED SOFT POINT	FIELD DYNAMICS	500	50	10	
223FHVA	50	V-MAX	FIELD DYNAMICS	200	50	4	
223FHVB	40	V-MAX	FIELD DYNAMICS	200	50	4	
223HVA50	50	V-MAX	FIELD DYNAMICS	1000	50	20	
223HVB50	40	V-MAX	FIELD DYNAMICS	1000	50	20	
223HVC50	55	V-MAX	FIELD DYNAMICS	1000	50	20	
22-250 REMINGTON							
22250B	55	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
22250HVB	40	V-MAX	FIELD DYNAMICS	200	20	10	
22250HVD	55	V-MAX	FIELD DYNAMICS	200	20	10	

SELF-DEFENSE

223 REM



300 BLK



308 WIN



46X30 H&K



5.56 NATO



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
223 REMINGTON							
223MKC	69	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
223MKD	77	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
223B50	55	POINTED SOFT POINT	FIELD DYNAMICS	500	50	10	
223HVA50	50	V-MAX	FIELD DYNAMICS	1000	50	20	
223HVC50	55	V-MAX	FIELD DYNAMICS	1000	50	20	
300 BLACKOUT							
300BLKHA	125	SUPER SHOCK TIP	HYPERFORMANCE	500	25	20	
308 WINCHESTER							
308MKB	168	SIERRA MATCH KING HPBT	HYPERFORMANCE	200	20	10	
308MKD	175	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
308HSA	150	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
308B	150	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
308SCA	150	SCIROCCO	HYPERFORMANCE	200	20	10	
46X30 H&K							
46EXB	40	JACKETED SOFT POINT	DEFENSE DYNAMICS	1000	50	20	
5.56 NATO							
556M193F	55	FMJBT	RANGE DYNAMICS	420	420	1	
556M193L	55	FMJBT	RANGE DYNAMICS	1000	50	20	

MATCH TARGET

223 REM



6.5 CREED



308 WIN



30-06 SPRING



300 WIN MAG



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
223 REMINGTON							
223MCK	69	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
223MKD	77	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
6.5 CREEDMOOR 24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
65CMMKC	142	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
308 WINCHESTER							
308MKB	168	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
308MKD	175	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	
30-06 SPRINGFIELD							
3006MKB	168	SIERRA MATCH KING HPBT	HYPERFORMANCE	200	20	10	
300 WIN MAG							
300WMMKE	190	SIERRA MATCHKING HPBT	HYPERFORMANCE	200	20	10	

RIFLE

MATCH TARGET



RANGE TRAINING



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
223 REMINGTON							
223A	55	FMJBT	RANGE DYNAMICS	1000	50	20	
223C	62	FMJBT	RANGE DYNAMICS	1000	50	20	
223ARD	55	FMJBT	RANGE DYNAMICS	1000	200	5	
223ARD10	55	FMJBT	RANGE DYNAMICS	1000	100	10	
223FRANG	45	LEAD-FREE FRANGIBLE	RANGE DYNAMICS	1000	50	20	
300 BLACKOUT							
300BARD1	150	FMJBT	RANGE DYNAMICS	500	100	5	
300BLKC	150	FMJBT	RANGE DYNAMICS	500	50	10	
300BLKMB	220	SIERRA MATCHKING HPBT	RANGE DYNAMICS	500	25	20	
308 WINCHESTER							
308A	150	FMJBT	RANGE DYNAMICS	200	20	10	
308ARD	150	FMJBT	RANGE DYNAMICS	400	100	4	
308FA	150	FMJ	RANGE DYNAMICS	180	20	9	
30-06 SPRINGFIELD							
3006A	150	FMJBT	RANGE DYNAMICS	200	20	10	
7.62X39MM							
762SOVA	124	FMJ	RANGE DYNAMICS	1000	20	50	
46X30 H&K							
46EXA	40	FMJ	RANGE DYNAMICS	1000	50	20	

RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)						ENERGY FT/LBS (+/-5 FT/P)						BULLET PATH STD. RANGE - 0 AT 100 Y.						COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	300 Y.			
4.6X30 H&K-7.375" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
46EXA	4.6 X 30 H&K	40	FMJ	RANGE DYNAMICS	1900	1569	1297	1104	988	908	320	218	149	108	86	73	-1.46	0	-14.28	-49.31	0.21		
46EXB	4.6 X 30 H&K	40	JSP	DEFENSE DYNAMICS	1900	1569	1297	1104	988	908	320	218	149	108	86	73	-1.46	0	-14.28	-49.31	0.21		
204 RUGER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
204HVA	204 RUGER	32	POLYMER TIP BT	FIELD DYNAMICS	4125	3559	3061	2616	2212	1846	1209	900	666	486	348	242	-0.5	0	-1.3	-6.3	0.21		
204HVB	204 RUGER	40	POLYMER TIP BT	FIELD DYNAMICS	3700	3302	2939	2604	2293	2003	1216	968	767	602	467	356	-0.4	0	-1.7	-7.4	0.275		
222 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
222HVA	222 REM	50	V-MAX	FIELD DYNAMICS	3200	2799	2432	2094	1784	1511	1137	870	657	487	354	253	-0.3	0	-3	-11.9	0.242		
223 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
223MKC*	223 REM	69	SIERRA MATCH KING HPBT	HYPERFORMANCE	2850	2553	2275	2014	1772	1553	1244	998	793	621	481	370	-0.65	0	-3.9	-14.5	0.301		
223MKD*	223 REM	77	SIERRA MATCH KING HPBT	HYPERFORMANCE	2725	2480	2248	2029	1823	1632	1270	1052	864	704	568	456	-0.68	0	-4.2	-15.3	0.362		
223HVA50	223 REM	50	V-MAX	FIELD DYNAMICS	3300	2889	2515	2170	1854	1571	1209	927	702	523	382	274	-0.48	0	-2.7	-11	0.242		
223HVB50	223 REM	40	V-MAX	FIELD DYNAMICS	3650	3117	2646	2270	1836	1501	1183	863	622	438	299	200	-0.38	0	-2.1	-9.2	0.200		
223HVC50	223 REM	55	V-MAX	FIELD DYNAMICS	3240	2855	2502	2175	1873	1602	1282	995	764	578	429	313	-0.46	0	-2.8	-11.2	0.255		
223A	223 REM	55	FMJ BT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.9	-11.5	0.243		
223B50	223 REM	55	POINTED SOFT POINT	FIELD DYNAMICS	3230	2814	2436	2088	1770	1491	1274	967	725	532	383	271	-0.48	0	-2.9	-11.8	0.235		
223C*	223 REM	62	FMJ BT	RANGE DYNAMICS	3000	2661	2346	2053	1782	1540	1239	974	757	580	437	326	-0.58	0	-3.5	-13.3	0.275		
223FRANG*	223 REM	45	LEAD-FREE FRANGIBLE	RANGE DYNAMICS	3300	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
BARREL TWIST NOTES: 223C AND 223CC 1/10 OR FASTER, 223MKC 1/10 OR FASTER, 223MKD 1/8 OR FASTER, 1/10 OR FASTER, 223SFNT 1/9 OR FASTER																							
RANGE DYNAMICS 223 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
223ARD	223 REM	55	FMJ BT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.1	-11.5	0.243		
223ARD10	223 REM	55	FMJ BT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.1	-11.5	0.243		
FIELD BOX 223 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
223FHVA	223 REM	50	V-MAX	FIELD DYNAMICS	3300	2889	2515	2170	1851	1571	1209	927	702	523	382	274	-0.48	0	-2.7	-11	0.242		
223FHVB	223 REM	40	V-MAX	FIELD DYNAMICS	3650	3117	2646	2270	1836	1501	1183	863	622	438	299	200	-0.38	0	-2.1	-9.2	0.200		
5.56 NATO M193-20" TEST BARREL (USE ONLY IN FIREARMS DESIGNED TO SAFELY FIRE 5.56X45MM)																							
556M193F	5.56 NATO	55	FMJBT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.9	-11.5	0.243		
556M193L	5.56 NATO	55	FMJBT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.9	-11.5	0.243		
22-250 REM-24" TEST BARREL																							
22250B	22-250 REM	55	PSP	FIELD DYNAMICS	3650	3192	2781	2405	2059	1745	1627	1244	944	706	518	372	-0.4	0	-1.9	-8.4	0.265		
22250HVB	22-250 REM	40	V-MAX	FIELD DYNAMICS	4100	3510	2994	2535	2120	1747	1493	1094	796	571	399	271	-0.4	0	-1.3	-6.6	0.200		
22250HVD	22-250 REM	55	V-MAX	FIELD DYNAMICS	3550	3136	2760	2415	2094	1800	1539	1201	931	712	536	396	-1.5	0	-201	-8.7	.225		

RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)						ENERGY FT/LBS (+/-5 FT/P)						BULLET PATH STD. RANGE - 0 AT 100 Y.						COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	300 Y.			
243 WINCHESTER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
243HSB	243 WIN	95	SUPER SHOCK TIP	HYPERFORMANCE	2950	2688	2440	2206	1985	1778	1836	1524	1256	1027	831	667	-0.53	0	-3.3	-12.5	0.355		
243SPD	243 WIN	100	POINTED SOFT POINT	FIELD DYNAMICS	3050	2814	2590	2378	2175	1982	2065	1758	1490	1255	1050	872	-0.5	0	-2.9	-11	0.405		
243SPB	243 WIN	70	POINTED SOFT POINT	FIELD DYNAMICS	3400	3020	2672	2350	2050	1775	1797	1418	1110	858	653	489	-0.42	0	-2.3	-9.6	0.269		
243SCA	243 WIN	90	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3100	2869	2649	2440	2240	2050	1920	1644	1402	1189	1003	839	-0.31	0	-2.63	-10.23	0.419		
25-06 REMINGTON-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
2506B	25-06 REM	117	POINTED SOFT POINT	FIELD DYNAMICS	2975	2735	2508	2291	2065	1891	2299	1943	1633	1364	1130	929	-0.53	0	-3.2	-11.9	0.391		
6.5 CREEDMOOR-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
65CMMKC	6.5 CM	142	SIERRA MATCH KING HPBT	HYPERFORMANCE	2675	2530	2389	2254	2122	1995	2256	2018	1800	1601	1420	1255	-0.62	0	-4	-14	0.611		
65CMHSA	6.5 CM	129	SUPER SHOCK TIP	HYPERFORMANCE	2820	2632	2452	2279	2113	1954	2278	1984	1722	1487	1278	1093	-0.59	0	-3.5	-12.9	0.485		
65CMB	6.5 CM	129	POINTED SOFT POINT	FIELD DYNAMICS	2820	2616	2420	2233	2055	1885	2278	1959	1678	1429	1209	1017	-0.59	0	-3.6	-13.1	0.445		
65CMSCA	6.5 CM	130	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	2820	2660	2505	2356	2212	2073	2295	2042	1812	1603	1412	1240	-0.59	0	-3.4	-12.4	0.571		
260 REMINGTON-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
260HSA	260 REM	129	SUPER SHOCK TIP	HYPERFORMANCE	2800	2613	2434	2261	2096	1938	2246	1955	1696	1464	1258	1075	-0.65	0	-3.6	-13.1	0.485		
270 WINCHESTER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
270HSB	270 WIN	150	SUPER SHOCK TIP	HYPERFORMANCE	2860	2685	2516	2354	2197	2046	2724	2400	2108	1845	1608	1395	-0.57	0	-3.3	-12.2	0.525		
270SPB	270 WIN	130	POINTED SOFT POINT	FIELD DYNAMICS	3010	2778	2559	2349	2150	1960	2615	2228	1890	1593	1334	1109	-0.52	0	-3	-11.4	0.409		
270SCA	270 WIN	130	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3050	2837	2634	2440	2255	2077	2685	2323	2003	1719	1467	1245	-0.5	0	-2.8	-10.7	0.45		
7MM-08 REMINGTON-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
7MM08B	7MM-08 REM	139	POINTED SOFT POINT	FIELD DYNAMICS	2800	2600	2409	2226	2050	1883	2420	2086	1791	1529	1297	1095	-0.55	0	-3.7	-13.3	0.453		
7MM08HSA	7MM-08 REM	139	SUPER SHOCK TIP	HYPERFORMANCE	2800	2613	2434	2262	2097	1939	2420	2108	1829	1579	1357	1161	-0.06	0	-3.6	-13.1	.486		
7MM REMINGTON MAGNUM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																							
7RMA	7MM REM. MAG.	139	POINTED SOFT POINT	FIELD DYNAMICS	3150	2933	2728	2531	2343	2162	3062	2656	2296	1977	1694	1443	-0.59	0	-2.6	-9.8	0.453		
7RMHSA	7MM REM. MAG.	154	SUPER SHOCK TIP	HYPERFORMANCE	3100	2915	2737	2567	2403	2244	3286	2905	2562	2253	1974	1722	-0.55	0	-2.6	-9.8	0.525		
7RMSCA	7MM REM. MAG.	150	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3100	2911	2731	2557	2390	2229	3201	2822	2483	2178	1902	1655	-0.58	0	-2.6	-9.9	0.515		
7RMB	7MM REM. MAG.	175	INTERLOCK FIREBALL	FIELD DYNAMICS	2850	2652	2462	2280	2106	1939	3156	2732	2355	2020	1723	1461	-0.57	0	-3.5	-12.7	0.462		

RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)						ENERGY FT/LBS (+/-5 FT/P)						BULLET PATH STD. RANGE - 0 AT 100 YS.				COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	300 Y.	
300 AAC BLACKOUT-16" TEST BARREL			(INDUSTRY STANDARD LENGTH)																		
300BLKC	300 AAC BLK	150	FMJ BT	RANGE DYNAMICS	1850	1678	1517	1374	1250	1148	1140	937	767	629	520	439	-1.5	0	-10.8	-36.8	0.398
300BLKHA	300 AAC BLK	125	SUPER SHOCK TIP	HYPERFORMANCE	2200	1944	1708	1496	1312	1166	1343	1049	810	621	478	377	0.22	0	-7.7	-27.3	0.305
300BLKMB	300 AAC BLK	220	SIERRA MATCH KING HPBT	HYPERFORMANCE	1020	985	955	928	904	881	508	474	446	421	399	380	3.52	0	-34.1	-106.3	0.608
RANGE DYNAMICS 300 AAC BLACKOUT-16"			(INDUSTRY STANDARD LENGTH)																		
300BARD1	300 AAC BLK	150	FMJ BT	RANGE DYNAMICS	1850	1678	1517	1374	1250	1148	1140	937	767	629	520	439	-1.5	0	-10.8	-36.8	0.398
308 WINCHESTER																					
308MKB	308 WIN	168	SIERRA MATCH KING HPBT	HYPERFORMANCE	2650	2460	2278	2104	1938	1780	2620	2257	1936	1651	1401	1182	-0.67	0	-4.3	-15.3	0.462
308MKD	308 WIN	175	SIERRA MATCH KING HPBT	HYPERFORMANCE	2595	2420	2252	2090	1929	1778	2617	2275	1970	1692	1445	1229	-0.11	0	-4.4	-15.6	0.496
308HSA	308 WIN	150	SUPER SHOCK TIP	HYPERFORMANCE	2860	2639	2429	2229	2037	1857	2724	2320	1965	1654	1383	1148	-0.22	0	-3.4	-12.7	0.415
308HSC	308 WIN	180	SUPER SHOCK TIP	HYPERFORMANCE	2570	2390	2218	2053	1895	1745	2640	2283	1966	1684	1435	1217	-0.71	0	-4.6	-16.3	0.48
308A	308 WIN	150	FMJ BT	RANGE DYNAMICS	2890	2658	2439	2229	2030	1842	2782	2354	1981	1655	1373	1130	-0.23	0	-3.3	-12.53	0.398
308B	308 WIN	150	POINTED SOFT POINT	FIELD DYNAMICS	2820	2581	2355	2141	1937	1747	2649	2219	1848	1526	1250	1016	-0.2	0	-3.6	-13.6	0.38
308D	308 WIN	165	POINTED SOFT POINT	FIELD DYNAMICS	2700	2496	2302	2116	1939	1772	2671	2283	1941	1640	1378	1150	-0.65	0	-4.1	-14.7	0.435
308SCA	308 WIN	150	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	2875	2661	2457	2262	2076	1899	2753	2358	2011	1704	1435	1201	-0.67	0	-3.4	-12.6	0.43
FIELD BOX 308 WINCHESTER-24" TEST BARREL			(INDUSTRY STANDARD LENGTH)																		
308FA	308 WIN	150	FMJ BT	RANGE DYNAMICS	2890	2658	2439	2229	2030	1842	2782	2354	1981	1655	1373	1130	-0.57	0	-3.4	-12.8	0.398
RANGE DYNAMICS 308 WIN-24" TEST BARREL			(INDUSTRY STANDARD LENGTH)																		
308ARD	308 WIN	150	FMJ BT	RANGE DYNAMICS	2890	2658	2439	2229	2030	1842	2782	2354	1981	1655	1373	1130	-0.57	0	-3.4	-12.8	0.398
30-06 SPRINGFIELD-24" TEST BARREL			(INDUSTRY STANDARD LENGTH)																		
3006MKB	30-06 SPRING	168	SIERRA MATCH KING HPBT	HYPERFORMANCE	2695	2503	2320	2144	1975	1816	2709	2337	2007	1714	1456	1230	-0.64	0	-4.1	-14.6	0.462
3006HSC	30-06 SPRING	180	SUPER SHOCK TIP	HYPERFORMANCE	2675	2491	2315	2145	1983	1829	2660	2480	2141	1839	1572	1337	-0.65	0	-4.1	-14.8	0.48
3006GKB	30-06 SPRING	165	SIERRA GAME KING HPBT	HYPERFORMANCE	2850	2599	2362	2137	1925	1726	2975	2475	2043	1673	1357	1062	-0.59	0	-3.7	-13.6	0.363
3006A	30-06 SPRING	150	FMJBT	RANGE DYNAMICS	3000	2763	2538	2324	2120	1927	2997	2542	2145	1798	1497	1237	-0.52	0	-3.1	-11.5	0.398
3006B	30-06 SPRING	150	POINTED SOFT POINT	FIELD DYNAMICS	2910	2667	2436	2217	2010	1815	2820	2368	1977	1638	1345	1097	-0.53	0	-3.4	-12.7	0.38
3006C	30-06 SPRING	165	POINTED SOFT POINT	FIELD DYNAMICS	2800	2576	2364	2161	1968	1787	2872	2432	2047	1710	1419	1169	-0.57	0	-3.8	-13.8	0.404
3006D	30-06 SPRING	180	POINTED SOFT POINT	FIELD DYNAMICS	2700	2504	2316	2137	1965	1802	2914	2506	2144	1824	1543	1298	-0.6	0	-4.1	-14.6	0.452
3006SCA	30-06 SPRING	165	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	2875	2679	2491	2311	2138	1973	3028	2629	2274	1957	1675	1427	-0.6	0	-3.4	-12.3	0.47

RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)						ENERGY FT/LBS (+/-5 FT/P)						BULLET PATH STD. RANGE - 0 AT 100 Y.				COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	300 Y.	
300 WINCHESTER MAGNUM-24" TEST BARREL			(INDUSTRY STANDARD LENGTH)																		
300WMB	300 WIN. MAG	180	POINTED SOFT POINT	FIELD DYNAMICS	3000	2790	2591	2399	2216	2041	3597	3112	2682	2301	1963	1665	-0.53	0	-3	-11.2	0.452
300WMHSA	300 WIN. MAG	180	SUPER SHOCK TIP	HYPERFORMANCE	3000	2802	2613	2432	2258	2091	3597	3138	2730	2364	2038	1748	-0.54	0	-2.9	-11	0.48
300WMMKE	300 WIN. MAG	190	SIERRA MATCHKING HPBT	HYPERFORMANCE	2900	2726	2558	2396	2241	2091	3548	3134	2760	2423	2118	1844	-0.52	0	-3.2	-11.7	0.533
300WMSCA	300 WIN. MAG	180	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3020	2836	2660	2491	2328	2171	3645	3215	2829	2480	2166	1884	-0.54	0	-2.8	-10.6	0.52

7.62 X 39 SOVIET-20" TEST BARREL (INDUSTRY STANDARD LENGTH)																					
762SOVA	7.62 X 39	124	FMJ (.310)	RANGE DYNAMICS	2375	2070	1789	1538	1322	1155	1540	1170	874	646	478	364	-0.12	0	-6.7	-24.3	0.266

45-70 GOVERNMENT-24" TEST BARREL (INDUSTRY STANDARD LENGTH)																					
NEW 4570A	45-70 GOV.	405	LEAD ROUND NOSE FLAT POINT	COWBOY ACTION	1185	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-0.65	0	N/A	N/A	N/A
NEW 4570B	45-70 GOV.	300	HOLLOW POINT FLAT NOSE	FIELD DYNAMICS	1900	1530	1236	N/A	N/A	N/A	2405	1559	1018	N/A	N/A	N/A	-0.62	0	-13.6	N/A	0.185





PISTOL & REVOLVER

Whether defending your hearth and home, honing your skills at the shooting range, or responsibly carrying concealed, confidence in your abilities and ammunition performance are paramount. Fiocchi USA is proud to produce top-of-the-line pistol and revolver self-defense ammunition using only the finest components and loaded to our exacting standards. We manufacture our pistol and revolver ammunition with you and your safety in mind. Using only premium primers, brass cases and propellants, Fiocchi pistol and revolver ammunition performs when it matters most. While you may spend most of your time punching paper and steel, harness the confidence and threat stopping power of Fiocchi ammunition when it matters most.

We offer Fiocchi pistol and revolver ammunition in all major defense calibers, in standard and many +P loadings. No matter your chosen discipline, Fiocchi USA delivers a high-quality solution to all of your handgun ammunition needs.



SELF-DEFENSE

25 AUTO



32 AUTO



380 AUTO



9MM LUGER



38 SPECIAL



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
25 AUTO							
25XTP	35	XTPHP	HYPERFORMANCE	500	50	10	
32 AUTO							
32APHP	60	JHP	DEFENSE DYNAMICS	1000	50	20	
32XTP	60	XTPHP	HYPERFORMANCE	500	50	10	
380 AUTO							
380APHP	90	JHP	DEFENSE DYNAMICS	1000	50	20	
380XTP25	90	XTPHP	HYPERFORMANCE	500	25	20	
BG380RR	75	RRHP	BLUE GUARDIAN	400	20	20	
9MM LUGER							
9APBHP	124	JHP	DEFENSE DYNAMICS	1000	50	20	
9APDHP	147	JHP	DEFENSE DYNAMICS	1000	50	20	
9APHP	115	JHP	DEFENSE DYNAMICS	1000	50	20	
9XTP25	115	XTPHP	HYPERFORMANCE	500	25	20	
9XTPB25	147	XTPHP	HYPERFORMANCE	500	25	20	
9XTPC25	124	XTPHP	HYPERFORMANCE	500	25	20	
BG9RR	100	RRHP	BLUE GUARDIAN	400	20	20	
38 SPECIAL							
38XTPB25	110	XTPHP	HYPERFORMANCE	500	25	20	
38XTPP25	125	XTPHP	HYPERFORMANCE	500	25	20	
38B	158	JHP	DEFENSE DYNAMICS	1000	50	20	
38E	148	JHP	DEFENSE DYNAMICS	1000	50	20	
38F	125	JHP	DEFENSE DYNAMICS	1000	50	20	

SELF-DEFENSE



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING	
357 MAGNUM								
357B	158	JHP	DEFENSE DYNAMICS	1000	50	20		
357D	125	JHP	DEFENSE DYNAMICS	1000	50	20		
357E	148	JHP	DEFENSE DYNAMICS	1000	50	20		
357XTP25	158	XTPHP	HYPERFORMANCE	500	25	20		
40 S&W								
40SWC	165	JHP	DEFENSE DYNAMICS	1000	50	20		
40SWE	180	JHP	DEFENSE DYNAMICS	1000	50	20		
40XTP25	155	XTPHP	HYPERFORMANCE	500	25	20		
40XTPB25	180	XTPHP	HYPERFORMANCE	500	25	20		
BG40RR	125	RRHP	BLUE GUARDIAN	400	20	20		
10MM AUTO								
10APHP	180	JHP	DEFENSE DYNAMICS	500	50	10		
44 SPECIAL								
44SA500	200	SJHP	DEFENSE DYNAMICS	500	50	10		
44 REM. MAG.								
44A500	240	JSP	DEFENSE DYNAMICS	500	50	10		
44B500	200	SJHP	DEFENSE DYNAMICS	500	50	10		
44D500	240	JHP	DEFENSE DYNAMICS	500	50	10		
44XTP25	240	XTPHP	HYPERFORMANCE	500	25	20		
44XTPB25	200	XTPHP	HYPERFORMANCE	500	25	20		
45 AUTO								
45B500	200	JHP	DEFENSE DYNAMICS	500	50	10		
45T500	230	JHP	DEFENSE DYNAMICS	500	50	10		
45XTP25	230	XTPHP	HYPERFORMANCE	500	25	20		
45XTPB25	200	XTPHP	HYPERFORMANCE	500	25	20		
BG45RR	155	RRHP	BLUE GUARDIAN	400	20	20		

RANGE & TARGET

25 AUTO



32 AUTO



9X21 PISTOL



32 S&W LONG



380 AUTO



9X18 MAK.



9MM LUGER



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
25 AUTO (6.35MM BROWNING)							
25AP	50	FMJ	RANGE DYNAMICS	1000	50	20	
32 AUTO (7.65MM BROWNING)							
32AP	73	FMJ	RANGE DYNAMICS	1000	50	20	
9X21 PISTOL (IMI)							
9X21	123	FMJTC	HERITAGE	1000	50	20	
32 S&W LONG							
32LA	100	LWC	COWBOY ACTION	1000	50	20	
32SWLA	97	FMJ	RANGE DYNAMICS	1000	50	20	
380 AUTO							
380AP	95	FMJ	RANGE DYNAMICS	1000	50	20	
380ARD	95	FMJ	RANGE DYNAMICS	1000	200	5	
380ARD10	95	FMJ	RANGE DYNAMICS	1000	100	10	
9X18 MAKAROV							
9MAK	95	FMJ	HERITAGE	1000	50	20	
9MM LUGER							
9AP	115	FMJ	RANGE DYNAMICS	1000	50	20	
9APB	124	FMJ	RANGE DYNAMICS	1000	50	20	
9APD	147	FMJ	RANGE DYNAMICS	1000	50	20	
9APE	158	FMJ	RANGE DYNAMICS	1000	50	20	
9MM LUGER (RANGE DYNAMICS)							
9ARD	115	FMJ	RANGE DYNAMICS	1000	200	5	
9ARD100	115	FMJ	RANGE DYNAMICS	1000	100	10	

RANGE & TARGET



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
38 SUPER AUTO							
38SA	129	FMJ	RANGE DYNAMICS	1000	50	20	
38 SPECIAL							
38A	130	FMJ	RANGE DYNAMICS	1000	50	20	
38C	158	LRN	RANGE DYNAMICS	1000	50	20	
38CA	158	LFP	COWBOY ACTION	500	50	10	
38G	158	FMJ	RANGE DYNAMICS	1000	50	20	
38LA	148	LVC	RANGE DYNAMICS	1000	50	20	
357 MAGNUM							
357CA	158	LFP	COWBOY ACTION	500	50	10	
357F	142	FMJTC	RANGE DYNAMICS	1000	50	20	
357GCMJ	158	CMJFP	RANGE DYNAMICS	1000	50	20	
357 SIG							
357SIGAP	124	FMJ	RANGE DYNAMICS	1000	50	20	
40 S&W							
40ARD	170	FMJTC	RANGE DYNAMICS	1000	200	5	
40ARD100	170	FMJTC	RANGE DYNAMICS	1000	100	10	
40SWA	170	FMJTC	RANGE DYNAMICS	1000	50	20	
40SWD	180	FMJTC	RANGE DYNAMICS	1000	50	20	
40SWF	165	FMJTC	RANGE DYNAMICS	1000	50	20	
10MM AUTO							
10AP	180	FMJTC	RANGE DYNAMICS	500	50	10	
45 AUTO							
45A500	230	FMJ	RANGE DYNAMICS	500	50	10	
45ARD	230	FMJ	RANGE DYNAMICS	600	200	3	
45ARD100	230	FMJ	RANGE DYNAMICS	500	100	5	
45 LONG COLT							
45LCCMJ	255	CMJ	RANGE DYNAMICS	500	50	10	

CLASSIC & SPECIALTY



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
7.62 NAGANT							
762A	97	FMJ	HERITAGE	1000	50	20	
7.62 TOKAREV							
762TOK	85	FMJ	HERITAGE	1000	50	20	
7.63 MAUSER							
763A	88	FMJ	HERITAGE	1000	50	20	
30 LUGER (7.65 PARABELLUM)							
765A	93	FMJ	HERITAGE	1000	50	20	
765B	93	SJSP	HERITAGE	1000	50	20	
8MM GASSER							
8G	126	FMJ	HERITAGE	1000	50	20	
8MM LEBEL							
8L	111	FMJ	HERITAGE	1000	50	20	
8MM STEYR							
8S	113	FMJ	HERITAGE	1000	50	20	
9MM STEYR							
9SA	115	FMJ	HERITAGE	1000	50	20	
9X18 ULTRA POL (POLICE)							
9X18	100	FMJTC	HERITAGE	1000	50	20	
455 WEBLEY (MKI)							
455A	262	LRN	HERITAGE	1000	50	20	

PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		
25 AUTO (6.35MM BROWNING)														
25AP	25 AUTO, (6.35MM)	50	FMJ	RANGE DYNAMICS	800	766	735	71	65	735	-1.72	-7	2	0.156
25XTP	25 AUTO	35	XTPHP	HYPERFORMANCE	900	813	742	63	51	742	-1.39	-5.76	2	0.072
7.62 NAGANT														
762A	7.62MM NAGANT REVOLVER	97	FMJ	HERITAGE	750	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
7.62 TOKAREV														
762TOK	7.62 TOKAREV	85	FMJ	HERITAGE	1525	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
7.63 MAUSER														
763A	7.63MM MAUSER	88	FMJ	HERITAGE	1425	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
30 LUGER														
765A	30 LUGER	93	FMJ	HERITAGE	1230	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
765B	30 LUGER	93	SJSP	HERITAGE	1230	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
32 AUTO (7.65 BROWNING)														
32XTP	32 AUTO	60	XTPHP	HYPERFORMANCE	1000	926	867	133	114	100	-1.12	-4.59	4	0.12
32AP	32 AUTO, (7.65MM)	73	FMJ	RANGE DYNAMICS	1000	929	873	160	137	120	-1.11	-4.57	4	0.126
32APHP	32 AUTO	60	JHP	DEFENSE DYNAMICS	1100	997	924	161	132	113	-0.93	-3.86	4	0.12
32 S&W LONG														
32LA	32 S&W LONG	100	LEAD WADCUTTER	COWBOY ACTION	650	519	412	94	60	38	-2.75	-11	6	0.028
32SWLA	32 S&W LONG	97	FMJ	RANGE DYNAMICS	870	820	776	163	145	130	-1.55	-5.75	6	0.121
8MM LEBEL														
8L	8MM LEBEL (PISTOL)	111	FMJ	HERITAGE	920	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
380 AUTO														
380XTP25	380 AUTO	90	XTPHP	HYPERFORMANCE	975	894	831	190	160	138	-1.2	-4.5	3	0.099
380AP	380 AUTO	95	FMJ	RANGE DYNAMICS	960	864	789	194	157	131	-1.22	-5.08	3	0.077
380APHP	380 AUTO	90	JHP	DEFENSE DYNAMICS	975	894	831	190	160	138	-1.2	-4.5	3	0.099
380 AUTO RANGE DYNAMICS														
380ARD10	380 AUTO	95	FMJ	RANGE DYNAMICS	960	864	789	194	157	131	-1.22	-5.08	3	0.077
380ARD	380 AUTO	95	FMJ	RANGE DYNAMICS	960	864	789	194	157	131	-1.22	-5.08	3	0.077



TEA OUT GUIDE



**AMMUNITION
REFERENCE GUIDE**

HUNT



DEFEND



COMPETE



TRAIN






CMJ - Complete Metal Jacket
CMJFP - Copper Metal Jacket Flat Point
CPSP - Copper Plated Solid Point
CPHP - Copper Plated Hollow Point
FMJ - Full Metal Jacket
FMJBT - Full Metal Jacket Boat Tail
FMJTC - Full Metal Jacket Truncated Cone
FR - Frangible

HPBTMK - Hollow Point Boat Tail Match King
HPFN - Hollow Point Flat Nose
JHP - Jacketed Hollow Point
JSP - Jacketed Soft Point
LFP - Lead Flat Point
LRN - Lead Round Nose
LRNFP - Lead Round Nose Flat Point
PSP - Pointed Soft Point

RN - Round Nose
RRHP - Reduced Ricochet Hollow Point
SJHP - Semi Jacketed Hollow Point
SJSP - Semi Jacketed Soft Point
SST - Super Shock Tip
TMJ - Total Metal Jacket
V-MAX® - Undefined
XTPHP - Extreme Terminal Performance Hollow Point

* Recommended in most calibers. See website for details.





VIEW OUR ENTIRE LINE OF AMMUNITION AT [FIOCCHIUSA.COM](https://www.fiocchiusa.com)



PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		
9X18 MAKAROV														
9MAK	9 MAKAROV	95	FMJ	HERITAGE	1020	905	823	219	173	142	-1.09	-4.56	3	0.077
9X18 ULTRA														
9X18	9 X 18 ULTRA (POLICE)	100	FMJTC	HERITAGE	1130	CARTRIDGE LOADED ACCORDING TO CIP EURO LAWS. (HISTORIC CARTRIDGE FOR "COLLECTOR" FIREARMS)								
9X19 LUGER														
9AP	9MM LUGER	115	FMJ	RANGE DYNAMICS	1200	1089	1009	368	303	260	-0.9	-3.8	4	0.158
9APB	9MM LUGER	124	FMJ	RANGE DYNAMICS	1150	1048	975	364	302	262	-0.8	-3.9	4	0.148
9APBHP	9MM LUGER	124	JHP	DEFENSE DYNAMICS	1100	1020	961	333	287	254	-1.1	-4.3	4	0.165
9APD	9MM LUGER	147	FMJ	RANGE DYNAMICS	975	924	881	310	279	253	-1.5	-5.4	4	0.165
9APDHP	9MM LUGER	147	JHP	DEFENSE DYNAMICS	975	924	881	310	279	253	-1.5	-5.4	4	0.158
9APE	9MM LUGER	158	FMJ	RANGE DYNAMICS	850	814	780	253	232	213	-2.5	-6.2	4	0.159
9APHP	9MM LUGER	115	JHP	DEFENSE DYNAMICS	1175	1072	997	353	293	254	-0.8	-4	4	0.16
9FRANG	9MM LUGER	100	FRANGIBLE	RANGE DYNAMICS	1300	1114	999	375	275	221	-0.68	-2.88	4	0.111
9XTP25	9MM LUGER	115	XTPHP	HYPERFORMANCE	1150	1036	957	338	274	234	-0.9	-3.7	4	0.129
9XTPB25	9MM LUGER	147	XTPHP	HYPERFORMANCE	950	913	879	295	272	253	-1.4	-4.9	4	0.212
9XTPC25	9MM LUGER	124	XTPHP	HYPERFORMANCE	1100	1020	961	333	287	254	-1.1	-4.3	4	0.165
9X19 LUGER RANGE PACK														
9ARD	9MM LUGER	115	FMJ	RANGE DYNAMICS	1200	1089	1009	368	303	260	-0.9	-3.8	4	0.158
9ARD100	9MM LUGER	115	FMJ	RANGE DYNAMICS	1200	1089	1009	368	303	260	-0.9	-3.8	4	0.158
9X21 IMI														
9X21	9 X 21 PISTOL	123	FMJTC	HERITAGE	1230	1102	1014	413	332	281	-0.7	-3.1	5	0.148
38 SPECIAL														
38A	38 SPECIAL	130	FMJ	RANGE DYNAMICS	950	899	856	260	233	211	-1.23	-5.04	7.710 NV	0.153
38B	38 SPECIAL	158	JHP	DEFENSE DYNAMICS	850	804	763	253	227	204	-1.55	-6.35	7.710 NV	0.125
38C	38 SPECIAL	158	LRN	RANGE DYNAMICS	880	844	712	271	250	231	-1.43	-5.77	7.710 NV	0.178
38E	38 SPECIAL	148	JHP	DEFENSE DYNAMICS	750	719	690	183	168	155	-1.96	-7.94	7.710 NV	0.153
38G	38 SPECIAL	158	FMJ	RANGE DYNAMICS	730	703	678	186	173	161	-2.06	-8.35	7.710 NV	0.206
38LA	38 SPECIAL	148	LWC	RANGE DYNAMICS	730	648	576	175	138	109	-2.1	-8.88	5.00 NV	0.053
38XTPB25	38 SPECIAL +P	110	XTPHP	HYPERFORMANCE	1100	1003	934	296	246	213	-0.96	-3.9	7.710 NV	0.131
38XTPP25	38 SPECIAL +P	125	XTPHP	HYPERFORMANCE	1050	977	921	306	265	236	-1.16	-4.35	7.710 NV	0.151

PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		
38 S&W SHORT														
38SWSHA	38 S & W SHORT	145	FMJ	COWBOY ACTION	720	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
38 SUPER AUTO														
38SA	38 SUPER AUTO	129	FMJ	RANGE DYNAMICS	1200	1060	970	393	307	257	-0.75	-3.05	5	0.121
357 MAGNUM														
357XTP25	357 MAGNUM	158	XTPHP	HYPERFORMANCE	1250	1149	1072	548	463	403	-0.72	-2.95	10 NV	0.206
357B	357 MAGNUM	158	JHP	DEFENSE DYNAMICS	1220	1113	1034	522	434	375	-0.8	-3.2	10 NV	0.175
357D	357 MAGNUM	125	JHP	DEFENSE DYNAMICS	1450	1269	1130	584	447	355	-0.4	-2	10 NV	0.147
357E	357 MAGNUM	148	JHP	DEFENSE DYNAMICS	1310	1146	1035	564	432	352	-0.75	-2.95	10 NV	0.153
357F	357 MAGNUM	142	FMJTC	RANGE DYNAMICS	1420	1245	1110	636	488	388	-0.53	-2.16	10 NV	0.143
357GCMJ	357 MAGNUM	158	CMJFP	RANGE DYNAMICS	1220	1102	1024	522	426	368	-1.1	-4.4	10 NV	0.173
357CA	357 MAGNUM	158	LFP	COWBOY ACTION	700	669	640	172	157	144	-4.6	-13.6	6.00 V	0.139
357 SIG														
357SIGAP	357 SIG	124	FMJ	RANGE DYNAMICS	1350	1194	1080	505	395	324	-0.68	-2.78	4	0.147
40 S&W														
40XTP25	40 SMITH & WESSON	155	XTPHP	HYPERFORMANCE	1160	1047	970	463	377	324	-0.84	-3.48	4	0.137
40XTPB25	40 SMITH & WESSON	180	XTPHP	HYPERFORMANCE	1000	943	896	400	355	321	-1.1	-4.52	4	0.164
40SWA	40 SMITH & WESSON	170	FMJTC	RANGE DYNAMICS	1020	954	901	392	333	298	-1.07	-4.38	4	0.148
40SWC	40 SMITH & WESSON	165	JHP	DEFENSE DYNAMICS	1100	1016	954	443	378	333	-0.8	-3.9	4	0.155
40SWD	40 SMITH & WESSON	180	FMJTC	RANGE DYNAMICS	1000	943	896	400	355	321	-1.11	-4.52	4	0.162
40SWE	40 SMITH & WESSON	180	JHP	DEFENSE DYNAMICS	1000	943	896	400	355	321	-1.1	-4.52	4	0.164
40SWF	40 SMITH & WESSON	165	FMJTC	RANGE DYNAMICS	1020	954	901	381	333	297	-0.8	-3.9	4	0.155
40 SMITH & WESSON														
40ARD100	40 SMITH & WESSON	170	FMJTC	RANGE DYNAMICS	1020	954	901	381	333	298	-1.07	-4.38	4	0.148
40ARD	40 SMITH & WESSON	170	FMJTC	RANGE DYNAMICS	1020	954	901	381	333	298	-1.07	-4.38	4	0.148
10MM AUTOMATIC														
10AP	10MM AUTOMATIC	180	FMJTC	RANGE DYNAMICS	1250	1126	1037	624	507	430	-0.65	-3.25	5	0.162
10APHP	10MM AUTOMATIC	180	JHP	DEFENSE DYNAMICS	1250	1127	1039	624	508	432	-0.6	-3	5	0.164
44 SPECIAL														
44SA500	44 SPECIAL	200	SJHP	DEFENSE DYNAMICS	900	861	825	360	329	302	-1.35	-5.57	6.00 V	0.17

PISTOL & REVOLVER BALLISTIC DATA


STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		
44 REMINGTON MAGNUM														
44A500	44 MAGNUM	240	JSP	DEFENSE DYNAMICS	1310	1151	1042	914	706	579	-0.66	-2.77	8.275V	0.138
44B500	44 MAGNUM	200	SJHP	DEFENSE DYNAMICS	1475	1312	1178	966	764	617	-0.52	-2.16	8.275V	0.17
44D500	44 MAGNUM	240	JHP	DEFENSE DYNAMICS	1330	1103	1026	780	648	561	-0.77	-3.17	8.275V	0.172
44XTP25	44 MAGNUM	240	XTPHP	HYPERFORMANCE	1350	1231	1135	971	807	686	-0.76	-3.14	8.275V	0.205
44XTPB25	44 MAGNUM	200	XTPHP	HYPERFORMANCE	1490	1325	1189	986	780	628	-0.9	-3.5	8.275V	0.17
455 WEBLEY														
455A	455 WEBLEY (MKII)	262	LRN	HERITAGE	700	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
45 AUTO														
45A500	45 AUTO	230	FMJ	RANGE DYNAMICS	860	827	797	377	350	324	-1.49	-6.01	5	0.184
45B500	45 AUTO	200	JHP	DEFENSE DYNAMICS	890	851	816	351	321	296	-1.39	-5.65	5	0.168
45T500	45 AUTO	230	JHP	DEFENSE DYNAMICS	850	830	810	370	350	325	-1.9	-7.6	5	0.169
45XTP25	45 AUTO	230	XTPHP	HYPERFORMANCE	900	864	832	414	381	353	-1.36	-5.55	5	0.188
45XTPB25	45 AUTO	200	XTPHP	HYPERFORMANCE	925	878	837	380	342	311	-1.2	-5.4	5	0.151
45 AUTO RANGE DYNAMICS														
45ARD	45 AUTO	230	FMJ	RANGE DYNAMICS	860	830	803	377	352	329	-1.49	-6.01	5	0.14
45ARD100	45 AUTO	230	FMJ	RANGE DYNAMICS	860	830	803	377	352	329	-1.49	-6.01	5	0.14
45 LONG COLT														
45LCCMJ	45 COLT	255	CMJ	RANGE DYNAMICS	750	710	672	318	285	255	-3.6	-11.7	7.50 V	0.115





COWBOY ACTION

Perfection... it is what FIOCCHI is proud to offer collectors of classic firearms or those in possession of a classic generational family heirloom and still want to shoot these timeless pieces of history. It is a marriage between new manufacturing technology combined with the history and heritage of hard-to-find calibers. Fiocchi Heritage ammunition is built from Old World craftsmanship with the understanding that historical curiosities and proven age-old designs still have a place in the modern era. We produce our ammunition at consistently high standards to ensure optimum performance while at the same time preserving the integrity of your sporting treasures.



COWBOY ACTION



STOCK #	WT. (GR.)	TYPE	VELOCITY (FPS)			ENERGY (FT/P)			DROP INCHES		BARREL	BALLISTIC COEFF.	PER CASE	PER BOX	BOX PER CASE
			MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.					
32 S&W LONG															
32SWLL	97	LFP	900	846	799	174	154	137	-1.45	-5.54	6.00	0.121	1000	50	20
38 S&W SHORT															
38SWSHA	145	FMJ	720	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1000	50	20
38SWSHL	145	LRN	720	689	660	167	153	140	-2.25	-8.5	5.00 V	0.145	1000	50	20
38 S&W SPECIAL															
38CA	158	LFP	640	618	597	144	131	120	-5.80	-16.90	6.00 V	0.139	500	50	10
357 MAGNUM															
357CA	158	LFP	700	669	640	172	157	144	-4.60	-13.60	6.00 V	0.139	500	50	10
44 SPECIAL															
44SCA	210	LFP	750	721	694	262	243	225	-3.2	-10.5	6.00 V	0.165	500	50	10
44 S&W RUSSIAN															
44SWR	247	LRN	750	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1000	50	20
44-40															
4440CA	210	LRNFP	725	698	672	245	227	210	-3.6	-11.6	5.50 V	0.165	500	50	10
45 LONG COLT															
45LCCA	250	LRNFP	750	713	678	312	282	255	-3.2	-10.8	7.50 V	0.125	500	50	10
45-70 GOV															
24" TEST BARREL (INDUSTRY STANDARD LENGTH)															
4570A	405	LRNFP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	200	20	10



RIMFIRE

From old soda cans to small game to serious competitive pastimes, FIOCCHI USA is proud to offer a broad selection of high-performance rimfire ammunition. Our rimfire ammunition is engineered for easy cycling and solid performance. Premium components providing downrange energy and extended effective range coupled with high-quality priming compound ensures consistent ignitions and performance you can trust.

With a strong desire to pass on our passion for the outdoors and hunting Fiocchi loads only the finest rimfire ammunition Sport and Hunting Rimfire for these purposes. Fiocchi of America offers three jacketed variations in their .22 Winchester Magnum Rimfire line. These offerings include full metal jackets for target practice or hunting with less pelt damage, as well as jacketed hollow points and jacketed soft points for hunting small game and varmints.





STOCK #	WT.	TYPE	DESCRIPTION	LINE	VELOCITY FPS	MPS	COEFF.	PER CASE	PER BOX	BOX PER CASE	PACKAGING
---------	-----	------	-------------	------	--------------	-----	--------	----------	---------	--------------	-----------

EXACTA SUPER MATCH GRADE 22 LR

22SM320	40	RN	OFFICIAL SUPER MATCH	RANGE DYNAMICS	1050	320	0.18	5000	50	100	
22SM340	40	RN	WINTER SUPER MATCH	RANGE DYNAMICS	1120	325	0.18	5000	50	100	

SPORT & HUNTING RIMFIRE 22 LR

22FHVCRN	40	CPRN	COPPER PLATED ROUND NOSE	FIELD DYNAMICS	1250	380	0.13	5000	50	100	
22FHVCHP	38	CPHP	COPPER PLATED HOLLOW POINT	FIELD DYNAMICS	1250	380	0.125	5000	50	100	
22FLRN	40	LRN	LEAD ROUND NOSE	RANGE DYNAMICS	1050	320	0.12	5000	50	100	
22FHPSUB	40	HP	SUBSONIC HOLLOW POINT	FIELD DYNAMICS	1060	300	0.118	5000	50	100	

HUNTING RIMFIRE 22 WIN MAG

22FWMA	40	JSP	JACKETED SOFT POINT	FIELD DYNAMICS	1910	580	0.126	2000	50	40	
22FWMB	40	JHP	JACKETED HOLLOW POINT	FIELD DYNAMICS	1910	580	0.114	2000	50	40	
22FWMC	40	FMJ	FULL METAL JACKET	RANGE DYNAMICS	1900	577	0.114	2000	50	40	

FIELD BOX SPORT & HUNTING 22 LR

22FFHVCR	40	CPRN	COPPER PLATED ROUND NOSE	FIELD DYNAMICS	1250	380	0.13	1575	1575	1	
----------	----	------	--------------------------	----------------	------	-----	------	------	------	---	--



SHOTSHELL

Upland, waterfowl, turkey, big game, target, competition and self-defense, there is not any shotshell ammunition Fiocchi USA does not manufacture. The very foundations of our being originated by developing the highest quality, most innovative, best performing shotgun ammunition on the planet. We integrate both traditional and contemporary techniques with state-of-the-art machinery to perfectly develop each load to exacting standards and peak performance.

For the best patterns, energy and performance, nobody beats Fiocchi shotshell ammunition. We offer the broadest selection in game-specific lead and steel. Our extensive line of target and competition shotshell provides the most distinguished competitor an industry standard for reliability and consistency. We make the finest sporting clays loads in the world today and have dominated the trap and skeet competitions for years. Trust nothing less than Fiocchi ammunition in your shotgun.



PHEASANT & FIELD



12 GAUGE 16 GAUGE 20 GAUGE 28 GAUGE

GOLDEN PHEASANT LOADS



12 GAUGE 16 GAUGE 20 GAUGE 28 GAUGE .410 GAUGE

OPTIMA HIGH VELOCITY LOADS



24 GAUGE 32 GAUGE

FIELD LOADS

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
--------------	-------	--------	--------------	--------------	------------	------	----------	---------	--------------	-----------

NICKEL PLATED GOLDEN PHEASANT LOADS

12GP	12	2 3/4	1 3/8	1250	4, 5, 6	GOLDEN SERIES	250	25	10	
12GPX	12	2 3/4	1 3/8	1485	4, 5, 6	GOLDEN SERIES	250	25	10	
123GP	12	3	1 3/4	1200	4, 5, 6	GOLDEN SERIES	250	25	10	
16GP	16	2 3/4	1 1/8	1310	5, 6	GOLDEN SERIES	250	25	10	
20GP	20	2 3/4	1	1245	5, 6, 7.5	GOLDEN SERIES	250	25	10	
203GP	20	3	1 1/4	1200	4, 5, 6	GOLDEN SERIES	250	25	10	
28GP	28	2 3/4	7/8	1300	5, 6, 7.5	GOLDEN SERIES	250	25	10	
283GP	28	3	1 1/16	1200	5, 6, 7.5	GOLDEN SERIES	250	25	10	

OPTIMA SPECIFIC HI VELOCITY LOADS

(Lead High-Velocity)

12HV	12	2 3/4	1 1/4	1330	4, 5, 6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	
123HV	12	3	1 3/4	1330	4, 5, 6	FIELD DYNAMICS	250	25	10	
16HV	16	2 3/4	1 1/8	1300	5, 6, 7.5	FIELD DYNAMICS	250	25	10	
20HV	20	2 3/4	1	1220	5, 6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	
203HV	20	3	1 1/4	1200	4, 5, 6, 7.5, 8	FIELD DYNAMICS	250	25	10	
28HV	28	2 3/4	3/4	1300	6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	
283HV	28	3	1	1300	5, 6, 7.5, 8	FIELD DYNAMICS	250	25	10	
410HV	0.41	3	1 1/16	1140	6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	

CLASSIC SIDE BY SIDE FIELD LOADS

(Upland Game)

24PL1	24	2 1/2	11/16	1280	6, 7, 8	SHOOTING DYNAMICS	250	25	10	
32PL1	32	2 1/2	1/2	1260	6, 7, 8	SHOOTING DYNAMICS	250	25	10	

WATERFOWL



12 GAUGE

12 GAUGE

12 GAUGE

20 GAUGE

WATERFOWL STEEL HUNTING

When the moment arrives, whether pass shooting or hunting over decoys, Fiocchi of America's Steel Hunting shotshells deliver the performance the modern hunter demands. This performance gives you the confidence needed to take the shot. You have waited all year to be in your favorite blind, we have worked all year to be there with you.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
12 GAUGE 3" FLYWAY SERIES										
123ST	12	3	1 1/8	1500	BB, 1, 2, 3, 4, 6	WATERFOWL SERIES	250	25	10	
12 GAUGE 3" FLYWAY SERIES										
123ST15	12	3	1 1/5	1550	BB, 1, 2, 3, 4	WATERFOWL SERIES	250	25	10	
12 GAUGE 3" STEEL LOADS										
123SGW	12	3	1 1/4	1350	T, BBB, BB, 1, 2, 3, 4	GOLDEN SERIES	250	25	10	
12 GAUGE 3 1/2" STEEL LOADS										
1235ST	12	3 1/2	1 3/8	1470	T, BBB, BB, 2	GOLDEN SERIES	250	25	10	
1235GG	12	3 1/2	1 5/8	1430	T, BBB, BB, 1, 2	GOLDEN SERIES	250	25	10	
20 GAUGE 3" STEEL LOADS										
203ST	20	3	7/8	1500	2, 3, 4	WATERFOWL SERIES	250	25	10	

SHOT PELLET COUNT

SHOT SIZE	3/4	7/8	11	1 1/8	1 1/5	1 1/4	1 1/3	1 9/16	1 5/8
7	315	368	420						
6	237		316	356					
4	143	167	191	215	230	239	263		
3	115	134		172	183	191	210		
2		109		141	150	156	172		
1				116	124	129	142	161	167
BB				81	86	90	99	113	117
BBB				69		76	84	95	101
T						66	73	83	84



Combining this unique advantage with the tried and true formula of high quality round chilled shot, clean burning powders, one-piece shot cup cushioned wads, and reliable primers allows Fiocchi of America to deliver the best bang for your buck Dove & Quail loads on the market. In many parts of the country Dove & Quail hunting is not only a family tradition, but a rite of passage as well.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
DOVE LOADS										
12GT	12	2 3/4	1	1250	7.5, 8	FIELD DYNAMICS	250	25	10	
12GTX18	12	2 3/4	1 1/8	1250	7.5, 8	FIELD DYNAMICS	250	25	10	
16GT	16	2 3/4	1	1165	7.5, 8	FIELD DYNAMICS	250	25	10	
20GT	20	2 3/4	7/8	1210	7.5, 8	FIELD DYNAMICS	250	25	10	
28GT	28	2 3/4	3/4	1200	8	FIELD DYNAMICS	250	25	10	
410GT	410	2 1/2	1/2	1200	8	FIELD DYNAMICS	250	25	10	
STEEL DOVE LOADS										
12DLS17	12	2 3/4	1	1200	7	FIELD DYNAMICS	250	25	10	
12DLS187	12	2 3/4	1 1/8	1375	7	FIELD DYNAMICS	250	25	10	
20DLS7	20	2 3/4	7/8	1225	7	FIELD DYNAMICS	250	25	10	



CLAY TARGET

Shooting Dynamics shot shells provide the economical solution for those hard-training days on the range. Featuring single-piece wads and double-base powder for terminal performance ideally suited for training. Other loads we are proud to offer are the environmentally friendly Exacta Steel Target loads. We feel that by offering these options Fiocchi of America can fulfill all of your clay target shooting ammunition needs.



12 GAUGE

20 GAUGE

SHOOTING DYNAMICS CLAY TARGET

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
SHOOTING DYNAMICS CLAY TARGET								
12SD78H	12	2 3/4"	7/8	1350	7.5, 8	SHOOTING DYNAMICS	25	
12SD24	12	3 3/4"	24 [gm]	1350	7.5, 9	SHOOTING DYNAMICS	25	
12SD1L	12	2 3/4"	1	1170	7.5, 8, 9	SHOOTING DYNAMICS	25	
12SD1H	12	2 3/4"	1	1200	7.5, 8, 9	SHOOTING DYNAMICS	25	
12SD1X	12	2 3/4"	1	1250	7.5, 8	SHOOTING DYNAMICS	25	
12SD18L	12	2 3/4"	1 1/8	1165	7.5, 8, 9	SHOOTING DYNAMICS	25	
12SD18H	12	2 3/4"	1 1/8	1200	7.5, 8	SHOOTING DYNAMICS	25	
12SD18X	12	2 3/4"	1 1/8	1250	7.5, 8	SHOOTING DYNAMICS	25	
12SDHV	12	2 3/4"	1 1/8	1280	7.5, 8	SHOOTING DYNAMICS	25	
20SD	20	2 3/4"	7/8	1210	7.5, 8	SHOOTING DYNAMICS	25	

STEEL SHOT CLAY TARGET								
12DLS17	12	2 3/4	1	1200	7	EXACTA	25	
12DLS187	12	2 3/4	1 1/8	1375	7	EXACTA	25	
12S1187	12	2 3/4	1 1/8	1375	7	EXACTA	25	
12SLR7	12	2 3/4	1	1200	7	EXACTA	25	
20DLS7	20	2 3/4	7/8	1225	7	EXACTA	25	
20SLR7	20	2 3/4	7/8	1225	7	EXACTA	25	

EXACTA CLAY TARGET



EXACTA CLAY TARGET LINE

Fiocchi Exacta ammunition crushes targets in sporting clays, trap, and five-stand all while still delivering less felt recoil and a more consistent pattern. Loaded with high quality Fiocchi components, this ammunition is sure to deliver the performance and reliability required in competition. Our famous Crushers and White Rinos come out of our ultra-exclusive Exacta line, which features optimally matched one-piece cushioned wads, the cleanest burning powders on the market propelling shot cups full of only target quality shot towards your targets, absolutely crushing them on impact. The best of our Exacta loads will continue to be offered in classic paper hulls for the most discerning shooters. Fiocchi of America's Exacta line has become the industry standard bearer to which all of the competition aspires to be.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
CRUSHER								
12CRSR	12	2 3/4"	1	1300	7.5, 8	EXACTA	25	
INTERCEPTOR SPREADER								
12CPTR	12	2 3/4"	1	1300	8	EXACTA	25	
INTERNATIONAL TRAP & SKEET								
12IN24	12	2 3/4"	24 (gm)	1350	7.5, 9	EXACTA	25	
LITTLE RINO								
12TX	12	2 3/4"	1	1250	7.5, 8	EXACTA	25	
LOW RECOIL TRAINER								
1278OZ	12	2 3/4"	7/8	1200	7.5, 8	EXACTA	25	
20LITE75	20	2 3/4"	3/4	1075	7.5	EXACTA	25	
PAPER CRUSHER								
12FPCRS	12	2 3/4"	1	1300	7.5, 8	EXACTA	25	
PAPER INTERNATIONAL TRAP & SKEET								
12PIN24	12	2 3/4"	24 (gm)	1350	7.5, 9	EXACTA	25	
PAPER LITTLE RINO								
12FPTX	12	2 3/4"	1	1250	7.5, 8	EXACTA	25	
12FPWR	12	2 3/4"	1 1/8	1250	7.5, 8	EXACTA	25	

American Sporting Clays & Skeet - 12 ga. 1 1/8 oz., 20 ga. 7/8 oz., 28 ga. 3/4 oz., .410 bore 1/2 oz.; all maximum. American Trap - 1 1/8 oz. @ 1290 fps, 1 oz. @ 1325 fps, 7/8 oz. @ 1350 fps; all maximum fps. Parours de Chasse, COMPAK, Helice - 28 gr. (1 oz.) maximum [no Spreaders]. International Trap (Bunker) & Skeet - 24 gr. maximum [no Spreaders].

EXACTA CLAY TARGET



JACOB CAMERON

Location | Bandera, TX

Home Range | National Shooting Complex

Specialty | Sporting Clays

Favorite Fiocchi Product | 1 oz 7.5's, 1300fps Crushers

Why Fiocchi | Fiocchi makes the most consistently clean shell on the market, along with reliable casings and is a overall great shell for hunting and shooting of any kind.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
POWER SPREADER								
12SSCX	12	2 3/4"	1 1/8	1250	8, 8.5	EXACTA	25	
SUPER CRUSHER								
12SCRS	12	2 3/4"	1	1400	7.5	EXACTA	25	
WHITE RINO								
12WRNO	12	2 3/4"	1 1/8	1250	7.5, 8	EXACTA	25	
WHITE RINO CRUSHER								
12WRCRS	12	2 3/4"	1 1/8	1300	7.5, 8	EXACTA	25	
WHITE RINO LITE								
12WRNL	12	2 3/4"	1 1/8	1200	7.5, 8, 9	EXACTA	25	
WHITE RINO SUPER LITE								
12WRSL	12	2 3/4"	1 1/8	1150	7.5, 8	EXACTA	25	
VIP								
20VIP	20	2 3/4"	7/8	1200	7.5, 8, 9	EXACTA	25	
28VIP	28	2 3/4"	3/4	1200	7.5, 8, 9	EXACTA	25	
410VIP75	410	2 1/2"	1/2	1250	7.5	EXACTA	25	
410VIP	410	2 1/2"	1/2	1250	8, 9	EXACTA	25	
VIP HEAVY								
20VIPH	20	2 3/4"	7/8	1250	7.5, 8	EXACTA	25	
28VIPH	28	2 3/4"	3/4	1300	7.5, 8, 9	EXACTA	25	

THREE-GUN MATCH



THREE-GUN MATCH LINE

Three Gun Match is an explosive sport where shooters compete with 3 different guns: pistol, rifle and shotgun. During shotgun exercises, reloading speed and skill is key to victory, this is why the main feature of Fiocchi 3 Gun Match line of 12 gauge ammunition is a firm, radiused crimp that allows fast and consistent speed loading. Fiocchi 3-Gun Match was developed in cooperation with Top Shooter Jerry Miculek known for his 20 world speed shooting records.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
1 OZ. LOADS										
12DL3G75	12	2 3/4	1	1170	7.5	SPECIALTY	250	25	10	
1 1/8 OZ. LOADS										
12DH3G75	12	2 3/4	1 1/8	1200	7.5	SPECIALTY	250	25	10	
00 BUCKSHOT LOAD										
12BK3G00	12	2 3/4	9 PELLETS	1250	00 NICKEL BUCKSHOT	SPECIALTY	250	10	25	
LOW RECOIL SLUG										
12SLG3G	12	2 3/4	7/8	1300	7/8 OZ RIFLED SLUG LOW RECOIL	SPECIALTY	250	10	25	

SLUGS & BUCKSHOT



12 GAUGE

AERO SLUGS & FIELD BOX



12 GAUGE

DEFENSE BUCKSHOT



12 GAUGE

NICKEL PLATED BUCKSHOTS



12 GAUGE



12 GAUGE

RUBBER BUCKSHOTS & SLUGS

STOCK NUMBER	GAUGE	LENGTH	PELLETS	VELOCITY FPS	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
AERO SLUGS									
12LRSUG	12	2 3/4	1 OZ SLUG	1150	DEFENSE DYNAMICS	250	10	25	
12SLUG	12	2 3/4	1 OZ SLUG	1560	DEFENSE DYNAMICS	250	10	25	
12LESUG	12	2 3/4	7/8 OZ SLUG	1300	FIELD DYNAMICS	250	10	25	
AERO SLUGS FIELD BOX									
12FLRSLU	12	2 3/4	1 OZ SLUG	1150	FIELD DYNAMICS	80	10	8	
12FSLUG	12	2 3/4	1 OZ SLUG	1560	FIELD DYNAMICS	80	10	8	
12FLESU	12	2 3/4	7/8 OZ SLUG	1300	FIELD DYNAMICS	80	10	8	
DEFENSE BUCKSHOT									
12EX00BK	12	2 3/4	9 OZ SLUG	1250	DEFENSE DYNAMICS	250	10	25	
NICKEL PLATED BUCKSHOTS									
12HV4BK	12	2 3/4	27 NICKEL PL	1325	FIELD DYNAMICS	250	10	25	
12HV00BK	12	2 3/4	9 NICKEL PL	1325	FIELD DYNAMICS	250	10	25	
12LE00BK	12	2 3/4	9 NICKEL PL	1150	FIELD DYNAMICS	250	10	25	
BUCKSHOTS FIELD BOX									
(NICKEL PLATED)									
12FHVOOB	12	2 3/4	9 NICKEL PL	1325	FIELD DYNAMICS	80	10	8	
12FLEOOB	12	2 3/4	9 NICKEL PL	1150	FIELD DYNAMICS	80	10	8	
RUBBER BUCKSHOTS & SLUGS									
(SPECIAL USE)									
12LERB10	12	2 3/4	15	790	DEFENSE DYNAMICS	250	25	10	
12LEBAT	12	2 3/4	1 RUBBER SLUG	740	DEFENSE DYNAMICS	250	25	10	
12LEBRE	12	2 3/4	POLYMER COMPOSITE	1045	DEFENSE DYNAMICS	250	25	10	

SPECIAL APPLICATION

BLANKS



Our wide selection of blanks and popper loads lend for various applications including dog training and competition, police/self-defense training and ceremonies, Cowboy mounted shooting, and theatrical performances. All of our blanks use smokeless powder for safety. We also offer several special use shotgun shells loaded with rubber buckshot or slugs (batons) for unique requirements such as less lethal force options and animal nuisances.

PRIMERS



Fiocchi 616, 209 size, shotshell primers have a reputation for reliability and consistency the world over. Using our 140 years of experience our engineers have designed what we feel is the highest quality shotshell primer on the market, with special care taken in all aspects; mixture, battery cup and anvil. Couple that with our meticulous assembly and quality control standards and you have the finest primer in the world.

STOCK NUMBER	DESCRIPTION	LINE	PER BOX	BOX PER CASE
BLANKS				
22LRBL	22 LONG RIFLE BLANK	BLANKS	100	10
380BLANK	380 (9X17) RIMMED (SHORT)	BLANKS	50	20
8MMBLANK	8MM PISTOL	BLANKS	50	20
9MMBLANK	9MM (9X19) PARABELLUM	BLANKS	50	20
38BLANK	38 RIMMED REVOLVER	BLANKS	50	20
320BLANK	32 RIMMED REVOLVER (SHORT)	BLANKS	50	20
12BLANK	12 GA., 2 3/4" BLANK, GRANULATED PLASTIC FILLER	BLANKS	25	10
POPPER LOADS				
12POPLK	12 GA., 2 3/4" POPPER, EMPTY PRIMED CASE, ROLLDOWN CRIMP	BLANKS	BULK PACKED 1000 PER CASE	-
DUMMY ROUNDS				
12INERT	INERT, 12 GA. ACTION PROVING ROUNDS. DUMMY LOADS CLEARLY MARKED TO SAAMI STANDARDS	BLANKS	10	25
RUBBER BUCKSHOTS & SLUGS (SPECIAL USE)				
12LERBK	15 PELLETS, .33 INCHES RUBBER BUCKSHOT (12GA., 2 3/4, 790 FPS)	DEFENSE DYNAMICS	250	25
12LEBAT	1 RUBBER BATON SLUG WEIGHS 4.8 GRAMS (12GA., 2 3/4, 740 FPS)	DEFENSE DYNAMICS	250	25
BREACHING SLUG				
12LEBRE	BALLISTIC POLYMER COMPOSITE PROJECTILE (12GA., 2 3/4, 1310 FPS)	DEFENSE DYNAMICS	250	25
CENTERFIRE PRIMERS				
445SMP	SMALL PISTOL	SUR PRIMER LINE	12000	150
446SMR	SMALL RIFLE	SUR PRIMER LINE	12000	150
445SMZP	SMALL PISTOL ZERO POLLUTION	ZP PRIMER LINE	12000	150
446SMRZP	SMALL RIFLE ZERO POLLUTION	ZP PRIMER LINE	12000	150
535LP	LARGE PISTOL	SUR PRIMER LINE	12000	150
535LR	LARGE RIFLE	SUR PRIMER LINE	12000	150
SHOTSHELL PRIMERS				
616	12, 20, 16, 28 & .410	SHOOTING DYNAMICS	5000	5

SPECIAL USE TABLES

STOCK #	DESCRIPTION	QUANTITY PER SLEEVE	QUANTITY PER CASE	LINE
CENTERFIRE PRIMERS				
445SMP	SMALL PISTOL	150	12000	SUR PRIMER LINE
446SMR	SMALL RIFLE	150	12000	SUR PRIMER LINE
445SMZP	SMALL PISTOL ZERO POLLUTION	150	12000	ZP PRIMER LINE
446SMZPM	SMALL RIFLE ZERO POLLUTION	150	12000	ZP PRIMER LINE
535LP	LARGE PISTOL	150	12000	SUR PRIMER LINE
535LR	LARGE RIFLE	150	12000	SUR PRIMER LINE
SHOTSHELL PRIMERS				
616	12, 20, 16, 28 & .410 - STANDARD VELOCITY .209 PRIMER	100	5000	SUR PRIMER LINE
BLANKS - POPPERS				
22LRBL	22 LONG RIFLE BLANK	200	30	BLANKS
380BLANK	380 (9X17) RIMMED (SHORT)	50	30	BLANKS
8MMBLANK	8MM PISTOL	50	20	BLANKS
9MMBLANK	9MM (9X19) PARABELLUM	50	20	BLANKS
38BLANK	38 RIMMED REVOLVER	50	20	BLANKS
320BLANK	32 RIMMED REVOLVER (SHORT)	1000	30	BLANKS
SHOTSHELL BLANKS				
12BLANK	12 GA., 2 3/4" BLANK, GRANULATED PLASTIC FILLER	25	10	BLANKS
POPPER LOADS				
12POPBK	12 GA., 2 3/4" POPPER, EMPTY PRIMED CASE, ROLLDOWN CRIMP	BULK PACKED 1000 PER CASE	-	BLANKS
ACTION PROVING DUMMY LOADS				
12INERT	INERT, 12 GA. 2 3/4" ACTION PROVING ROUNDS. CLEARLY MARKED AS DUMMY LOADS TO SAAMI STANDARDS	10	25	BLANKS


SHOT PELLET SIZES



SIZE	9	8 1/2	8	7 1/2	6	5	4	3	2	1	BB	BBB	T	#4	00
DIA. (IN)	0.08	0.085	0.09	0.095	0.11	0.12	0.13	0.14	0.15	0.16	0.18	0.19	0.2	24	0.33
DIA. (MM)	2.03	2.16	2.29	2.41	2.79	3.05	3.3	3.56	3.81	4.06	4.57	4.83	5.08	6.1	8.38

AVERAGE PELLET COUNT

SHOT SIZE	1/2	11/16	3/4	7/8	1	1 1/8	1 1/5	1 1/4	1 3/8	1 3/4	1 5/8	2 3/8
9	292	402	439	512	585	658		731				
8 1/2				435	497	559		621				
8	205	282	307	359	410	461		512				
7 1/2	175	241	262	306	350	394		437	481	613		
6			169	197	225	253		281	309	389	366	534
5				149	170	191		212	234	299	276	404
4					135	152		169	186	236	219	321



DRAM EQUIVALENT CHART

DRAW EQUIVALENT CHART

49

FIOCCHI PRO STAFF

LANNY BARNES



Location | Durango, Co. **Home** | Durango, Co.

Range | 10 Ring Ranch **Specialty** | Biathlon, 3-Gun, PCC, IPSC Shotgun, IPSC Rifle

Fiocchi Product Choice | JM low Recoil slugs, 69g .223 Match King, 55g **Focus** | 3-Gun entire line

Why Fiocchi | In all my years of shooting and hunting, I haven't found anything more reliable or accurate. There is a reason why Fiocchi has been around since 1876. They make the best ammo hands down and if the best shooters in the world use it then that is what I want to use for not only competition but hunting as well. I rely on Fiocchi to help me make that shot of a lifetime in competition and in the field.

JACOB CAMERON



Location | Bandera, TX

Home Range | National Shooting Complex

Specialty | Sporting Clays

Fiocchi Product Choice | 1oz 7.5, 1300fps Crushers

Why Fiocchi | Fiocchi makes the most consistently clean shell on the market, along with reliable casings and is a overall great shell for hunting and shooting of any kind.

BILL ELLIOT



Location | Cleveland, Ohio

Home Range | Hill-n-dale Club

Specialty | Coaching, Sporting Clays, 5-Stand, Super-Sporting

Fiocchi Product Choice | Little Rhino 7.5 and 8

Why Fiocchi | Low recoil, quality and accessibility. Being able to depend on my ammunition helps feed me confidence to leave the task of breaking a clay target up to the eyes and hands.

WILL FENNEL



Location | Sharon, SC

Home Range | Fennell Shooting School

Specialty | Sporting Clays and FITASC

Fiocchi Product Choice | Paper Little Rino 7.5's

Why Fiocchi | In order, awesome performance, consistent availability, Fiocchi's dedication to the sport!

DEB FERNS



Location | Tucson, Arizona

Home Range | Tucson Rifle & Pistol Club

Specialty | Multigun in Heavy Metal Division

Fiocchi Product Choice | For hunting rounds I love the Fiocchi 6.5 Creedmoor rounds. For multigun competition I run the Fiocchi .45 Auto, Fiocchi .308 for my AR10 and the Fiocchi 12 gauge shotgun shells in birdshot and slugs.

Why Fiocchi | In both the hunting fields and multigun competition the Fiocchi reliability is a huge asset to me!

HAYLYN HANKS



Location | Huntsville, Texas

Home Range | Gator Lake Farm

Specialty | Sporting Clays/ FITASC

Fiocchi Product Choice | 1oz Paper Crushers

Why Fiocchi | I use Fiocchi ammunition because they are reliable and crush targets harder than ever!

DAVID KING



Location | Simsboro, Louisiana

Home Range | Flying Q Benton, LA. & Red Chute Gun Club on Barksdale AF Base

Specialty | Sporting Clays, 5-Stand and Some Fitasc

Fiocchi Product Choice | Without a doubt the White Rino 1-1/8oz. 1250fps #8 for Sporting and Little Rino 1oz 1250fps #8 for FITASC

Why Fiocchi | I know that when I have Fiocchi ammo in my gun I am equipped to shoot any target thrown at me if I do my part! It is the most reliable ammo that I have shot, very clean and absolutely CRUSHES targets! Highly recommend to anyone that has not tried Fiocchi ammo to do so... otherwise you are missing out!

CHRISTINA LOUDENSLAGER



Location | Mount Gilead, Ohio

Home Range | Eagle's Nest Sporting Grounds, Mount Gilead, Ohio

Specialty | FITASC & Sporting Clays

Fiocchi Product Choice | Paper Little Rino and/or Little Rino. 1oz 1250fps 7.5's

Why Fiocchi | Dependability, Reliability, Friendly staff and teammates. They just crush targets effortlessly.

RICHARD MARSHALL



Location | Lincoln, Nebraska

Home Range | Lincoln Trap and Skeet Club in Lincoln, NE

Specialty | Trapshooting (29 Time ATA All American) I also shoot Sporting Clays and Skeet Competitively

Fiocchi Product Choice | White Rhino Paper 1250FPS 7.5

Why Fiocchi | I have been shooting Fiocchi Little Rhinos for many years. They pack a punch with light felt recoil and the reliability is always what you expect from Fiocchi.

COLT MCBEE



Location | Kerrville, Texas

Home Range | Hill Country Shooting Sports Center

Specialty | International Skeet

Fiocchi Product Choice | Fiocchi Papers

Why Fiocchi | Fiocchi provides a high quality shot-shell that provides a clean connection shot from the gun to the target. It allows me to see accuracy and efficiency on the field with every target I shoot. I am proud to be with Team Fiocchi and to use this ammo at all competitions I compete in. It will give me the best source of winning on any field in the world.

REMINGTON MCBEE



Location | Kerrville, Texas

Home Range | Hill Country Shooting Sports Center

Specialty | Coaching, International Skeet

Fiocchi Product Choice | Fiocchi Paper International 24 Gram Load

Why Fiocchi | Fiocchi has been an amazing product through my shooting career. I started shooting Fiocchi when I started my competitive shooting career at 8 years old. Fiocchi provides the highest quality for each target I shoot. When competing, Fiocchi performance has been outstanding and I am proud to represent this company.

TRAVIS MEARS



Location | Fort Worth, Texas

Home Range | Defender Outdoors Clay Sports Ranch

Specialty | Sporting Clays and Exhibition Shooting

Fiocchi Product Choice | Little Rhino 8 Shot

Why Fiocchi | I have chosen to use Fiocchi ammunition because of their passion for the Competitive Shooter and their long history of quality shotshells that give the greatest opportunity for success. When the competition is on the line, I always have confidence in my shell and its performance.

JERRY MICULEK



Location | Princeton, LA

Home Range | The Shootout Range, Princeton, LA

Specialty | Speed shooting. Multi-gun competitions.

Fiocchi Product Choice | My favorite Fiocchi product is the 3G+JM 7 1/2, 1 oz. shotshell. This shell is cost effective for training, competition and hunting. It's a clean burning load that patterns extremely well. The low recoil allows for quick follow up shots in competition or in the field.

Why Fiocchi | Fiocchi ammunition provides consistent high quality shotshells and slugs.

KAY MICULEK



Location | Princeton, LA

Home Range | The Shootout Range, Princeton, LA

Specialty | Introducing women to the shooting sports through classes and mentoring them through their first hunting experience.

Fiocchi Product Choice | My favorite product is the 129 grain SST 6.5 Creedmoor load. I have found this round to be super accurate through all of the "loaner" rifles, which I provide for the ladies I mentor in the field. The Super Shock Tip bullet performs extremely well and helps me provide a positive hunting experience to my first time hunters.

Why Fiocchi | Fiocchi's full line of dependable and accurate handgun, rifle and shotshells fills all my needs, be it hunting, competition, training or recreational shooting.

LENA MICULEK



Location | USA

Specialty | 3-Gun, PCC, IPSC Shotgun, IPSC Rifle through their first hunting experience.

Fiocchi Product Choice | 3G JM 1oz Bird shot

Why Fiocchi | Super soft shooting, reliable and a company that makes me proud to represent them! From the people to product I know I'll never be let down!

DIANA MULLER



Location | Tulsa, OK

Home Range | US Shooting Academy, Tulsa, OK

Specialty | 3 Gun; IPSC Shotgun (World Champion Gold Medal Ladies team and silver individual)

Fiocchi Product Choice | 77g .223

Why Fiocchi | For peak performance in competition or in the field, ammo can separate the men from the boys, so to speak! Fiocchi's ammunition is accurate and consistent. And surprising to some, they have a full line of products, not just shotgun ammo!

RYAN MULLER



Location | Tulsa, OK

Home Range | US Shooting Academy, Tulsa, OK

Fiocchi Product Choice | Low Recoil Slugs, they have become that standard in 3-Gun.

Why Fiocchi | I compete for a living, I have to have 100% reliability in my ammo and Fiocchi has delivered that. I currently have over 200,000 rounds down range without a single ammunition issue.

CHAD ROBERTS



Home Range | Raahauge Shooting Enterprises, Corona, CA. (Southern California)

Specialty | Sporting Clays and FITASC

Fiocchi Product Choice | 1 oz 1250fps Little Rino Paper: 90% #8 shot - 10% #7.5

Why Fiocchi | After doing extensive testing with 1 oz shells I feel that this shell is perfect. I have more control over the gun during the shot and the recovery from my first shot is super fast. The recovery is so quick that it makes my follow up shot that much more precise. I feel that the 1250 speed is perfect for distance. I have 100% faith in the performance of these shells. The papers add even more less felt recoil and obviously smell awesome. To describe these shells in one word...They are RAD!

SHEA SELF



Location | Texas

Home Range | Dallas Gun Club

Specialty | Sporting Clays and FITASC

Fiocchi Product Choice | Fiocchi Crushers

Why Fiocchi | Fiocchi is hands down the most high quality shell I've ever used. It has enough power to crush a plastic Helice target, but is soft enough to shoot the shell all day. It really helps me get a lot of practice in without killing my shoulder. I've shot Fiocchi all my life and I've always dreamed of being sponsored by them, and now, I am! It's a true honor.

SHELBY SKAGGS



Location | Nash, Oklahoma

Home Range | Grand National

Specialty | Trapshooting USA

Fiocchi Product Choice | Shooting Dynamics 7.5

Why Fiocchi | In our sport consistency is the key to success. Fiocchi's line of shotgun ammunition is second to none in this regard.

ABEL SPIRE



Location | Cushing, OK

Home Range | Skull Creek Sporting Clays (Cushing, OK)

Specialty | Sporting Clays

Fiocchi Product Choice | Little Rhino 8s

Why Fiocchi | I have been shooting the Little Rhinos for many year. They pack a punch with lite recoil. The reliability is always what you expect from Fiocchi.

ELIZABETH FENNELL



Location | Charleston, SC

Home Range | Private range at my home

Specialty | Elizabeth is a Level III NSSA Sporting Clays Instructor and avid wing shooter.

Fiocchi Product Choice | Field Dynamics, 12 gauge

Why Fiocchi | This is my first year being a part of Fiocchi Pro Staff. I'm excited to be part of a company that provides a product I truly believe in.

BILL MCGUIRE



Location | Forsyth, GA

Home Range | Private range at my home

Specialty | The man, the myth, the legend. If it flies through the air, it's fair game with Bill.

Fiocchi Product Choice | White Rinos

Why Fiocchi | This is my first year being a part of Fiocchi Pro Staff. I like to use products I believe in.

AARON HAYES



Location | Florence, TX

Home Range | Private range at my home

Specialty | Heavy hitting 3-Gun

Fiocchi Product Choice | 223 FMJ, 45 ACP

Why Fiocchi | This is my first year being a part of Fiocchi Pro Staff. I like to use products I believe in.

COMPETE
DEFEND TRAIN
HUNT

FIOCCHI

FIOCCHI OF AMERICA, INC.



6930 N Fremont Road
Ozark, MO 65721



service@fiocchiusa.com



417-449-1039

FIOCCHIUSA.COM



All products, boxes and photographs depicted in this catalog having the following descriptions:
Shooting Dynamics, Extrema, Exacta, Golden Pheasant, Focchi, Interceptor and Rapax are Registered to Giulio Focchi S.P.A.
XTP is a Hornady trademark™. SST is a Hornady registered® mark. INTERLOCK is a Hornady trademark™. Scirocco is a Swift Bullet trademark™.