



PRODUCT CATALOGUE 2016

SMOKE/CO/COMBO ALARMS, STROBE UNITS, FIRE EXTINGUISHERS AND MORE



INTRODUCTION

WHY BRK BRANDS?

For over 50 years we've made the home safety products that make your job easier.

You can install BRK Brands, Inc. products with confidence! Our products are designed to save lives. It's a responsibility we don't take lightly. We build each smoke alarm, carbon monoxide alarm, and fire extinguisher to the highest standards.

We have also taken a leadership role in building the home safety product category, and in educating communities on making their homes safer. We partner with Fire Services Professionals, schools, and other community groups to promote prevention as well as fire and CO safety. We help our distributors through point-of-purchase sales tools and special seasonal promotions. We are committed to serving our customers, from you - the professionals who install our products - to the families who count on them. We are proud of the products we make, and welcome the opportunity to serve all our customers together.

TABLE OF CONTENTS

Description	Page(s)
Smoke and fire facts	3
Zero Waste and products	4,5
Specialty products	6
AC specialty alarms and relays	7
AC smoke alarms	8
AC smoke and CO combination alarms	9
Battery smoke alarms.....	10,11
Slim round series and 10 year life series	12,13
Battery smoke CO combo's	14
CO alarms	15
CO710 CO alarm	16
Fire extinguishers	17
Wireless interconnect	18,19
Onelink	20,21
Master list chart	22

SMOKE AND FIRE FACTS

CHOOSING THE RIGHT ALARM

BRK®, one of the most recognized commercial safety brands in Canada, offers an array of alarms and safety products to meet almost any family's need.

TYPES OF SMOKE ALARMS

Smoke alarms can be found with a variety of features and added benefits to help maximize home safety, however it is important to know there are two main types of smoke alarms. They are differentiated by the smoke sensing technology they are constructed with. These technologies are called **ionization** and **photoelectric** smoke sensors and differ by the way they react to a fire occurrence:




Ionization technology smoke alarms are generally more sensitive than photoelectric technology smoke alarms at sensing small particles, which tend to be produced in greater amounts by hot, flaming fires, that are consuming combustible materials rapidly and may spread quickly. Sources of these fires may include paper burning in a wastebasket, or a grease fire in the kitchen.



Photoelectric technology is generally more sensitive than ionization smoke detector technology at sensing large smoke particles, which tend to be produced in greater amounts by smoldering fires, which may smolder for hours before bursting into flame. Sources of these fires may include cigarettes burning in couches or bedding.

For maximum protection, industry experts recommend the use of both types of technology on each level and in every bedroom of your home. Regardless of what type of smoke alarm you have in your home, First Alert® recommends replacing smoke alarms every 10 years.

WHERE TO PLACE SAFETY PRODUCTS



ZERO WASTE

WHAT IS IT?

Zero Waste is an Industry first. A simple recycling program that helps Property Management and Government Housing Authorities meet sustainability targets. Simply put, when a First Alert® Zero Waste product is purchased for a retrofit application, we will take back and fully recycle the disposed unit at no added cost to the distributor, end-user, or taxpayer no matter what brand.



RESULTS: LANDFILL REDUCTION

First Alert® will be reducing Canadian landfills by over 300,000 + lbs of smoke alarms, CO alarms and combinations alarms annually through our the Zero Waste program.



No Eco Fees



Recyclable
PET Packaging

Learn more at www.brkcanada.ca/zerowaste

i IONIZATION

SC9126TCA



Smoke and Carbon Monoxide Alarm

- 120V AC, 60Hz wire-in alarm
- Electrochemical CO sensor
- Dual ionization
- Latching alarm indicator
- Single button test/silence
- End of life signal
- 7 year warranty

i IONIZATION

SC9126BTCA



Smoke and Carbon Monoxide Alarm

- 120V AC, 60Hz wire-in alarm
- Electrochemical CO sensor
- Dual ionization
- Battery back-up
- Two latching features
- Single button test/silence
- 7 year warranty

p PHOTOELECTRIC

7016TCA



Smoke Alarm

- 120V AC, wire-in alarm
- Photoelectric
- Latching Alarm Indicator
- Single button test/silence
- 10 year warranty

p PHOTOELECTRIC

7016BTCA



Smoke Alarm

- 120V AC, wire-in alarm with 9V battery back-up
- Photoelectric
- Optipath 360 technology™
- Battery back-up
- Two latching features
- Single button test/silence
- 10 year warranty

p PHOTOELECTRIC

SC7016BTCA



Smoke and Carbon Monoxide Alarm

- 120V AC, wire-in alarm with AA battery back-up
- Electrochemical CO sensor
- End of life signal
- Spread spectrum horn tone
- Two latching features
- Single button test/silence
- 7 year warranty

SPECIALTY PRODUCTS

DUAL IONIZATION

ESA5011KA



Smoke alarm with built in relay

- Dual ionization
- Single or multiple station 120VAC, 55mA, 60Hz
- Built in "Form C NO/NC" relay
- Interconnection of up to 18 alarms (maximum 12 smoke alarms & 6 CO alarms)
- Alarm source indicator
- Loud 85db alarm
- 10 year warranty

PIR725A



Motion sensing light socket

- Ideal for indoor use in laundry rooms, garages, basements, attics, closets etc.
- Hands free - Automatically turns light on when entering and off 4 minutes after exiting the room
- Easy to install
- Senses movement in all directions
- Works with both types of light bulbs (fluorescent and incandescent)
- 3 year warranty

RELAYS

RELAYS AND ADAPTER



RM4 - RELAY

- Form C "NO/NC" contacts
- Interconnect smoke / Heat and / or CO alarms to auxiliary devices (fire panels / shut off valves / exhaust fans).

PSM1A - INTERCONNECT MODULE

- Interconnects and activates smoke alarms on activation of fire pull stations, sprinkler flow switches, etc.



ADK-12 - ADAPTER

- Easily connect competitive alarms without rewiring
- Perfect for retrofit applications
- 10 year warranty

P VISUAL SIGNALLING/HEARING IMPAIRED

7010BSLA



Smoke and Strobe Light

- Integrated Photoelectric Smoke Alarm and Strobe Light
- Smart Strobe – Distinguishes and warns between Smoke, or CO dangers (when interconnect with CO alarm)
- Optipath 360™ - Photoelectric smoke sensing design
- Visual and audible alarm signals – 177 Candela strobe and 1 Hz flash rate meets ADA, ANSI 117.1, NFPA 72, and UL 1971 requirements for visual signalling devices
- 120VAC
- Two latching features – Two Silence Features
- Two AAA battery back-up (Note: will not power strobe)
- 10 year warranty

P VISUAL SIGNALLING/HEARING IMPAIRED

SA7020BSLA

COMING SOON

HALF THE SIZE OF THE SA7010BSLA



SA7010BSLA

120Vac / DC Photo Smoke / Strobe for Hearing Impaired

- Low Profile, Modern Look: new product is about half of height of the old product
- LED Technology: Using LED instead of Xenon bulb for the strobe light to save energy and improve durability
- Strobe Signal Synchronization: visible signals do not cause a photosensitive epileptic to initiate a seizure
- Smart Interconnection: Can be interlinked with First Alert CO alarms in addition to smoke alarms
- 10-year Sealed Battery Backup: No battery replacement is required throughout life time of the alarm
- 10 year warranty

P VISUAL SIGNALLING/HEARING IMPAIRED

SL177A



Accessory Strobe Light

- Interconnects to any First Alert® or BRK® 120VAC model
- 177 candela Xenon strobe
- 1 Hz fast rate (60 flashes per minute)
- 120VAC
- "SMART" interconnect identifies between smoke or CO alarm signals and flashes the appropriate pattern
- No relay needed
- Meets ADA and OBC requirements for visual signalling
- 10 year warranty

CARBON MONOXIDE

CO5120BNA



120Vac Carbon Monoxide alarm with battery back-up

- Advanced Electrochemical CO sensor
- 9 volt battery back-up – EZ Access battery door
- Two latching features – Alarm latch: Remembers and identifies initiating alarms
- Two Silence Features – Silence low battery chirp for up to eight hours, or, temporarily silence nuisance alarm conditions
- End of life signal
- 7 year warranty

AC SMOKE ALARMS

i IONIZATION

9120A · 9120BA



120VAC Hardwire Ionization Smoke Alarm

- Intelligent Sensing Technology – Greatly reduces nuisance alarms possibility
- Alarm Latch – Remembers and identifies initiating alarms
- Perfect Mount – Easy install and alignment
- Single Button Test / Silence feature
- 10 year warranty



with battery back-up

- 9 volt battery back-up – EZ Access battery door
- Two latching features – Alarm latch: Remembers and identifies initiating alarms. Low battery latch: identifies affected unit
- Silence Feature – temporarily silence nuisance alarm conditions
- Low battery warning
- 10 year warranty

p PHOTOELECTRIC

7010A · 7010BA



120VAC Photoelectric Smoke Alarm

- Optipath 360™ - Photoelectric smoke sensing design
- Alarm latch – Remembers and identifies initiating alarms
- Single button Test/Silence feature
- 10 year warranty



with battery back-up

- 9 volt battery back-up – EZ Access battery door
- Two latching features – Alarm latch: Remembers and identifies initiating alarms. Low battery: Identifies affected unit
- Silence Feature – temporarily silence nuisance alarm conditions
- Low battery warning
- 10 year warranty

i **p** ION + PHOTO

3120BA



120VAC Photo & Ion Dual Alarm

- Dual smoke technologies: Optipath 360™ Photoelectric and “Intelligent” Ionization combined
- Two latching features – Alarm latch: Remembers and identifies initiating alarms. Low battery: Identifies affected unit
- Two Silence Feature – Silence low battery chirp for up to eight hours, or, temporarily silence nuisance alarm conditions
- Two AA battery back-up – EZ Access battery door
- 10 year warranty

AC SMOKE & CO COMBINATION ALARMS

i IONIZATION

SC9120A · SC9120BA



120Vac Smoke & CO Combo Alarm

- Intelligent Sensing Technology – Greatly reduces nuisance alarms possibility
- Advanced Electrochemical CO sensor
- End of Life signal (CO)
- Alarm Latch – Remembers and identifies initiating alarms
- Perfect Mount – Easy install and alignment
- 10 year warranty



with battery back-up

- 9 volt battery back-up – EZ Access battery door
- Two latching features – Alarm latch: Remembers and identifies initiating alarms. Low battery latch: identifies affected unit
- Two Silence Features – Silence low battery chirp for up to eight hours, or, temporarily silence nuisance alarm conditions
- Low battery warning
- 10 year warranty

p PHOTOELECTRIC

SC7010BA · SC7010BVA



120Vac Photoelectric Smoke & CO Combo Alarm

- Optipath 360™ - Photoelectric smoke & Advanced Electrochemical CO sensor
- Spread Spectrum Horn – Easier for elderly with normal hearing loss to hear
- Two latching features – Alarm latch: Remembers and identifies initiating alarms. Low battery: Identifies affected unit
- Two Silence Features – Silence low battery chirp for up to eight hours, or, temporarily silence nuisance alarm conditions
- End of life signal (CO)
- Two AA battery back-up – EZ Access battery door
- 10 year warranty



with Voice Locate Feature

i IONIZATION

SC9120LBLA



120Vac Smoke & CO Combo Alarm

- Separate smoke and carbon monoxide sensors detects both dangers
- 10 year sealed lithium battery backup
- Dual ionization
- 120V AC, 60Hz hardwire
- Latching alarm indicator
- Single button test/silence
- Two latching features
- 10 year warranty

i IONIZATION

9120LBLA



Battery Smoke Alarm

- Dual ionization
- 10 year sealed battery back-up
- Latching alarm indicator
- Single button test/silence
- Low battery warning
- 10 year warranty



i IONIZATION

FG250BA



Battery Smoke Alarm

- Ionization smoke sensing technology
- Single button test/silence
- Low battery warning
- Operating LED light to show that alarm is receiving power
- 9V Battery included
- Loud 85 decibel alarm
- 10 year warranty

i IONIZATION

SA304CNA



Battery Smoke Alarm with Escape Light

- Bright escape light: lights a path to safety
- Ionization smoke sensing technology
- Single button test/silence
- EZ Access battery door
- 9V Battery included
- Low battery warning
- Optional theft prevention lock
- 10 year warranty





P PHOTOELECTRIC **BATTERY SMOKE ALARMS**

P PHOTOELECTRIC

SA7106CNA



Battery Smoke Alarm

- Photoelectric smoke sensing technology
- Single button test/silence
- Optional theft prevention lock
- Low battery warning
- Missing battery guard
- 9 volt battery included
- EZ Access battery door
- 10 year warranty

P PHOTOELECTRIC

P1000A



World's Smallest Alarm

- Advanced Micro Technology
- Maximum Protection - Fewer False Alarms
- Long-Life Battery Included
- Easy Installation - Smart Product Clip System
- Loud and Powerful Penetrating Sound
- 10 year warranty



P PHOTOELECTRIC

PR700A



Smoke alarm

- Battery operated, slim design alarm - 9V
- Photoelectric sensor
- Silence feature
- Low profile, round design
- Loud 85db alarm
- 10 year warranty

P PHOTOELECTRIC

PRC700A



Smoke and Carbon monoxide alarm

- Battery operated, slim design alarm - 2AA
- Photoelectric sensor
- Silence feature
- Low profile, round design
- Loud 85db alarm
- 10 year warranty

P PHOTOELECTRIC

PRC700VA



Smoke and Carbon monoxide alarm with voice location

- Battery operated, slim design alarm - 2AA
- Voice and location technology
- Photoelectric sensor
- Silence feature
- Low profile, round design
- Loud 85db alarm
- 10 year warranty



1/2 1/2 THE SIZE OF THE STANDARD ALARM

SLIM ROUND SERIES - 10 YEAR LIFE

P PHOTOELECTRIC

PR710A



Smoke alarm

- 10 year sealed lithium powercell
- Battery operated, slim design alarm
- Photoelectric sensor
- Silence feature
- Low profile, round design
- Loud 85db alarm
- 10 year warranty

P PHOTOELECTRIC

PRC710A



Smoke and Carbon monoxide alarm

- 10 year sealed lithium powercell
- Battery operated, slim design alarm
- Photoelectric sensor
- Silence feature
- Low profile, round design
- Loud 85db alarm
- 10 year warranty

P PHOTOELECTRIC

PRC710VA



Smoke and Carbon monoxide alarm with voice location

- 10 year sealed lithium powercell
- Battery operated, slim design alarm
- Voice and location technology
- Photoelectric sensor
- Silence feature
- Low profile, round design
- Loud 85db alarm
- 10 year warranty



Nuisance and hassle free 10-year smoke alarm. It's protection at its finest. First Alert introduces a new slim line of 10 year sealed lithium battery alarms, eliminating annoying low battery chirps and costly battery replacements! Simply install and replace the unit only at end of life.



P PHOTOELECTRIC

SC05CNA · SC07CNA



Battery Combination Smoke & CO Alarm

- Optipath 360™ - Photoelectric & Advanced Electrochemical CO sensor
- Single button test/silence
- End of Life signal (CO)
- Two AA Batteries included
- EZ Access battery door
- Low battery warning
- 10 year warranty



(Additional features):

- "Voice with location" provides necessary hazard location information for blind or visually impaired residents
- 10 year warranty



BATTERY MODELS

CO250TCNA



- Travel pouch included
- Battery operated 9V
- Mute button
- Low battery signal
- 85 decibel alarm
- Mounting hardware included
- 7 year warranty

CO400A



- EZ Access battery door
- Battery operated 9V
- Mute button
- Low battery signal
- End of life timer
- 85 decibel alarm
- 7 year warranty



**CO410A with Digital Display
2 AA**

PLUG IN MODELS

CO600A



- Plug-in
- Mute button
- End of life signal
- 85 decibel alarm
- 7 year warranty



**CO605A with Battery Back-up
9V**

CO615A



Plug-In with Battery Backup and Digital Display

- Backlit digital display
- Advanced Electrochemical CO sensor
- Single button Test/Silence
- EZ Access battery door 2 AA
- End of life signal
- 7 year warranty

GC016CNA



Battery with Digital Display

- 3 Way Protection: Carbon Monoxide, Propane & Natural / Methane gas
- Battery back-up 9V
- EZ Access battery door
- Backlit LED display
- 5 year warranty
- Plug-in
- Mute button
- Low battery signal
- End of life signal
- 85 decibel alarm



CO710A



10 YEAR SEALED BATTERY CARBON MONOXIDE ALARM

- Electrochemical CO sensor
- Multi-function digital display - temperature and CO PPM
- Peak level memory feature
- 10-year sealed lithium battery
- Modern, compact design
- Versatile mounting options
- Alarm status LED indicator
- End of life signal
- Test/silence button
- 10 year warranty



KFE5-A



Kitchen Fire Extinguisher

- Quick-release mounting cap for easy access
- Push button pressure check
- Sodium bicarbonate extinguishing agent
- 5-B:C rated
- 10 year warranty

FE1A10GOA · FE1A10GO-MNA



Multi Purpose Fire Extinguisher

- Rechargeable fire extinguisher
- All metal valve
- Corrosion resistant metal gauge
- Metal pull pin
- Includes mounting bracket with strap
- 5-B:C rated
- 10 year warranty

- Coast guard approved

FE3A40A



Heavy Duty Fire Extinguisher

- Heavy duty 5lb fire extinguisher
- Rechargeable fire extinguisher
- Large easy to read pressure gauge
- Metal valve and handle
- Coast guard approved
- Rated 3A:40-B:C
- 12 year warranty

FE4A60BA



Commercial Grade Fire Extinguisher

- Commercial 10lb fire extinguisher
- Rechargeable fire extinguisher
- Large easy to read pressure gauge
- Commercial grade metal valve and handle
- Fits easily inside standard fire box
- Rated 4A:60-B:C
- 12 year warranty

WIRELESS INTERCONNECT

Need to add interconnected alarms but getting AC power to the location is difficult?

Interconnection wirelessly provides easier and quicker installation with the benefit of all alarms sounding in the event of smoke or CO being detected.

Cost effective retrofit and remodel solutions

- Wireless interconnect technology eliminates the need to pull wires through existing walls
- Save an average of between \$150 - \$200** per alarm when compared to retrofitting hardwired alarms in existing walls or ceilings
- Faster job turnaround - 4X more jobs completed increases your profits
- Photoelectric sensing technology saves maintenance calls with fewer nuisance alarms

Putting the innovation in renovation

When it comes to alarm renovation and retrofit projects, choices have been limited. Installing battery operated alarms and sacrificing interconnectability or investing in the time and labor to retrofit hardwired alarms have been the only options available.* Until Now! First Alert Wireless Interconnect eliminates the need to pull wires through existing walls saving time, money and labour.


No matter what your renovation project, First Alert Wireless Interconnect provides a cost effective solution:

Home Addition Projects:

Using the First Alert Wireless Interconnect hardwired “Bridge Unit” (SA520CNA-3ST), simply replace one hardwired alarm in the existing installation and add one to the new installation. Wireless technology saves time, material and labour to connect to the existing alarm circuit. Now add standard First Alert hardwired alarms as required in the new section and other First Alert Wireless Interconnect battery alarms in the old section to complete the alarm safety system. Some inspectors only allow hardwire alarms for code. All alarms, hardwired and battery, existing and new are now interconnected.

Retrofit Projects:

Property Owners, Facility Managers and Electrical Contractors can all benefit from installing First Alert Wireless Interconnect alarms for existing retrofit projects. Saving \$150 - \$200** per alarm and increasing job turnaround 4X are key reasons to consider First Alert Wireless Interconnect alarms for all of your renovation projects.



MESH NETWORK COMMUNICATION

BRK Wireless Interconnect alarms operate on a “mesh network”; a 2-way communication format that sends, receives and then re-sends the alarm signals. If the initiating alarm signal is blocked from reaching one of the alarms, the mesh network communication reroutes and re-sends the signal via the other alarms as shown in the illustration. With competitive one-way wireless communication, only the initiating alarm sends a signal which may never be received, leaving the blocked alarm deadly silent.

**Note: Based on average retrofitting costs of time, material and labor to connect to existing alarm circuit, drywall repairs, painting, etc. Special cases that require conduit, wire mold, concrete drilling, etc. would add additional costs and increase savings. This product is intended for non-professional do it yourself installation. If you would like information about a professionally installed and monitored system, please contact 1-800-265-5674.

P PHOTOELECTRIC

SA500CNA-3ST



Smoke alarm

- Battery operated 2AA
- Wireless installation
- Silence feature
- EZ access battery door
- Loud 85db alarm
- 10 year warranty

P PHOTOELECTRIC

CO500CNA-3ST



Carbon monoxide alarm

- Battery operated 2AA
- Wireless installation
- Silence feature
- EZ access battery door
- Loud 85db alarm
- 7 year warranty

P PHOTOELECTRIC

SCO500NVA



Smoke and carbon monoxide alarm

- Battery operated 2AA
- Wireless installation
- Silence feature
- EZ access battery door
- Loud 85db alarm
- 7 year warranty

P PHOTOELECTRIC

SA520CNA-3ST



Hardwired Smoke alarm

- 120V hardwired alarm (bridge unit)
- Battery back-up
- Wireless interconnect
- Silence feature
- EZ access battery door (2AA)
- Loud 85db alarm
- 10 year warranty



Easy - Smart - Simple

Let's face it, homeowners interaction with smoke alarms has been a nuisance. Whether changing batteries due to that annoying low battery chirp in the middle of the night or trying to silence an alarm because they burned dinner, responding to or keeping tabs on the working condition of their alarms has always been a chore. Until Now!


First Alert Onelink Wi-Fi Alarms allow homeowners to easily silence and monitor the alarm condition and events that take place inside their homes via an iPhone or iPad. They don't even have to there with the conveniently connected Onelink(reg) App.



Onelink™

- Wi-Fi and Bluetooth connectivity
- 10 Year sealed battery or battery backup
- Apple HomeKit enabled
- Works with Apple iOS 9 or later.
- Free App to stay connected with alarms
- Speaks what and where danger is detected
- Interconnects with all current BRK/First Alert hardwired alarms
- Two versions available: AC10-500A (120V hardwired w/battery backup) & DC10-500A (battery powered)

No need to replace the battery for the life of the alarm.



P PHOTOELECTRIC

AC10-500A



120V Hardwire with battery back-up

- Photoelectric sensor
- Hardwire connection
- Easy to install
- Works with Apple Homekit
- Mute button
- No battery replacements - 10 year sealed battery
- Low profile design
- Loud 85db alarm
- 10 year warranty

P PHOTOELECTRIC

DC10-500A



10 year sealed battery

- Photoelectric sensor
- Easy to install
- Works with Apple Homekit
- Mute button
- 10 year sealed battery
- Low profile design
- Loud 85db alarm
- 10 year warranty



MASTER LIST CHART

ITEM		UPC	CASPE PACK UPC		CASE PACK
9120A	Hardwired Ion AC only	029054001092	10029054001099	Box	12
9120BA	Hardwired Ion with 9V battery backup	029054001085	10029054001082	Box	12
7010A	Hardwired Photo AC only	029054112101	20029054010449	Box	12
7010BA	Hardwired Photo w/ 9V battery backup	029054112200	10029054112207	Box	12
3120BA	Hardwired Photo/Ion with AA battery backup	029054008435	70029054008434	Box	12
7016TCA	Hardwired Photo AC only - Zero Waste	029054010445	20029054010449	Box	12
7016BTCA	Hardwired Photo w/ 9V battery backup - Zero Waste	029054010438	20029054010432	Box	12
ESA5011KA	Hardwire Ion AC only with built-in relay	080715825112	70080715810056	Box	10
SC9120A	Hardwired Ion Smoke/CO Combo	029054002891	10029054002898	Box	12
SC9126TCA	Hardwired Ion Smoke/CO Combo - Zero Waste	029054010407	20029054010401	Box	12
SC9120BA	Hardwired Ion Smoke/CO Combo / 9 volt Battery back-up	029054001078	10029054001075	Box	12
SC9126BTCA	Hardwired Ion Smoke/CO Combo / 9 volt BBU - Zero Waste	029054010414	20029054010418	Box	12
SC7010BA	Hardwired Photo Smoke/CO Combo / AA Battery back-up	029054007544	70029054007543	Box	12
SC7016BTCA	Hardwired Photo Smoke/CO Combo / AA BBU - Zero Waste	029054010421	20029054010425	Box	12
SC7010BVA	Hardwired Photo Smoke/CO Combo with Voice Location	029054012920	20029054012924	Box	12
CO5120BNA	Hardwired CO alarm with 9V battery backup	029054855619	10029054855626	Box	12
7010BSLA	Hardwired Photo/Strobe w/battery backup	029054008428	30029054008429	Box	3
SL177A	177 candela smart strobe for BRK smoke & CO alarms	029054015464	30029054015465	Box	3
SA520CNA-3ST	120 V and Battery Photo Wireless-Bridge Unit	029054001719	30029054001710	Clamshell	3
SA500CNA-3ST	Wireless Photo Smoke Alarm	029054001726	30029054001727	Clamshell	3
CO500CNA-3ST	Wireless - Battery CO Alarm	029054001740	30029054001741	Clamshell	3
SCO500NVA	Wireless - Battery Photo/CO Combo	029054002464	30029054002465	Clamshell	3
AC10-500A	Hardwire WiFi Combo Smoke/CO with BBU	029054015556	30029054015557	Box	2
DC10-500A	10 Year Lithium Battery WiFi Combo	029054015563	30029054015564	Box	2
FG250BA	Battery Ion - 9V carbon zinc	029054012982	20029054012986	Box	6
SA320CNA	Battery Photo / Ion	029054008633	30029054008634	Clamshell	3
SA303CNA	Battery Ion 9V carbon zinc	029054124012	80029054124018	Clamshell	3
SA304CNA	Battery Ion 9V alkaline with escape light	029054124029	10029054124026	Clamshell	3
SA305CNA	Battery Ion -9V Lithium	029054124036	10029054124033	Clamshell	3
SA710CNA	Battery Photo - 9V Lithium	029054857804	10029054857801	Clamshell	3
P1000A	Atom - World's Smallest Alarm	029054010315	30029054010316	Clamshell	4
CO250TCNA	Battery CO - 9V Alkaline	029054007605	30029054007606	Clamshell	3
CO400A	Battery CO - 2 AA alkaline	029054001221	30029054001222	Clamshell	3
CO4106A	Battery CO - 2AA with digital display	029054010834	60029054010836	Clamshell	6
CO600A	Plug-in CO - no battery backup	029054001290	30029054001291	Clamshell	3
CO605A	Plug-in CO with 2 AA battery backup	029054001276	30029054001277	Clamshell	3
CO615A	Plug-in CO with digital display and 2AA battery backup	029054001269	30029054001260	Clamshell	3
GCO16CNA	Plug-in Multi-Gas - CO/LP/NG - with digital display and 2AA BBU	029054010827	60029054010829	Clamshell	6
SCO5A	Battery Photo Smoke/CO Combo	029054003812	30029054003813	Clamshell	3
SCO7CNA	Battery Photo Smoke/CO Combo with Voice Location	029054009548	30029054009549	Clamshell	3
PC900A	Designer Battery Photo Smoke/CO Combo	029054010285	30029054010286	Clamshell	3
PC900VA	As Above with Voice Location	029054010292	30029054010293	Clamshell	3
CF135	Fixed Temperature Heat Detector 135 Degree	882959211115	N/A	Box	
EL52-2	2-story escape ladder - 14ft	029054181039	10029054181036	Box	2
PIR725A	Motion Sensing Light Socket	029054007391	30029054007392	Clamshell	3
RM4	BRK smart relay	029054000576	10029054000573	Bag	12
ADK-12	Adaptor for Kidde smoke alarms -12 Pack	029054000057	60029054000059	Bag	12
PSM1A	Interconnect/Interface module (Pull Stn & Flow Switch)	029054176028	10029054176025	Box	12
KFE5-A	Kitchen - 5 B-C rating	029054792006	10029054792003	Box	6
FE1A10GOA	1 3/4 FE - A-1:10B:C	029054000385	60029054000387	Box	6
FE3A40A	5 lb FE - 40 B-C rating	029054751027	10029054751024	Box	1
PRO10A	10 lb FE - Commercial - 4-A:60-B;C	029054002792	20029054009535	Box	2
FEBRA5-6A	Vehicle Bracket for 5 lb Fire Extinguisher	029054003805	60029054003807	Box	6



Canadian Head Office 1-800-265-5674

Sales
Ext 7230

Customer Service
Ext 7123

Regional Sales Contacts

ATLANTIC CANADA
MUNDEN ENTERPRISES
902.542.9796
info@mundenenterprises.com

ALBERTA
MCKENNA AGENCIES
1.800.661.8531
www.mckennaagencies.com

QUEBEC
AGENCE PASQUARELLI INC.
514.955.3300
mpasquarelli@agenpasq.com

BRITISH COLUMBIA
HALLWOOD TECHNOLOGIES
604.526.4288
sales@hallwood.ca

ONTARIO
NORTHWINDS CORP.
1.888.364.9121
www.northwinds.ca

SASKATCHEWAN
ELECTRA SALES
306.791.0266
www.electrasalesltd.com

LAKEHEAD & MANITOBA
TMC SALES
204.837.5036
www.tmcsales.ca

BRKCanada.ca