



2019 Product Catalog

Farm • Ranch • Home • Garden • Hardware • Retail



ABOUT QRRI, INC.

QRRI, Inc. manufactures and distributes rubber products for the equine and ag-retail industries. Founded in 1987, the company is a female and minority owned small U.S. business enterprise. Our corporate offices are located in Sandy Springs, GA, and products are inventoried in warehouses across the country.

QRRI specializes in using recycled rubber. Our unique compounding and manufacturing processes have been designed to meet virtually any customer need. QRRI delivers a niche service experience by providing customers with a complete solution for developing, manufacturing, and marketing rubber products.


Some of the markets serviced:

- **Equine Industry:** Equine and specialty retailers
- **Agriculture Industry:** Farm & ranch retailers and wholesalers, tack & supply retailers and equine distributors
- **Retail:** Including home centers, specialty stores, and general merchandise
- **Transportation Industry:** OEM manufacturers of specialty trailers and agriculture related vehicles
- **Wholesalers:** Including equine tack & supply distributors and farm & ranch distributors

Our philosophy is to build partnerships with our customers while providing top quality products at very competitive prices. QRRI supports that philosophy by maintaining overhead at the lowest possible level. By combining marketing and manufacturing, we aim to create a high level of trust and confidence for our customers.

The desire to exceed our customers' expectations at all levels makes our marketing approach extremely successful. This approach includes excellent quality control, full testing and research capabilities, and on-time delivery performance.

WAREHOUSE LOCATIONS



SAN BERNARDINO, CA
DENVER, CO
NORTH HAVEN, CT

ORLANDO, FL
ATLANTA, GA
WEST CHICAGO, IL

LA GRANGE, KY
BILLINGS, MT
MILWAUKEE, WI



TABLE OF CONTENTS

FLEXGARD® Stall Mats	1
FLEXGARD® Interlocking Flooring	2
FLEXGARD® Custom Interlocking Stall Mats	3
QUIK-FIT® Stall Kit	4
FLEXGARD® Rubber Pavers	4
ASPINWALL Entrance Mats	5
FLEXGARD® Utility Mats	7
FLEXGARD® Mat Display Racks	7
FLEXGARD® Ring Mats	8
FLEXGARD® Ramp Rubber	9
FLEXGARD® Wall Liners	10
TECHNOFLEX Secure Park™	11
TECHNOFLEX Hush Pad™	11
TECHNOFLEX TECHNOFLOOR™ Mats	12
TECHNOFLEX Secure Step™	13
TECHNOFLEX Techno Boots™	13
TECHNOFLEX EcoBorder™	14
TECHNOFLEX Techno Lok™	14
TECHNOFLEX Water Heater Tank Cushion	15
TECHNOFLEX Anti-Vibration Pads	15
QRRI Product Warranty	16
QRRI Terms & Conditions	16

STALL MATS




Our Punter® rubber mats are made with our textured Punter® design pattern; your indication that the mats are genuine QRRRI quality products. © QRRRI-TRM 2003

FLEXGARD® STALL MATS

QRRRI FLEXGARD® Stall Mats are made from durable, high-quality recycled rubber. Our unique Punter®, Pebble, and Diamond top designs increase traction to create a secure, non-slip surface. FLEXGARD® rubber absorbs shock and lessens muscle strain, decreasing risk of injury and physical discomfort. Stall mats insulate animals from cold temperatures, mildew, and moisture, giving them a healthy and hygienic stall environment. Mats are also easy to maintain, reducing cleaning effort and bedding costs. FLEXGARD® Stall Mats are the reliable, durable, and economical solution for all your stall flooring needs.

FEATURES:

- Anti-Fatigue Design
- Durable in All Weather Conditions
- 100% Recycled FLEXGARD® Rubber
- Non-Slip Surface
- Easy to Clean
- Limited Warranty



Punter® Top Mat

Punter® Surface

Wide Rib Back

Item ID	Size	Thickness	Weight
ASM4872-DR3/4	4' x 6'	3/4"	95 lbs

Pebble Top Mat

Pebble Surface

Grooved Back


Item ID	Size	Thickness	Weight
MPT12-4X3PNG	4' x 3'	1/2"	37 lbs
MPT12-4X6PNG	4' x 6'	1/2"	73 lbs

Diamond Top Mat

Diamond Surface

Ribbed Back

Item ID	Size	Thickness	Weight
SMA4836-DG1/2	4' x 3'	1/2"	31 lbs
SMCK4872-DPWG1/2	4' x 6'	1/2"	62 lbs



Punter® Top Tile

Wide Rib Back


Punter® Surface

Item ID	Size	Thickness	Weight
DRV4-24F4	2' x 2'	3/4"	17 lbs



USES:

- School Gyms
- Horse Barns
- Ice Rinks
- Wash Rack Areas
- Baseball Dugouts
- Weight Rooms
- Tack Rooms
- Fitness Areas
- Multipurpose Areas
- Cardio Decks
- Horse Trailers
- Locker Rooms



Tru-Lite® Mat

Tru-Lite® Back

Tru-Lite® Surface

Item ID	Size	Thickness	Weight
TRM-TRU-LITE	3' x 4'	7/8"	17 lbs



USES:

- Temporary Stall Mats
- Gyms/Dojos
- Exercise Areas
- Yoga Studios
- Temporary Trailer Mats
- Daycares
- Fitness Areas
- Multipurpose Areas



Our Punter® rubber mats are made with our textured Punter® design pattern; your indication that the mats are genuine QRRI quality products. © QRRI-TRM 2003

INTERLOCKING TILES & MATS

QRRI FLEXGARD® Interlocking Flooring products can be configured to a wide variety of layouts. Easily create a new floor from scratch, or add to existing floor setups for expanded coverage. Each tile interlocks on all four sides, enabling quick and simple installation. They are equipped with a textured surface finish to increase traction, reducing the risk of slip and fall.

PUNTER® TOP INTERLOCKING TILE

QRRI FLEXGARD® Punter® Top Interlocking Tile is a highly durable, all-rubber flooring solution. The proprietary Punter® Top surface finish provides excellent traction, while the FLEXGARD® 100% rubber material absorbs shock and impact. The tiles have a wide rib finish on the back, allowing better air flow. Increased air circulation reduces condensation buildup; a common issue that can lead to unhygienic conditions.

FEATURES:

- 100% Recycled FLEXGARD® Rubber
- Non-Slip Surface
- Water-Jet Precision Cut for Exact Fit
- Superior Impact Protection

TRU-LITE® INTERLOCKING MAT

QRRI FLEXGARD® Tru-Lite® Interlocking Mat is a versatile flooring option suited for a variety of applications. Tru-Lite® mats are fabricated from EVA (Ethylene Vinyl Acetate); a closed-cell foam that is durable and high density. EVA is a resilient yet lightweight material, making product transportation and storage easier and less costly. The surface finish is an unobtrusive, slightly textured pattern which increases traction and improves slip resistance. Tru-Lite® Interlocking Mat can be used to create a clean, quiet, and soft workout area for any floor or gym. It can also be used as a portable stall mat for convenience. Give your horses a safe, comfortable environment and save on cost and effort with Tru-Lite® Interlocking Mat.

FEATURES:

- Non-Toxic
- Anti-Fatigue
- Lightweight
- Waterproof
- Absorbs Shock
- Easy to Clean and Install



FLEXGARD® CUSTOM INTERLOCKING STALL MATS

FEATURES:

- Anti-Fatigue
- 10-Year Limited Warranty
- 100% Recycled FLEXGARD® Rubber
- Punter® Top Non-Slip Surface
- Reduces Leg & Back Strain
- Easy to Install
- Heavy Duty
- Durable
- Reduces Bedding & Cleaning Cost
- Good for All Weather Conditions


SIZES:

- DRV4-10L: 46 5/8 x 69 7/8 x 3/4
- DRV4-10R: 46 5/8 x 69 7/8 x 3/4
- DRV4-14: 46 5/8 x 70 7/8 x 3/4
- DRV4-16: 47 5/8 x 69 7/8 x 3/4
- DRV4-20: 47 5/8 x 70 7/8 x 3/4
- DRV4-24F4: 24 5/8 x 24 5/16 x 3/4


DIAGRAMS:




12' x 14'
(11' 7" x 13' 6.5")



10' x 12'
(9' 7" x 11' 7")




10' x 10'
(9' 7" x 9' 7")



12' x 12'
(11' 7" x 11' 7")



14' x 14'
(13' 6.5" x 13' 6.5")



12' x 16'
(11' 7" x 15' 5")




12' x 24'
(11' 7" x 23' 3")




12' x 36'
(34' 9" x 11' 7")



24' x 24'
(23' 3" x 23' 3")



QUIK-FIT® Interlocking Stall Kit



Our Punter® rubber mats are made with our textured Punter® design pattern; your indication that the mats are genuine QRRI quality products. © QRRI-TRM 2003

12' x 12'
(11' 7" x 11' 7")

DRV4-10L	DRV4-10R
DRV4-16	DRV4-16
DRV4-10R	DRV4-10L



Item ID	Size	Thickness	Weight
DRV4-12X12KITPLT	12' x 12'	3/4"	600 lbs


QRRI QUIK-FIT® STALL KIT

QRRI FLEXGARD® QUIK-FIT® Interlocking Stall Kit provides animals with a healthy, safe, and natural flooring environment. QUIK-FIT® stall kit is made from high quality FLEXGARD® rubber, which absorbs shock and insulates from cold temperatures. The proprietary Punter® surface finish increases traction, creating a safer non-slip floor. The wide rib back finish assists with stability and facilitates drainage, preventing damp conditions and moisture buildup which can cause mold and mildew. Easily reduce stall cleaning time and bedding costs with our durable and economical QUIK-FIT® Stall Kit.

FEATURES:

- Anti-Fatigue
- 5-Year Limited Warranty
- Water-Jet Precision Cut for Exact Fit
- Durable in All Weather Conditions
- 100% Recycled FLEXGARD® Rubber

Interlocking Rubber Pavers



Item ID	Size	Thickness	Weight
PAVERS 7/8 - RED	6 1/4" x 8"	7/8"	1.3 lbs
PAVERS 7/8 - GREEN	6 1/4" x 8"	7/8"	1.3 lbs
PAVERS 7/8 - BLACK	6 1/4" x 8"	7/8"	1.3 lbs
PAVERS 1 3/4 - RED	6 1/4" x 8"	1 3/4"	2.8 lbs
PAVERS 1 3/4 - GREEN	6 1/4" x 8"	1 3/4"	2.8 lbs
PAVERS 1 3/4 - GREY	6 1/4" x 8"	1 3/4"	2.8 lbs
PAVERS 1 3/4 - BLACK	6 1/4" x 8"	1 3/4"	2.8 lbs

EASY PAVING

QRRI FLEXGARD® Interlocking Rubber Pavers provide a simple yet attractive way to decorate, pave, and protect areas around barns, businesses, homes, gardens, and more. The dog-bone shape easily combines to form a variety of layouts, sizes, and designs. Interlocking Rubber Pavers are durable, highly resilient, and can withstand harsh outdoor elements. Pavers also provide good foot cushioning, comfort, and anti-fatigue properties. Easy to install, shape, modify, and saw-cut.

USES:

- Equine Flooring
- Garden Pathways
- Anti-Slip Protection
- Service Roads
- Saddling Areas
- Walkways
- Wash Bays
- Aisle Ways
- Barn Areas
- Patios

ENTRANCE MATS

DECORATIVE MATS

Personalize any entryway with Aspinwall Entrance Mats. These mats are made from natural coir and rubber for maximum durability and heavy-duty applications. The natural coir fiber increases foot traction and traps dirt and grime, keeping interiors tidy. To clean, vacuum or rigorously shake mats. Use in dry, covered areas and keep away from standing water in order to prolong usage.

FEATURES:

- Non-Slip Surface
- Decorative Designs
- Heavy-Duty
- Limited 1-Year Warranty
- Natural Materials
- Eco-Friendly
- Easy To Clean
- NEW Anti-Shedding Finish

USES:

- Mudrooms
- Entryways
- Decks
- Patios
- Vestibules
- Doorways
- Barns
- Garages



Entrance Mats are manufactured and designed by Aspinwall USA, exclusively for distribution by QRRI.



Welcome Horses Running
IM180-18X30-WELCHRSRUN

Size: 18" x 30" Weight: 4.2 lbs



Three Horses Running
IM180-18X30-THREEHRSRUN

Size: 18" x 30" Weight: 4.2 lbs



Mare & Foal
IM180-18X30-MAREFOAL

Size: 18" x 30" Weight: 4.2 lbs



Galloping Horse
IM180-18X30-GALLOPHOR

Size: 18" x 30" Weight: 4.2 lbs



Three Dogs
IM180-18X30-THREEDOGS

Size: 18" x 30" Weight: 4.2 lbs



Four Dogs
IM180-18X30-FOURDOGS

Size: 18" x 30" Weight: 4.2 lbs



Welcome Cat Peeking
IM180-18X30-WELCCATPEEK

Size: 18" x 30" Weight: 4.2 lbs



Welcome Cats
IM180-18X30-WELCCATS

Size: 18" x 30" Weight: 4.2 lbs



Welcome Dog & Cat Snuggling
IM180-18X30-WELCDOGCATSNUGGLE

Size: 18" x 30" Weight: 4.2 lbs



Kick Off Your Boots & Stay Awhile
IM180-18X30-BOOTSKICKBOOTSSTAY

Size: 18" x 30" Weight: 4.2 lbs



Howdy Cowboy Boots
IM180-18X30-HOWDYBOOTS

Size: 18" x 30" Weight: 4.2 lbs



Welcome Y'all Cowboy Boots
IM180-18X30-WELCYALLBOOTS

Size: 18" x 30" Weight: 4.2 lbs



Outdoor
IM180-18X30-OUTDOOR

Size: 18" x 30" Weight: 4.2 lbs



12-Point Buck
IM180-18X30-DEER12POINT

Size: 18" x 30" Weight: 4.2 lbs



Sunflowers
IM180-18X30-SUNFLOWER

Size: 18" x 30" Weight: 4.2 lbs



Trellis Vine
IM180-18X30-TRELLISGARD

Size: 18" x 30" Weight: 4.2 lbs



Welcome Three Pineapples
IM180-18X30-WELC3PINEAPPLES
Size: 18" x 30" | Weight: 4.2 lbs



Life is Better in Flip Flops
IM180-18X30-LIFEBETTERFLIPFLOP
Size: 18" x 30" | Weight: 4.2 lbs




Welcome Four Flip Flops
IM180-18X30-WELC4FLIPFLOP
Size: 18" x 30" | Weight: 4.2 lbs



Welcome Six Flip Flops
IM180-18X30-WELC6FLIPFLOP
Size: 18" x 30" | Weight: 4.2 lbs



Hello Summer
IM180-18X30-HELLOSUMMER
Size: 18" x 30" | Weight: 4.2 lbs




Home of the Happy Hour
IM180-18X30-HOMEHAPPYHOUR
Size: 18" x 30" | Weight: 4.2 lbs



Come Back with Wine
IM180-18X30-BACKWITHWINE
Size: 18" x 30" | Weight: 4.2 lbs



No Place Like Home
IM180-18X30-NOPLACEHOME
Size: 18" x 30" | Weight: 4.2 lbs




USA Home of the Brave
IM180-18X30-HOMEOFBRAVE
Size: 18" x 30" | Weight: 4.2 lbs



Red White & Blue Liberty
IM180-18X30-LIBERTY
Size: 18" x 30" | Weight: 4.2 lbs



Live Love Laugh
IM180-18X30-LIVELOVELAUGH
Size: 18" x 30" | Weight: 4.2 lbs




Hello Script
IM180-18X30-HELLOSCRIPT
Size: 18" x 30" | Weight: 4.2 lbs



Welcome To Our Home
IM180-18X30-WELCTOHOME
Size: 18" x 30" | Weight: 4.2 lbs



Welcome Neighbor
IM180-18X30-WELCNEIGH
Size: 18" x 30" | Weight: 4.2 lbs



Welcome Swirl Border
IM180-18X30-WELCSWIRLBORD
Size: 18" x 30" | Weight: 4.2 lbs



Home with Key
IM180-18X30-HOMEKEY
Size: 18" x 30" | Weight: 4.2 lbs




Home Sweet Home
IM180-18X30-HOMESWEETHOME
Size: 18" x 30" | Weight: 4.2 lbs



Home Sweet Home Beveled Ring Mat
IM20X30-RING-HSH
Size: 20" x 30" | Weight: 7.8 lbs



Welcome Horses Beveled Ring Mat
IM20X30-RING-WH
Size: 20" x 30" | Weight: 7.8 lbs



Beveled Ring Mat
IM100-18X30-BEV-RM
Size: 18" x 30" | Weight: 3.9 lbs

UTILITY MATS & MAT DISPLAYS

FLEXGARD® MULTI-USE MATS

QRRI FLEXGARD® Utility Mats are suitable for a wide variety of applications. Made from durable FLEXGARD® rubber, these rolled mats can easily withstand years of continuous, rigorous use. Available in six different sizes.

FEATURES:

- Anti-Fatigue
- Superior Traction
- Floor Protection
- Noise Reduction
- Non-Slip
- Non-Absorbent
- Bacteria Resistant
- Impact Dispersion

USES:

- Wash Areas
- Fitness Areas
- Work Benches
- Trailers
- Entryways
- Vehicles
- Workshops
- Barns
- Truck Floors
- Truck Beds
- Animal Protection
- Aisle Ways
- Kennels
- Garages

Utility Mat



Item ID	Size	Thickness	Weight
KMA360600F	3' x 5'	1/4"	19 lbs
KMA400960F	3'4" x 8'	1/4"	34 lbs
KMA480720F	4' x 6'	1/4"	30 lbs
KMA480960F	4' x 8'	1/4"	40 lbs
KMA600960F	5' x 8'	1/4"	50 lbs
KMA600120F	5' x 10'	1/4"	63 lbs

IN-STORE DISPLAY UNITS

Showcase QRRI Entrance Mats and Utility Mats with these specially designed metal display racks. All display racks come with heavy-duty casters and attractive merchandise headers. Easy to assemble, stock, and position.

ENTRANCE MAT DISPLAY:

- Black Powder-Coated Finish
- Four Tiered Shelves
- Casters For Easy Placement

UTILITY MAT DISPLAY:

- Silver Finish
- Holds Up To Twelve Mats
- Heavy-Duty Casters For Weight Support

Entrance Mat Display



Item ID	Weight
WATERFALLRACK	60 lbs

Utility Mat Display



Item ID	Weight
KMDISPLAYRACK	56 lbs

Interlocking Ring Mat



Item ID	Size	Thickness	Weight
IM120-33ILS-EC	3' x 3'	1/2"	10.2 lbs




INTERLOCKING RING MAT

QRRI FLEXGARD® Interlocking Ring Mat provides excellent foot comfort while remaining resilient enough for industrial, workplace, and animal usage. The ring design prevents fatigue and increases traction, keeping users alert and less prone to accidents. Drainage holes are distributed throughout the mat to help maintain a clean and dry non-slip surface. QRRI Interlocking Ring Mat can be used in both wet and dry areas, and is resistant to chemical damage.

USES:

- Bars
- Restaurants
- Workshops
- Commercial Areas
- Industrial Areas
- Service Areas
- Swimming Areas
- Kitchens
- Meat Departments
- Entryways
- Horse Stalls
- Horse Trailers

Beveled Ring Mat



Item ID	Size	Thickness	Weight
IM100-18X30BEV-RM	18" x 30"	3/8"	3.9 lbs



BEVELED RING MAT

QRRI beveled ring mats are a useful addition for any entryway. These mats are strong enough to weather the elements and withstand daily tough wear and tear. The non-slip surface reduces the risk of injury, providing a safer experience for users. It also traps dirt and grime, preventing it from being tracked into your home. The beveled rings allow for better drainage to prevent bacterial growth. Easy to store and clean.


FEATURES:

- Non-Slip Surface
- Anti-Bacterial
- Heavy Duty
- Traps Dirt & Grime
- Easy To Clean
- Limited 3-Year Warranty

USES:

- Outdoors
- Porches
- Entryways
- Indoors
- Wet Areas
- Decks

Rough Top Ramp Rubber



FLEXGARD® RAMP PRODUCTS

QRRRI FLEXGARD® Ramp Products reliably protect trailer ramps from livestock abrasion and impact damage, while providing greater foot traction. They are manufactured with high-quality FLEXGARD® rubber to provide superior tear resistance, cushioning, and long term durability performance. Products can be directly glued, screwed, or riveted without damaging structural integrity. QRRRI provides the following Ramp Products:

ROUGH TOP RAMP RUBBER

Rough Top Ramp Rubber is equipped with a specially designed surface finish which prevents slipping while trapping dirt and grime. Comes with 1-ply nylon backing reinforcement for additional strength and durability.

FEATURES:

- One-Piece Installation
- Woven Nylon Backing
- Several Widths
- Multiple Ways to Install
- Tear Resistant
- Stretch Resistant

USES:

- Livestock Trailers
- Utility Trailers
- Enclosed Auto-Trailers
- Ramps

TREAD TOP RAMP RUBBER

Tread Top Ramp Rubber has evenly distributed raised rubber bars to ensure safe transit up and down the ramp for both horse and handler. Made from 100% high quality FLEXGARD® rubber, these mats will not curl or bunch up and can withstand all weather conditions without becoming waterlogged. Mats are cut to fit most trailers for easy installation. To clean, hose down or pressure wash.

FEATURES:

- Waterproof
- Non-Slip
- UV resistant
- Anti-Corrosive
- Durable
- Vibration Dampening
- Flexible
- Won't Chip or Peel



Item ID	Size	Thickness	Weight
CON-RT-48"-1PLY	48" x 150'	3/16"	493 lbs
CON-RT-52"-1PLY	52" x 150'	3/16"	534 lbs
CON-RT-60"-1PLY	60" x 150'	3/16"	616 lbs




Tread Top Ramp Rubber



Item ID	Size	Thickness	Weight
RAMPMAT-8X8X28MM	8' x 8'	3/4"	177 lbs


Pebble Wall Liner



Item ID	Size	Thickness	Weight
RS04848050PF	48" x 50'	3/16"	295 lbs



Ribbed Wall Liner



Item ID	Size	Thickness	Weight
IR914-048-80C018050	48" x 50'	1/8"	166 lbs



River Rock Wall Liner



Item ID	Size	Thickness	Weight
IR912-048-80C018050	48" x 50'	1/8"	166 lbs



FLEXGARD® RUBBER WALL LINERS

QRRRI FLEXGARD® Rubber Wall Lining Products are designed to protect animals and trailer interiors from damage during transit and loading/unloading. Wall Liners absorb shock and cushion impact, ensuring a safe ride for your animals. They also insulate from outdoor elements and temperatures. QRRRI provides the following Rubber Wall Liner products:

PEBBLE RUBBER WALL LINER:

One of the best liners on the market and the most heavy duty of QRRRI wall liner products. Made of 100% rubber for excellent flexibility and durability. Comes in an attractive micro-pebble surface finish to add a distinctive look to your trailer.

FEATURES:

- 100% FLEXGARD® Rubber
- Unique Micro-Pebble Finish
- Durable In All Seasons
- Highly Flexible
- Flat Back
- Heavy Duty

USES:

- Horse Trailer Walls
- Utility Trailer Walls
- Horse Stall Walls
- Auto-Trailer Walls

RIVER ROCK & RIBBED RUBBER WALL LINER:

These liners are made from high quality QRRRI FLEXGARD® Masticated Rubber. FLEXGARD® manufactures masticated rubber from recycled tire material, resulting in economical and environmentally-friendly products that provide the same reliable FLEXGARD® performance. Masticated Wall Liners are additionally fiber-reinforced and fully re-vulcanized for optimal durability in all weather conditions. Products are available in custom thicknesses, widths, and lengths.

FEATURES:

- Flexible Up To -40°F
- Does Not Expand Or Contract
- Meets Toughest Specifications
- Durable In All Seasons
- Fully Re-vulcanized
- Fiber-Reinforced

USES:

- Horse Trailer Walls
- Utility Trailer Walls
- Horse Stall Walls
- Auto-Trailer Walls



SECURE PARK™ & HUSH PAD™

TECHNOFLEX SECURE PARK™

TECHNOFLEX Secure Park™ products provide a safe, secure alternative to traditional parking stops. TECHNOFLEX manufactures the Secure Park™ line from 100% durable recycled rubber, resulting in economical and environmentally-friendly products. QRRRI provides the following TECHNOFLEX Secure Park™ products:

Secure Park™ I: Parking stop for regular commercial use. Excellent for trailers and other motor vehicle in places like home garages and parking lots.

Secure Park™ II: Stronger, heavy-duty parking stop. Perfect for securely chocking large vehicles like RVs, boats, big rigs, trucks, and trailers.

FEATURES:

- Moisture-Resistant
- Durable In All Seasons
- Mold-Resistant
- Heavy-Duty Construction
- No Assembly Required
- Easy to clean

USES:


- Automobiles
- Trucks
- Campers
- RVs
- Trailers
- Boats

Secure Park™ I



Item ID	Size	Height	Weight
TF375-6X20-SP	6" x 20"	4.5"	9 lbs
TF375-6X36-SP	6" x 36"	4.5"	18 lbs
TF375-6X72-SP	6" x 72"	4.5"	36 lbs

Secure Park™ II



Item ID	Size	Height	Weight
TF375-6X10-SP-II	6" x 10"	5"	5 lbs



TECHNOFLEX HUSH PAD™

TECHNOFLEX Hush Pad™ products are the perfect solution for secure RV parking and dependable vibration reduction. Hush Pad™ products are highly durable and manufactured to withstand heavy-duty applications. They are much safer and more reliable than objects like rocks and wood scraps. QRRRI provides the following TECHNOFLEX Hush Pad™ products:

Hush Pad™ I: Bigger-size parking pad. Excellent for use with large, heavy RVs. Sold individually.

Hush Pad™ II: Smaller-size parking pad. Provides the same support and vibration reduction as Hush Pad™ I. Sold in packs of four.

FEATURES:

- Vibration Reduction
- No Assembly Required
- Mold-Resistant
- Moisture-Resistant
- Easy to clean
- Durable In All Seasons

USES:

- RVs
- Trailers
- Goosenecks
- Campers

Hush Pad™ I



Item ID	Size	Height	Weight
TF002-11X14-HP	12" x 14"	2"	10 lbs

Hush Pad™ II



Item ID	Size	Height	Weight
TF003-6.25X8.75-HP II	6.25" x 8.75"	3/4"	6 lbs



All Purpose Mat



Item ID	Size	Thickness	Weight
TF018-24X54-APIOM	24" x 54"	1/8"	6 lbs
TF018-36X60-APIOM	36" x 60"	1/8"	10 lbs
TF018-48X72-APIOM	48" x 72"	1/8"	16 lbs
TF018-48X96-APIOM	48" x 96"	1/8"	21 lbs
TF018-60X84-APIOM	60" x 84"	1/8"	24 lbs
TF116-24X120-APIOM	24" x 120"	1/16"	10 lbs

TECHNOFLEX TECHNOFLOOR™ MATS

TECHNOFLOOR™ Rubber Mat products are manufactured from 100% rubber sourced from recycled tires. TECHNOFLOOR™ mats are economical and environmentally friendly while providing enduring reliability and high performance. QRRI offers the following TECHNOFLOOR™ Rubber Mat products:

ALL PURPOSE MAT:

This versatile anti-slip mat is waterproof, UV resistant, reversible, cut-able, and easy to clean. Can be used in various environments for a wide range of applications.

FEATURES:

- Anti-Slip
- Noise Reduction
- Waterproof
- Cut-Able
- UV Resistant
- Easy To Clean

USES:

- Workshops
- Fitness Areas
- Indoors
- Doorways
- Entryways
- Outdoors
- Gyms
- Wet Areas
- Mudrooms

BBQ MAT:

This BBQ mat protects decks, patios, driveways, and tailgating areas from grilling damage like grease, ash, and oil stains. Easy to clean and maintain. In-store display box pictured also available for purchase.

FEATURES:

- Stain Resistant
- UV Resistant
- Foot Comfort

USES:

- Driveways
- Decks
- Patios

ACOUSTIC UNDERLAYMENT:

This acoustic underlayment has been engineered after extensive research and development to actively isolate sound. It can be used under most flooring types and for both commercial and residential applications. The underlayment is equipped with a highly effective vapor/moisture barrier, preventing damaging mold and bacteria buildup. Easy to install and strongly resilient. Will not compress, bottom out, become brittle, or break apart; ensuring prolonged usage and effectiveness.

FEATURES:

- Sound-Proofing
- Temperature Insulation
- Absorbs Impact Noise
- Noise Reduction
- Vapor Barrier
- Eco-Friendly
- Resilient
- Easy To Install
- Versatile

USES:

- Hardwood
- Engineered Wood
- Floating Floors
- Multi-Layered Floors
- Laminate Wood
- Composite Wood
- Concrete
- Residential
- Carpet
- Vinyl
- Commercial

BBQ Mat



Item ID	Size	Thickness	Weight
TF018-24X54-BBQ	24" x 54"	1/8"	6 lbs
TF018-36X60-BBQ	36" x 60"	1/8"	10 lbs

Acoustic Underlayment



Item ID	Size	Thickness	Weight
TF002-48X25-ACOUS	48" x 25"	1/8"	6 lbs
TF002-54X66.67-ACOUS	54" x 66.67"	1/8"	10 lbs

TECHNOFLEX SECURE STEP™

TECHNOFLEX Secure Step™ stair treads provide skid and slip protection year-round for any surface, every step of the way. They are highly durable, environmentally-friendly, economical, and easy to install. Secure Step™ products come with a specialized high-traction surface finish to increase safety, especially in snowy and icy areas. Usable in all weather conditions and seasons. Comes in four sizes for easy customization.


FEATURES:

- 100% Recycled Rubber
- Skid Resistant
- Anti-Slip
- Highly Durable
- Helps Melt Snow & Ice
- UV Resistant
- Usable In All Seasons
- Improves Safety

USES:

- Walkways
- Stairs
- Landings
- Indoors
- Outdoors
- Entryways

Secure Step™



Item ID	Size	Thickness	Weight
TF012-08X24-SS	8" x 24"	1/2"	4.0 lbs
TF012-09X36-SS	9" x 36"	1/2"	6.5 lbs
TF012-10X48-SS	10" x 48"	1/2"	9.5 lbs
TF012-36X48-SS	36" x 48"	1/2"	32.5 lbs



TECHNOFLEX TECHNO BOOTS™

TECHNOFLEX Techno Boots™ boot trays help organize shoe areas while preventing tracking in mud, dirt, and grime. All trays are interlockable and can be customized into different layouts, such as an L-shape. Techno Boots™ are durable yet lightweight, and manufactured from 100% recycled materials. QRRRI provides the following Techno Boots™ products:

Techno Boots™ I: Interlockable single level boot tray. Sold in packs of three.

Techno Boots™ II: Interlockable and stackable double level boot tray. Sold in packs of two.

FEATURES:

- Environmental
- Calcium Resistant
- Customizable
- Salt Resistant
- Tidy
- Modular
- Easy To Clean
- Modular

USES:

- Entryways
- Mudrooms
- Laundry Rooms
- Car Trunks
- Garages
- Doorways
- Residences
- Truck Beds

Techno Boots™ I




Item ID	Size	Packs	Weight
TF001-12X15-TB-3PK	12" x 15"	1	2 lbs
TF001-BOOTTRAY-DISPLAY	12" x 16" x 41"	56	70 lbs

Techno Boots™ II



Item ID	Size	Packs	Weight
TF002-12X15-TB-II	12" x 15"	1	2 lbs
TF002-12X15-TB-II-DB	25" x 16" x 48"	48	70 lbs

EcoBorder™



Item ID	Size	Weight
TF003-3X48-TEDGE-BLK	3" x 3" x 48"	6 lbs
TF003-3X48-TEDGE-BRWN	3" x 3" x 48"	6 lbs
TF003-3X48-TEDGE-RED	3" x 3" x 48"	6 lbs

TECHNOFLEX ECOBORDER™

QRRRI TECHNOFLEX EcoBorder is an eco-friendly garden border which protects plants and other landscaping elements. It facilitates lawn mowing, eliminating the need for grass trimmers. EcoBorder products are inexpensive, flexible, multi-functional, and suitable for all weather and terrain. They are an excellent protection solution for lawns, trails, patios, and fixed structures. TECHNOFLEX EcoBorder is guaranteed to keep your landscape tidy and polished while enabling easy maintenance all season long. No digging or power tools required for assembly. Available in black, brown, and red. Made in the USA.

FEATURES:

- Easy Landscaping
- Usable In All Seasons
- Multi-Functional
- Protection
- Easy To Install
- Flexible

USES:

- Lawns
- Gardens
- Flowerbeds
- Patios
- Trails
- Backyards



Techno Lok™



Item ID	Size	Thickness	Weight
TF-TLP1818PERF-6BK	18" x 18"	1/2"	19 lbs
TF-TLP1818SOLID-6BK	18" x 18"	1/2"	26 lbs

TECHNOFLEX TECHNO LOK™

TECHNOFLEX Techno Lok™ interlocking floor tiles are manufactured from durable 100% recycled PVC. The interlocking system was specifically designed to withstand tough mechanical environments and handle heavy rolling loads. Perforations are evenly distributed throughout the tiles to circulate air, preventing mold and mildew. Techno Lok™ tiles are resistant to oil, grease, petroleum, and most household chemicals. They are highly resilient and are able to withstand years of use. Easy to install, can be cleaned with a damp cloth or vacuum. Built to sustain extreme weight and rolling stock.

FEATURES:

- 100% Recycled PVC
- Anti-Slip
- Highly Resilient
- Easy To Install

USES:

- Concrete Floors
- Garages
- Indoors
- Residential Areas
- Snowy Areas
- Wood Floors
- Entrances
- Outdoors
- Commercial Areas

TECHNOFLEX WATER HEATER TANK CUSHION

TECHNOFLEX Water Heater Tank Cushion can support more than 2200 lbs./sq. in. and fits any brand and size of water heater tank, from 40 to 60 Gal. Tank Cushions are made from 100% recycled tires and create a cushion barrier between water tanks and colder floors, reducing energy costs. The treads under the cushion allow for easy air circulation to impede rusting. This product can also be used also with the OATEY water heater pan. In the event of a water leak, the treads will permit the water to escape.

FEATURES:

- Reduces Energy Costs
- Eco-Friendly
- Supports 2200 lbs
- Air Circulation
- Moisture Resistant
- 25-Year Warranty



Item ID	Size	Weight
TF-24X24WATERHTRTANK-8PACK	24" x 24"	6 lbs
TF-24X24WATERHTRTANK-DISPLAY50	24" x 24" x 31"	250 lbs



TECHNOFLEX ANTI-VIBRATION PADS

TECHNOFLEX Anti-Vibration Pads are ideal for a variety of residential and commercial use. They effectively reduce noise and vibration caused by generators, washers, dryers, compressors, and portable machinery. These anti-vibration pads have strong non-skid properties, making them ideal for stabilizing equipment and preventing movement. Pads are made from 100% recycled tires, absorb shock, and have high resistance to compression.

FEATURES:

- Reduces Vibration
- Compression Resistant
- Reduces Noise
- Absorbs Shock



Item ID	Size	Weight
TF-AV2.5x1/4-RD-4PK24BOX	2.5" x 1/2"	6 lbs
TF-AV4X1/2-RD-4PK12BOX	4.0" x 1/2"	12 lbs
TF-AV4X1/2-SQ-4PK12BOX	4.0" x 1/2"	15 lbs
TF-AV5X1/2-RD-4PK12BOX	5.0" x 1/2"	21 lbs
TF-AV5X1/2-SQ-4PK12BOX	5.0" x 1/2"	24 lbs
TF-AVDISPLAYBOX	19" x 21" x 37"	225 lbs

QRRI WARRANTY & TERMS AND CONDITIONS

WARRANTY:

QRRI, Inc. offers the following limited warranty on its roster of products. We warrant that each product meets the applicable specifications supplied by QRRI, Inc. and will be free from defects in material and workmanship at the time of shipment from QRRI, Inc. or an Authorized Selling Dealer or Distributor as detailed below from purchase date. If defects occur during the warranty period, QRRI, Inc. will, at its sole option and as customer's exclusive remedy, repair or replace the defective product at the applicable charge, provided that QRRI, Inc. is notified in writing within 10 days of the end of the warranty period or sooner. Any and all warranty claims must be approved in advance by QRRI, Inc., and no Authorized Selling Dealers or Distributors shall authorize any warranty, without the prior written approval and acceptance by QRRI, Inc. Proof of purchase must be accompanied with any written warranty claim. Warranty claims are to be submitted direct to QRRI, Inc. or through an Authorized Selling Dealer or Distributor. Non-payment of any open invoices voids all related product warranties described herein.

QRRI, Inc. reserves the right to have the defective product returned for warranty evaluation. This warranty covers the original purchaser of the product only. The warranty period covers from the original purchase date only and will not be extended as a result of product being replaced under warranty. Any defect as determined by QRRI, Inc. to be caused by customer's alteration, modification, negligence, improper installation or misuse is not covered by this warranty. This warranty applies to materials only and does not include delivery, labor, installation, disposal cost or any other costs involved with the removal and re-installation of specified products. Designs, data, and other technical information supplied by QRRI, Inc. is supplied "AS IS" and is not covered by this or any other warranty, unless otherwise stated in writing by QRRI, Inc. QRRI, Inc. has no control over how its products and technology will be used by its customers. QRRI, Inc. does not make representations of warranties that those products or technologies will work in specific applications. In no event will QRRI, Inc. be liable for any damages or injuries caused by use of any QRRI, Inc. product or technology in any specific application or industry. In no event will QRRI, Inc. or its distributors, dealers, officers, or employees be held liable for any indirect, incidental, consequential or specific damages, including but not limited to lost profit, loss of use or other economic loss. In no event will QRRI, Inc. liability under this warranty exceed the amount paid by the customer for the product at issue. This warranty sets forth the entire liability of QRRI, Inc. with respect to the product warranted, except for any implied warranties which may arise under state law and any such implied warranties are hereby limited to the duration of this express warranty. Any and all incidental and/or consequential damages are hereby waived by the purchaser. This warranty shall not be extended, altered or varied unless in a written instrument executed by an authorized representative of QRRI, Inc.

Rev.20190109

Product	Limited Warranty Terms	Full Warranty	Prorated Warranty
1-pc. Rubber Flooring – All Models	5 Year Prorated	Year 1	Years 2-5 Prorated
Arena Footing (Crumb Rubber or Mulch Rubber)	Metal Free Only	-----	-----
Aspinwall Natural Fiber Entrance Mats	1 Year	Year 1	-----
Custom Interlocking Rubber Flooring Components – All Models	10 Year Prorated	Years 1-5	Years 6-10 Prorated
Tru-Lite® Interlocking Flooring, TechnoFlex Techno Boots™ Products, TechnoFlex EcoBorder™, TechnoFloor™ Mats	1 Year	Year 1	-----
Ring or Drainage Mats – All Models	3 Year Prorated	Year 1	Years 2-3 Prorated
Rolled Rubber Sport Flooring – FlexGard®	3 Year Prorated	Year 1	Years 2-3 Prorated
Rubber Edge Strips	3 Year Prorated	Year 1	Years 2-3 Prorated
Rubber Flooring – Full Size Standard Interlocking Flooring	10 Year Prorated	Years 1-5	Years 6-10 Prorated
All Rubber Mats – ½"	3 Year Prorated	Year 1	Years 2-3 Prorated
All Rubber Mats – ¾"	10 Year Prorated	Year 1-5	Years 6-10 Prorated
All Rubber Pavers – 1" and 1 ¾"	3 Year Prorated	Year 1	Years 2-3 Prorated
All Rubber Rolls, TechnoFlex Secure Park™ Products	3 Year Prorated	Year 1	Years 2-3 Prorated
Stall Mats – ¾" – All Models (Straight Edge or Interlocking), TechnoFlex Techno Lok™ Interlocking Tiles	10 Year Prorated	Years 1-5	Years 6-10 Prorated
All Trailer Mats, TechnoFlex Hush Pad™ Products, TechnoFlex Anti-Vibration, TechnoFlex Secure Step™	5 Year Prorated	Year 1	Years 2-5 Prorated
TechnoFlex Water Heater Tank Cushions	25 Years	25 years	-----

TERMS AND CONDITIONS:

QRRI, INC. sells products commercially for multiple applications determined by the Buyer or end-user. Determination of the suitability of the products for the uses and applications of Buyers and end-users shall be the sole responsibility of the Buyer or end-user. QRRI, INC. does not recommend any of its products for any particular use or application. The purchaser or end-user shall assume full responsibility for the adequacy and suitability for the intended use. Rubber products may fail as a result of temperature variances, excessive pressures, abrasion or damaging substances. The wear life of rubber products is limited by the circumstances and conditions of use. Buyer and end-users should regularly inspect the rubber to determine if it should be replaced for operational and safety requirements, to prevent injury of damage to persons and property.

Payment Terms: Net 30 days from date of invoice on approved credit and accounts in current good standing, unless otherwise stated and approved. At our discretion, we may require full or partial payment in advance if Buyer does not qualify for terms or continued terms. A charge of 1.5% per month (or at the highest rate permitted by law) shall be charged on overdue accounts. Credit balances will only be applied to future purchases.

Transportation Policy: All shipments are made FOB Origin, Freight Collect or FOB Origin, Freight Prepaid & Add. Seller will determine the point of shipment, the method of transportation, and the routing of shipment. For Freight Prepaid & Add shipments, Seller reserves the right to determine the most economical shipping method on shipments, and all freight charges shall be added to Buyer invoice. Partial deliveries shall be accepted by the Buyer. Seller does not guarantee any delivery or completion date. Seller shall not be liable or responsible for any loss, damage, expense or charge of any kind, direct or indirect, suffered or incurred by Buyer as a result of such delay. All shipments shall be carefully inspected when received and any claims for freight damage should be noted on the Bill of Lading. Seller shall not be responsible for freight damage and/or concealed damage not reported to the carrier at time of delivery.

Prices/Minimum Order: Minimum order is \$250.00. All prices are subject to change without prior notice. All Buyer purchase orders shall be accepted by Seller at time of order. All price pages and catalog weights are approximate and actual shipping weights may vary from these listings. In case of dispute, actual shipping weight will apply. All orders accepted by the Seller are accepted on the understanding that Buyer, by placing the order, has agreed to these Standard Terms and Conditions of Sale, and are part of the Buyer's order.

Quantity Variance: Due to manufacturing variances, the quantity of goods delivered can be within 10% more or less, of the quantity specified and shall be charged at the unit price. Buyer agrees to accept quantity variances that may differ from the purchase order as described within.

Cancellations: Requests for cancellation or modification for orders from warehouse stock must be submitted in writing and received by Seller at least 2 days prior to shipment. No cancellations or modifications are allowed on direct container shipments. Orders for merchandise produced and/or shipped specifically for a customer cannot be cancelled once goods are produced.

Returned Goods: No goods may be returned without Seller's prior written authorization. Each request for exchange or return shall describe the condition of the goods, and the reasons for the requested return or exchange. Buyer shall request and receive a RMA (Return Merchandise Authorization) number from the Seller before returning any goods. Seller will not accept any returned good shipment without a RMA number attached to the shipment. For return of 1st class goods, Buyer shall pay return transportation costs and a restocking charge of 15%. All return requests shall apply only to warehouse stock products purchased within a six month period. No returns on goods that have been cut, treated, altered, processed, subject to abuse or misuse, or damaged after shipment by Seller. No returns on special orders, made-to-order goods, or custom-cut lengths.

Warranties and Disclaimers: Goods furnished under this agreement shall conform to the description herein. All first quality goods are warranted to be free from defects in material and workmanship at the time of shipment. Seller shall convey good title to buyer. Seller further warrants that the goods sold hereunder do not infringe any valid US patent, and Seller does not warrant, however, that the use of the good or products made therefrom, either alone or in conjunction with other materials, will not infringe any valid US patent. THE WARRANTIES SET FORTH IN THIS PROVISION ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. ALL PRODUCTS ARE SOLD AND WARRANTED ONLY PURSUANT TO OUR PUBLISHED TERMS AND CONDITIONS OF SALES. WE ARE NOT RESPONSIBLE FOR THE USER FOR ANY CONSEQUENTIAL, INCIDENTAL, OR SPECIAL DAMAGES RESULTING FROM PRODUCT USE OR PROCESSING. IN NO CIRCUMSTANCES WILL SELLER'S LIABILITY EXCEED THE PURCHASE PRICE OF THE GOODS.

Products Suitability and Length of Use: Buyer acknowledges the use of its own knowledge, expertise, skill, experience and judgment in the selection of products(s) and /or in the selection, provision, or designation of any specifications or set of specifications for a product(s) agreed upon by the Buyer and Seller. Buyer acknowledges that Seller shall not be liable for, and Buyer assumes all risk of, inaccurate or unsuitable specifications or information provided, selected or designed by the Buyer. QRRI, INC. MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE SUITABILITY OF MATERIALS FOR A PARTICULAR PURPOSE. BUYERS AND USERS MUST DETERMINE THE SAFETY AND SUITABILITY OF QRRI, INC.'S PRODUCTS FOR THEIR OWN PURPOSES, AND ASSUME AT RISK, RESPONSIBILITY, AND LIABILITY FOR ALL INJURIES, LOSSES, OR DAMAGES ARISING FROM THE APPLICATION OF THE INFORMATION OR USE OF QRRI, INC.'S PRODUCTS, WHETHER OR NOT CAUSED BY QRRI, INC.'S NEGLIGENCE OR BASED ON STRICT PRODUCT LIABILITY.

Claim Period and Remedies: Prompt written notice shall be given to Seller of any claim or failure of goods to conform to the warranties hereunder. Should any failure to conform to these warranties appear under normal and proper use within the period of six (6) months from the date of shipment to the Buyer, Seller shall correct such nonconformity, at its option, by repair or replacement of the defective goods or by the refund of the purchase price thereof with due allowances made for the service rendered by the goods returned. In no circumstances shall Buyer commence any action under this Agreement later than one year after receipt of the goods. The remedies provided above are the Buyer's sole remedies for any failure of Seller to comply with its obligations.

Limitation of Liability: Seller shall not be liable to contract, in tort (including negligence) or otherwise for damage or loss other property, loss of profits or revenue, loss of use of property or equipment, claims of customers of the Buyer, or for any special, indirect, incidental, or consequential damages whatsoever. Under no circumstances shall Seller's liability exceed the purchase price of the goods in respect of which damages are claimed.

Attorney's Fees and Venue: In any action to collect amounts due Seller, with respect to sales made to Buyer, arising out of or relating to this Agreement or any such sales, or in which a party seeks an interpretation of this Agreement or asserts it as a defense, the prevailing party shall be entitled to recover attorney's fees in any amount determined by the Court to be reasonable, as well as such party's costs of suit. All notices, requests, claims and other communication by Buyer with respect to this Agreement or sales hereunder shall be direct to Seller at its corporate offices located at 8525 Dunwoody Pl, Sandy Springs, GA 30350. Any action brought by Buyer against Seller must be brought in a State or Federal Court located in Fulton County, Georgia, and any action brought in any other locations shall, upon appropriate motion by Seller, be dismissed to the above venue.

Entire Agreement: This agreement constitutes the complete and final Agreement of sale and purchase of the products specified herein and supersedes all prior contracts and discussions. NO modification hereof shall be effected by the use of purchase order, acknowledgement, acceptance, or other forms that vary with or are additions to the terms and conditions contained herein. No modification shall be effected in any manner other than in writing and signed by seller.

Governing Law: This contract shall be formed by and construed under the laws of the State of Georgia, USA

Terms and conditions of sale are subject to change without notice.

FLEXGARD and the FLEXGARD logo are registered trademarks of QRRI, Inc.
PUNTER, NU-GRIP, TRU-LITE, & QUIK-FIT and the QUIK-FIT logo are registered trademarks of QRRI, Inc.
QRRI & the QRRI Logo are Registered Trademarks of QRRI, Inc.





8525 Dunwoody Place ▪ Sandy Springs, GA 30350
tel: 678.832.6034 ▪ toll free: 800.313.3464 ▪ fax: 800.315.0224
email: sales@qrri.com ▪ web: www.qrri.com

FLEXGARD and the FLEXGARD logo are registered trademarks of QRRI, Inc.
PUNTER, NU-GRIP, TRU-LITE, QUIK-FIT, and the QUIK-FIT logo are registered trademarks of QRRI, Inc.