



Welcome to
FUSION STONE

As you review the information in this
package please do not hesitate to contact
us if you have any questions.

CCMC# 14008-R



Do-it-yourself Masonry...


You can actually do yourself.

"Fusion" is defined as "a merging of diverse, distinct, or separate elements into a unified whole". So it is with Fusion Stone; the coming together of the beauty, strength, and maintenance free characteristics of traditional stone with the ease of installation and affordability of stone veneer. Truly the best of both worlds!

Fusion Stone is an easy and budget-friendly way to beautifully upgrade a home or business, both inside and out. The easy, step-by-step installation process can be implemented in a variety of ways from exterior walls, BBQs, and planter boxes to interior fireplaces, kitchen islands, backsplashes, and feature walls.

A patented Shouldice innovation, Fusion Stone is a thin stone veneer that is easily installed with the included stainless steel clips & screws. You just screw it to the wall and it's "Hooked for Life".

Fusion Stone is also a great product for contractors. It has proven consumer appeal, multiple application possibilities, is quick and easy to install, and has a compelling margin opportunity.



Great Lakes



800.265.3174

82

4 Great Colours - Infinite Possibilities




Brindle



Raven



Fawn




Carbon

Great Lakes is our best-selling Fusion Stone system for a reason. It fuses together ease of installation, no mortar convenience, a rugged, traditional visual effect, and a colour selection you will love. Nothing beats Great Lakes for elegance and utter good looks.

Choose from the distinctive rusty and brown multi-hues of Brindle, the relaxed, subdued tones of beautiful Raven, the contemporary, rich and cloudy overtones of Carbon, or the more subtle resonance of dusky Fawn.





Great Lakes transforms the average into the spectacular both inside and out.



Great Lakes Specifications

Unit Dimensions

Specifications		
	STONE	CORNER STONE
THICKNESS	1" TO 2"	1" TO 2"
HEIGHT	5"	5"
LENGTH	8", 12" & 20"	8" & 12"
RETURN	N/A	4"

Available Colours



Brindle

Raven

Fawn

Carbon

If you are interested in receiving a sample please call 800.265.3174.

Great Lakes Installation

Besides a luxurious, rugged and traditional profile available in four distinctive colour selections Great Lakes has the added benefit of mortar-free installation. This means no mess and a quick start to finish project time. Curb appeal is assured with Great Lakes as is a rich and refined touch to any interior project.

Patented DIY Clip System

Fusion Stone features a patented system of stainless steel clips and screws that can be installed in any weather by anyone for a lifetime of maintenance free performance.



SIMPLE, CONSISTENT EXECUTION

Installation Overview

Prepare the Surface

Fusion Stone is installed over a plywood or OSB substrate. Ensure that the substrate has been covered in a code approved, breathable, weather resistant barrier. Not required on interior installations.



Install the Starter Strip

Starter Strips are used at the base of all jobs as well as above any openings (windows and doors). Level and install the Starter Strips using the stainless steel screws provided.



FOR FLAWLESS DELIVERY OF YOUR
AESTHETIC VISION EVERYTIME.

Complete Corner Install

Begin installing Fusion Stone at the corner. As you build the corner ensure that you alternate short and long sides.



Continue Stone Installation

Continue to lay the stone in the pattern described in the detailed instructions. The last stone installed on every row may need to be cut to length





FUSION STONE

is proudly manufactured in Canada
by Shouldice Designer Stone

281227 Shouldice Block Road
Shallow Lake, Ontario
N0H 2K0 CANADA
800.265.3174
fusion@shouldice.ca

CCMC# 14008-R



Dry-Stack

FUSION
STONE

Simple Elegance




Dry-Stack Fusion Stone derives its name from the innovative feature of no mortar installation that translates into the much valued benefit of an easy, no mess application.

Dry-Stack produces an amazingly uniform and highly finished appearance to be admired for a lifetime. The self-defining Caramel and Charcoal colour selections are difficult to choose between but both offer stunning nuances of discriminating good taste.

Dry-Stack is a superb choice as an accent or for a complete project both inside and out.





The low profile finish characteristic of Dry-Stack presents a beautiful balance between contemporary appeal and traditional integrity.

Dry-Stack Specifications

Unit Dimensions

Specifications



	STONE	CORNER STONE
THICKNESS	32MM	32MM
HEIGHT	95MM & 190MM	95MM & 190MM
LENGTH	130MM TO 390MM	220MM
RETURN	N/A	90MM

Available Colours



Caramel



Charcoal

If you are interested in receiving a sample please call 800.265.3174.

Dry-Stack Installation

The benefit of a modern, highly finished appearance, characteristic of Dry-Stack, is complemented by the no mess, easy application appeal of a no mortar installation. Two colour choices that coordinate well with almost any background or associated material complete a picture of design perfection.

Patented DIY Clip System

Fusion Stone features a patented system of stainless steel clips and screws that can be installed in any weather by anyone for a lifetime of maintenance free performance.



SIMPLE, CONSISTENT EXECUTION

Installation Overview

Prepare the Surface

Fusion Stone is installed over a plywood or OSB substrate. Ensure that the substrate has been covered in a code approved, breathable, weather resistant barrier. Not required on interior installations.



Install the Starter Strip

Starter Strips are used at the base of all jobs as well as above any openings (windows and doors). Level and install the Starter Strips using the stainless steel screws provided.



FOR FLAWLESS DELIVERY OF YOUR
AESTHETIC VISION EVERYTIME.


Complete Corner Install

Begin installing Fusion Stone at the corner. As you build the corner ensure that you alternate short and long sides.



Continue Stone Installation

Continue to lay the stone in the pattern described in the detailed instructions. The last stone installed on every row may need to be cut to length.





FUSION STONE

is proudly manufactured in Canada
by Shouldice Designer Stone

281227 Shouldice Block Road
Shallow Lake, Ontario
N0H 2K0 CANADA
800.265.3174
fusion@shouldice.ca

CCMC# 14008-R



Peninsula Ledge stone



800.265.3174



A Modern Statement

Introducing the newest member of the Fusion Stone family. Peninsula LedgeStone has been designed to satisfy those looking for a more contemporary look in stone veneer.

Available in two modern colour choices, Peninsula LedgeStone is the perfect way to make an up-to-date statement with the traditional strength and appeal of stone.





Grotto, as the name suggests, is characterized by rich contrasting hues reminiscent of slate. Perfect for home exteriors, outdoor kitchens and wine cellars.



Cyprus features light sandy tones with occasional appearances of contrasting darker elements. Perfect for fireplaces, feature walls, columns and pillars!

Peninsula Ledgestone Specifications

Unit Dimensions

Specifications



	STONE	CORNER STONE
THICKNESS	1.25"	1.25"
HEIGHT	10"	10"
LENGTH	20"	6", 12", 18"
RETURN	N/A	1.25"

Available Colours



Cyprus



Grotto

If you are interested in receiving a sample please call 800.265.3174.

Peninsula Ledgestone Installation

The benefit of a modern, highly finished appearance, characteristic of Peninsula Ledgestone, is complemented by the no mess, easy application appeal of a no mortar installation. Two colour choices that coordinate well with almost any background or associated material complete a picture of design perfection.

Patented DIY Clip System

Fusion Stone features a patented system of stainless steel clips and screws that can be installed in any weather by anyone for a lifetime of maintenance free performance.



SIMPLE, CONSISTENT EXECUTION

Installation Overview

Prepare the Surface

Fusion Stone is installed over a plywood or OSB substrate. Ensure that the substrate has been covered in a code approved, breathable, weather resistant barrier. Not required on interior installations.



Install the Starter Strip

Starter Strips are used at the base of all jobs as well as above any openings (windows and doors). Level and install the Starter Strips using the stainless steel screws provided.



FOR FLAWLESS DELIVERY OF YOUR
AESTHETIC VISION EVERYTIME.

Complete Corner Install

Begin installing Fusion Stone at the corner. As you build the corner ensure that you alternate short and long sides.



Continue Stone Installation

Continue to lay the stone in the pattern described in the detailed instructions. The last stone installed on every row may need to be cut to length.





FUSION STONE

is proudly manufactured in Canada
by Shouldice Designer Stone

281227 Shouldice Block Road
Shallow Lake, Ontario
N0H 2K0 CANADA
800.265.3174
fusion@shouldice.ca

CCMC# 14008-R



Fusion Stone
Accessories



The Right Accessories

With fashion of all descriptions the difference between beautiful and truly stunning is very often dependent upon the accessories. The appropriate accent or finishing touch completes the picture and leaves nothing more to be said beyond "That's amazing!"

Fusion Stone accessories provide you with item, style and colour options that are the perfect complement to your Great Lakes, Dry-Stack or Peninsula LedgeStone.





Fusion Stone accessories finish the job professionally with style and distinction.



Accessories Specifications

Unit Specifications



BORDER TEX – 0.75 PC/SF

THICKNESS	1 1/4"
HEIGHT	8"
LENGTH	24"
WEIGHT	21LBS
COLOUR(S)	CHAMOIS
PIECES PER CUBE	112



STENCIL STONE

THICKNESS	1 1/4" (32mm)
HEIGHT	7 1/2" (190mm)
LENGTH	15 3/8" (390mm)
WEIGHT	13.5LBS
COLOUR(S)	CHAMOIS
PIECES PER CUBE	N/A



ROCK SILL

THICKNESS	2 1/2"
HEIGHT	3 1/2"
LENGTH	24"
WEIGHT	18LBS
COLOUR(S)	CHAMOIS
PIECES PER CUBE	144



STENCIL STONE 10"X16"

THICKNESS	2"
HEIGHT	10"
LENGTH	16"
WEIGHT	22LBS
COLOUR(S)	ASH / COCOA
PIECES PER CUBE	N/A

Unit Specifications



STENCIL STONE 5"X12"

THICKNESS	2"
HEIGHT	5"
LENGTH	12"
WEIGHT	9LBS
COLOUR(S)	ASH / COCOA
PIECES PER CUBE	N/A

The right accessories will take your project from good to great!

You will be glad to know that you have accessory options with Fusion Stone. There is a Fusion Stone accessory that is just right to meet not only your needs but your desires as well.



SLOPED SILL

THICKNESS	3"
HEIGHT	2 1/2"
LENGTH	20"
WEIGHT	9LBS
COLOUR(S)	ASH / COCOA
PIECES PER CUBE	168



Accessories Specifications

Unit Specifications



RECTANGLE BOX

THICKNESS	2"
HEIGHT	10"
LENGTH	8"
WEIGHT	9LBS
COLOUR(S)	ASH / COCOA
PIECES PER CUBE	N/A



ROUND BOX

THICKNESS	2"
HEIGHT	10"
LENGTH	8"
WEIGHT	9LBS
COLOUR(S)	ASH / COCOA
PIECES PER CUBE	N/A



HEARTHSTONE

THICKNESS	2"
HEIGHT	16"
LENGTH	20"
WEIGHT	43LBS
COLOUR(S)	ASH / COCOA
PIECES PER CUBE	N/A



Additional Hardware & Materials

Unit Specifications



STARTER STRIP

PACKAGE	100 PIECES
LENGTH	48"
MATERIAL	STAINLESS STEEL



CLIPS AND SCREWS

MATERIAL	STAINLESS STEEL
PACKAGE	25 PIECES

Every Fusion Stone order is packaged with enough clips and screws to complete installation. In the event that you require additional clips, you may order more through your Fusion Stone dealer.





FUSION STONE

is proudly manufactured in Canada
by Shouldice Designer Stone

281227 Shouldice Block Road
Shallow Lake, Ontario
N0H 2K0 CANADA
800.265.3174
fusion@shouldice.ca

CCMC# 14008-R




Dry-Stack Technical Application Guide




Dry-Stack Technical Application Guide


Typical Cross Section of Veneer Mounting System




Typical Cross Section of Window / Door Sill




Typical Cross Section
Type 1 Sheathing
Flush w/ Foundation




Typical Cross Section
of Veneer Mounting System




Typical Cross Section
Window / Door Header




Typical Cross Section
Wainscot Sill Transition to Siding




Typical Cross Section
Wainscot Sill Transition to Stucco





Typical Cross Section
Transition Roof to Wall




Typical Cross Section
Concrete Block Wall




Typical Cross Section
Wood Stud Wall
Section with Rigid Insulation



Typical Cross Section
ICF Wall - Plan View



Typical Cross Section
ICF Wall - Section View at
Starter Strip





FUSION STONE

is proudly manufactured in Canada
by Shouldice Designer Stone

281227 Shouldice Block Road
Shallow Lake, Ontario
N0H 2K0 CANADA
800.265.3174
fusion@shouldice.ca

CCMC# 14008-R