



Workplace organisation

Compact Module System CMS	368
Multifunction table MFT 3	370
Vacuum clamping system VAC-SYS	371
Guide systems FS/2, GECKO	372
Vacuum clamping nozzle CT WINGS	375
Boom arm ASA	376
Energy box EAA	377
Workcenter WCR	378
Multifunction stool MFH 1000, UCR 1000	379
Toolcenter TC 3000/2	380
Site radio SYSROCK BR 10	381
Storage systems SYSTAINER, SORTAINER, ToolBox	382
Transportation systems SYS-Port, SYS-Roll, SYS-Cart	383
Accessories and consumable materials	384
The Festool system	

Workplace organisation

The CMS Compact Module System

CMS Compact Module System.

Open to change.

Five machines in one. Stationary or handheld. Covers 0.5 m². Only possible with a system. The CMS Compact Module System consists of a basic unit and compatible modules that transform the unit into a stationary bench-mounted saw, jigsaw, bench-mounted router or belt sander.

Safe and convenient.

The machines can be switched on and off from the basic unit.

Mobile and stable.

At only 10.8 kg, the basic unit is extremely lightweight yet robust.

Adjustable height.

Foldaway legs on the basic unit allow you to work on the floor or standing up.

Easy to extend.

A comprehensive selection of accessories such as the sliding table, angle stop and extension table are available so the CMS can be adapted for a wide range of applications.

CMS modules



Circular saw TS 55 R
Page 19



Module mounting CMS-TS 55 R
Page 22



Module CMS-MOD-TS 55-R
Page 22



Circular saw TS 75
Page 21



Module mounting CMS-TS 75
Page 22



Module CMS-MOD-TS 75
Page 22



Router OF
Page 156



Module mounting CMS-OF
Page 160



Pendulum jigsaws PS
Page 15



Module mounting CMS-PS
Page 18
ADT-PS 400 adapter table
Page 391

(PS 420/400)



All modules in the established Basis-Plus System can be combined with the basic unit of the CMS, except for the Basis 1 A module.

All CMS modules are compatible with the Basis Plus basic unit, except for the CMS-TS 75. The sliding table Basis SAS must be fitted in the Basis Plus before the CMS-TS 55 R can be used (order no. 493955).




Basis module tower MT 1600
for space-saving storage of the CMS and Basis modules
Page 118



Module CMS-MOD BS 120
Page 92

Workplace organisation

The CMS Compact Module System



Basic unit



Technical data

Table height, legs unfolded	900 mm
Table height, legs folded away	316 mm
Table dimensions	585 x 400 mm
weight	10.8 kg

Items Included

Basic unit CMS-GE

Basic unit for fitting CMS modules, foldaway legs, main safety switch, cable holder/workpiece holder, cable and socket

Order no.

561228

Bench-mounted machine



Bench saw CMS-TS 55 R Set
Page 22



Bench saw with TS 75



Bench-mounted router TF 2200 Set
Page 161

TF 1400 set
Page 161

Bench-mounted router with OF 1010



Bench-mounted jigsaw with PS



Bench-mounted belt sander with BS 120

Workplace organisation

Multifunction table MFT 3

MFT 3



Always the right accessories.

Everything is secured safely in place, from guide rails to combination bevels. The MFT/3 extension allows the insertion of all CMS modules, while the sliding table enables cross cuts with a maximum width of 830 mm.



1 table. 1000 possibilities.

- ▶ Maximum precision – with aluminium profile for retaining a guide rail and the angle stop
- ▶ Firm hold – specially developed clamping elements secure workpieces with maximum flexibility
- ▶ Avoid straining your back – the working height of 90 cm is comfortable even for taller users
- ▶ Ideal for mobile applications – the MFT 3 folds down easily


Technical data

Table dimensions [mm]	1157 x 773
Table height, legs folded away [mm]	180
Table height, legs unfolded [mm]	900
Maximum workpiece thickness [mm]	78
Max. workpiece width [mm]	700
Load capacity [kg]	120
weight [kg]	28

Items Included

Order no.
table with perforated top and foldaway legs, in a carton
MFT/3 swivel unit, support unit, angle stop, adjustable stop, guide rail FS 1080/2, deflector FS-AW, additional clamp
MFT/3 Basic

System accessories
from page 387



Watch the product video





VAC SYS

The future of clamping.

- ▶ Machine workpieces from all sides – rotate 360° and tilt 90°
- ▶ Suitable for delicate surfaces – the pads are made from soft, flexible plastic
- ▶ Powerful control – each clamping unit can secure workpieces up to 30 kg and 1 x 1 m
- ▶ For mobile use – pump and clamping units are stored in a SYSTAINER for easy transportation

Technical data

Power consumption at 50 Hz [W]	160-200
Power consumption at 60 Hz [W]	200-230
Pump capacity at 50 Hz (m³/h)	2,7
Pump capacity at 60 Hz (m³/h)	3,5
Minimum vacuum (mbar)	> 81% / > 810
weight (kg)	8



Items Included	Order no.
vacuum hose	
VAC SYS SE 2 vacuum pad VAC SYS VT 275 x 100 mm, connector, in a SYSTAINER SYS 4	580062
VAC SYS Set SE1 vacuum pump VAC SYS VP, vacuum clamping unit VAC SYS SE1, vacuum pad VAC SYS VT D 215, foot valve	712223



Pads replaced without using tools.

There are four pad sizes for different workpieces to choose from and they can be replaced quickly with FastFix.

System accessories
from page 388



Watch the product video



Workplace organisation

Guide rail FS/2

The guide rail is available
in 8 different lengths,
from 800 mm to 5000 mm.



FS/2



Suitable for furniture construction.

A router and guide rail with rows of holes
simplify the installation of shelves or fittings.


Impeccable guidance.

- ▶ Zero-play guidance – you can adjust the guidance jaws on the circular saw to fit the guide rail without using tools
- ▶ Splinter-free cuts – the splinter guards positioned directly on the scribe line prevent the edges from splintering, even on angled cuts.
- ▶ Precision results – the router guide stop was designed for precision grooves
- ▶ Quick for diagonal cuts – with guide rail and combination bevel, angles are easy to transfer from the workpiece or wall

Items Included	Order no.
in a carton	
FS 800/2	491499
FS 1080/2	491504
FS 1400/2	491498
FS 1900/2	491503
FS 2400/2	491502
FS 2700/2	491937
FS 3000/2	491501
FS 5000/2	491500
FS 1400/2-LR 32	496939
FS 2424/2-LR 32	491622

FS 800/2 = length 800 mm, FS 1080/2 = length 1080 mm, FS 1400/2 = length 1400 mm etc. FS 1400/2-LR 32 and FS 2424/2-LR 32 = guide rails with rows of holes 32 mm apart.

System accessories
from page 390, 391





Precision in series

The workpiece width can be conveniently adjusted using the parallel stop with a scale and adjustable stop. Ideal for a small series of cuts identical in length.

The guide rail is synonymous with Festool.

After all, who else other than the inventor can look fondly back over 50 years of experience? In 1964 Festool made a breakthrough in precision and simplifying work with the guide rail. It included a host of useful details such as the slideway lining, splinter-guard for splinter-free cuts, groove for fastening and lever clamps as well as groove accessories for attaching combination bevels, kickback stops and dual suction pads. For perfect cuts and straight grooves.

A firm hold

The adhesive cushion strips keep the rail secure while simultaneously protecting the surface. Clamps, FS-Rapid quick-action clamp and GECKO DOSH are also available for a more secure grip.



Runs smoothly to the end

The deflector enables the extractor hose to glide smoothly during work.



Safe limit

The kickback stop serves as a limit stop or secures the plunge-cut saw against kickbacks when inserting in the tool.



Workplace organisation

GECKO dual suction pad



GECKO



Secure connection for a long time.

- ▶ Ergonomic – the torsionally rigid handle makes it much easier to lift heavy loads
- ▶ Retains the position, preserves the material – special sliding rings mounted on both suction cups allow you to position the GECKO precisely and release it just as easily
- ▶ Secure hold – the green clamping levers provide quick and reliable suction. For a loading capacity of 50 kg
- ▶ Designed for a system – the GECKO can be mounted directly to a guide rail using the guide rail adapter

Technical data

Load capacity (kg)

50

Items Included

in self-service display pack

GECKO DOSH

Order no.

492617

GECKO DOSH-Set

adapter DOSH-FSAD, dual suction pad GECKO DOSH

493507

Designed for a system.

The GECKO can be mounted directly to a guide rail using the guide rail adapter.

System accessories
from page 390





CT WINGS

The third hand. Precisely when you need it.

- ▶ In many cases replaces the assistant when it comes to having a free hand for marking, clamping, gripping, etc.
- ▶ For effortless, precise and safe work
- ▶ Small, compact and always at hand
- ▶ Perfect in the system – in combination with a Festool mobile dust extractor and suction hose with 27 mm diameter

Technical data

Max. clamping height (mm)	50
Max. load (kg)	3
Dimensions (L x W x H) (mm)	130 x 80 x 50
weight (kg)	0,35



Items Included

in self-service display pack	Order no.
CT-W	500312

Assembly aid through suction force.

The practical assembly aid for clamping and fixing workpieces on horizontal and vertical areas. Simply position CT WINGS at a 27 mm suction hose with machine sleeve, switch on the mobile dust extractor and then the workpiece is held in place with the suction power.

CT mobile dust extractors
from page 284



Watch the product video



Workplace organisation

Boom arms ASA



ASA



For large working areas.

- ▶ Maximum flexibility, extra safety, no dangerous obstacles
- ▶ for use with Festool CT/SRM mobile dust extractors
- ▶ integrated compressed air and electrical lines for connection to EAA and CT

Technical data

	ASA 5000	ASA 6000
Connecting line length (m)	3	3
weight (kg)	92	105
Boom extension (m)	2 x 2,5	2 x 3,0
Application (m ²)	39-58	56-84



Workplace changes made easy.

Boom arms are primarily used in locations where workplaces need to be flexible or where a large operating radius is required. Power and dust extraction is supplied where it is needed, while avoiding tripping hazards. This saves you time moving equipment and creates more space in the workshop.

Items Included

Order no.

double-jointed arm with wall bracket, wall mounting components are not included, in a carton


ASA 5000 CT/SR-EU 583867
cable duct

ASA 6000 CT/SR-EU 583868
cable duct

ASA 5000 TURBO-EU 583856

ASA 6000 TURBO-EU 583857

System accessories from page 389





For greater ease of movement.

- ▶ Manual or automatic adjustment of the slide valve provides suction power wherever an electric and/or air tool is in operation
- ▶ Flexible – the EAA can be mounted on a ceiling, wall or boom arm
- ▶ Ready for immediate use – two electric or air tools can be hung directly on the housing of the EAA
- ▶ Better organisation – two hoses can be stored and kept clean in the hose holders on the rear of the EAA

Technical data	EAA EW CT/SRM/M	EAA EW/DW CT/SRM/M	EAA EW/DW TURBO/M	EAA EW/DW TURBO/A
Dimensions (L x W x H) (mm)	506 x 580 x 367	516 x 580 x 367	516 x 580 x 367	516 x 580 x 367
Pressure range (bar)	4-8	4-8	4-8	4-8
weight (kg)	10,2	13	13	13,8



Items Included	Order no.
energy box with 3 x 230 V connections, 2 sandpaper holders, in a carton	
EAA EW CT/SRM/M-EU	583820
EAA EW/DW CT/SRM/M-EU	583821
compressed air supply unit with 3 compressed air connections (2 x oiled and 1 x not oiled)	
EAA EW/DW TURBO/M-EU	583811
compressed air supply unit with 3 compressed air connections (2 x oiled and 1 x not oiled)	
EAA EW/DW TURBO/A-EU	583831
compressed air supply unit with 3 compressed air connections (2 x oiled and 1 x not oiled)	

System accessories from page 389



Sophisticated design right down to the smallest detail.

The EAA, with manually or automatically operated sliders for use with CT mobile dust extractors or the TURBO II central exhaust, spares the user from cumbersome handles and travels, and ensures optimal dust extraction. Electric power tools and air tools are ready for use and ready to hand at all times.

Workplace organisation

WCR 1000 Workcenter



2011

WCR 1000



Customised configuration.

SYSTAINER sizes 1 to 4 or SORTAINERs can be integrated into the Workcenter.



Mobility in the tightest of spaces.

- ▶ Compact and mobile – the WCR can be coupled with any Festool mobile dust extractor with integral SYS-Dock (except CTL MINI/MIDI)
- ▶ Flexible equipment – hooks for hanging two machines with extractor hoses, a universal holder, storage compartment and rotating storage tray for sundries
- ▶ Individual extension – additional storage trays, hooks or holders can be mounted on the perforated plate and profiled groove
- ▶ Work without straining your back – the height of the Workcenter, hooks and storage trays is easy to adjust

Technical data

Length (mm)	1050
Width (mm)	362
Height adjustable (mm)	545-785
Size of square hole pattern (mm)	9,2 x 9,2
Inner hole distance of square hole pattern (mm)	38
weight (kg)	10,2

Items included

Storage shelf, Storage trough, Storage base for pegboard,
Double tool hook, Double universal hook, 6 standard hooks (125 mm long),
2 pegboards with square holes, SYSTAINER retainer, in a carton

Order no.

WCR 1000

497471

System accessories from page 392





Workplace organisation

Multifunction stool MFH 1000
and Universalcenter UCR 1000

MFH 1000 / UCR 1000

More tidiness. More speed.

- ▶ Multifunction stool MFH 1000 + Workcenter WCR 1000 = Universalcenter UCR 1000
- ▶ Use the Universalcenter UCR 1000 in mobile applications and benefit from the advantages of the Workcenter WCR 1000
- ▶ Pleasant working environment – without the Workcenter WCR, the multifunction stool MFH 1000 is a stable, comfortable seat
- ▶ Efficient organisation – hooks and storage trays ensure quick access to machines, accessories and work equipment

Technical data	UCR 1000	MFH 1000
Length (mm)	695	695 x 436 x 524
Dimensions (L x W x H) (mm)		
Width (mm)	436	
Height adjustable (mm)	1031-1271	
Width of roller (mm)	32	32
Roller Ø (mm)	100	100
Size of square hole pattern (mm)	9,2 x 9,2	9,2 x 9,2
Inner hole distance of square hole pattern (mm)	38,1	38,1
weight (kg)	37	27

Items included	Order no.
in a carton	
MFH 1000 seat cushion MFH 1000 SK, Assembly set	498967
UCR 1000 WCR 1000 Workcenter, multifunction stool MFH 1000 (without seat cushion)	498966

System accessories from page 392



Clever, mobile organisation.

Pull-out drawer that can be locked – for storing accessories, work equipment and personal effects.

Workplace organisation

Toolcenter TC 3000/2



TC 3000/2



Safety included.

Locking cabinet compartment for size 3 SYSTAINERs or smaller provides safe storage for machines and accessories.

Flexibility and extra work space.

- ▶ Beneficial organisation – tools, materials and mobile dust extractor are always stored away tidily and close at hand
- ▶ Mobile equipment – simple transportation between different locations in the workshop
- ▶ Secure attachment – the mobile dust extractor is secured safely in the extractor dock
- ▶ More space – machine and hose holders keep storage areas free for working equipment

Technical data

Dimensions (L x W x H) (mm)	470 x 1070 x 960
Storage area (mm)	460 x 990
Storage area working height (mm)	925
weight (kg)	43

Items Included


hose holder, anti-slip mat, in a carton

TC 3000/2

Order no.

583881

System accessories from page 393





SYSROCK BR 10

Always sounds good. At work. And on the phone.

- ▶ FM radio with 10 watt neodymium speakers for perfect room-filling sound
- ▶ Bluetooth interface with hands-free function
- ▶ Aux-in socket for mobile devices such as smartphones, MP3 players and tablets
- ▶ Compact design with flexible, unbreakable antenna



Technical data

FM frequency band (VHF) (MHz)	87,5-108
Operation with Festool battery packs (V)	10,8-18
speaker (W)	10
Number of stored stations	4
Bluetooth standard	4
Aux-in socket (mm)	3,5
Dimensions (L x W x H) (mm)	94 x 102 x 149
weight (kg)	0,9



Items Included

Order no.

Mains adapter 240 V, aux-in cable, in bag	
BR10	200183

Light, compact and powerful.

The SYSROCK construction site radio fits on every windowsill and combines compact dimensions with light weight and impeccable sound. And thanks to the Bluetooth interface and integrated hands-free function, you can listen to your favourite radio stations and tracks on your smartphone with SYSROCK sound quality.

Workplace organisation

SYSTAINER T-LOC, SORTAINER, SYS-ToolBox

Simply tidier, more clearly arranged and better organised.


SYSTAINERS and SORTAINERS from Festool.

SYSTAINER/SORTAINER – can be stacked or connected, are extremely robust and virtually indestructible.

Machines, accessories and consumable materials are protected from dust, water, changes in temperature and heavy impacts. All your sundries and consumables are stored tidily and are easier to transport – size 1 and 2 SYS T-LOC units can even be carried upright with the attachable additional handle (accessory).

SYS-ToolBox – the open SYSTAINER for instant access.

A robust design made from high-quality plastic provides a maximum load capacity of 7 kg. Two spacious compartments keep your workplace tidy and an open top gives quick access to hand tools, consumable materials and accessories.



Combines three functions.

The central control element of the SYSTAINER: Lock, open, connect with a single turn.



Secure connection.

In combination with a SYSTAINER or a mobile dust extractor, Systainer-Port and Workcenter WCR.




Easy to open.

The new SYSTAINER T-LOC can be opened at any time without having to be disconnected.



Everything at a glance – the drawers of the SORTAINER offer lots of space for sundries..

1. Individual compartments and additional labelling options provide a better overview.
2. From the left or right. The drawers can be opened from both sides to allow quick access to the contents.
3. The pull-out catch and individual safety lock prevent accidental removal of the drawers.
4. A range of different sizes and a modular drawer system offer a SORTAINER to suit every requirement.



Workplace organisation

SYS-Port, SYS-Roll, SYS-Cart



Good for quick transportation.

Everything in its place, stored close at hand at all times. The Systainer-Port, roll board and SYS-Roll SYSTAINER transporter provide greater mobility at the workplace and on assembly sites.




How many SYSTAINERS fit in a SYS-PORT?

Combination options

SYSTAINER size	SYS-PORT 500/2						SYS-PORT 1000/2					
	Number of SYSTAINERS						Number of SYSTAINERS					
Version	1	2	3	4	5	6	1	2	3	4	5	6
SYS 1 T-LOC/DF*	3	2	1				8	6	6	5	4	4
SYS 2 T-LOC/DF*	1	2	1				1	2	1	1	2	3
SYS 3 T-LOC/DF*		1	1				1	2	1	2	3	1
SYS 4 T-LOC				1			1	1	1	1	2	2
SYS 5 T-LOC												1
Drawers required**	3	3	2	2	2	1	8	7	7	6	6	6

* DF = Lid compartment ** The SYS-PORT 500/2 is supplied with 3 drawers, the SYS-PORT 1000/2 with 5 drawers.

From machines to sundries. From the workshop to the assembly site.



(●) Extremely appropriate

(○) Very appropriate

(○○) Appropriate

¹⁾ In combination with insert ²⁾ Only with Sys 3-Sort/4

³⁾ In combination with a suitable SYSTAINER or SORTAINER

The Festool system.

Because things work better when everything fits together:

Workplace organisation is at least as important as an accurate power tool, because ultimately almost inexhaustible potential lies behind this. The Festool system always creates a tidy environment and guarantees better organisation.




Workplace organisation

Accessories and consumable materials




Workplace organisation

System accessories



Accessories for Compact Module System CMS

Denomination	Explanation	Order no.
1 Extension table VL	for CS 50, CMS-GE, simple fitting, folds away, enlarges the support surface by 405 mm, for safe support of long workpieces when sawing to width, dimensions length x width 375 x 454 mm, in a carton	492092
2 Extension table VB-CMS	for CMS-GE, with adjustable dimension scale, extends the support area by 410 mm, Cutting width 570 mm, dimensions length x width 664 x 438 mm, in a carton	493822
3 Support AF	for CS 50, CMS-GE, support for both side use, supports workpieces while cutting, enlarges the support surface by 300 mm, dimensions length x width 662 x 390 mm, in a carton	492242
4 Stopper LA-CS 50/CMS	for CS 50, CMS-GE, with fine adjustment and rear clamp, can be operated from front, with moveable stop profile for precise and safe longitudinal cuts, in a carton	492095
5 Sliding table ST	for CS 50, CMS-GE, max. working width for trimming cuts 830 mm, in a carton	492100
6 Angle stop WA	for CS 70, CS 50, CMS-GE, for work requiring 2 stops, in a carton	488451
7 Adjustable stop WA-AR	for CS 50, CS 70, to stop workpieces on trimming attachment CS 70 WA, CS 50 WA and Basis WRA 500, in self-service display pack	491712
8 Dust extraction set CS 70 AB	for CT/CTM, can be used with Basis, CS 70, CS 50 and CMS, comprising: dust extraction hose D27x2.0 m, dust extraction hose D36x1.0 m, Y terminal, [not compatible with CTL MINI/MIDI], Diameter 27/36 mm, in a carton	488292
Adapter hose AD-D36/CS50/CS70/CMS	for CS50, CS 70, CMS, 0.5 m hose D36 with two rotating adapters and connection coupling, anti-static D50/D50 VM-AS, for Y-shaped connection in conjunction with CTL MINI/MIDI, in a carton	499196
9 Saw blade holder SGA	for CS 50, CMS-GE, for safe and space-saving storage of up to 4 saw blades (max. Ø 190 mm) and up to 3 splinterguards (not included in contents), in a carton	492228
10 Roller stand RB	for all semi-stationary devices (CS/KS/CMS), to use longer workpieces for longitudinal sections and cross sections and cutting and grinding work, may be used with the CS 50, CS 70, CB 120, Basis Plus System, CMS-GE, multifunction table, height adjustable 630 – 1000 mm, in a carton	488711
11 Guard BF-OF-CMS	for CMS-OF 1010, for CMS-OF 1400/OF 2000/OF 2200, guard and extractor hood, connection Ø d/e 27/36 mm, in a carton	494643
12 Rebating head FK D 50x30	for CMS-OF, for use with cutter spindles, Diameter 50 mm, in self-service display pack	489284
13 Cutter spindle ASL20/OF1400-OF2200	for CMS-OF 1400/OF 2000/OF 2200, for use with rebating head Basis FK D 50x30 in the Basis 6 A and CMS-OF, in self-service display pack	490131
Cutter spindle ASL20/OF1010	for CMS-OF, allows use of rebating head Basis FK D 50x30 in the Basis 5 A and CMS-OF 1010, in self-service display pack	489285
14 Reversible blade WP 30x12x1,5	for rebating head, qty. in pack 2 piece(s), in self-service display pack	489286




Accessories for the MFT 3 multifunction table

Denomination	Explanation	Order no.
1 Cross brace MFT 3-QT	for additional MFT 3 stability, qty. in pack 2 piece(s), Diameter 20 mm, Length 675 mm, in a carton	495502
2 Fixed clamps MFT-SP	for MFT, for safe and precise securing of the workpiece (sawing, sanding, routing, drilling, etc.), qty. in pack 2 piece(s), in self-service display pack	488030
3 Fastening clamp FSZ 120	for MFT, solid steel version, Span 120 mm, qty. in pack 2 piece(s), in self-service display pack	489570
Fastening clamp FSZ 300	for MFT, solid steel version, Span 300 mm, qty. in pack 2 piece(s), in self-service display pack	489571
4 Lever clamp FS-HZ 160	for MFT, solid steel version, Span 160 mm, in self-service display pack	491594
5 Guide extension MFT 3-VL	for the MFT 3, foldaway legs, main safety switch, cable and socket, in a carton	495510
6 Connecting piece VS	for connecting several MFT 3, for attachment of FST660/85 or MFT 800 to Basis Plus, in self-service display pack	484455
7 Adapter VAC SYS AD MFT 3	for VAC SYS SE 1, VAC SYS SE 2, for connecting the VAC SYS clamping unit with the MFT 3, in a carton	494977


Workplace organisation

System accessories



Accessories for the VAC SYS vacuum clamping system

Denomination	Explanation	Order no.
1 Vacuum pad VAC SYS VT 200x60	for VAC SYS SE 1, VAC SYS SE 2, pad dimensions 200 x 60 mm, in a carton	580064
2 Vacuum pad VAC SYS VT 277x32	for VAC SYS SE 1, VAC SYS SE 2, pad dimensions 277 x 32 mm, in a carton	580065
3 Vacuum pad VAC SYS VT 275x100	for VAC SYS SE 1, VAC SYS SE 2, pad dimensions 275 x 100 mm, in a carton	580066
4 Vacuum pad VAC SYS VT D 215	for VAC SYS SE 1, VAC SYS SE 2, Diameter 215 mm, in a carton	580067
5 Vacuum pump VAC SYS VP	power consumption at 50 Hz 160-200 W, power consumption at 60 Hz 200-230 W, pump capacity at 50 Hz 2,7 m³/h, pump capacity at 60 Hz 3,5 m³/h, minimum vacuum > 81% / > 810 mbar, weight 8 kg, in a carton	580060
6 Adapter VAC SYS AD MFT 3	for VAC SYS SE 1, VAC SYS SE 2, for connecting the VAC SYS clamping unit with the MFT 3, in a carton	494977
7 Foot valve VAC SYS FV	for the VAC SYS SE 1 or in a combination of the VAC SYS SE 1 with the VAC SYS SE 2, for releasing the vacuum pad, in a carton	580063
8 Vacuum hose D 16 x 5m VAC SYS	for VAC SYS Set SE 1 and VAC SYS SE2, for guide extension, Length 5 m, in a carton	495293
9 Vacuum unit VAC SYS SE 2	vacuum pad VAC SYS VT 275 x 100 mm, vacuum hose, connector, power consumption at 50 Hz 160-200 W, power consumption at 60 Hz 200-230 W, pump capacity at 50 Hz 2,7 m³/h, pump capacity at 60 Hz 3,5 m³/h, minimum vacuum > 81% / > 810 mbar, weight 8 kg, in a SYSTAINER SYS 4	580062
10 Accessories SYSTAINER VAC SYS VT Sort	for VAC SYS SE 1, VAC SYS SE 2, also provides space for the VAC SYS VT D 215, VAC SYS VT 200x60, VAC SYS VT 277x32, VAC SYS VT 275x100, also provides space for the VAC SYS VT D 215, in a SYSTAINER SYS 3	495294




Accessories for the ASA boom arm, EAA energy box

Denomination	Explanation	Order no.
1 Ceiling suspension EAA-D-EU	for energy boxes (models starting in 2009), 2.5 m cable set, 2.5 m compressed air hose, mounting, aluminium tube (1310 mm) with connecting sleeve, in a carton	495890
2 Wall mounting EAA-W-EU	for energy boxes (models starting in 2009), 4 m cable sets, 4 m compressed air hose, aluminium tube (350 mm) with connecting sleeve, installation set for energy boxes, in a carton	495889
3 Boom arm ASA 5000 CT/SR-EU	for CT mobile dust extractors and SRM extractors, double-jointed arm with wall bracket, cable duct, wall mounting components are not included, connecting line length 3 m, weight 92 kg, boom extension 2 x 2.5 m, application 39-58 m ² , in a carton	583867
Boom arm ASA 6000 CT/SR-EU	for CT mobile dust extractors and SRM extractors, double-jointed arm with wall bracket, cable duct, wall mounting components are not included, connecting line length 3 m, boom extension 2 x 3.0 m, application 56-84 m ² , weight 105 kg, in a carton	583868
4 Socket CEE 400V-EAA (IP67)	400V socket for EAA, three-phase socket mounted on the back next to the service unit is connected to on-site power supply, in a carton	543984
5 Abrasive paper holder SH-EAA	for abrasives up to Ø 150 mm, without mounting hardware, in a carton	496044
6 Energy box module EAA CT 26/36/48	for CT 26/36/48, for connecting a CT mobile dust extractor with an energy box or boom arm, not required in LE version, in a carton	496143
7 IAS 3 hose	see chapter Surface finishing on page 60	


Workplace organisation

System accessories



Accessories for the guide rail FS/2

Denomination	Explanation	Order no.
1 Quick-action clamp FS-RAPID/R	for clamping and positioning the Festool guide rails FS and FS/2, clamping jaws, fixed jaws, in self-service display pack	489790
Quick-action clamp FS-RAPID/L	for use of SSU 200, IS 330 with guide rail, for clamping and positioning guide rails FS, FS/2 and GRP/2, Clamping jaws, fixed jaws, in self-service display pack	768116
2 Fastening clamp FSZ 120	for MFT, solid steel version, Span 120 mm, qty. in pack 2 piece(s), in self-service display pack	489570
Fastening clamp FSZ 300	for MFT, solid steel version, Span 300 mm, qty. in pack 2 piece(s), in self-service display pack	489571
3 Lever clamp FS-HZ 160	for MFT, solid steel version, Span 160 mm, in self-service display pack	491594
4 GECKO DOSH dual suction pad	from page 374	
Adapter DOSH-FSAD	to fix the guide rail at the GECKO, in self-service display pack	492616
5 Accessories set FS-SYS/2	2 clamps FSZ 120, deflector FS-AW, combination angle FS-KS, set-back stop FS-RSP, 2 connecting elements FSV, splinter guard FS-SP 1400, in a SYSTAINER SYS 1 T-LOC	497657
6 Combination bevel FS-KS	for FS/2, for angle cuts on guide rail between 0 and 180, in self-service display pack	491588
7 Angle stop FS-AG-2	for FS/2 and GRP/2, for straight angle cuts for use with the guide rail, in a carton	768168
8 Kickback stop FS-RSP	for TS 55, TS 55 R, TSC 55, TS 75, ATF 55, AP 55, AT 65, AP 65, AP 85, used as a rear and front stop position on guide rail FS/2, can also be used as guide stop, in self-service display pack	491582
9 Splinter guard FS-SP 1400/T	replacement splinterguard for guide rails, transparent, Length 1400 mm, in self-service display pack	495207
Splinter guard FS-SP 5000/T	replacement splinterguard for guide rails, transparent, Length 5000 mm, in self-service display pack	495209
10 Slideway lining FS-GB 10M	replacement sliding surface for guide rail, 10 m length, in self-service display pack	491741
11 Adhesive cushion strip FS-HU 10M	replacement adhesive strips for guide rails, in 10 m rolls, in self-service display pack	485724



Accessories for the guide rail FS/2

Denomination	Explanation	Order no.
12 Bag FS-BAG	carrying bag with shoulder straps, up to length of FS 1400/2, in film	466357
13 Deflector FS-AW	prevents suction hoses and cables from catching on the end of the guide rail, in self-service display pack	489022
14 Stopper LA-LR 32 FS	positions the first hole on the hole series guide rail at a distance of 9.5, 16 or 32 mm from the workpiece edge, qty. in pack 2 piece(s), in self-service display pack	496938
15 Hole series system for FS/2	from page 179	
16 Connecting piece FSV	to connect guide rails for long workpieces, qty. in pack 1 piece(s), in self-service display pack	482107
17 Parallel side fence FS-PA	for FS/2, for sawing along the width, for fixed cuts, can be re-set using the scale and end stop, mounting on the guide rail without the use of tools, stop ruler, clamp, adjustable stop, max. workpiece width 650 mm, qty. in pack 2 piece(s), in self-service display pack	495717
18 Guide extension FS-PA-VL	for FS/2, only for use with the FS-PA, bridge, stop ruler, scale, max. workpiece width 195 mm, max. material strength 70 mm, qty. in pack 2 piece(s), in self-service display pack	495718
19 Guide rail adapter FS-PS/PSB 300	for PS 200, PS 300, PSB 300, PS 2, allows use of jigsaws with FS and FS/2 guide systems, in self-service display pack	490031
Adapter table ADT-PS 420	for PS 400/420, for using the PS on the guide rail, for installation in the Compact Module System CMS, in conjunction with circle cutting attachment KS-PS 400, in self-service display pack	497303
20 Guide stops for routers	from page 174, 175, 176	

Workplace organisation

System accessories



WCR 1000



UCR 1000



MFH 1000

Arrangement: Hanging



1



2



3



4



5

Organisation



6

Accessories for Workcenter WCR 1000, Universalcenter UCR 1000, multifunction stool MFH 1000

Denomination	Explanation	Order no.
1 Feather key WCR 1000 PF 2x	for WCR 1000, UCR 1000, The keys enable the attachment of individual accessories to the profiled groove, 2x keys incl. bits, in a carton	497476
2 Pegboard hook HSK LWH HSK-A	for WCR 1000, MFH 1000, UCR 1000, the protective coating prevents damage, not suitable for hand sanding block HSK-A 80x400, for hanging hand sanding blocks HSK-A 80x130, HSK-A 80x200 and HSK-A 115x226, dimensions length x width 38,1 x 38,1 mm, in self-service display pack	498968
3 Tool hook WCR 1000 WH	for WCR 1000, UCR 1000, for hanging two tools, for use as a hose holder, in a carton	497474
4 Hook WCR 1000 SHQ	for WCR 1000, UCR 1000, Standard hooks for mounting on the pegboard, qty. in pack 6 piece(s), in a carton	497475
5 Holder for spray gun WCR 1000 LPH	for WCR 1000 Workcenter, holder for paint gun, for assembly at the profile groove for the WCR 1000 Workcenter, 2x screw, 2x square nut, Dimensions (L x W x H) 148 x 76 x 60 mm, weight 0,5 kg, in a carton	498361
6 Storage surface WCR 1000 AB	for WCR 1000, UCR 1000, Large storage surface for placing sundries, boxes of abrasives or screws, etc., in a carton	497477



TC 3000/2

Arrangement: Hanging

Holder: Machine, hose


Compressed air supply

Conversion kit

1



2



3



4



5



Accessories for the TC 3000/2 Toolcenter

Denomination	Explanation	Order no.
1 Rear wall TC 3000 RW	for Toolcenters TC 3000, TC 3000/2 incl. 10 hooks, dimensions length x width 990 x 340 mm, in a carton	452986
2 Tool holder WHR/D-TC	for the TC 2000, TC 3000, TC 3000/2, for safe, ergonomic storage of two electric and air tools at the same time, in a carton	493415
3 Hose holder TC-SH	for the TC 2000, TC 3000, TC 3000/2, for retrofitting TC 3000, in a carton	487304
4 Service unit VE-TC 3000	for Toolcenter TC 2000, TC 3000, for compressed air supply to mobile dust extractors CT 22/33 and SR 151, SR 200 series dust extractors in LE design, in a carton	454808
5 Conversion kit UBS TC 3000 CT26/36	for TC 3000, for conversion of the TC 3000, for supporting the CT 26/36, in a carton	496371

Workplace organisation

System accessories

SYSTAINER T-LOC	Type	Order no.
	SYSTAINER T-LOC 1x cover for label field Dimensions [L x W x H] 396 x 296 x 105 mm, dimensions with floor stand [L x W x H] 396 x 296 x 112 mm, inner dimensions [L x W x H] 383 x 273 x 75 mm, weight 1,3 kg	SYS 1 TL 497563
	Dimensions [L x W x H] 396 x 296 x 157,5 mm, dimensions with floor stand [L x W x H] 396 x 296 x 164,5 mm, inner dimensions [L x W x H] 383 x 267 x 127,5 mm, weight 1,5 kg	SYS 2 TL 497564
	Dimensions [L x W x H] 396 x 296 x 210 mm, dimensions with floor stand [L x W x H] 396 x 296 x 217 mm, inner dimensions [L x W x H] 382 x 266 x 180 mm, weight 1,8 kg	SYS 3 TL 497565
	Dimensions [L x W x H] 396 x 296 x 315 mm, dimensions with floor stand [L x W x H] 396 x 296 x 322 mm, inner dimensions [L x W x H] 382 x 266 x 285 mm, weight 2,1 kg	SYS 4 TL 497566
	Dimensions [L x W x H] 396 x 296 x 420 mm, dimensions with floor stand [L x W x H] 396 x 296 x 427 mm, inner dimensions [L x W x H] 381 x 265 x 384 mm, weight 2,7 kg	SYS 5 TL 497567

MAXI-SYSTAINER	Type	Order no.
	MAXI-SYSTAINER to connect with SYS 1, SYS 2, SYS 3, SYS 4, SYS 5, SORTAINER Dimensions [L x W x H] 590 x 390 x 210 mm, weight 4,0 kg	SYS MAXI 490701
	Dimensions [L x W x H] 590 x 390 x 157,5 mm, weight 3,0 kg	SYS MAXI 2 492582

MIDI-SYSTAINER T-LOC	Type	Order no.
	MIDI-SYSTAINER T-LOC for clear and structured arrangement of small parts, power tools, hand-hand tools and accessories, can be connected to SYS T-LOC, Dimensions [L x W x H] 503 x 296 x 210 mm, weight 2,0 kg	SYS-MIDI 3 TL 499621

MINI-SYSTAINER T-LOC	Type	Order no.
	MINI-SYSTAINER T-LOC cannot be connected to SYS 1, SYS 2, SYS 3, SYS 4, SYS 5, SORTAINER, SYS MINI classic, for clear and structured arrangement of small parts and hand-held tools, Dimensions [L x W x H] 265 x 171 x 71 mm, weight 0,4 kg	SYS-MINI TL 499622

SYSTAINER T-LOC with lid compartment

Type	Order no.
 SYSTAINER T-LOC DF 1x cover for label field Dimensions [L x W x H] 396 x 296 x 105 mm, dimensions with floor stand [L x W x H] 396 x 296 x 112 mm, inner dimensions [L x W x H] 383 x 273 x 68 mm, weight 1,5 kg	SYS 1 TL-DF 497851
 Dimensions [L x W x H] 396 x 296 x 157,5 mm, dimensions with floor stand [L x W x H] 396 x 296 x 164,5 mm, inner dimensions [L x W x H] 383 x 267 x 121 mm, weight 1,7 kg	SYS 2 TL-DF 497852
 Dimensions [L x W x H] 396 x 296 x 210 mm, dimensions with floor stand [L x W x H] 396 x 295 x 217 mm, inner dimensions [L x W x H] 382 x 266 x 173 mm, weight 2 kg	SYS 3 TL-DF 498390

SYSTAINER T-LOC SYS-Combi

Type	Order no.
 SYSTAINER T-LOC flexibly divisible drawer for accessories, consumables, small parts and sundries, internal dimensions of the drawer [L x W x H] 350 x 255 x 69 mm combination of the classic SYSTAINER size 2 and a spacious drawer, Dimensions [L x W x H] 396 x 296 x 263 mm, dimensions with floor stand [L x W x H] 396 x 296 x 270 mm, internal dimensions of the top compartment [L x W x H] 383 x 267 x 127 mm, weight 3,2 kg	SYS-Combi 2 200117
 combination of the classic SYSTAINER size 3 and a spacious drawer, Dimensions [L x W x H] 396 x 296 x 315 mm, dimensions with floor stand [L x W x H] 396 x 296 x 322 mm, internal dimensions of the top compartment [L x W x H] 382 x 266 x 180 mm, weight 3,5 kg	SYS-Combi 3 200118

SORTAINER

Type	Order no.
 SORTAINER 2 small drawers, medium drawer [L x W x D] 255 x 165 x 30 mm, large drawer [L x W x D] 255 x 348 x 85 mm, 2 dividers per drawer, 8 label holders, 8 lettering strips, Dimensions [L x W x H] 395 x 295 x 210 mm, weight 4,0 kg	SYS 3-SORT/4 491522
 6 medium drawers [L x W x T] 255 x 165 x 30 mm, 2 dividers per drawer, 8 label holders, 8 lettering strips, Dimensions [L x W x H] 395 x 295 x 210 mm, weight 4,9 kg	SYS 3-SORT/6 491984
 6 small drawers [L x W x T] 255 x 75 x 30 mm, 3 medium drawers [L x W x T] 255 x 165 x 30 mm, 2 dividers per drawer, 9 label holders, 16 labels, Dimensions [L x W x H] 395 x 295 x 210 mm, weight 5,1 kg	SYS 3-SORT/9 491985
 12 small drawers [L x W x T] 255 x 75 x 30 mm, 2 dividers per drawer, 12 label holders, 16 labels, Dimensions [L x W x H] 395 x 295 x 210 mm, weight 5,3 kg	SYS 3-SORT/12 491986
 three drawers each with a capacity of 6.7 litres can be set up and divided individually with plastic containers and partitions, connects to all T-LOC and Classic Systainers, Sortainers and CLEANTEC mobile dust extractors, Dimensions [L x W x H] 396 x 296 x 322 mm, weight 5,7 kg	SYS 4 TL-SORT/3 200119

Workplace organisation

System accessories

	Type	Order no.
SYS tool box		
	SYS tool box for practical transportation of hand tools, consumable materials and accessories, contact surface 396 x 296 mm Height 150 mm, carrying power 7 kg, volume 12,5 l	SYS-TB-1 495024
	Height 257 mm, carrying power 14 kg, volume 20 l	SYS-TB-2 499550
SYS-StorageBox		
	SYS-StorageBox plastic container, no content, with individually removable plastic containers, 2 x Box 60x60x71 SYS-SB, can be connected to the entire Systainer range (except SYS-Mini), 2 x Box 60x60x71 SYS-SB, 1 x Box 180x120x71 SYS-SB, Dimensions [L x W x H] 396 x 296 x 167 mm, height including handle 240 mm, weight 2,5 kg	SYS-SB 499901
Systainer-Port		
	Systainer-Port no admission for assembly in car, stable full metal body, 5 labels for drawers, without SYSTAINER, in a carton	
	with 3 SYSTAINER telescopic drawers, Dimensions [L x W x H] 400 x 500 x 500 mm, weight 19 kg	SYS-PORT 500/2 491921
	with 5 SYSTAINER telescopic drawers, with roller set, 4 ball bearing-mounted swivel castors (2 with locking brakes), Dimensions [L x W x H] 400 x 500 x 1100 mm, weight 33 kg	SYS-PORT 1000/2 491922
Systainer pull-out		
	Pull-out drawer for all Systainers (Classic and T-LOC), for constructing an individual shelf system, in 32 hole grid, Dimensions [L x W x H] 425 x 376 x 57 mm, max. load 20 kg, in a carton	SYS-AZ 500692
	qty. in pack 5 piece(s)	SYS-AZ-Set 500767
	Lock for SYS-AZ, simultaneous lock, for subsequent installation in the pull-out-drawer SYS-AZ, locks the individual pull-out drawer on the side of the body (simultaneous), in a carton	S-AZ 500693
Means of transport for SYSTAINER		
	SYS-Cart for easy transportation of SYSTAINER sizes 1-5 and SORTAINERs., robust handles, 4 steering rollers, 2 of which can be locked, base area 360 x 520 mm, load capacity 100 kg, roller Ø 100 mm, weight 2,8 kg, in a carton	RB-SYS 495020
	SYS roller transportation of SYS Classic and SYS T-LOC, extra large wheels (Ø 200 mm) for easy transportation up and down steps, rotating lockable front rollers – manoeuvre in all directions, incl. safety belt, carrying power 100 kg, carrying power 5 kg, front roller Ø 75 mm, rear roller Ø 200 mm, Dimensions [L x W x H] 440 x 600 x 1100 mm, weight 6,5 kg, in a carton	SYS-Roll 100 498660

SYSTAINER T-LOC with inlays for abrasives

SYSTAINER T-LOC	Type	Order no.
	with insert for abrasives Ø 125 mm, number of compartments 5, systainer size SYS 1 T-LOC	SYS-STF D125 497685
	with insert for abrasives 80x133 mm, number of compartments 6, systainer size SYS 1 T-LOC	SYS-STF 80x133 497684
	with insert for abrasives STF Delta 100x150, number of compartments 5, systainer size SYS 1 T-LOC	SYS-STF Delta 100x150 497686
	with insert for Ø 90 mm abrasives and 93V abrasives, number of compartments 8, systainer size SYS 1 T-LOC	SYS-STF-D77/D90/93V 497687
	with insert for abrasives Ø 150 mm, number of compartments 10, systainer size SYS 3 T-LOC	SYS-STF D150 497690
	with insert for abrasive, dia. 225 mm, number of compartments 3, systainer size SYS 4 T-LOC	SYS-STF D225 497691
	with insert for abrasives Ø 150 mm, for grits P80, P180, P280, P400 and P500 according to the Festool "4-step sanding" system, systainer size SYS 3 T-LOC	SYS-STF D150 4S 497821

SYSTAINER T-LOC / SYSTAINER SYS MAXI with inserts for Festool machines

SYSTAINER T-LOC	Type	Order no.
	for cordless drills C 12/15 Li, systainer size SYS 1 T-LOC	SYS-C 12/15 Li 498167
	for CXS cordless drills, systainer size SYS 1 T-LOC	SYS-CXS 498168
	for LS 130, systainer size SYS 1 T-LOC	SYS-LS 130 497664
	for RS 400, RTS 400, systainer size SYS 1 T-LOC	SYS-RS/RTS 400 497663
	for cordless drills in the T-series, systainer size SYS 1 T-LOC	SYS-T+3 497667
	for DS 400, DTS 400, systainer size SYS 2 T-LOC	SYS-DS/DTS 400 497676
	for DX 93, systainer size SYS 2 T-LOC	SYS-DX 497670
	for ES 125, ETS 125, systainer size SYS 2 T-LOC	SYS-ETS 125/ES 125 497674
	for OFK 500, systainer size SYS 2 T-LOC	SYS-OFK 500 497675
	for RAS 115, systainer size SYS 2 T-LOC	SYS-RAS 115 497672
	for RO 150 E, WTS 150, systainer size SYS 2 T-LOC	SYS-RO 150 E/WTS 150 497662
	for RS 100, RS 1, systainer size SYS 2 T-LOC	SYS-RS 100/RS 1 497668
	for RS 200, RS 2, systainer size SYS 2 T-LOC	SYS-RS 200/RS 2 497671
	for RS 300, RS 3, systainer size SYS 2 T-LOC	SYS-RS 300/RS 3 497669

Workplace organisation

System accessories

SYSTAINER T-LOC / SYSTAINER SYS MAXI with inserts for Festool machines	Type	Order no.
SYSTAINER T-LOC		
	for ES 150, ETS 150, systainer size SYS 3 T-LOC	SYS-ETS/ES 150 497660
	for HL 850, systainer size SYS 3 T-LOC	SYS-HL 497679
	for OF 1010 and putty router KF, systainer size SYS 3 T-LOC	SYS-OF 1010/KF 497678
	for RO 150 FEQ, systainer size SYS 3 T-LOC	SYS-RO 150 FEQ 497680
	for TPE-RS 100, systainer size SYS 3 T-LOC	SYS-TPE 497677
	for PF 1200, ATF, AP 55, systainer size SYS 4 T-LOC	SYS-PF 1200/ATF/AP 55 497661
	for TS 55, TS 55 R, systainer size SYS 4 T-LOC	SYS-TS 55 497681
	for TS 75, systainer size SYS 5 T-LOC	SYS-TS 75 497682
	for BS 75, systainer size SYS MAXI	SYS-BS 75 490751
	for BS 105, systainer size SYS MAXI	SYS-BS 105 490752
SYSTAINER with universal insert		
SYSTAINER T-LOC		
	with universal insert for sundries, systainer size SYS 1 T-LOC	SYS 1 UNI 497692
	with single diced foam insert to produce an aperture of any desired shape, systainer size SYS 1 T-LOC	SYS 1 VARI 497693
	with double diced foam insert to produce an aperture of any desired shape, systainer size SYS 2 T-LOC	SYS 2 VARI 497696
	with foam insert, for safe storage of cutters D 8, D 12, in a SYSTAINER SYS 1 T-LOC	SYS-OF D8/D12 497695
	with individual removable plastic containers, plastic container, no content, systainer size SYS 1 T-LOC	SYS 1 BOX 497694

**Plastic containers and inserts for SYS-StorageBox, SYS 1 BOX,
SYS-Combi, SYS 4 TL-SORT/3**

	Type	Order no.
	Plastic containers	
	for SYS-Storage Box SYS-SB, qty. in pack: 6, Dimensions [L x W x H] 60 x 60 x 71 mm, qty. in pack 6 piece(s)	Box 60x60x71/6 SYS-SB 500066
	for SYS-Storage Box SYS-SB, qty. in pack: 4, Dimensions [L x W x H] 60 x 120 x 71 mm, qty. in pack 4 piece(s)	Box 60x120x71/4 SYS-SB 500067
	for SYS-Storage Box SYS-SB, qty. in pack: 2, Dimensions [L x W x H] 180 x 120 x 71 mm, qty. in pack 2 piece(s)	Box 180x120x71/2 SYS-SB 500068
	for SYS-Combi 2, SYS-Combi 3 and SYS 4 TL-SORT/3, plastic containers and compartment dividers for individual drawer partitions, box of 8x plastic containers 60 x 60 x 71 mm, box of 4x plastic containers 60 x 120 x 71 mm, 3x compartment dividers, 2x cover pads	Set 60x60/120x71 3xFT 201124
	for SYS 1 T-LOC box, red, boxes excl. content, for clear storage and organisation, Dimensions [L x W x H] 49 x 49 x 71 mm, qty. in pack 12 piece(s), in a carton	Box 49x49/12 SYS1 TL 498038
	for SYS 1 T-LOC box, yellow, boxes excl. content, for clear storage and organisation, Dimensions [L x W x H] 49 x 98 x 71 mm, qty. in pack 6 piece(s), in a carton	Box 49x98/6 SYS1 TL 498039
	for SYS 1 T-LOC box, blue, boxes excl. content, for clear storage and organisation, Dimensions [L x W x H] 98 x 98 x 71 mm, qty. in pack 3 piece(s), in a carton	Box 98x98/3 SYS1 TL 498040
	for SYS 1 T-LOC box, green, boxes excl. content, for clear storage and organisation, Dimensions [L x W x H] 98 x 147 x 71 mm, qty. in pack 2 piece(s), in a carton	Box 98x147/2 SYS1 TL 498041
	for SYS 1 T-LOC box, orange, boxes excl. content, for clear storage and organisation, Dimensions [L x W x H] 49 x 245 x 71 mm, qty. in pack 2 piece(s), in a carton	Box 49x245/2 SYS1 TL 498042
	Deep-drawer insert for SYS 1 T-LOC box, insert for fixing and positioning boxes, in a carton	Box TZE-SYS 1 TL 498043

SYSTAINER T-LOC with insert for hand tools

	Type	Order no.
	SYSTAINER T-LOC items included without tools, the required tool can be found quickly since all hand tools are clearly displayed for the joiner, wooden insert, installation recommendations, systainer size SYS 4 T-LOC	SYS-HWZ 497658

SYSTAINER T-LOC SYS-MFT



	Type	Order no.
	SYSTAINER T-LOC can be connected to the entire Systainer range (except SYS-MINI), simple, compact transportation, cover with MDF board for clamping and fixing workpieces, 1x cover for label field, Dimensions [L x W x H] 396 x 296 x 105 mm, dimensions with floor stand [L x W x H] 396 x 296 x 112 mm, inner dimensions [L x W x H] 383 x 273 x 75 mm, weight 2,0 kg	SYS-MFT 500076

Hole drilling set

	Type	Order no.
	Hole drilling set for OF 900, OF 1000, OF 1010, OF 1400, for use with hole line guide rails, guide plate, centring mandrel, operation tool, hinge location cutter HM Ø 35 mm, dowel drill HW Ø 5 mm (V-shaped tip), dowel drill HM Ø 5 mm (with centring bit and pre-cutter), 2 parallel side fences with adjustable stop, 2 clamps FSZ 120, 2 longitudinal stops, in a SYSTAINER SYS 1 T-LOC	LR 32-SYS 584100

Workplace organisation

System accessories

Foam inserts for SYSTAINER	Type	Order no.
 Foam insert for SYS 1-5 T-LOC, dimpled insert (for lid), base insert and diced insert, qty. in pack 3 piece(s)	SYS-VARI SE TL	497877
 Diced foam insert set for SYS 1-5 T-LOC, diced sections can be pushed out to produce any desired aperture, qty. in pack 2 piece(s)	SYS-VARI RM TL	497878
Lids and bottoms for Systainers		
 Cover pad for SYS 1-5 T-LOC, with knobs, Dimensions (L x W x H) 355 x 245 x 30 mm	SE-DP SYS 1-5 TL	498044
for SYS MAXI, with knobs, Dimensions (L x W x H) 560 x 340 x 30 mm	SE-DP SYS-MAXI	491633
for SYS MIDI 3 TL, Dimensions (L x W x H) 472 x 247 x 30 mm	SE-DP SYS-MIDI	499617
for SYS MINI, with knobs	SE-DP SYS-MINI	491638
for SYS MINI TL, Dimensions (L x W x H) 247 x 134 x 15 mm	SE-DP SYS-MINI TL	499619
 Base pad for SYS 1-5 T-LOC, protects the content	SE-BP SYS 1-5 TL	498045
for SYS MAXI	SE-BP SYS-MAXI	491632
for SYS MIDI 3 TL, Dimensions (L x W x H) 480 x 278 x 30 mm	SE-BP SYS-MIDI	499618
Inlays and inserts for SYSTAINER		
 Multi-purpose insert for SYS MINI	TZE-UNI SYS-MINI	491634
for SYS MINI TL, Dimensions (L x W x H) 258 x 163 x 45 mm	TZE-UNI SYS MINI TL	499620
 Deep-drawer insert for SYS MINI with 6 dispositions, dimensions 72 x 68 x 40 mm	TZE-6 SYS-MINI	491635
 with 5 dispositions, dimensions 140 x 40 x 40 mm	TZE-5 SYS-MINI	491636
 with 3 dispositions, dimensions 230 x 42 x 40 mm	TZE-3 SYS-MINI	491637
 Cartridge inlay for SYS 5 T-LOC, to store cartridges, Height 130 mm, in a carton	TZE-KT SYS 5 TL	497876

Other accessories

		Type	Order no.
	Additional hand grip for carrying SYS 1 T-LOC and SYS 2 T-LOC upright	ZSG -Sys 1/2 TL / 1	497856
	Shoulder strap for CT-SYS and all SYSTAINERs T-LOC, easy transport of the CTL SYS and the SYSTAINER T-LOC, max. load 20 kg, qty. in pack 1 piece(s)	SYS-TG	500532
	Cover cover for labelling panels SYS T-LOC, protects the labelling panels on the SYSTAINER T-LOC from damage and moisture, qty. in pack 10 piece(s)	AB-BF SYS TL 55x85mm /10	497855

Plug-It accessories

		Type	Order no.
	plug it-cable		
	rubber insulated cable 240V plug it, Length 4 m	H05 RN-F/4	489421
	rubber insulated cable 240V plug it, Length 4 m, qty. in pack 3 piece(s)	H05 RN-F/4 3x	499851
	for long-reach sander PLANEX, rubber insulated cable 240V plug it, particularly suitable for use with the PLANEX LHS 225 thanks to extended cable bushing, for example for sanding work in dry construction, Length 4 m	H05 RN-F/4 EU PLANEX	499819
	rubber insulated cable 240V plug it, Length 7,5 m	H05 RN-F/7,5	489661
	rubber insulated cable 240V plug it, Length 10 m	H05 RN-F 2x1,0/10	500636
	green rubber-insulated cable, Length 4 m	H05 BQ-F/4	489662
	green rubber-insulated cable, Length 7,5 m	H05 BQ-F/7,5	489663
	plug it conversion-kit		
	For RS1, RS 1 C, DX 93, RO 150/R02, RAS 115, BF 1, PS 200/PS/2, KF 4, Length 360 mm	UBS-PUR 360 plug it 240 V	491144
	For RS 2, RS 3, RS 400/RS 4, DS 400, ES 125, OF 1000, OF 900, ATF 55, AT 65, AP 55, AP 65, EHL 65, Length 420 mm	UBS-PUR 420 plug it 240 V	491145

Like working with Festool electric power tools?
Then you will definitely like our select Festool fan products.

LEISURE



Crew neck T-Shirt men

Classic: The original Festool T-shirt.

With the green Festool logo printed on the front left. Material: 100 % cotton/made in Europe

Sizes	Order no.
S	497912
M	497913
L	497914
XL	497915
XXL	497916



Golf cap

Sports cap with embroidered Festool logo.

Curved visor with green stripes.
Width adjustment at back for optimal fit.
Material: Denim.

Size	Order no.
One size	497899

Snickers winter jacket men

Craftsman's protection against cold.

Men's winter jacket from Original Snickers Workwear. With specially tailored sleeves to support the natural working position and internal drawstring as well as a longer cut back for optimum protection against the cold. Robust external fabric with water and oil repellent waterproofing and soft quilted lining for the perfect insulation and pleasant comfort. A total of three internal pockets, two of which can be closed (1x press stud, 1x velcro fastening) and a further two breast pockets and two hip pockets with a zip fastening. Embroidered Festool logo on the breast and back. Material: 100% polyester



Sizes	Order no.
S	497902
M	497903
L	497904
XL	497905
XXL	497906

More products from our current collection can be found on:

www.festool.com



uvex

BODYSHOP



Safety goggles

Original UVEX safety goggles uvex i-vo.

Duo-Component Technology for outstanding working comfort: Soft components around sensitive areas (nose, forehead, ear) prevent pressure marks.

Size	Order no.
One size	500119

Box cutter

For the perfect cut.

Safety box cutter with automatic blade retraction when not in use. Equally suitable for left- and right-handed use. With a napped soft grip for good handling and a secure hold. Colouring: Dark blue with black grip section and Festool logo. Blade length 60 mm Blade width 18 mm Material: Metal housing

Order no.
498183



Toolie

Practical hexagon spherical head tool for almost every screwing situation

There are nine hexagon socket wrenches with MagicRing in the sturdy and ergonomically designed housing, which can be selected and folded out simply using an eject button.

Size	Order no.
12 cm long	498863



Tape measure

3 m in handy pocket size.


Practical 3 m-long tape measure showing centimetres and inches. With a fold-out needle arm to draw a circle. Dark blue, bearing the Festool logo.

Measuring length	Order no.
3 m	495415

Pencil set

Ideal for the office and workshop.

Set of four pens in a cardboard case. HB pencils for writing, drawing and sketching. Simple design with blue clear coat and green Festool logo.



Order no.
497892

Thermal cup

Insulated thermal cup with matt stainless steel finish.

Double-walled, thermo-insulated lid with sealable opening. Capacity: 0.3 l. Lasered Festool logo.

Size	Order no.
Height: 17 cm	500326



OFFICE

18 V system 247-259

A

- Abrasive sponge 141
- Abrasives
 - Brilliant 2 125, 127-129, 132-134, 136-138, 140
 - Diamant 125-126, 130, 132
 - Granat abrasive 125-127, 129, 131, 133-138, 140-141
 - Platin 2 125-127, 130, 132
 - Rubin 2 125-129, 131, 133-134, 136-139
 - Sanding cloth 125, 130, 132, 134, 141
 - Saphir 125, 128, 130, 132-133, 139
 - Titan 2 125, 126, 130, 132-133, 135
- Accessories set
 - FS-SYS/2 390
 - ZS-OF 2200/2 176
- Accessories Systainer
 - SYS ZH-SYS-PS 420 38
 - VAC SYS VT Sort 388
- AD adapter
 - BHC 18, RHP 18, CHP 18 236
 - DR 20 238
 - DRC 18/4, PDC 18/4, DR 18/4, PD 20/4, DRP 16, DRP 18, PDP 20-4 237
- Adapter hose
 - CS 50, CS 70 AB 386
- Adapter plate
 - AP-KA 65 278
- Adapter table
 - ADT-PS 420 38, 391
- Additional hand grip
 - LHS 225 117
 - SYS 1 T-LOC, SYS 2 T-LOC 401
- Additional roller 282
- Additional side-mounted hand grip
 - DRC 18/4, PDC 18/4, BHC 18 236-237
 - DSC-AG 125, DSC-AG 125 FH, DSC-AG 230 356
- Additional stop
 - DF 500 269
 - ZA-SYM 70 E 43
- Adhesive
 - KA 65 283
- Adhesive cushion strip
 - FS, FS/2 390
- AD-IAS adapter 120-121
- Aluminium composite milling machine 170, 181
- Aluminium cutter 198
- Angle adapter
 - DR 20, DRP 20 238
- Angle arm
 - OF 900, OF 1000, OF 1010, OF 1400, KF 179
- Angle stop
 - WA 41, 44-45, 216, 386, 390
- Angle table
 - WT-PS 420 38
- Anti-static suction hose 305-306
- AP-KA 65 278
- APS 163, 159
- ASA 376, 389

B

- Bag
 - Bag FS-BAG 391
 - FSK420-BAG bag 40
 - FSK670-BAG bag 40
- Balancer
 - RG 150 353
- Baluster boring machine 245
- Base pad
 - SYSTAINER 400
- Base runner
 - LA-OF 1400 175
 - LA-OF 2200 176
 - LAS-HGW-PS 420 38
 - LAS-PS 420 38
 - LAS-Soft-PS 420 38
 - LAS-STF-PS 420 38
 - LAS-St-PS 420 38
- Battery pack
 - BPC 15 2.6 Ah li-ion 234-235, 237, 239
 - BPC 15 5.2 Ah li-ion 38-39, 235
 - BPC 18 5.2 Ah li-ion 38-40, 235-237, 239
- Beam planer
 - PL 205 213, 217
 - PL 245 213, 217
- Beechwood dowel 268
- Belt sander
 - BS 105 91, 118
 - BS 75 90, 118
- Belt sander module
 - CMS-BS 92, 118
- Bench saw module
 - CMS-TS 55 R 22, 369
 - CMS-TS 75 22, 369
- Bench-mounted router
 - TF 1400, TF 2200 161, 369
- Bevel
 - SM-KS 120 42
- BHC 18 226, 236, 257
- Bi-metal saw blade, metal
 - MSB 59
- Bi-metal saw blade, universal
 - USB 59
- Bit
 - 100 mm bits 240
 - 25 mm bits 240
 - for DWC 239
- Bit holder
 - Bit box 241
 - Bit cassette 241
 - DWC 18 239
- Blade
 - SSU 200, IS 330 46
- BMS 180 105, 123
- Boom arm 312
- ASA 376, 389
- BPC 15 5.2 Ah li-ion 38-39, 235
- BPC 18 2.6 Ah Li-Ion 234-235, 237, 239
- BPC 18 5.2 Ah li-ion 38-40, 235-237, 239
- BR 10 381
- Brilliant 2 125, 127-129, 132-134, 136-138, 140

Brush machine

RUSTOFIX BMS 180 105, 123

Brush ring

DSG-AG 125 355
RG 130 354
RG 150 353

Brush segment

LHS 225 117

Brush strip

RAS 115, RAS 180 116
BS 105 91, 118
BS 75 90, 118

C

- C 15 224, 235
- C 18 224, 235, 255
- Carpentry drill stands 245
- Carpentry portable circular saw
 - HK 132 27, 41
- Carpet nozzle 311
- Carpet remover
 - TPE-RS 100 348, 357
- Carpet remover-blade 357
- Carrying harness
 - LHS 225 117
- CARVEX
 - PS 420 16, 38
 - PSB 420 16, 38
 - PSBC 420 17, 38, 252
 - PSC 420 17, 38, 252
- Ceiling suspension EAA 389
- Centering bit 244
- Centring mandrel
 - OF 900, OF 1000, OF 1010, OF 1400, OF 2200 174
- CENTROTEC 231, 234-238
 - Brad point and masonry drill bit 243
 - Forstner drill bit, ZOBO system 244
 - HSS twist drill bit 242
- Chain lubrication oil 46
- Chain mortiser
 - CM 150 171, 182
- Chamfer cutter 188
- Charger
 - MXC 234
 - TLC 3 38-40, 235-237, 239
- Chip collection bag
 - EHL 65, HL 850 216
- Chip deflector
 - OF 1400 175
 - OF 2200 176
 - OF 900, OF 1000, OF 1010 174
- Chip guard
 - OF 900, OF 1000, OF 1010 179
- Chuck
 - for CXS, TXS 234
- Circle cutter
 - KS-PS 420 38
 - KS-PS/PSB 300 38
- Circular brush RB
 - RAS 115, RAP 80 116

Circular saw blade for wood HSB 100/HCS 59	CM 150 171, 181	Cross brace MFT 3 387
Circular saw blades Fine tooth saw blade 54	CMS 368-369, 386	Cross stop DF 500, DF 700 269, 271
Flat tooth saw blade 56	CMS and Basis module tower MT 1600 CMS 118, 368	Crown stop AB-KS 42
Panther saw blade 54	CMS TS 55 R 22, 368	CS 50 31, 44
Special saw blade 56	CMS-BS 92, 118, 368	CS 70 32, 45
Standard saw blade 54	CMS-OF 160, 368	CT 17 290
Universal saw blade 54	CMS-PS 18, 368	CT 26 AC/CT 36 AC/CT 48 AC 296
Clamp KL-KS 42	CMS-TS 75 22, 368	CT 26/CT 36 294
Clamping collet MFK 700, OFK 700, OF 900, OF 1000, OF 1010, KF 174	Combination bevel FS/2 390	CT 36 AC HD 298
OF 1400, OF 2000, OF 2200 175, 176	Compact Module System 368-369, 386	CT 36 AC PLANEX 297
OFK 700, MFK 700, OF 900, OF 1000, OF 1010 180	Compound mitre saw SYMMETRIC SYM 70 30, 42	CT 48 295
Clamping device MS 57 333	Compressed air eccentric sander LEX 2 185/7 97, 119	CT 48 EC 299
Clamping elements 387	LEX 3 125 95, 119	CT 48 EC/B22 300
Clamping set SZ-KS 42	LEX 3 150 96, 119	CT accessories 318-319
Cleaning and lubricating oil LEX, LRS 120-121	LEX 3 77 94, 119	Compressed air 319
Cleaning cloth 144, 151	Compressed air hose 120-121	CT Wings 318, 375
Cleaning sets Cleaning set for industrial use 304	Compressed air orbital sander LRS 400 99, 121	CTH 26/CTH 48 301
Cleaning set for the workshop 304	LRS 93 98, 121	CTL MIDI 293
Cleaning set for tradesmen 304	Connecting – DOMINO jointing system 263	CTL MINI 292
Compact cleaning set 304	Connecting – DOMINO jointing system – Accessories and consumables 268-271	CTL SYS 291
Construction cleaning set 304	Connecting – DOMINO jointing system – Overview of products and applications 262	Cup brush, TB RAS 115, RAP 80 116
Floor cleaning set 304	Connecting piece 181, 387, 391	Curve saw blade 52
Masonry renovation cleaning set 304	CONTURO KA 65 276	Cutter chains CM 150 182
Nozzle cleaning set 304	Conversion kit TC 3000 393	Cutter D DOMINO DF 500 268
Office cleaning set 304	Copier scanning set OF 900, OF 1000, OF 1010, KF 179	Cutter spindle CMS-OF 386
Professional cleaning set 304	Copying ring OF 1400 175	Cutter tools for OFK 500 201
Standard cleaning set 304	OF 2200 176	Cutter tools for OFK 700 and MFK 700 199-200
Universal cleaning set 304	OF 900, OF 1000, OF 1010, KF 174	Cutter tools for putty router KF 5 202
CLEANTEC Anti-static suction hose 305-306	Cordless drills C 15, C 18 224, 235, 255	Cutter wheel RG 150 353
Boom arm 312	CXS, TXS 223, 234	RG 80 352
Cleaning sets 304	QUADRIVE DRC 18/4 227, 237, 258	Cutters: Overview 183
CLEANTEC accessories 318	T 15+3, T 18+3 225, 235, 256	CXS 223, 234
CLEANTEC compressed air accessories 319	Cordless drywall screwdriver DURADRIVE DWC 18 230, 239, 259	D
CT 17 290	Cordless hammer drills BHC 18 226, 236, 257	
CT 26 AC/CT 36 AC/CT 48 AC 296	Cordless impact drill QUADRIVE PDC 18/4 227, 237, 258	
CT 26/CT 36 294	Cordless pendulum jigsaws CARVEX PSC, CARVEX PSBC 420 17, 252	
CT 36 AC HD 298	Cordless plunge-cut saw TSC 55 20, 39, 253	
CT 36 AC PLANEX 297	Cordless portable circular saw HKC 55 24, 40, 254	
CT 48 295	Counterprofile cutter 196	
CT 48 EC 299	Cover ABSA-TS 55 39	
CT 48 EC/B22 300	SYS T-LOC 401	
CTH 26/CTH 48 301	Cover pad SYSTAINER 400	
CTL MIDI 293		
CTL MINI 292		
CTL SYS 291		
Filters and filter bags 313-317		
Hose sleeves 308-309		
Modules for attachment system 312		
Suction hose 307		
Tubes, floor nozzles 310-311		
Cloth 125, 130, 132, 134, 141		

Diamant cutting system	363-364	ETS EC 150	77, 112
DSC-AG 125	345, 356	Extension	
DSC-AG 125 FH	346, 356	LHS 225	117
DSC-AG 230	347, 356	MFT 3	387, 391
Diamant disc		Extension handle	357
ALL PREMIUM	356	Extension profile MFS	
ALL STANDARD	356	MFS 400, MFS 700	177
C-D STANDARD	356	Extension table	
DIA ABRASIVE	352-355	Extension table	
DIA HARD	352-355	CMS-GE GB 240V	386
DIA STONE	354-355	CS 50	44
DIA THERMO	353-355	CS 70 VB	45
DIA UNI	353-355	OF 900, OF 1000, OF 1010, KF	174
MJ PREMIUM	356	CS 70 VL	45
TL PREMIUM	356	VL	44, 386
Diamond grinders		Extension table VB-CMS/CS 50	44
RENOFIX RG 130	343, 354	Extraction adapter	
Diamond grinding system		BS 75, BS 105	118
DSG-AG 125	344, 355	HL 850	216
Disk groove cutter	194		
DIY construction kit SSH-STF-LS130 kit	115	F	
DOMINO		Facing cutters	197
Beechwood dowel	268, 270	Fastening clamp	
Beechwood dowel pin	269-270	for MFT	181, 387, 390
Cutter	268, 270	FastFix eccentric attachment	235
DF 500	264, 268-269	FastFix polishing pad PT-STF	
DF 700	265, 270-271	RO 125, RO 150	109-110
Sipo dowel pin	269	RO 90 DX	108
XL beechwood dowel assortment	271	FastFix sanding pad dia ST-STF	
DOMINO joining machine		RO 125, RO 150	109, 111
DOMINO DF 500	264, 268-269	RO 90 DX	108
DOMINO XL DF 700	265, 270-271	Feather key	
DOSH adapter	390	WCR 1000, UCR 1000	392
Dovetail cutters	192	Feeler roller for aluminium composite	
Dovetail joint template		milling machine	181
OF 1010, OF 1400	178	Filter	313-317
Dowel drill bit	178	Filter elements	313
Dowel/Through-hole drill bit	195	Wet filter	313
DR 18/4	228, 237	Filter bags	314-317
DR 20	229, 238	Disposal bag	314, 317
DRC 18/4	227, 237, 258	Longlife filter bags	315
DR-DCC rubber seal	356	Safety filter bag	314
Drill		SELFCLEAN	292
QUADRILL DR 18/4	228, 237	Fine adjuster for guide stop	
QUADRILL DR 20	229, 238	OF 900, OF 1000, OF 1010, KF	174
Drill bit for wood	243	Fine adjuster for parallel side fence	
Drill bit with depth stop	244	OF 900, OF 1000, OF 1010, KF	174
Drilling and screwdriving: Accessories		Fine cut saw blade	50
and consumables	234-245	Fine tooth saw blade	54
Drilling and screwdriving: Overview		Finish cleaner	144
of products and applications	220-222	Flat sanding pad SSH-STF-LS130	
Drilling cutter	191	LS 130	115
Drilling dust nozzle		Flat tooth saw blade	56
BHC 18, PDC 18, PD 20, CT, CTL, CTM	236	Flexible sanding pad ST-D115	116
Drywall screwdriver	230, 239, 259	Floor guide	
Drywall screws	245	RG 150	353
DSC-AG 125	345, 356	Floor nozzles	310
DSC-AG 125 FH	346, 356	Flush trim cutter	190, 191
DSC-AG 230	347, 356	Flute cutter	189
DSG-AG 125	344, 355	Flute profile sanding pad	
DTS 400	84, 114	LS 130	115

Foam inserts	
SYSTAINER	400
Foldaway legs	
CS 50 KB	44
Foot valve VAC SYS	388
Forstner drill bit	244
FS 1400/2	179
FS 2424/2	179
FS/2	372-373, 390-391
FSK 250	26, 40
FSK 420	26, 40
FSK 670	26, 40
FSK cross cutting guide rail	
FSK 250	26, 40
FSK 420	26, 40
FSK 670	26, 40
G	
Geared chuck	
DR 20, DRP 20	238
Geared eccentric sander	
ROTEX RO 125	72, 109
ROTEX RO 150	73, 110
ROTEX RO 90 DX	71, 108
GECKO	168, 374, 390
GECKO dual suction pad	181, 374, 390
GP-MFT 3 guide	283
Granat	125-127, 129, 131, 133-138, 140-141
Groove cutter	177, 184-185
Guide control black powder	120
Guide frame	182
Guide plate	
OF 900, OF 1000, OF 1010, OF 1400	179
Guide rail	
FS 1400/2	179
FS 2424/2	179
FS/2	372-373, 390-391
HK 132, CSP 85/60, CSP 132, CSP 165,	
CCP 380, NRP 90	41
Guide rail adapter	
FS-PS/PSB 300	38, 391
OF 1400	175
OF 2200	176
Guide table	
RG 130	354
H	
Half-round cutters	187
Hand abrasives	
Granat	140-141
Sanding cloth	141
Handle	
CT 11/22/33/44/55, CT 26/36, CT 48	318
Handrail cutter	198
Handrail fence	
DF 500, DF 700	269, 271
Hand-sanding block HSK	123
Hard fibre base runner	
OF 900, OF 1000, OF 1010, KF	174
J	
Jigsaw blades	
Curve saw blade	52
Fine cut saw blade	50
Insulating material saw blade	52
Metal saw blade	52
Plastic saw blade	52
Special saw blade	52
Special wood saw blade	50
Universal saw blade	50
Jigsaw module	
CMS-PS	18
Jointing system	
VS 600 GE	164, 178
K	
KA 65	276, 282-283
KAL II	362
KAPEX KS 120	29, 42
KAPEX KS 88	28, 42
Keyless chuck	
FastFix	235, 237
Kickback stop	
FS-RSP	39-40, 390
KP 65/2	277
KS 120	29, 42
KS 88	28, 42
L	
Lever clamp	
MFT	181, 387, 390
LEX-2	
LEX 2 185/7	97, 119
LEX-3	
LEX 3 125	95, 119
LEX 3 150	96, 119
LEX 3 77	94, 119
LHS 225	89, 117
Lighting: Overview of products	
and applications	360
Lighting: System accessories	364
Linear sander	
DUPLEX LS 130	86, 115
Locking slider	
CT AC, CT 36 AC PLANEX	318
Long-reach sander	
PLANEX LHS 225	89, 117
LP-KA65 perforated board	283
LR 32	165, 179
LRS 400	99, 121
LRS 93	98, 121
LS 130	86, 115
LSS-STF-R090 sanding pad	108
M	
MA KAL magnetic spherical head	364
Magazine attachment	
DWC, DWP	239
Manual sanding	123
Masonry drill	243
MAXI-SYSTAINER	394
Metal saw blade	52
MFH 1000	379, 392
MFK 700	169, 180
MFS	
MFS 400	162
MFS 700	162
MFT	
MFT 3	370, 387
MFT 3 CONTURO	279
Microfibre cloth	144
MIDI-SYSTAINER T-LOC	394
Milling set	27, 41
MINI-SYSTAINER T-LOC	394

Mitre tongue and groove cutter	193	Oscillator saw blades	
Mobile dust extractor		Bi-metal saw blade for metal	59
CLEANTEC CT 17	290	Circular saw blade for wood	59
CLEANTEC CT 26 AC/CT 36 AC/CT 48 AC ..	296	HSS saw blade, offset	59
CLEANTEC CT 26/CT 36	294	Saw blade for wood	59
CLEANTEC CT 36 AC HD	298	Universal bi-metal saw blade for plunge cuts	59
CLEANTEC CT 36 AC PLANEX	297	Oscillator special blade	59
CLEANTEC CT 48	295	Ovolo edge cutter	187
CLEANTEC CT 48 EC	299		
CLEANTEC CT 48 EC/B22	300	P	
CLEANTEC CTH 26/CTH 48	301	Paint gun holder	
CLEANTEC CTL MIDI	293	WCR 1000, UCR 1000	392
CLEANTEC CTL MINI	292	Panther saw blade	54
SYSTAINER extractor CTL SYS	291	Parallel side fence	
Module edge router		FS/2	391
MFK 700	169, 180	HK 132	41
Module mounting		PA HKC 55	40
CMS-OF	160, 368	PA-A-HK 85	40
CMS-PS	18, 368	PA-EHL, PA-HL	216
CMS-TS	22, 368	PA-HK 85	40
Modules		PA-PS/PSB 300	38
CTL/CTM/CTH 26/36/48	312	PA-TS 55	39
Multifunction stool		PA-TS 75	39
MFH 1000	379, 392	SSU 200, IS 330	46
Multifunction table		PD 20/4	228, 237
MFT 3	370, 387	PDC 18/4	227, 237, 258
MFT 3 CONTURO	279	Pegboard hook	
MFT KAPEX	42	WCR 1000, UCR 1000, MFH 1000	392
Multi-profile cutter	195	Pendulum jigsaws	
Multi-routing template		CARVEX PS 420	16, 38
MFS	162	CARVEX PSB 420	16, 38
MX 1000, MX 1000/2, MX 1200	325	CARVEX PSBC 420	14, 38
MX 1200/2, MX 1600/2	326	CARVEX PSC 420	14, 38
MX 1600/2 DUO	327	TRION PS 300	15, 38
N		TRION PSB 300	15, 38
Natural oil	151	PF 1200	170, 181
O		PL 205	213, 217
OF 1010	156, 159, 174, 181	PL 245	213, 217
OF 1400	157, 159, 175	Planer	209
OF 2200	157, 159, 176	HL 850	211, 216
OF-FH 2200	166	Planer head	
OFK 500	167, 180, 182	EHL 65, HL 850	212, 216
OFK 700	168, 180	PLANEX	
Oil dispenser		LHS 225	89, 117
SURFIX OS	104, 151	Planing set	27, 41
Oil sponge	151	Planing: Accessories and consumables	216-217
One-handed planer		Planing: Overview of products	
EHL 65 EQ	210, 216	and applications	208
ORBITAL SANDER		Plasterboard V-groove cutter	198
RS 100	80, 113	Plastic containers	
RS 200	81, 113	SYS storage box, SYS 1 BOX	399
RS 300	82, 113	Plastic saw blade	52
RTS 400	83, 114	Platin 2	125-127, 130, 132
OS 400	35, 58	Plug-it accessories	401
Oscillator		Plug-it cable	117, 401
VECTURO OS 400	35, 58	Plunge-cut saw	
Oscillator filler	59	TS 55 R	19, 38
		TS 75	21, 38, 368
		TSC 55	20, 38, 368
		Q	
		QUADRILL	
		DR 18/4	228, 237
		DR 20	229, 238
		QUADRIVE	
		DRC 18/4, PDC 18/4	227, 237, 258
		Quick-action clamp	390

R

- Radius profile sanding pad
LS 130 115
RAP 150 102, 142-143
RAP 80 101, 142-143
RAS 115 87, 116
RAS 180 88, 116
Rebate depth stop 216
Rebate profile sanding pad
SSH-STF-LS130-90 GR
LS 130 115
Rebating cutters 191
Rebating head 386
Recessed grip/Hand rail cutter 192
Rechargeable torch
SYSLITE UNI 361
Reducing ring
MS 57 333
RENOFIX
RG 80 341, 352
RG 130 343, 354
RG 150 342, 353
Renovation router
RENOFIX RG 150 342, 353
RENOFIX RG 80 341, 352
Repair compound
SSP 59
Replacement roller
TP 220 357
Reversible blade 40, 386
Reversible blade groove cutter 177, 186
Reversible blade rebating cutter 191
Reversible cutter blade 41, 217
RG 80 341, 352
RG 130 343, 354
RG 150 342, 353
RO 125 72, 93, 124
RO 150 73, 94, 124
RO 90 DX 71, 92, 124
Rod
OF 2200 176
Roller stand
RB 44, 45, 386
Roman ogee cutter 195
Rotary polisher
POLLUX 180 103, 142-143
RAP 80 101, 142-143
SHINEX RAP 150 102, 142-143
Rotary sander
RAS 115 87, 116
RAS 180 88, 116
ROTEX
RO 125 72, 109, 124
RO 150 73, 110, 124
RO 90 DX 71, 108, 124
Roundover cutter 187
Roundover/Chamfer cutter 188
Router
OF 1010 156, 159, 174, 181
OF 1400 157, 159, 175
OF 2200 157, 159, 176

S


- Router carriage
MFS 400, MFS 700 177
Router table
MFK 700 180
Routing aid
OF 900, OF 1000, OF 1010, OF 1400, OF 2000,
OF 2200 179
Routing aid OF-FH 2200 175-176
Routing guard 386
Routing template
OF 1010, OF 1400, OF 2200 177
Routing: Accessories and consumables 174-205
Routing: Overview of products
and applications 154-155
Row of holes drilling set
OF 900, OF 1000, OF 1010, OF 1400 179, 399
Row of holes set
OF 900, OF 1000, OF 1010, OF 1400 179
Row of holes system
LR 32 165, 179
RS 100 80, 113
RS 200 81, 113
RS 300 82, 113
RTS 400 83, 114
Rubber battery pack frame
BPC 15, BPC 18 235-237, 239
Rubin 2 125-129, 131, 133-134, 136-139
RUSTOFIX
BMS 180 105, 123
- S**
- Sanding base
BS 75, BS 105 118
Sanding block HSK 123, 282
Sanding cloth STF 151
Sanding frame
BS 75, BS 105 118
Sanding pad SSH-GE-STF-R090 DX 108
Sanding pad StickFix ST-STF, SSH-STF
LRS 93, LRS 400, RS 300, RS 3 121
RO 90 DX 108
RS 100, R 200, RS 300, RS 1, RS 2, RS 3,
LRS 93 113
RTS 400, RS 400, DS 400, DX 93 114
Sanding pad ST-STF
ETS 125, ETS EC 125 111
ETS 150, LEX 150, WTS 150/7 112
LEX 3 77, LEX 3 125, LEX 3 150, LEX 2 185 119
LHS 225 117
RAS 115, RAS 180 115
Sandpaper holder 389
Saphir 125, 128, 130, 132-133, 139
Saw blade holder
SGA 44, 386
Saw blades
for circular saws 54-57
for jigsaws 50-53
for oscillators 59
Overview 48-49
Saw chain
SSU 200, IS 330 46
- Sawing and Oscillating: Accessories 37-59
Sawing and Oscillating: Overview of products
and applications 8-14
Scraper 283
Scraper SSH
LS 130 115
Scratch protector 282
Script cutter 193
Sealant 144
Self-adhesive sanding disc 140, 145
Service unit
TC 2000, TC 3000 393
Shelf
WCR 1000, UCR 1000 392
SHINEX
RAP 150 102, 142-143
Shoulder strap 318, 401
Side stop
LR 32 179
MFK 700 180
OF 1400 175
OF 2200 176
OF 900, OF 1000, OF 1010, KF 174
Sipo dowel 269
Site radio
SYSROCK BR 10 381
RS 300, RS 3, LRS 93 113
Slat sanding pad
LS 130 115
RTS 400, DTS 400, DX 93 114
Slideway lining
FS/2 390
Sliding compound mitre saw
KAPEX KS 120 29, 42
KAPEX KS 88 28, 42
Sliding table
CS 70 ST 45, 386
ST 44
Slot joint template 178
Socket
EAA 389
SORTAINER 395
Spare felt
KA 65 282
PS 420 38
Special blade
SSB 32 59
Special nozzles/brushes 311-312
Special saw blade 52, 56
Special saw blade for wood 50
Specialised cutters for mineral
materials 203-205
Basin cutter 205
Chamfer cutter 204
Flush trim cutter 204
Reversible blade flush trim cutter 203
Reversible blade groove cutter 203
Roundover cutter 205
Spiral groove cutter 203
Spiral blade
EHL 65, HL 850 216
Spiral groove cutter 178, 185


Splinter guard	381	Trim stop	269, 271
CS 50 SP/10	44	DF 500, DF 700	269, 271
CS 70 SP/10	45	Trimming attachment	
FS-SP	390	CS 70 KA	44-45
SP-PS/PSB 300/20	38	KA-KS-L	42
SP-PS/PSB 300/5	38	KA-KS-R	42
SP-TS 55 R/5	39	KA-UG-L	42
SP-TS 55/5	39	KA-UG-R	42
Spot sander	145	Trimming machine KP 65/2	277
Spray sealant	144	Trimming saw	
SSH-STF-V93x266/14 StickFix		Trimming saw	
delta sanding pad	113, 121	KAPEX KS 120	29, 42
SSU 200	33, 46	KAPEX KS 88	28, 42
ST DUO stand	364	PRECISIO CS 50	31, 44
Standard saw blade	54	PRECISIO CS 70	32, 45
Stationary unit SE		TRION PS 300	15, 38
BS 75, BS 105	118	TRION PSB 300	15, 38
Stepped cutters	187	TS 55 R	19, 38, 368
Stirrer stand	333	TS 75	21, 38, 368
Stirrers		TSC 55	20, 39, 253
MX 1000, MX 1000/2, MX 1200	325	T-slot cutter	195
MX 1200/2, MX 1600/2	326	Tubes	310
MX 1600/2 DUO	327	Turbo filter bag TF	
Stirring rods		RS 300, R 3, RS 200, R2, ETS 150, ES 150,	
Disk stirrer, round stirrer, helical stirrer,		ET 2	112-113
whisk	330-332	RS 400, RTS 400, DS 400, DTS 400, ES 125,	
Stirring: Accessories and Consumables	328-333	ETS 125	111, 114
Stirring: Overview of products		Turning plate chamfer/edge-trimming	
and applications	322-323	cutter	188
Stop tab		Turning plate flush trim cutter	190
KA-AR	42	Twist drill bits	242
OF 900, OF 1000, OF 1010, OF 1400	179	TXS	223, 234
WA-AR	44-45, 386		
Stopper	391	U	
BS 75, BS 105	118	UCR 1000	379, 392
CS 50, CMS-GE	386	Underframe	
CS 70 LA	45	UG-KAPEX	42
LA-CS 50/CMS	44	UG-KA-Set	42
LR 32	179	UNIVERS	
Suction hose	307	SSU 200	33, 46
Support		Universal saw blade	50, 54
AF	44, 386	Universalcenter	
AFB	176	UCR 1000	379, 392
Surface treatment: Accessories	107-151		
Surface treatment: Overview of products		V	
and applications	62-70	VAC SYS	371, 388
SURFIX	100	VAC SYS adapter	387-388
OS	104, 151	Vacuum clamping nozzle	
SW socket wrench	237	CT WINGS	318, 375
Switch cover		Vacuum clamping system	
SAB	45	VAC SYS	371, 388
Sword saw	47	Vacuum hose	388
IS 330	34, 46	Vacuum pad VAC SYS	388
UNIVERS SSU 200	33, 46	Vacuum pump VAC SYS	388
SYM 70	30, 43	VECTURO	
SYMMETRIC SYM 70	30, 43	OS 400	35, 58
SYS-Cart	383, 396	V-groove cutter	181, 193
SYSLITE DUO	363-364	V-groove profile sanding pad	
SYSLITE KAL II	362, 364	LS 130	115
SYSLITE UNI	361	VS 600	164, 178
SYS-Port	383		

W

- Wallpaper perforator
TP 220..... 349, 357
- Water gutter cutter 189
- WCR 1000..... 378, 392
- Wood saw blade
HSB..... 58
- Work light
SYSLITE KAL II 362, 364
- Workcenter
WCR 1000..... 378, 392
- Working spotlight
SYSLITE DUO..... 363-364
- Workplace organisation 367-401
- Workplace organisation: Accessories
and consumables 384-401
- Worktop template
APS..... 163, 177
- WTS 150..... 78, 112

Notes





General notes on the catalogue:

1. Please remember to fit appropriate protective devices or wear personal protective equipment when using Festool products such as compressed air and electric power tools with accessories and consumable materials or when machining hazardous materials. For further information, please refer to the relevant safety documentation or consult the relevant regulating authority if you have questions.
2. Machine specifications included in the catalogue, such as quantity specifications, time savings, coverage capacities, etc., are average values and may deviate significantly, depending on the material being processed. The manufacturer does not guarantee that the values will be achieved in each individual case. Your Festool specialist dealer will be glad to answer any queries you may have concerning this matter.
3. All trade mark rights, patent rights and other commercial rights mentioned in this catalogue remain the property of the relevant beneficiary, even in cases where this is not explicitly stated. The use of brand names, trade names, trade marks, etc. in this catalogue [even if not identified as such] does not render these names exempt from trade mark protection and does not therefore authorise anyone to use them.
4. We reserve the right to make modifications, especially to technical data or specifications, without prior notification. Individual features may vary in accordance with country-specific conditions.
5. Products may differ from those pictured and the images may at times present components or parts that are not included with the products. If you have any questions, please contact your Festool dealer.
6. Safety: All electric and compressed air tools listed in this catalogue conform to all valid and applicable IEC or EN safety standards, depending upon the type of tool (IEC/EN 61 029, IEC/EN 60 745, IEC/EN 60 335, EN ISO 11 148, IEC/CISPR/EN 55 014, IEC/EN 61 000).
7. CE conformity: All electric power tools and compressed air tools listed in this catalogue comply with the conditions specified in applicable EU directives (Machine Directive 2006/42/EC, Low Voltage Directive 2006/95/EC, EMC Directive 2004/108/EC, RoHS guideline 2011/65/EU).
8. ISO certification: all the electric power tools and compressed air tools listed in this catalogue are manufactured in production plants that are ISO 9001 certified.
9. Insulation: The electric power tools listed in this catalogue are fully insulated in accordance with regulations.
10. The machine weights specified in the catalogue usually refer to the weight of a machine ready for use and with a standard tool attached, but without a cable, accessories or consumable materials. Please remember that specified weights may deviate from the specifications detailed in the catalogue, depending on the tool, battery pack, accessories or other additional parts.

Festool worldwide

 Kazakhstan <p>Voronin I.V. Mikrorayon Aksay 3 a, dom 80 050031 Almaty Tel. 007 727 242 94 55 ritm@ritm.asia www.ritm.ltd.kz</p>	 Luxembourg <p>Tooltechnic Systems (Belgium) N.V./S.A. Agent Festool Rue Colonel Bourgstraat 101 1030 Brussel Tel. 0032 2 702 32 38 Fax 0032 2 726 98 81 info-be@festool.com www.festool.be</p>	 Norway <p>MOTEK AS Alf Bjørkesvei 22 B BOX 81 Oekern 0508 Oslo Tel. 0047 23 05 25 00 Fax 0047 22 64 00 63 odd-arve.rygh@motek.no www.motek.no</p>	 Portugal <p>Tooltechnic Systems Unipessoal, Lda Zona Industrial Pau Queimado E.N. 5, Armação 25 2870-500 Montijo Tel. 0034 932 643 030 Fax 0034 932 643 031 info-pt@ts-company.com www.festool.pt</p>
 Qatar <p>Equipment plus sarl Mkales street 41 Beirut Tel. 00961 16 92 136 Fax 00961 99 25 993 info@equipment-plus.com www.equipment-plus.com</p>	 Malta <p>PIOVE HOLDINGS Ltd. Triq id-Dielja 43 5200 Qormi QRM 04 Tel. 00356 21 44 67 98 Fax 00356 21 44 44 76 piove@usa.net www.cctechnikmalta.com</p>	 Austria <p>Festool Österreich GmbH Schloss Glanegg 2 5082 Grödig Tel. 0043 (0)810/95 53 14 Fax 0043 (0)810/95 53 12 vertrieb-at@festool.com www.festool.at</p>	 Romania <p>Tooltechnic System Kft. Győmrői út 150. V-3 épület 1103 Budapest Tel. 0036 12 97 13 50 Fax 0036 12 97 13 59 info@festool.hu www.festool.ro</p>
 Columbia <p>Ferreteria Al-Díaz Cra. 50 No. 71C-31 Bogotá, D.C. Tel. 0057 1 660 0083 Fax 0057 231 4350 gerencia@ferrealdiaz.com www.ferrealdiaz.com</p>	 Macedonia <p>Rosa Dooel st. Kacanicki Pat bb. 1000 Skopje Tel. 00389 022 602 092 Fax 00389 022 602 093 info@rosa.com.mk www.rosa.com.mk</p>	 Panama <p>Formica Distribution Center, S.A. City of Panama, Panama, street 85, Urb. Ind. Los Angeles 0832-2532 WTC PANAMA Tel. 00507 260 5503 Fax 00507 260 1440 grettel.amores@bacosa.com</p>	 Russia <p>TTS Tooltechnic Systems 000 Russia, Moscow region Noginsk district, 142400 Noginsk Noginsk-Technopark area, 13 Tel. 007 49 57 75 83 54 Fax 007 49 56 41 23 72 info@festool.ru www.festool.ru</p>
 Croatia <p>LAGO d.o.o. Horvati 112 10436 Rakov Potok Tel. 00385 1 653 93 92 Fax 00385 1 653 93 93 info@alago.hr www.alago.hr</p>	 Moldova <p>UAB „TTS Tooltechnic Systems“ Ašigalia g. 6 LT-49142, Kaunas, Lithuania Tel. 00370 37 308 414 Fax 00370 37 323 848 info@tts-company.lt www.tts-company.lt</p>	 Paraguay <p>Renpar S.A. Juan Leopoldo N° 1879 c/ Pedro Peña 2160 San Lorenzo Tel. 00595 21 51 13 29 Fax 00595 21 51 13 29 nlopes@renpar.com.py www.festool.com</p>	 Saudi Arabia <p>Equipment plus sarl Mkales street 41 Beirut Libanon Tel. 00961 1 692136 bejaniziad@equipment-plus.com www.equipment-plus.com</p>
 Latvia <p>UAB „TTS Tooltechnic Systems“ Ašigalia g. 6 LT-49142, Kaunas, Lithuania Tel. 00370 37 308 414 Fax 00370 37 323 848 info@tts-company.lt www.festool.lv</p>	 Mexico <p>Etapel, S.A. de C.V. California No. 167 Col. Parque San Andrés D.F. 04040 Mexico Tel. 0052 55 56 89 50 55 Fax 0052 55 56 89 99 11 mfbrandes@etapel.com.mx www.etapel.com</p>	 Peru <p>EURO TOOLS MASCHINEN E.I.R.L. Costa Rica N° 513 J. Hunter, Arequipa Tel. 0054 959 26 03 46 Fax. 0054 61 99 67 euroimportacion@hotmail.com www.euro-importacion.com</p>	 Sweden <p>Festool Sverige AB Stenåldersgatan 3 213 76 Malmö Tel. 0046 40 670 10 00 Fax 0046 40 670 10 39 info-se@festool.com www.festool.se</p>
 Lebanon <p>Equipment plus sarl Mkales Street 41 Beirut, Lebanon Tel. 00961 1 692136 Mobile 00961 71 861234 info@equipment-plus.com www.equipment-plus.com</p>	 New Zealand <p>Hindin Marquig Ltd. 1012 Great South Road 1061 Penrose - Auckland Tel. 0064 9 9131661 hamish@hml.co.nz</p>	 Philippines <p>HAFELE PHILIPPINES INCORPORATED Levi Mariano Avenue Barangay Ususan, Taguig City 1638 Metro Manila Tel. 0063 (2) 571 3678 Fax 0063 (2) 571 3693 stefan.wolf@hafele.com.ph</p>	 Switzerland <p>Festool Schweiz AG Moosmattstr. 24 8953 Dietikon Tel. 0041 44 744 27 27 Fax 0041 44 744 27 28 info-ch@festool.com www.festool.ch</p>
 Lithuania <p>UAB „TTS Tooltechnic Systems“ Ašigalia g. 6 LT-49142, Kaunas, Lithuania Tel. 00370 37 308 414 Fax 00370 37 323 848 info@tts-company.lt www.festool.lt</p>	 The Netherlands <p>Festool Nederland B.V. Coenecoop 2 G 2741 PG Waddinxveen Tel. 0031 18 26 21 942 Fax 0031 18 26 21 949 info-nl@festool.com www.festool.nl</p>	 Poland <p>Festool Polska Sp. z o.o. Sokółów, ul. Sokólska 47a 05-806 Komorów Tel. 0048 22 122 74 00 Fax 0048 22 122 74 01 info-pl@festool.com www.festool.pl</p>	 Serbia <p>MAKSAL LINE D.O.O. Pavla Pavlovica 11 11000 BEograd Tel. 00381 64 127 7581 maksal.bg@gmail.com www.maksal-line.rs</p>



Slovakia

Festool CZ s.r.o.
Chelčického 1932
CZ - 470 37 Česká Lípa
Tel. 00420 48 16 45 162
Fax 00420 48 16 45 163
festool.info@festool.com
www.festool.cz



Thailand

Häfele (Thailand) Ltd.
57 Soi Sukhumvit 64
Bangjak Prakanong
10260 Bangkok
Tel. 0066 27 41 71 71
Fax 0066 27 41 72 72
festool@hafele.co.th
www.hafele.com/th/en



Venezuela

Materiales Manzanillo c. a
Juan Bautista arismendi
001 Porlamar, Isla de Margarita
Tel. 0058 295 2744 401
Fax 0058 295 2744 783
Jou37@hotmail.com



Slovenia

MAJO D.O.O.
Goričica pri Ihanu 2
1230 Domžale
Tel. 00386-17 248 216
Fax 00386-17 241 107
majoo.doo@siol.net
www.majo.si



Czech Republic

Festool CZ s.r.o.
Chelčického 1932
CZ - 470 37 Česká Lípa
Tel. 00420 48 16 45 162
Fax 00420 48 16 45 163
festool.info@festool.com
www.festool.cz



United Arab Emirates

POLIMAR
Unit D-8 Sharjah Furniture Complex
Al Wahda Street
P.O. Box 433 Sharjah
Tel. 00971 65 33 41 47
Fax 00971 65 33 00 09
polimar@emirates.net.ae
www.polimar.com



Spain

Tooltechnic Systems, S.L.U.
Paseo de la Zona Franca 69-73
08038 Barcelona
Tel. 0034 93 26 43 030
Fax 0034 93 26 43 031
info-es@festool.com
www.festool.es



Turkey

GEDORE EL ALETLERİ SAN. veTİC. LTD. ŞTİ.
Birlik Org. San. Bölgesi Tem Yan Yolu
1. Cad. 4. Sok. No:1
34953 Aydını-Tuzla / İstanbul
Tel. +90 216 395 32 00
Fax +90 216 395 32 03
info@gedore.com.tr
www.festool.com.tr



Belarus

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.festool.by



South Africa

Vermont Sales (Pty) Ltd
No. 8 Suni Avenue
Corporate Park South
Old Pretoria Road, Randjespark
Midrand, South Africa
Tel. 0027 (0)11 314 7711
Fax 0027 (0)11 314 0495
orders@vermontsales.co.za
www.festool-powertools.co.za



Ukraine

UAB „TTS Tooltechnic Systems“
Ašigalio g. 6
LT-49142, Kaunas, Lietuva
Tel. 00370 37 308 414
Fax 00370 37 323 848
info@tts-company.lt
www.festool.ua



Cyprus

K and S Industrial Supplies Ltd.
31 Vasilissis Freiderikis Road
P.O. Box 27147
1642 - Nicosia
Tel. 00357 22 67 46 64
Fax 00357 22 67 22 40
seraphim@cytanet.com.cy
www.festool.com



South Korea

URO Corporation
52-20 Ogum-dong, Songpa-Gu
138-857 Seoul
Tel. 0082 24 03 80 11
Fax 0082 24 48 95 11
shin@uro.kr
www.uro.kr



Hungary

Tooltechnic System Kft.
Gyömrői út 150. V-3 épület
1103 Budapest
Tel. 0036 12 97 13 50
Fax 0036 12 97 13 59
info@festool.hu
www.festool.hu



Sri Lanka

Hafele India Pvt. Ltd.
Sri Lanka Branch
885 ETHUL KOTTE ROAD
ETHUL KOTTE
Sri JAYAWARDENAPURA
Tel. 0094 112 889 882
Fax 0094 11 7537 701
srilanka@hafeleinida.com



Uruguay

Luganer S.A.
Democracia 2090
Montevideo 11800
Tel. 00598 24 01 76 08
Fax 00598 24 01 76 08
centrodeeventos@luganer.com.uy
www.luganer.com.uy



Taiwan

Bestor Trading Corp.
No.12, Chung-Yang Lane
Kuang-Fu Village Shetou
Hsiang Chang-Hua Hsien
Tel. 00886 48 72 66 97
Fax 00886 48 72 52 09
bestor.steven@msa.hinet.net
www.bestor.com.tw



USA

Tooltechnic Systems, LLC
400 N. Enterprise Blvd
Lebanon, IN 46052
Tel. 001 88 83 37 86 00
Fax 001 76 54 83 09 03
sales@festoolusa.com
www.festoolusa.com

FESTOOL

Tools for the toughest demands

**Festool GmbH
Export Department**

Wertstrasse 20
D-73240 Wendlingen
Phone +49 (0)70 24/804-20640
Fax +49 (0)70 24/804-20724
E-mail Roland.Eiberger@festool.com

UAB „TTS Tooltechnic Systems“

Ašigalio g. 6
LT-49142 Kaunas
Lietuva
Telefonas: +370 37 321316
Faksas: +370 37 323848
El. paštas: info@tts-company.lt

www.festool.com

Festool catalogue 2016

Date: 01/2016, replaces all previous catalogues.

Subject to alterations and errors. Products may differ from those pictured.

Art. no. 065 245 IMP/en



4 0 1 4 5 4 9 2 6 6 8 1 6

Product performance features



Antistatic function

Mobile dust extractors and tools with the antistatic function to prevent static charge from accumulating when working.



Dual-line laser

Two laser lines for simple, precision positioning along the scribe mark from the left or right.



Torque shut-off

Intelligent technology ensures the optimum screwdriving force for every material.



Jigsaw with precision guidance

Long-wearing carbide jaws guide the saw blade directly over the cutting location. For precise work results.



AUTOCLEAN

AUTOCLEAN automatic main filter cleaning system with infinitely adjustable cleaning intervals.



FlowDetect

Health protection: The flow sensor checks for a minimum air speed of 20 m/sec and issues a warning if the air speed falls below this value.



Spir-O-Cut

single-edged planer head offers crucial advantages: No need to adjust cutting circle diameter after blade replacement, and oblique shearing for high surface quality



MMC electronics

"Multi Material Control" power electronics with constant adjustable speed and temperature monitor for work on all types of material.



MMC digital electronics

Processor controlled "Multi Material Control" power electronics provide adjustable and constant speeds as well as temperature monitoring for work on all types of material.



PoliStick

Fast fixing concept for attaching polishing felt, polishing sponges or sheepskins – for greater efficiency.



Electronic

Speed control for adjusting to all types of materials.



IAS 3 system

Hose system incorporates compressed air, dust extraction and exhaust air.



MPE sanding pad

Sanding pads and sanding discs made from extremely durable materials for long service life.



Standard connection

Built-in connector for dust extraction



IAS 3 SD

For connecting a Festool compressed air sander directly to a compressed air line (without dust extraction).



EC-TEC

The EC-TEC drive concept generates an extraordinary amount of power while consuming extremely low amounts of energy.



StickFix

Quick, economical fastening system for abrasives – no adhesives, no clamping.



IAS 3 light

Dust extraction, compressed air with external exhaust air dissipation.



Lithium ion

Fitted with high-performance lithium ion battery pack.



Jetstream principle.

The 9-hole principle for reduced dust accumulation, less heat and less clogging. Up to a 30% longer service life.



Forward/Reverse rotation

For screwing and unscrewing screws.



SDS-plus

Tool holder for quick tool changes.



MULTI-JETSTREAM principle

Sanding system with integral dust conveying concept. With the patented MULTI-JETSTREAM principle.



High torque

Tool with high torque.



Protector

Protects the sanding pad and material when working close to edges.



Impact stop

Allows manual deactivation of the impact function when drilling into wood or brittle materials.



Electronic monitoring

Electronic monitoring of the coil temperature protects against damage to the motor.



Splinter guard

Patented splinterguard for splinter-free cuts on both sides when sawing.



Safety sliding clutch

Mechanical sliding clutch provides protection if the tool suddenly seizes or tilts.



Start/stop function

AUTO mode, also without having to press the main switch.



Guide system

Patented guide system for safe guidance of saws and router bits.



Quick-acting brake

For safe work when planing, sawing and routing.



ErgoFix adapter

For holding a M14 stirring rod.



Cross cutting guide rail

Compound mitre saw system which securely joins machine and cross cutting guide rails together for precisely accurate repeat cuts.



FastFix

Makes changing routing, sawing, planing, sanding, drilling and screwdriving tools easier.



Starting current limiter

Simple start for household fuses.



plug it

Removable, replaceable mains cable with safety lock for quick conversion.



Dust extraction

Standard connector (27/36/50 mm) for dust extraction to safeguard the operator and the environment.



Electronic overload protection

Protects the motor with blocking tool.



Vibration stop.

Patented VS balancing so that tools run smoothly during sanding, which makes working less hazardous.



Groove in saw table

Lever clamps on the saw table fix the workpiece securely and prevent it from shifting accidentally.



Electro-dynamic run-down brake



Turbo dust extraction

Turbo dust extraction ensures clean, dust-free air and a clear view of the workpiece.



Bluetooth interface



Hands-free function

Product identification key

Product type	Performance class	Equipment variants	Packed in a SYSTAINER	Also included in delivery
RO	150	FEQ	Plus	/ Set

Pad Ø, container
volume, etc.

F Tool change system
E Electronic
CE CENTROTEC
Q Plug it
SG Hose garage
EW Electric tool
DW Compressed air tool
LE Compressed air variant

Extensive range of
accessories included
with the product

In self-service display pack Accessory is positioned in the retailer for self-operation