

- **EN** For pricing and availability in your local country please visit one of the below links:
- **DE** Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:
- FR Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

<u>70396</u>

EN

This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR

Cette fiche technique est présentée par le fabricant

Specialty Tools





SPECIALTY TOOLS Measure 'N Mark/Plumb Bobs



The New "Measure 'N Mark" is a pocket pen with a 3 foot removable tape measure. A handy little pen tool for those on the go. A Plumb Bob is a pointed, tapered brass or steel weight which is suspended from a cord for determining the vertical or plumb line to a point on the ground. General's Plumb Bobs are available in a wide range of sizes and conform to government specifications.





12 oz.

4-1/2" (114mm)

1" (25mm)

42618 5

790-12





General's Pin Vises are useful for securely holding small stock, taps, drills, reamers, scribers, wire, files and other tools. The tool steel collets are hardened **SPECIALTY TOOLS** Pin Vises

and grip firmly when the screw chuck is tightened. The Swivel Head Pin Vise is an exceptional tool for precise work on models, instuments and jewelry.



94A

94B


S94

100

SINGLE END PIN VISE SET

- For holding small rods, wire, drills, taps and other small tools
- Tool steel collets are hardened and grip.
- Nickel plated body is hollow to permit holding of long rods of wire
- Available in individual sizes Conforms to government specifications

		ew chuck is tightened	GGG-V-41	2a	-1		
iiiiiiy wi		ew ondok is tightened					94C
UPC	NO.	RANGE	(A)	(B)	(C)	535704000	
41068 9	S94	Set of 4 sizes, A-D					94D
41074 0	94A	0 to 0.055" (0 to 1.4mm)	3-1/8" (79mm)	5/16" (8mm)	3/16" (5mm)		•
41077 1	94B	0.025 to 0.075" (.6 to 1.9mm)	3-1/2" (89mm)	3/8" (10mm)	1/4" (6mm)		
41080 1	94C	0.045 to 0.125" (1.1 to 3.2mm)	3-13/16" (97mm)	7/16" (11mm)	1/4" (6mm)		C
41083 2	94D	0.110 to 0.187" (2.8 to 4.8mm)	4" (102mm)	9/16" (14mm)	5/16" (8mm)		
						A	



0.040 to 0.250

1mm to 6.4mm

(25mm)

ADJUSTABLE PIN VISE

- · Use for electronic assembling, tool-making, model making and hobbies
- Holds small drills, deburrers, wires, files, reamers and other small tools
- · 3-jaw hardened steel keyless chuck and sturdy plastic handle

SWIVEL VACUUM VISE

- This popular vise grips firmly to glass, metal, laminate, fiberglass, or any smooth nonporous surface with quick lever action
- Universal ball joint swivels 360° to any position and tilts 90° to any angle
- V-grooved hardened steel jaws are 3" wide and open to 2-5/8"

ADJUSTABLE FILE/TOOL HANDLE

- · For holding files, reamers, hacksaw blades and other tang handled tools
- Exclusive steel parallel clamping jaws grip the entire length of the inserted tang to prevent slipping
- Large, quick adjusting knurled knob ensures positive locking
- Rustproof handle with steel parts

· Furnished with slide-on rubber jaws for fragile work

5-3/4" (146mm)


93

Folds for storage

41065 8




Conforms to government specifications



"It's Your Job . . . General Tools Make It Easier"

93

1850




T-82

Toll Free 800-697-8665 • Fax 212-431-6499 • www.generaltools.com

ALWAYS WEAR OSHA APPROVED SAFETY GOGGLES



Utility Tweezers are used by mechanics, craftspeople and hobbyists where value is desired. The Nut Starter and Screw Starters are used for starting and removing nuts and screws in hard-to-reach places. They can also be used when nuts and screws are too small to be held by hand while being threaded.



"It's Your Job . . . General Tools Make It Easier"

Lighted Tools Shed Some Light On Your Subject

Lighted Tweezers

0 Push On / Push Off Powerful LED Light

2 Non-Slip Comfort Grips

3

Heat Treated Steel

4 Corrosion Resistant Non-Glare Black Finish

5 Serrated **Blunt Tips** 6.25" (159mm) No. 70403

Serrated **Bent Tips** 6.5" (165mm) No. 70408

Smooth **Pointed Tip** 6.25" (159mm) No. 70401

Includes 3 "LR41" batteries



5

Blunt Tip

No. 70403



DVISION





SPECIALTY TOOLS Tweezers

The new Lighted Tweezers allow you to retrieve items from dark, hard-to-reach places. The powerful LED light allows you to put the light exactly where you need it. Ideal for electronics, computer,

instrument, radio and other small or sub-miniature assembly, servicing and repairs. Available in three tip configurations.



PRECISION TWEEZERS. For electronic, computer, instrument, radio and other small or subminiature assembly, servicing and repairs

BOLEY PATTERN TWEEZER

people

• A fine quality tweezer for jewelers, watch-UPC NO POINT STYLE LENGTH makers, instrument assemblers and crafts-42240 8 401AA Strong bevel 5' 401AA

· For radio, television and other repairs

INDUSTRIAL TWEEZERS. General's quality tweezers for toolmakers, repairmen, electronic assemblers and other professionals

INDIVIDUAL STYLES OF INDUSTRIAL TWEEZERS

UPC	NO.	POINT STYLE	LENGTH
42263 7	401XX	Strong sharp	4-1/2"
42266 8	403	Blunt serrated	6"
42271 2	408	Sharp bent	4-1/4"
42280 4	410	Narrow sharp	4-1/4"

401XX	408	
403	(10) (10) (10) (10) (10) (10) (10) (10)	

BURLENCOUT AN COMMA

"It's Your Job . . . General Tools Make It Easier"



Light Weight Non-Marring Carbon Fiber Construction

3 Mode Digital Display





FRAC

3" (76mm) / 6" (150mm)

3" Fraction+ Caliper Clips into Your Pocket

> Convenient Auto On/Off Feature

> > No. 146 (6")

ULTRA/ECH

TOOL SYSTEM

CHARLES MINUTEDE

Specifications:

mm

Inch

ONIOFE

TER

Range: No. 1433 (3") 0 - 3" (0-76mm)

No. 146 (6") 0 - 6" (0 - 150mm)

Accuracy:

No. 1433 (3") +/- 0.005", +/- 0.1mm

No. 146 (6") +/- 0.008", +/- 0.2mm

Resolution:

0.0005" 0.01mm 1/64"

Repeatability: 0.0005" 0.01mm 1/64"



mm

3

From the Hobbyist to the Technician and Measuring Everything in Between

No. 1433 (3")

SPECIALTY TOOLS Fraction+ Calipers





FRACTOR The Digital Fractional Caliper Family



- 6" (153mm) range
- Heavy-duty stainless steel construction
- Convenient auto-off feature
- Three mode digital display: Decimal Inches, Fractions, Metric
- Inside, outside, depth & step measurements
- Accuracy: +/- 0.001", +/- 0.02mm
- Resolution: 0.0005", 0.01mm, 1/64"
- Power Source: 1 "SR44" (1.5V) battery (included)







No. 147 Digital Display



- 6" (153mm) range
- Lightweight, non-marring carbon fiber composite
- · Convenient auto-off feature
- Three mode digital display: Decimal Inches,
- Fractions, Metric
- Inside, outside, depth & step measurements
- Accuracy: +/- 0.008", +/- 0.2mm
- Resolution: 0.0005", 0.01mm, 1/64"
- Power Source: 1 "SR44" (1.5V) battery (included)

UPC	NO.	RANGE			
01460 3	146	0 - 6" (0 - 153mm)			
	SR44 replacement battery				

CARBON FIBER DIGITAL FRACTIONAL CALIPER

- 3" (76mm) range
- Lightweight non-marring carbon fiber composite
- Convenient auto-off feature
- Three mode digital display: Decimal Inches, Fractional and Metric
- Convenient pocket clip
- Inside, outside, depth & step measurements
- Accuracy: +/- 0.005", +/- 0.1mm
- Resolution: 0.0005", 0.01mm, 1/64"
- Power Source: 1 "SR54" (1.5V) silver oxide battery (included)

 UPC
 NO.
 RANGE

 01433 7
 1433
 0 - 3" (0 - 76mm)





No. 1433 Digital Display

"It's Your Job . . . General Tools Make It Easier"

1433




SPECIALTY TOOLS Dial Calipers

General's high quality, easy-to-read Dial Calipers give precise readings - Inside, Outside, Depth and Step measurements. The 6" Plastic Dial Caliper is made of fiberglass reinforced plastic and gives

precision measurements at an economical price. The 6" Dial Caliper is a stainless steel construction for greater accuracy and durability.

GENERAL[®]



108

- (1/8", 1/16", 1/32", 1/64")
- designed specifically for this set NO.

UPC 10800 5 108

6" PLASTIC DIAL CALIPER, THOUSANDTHS READING, SINGLE REVOLUTION

- Capacity 0 to 6"
- · Readings in .001"
- Single revolution of dial is .100"
- Resolution .001"
- 6" scale is graduated in tenths/mm
- Non-glare dial with adjustable bezel
- Packed in reusable plastic hang-up case
- Inside, outside, depth and step measurements Freewheeling friction roller for repetitive and accurate readings

UPC NO. 44150 8 145





PLASTIC, METRIC DIAL CALIPER

- Capacity 0 to 150mm by 0.1mm · Accurately graduated dial has direct readings in metric 0.1mm
- · Complete with instructions and reusable plastic hang-up case
- · Inside, outside, depth and step measurements

• Freewheeling friction roller for repetitive and accurate readings UPC NO







Slide Calipers come in different styles - Electronic Digital Calipers, Mechanical Dial Calipers, Vernier Calipers and Plain Slide Calipers. General's all-purpose Slide Calipers, sized to slip into your pocket, can

METRIC AND ENGLISH VERNIER CALIPER

· Graduated in mm and 16ths of an inch with

vernier reading of .1mm and 1/128"


SPECIALTY TOOLS

Calipers/Micrometers

make quick, accurate, inside and outside diameter measurements. General's Utility Micrometer is a practical and economical measuring device for beginners as well as hobbyists.



 Economical steel vernier calipers have 5" (125mm) capacity 	Friction roller adjustmentSlide lock for gaging		
 Inside and outside jaws and full length depth gage 	42577 5	NO. 722	
Caliper has inside, outside depth and step measurement	42011 0		





4-INCH SLIDE CALIPERS

- Stainless steel caliper with inside and outside readings in 16ths and 32nds
- · Decimal equivalents table on back
- Scale has etched and filled graduations
- 4" (102mm) capacity

UPC	NO.	GF
42581 2	729	16
42594 2	729ME	mr

NO.

132ME

UPC

44136 2

RADS oths and 32nds m and 16ths

GRADS

32nds and mm

3.1.2.4 27.25



POCKET CALIPER

- · Stainless steel slide caliper with inside and outside readings in metric and inches
- Decimal equivalents on back
- Scale has etched and filled graduations
- 3" (76mm) capacity

POCKET CALIPER

- · Precision made high strength, fiberglass reinforced plastic caliper
- Opens to 3" (76mm) outside measurement capacity
- 4" (102mm) rule graduated in 16ths on back
- · Inside and outside readings graduated in 32nds and mm

UPC	NO.	GRADS
44139 3	141ME	32nds and mm

10 - 19 40 59 70 1.1 GENERAL iter-descention territorial territoria No. N-141

SPECIALTY

132ME



- A practical and economical measuring device for beginners and hobbyists
- Well-suited for use in training programs, general toolroom and machine shop use and automotive work
- Accuracy guaranteed to .001"
- Special wrench is included for simple zero adjustments
- · Ground and polished carbide measuring faces
- · Engraved graduations on barrel · Lock for repetitive measurement
- RANGE INCLUDES UPC NO.

44103 4 102 0" to 1"





Measuring/Marking Kits

The Precision Measuring Kit contains four of the most useful measuring and marking tools for mechanics and machinists: Micrometer, Dial Caliper, 6" Steel Rule and Carbide Scriber. The Marking Kit contains a 6" Steel Rule, Magnetic Pick-Up, Automatic Center Punch and Scriber.



PRECISION MEASURING KIT

- This kit contains four of the most useful measuring and marking tools for mechanics or machinists
- Kit includes: No. 102, 0 to 1" micrometer; No. 145, 0 to 6" thousandths reading dial caliper; No. 676, 6" rigid stainless steel rule graduated in 8ths, 16ths, 32nds, and 64ths; No. 88CM, tungsten carbide scriber with magnetic pickup
- Packaged in sturdy, fitted, blow molded case designed specifically for these tools
- Instructions and conversion table (fractions to decimals to millimeters) included

GENERAL

UPC	NO.
34106 8	S004



PLUNGER DIAL INDICATOR

- Large 2-1/4" (57mm) diameter dial indicator
- Accuracy to .001"
- Dial is continuous and may be rotated
- for setting at any point
- Full 1" travel
- Revolution accumulator counter
- Direct decimal two-way reading left and right
- Adjustable limit indicators
- Lug mount standard

UPC	NO.	READINGS
10900 2	109	0 to .001" by .001"



POCKET PROTECTOR TOOL/MARKING KIT

- This handy pocket size tool kit is designed for the mechanic, machinist or hobbyist
- The kit contains four of General's best selling tools: No. 300/1, 6" rule; No. 383NX, telescoping magnetic pickup; No. 87, automatic center punch and No. 88, scriber
- All tools packaged in vinyl pocket protector which can be snapped closed

UPC	NO.	KIT INCLUDES ONE EACH:
34112 9	S008	6" rule, magnetic pickup,
		automatic center punch,
		scriber





SPECIALTY TOOLS Magnifiers



General's NEW **LumiLENS**[™] Lighted Magnifier puts the light directly on your subject to be viewed. With its powerful extra bright LED light you will never be left in the dark again. Two lens magnifications,

3x and 6x, as well as an integrated stand for Hands-Free use make this tool a must in laboratory quality control, inspection and assembly functions.



Hands-Free Use



3x Magnification, 6x Inset Lens



Extra-Bright LED



4 POWER POCKET ILLUMINATED MAGNIFER

- Handy 4 power magnifier has plastic body and lens
- Power Source: "AAA" batteries and No. 222 bulb (included)

UPC	NO.	POWER
42456 3	553	4





- 4" diameter with 3 power lens covers large areas of print
- 5 power bifocal lens insert gives even greater magnification
- Bulb gives wide circle of illumination
- Plastic body and optical plastic lens
- Power Source: 2 "C" batteries (included)

UPC	NO.	POWER	FOCAL	
42462 4	554	3.0	3-1/3"	
	Bifocal	5.0	2"	





SPECIALTY TOOLS Magnifiers

General's Magnifiers are used by toolmakers, jewelers, instrument assemblers, laboratory technicians, engineers, mechanics and inspectors who need sharp clear magnification without eyestrain. These



magnifiers are designed for demanding jobs in laboratory quality control, inspections and assembly functions. The Illuminated Magnifiers are of the highest optical quality and offer fine resolution.

GENERAL

ULTRATECH[™] GLASS MAGNIFIERS

- · Polished optical glass lens with a metal frame
- Versa-Grip[™] Handle with non-slip cushion grip
- Full range of sizes from 2" (50mm) to 4-1/2" (115mm)
- Round lens is distortion free
- A powerful magnifier for working in confined or obstructed spaces
- Designed for demanding jobs in laboratory quality control, inspection and assembly functions
- Used by engineers, mechanics, inspectors, lab technicians, toolmakers, instrument assemblers, jewelers, do-it-yourselfers, hobby and crafts people

UPC	NO.	DIAMETER	POWER	FOCAL LENGTH	
00540 3	700540	2" (50mm)	1.6	6"	_
50541 5	750541	2-1/2" (65mm)	1.6	6"	
50542 2	750542	3" (75mm)	1.6	6"	
50543 9	750543	3-1/2" (90mm)	1.25	8"	
50544 6	750544	4" (100mm)	1.25	8"	
50545 3	750545	4-1/2" (115mm) 1.25	8"	

2" MAGNIFIER

- Economical and versatile magnifier for laboratory and industrial uses, for do-it-yourselfers, mechanics and inspectors
- 2" diameter with 4 power lens
- Lightweight, durable 1-piece molded plastic frame

UPC	NO.	POWER	FOCAL LENGTH	
42414 3	538	4	2"	

538

565

RECTANGULAR ILLUMINATED MAGNIFIER

- Lens measures 2" x 4" for distortion-free magnification of large areas
- Reversible light reflector adapts for rightor left-hand use
- 2.5 power shatterproof lens, with 5 power bifocal insert
- Replaceable bulb and 2 "AA" batteries are included

UPC	NO.	POWER	FOCAL LENGTH	
42509 6	565	2.5	4"	
	Bifocal	5.0	2"	



ADJUSTABLE ILLUMINATED MAGNIFIER

- Epoxy coated steel rod stand has adjustable lens
- for factory, industrial and hobby use
- Illumination: 7 watt bulb
- 6 ft. cord plugs into 110-120V AC. UL listed
- Big lens 4" (102mm) diameter
- Small lens 0.8" diameter
- 3x magnifier with 6x spot lens

UPC	NO.	POWER	
43750 1	1050	3x (Big lens) 6x (Small Lens)	







SPECIALTY TOOLS Magnifiers

General's Magnifiers are used by toolmakers, jewelers, instrument assemblers, laboratory technicians, engineers, mechanics and inspectors who need sharp clear magnification without eyestrain. These magnifiers are designed for demanding jobs in laboratory quality control, inspections and assembly functions. Our magnifiers are of the highest optical quality and offer fine resolution.



• Has 2.5 power ground and polished optical glass · Folds into case for storage FOCAL UPC NO. POWER LENGTH 42400 6 532 2.5 Simulated 4" Black Leather case **EYE LOUPE** · For toolmakers, jewelers, instrument assemblers and others who need sharp, clear eve Loupe

Diers and others who need sharp, clear magnification without eyestrain
Clear optical glass lens is ground and

2.5 POWER POCKET MAGNIFIER

- polished
- 1" diameter lens

UPC	NO.	POWER	FOCAL LENGTH
42339 9	527	5.0	2"





527

532

FOLDING POCKET MAGNIFIERS

- Fine quality magnifiers for laboratory technicians, engineers, mechanics and inspectors
- Case and lens rims are made of black molded plastic
- Available in single lens and double lens models

UPC	NO.	IND. MOD.	TOT. POW.	LENS POW.	FOCAL DIA.	LENGTH
42403 7	533	Sing.	4.0	4.0	1"	2.5"
42409 9	536	Dble.	4.0	8.0	1"	1.25"
42412 9	537	Dble.	3.0	6.0	1-1/4"	1.6"



BINOCULAR MAGNIFIER

- For assemblers and inspectors of electronic and other small or subminiature parts, toolmakers, jewelers and engravers
- Leaves hands free to work
- Ground and polished optical lenses eliminate eyestrain
- Tilt-up lens frame
- Fits over prescription glasses

UPC	NO.	POWER	FOCAL LENGTH	
43734 1	950-5	2.25	8"	







SPECIALTY TOOLS Mirrors/Mini Lights

The Mini-Light has an LED light bulb which has a life of 100,000 hours of continuous use. These lights require 4 "LR41" batteries which have a life of 48 continuous hours. The Mini's come with either

a telescoping handle which extends up to 28-3/4" (720mm) or with an alligator clip which clips on anything, anytime, anywhere for instant, direct light.

GENERAL

MB560	 MAGNETIC BASE INSPECTION Adjustable 3-1/2" x 2" oblong glass in mirror mounted to a permanent magnet Attaches to any steel or iron machine, tool, appliance or other equipment Has wing nut ball joint adjustment UPC NO. 42475 4 MB560 	spection
580	 "LITE-IT" CLIP-ON MINI-LIGHT Clips on to anything, anytime, anywhere instant, direct light Light is fastened to a rugged high-imparable ABS plastic Alligator Clip with a double joint that adjusts to any angle 4 Alkaline, "LR41", batteries with a batter life of 48 continuous hours LED bulb has a life of 100,000 hours of continuous use UPC NO. PKG. 58001 6 580 Carded 	ee for act ball ball act ball ball act ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball ball
759582	 TELESCOPING MINI-LIGHT WITH MA Mini Light with 2 lb. Neodymium Magnetic pick-up are both fastened to a stainless steel telscoping wand molded into a rugged high-impact ABS plastic handle Telescopes from 7-3/4" – 28-3/4" (197mm – 720mm) 4 Alkaline, "LR41", batteries with a battery life of 48 continuous hours 	 AGNETIC PICK-UP LED bulb has a life of 100,000 hours of continuous use Has a 2 lb. smooth surface pull capacity Neodymium donut magnet Precision engineered 750 Series Versa-Grip[™] handle for maximum performance UPC NO. PKG. 75966 5 759581 Carded 75967 2 759582 Carded
	 TELESCOPING MINI-LITE WITH MAC A powerful permanent magnetic pick-up tool Ideal for retrieving steel and iron parts from hard-to-reach and see work areas Magnet is fitted in a 5-1/2" (140mm) long ergonomically designed handle 4 Alkaline, "LR41", batteries with a battery life of 48 continuous hours 	 inetic pick-up Light Bulb has a life of 100,000 hours of continuous use Mini-Light is fastened to a chrome plated brass wand with a double ball joint Ball and socket feature for simple, positive adjustments <u>UPC NO. PKG.</u> 05820 1 582 Carded
21/2" Diameter 759563	COMPARING A CONTRACT OF CONTRACT.	 High strength corrosion resistant stainless steel wand extends from 8-1/2" to 29" (216mm – 737mm) Precision engineered 750 Series Versa-Grip[™] handle for maximum performance UPC NO. PKG. 75959 7 759563 Carded

759563

T-94

SPECIALTY





SPECIALTY TOOLS Inspection Mirrors

Inspection Mirrors facilitate inspection of inaccessible workpieces and machines by toolmakers, assemblers, inspectors and mechanics. Fully polished mirrors are enclosed in plated holders which are attached to knurled handles with ball and socket joints. Telescoping arms and vinyl cushion grip handles are offered on some mirrors.



TELECSCOPING LIGHTED INSPECTION MIRROR UPC NO. SIZE OVERALL LENGTH · 2 Extra bright LED lights facilitate the 02146 5 80560 2" x 3' 12-1/4", extends to 33" inspection of hard-to-see and hard-to-reach areas Ideal for toolmakers, machinists, inspectors and mechanics · Fully polished glass mirror is shatter-resistant • 2 "CF2032" batteries included 360° Swivel double ball joint 80560 LONG TELECSCOPING **INSPECTION MIRROR** · Handle has black cushion grip Non-slip grip • Mirror size: 2" diameter UPC NO. 36" telescoping 05590 3 559 559 **METAL INSPECTION MIRRORS** · Includes plastic protective sheath 5562 · Heavy-duty construction 5561 UPC NO. SIZE **OVERALL LENGTH** 9-3/4", extends to 26" 10-3/4", extends to 26" 055313 5561 1-1/4" x 2" 05562 0 5562 2" x 3-3/4" 05563 7 5563 3-3/4" dia. 9-3/4", extends to 26" 5563 **GLASS INSPECTION MIRRORS** • These mirrors facilitate inspection of inaccessible workpieces and machines by toolmakers, assemblers, inspectors and 560 570 mechanics Fully polished glass mirrors are enclosed in plated holders which are attached to knurled handles with ball and socket joints • Nos. 557, 577, 560, and 570 have telescoping arms and vinyl cushion grip handles SPECIALTY UPC NO. SIZE OVERALL LENGTH 558 42465 5 1-1/4" dia. 555 8 42468 6 557 2-1/4" dia. 10-1/2", extends to 15" 1" x 2" oval 424716 558 9" 3-1/2" x 2" 42473 0 560 11-1/2", extends to 16" oblong ACRYLIC PLASTIC INSPECTION MIRRORS 557 UPC NO SIZE **OVERALL LENGTH** 577 42480 8 577 2-1/4" dia. 10-1/2" - 15" 42477 8 3-1/2" x 2" 11-1/2" - 16" 570 **REPLACEMENT MIRRORS WITH FRAMES** UPC NO 555 42478 5 557RMF for No. 557 42484 6 560RMF for No. 560 and No. MB560

"It's Your Job . . . General Tools Make It Easier"




Inspection Mirrors

Inspection Mirrors facilitate inspection of inaccessible workpieces and machines by toolmakers, assemblers, inspectors and mechanics.

Fully polished mirrors are enclosed in plated holders which are attached to ergonomically designed handles with ball and socket joints.

GENERAL[®]

ALWAYS WEAR OSHA APPROVED SAFETY GOGGLES







SPECIALTY TOOLS **Inspection Sets**

TELESCOPING *Speed-Chuck*[™] INSPECTION SETS

- Stainless Steel Speed-Chuck[™] and telescoping wand combination provides guick and limitless inspection and retrieval solutions
- Ergonomically designed handle with contoured head for greater control and comfort
- Handle telescopes from 6-3/8" (163mm) to 26" (660mm)
- Spring-loaded Speed-Chuck[™] allows blade changes instantly
- All attachments are fastened to a stainless steel **Speed-Chuck**[™] adapter with a double ball joint, adjusts to any angle

- Precision Locking System firmly holds blades in place
- Available attachments:
- Neodymium magnets: 2 lb., 5 lb. and 10 lb. smooth surface pull capacities • Mirrors & Magnifiers: 1-1/2" (38mm) diameter • 2" x 3" (51mm x 76mm) rectangular mirror • 2-3/8" (60mm) dia. 3x power magnifying mirror
- 2-1/2" (64mm) dia. 3x power magnifier;
- Alligator clip
 Mini-Lite
- All sets are securely and safely protected within a fitted zippered case





5-PIECE TELESCOPING "SPEED-CHUCK™" INSPECTION SET

- Set includes: 26" stainless steel telescoping wand with Speed-Chuck[™] assembly • 5 lb. magnetic pick-up
- 2" x 3" rectangular plastic mirror
- 3x power magnifier, alligator clip Mini-Lite. Batteries included
- Precision engineered 750 Series Versa-Grip[™] handle for maximum performance

UPC	NO.	PKG.
75961 0	759905	Zippered Case/Boxed


9-PIECE TELESCOPING "SPEED-CHUCK™" INSPECTION SET

- Set includes: 26" stainless steel telescoping wand with Speed-Chuck[™] assembly
- 2 lb., 5 lb. and 10 lb. magnetic pick-ups
- 1-1/2" round mirror 2" x 3" rectangular
- mirror 2-1/2" round glass magnifying mirror
- 3x power magnifier, alligator clip
- Mini-Lite Batteries included
- Precision engineered 750 Series Versa-Grip[™] handle for maximum performance

UPC NO. PKG. 759909 Zippered Case/Boxed 75962 7

TELESCOPING MAGNETIC PICK-UPS

- High powered 2 lb., 5 lb., 10 lb. Neodymium magnets are 6 times stronger than standard Cobalt magnets
- Double ball joint connection permits infinite angle adjustments
- · High strength corrosion resistant stainless steel wand extends from 6-1/2" - 27" (165mm - 686mm)




"It's Your Job . . . General Tools Make It Easier"

759905



SPECIALTY TOOLS Magnetic Retreiving Tools









Magnetic Retrieving Tools

BENDABLE MAGNETIC PICK-UP

- An excellent tool for retrieving steel parts from hard-to-reach places
- High-power neodymium magnet
- · Knurled aluminum body with bendable 15" (381mm) wire
- **TELESCOPING MAGNETIC PICKUP**
- A powerful permanent magnetic pickup tool · Ideal for retrieving steel and iron parts from UPC NO. hard-to-reach work areas 383NX 42208 8
- Magnet is fitted in a 5-1/2" long nickel plated steel handle that can extend up to 23-1/2"

•	Holder	is	fitted	with a	pocket-clip
	TIONAGE	10	nucu	with a	pooner onp

Overall length is 20" (508mm)

NO.

395

PULL

2 lb. pull

· Lifts up to 2 pounds

UPC

42229 3

75967 2

383NX PULL 2 lb. pull

TELESCOPING MINI-LIGHT WITH MAGNETIC PICK-UP

- Mini Light with 2 lb. Neodymium Magnetic pick-up are both fastened to a stainless steel telscoping wand molded into a rugged high-impact ABS plastic handle
- Telescopes from 7-3/4" 28-3/4" (197mm – 720mm)
- 4 Alkaline, "LR41", batteries with a battery life of 48 continuous hours
- . LED bulb has a life of 100,000 hours of continuous use
- Has a 2 lb. smooth surface pull capacity Neodymium donut magnet
- Precision engineered 750 Series Versa-Grip[™] handle for maximum performance UPC NO. PKG. 759581 75966 5 Carded

759582


Carded



395

TELESCOPING MINI-LITE WITH MAGNETIC PICK-UP

- A powerful permanent magnetic pick-up tool
- · Ideal for retrieving steel and iron parts from hard-to-reach and see work areas
- Magnet is fitted in a 5-1/2" (140mm) long ergonomically designed handle
- 4 Alkaline, "LR41", batteries with a battery life of 48 continuous hours
- · Light Bulb has a life of 100,000 hours of continuous use
- Mini-Light is fastened to a chrome plated brass wand with a double ball joint Ball and socket feature for





PRECISION MAGNETIZER/DEMAGNETIZER

- Magnetize and demagnetize screwdrivers, tweezers, tool bits and other steel objects
- Magnetize by sliding the tool through the (+) opening
- Demagnetize by sliding the tool through the (-) opening

Demagnetize tools for use in electronics
Step design permits greater conrol of

magnetism UPC NO. DIMENSIONS

UPC

420213

36010 6 3601 2" x 2" x 1-1/8 (58 x 58 x 29mm)





MAGNETIZER/DEMAGNETIZER

- · Specially designed for magnetizing and demagnetizing screwdrivers, nut drivers, wrenches, taps and small tools
- · Converts any tool blade into a magnetic retriever for screws, nuts and metallic particles

NO.	DIMENSIONS
360	1" x 1" x 1-3/4"
	(25 x 25 x 44mm)



"It's Your Job . . . General Tools Make It Easier"

360




SPECIALTY

SPECIALTY TOOLS Magnetic Retrieving Tools

The Magnetic Sweeper is an ideal tool for retrieving iron, steel and all ferrous materials. Especially effective around new construction sites, both indoors and outdoors. Also effective in machine

shops for cleaning up around power equipment such as drill presses, milling machines and lathes. The Magnetic Tool Rack holds and organizes tools in garages, work shops and service stations.

GENERAL







Aluminum, nickle and cobalt alloy make General's Alnico line of magnets strong and permanent. The strong magnetic pull of the Alnico Magnets make it perfect for lifting, holding, sorting, clamping or

SPECIALTY TOOLS Alnico Magnets

retrieving steel or iron parts. Alnico Magnets will retain their magnetic force indefinitely. Removable keepers insure long life and optimum performance.

 BUTTON TYPE ALNICO MAGNETS Button shaped magnet has almost unlimited applications Retrieves screws and steel parts Center hole on top of magnet for easy factoring 	UPC 42073 2 42076 3 42079 4 42082 4	NO. 372A 372B 372C 372D	DIA. 1/2" 3/4" 1" 1-1/4"	HT. 3/8" 1/2" 5/8" 3/4"	PULL 1-1/2 lbs. 4 lbs. 6-1/2 lbs. 14 lbs.	CORED HOLE 1/8" 1/8" 3/16" 3/16"
fastening	42082 4	372D	1-1/4"	3/4"	14 lbs.	3/16"
	42085 5	372E	1-1/2"	7/8"	18-1/2 lbs.	1/4"

POT TYPE ALNICO MAGNETS

- Unique combination of strong magnet with insulating ring gives this magnet the superior holding power of larger magnets
- 1/4" diameter x 20 threads-per-inch hole for attaching to fixtures and machines

UPC	NO.	DIA.	PULL	WT.	HT.
42093 0	374A	11/16"	6 lbs.	6 oz.	5/8"
42096 1	374B	13/16"	10 lbs.	6 oz.	3/4"
42102 9	374C	1-1/16"	18 lbs.	12 oz.	1"
42105 0	374D	1-3/8"	35 lbs.	24 oz.	1-3/16"



372

120

POWER ALNICO MAGNETS

- Strong magnetic pull for lifting, holding, sorting, clamping or retrieving steel or iron parts
- Hole in top of magnet for attaching conveyors, racks, and welding jigs


UPC	NO.	SIZE OZ.	APPROX PULL LBS.	WIDTH IN.	HT. IN.	DEPTH IN.	Pole Width In.	OPENING BETWEEN POLES, IN.	CORED HOLE	oz. Weight Each With Keeper
42041 1	370-1	.8	8	1-1/8"	1"	5/16"	5/16"	1/4"	—	1
42044 2	370-2	2	13	1-1/8"	3/4"	3/4"	1/4"	9/16"	3/16"	3
42050 3	370-4	4	22	1-1/2"	1"	1"	5/16"	3/4"	3/16"	5
42053 4	370-6	6	30	1-3/4"	1-1/8"	1-1/8"	5/16"	7/8"	3/16"	8
42056 5	370-8	8	32	2-3/16"	1-13/16"	15/16"	1/2"	1-3/16"	3/16"	10
42061 9	370-12	12	42	2-5/8"	2-1/4"	15/16"	5/8"	1-3/8"	3/16"	15
42064 0	370-16	16	50	3"	2-1/2"	15/16"	3/4"	1-1/2"	3/16"	20
42067 1	370-24	24	70	2-1/2"	1-13/16"	1-7/8"	5/8"	1-3/8"	1/4"	28

WELDING MAGNET

- Designed to enable fast and accurate holding of ferrous metal for welding and assembly jobs
- Holds both sheet and tube at angles of 180°, 90°, 45° and 30°
- Two body holes enable the clamp to be built into jigs or hung when not used

 Small compact design makes the "quick
clamp" useful for all light ferrous fabrication
work

• Ideal to include in the tool kit for numerous holding applications





370-1

377

MAGNETIC ADJUSTABLE WELDING LINK

- Ideal for holding steel plates in position for welding, brazing, and soldering, eliminating the need for clamps or temporary fastening
- General's welding links are constructed of two heavy-duty Alnico magnetic blocks

wing nut	s for ea	asy angle adjustn	nent
UPC	NO.	SIZE OF BLOCK	PULL PER BLOCK
42226 2	375	2.4" x 1" x 1"	25 lbs.



IK linked together with a strong steel bar and wing nuts for easy angle adjustment

"It's Your Job . . . General Tools Make It Easier"

T-101

370-2





11

OP05

GENERAL

THE QULAD SAW/DRIVER A 4-IN-1 CUTTING & DRIVING SYSTEM



nnnnn









The Keyless Quick Change Locking Chuck accepts both Quick Change Power Bits and Standard Reciprocating Saw Blades.



SPECIALTY TOOLS The "QUAD" Saw/Driver

"THE QUAD[™]" Saw/Driver set offers a 4-IN-1 Cutting and Driving System; a jab saw, key hole saw, power driver, and speed driver. The 2 position quick change locking handle offers both power and speed. A convenient holster holds all 14 pieces.



GENERAL

DRYWALL/SHEETROCK

X 6 TPI



"THE QUAD™" 14 PIECE SAW/DRIVER SET

- A 4-IN-1 cutting and driving system
 Jab Saw with straight handle and special Sheetrock reciprocal blade
- Keyhole Saw in the pistol grip handle position
- ③ Power Driver in the pistol grip position
- Speed Driver, screw or nut driver with straight handle
- The keyless Quick-Change locking chuck accepts both Quick-Change bits and industry standard reciprocating saw blades

Bit Extender

3

14 PIECE SET INCLUDES:

- 3 saw blades; drywall,
- Metal/PVC, wood,
- 7 insert bits
- 1 hex to square adaptor
- 1 quick change handle
- 1 holster with belt-clip
- 1 bit extender
- Swivel locking chuck holds all reciprocating blades and speed shank power bits
- Comfortable handle easily locks in the straight or pistol grip position UPC NO.

86014 9 **86014**

METAL/PVC

6" X 24 TPI

WOOD

(4)

(GENERAL)





86014







"It's Your Job . . . General Tools Make It Easier"



Cutting & Carving Tools



General Tools Professional Quality Knife Sets are designed specifically for the precision cutting of a variety of materials, from fine, intricate cutting to heavy-duty carving and scraping.

General Tools offers a complete line of precision hobby knives for industrial users, crafts people and hobbyists. A broad selection of surgically sharp replacements and accessory blades are available.





#26

PRECISION HOBBY KNIVES

•	Precision	knives	for	fine	angle	cuts
---	-----------	--------	-----	------	-------	------

UPC	NO.	HANDLE CONSTRUCTION		PKG. QTY.
43974 1	1901	Aluminum	Light duty	5
43976 5	1902	Aluminum	Medium duty	5
43978 9	1903	Aluminum	Heavy-duty	5

HOBBY KNIFE BLADES

• For precision cutting from medium to heavy cuts

 Packed in a quantity of 5. 				
UPC	NO.	REPLACEMENT FOR		
43988 8	1920	1901		
43992 5	1922	1902, 1903, 1905		
43994 9	1923	1902, 1903, 1905		
43996 3	1924	1902, 1903, 1905		

• Packaged in a pocket sized zippered case

• Precision engineered 700 and 750 Series

PKG.

• All ULTRATECH™ knife handles accept

Versa-Grip[™] handle for maximum

industry standard blades

NO

75622

performance

UPC

75622 0

PRECISION KNIFE SET

 Consists of one each of Nos. 1901, 1902 and 1903 knives and 10 assorted blades in a fitted wooden case NO.



43984 0 1915



22-PIECE PRECISION KNIFE AND BLADE SET

- Designed specifically for the precision cutting of a variety of materials
- · Heavy-duty locking screw chuck holds blades securely in place
- Set includes: 2 Multi-Blade Handles No. 1 and No. 2 • 20 Knife Blades -
- 5 No. 11 5 No. 16 3 No. 17B
- 3 No. 22 2 No. 26 2 No. 28 blades
- #22 #16 #28 #17 #11 Blades shown actual size





Zippered Case/Carded



75622







SPECIALTY TOOLS Cutting & Carving Tools

General's Utility Knives are used for cutting and scoring fiber-board, matboard, roofing, linoleum, carpeting, plasterboard and veneers.

The Five-Piece Carving Tool Set offers a fixed blade that is forged tool steel, ground and hardened for lasting sharpness. Handles are made of hardwood for greater control and comfort grip.

SLIDE LOCKING UTILITY KNIFE

- · For cutting and scoring fiberboard, wallboard, matboard, cardboard, corkingboard, roofing, linoleum, carpet, plasterboard, veneers and other materials
- · Opens instantly to any one of three cutting positions
- · Blade retracts into handle for safety

HEAVY-DUTY UTILITY KNIFE BLADES

UPC	NO.	THICKNESS	PKG. QTY
43027 4	852-5	0.025	5
43030 4	852-100	0.025	100

- Comes with three replaceable heavy-duty alloy steel blades, No. 852, in storage handle UPC NO.
 - 855 Heavy-duty 43046 5

6

855



- cutting single and double strength glass
- · Ball end handle for snapping of scored glass

•	looth design	1 to remo	ve rough eages
	UPC	NO.	LENGTH
	43061 8	8501	5" (125mm)




- JUNIOR HACKSAW
- · Handy cutting tool for hobbyists, do-it-yourselfers and professionals
- · Ergonomically designed with a comfortable high-impact plastic handle
- 6" (150 mm) replaceable heat treated blade for cutting metal
- · Sturdy tubular frame

- · Reversible blade for push or pull cutting
- Set of 6 replacement blades:
- 3 wood and 3 metal UPC NO. 864

43067 0

43070 0



"It's Your Job . . . General Tools Make It Easier"

864B Set of 6 Blades

T-105

SPECIALTY



Grommets, Snaps & Screw Fasteners

General Tools offers Solid Brass Grommet Kits, which are available in three sizes, Snap Fastener Kits and Screw Fastener Kits. These various kits are used to repair canvas, tarpaulins, tents, awnings, sailcloth, lawn furniture and pool covers. Each set has handy step-by-step instructions.



INDIVIDUAL SIZE

UPC	NO.	DESCRIPTION	
22341 8	71260	1/4" Grommet Kit with 48 grommets	
22342 5	71262	3/8" Grommet Kit with 24 grommets	
22343 2	71264	1/2" Grommet Kit with 12 grommets	

GENERAL

GROMMET REFILLS

UPC	NO.	SPECIFICATIONS	
41103 7	1261-0	1/4" Grommet Refill	_
		with 24 Grommets	
41104 4	1261-2	3/8" Grommet Refill	
		with 24 Grommets	
41105 1	1261-4	1/2" Grommet Refill	
		with 24 Grommets	





SNAP FASTENER KIT

- Contains 2-piece setting tool and 6 fastener sets
- Solid brass fasteners with nickel plating will not rust
- Knurled body for greater comfort and safety
 UPC NO. SPECIFICATIONS

41106 8	1265	Snap Fastener Kit	
		with 6 Fasteners	
41107 5	1266	6 Snap Fastener Refills	





1267

SCREW SNAP FASTENER KIT

- Contains 2-piece setting tool and 6 fastener sets
- Solid brass fasteners with nickel plating will not rust
- Knurled body for greater comfort and safety
- Screw snap fastener base has 3/8" long screw for attaching to wood, plastic and fiberglass

UPC	NO.	SPECIFICATIONS
41108 2	1267	Screw Snap Fastener Kit
		with 6 Fasteners
41109 9	1268	6 Screw Snap Fastener Refills







SPECIALTY TOOLS Punches & Punch Sets

Arch Punches, Hollow Steel Punches and Gasket Punches are all used for punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic, sheet metal and other soft materials. These fine quality tools are forged and heat-treated for long life and the cutting edges will stay sharper longer.



HOLLOW STEEL PUNCHES

- For punching holes in leather, rubber, canvas, cardboard, plastic and other materials
- Made of forged steel with side clearance hole for easy removal of punched material
- The 1280ST which consists of six punches, 3/16", 1/4", 5/16", 3/8", 7/16", and 1/2", comes in a plastic roll pouch

UPC	NO.	SIZE	
43896 6	1280ST	Set of 6	

7 10 4114010	in inantiada	01200 11010
UPC	NO.	SIZE
43856 0	1280A	3/32"
43859 1	1280B	1/8"
43862 1	1280C	5/32"
43865 2	1280D	3/16"
43868 3	1280E	7/32"
43870 6	1280F	1/4"
43872 0	1280G	9/32"
43874 4	1280H	5/16"
43876 8	1280-l	11/32"
43878 2	1280J	3/8"
43880 5	1280K	13/32"
43882 9	1280L	7/16"
43884 3	1280M	1/2"
43886 7	1280N	9/16"
43888 1	1280-O	5/8"
43890 4	1280P	3/4"

Fitted plastic storage case

NO.

DESCRIPTION

UPC

Available in individual sizes listed



S1270

PROFESSIONAL 10-PIECE GASKET PUNCH SET

- For punching holes in gasket material, leather, rubber, canvas, cardboard, plastic and sheet metal
- Nine interchangeable hardened and tempered alloy steel punches: 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" and 1"
- Heavy-duty, spring-loaded, self-centering steel mandrel
- Both mandrel and punches are knurled and have a threaded coupling to prevent slippage and hold punch securely to mandrel
- 43751 8 **\$1274** 10 pc. set

- **GASKET PUNCH SET**
- Compact and economical set for punching holes in soft materials and leather
- Set of 10 punches, one each of 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8" and 1", with driving mandrel comes in a molded plastic storage case


UPC NO. 43759 4 **S1270**






SPECIALTY

S1274



T-108

ALWAYS WEAR OSHA APPROVED SAFETY GOGGLES



"It's Your Job . . . General Tools Make It Easier"



Punches, Scrapers & Files

General's Revolving Punch Plier is a convenient spring tension, self-opening tool for punching round holes in leather, plastic, rubber, canvas cardboard and similar materials.

The Dial Wire Stripper can be set to a desired size for individual or repetitive stripping without damaging the wire.





plastic, rubber, canvas, cardboard and similar materials Made of plated steel with six tapered

GENERAL

and hollow, hardened steel punches • Punch sizes: 5/64", 3/32", 7/64", 1/8",

5/32", 3/16" (2.0, 2.5, 3.0, 3.5, 4.0, 4.5mm)		
UPC	NO.	LENGTH
41039 9	72	8-1/4" (210mm)




DIAL WIRE STRIPPER

- Dial the wire size desired for individual or repetitive stripping without damaging wire
- · Spring opening for fast and easy cutting or stripping
- Dial lock closes stripper to protect hardened cutting edges
- Vinyl cushion handles

UPC	NO.	WIRE GAGE CAPACITY
41036 8	69	12, 14, 16, 18, 20, 22, 24, 26





The compound bend design allows extraction with either a pull or twist motion.

COTTER PIN PULLER

- · General's compound bend design allows user to extract cotter pins with either a pull or twist motion. Ideal for use in confined work areas
- Plated shaft and point are 4" (101mm) in length and made of long lasting heat treated high carbon steel
- A safe and easy way to remove cotter pins

 Heavy-durable grip 	 Heavy-duty plastic handle with a comfort- able grip 		
UPC	NO.	SPECIFICATIONS	
41030 6	64	Length: 7-1/2" (190mm)	



TRIANGULAR SCRAPER

- Useful tool for scraping, trimming, and deburring metals, tubing and other materials
- Hardened and tempered triple edge blade is secured in wood handle with steel ferrule
- Hollow ground cutting edges stay sharp longer and resharpen easily

UPC	NO.	
42321 4	478	

- of tool and die makers, instrument makers, jewelers, watchmakers and other craftspeople
- · Precision made of finest quality tool steel

WARDING

(FLAT)

Packed in snap button plastic case

• #2 single style cut

EQUALLING

(MILL)

UPC	NO.	LENGTH	FILES IN SET
42318	4 S476	5-1/2"	6

S476



Ö

ROUND

SQUARE

FILE END VIEWS

HALF

ROUND

THREE

SQUARE




SPECIALTY

478



General Tool's Swiss Pattern Needle File Sets are designed to meet the exacting requirements of tool and die makers, instrument makers, jewelers, watchmakers, hobbyists and other craftspeople. Precision made of the finest quality tool steel. The 5-1/2" long knurled aluminum handle provides maximum filing control and comfort and will fit all styles of General's Swiss Pattern Files.



6-PIECE SWISS PATTERN NEEDLE FILE SET

- A basic set of General Purpose Files to meet the needs of craftspeople, tool and die makers, hobbyists and jewelers
- Set includes 6 different files. All measure 5-1/2" (138mm) long with 1/8" (3mm) diameter shanks
- Files are constructed of high quality Chromium Alloy Steel
- All files are 2-1/2" (63mm) long, #2 Single Cut Swiss Pattern
- Knurled handle file can be used without handle assembly
- Precision locking screw chuck holds files securely in place
- Precision engineered 700 Series Versa-Grip[™] handle for maximum performance
- UPC NO. PKG. GENERAL 707468 707476 Holster/Carded EQUALLING WARDING THREE SOUARE ROUND SOUARE HAI F (FLAT) (MILL) ROUND **FILE END VIEWS** 707476

- For holding files, reamers, hacksaw blades and other tang handled tools
- Exclusive steel parallel clamping jaws grip the entire length of the inserted tang to prevent slipping
- Large, quick adjusting knurled knob ensures positive locking
- Rustproof handle with steel parts
- Conforms to government specifications NN-H-0085

 UPC NO.
 43666 5 890
 GENERAL
 GENERAL
 GENERAL
 Second State
 A-1/8" (105mm)



SPECIALTY

SPECIALTY TOOLS File & Probe Sets

General Tool's Swiss Pattern Needle File Sets are designed to meet the exacting requirements of tool and die makers, instrument makers, jewelers, watchmakers, hobbyists and other craftspeople. Precision made of the finest quality tool steel. Knurled handle file can be used without handle assembly. Precision locking screw chuck holds files securely in place. General's Probe, Positioning and Spring Hooks are useful in a wide variety of mechanical and electrical functions. Ideal for probing, cleaning, picking or marking small work surfaces.

GENERAL







SPECIALTY TOOLS Probe Sets

3-PIECE PROBE AND HOOK SET

- For probing, cleaning, picking or marking small work surfaces
- Three heat treated, high carbon steel point configurations: 45 degree, double bend and hook bend
- Extra long aluminum knurled body

4-PIECE MICRO PROBE SET

- For probing, cleaning, picking or marking small work surfaces
- · Four heat treated, high carbon steel point configurations: 45 degree, two double bends and hook bend
- Extra long aluminum knurled body

- Hex head prevents rolling UPC **OVERALL LENGTH** NO. 24500 7 862 6-1/2" (165mm)
- · Packaged in a reuseable plastic tube
 - OVERALL LENGTH UPC NO. 24501 4 868 5-1/2" (138mm)

12-PIECE STAINLESS STEEL PROBE, POSITIONING & SPRING HOOK SET

- · Useful in a wide variety of mechanical and electrical functions
- · For separating and positioning wires, inserting and adjusting wires and springs in hard-to-reach areas
- · For probing, cleaning, picking or marking small work surfaces
- · Heavy-duty locking screw chuck holds blades securely in place
- Each blade is 5" long (127mm); OAL 7-1/2" - 8-1/2" (184mm - 216mm) with handle
- Set Contains: Twist Chuck Multi-Purpose Handle • 5" Extension blade • Straight • 35° Bend • 90° Bend • 180° Loop. Double Bend • 180° Hook Probes • Offset Pull Hook • 135° Pull Hook • Pull/Push Hook • Adjusting Pull/Push Hook • Placement Guide/Lifter
- Packaged in a fitted zippered case for convenient and safe storage
- Precision engineered 700 Series Versa-Grip™ handle for maximum performance
- UPC NO. PKG. 70962 2 707865 Zippered Case/Carded



868

862

707865

5-PIECE STAINLESS STEEL POSITIONING AND SPRING HOOK SET

- · Useful in a wide variety of mechanical and electrical functions
- · For separating and positioning wires, inserting and adjusting wires and springs in hard-to-reach areas
- · Heavy-duty locking screw chuck holds blades securely in place
- · Each blade is approximately 5" long (127mm); OAL 7-1/2" - 8-1/2" (184mm -216mm) with handle
- Set Contains: Twist Chuck Multi-Purpose Handle • Offset Pull Hook • 135° Pull Hook
- Pull/Push Hook Adjusting Pull/Push
- Hook Placement Guide/Lifter
- Holster included for convenient storage Precision engineered 700 Series Versa-Grip[™] handle for maximum performance

UPC	NO.	PKG.
75970 2	707863	Holster/Boxed

GENERAL

707863

PRECISION OILER

- · For the exact placement of oil or any other lubricant
- · For technicians, contractors, hobbyists and DIY'ers
- · Smooth actuator allows for greater control and placement of lubricant
- · Generous reservoir

- Protective screw-on cover prevents leakage
- All aluminum construction
- Convenient pocket clip

UPC

58900 2





MAGNETIC TORPEDO LEVEL

- Quality crafted torpedo level with large reversible reading vials meets the accuracy requirements of professionals
- · Heat resistant, unbreakable endplates and internal aluminum frame
- Readings possible from top, bottom or side positions
- Magnetic working edge for use with metal surfaces
- V-grooved working edge for use on pipes UPC NO. LENGTH q



- 839
- "It's Your Job . . . General Tools Make It Easier"



oltage Detectors

General's 3-IN-1 LED and LCD Stud, Voltage and Metal Detectors are ideal for locating studs, pipes, wire carrying voltage and hidden metal. Microprocessor control circuits make it easy to distinguish

between battens/studs, metal pipes/tube or objects carrying voltage. An ideal for the DIY home owner, handyman, hobbyist as well a the professional.



ZIP-TOP TOOL AND METER BAG, 16" WIDE

- Moisture-resistant reinforced bottom
- Steel frame mouth and rivet reinforced for rugged use and durability
- Adjustable padded non-slip shoulder strap
- Dimensions: 12"H x 16"W x 8"D
 - (305 x 406 x 203mm)

NO. UPC 01319 9 81001



GENERAL[®]

3-IN-1 LED STUD / VOLTAGE / METAL DETECTOR

Ideal for Locating Studs, Pipes, Wires Carrying Voltage and Hidden Metal FEATURES: SPECIFICATIONS:

- Stud, Voltage and Metal Detection combined in one unit
- 4-level low power consuming LED's indicate precise stud detection
- Metal/Voltage Selector Switch provides accuracy in detecting hidden metal or wiring
- Stud Detector can be operated with Metal or Voltage Detector simultaneously
- · Easy to distinguish between battens/studs, metal pipes/tubes or objects carrying voltage
- No probe necessary

♦ Dimensions: 6.1"(L) x 2.6" (W) x 1.3"(D) (155 x 65 x 32mm)

- Weight: 6.3oz (178g)
- Power Source: 1 "9V" battery (not included)

NO.



MSV250



DIGITAL 3-IN-1 LCD STUD / VOLTAGE / METAL DETECTOR

Ideal for Locating Studs, Pipes, Wires Carrying Voltage and Hidden Metal SPECIFICATIONS:

- FEATURES:
- Selectable Metal, Voltage and Stud detections or Auto Mode to perform 3 functions simultaneously
- Micro-Processor Control Circuits provide precise and accurate detections
- Results shown on LCD with buzzer
- Multi-Scan-Level to pinpoint exact position
- Battery status indicated on LCD
- Auto Power OFF
- Low power consumption
- Ideal for the D. I.Y. Homeowner, Handyman, Hobbyist and Professional

Dimensions: 6.1"(L) x 2.6"

UPC

01276 5

- (W) x 1.3"(D) (155 x 65 x 32mm)
- Weight: 6.5oz (185g)
- Power Source: 1 "9V" battery

(not included)

UPC NO. MSV350D 01275 8















MSV350D

T-114







Includes: • User's Manual



"It's Your Job . . . General Tools Make It Easier"



- **EN** For pricing and availability in your local country please visit one of the below links:
- **DE** Informationen zu Preisen und Verfügbarkeit in Ihrem Land erhalten Sie über die unten aufgeführten Links:
- FR Pour connaître les tarifs et la disponibilité dans votre pays, cliquez sur l'un des liens suivants:

<u>70396</u>

EN

This Datasheet is presented by the manufacturer

DE

Dieses Datenblatt wird vom Hersteller bereitgestellt

FR

Cette fiche technique est présentée par le fabricant