Safety Data Sheet

Issue Date 10-Jul-2013 Revision Date: 21-Jul-2013 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Genova Products Vinyl Adhesive/Filler - Clear

Product Code AW945

Details of the supplier of the safety data sheet

Supplier Address 7034 East Court Street Davison, Michigan 48423-0309

Emergency Telephone Number

Company Phone Number 810-744-4500

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The product contains no substances which at their given concentration, are considered to be hazardous to health

AppearanceClear pastePhysical StatePasteOdor Slight

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Proprietary MS Polymer Blend	MIXTURE	<60
Diisodecyl phthalate	26761-40-0	<30
Vinyltrimethoxysilane	2768-02-7	<3
Non-hazardous Ingredients*	Proprietary	<10
Crystalline silica	14808-60-7	<1

^{*} Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). (Crystalline Silica) Inhalation of particulates unlikely due to product's physical state. Crystalline Silica (as Quartz) present @ low levels in Calcium Carbonate filler.

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Seek immediate medical attention/advice.

Skin Contact In case of contact, immediately wash skin with soap and water or water for at least 15

minutes. Remove and wash contaminated clothing before reuse. If irritation persists, seek

Revision Date: 21-Jul-2013

medical attention.

Inhalation Remove to fresh air. If breathing is difficult, leave area to obtain fresh air. If breathing

remains difficult, get medical attention.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately.

Most important symptoms and effects

Symptoms Prolonged or repeated skin contact may result in dermatitis (red, dry skin). Direct contact

with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Overexposure to vapors during application and curing may mildly irritate respiratory tract and result in coughing and

sneezing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Provide general supportive measures and treat symptomatically. May aggravate

pre-existing skin disorders.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Use carbon dioxide (CO2), dry chemical or water spray.

Large Fire Dry chemical, Use foam or water spray.

Unsuitable Extinguishing Media Not determined.

Page 2/9

Specific Hazards Arising from the Chemical

Product is combustible & may ignite if exposed to high temperature or direct flame.

Hazardous Combustion Products Normal products of combustion.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Other Information Small Spills: 1 drum or less – Level D Equipment (gloves, chemical resistant apron, boots &

eye protection).

Large Spills: Rubber gloves, rubber boots, face shield & Tyvek suit as a minimum. Minimum level of PPE for releases in which the oxygen level is < 19.5% or is unknown, should be Level B: triple gloves (rubber gloves & nitrile gloves over latex gloves), chemical resistant suit, fire-retardant clothing & boots, hard hat & self-contained breathing apparatus.

Revision Date: 21-Jul-2013

For Emergency Responders Restrict access to spill area.

Environmental Precautions Minimize use of water to prevent environmental contamination. Prevent spill or rinse from

contaminating storm drains, sewers, soil or groundwater. Do not allow discharge containing

this material to enter streams, ponds, estuaries, oceans or other waters unless in

accordance w/ requirements of National Pollutant Discharge Elimination System (NPDES) permit & permitting authority has been notified in writing prior to discharge. Do not allow discharge containing this material to enter sewer systems w/o previously notifying local sewage treatment plant authority. For information, contact State Water Board or EPA

Regional Office

Other: U.S. regulations may require reporting of spills of this material reaching surface

waters if sheen is formed.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Wash area

with soap and water. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid breathing vapors. Use only with adequate ventilation. Open windows & doors to

ensure fresh air cross-ventilation during application and curing. Wash thoroughly with soap and water after handling. Avoid contact with skin, eyes or clothing. While handling product keep out of reach of children and pets. Do not eat or drink while handling this material. See section 6 of this SDS for clean up instructions. Remove contact lenses before using & do not handle contact lenses until all sealant has been cleaned from fingertips, nails & cuticles.

Residual sealant may transfer to contact lenses & result in severe eye irritation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Close container after each use. Store

containers away from excessive heat & freezing. Do not store @ temperatures above 120°

Revision Date: 21-Jul-2013

F. Protect from direct sunlight. Store away from incompatible materials. To maximize shelf

life, store @ temperatures below 26C (80F).

Incompatible Materials Strong bases, Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Exposure guidelines / protective equipment are for routine handling and accidental spills

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Crystalline silica	TWA: 0.025 mg/m³ respirable	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m³ respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m ³ respirable
		: (30)/(%SiO2 + 2) mg/m ³ TWA	dust
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA	
		respirable fraction	

Appropriate engineering controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Use approved safety goggles or safety glasses. If necessary, refer to appropriate

regulations & standards.

Skin and Body Protection Skin: Wear chemical impervious gloves (eg: Nitrile or Neoprene). Use triple gloves for spill

response. If necessary, refer to appropriate regulations & standards.

Body: Use protection appropriate for task (eg: lab coat, coveralls, Tyvek suit). If necessary, refer to OSHA Technical Manual (Sec. VII: Personal Protective Equipment)or appropriate Standards of Canada, Use foot protection, as described in appropriate regulations &

standards.

Respiratory Protection In event of insufficient ventilation, suitable respirator should be used. NIOSH-approved air

> purifying respirator w/ organic vapor canister may be necessary under circumstances of airborne concentrations exceeding exposure limits. Respirator program meeting OSHA 1910.134 & ANSI Z88.2 requirements should be followed when workplace conditions

warrant respirator use.

General Hygiene Considerations Wash hands before breaks and immediately after handling the product. Wash contaminated

clothing before reuse.

Precautionary Measures: Contact lenses may pose a hazard. Soft lenses may absorb & all

Odor

Slight

lenses may concentrate irritants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Paste **Appearance** Clear paste

Color Clear **Odor Threshold** Not determined

Property Note: The information below is not Remarks • Method

intended for use in preparing

Revision Date: 21-Jul-2013

product specifications

pH Not applicable
Melting Point/Freezing Point < 0 °C / <32 °F

Boiling Point/Boiling Range Not applicable

Flash Point > 93.33 °C / > 200 °F CC (closed cup)

Evaporation Rate Slower than n-Butyl Acetate

Flammability (Solid, Gas)
Upper Flammability Limits
Not established
Lower Flammability Limit
Not established
Vapor Pressure
Vapor Density
Not established
Heavier than air

Specific Gravity 1.25-1.75 @ 25 °C (77 °F)

Water Solubility Not Established Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not established **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Additional Information % by Weight Solids (TNV): > 90%

 $\begin{array}{lll} \mbox{VOC Content (\%)} & & <2\% \\ \mbox{VOC Content} & & <35\ \mbox{g/L} \end{array}$

10. STABILITY AND REACTIVITY

Reactivity_

Cures upon contact with air.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible Materials. Excessive heat or cold.

Incompatible Materials

Strong bases, Strong oxidizing agents.

Hazardous Decomposition Products

No hazardous decomposition products if stored & handled as prescribed.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Eye contact may result in tearing, redness & pain.

Skin Contact Prolonged and frequent contact may cause redness and irritation. Repeated skin contact

may cause dermatitis.

Revision Date: 21-Jul-2013

Inhalation Overexposure to vapors during application & curing may mildly irritate respiratory tract &

result in coughing & sneezing.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diisodecyl phthalate 26761-40-0	= 64 g/kg (Rat)	> 2900 mg/kg (Rat) > 3160 mg/kg (Rabbit)	> 12.54 mg/L (Rat) 4 h
Vinyltrimethoxysilane 2768-02-7	= 7340 μL/kg (Rat)	= 3360 μL/kg (Rabbit)	-
Crystalline silica 14808-60-7	= 500 mg/kg(Rat)	-	-

Information on physical, chemical and toxicological effects

Please see section 4 of this SDS for symptoms. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Not known to be human skin or respiratory sensitizers.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Silica, crystalline present in small amount in Calcium Carbonate filler: Known carcinogen. Crystalline Silica is considered to be a human carcinogen when in respirable form (dust /

powder).

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica 14808-60-7	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Repeated or prolonged exposure may result in skin, respiratory, kidney & liver damage. Chronic toxicity

Prolonged & repeated skin contact may result in irritation & possibly dermatitis.

Target organ effects Acute: Eyes & Skin. Chronic: Skin.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	

Diisodecyl phthalate	500: 72 h Desmodesmus	1: 96 h Pimephales	500: 24 h Daphnia magna
26761-40-0	subspicatus mg/L EC50 0.8:	promelas mg/L LC50	Straus mg/L EC50 0.02: 48
	96 h Pseudokirchneriella	flow-through 0.55: 96 h	h Daphnia magna mg/L
	subcapitata mg/L EC50	Lepomis macrochirus mg/L	EC50 Static
	static	LC50 static 10000: 96 h	
		Leuciscus idus mg/L LC50	
		static	

Revision Date: 21-Jul-2013

Persistence/Degradability

Not tested for persistence & biodegradability

Bioaccumulation

Not tested for bio-accumulation potential

Mobility

Not tested for mobility in soil

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard Yes **Chronic Health Hazard** Yes Fire Hazard No **Sudden Release of Pressure Hazard** No **Reactive Hazard** No

SARA 313

Not determined

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Diisodecyl phthalate 26761-40-0 (<30)		X		

Revision Date: 21-Jul-2013

US State Regulations

<u>California Proposition 65</u>
This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Diisodecyl phthalate - 26761-40-0	Developmental	
Crystalline silica - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diisodecyl phthalate 26761-40-0			Х
Crystalline silica 14808-60-7	X	X	Х

16. OTHER INFORMATION

Revision Date: 21-Jul-2013

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards110Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection110X

Issue Date10-Jul-2013Revision Date:21-Jul-2013Revision NoteNew format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 9/9