



Personal Protective Equipment

Product Catalog
2022

**SAFETY IS
OUR PRIORITY®**



Index



Hand Protection

Cut Resistant & General Purpose	05 - 17
Leather Gloves	18 - 25
Mechanics Gloves	26 - 33
Reusable Gloves	35 - 39
Nitrile Gloves	40 - 43



Protective Clothing

Safety Vests	44 - 51
Protective Coveralls	52 - 59



Protective Eyewear

Frameless	64 - 66
Full Frame	67
Half Frame	68 - 71
Spoggles	72 - 73
Over the Glass (OTG)	74



Hearing Protection

Earmuffs	79 - 80
Earplugs	81 - 83



Ergonomics

Back Support	87
Knee Pads	88



Respiratory Protection

90 - 93



Head Protection

94 - 97



Retail Displays

99 - 101



Hand Protection



Cut Resistant | General Purpose


Hand Protection Standards

EN 388 Regulatory Standards

EN 388 is the European standard used to evaluate mechanical risks for hand protection, but more than that, to be legally sold in Europe, a glove has to be EN 388 certified. Gloves with an EN 388 rating must be third-party tested and can be rated for abrasion, cut, tear and puncture resistance.

ABRASION	1-4	
CUT	1-5	
TEAR	1-4	
PUNCTURE	1-4	
ISO CUT TEST (TDM-100 Test)	A-F	
IMPACT PROTECTION	P, F, X	

EN388



3 1 2 1 F X

ABRASION

The material is subjected to abrasion by sandpaper under a determined pressure.

CUT

The cut protection is tested. A knife is passed over the glove material until it cuts through.

TEAR

The force required to tear the glove material apart is measured.

PUNCTURE

Based on the amount of force required to puncture the material with a tip.

ISO CUT TEST

If the knife gets dull during the coup test, see point 2, this test shall be performed instead. The cut test is rated from A to F, with F being the highest level of cut resistance.

IMPACT PROTECTION

This is a new test to the EN 388:2016 standard and is optional. It should only be included for gloves that claim specific impact-resistant properties. The rating will score a P(Pass), F(Fail), or X(Not Tested).

EN 407 Regulatory Standards

This standard specifies demands and test methods for protective gloves that shall protect against heat and/or fire. The numbers given besides the pictogram indicate the gloves performance for each test in the standard. The higher number the better the performance level.

BURNING BEHAVIOR	1-4	
CONTACT HEAT	1-5	
CONVECTIVE HEAT	1-4	
RADIANT HEAT	1-4	
SMALL SPLASH MOLTEN METAL	1-4	
LARGE SPLASH MOLTEN METAL	1-4	

EN407



4 1 3 1 4 X

BURNING BEHAVIOR

The ignition time and how long the material glows or burns after ignition is measured in this test. If the seam comes apart after 15 seconds above a flame, the glove has failed the test.

CONTACT HEAT

The glove is exposed to temperatures between + 100°C to + 500°C. Then it is measured how long it takes for the inner side of the glove to become 10°C warmer than it was from the beginning (about 25 °C degrees). The glove must withstand the increasing temperature of a maximum of 10°C for at least 15 seconds for approval.

CONVECTIVE HEAT

The glove material is exposed to heat from a gas flame. The amount of time it takes to raise the temperature inside the glove by 24°C is measured. The longer this takes, the higher the resistance of the glove to convective heat.

RADIANT HEAT

this is done by measuring how long the glove is able to delay heat transfer from a radiant source, the average time is measured for an operation of 2.5W / m².

SMALL SPLASH MOLTEN METAL

This is tested by dropping small amounts of molten metal onto the glove. Based on the number of drops of molten metal that generates a temperature increase between the glove material and the skin with 40°C.

LARGE SPLASH MOLTEN METAL

The test measures how much molten metal is required to damage material inside the glove. A PVC film is attached to the back of the glove material. Molten iron is poured onto the material. The measurement consists of how many grams of molten iron is required to damage the PVC film.



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements. It is required for products manufactured anywhere in the world that are then marketed in the EU.

Understanding Cut Resistant Levels

When looking for the best options for hand protection, it comes to your mind which one do you need to protect your hands from potential injuries such as cuts, tissue injuries, amputations, and burns. To know the right pair of gloves to use for a specific work, it is important to understand the levels of cut resistance. These are standards from the American National Standards Institute (**ANSI**) and International Safety Equipment Association (**ISEA**) effective in North America in March 2016 that measures cut resistance for Industrial work gloves on a scale from A1 to A9.

Levels

Light - Medium Applications	Medium- High Applications	High Applications	Highest Applications
Material handling, small parts assembly (sharp edge), packaging, warehouse, general purpose, construction.	Application in glass handling, appliance manufacturing, automotive, metal fabrication	Application in metal stamping & fabrication, glass handling, constructions	Application in metal stamping & fabrication, glass handling, recycling, aerospace
  	 		  

Levels **Weight in grams needed to cut through materials**

	200-499 g
	500-999 g
	1000-1499 g
	1500-2199 g
	2200-2999 g
	3000-3999 g
	4000-4999 g
	5000-5999 g
	6000+ g

ANSI/ISEA and EN388.

Where to find them?

Always look for the certification icon printed in the back of each gloves. It is very important to get the proper pair to avoid possible injuries while working.



Dipped Gloves

Choosing the correct glove coating for your job is crucial. That is why we offer various types of coatings to make sure we cover your specific hand protection needs. Palm coatings can influence your glove's performance gripping capabilities in wet and dry conditions, flexibility, temperature, chemicals, oils, abrasion, cut, and puncture resistance.

Coatings

Nitrile



Nitrile coating is a durable material that provides superior puncture and tear resistance. It is mainly used for oily and wet conditions since the nitrile allows liquids to pass quickly through the glove without losing grip and dexterity, therefore performing better in different temperatures than PU.

Polyurethane



Polyurethane (PU) coating provides the user with extra flexibility and dexterity. It offers a lightweight and more breathable material and are also known for their excellent grip without being too sticky. PU coatings have versatility among different uses such as light duty jobs, small parts handling, and light manufacturing.


Latex



Latex coating offers great elasticity, durability, and dexterity, it is a good option for wet or dry applications thanks to their material, latex does perform as well with oily or abrasive materials. It has a protein that can generate allergy reactions, you should always make sure if you are allergic to this material.

Grips

Sandy



It increases the gloves grip in both wet and harsh weather conditions. It is not recommended to be used in contact with hydrocarbon-based oils or solvents. Sandy grip provides a high level of flexibility and snagging resistance.

Dotted Palm



It combines the benefits of the Micro-Foam with increased grip performance, without sacrificing its flexibility, breathability, and dexterity performance levels. The Dotted palm provides the user the extra grip required for some jobs.

Foam



It provides the user with excellent dexterity for those who work in wet conditions and oils. The foam behaves like a sponge that absorbs and removes liquids from the palm, providing excellent grip and precision in these conditions.

Crinkle



It is known for their outstanding grip performance in wet and dry conditions. This crinkle is designed to drain liquids away rapidly through its channels to assure a good grip in most circumstances.

Smooth



Without any texture, Smooth grips provides the user with a strong dry grip. As a non-porous grip, it will not absorb any liquids. It is versatile as it has good resistance to hydrocarbon-based oils and solvents.


Micro Foam



The Micro Foam grip acts as a sponge against light oils and water, absorbing them to increase grip performance. This coating is ideal for working with small oily objects, as it also provides excellent dexterity and flexibility. Its porous texture provides comfort and breathability.

Liners

Nylon




They are durable and tough, with good flexibility and breathability, with high abrasion resistance can be used in constructions, industrial work, and outdoor applications

Polyester




It's a synthetic fiber with high durability and excellent abrasion resistance, gloves made of this material can be washed and do not shrink when drying, they are a good choice for painting, gardening because the material is quick drying.

HPPE



High-Performance Polyethylene (HPPE) has the highest strength to mass ratio of any fiber available, its 10 times stronger than steel, being a material with high abrasion resistance.

Spandex




It's good for applications that need good dexterity and flexibility. High elasticity, lightweight, durable material.

Basalt



It's a highly durable and resistant material made of extremely fine fibers of basalt. Applications like industrial work, construction, mining, and handling metal & glass


Steel




Very durable and resistant material, with high tensile strength for jobs requiring handling of sharp objects such as glass, small parts with sharp points, construction, and industry.

Gauge


The Gauge of the liner refers to the number of stitches or knitting needles per inch. The higher the gauge, the better the tactile sensitivity and dexterity of the glove.



18 Gauge



15 Gauge



13 Gauge



10 Gauge

Special Features



Touch Screen Compatible

It can be difficult to find gloves that work with touchscreen phones. Some of our gloves are a lightweight alternative that not only protects your hands, but allows you to text, scroll, stream, and do everything in between.



Outstanding grip performance in wet and dry conditions, assuring a good grip in most circumstances.



Coated gloves with special insert layers that repel water to keep your hands dry or wet, rainy or snow conditions, providing excellent grip and comfort.

Gloves

Sizing Guide

Knowing the glove size is an important way to increase your performance without losing comfort and dexterity. We use a size identification system based on the color of the cuff, which provides better visual support when choosing the right glove size.

Reinforced Crotch Thumb

Some of our gloves have this feature that provides extra tear resistance.

Good Dexterity

Good touch and feel sensitivity are essential for every worker.

Hand & Wrist Protection

A longer cuff means a better protection level.

Cuff Color Guide


Dimensions

Sizes	A	
S	3.4"	(8.9cm)
M	3.7"	(9.4cm)
L	3.8"	(9.6cm)
XL	3.9"	(9.8cm)
XXL	3.9"	(10cm)



PU Dipped Gloves

GG205



• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Nylon Liner

• **Comfortable for handling**
of small objects


• **Gray Polyurethane**
Coating



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG205SC	GG205S	Green	S (7")
GG205MC	GG205M	Blue	M (8")
GG205LC	GG205L	Gray	L (9")
GG205XLC	GG205XL	Black	XL (10")
GG205XXLC	GG205XXL	Orange	XXL (11")

PU Dipped Gloves

GG206



• **Longer Cuff**
For better protection and comfort

• **18 Gauge**
Nylon Liner

• **Provides a high level of fit,**
touch and precision


• **Black Polyurethane**
Coating



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG206SC	GG206S	Green	S (7")
GG206MC	GG206M	Blue	M (8")
GG206LC	GG206L	Gray	L (9")
GG206XLC	GG206XL	Black	XL (10")
GG206XXLC	GG206XXL	Orange	XXL (11")

PU Dipped Gloves

GG207



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Polyester,
Nylon, Glass Fiber and
Spandex Liner


• **Gray Polyurethane**
Coating



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG207SC	GG207S	Green	S (7")
GG207MC	GG207M	Blue	M (8")
GG207LC	GG207L	Gray	L (9")
GG207XLC	GG207XL	Black	XL (10")
GG207XXLC	GG207XXL	Orange	XXL (11")

PU Dipped Gloves

GG208



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Polyester, Steel and Spandex Liner


• **Gray Polyurethane Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG208SC	GG208S	Green	S (7")
GG208MC	GG208M	Blue	M (8")
GG208LC	GG208L	Gray	L (9")
GG208XLC	GG208XL	Black	XL (10")
GG208XXLC	GG208XXL	Orange	XXL (11")

PU Dipped Gloves

GG201



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Steel, Glass Fiber and Polyester Liner


• **Gray Polyurethane Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG201SC	GG201S	Green	S (7")
GG201MC	GG201M	Blue	M (8")
GG201LC	GG201L	Gray	L (9")
GG201XLC	GG201XL	Black	XL (10")
GG201XXLC	GG201XXL	Orange	XXL (11")

Crinkle Rubber Dipped Gloves

GG209



• **Longer Cuff**
For better protection and comfort

• **10 Gauge**
Polyester Liner

• This crinkle rubber coating is designed to drain liquids away rapidly through its channels to assure a good grip in most circumstances


Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG209SC	GG209S	Green	S (7")
GG209MC	GG209M	Blue	M (8")
GG209LC	GG209L	Gray	L (9")
GG209XLC	GG209XL	Black	XL (10")
GG209XXLC	GG209XXL	Orange	XXL (11")



• **Indigo Crinkle Rubber Coating**

Sandy Latex Double Dipped Gloves

GG211



• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Nylon Liner

• **Black Sandy Latex Coating**

Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG211SC	GG211S	Green	S (7")
GG211MC	GG211M	Blue	M (8")
GG211LC	GG211L	Gray	L (9")
GG211XLC	GG211XL	Black	XL (10")
GG211XXLC	GG211XXL	Orange	XXL (11")




Hanging Card



12 Pair Packaging

Smooth Nitrile Dipped Gloves

GG215



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
Polyester Liner


• **Black Smooth Nitrile Coating**

Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG215SC	GG215S	Green	S (7")
GG215MC	GG215M	Blue	M (8")
GG215LC	GG215L	Gray	L (9")
GG215XLC	GG215XL	Black	XL (10")
GG215XXLC	GG215XXL	Orange	XXL (11")



Dotted Palm Micro Foam Nitrile Dipped Gloves

GG216



• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Nylon Spandex Liner


• **Black Dotted Palm Micro Foam Nitrile Coating**

Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG216SC	GG216S	Green	S (7")
GG216MC	GG216M	Blue	M (8")
GG216LC	GG216L	Gray	L (9")
GG216XLC	GG216XL	Black	XL (10")
GG216XXLC	GG216XXL	Orange	XXL (11")



Micro Foam Nitrile Dipped Gloves

GG217



• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Nylon Spandex Liner

• **Provides good grip when used with light oils**


• **Black Micro Foam Nitrile Coating**

Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG217SC	GG217S	Green	S (7")
GG217MC	GG217M	Blue	M (8")
GG217LC	GG217L	Gray	L (9")
GG217XLC	GG217XL	Black	XL (10")
GG217XXLC	GG217XXL	Orange	XXL (11")



Fully Dipped Foam Nitrile Gloves

GG222



• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Polyester and Spandex Liner

• **Compatible with light oils**


• **Black Foam Nitrile Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG2228SC	GG222S	Green	S (7")
GG222MC	GG222M	Blue	M (8")
GG222LC	GG222L	Gray	L (9")
GG222XLC	GG222XL	Black	XL (10")
GG222XXLC	GG222XXL	Orange	XXL (11")

Hi-Vis Sandy Nitrile Dipped Gloves

GG221



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Polyester, Nylon, Glass Fiber and Spandex Liner

• **Reinforced Thumb Crotch**


• **Black Sandy Nitrile Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG221SC	GG221S	Green	S (7")
GG221MC	GG221M	Blue	M (8")
GG221LC	GG221L	Gray	L (9")
GG221XLC	GG221XL	Black	XL (10")
GG221XXLC	GG221XXL	Orange	XXL (11")

Micro Foam Nitrile Dipped Gloves

GG223



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Polyester, Nylon, Glass Fiber and Spandex Liner

• **Reinforced Thumb Crotch**


• **Black Micro Foam Nitrile Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG223SC	GG223S	Green	S (7")
GG223MC	GG223M	Blue	M (8")
GG223LC	GG223L	Gray	L (9")
GG223XLC	GG223XL	Black	XL (10")
GG223XXLC	GG223XXL	Orange	XXL (11")

Micro Foam Nitrile Dipped Gloves

GG224



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Polyester, Steel and Spandex Liner

• **Reinforced Thumb Crotch**


• **Black Micro Foam Nitrile Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG224SC	GG224S	Green	S (7")
GG224MC	GG224M	Blue	M (8")
GG224LC	GG224L	Gray	L (9")
GG224XLC	GG224XL	Black	XL (10")
GG224XXLC	GG224XXL	Orange	XXL (11")

Micro Foam Nitrile Dipped Gloves

GG225



• **Longer Cuff**
For better protection and comfort

• **18 Gauge**
HPPE, Steel, Polyester Liner

• **Provides a high level of fit, touch and precision**

Reinforced Thumb Crotch


• **Black Micro Foam Nitrile Coating**



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG225SC	GG225S	Green	S (7")
GG225MC	GG225M	Blue	M (8")
GG225LC	GG225L	Gray	L (9")
GG225XLC	GG225XL	Black	XL (10")
GG225XXLC	GG225XXL	Orange	XXL (11")

Foam Nitrile Dipped Gloves

GG226



• **Longer Cuff**
For better protection and comfort

• **13 Gauge**
HPPE, Steel Basalt, Polyester and Spandex Liner

• **Reinforced Thumb Crotch**

• **Black Foam Nitrile Coating**




Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG226SC	GG226S	Green	S (7")
GG226MC	GG226M	Blue	M (8")
GG226LC	GG226L	Gray	L (9")
GG226XLC	GG226XL	Black	XL (10")
GG226XXLC	GG226XXL	Orange	XXL (11")

Hand Protection

Micro Foam Dipped Gloves

Micro Foam Nitrile Dipped Gloves

GG230



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG230SC	GG230S	Green	S (7")
GG230MC	GG230M	Blue	M (8")
GG230LC	GG230L	Gray	L (9")
GG230XLC	GG230XL	Black	XL (10")
GG230XXLC	GG230XXL	Orange	XXL (11")

• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Recycled Polyester, Nylon and Spandex Liner


• **Reinforced Thumb Crotch**

• **Black Micro Foam Nitrile Coating**



Foam Nitrile Dipped Gloves

GG231



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG231SC	GG231S	Green	S (7")
GG231MC	GG231M	Blue	M (8")
GG231LC	GG231L	Gray	L (9")
GG231XLC	GG231XL	Black	XL (10")
GG231XXLC	GG231XXL	Orange	XXL (11")

• **Longer Cuff**
For better protection and comfort

• **15 Gauge**
Cool Yarn, Polyester and Spandex Liner

• **Black Foam Nitrile Coating**




Hanging Card



12 Pair Packaging

Sandy Nitrile TPR Impact Gloves

GG240



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG240LC	GG240L	● Gray	L (9")
GG240XLC	GG240XL	● Black	XL (10")

- **Longer Cuff**
For better protection and comfort
- **13 Gauge**
HPPE, Polyester, Glass Fiber and Spandex Liner




- **Stitched Reinforced Thumb Crotch**
- **Black Sandy Nitrile Coating**

PATENT PENDING

Micro Foam Nitrile TPR Impact Gloves

GG242



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG242LC	GG242L	● Gray	L (9")
GG242XLC	GG242XL	● Black	XL (10")

- **Longer Cuff**
For better protection and comfort
- **13 Gauge**
HPPE, Polyester, Glass Fiber, Steel Wire and Spandex Liner




- **Touch Screen Compatible**
- **Stitched Reinforced Thumb Crotch**
- **Black Micro Foam Nitrile Coating**

PATENT PENDING

Foam Nitrile TPR Impact Gloves

GG244



Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG244LC	GG244L	● Gray	L (9")
GG244XLC	GG244XL	● Black	XL (10")

- **Longer Cuff**
For better protection and comfort
- **18 Gauge**
HPPE, Basalt, Steel, Spandex and Polyester Liner



- **Touch Screen Compatible**
- **Stitched Reinforced Thumb Crotch**
- **Black Foam Nitrile Coating**

PATENT PENDING



Leather Gloves



Driver | Leather Palm | Welding

Leather Gloves Guide


Types of Leather and their Difference

Different types of leather are used in gloves for an array of uses. The most common leather used is cowhide leather, which has two types; Cow Grain and Cow Split.




Cow Grain Leather

The outer layer of the hide is naturally water repellent and very durable in volatile conditions. Cow grain leather is the thickest and most durable type of leather.




Cow Split Leather

The bottom layer of the hide. It has better abrasion and heat resistance. Also, provides smoother texture and flexibility.




Thumb Types

Different types of thumb designs are used in leather gloves which offer better dexterity depending on the different work environments. The most common are straight thumb, wing thumb, and keystone thumb.




Winged Thumb

Is a continuous full leather thumb with a reinforced sewn in the bottom. Its design is excellent for gripping work like screw, hammer, shoveling.



Straight Thumb

This design has stitching on the inside of the glove, which provides an extension of the life of the glove, this avoiding unpicking. It's design is excellent for push or open handed work



Keystone Thumb

This design has the thumb separated from the glove, stitching it in a way that provides greater comfort to the user, being one of the most versatile.

Special Features



It's the highest quality leather available. It has had imperfections removed or corrected using different methods such as sanding or buffing, giving an excellent finish and a better feel when using the glove.

Aramid Stitching

It is one of the most resistant commercial yarns of all, it is made for applications in which the contact with heat is constant since it resists high heat temperatures and remains firm without any risk of unraveling.



Coated gloves with special insert layers that repel water to keep your hands dry or wet, rainy or snow conditions, providing excellent grip and comfort.

EN 12477

EN 12477 describes how welding gloves should be made to provide adequate hand and fist protection, welding gloves should be tested based on EN388:2016 and EN 407:2004.

Type A refers to gloves with high protection but with lower dexterity and flexibility.

Type B refers to gloves with low protection but with good dexterity and flexibility.

Cow Grain Leather Driver Gloves

GG301



3 - Abrasion
1 - Cut
4 - Tear
3 - Puncture
X - ISO Cut Test



Hanging Card Ref.	12 Pack Ref.	Size
GG301SC	GG301S	S (7")
GG301MC	GG301M	M (8")
GG301LC	GG301L	L (9")
GG301XLC	GG301XL	XL (10")
GG301XXLC	GG301XXL	XXL (11")



Cow Grain Leather Driver Gloves

GG304



3 - Abrasion
1 - Cut
4 - Tear
3 - Puncture
X - ISO Cut Test



Hanging Card Ref.	12 Pack Ref.	Size
GG302SC	GG302S	S (7")
GG302MC	GG302M	M (8")
GG302LC	GG302L	L (9")
GG302XLC	GG302XL	XL (10")
GG302XXLC	GG302XXL	XXL (11")



Cow Grain Leather Driver Gloves

GG306



3 - Abrasion
1 - Cut
4 - Tear
3 - Puncture
X - ISO Cut Test



Hanging Card Ref.	12 Pack Ref.	Size
GG306SC	GG306S	S (7")
GG306MC	GG306M	M (8")
GG306LC	GG306L	L (9")
GG306XLC	GG306XL	XL (10")
GG306XXLC	GG306XXL	XXL (11")



Cow Grain Leather Driver Gloves

GG307



4 - Abrasion
1 - Cut
4 - Tear
3 - Puncture
X - ISO Cut Test

• Reinforced Palm

• Keystone Thumb Comfortable Fit

• Cow Grain Leather

• Shirred Elastic Wrist

Hanging Card Ref.	12 Pack Ref.	Size
GG307SC	GG307S	S (7")
GG307MC	GG307M	M (8")
GG307LC	GG307L	L (9")
GG307XLC	GG307XL	XL (10")
GG307XXLC	GG307XXL	XXL (11")

Cow Split Leather Driver Gloves

GG303



3 - Abrasion
1 - Cut
4 - Tear
3 - Puncture
X - ISO Cut Test

• Keystone Thumb comfortable fit

• Cow Split Leather

• Shirred Elastic Wrist

Hanging Card Ref.	12 Pack Ref.	Size
GG303SC	GG303S	S (7")
GG303MC	GG303M	M (8")
GG303LC	GG303L	L (9")
GG303XLC	GG303XL	XL (10")
GG303XXLC	GG303XXL	XXL (11")

Cow Split Leather Driver Gloves

GG305



4 - Abrasion
1 - Cut
3 - Tear
3 - Puncture
X - ISO Cut Test

• Keystone Thumb Comfortable Fit

• Cow Split Leather

• Shirred Elastic Wrist


Hanging Card Ref.	12 Pack Ref.	Size
GG305SC	GG305S	S (7")
GG305MC	GG305M	M (8")
GG305LC	GG305L	L (9")
GG305XLC	GG305XL	XL (10")
GG305XXLC	GG305XXL	XXL (11")

Hand Protection

Leather Gloves

Cow Split Leather Palm Gloves

GG320



• Knuckle Protection

• Rubberized safety cuff

Hanging Card Ref.	12 Pack Ref.	Size
GG320MC	GG320M	M (8")
GG320LC	GG320L	L (9")
GG320XLC	GG320XL	XL (10")



Cow Split Leather Palm Gloves

GG321



• Knuckle Protection


• Rubberized safety cuff

Hanging Card Ref.	12 Pack Ref.	Size
GG321MC	GG321M	M (8")
GG321LC	GG321L	L (9")
GG321XLC	GG321XL	XL (10")



Cow Split Leather Palm Gloves

GG322



• High Visibility

• Rubberized safety cuff

Hanging Card Ref.	12 Pack Ref.	Size
GG322MC	GG322M	M (8")
GG322LC	GG322L	L (9")
GG322XLC	GG322XL	XL (10")



Cow Split Leather Welding Gloves

GG330



4 - Abrasion
1 - Cut
3 - Tear
3 - Puncture
X - ISO Cut Test



4 - Burning Behavior
1 - Contact Heat
3 - Convective Heat
1 - Radiant Heat
4 - Small Splash Molten Metal
X - Large Splash Molten Metal

Hanging Card Ref. GG330 Color Gray

• 16" overall length

• Sewn with Aramid Thread



• Cow Split Leather

• Lined

Cow Split Leather Welding Gloves

GG331



4 - Abrasion
1 - Cut
3 - Tear
3 - Puncture
X - ISO Cut Test



4 - Burning Behavior
1 - Contact Heat
3 - Convective Heat
1 - Radiant Heat
4 - Small Splash Molten Metal
X - Large Splash Molten Metal

Hanging Card Ref. GG331 Color Indigo & Gray

• 16" overall length

• Sewn with Aramid Thread



• Reinforced palm

• Cow Split Leather

• Lined





Mechanics Gloves




TPR | Impact | All Purpose

Impact Resistant Standards


ANSI/ISEA 138-2019

This standard is used to evaluate the protection and the resistance of the gloves for impact sets requirements of gloves designed to protect the knuckles and fingers of direct impact to the hand from external objects. The impact resistance is classified in levels 1, 2, and 3, where level 1 equals the lowest level of impact resistance and level 3 equals the highest level of performance.




LOW
Performance

Mean (kN) ≤ 4 / All Impact (kN) ≤ 5



MEDIUM
Performance

Mean (kN) ≤ 6.5 / All Impact (kN) ≤ 8.1



HIGH
Performance

Mean (kN) ≤ 9 / All Impact (kN) ≤ 11

EN388 Regulatory Standard

This standard is used to evaluate mechanical risks for hand protection, but more than that, to be legally sold in Europe, a glove has to be EN 388 certified. Gloves with an EN 388 rating must be third-party tested and can be rated for abrasion, cut, tear and puncture resistance.

ABRASION	1-4	
CUT	1-5	
TEAR	1-4	
PUNCTURE	1-4	
ISO CUT TEST (TDM-100 Test)	A-F	
IMPACT PROTECTION	P, F, X	

ABRASION

The material is subjected to abrasion by sandpaper under a determined pressure.

CUT

The cut protection is tested. A knife is passed over the glove material until it cuts through.

TEAR

The force required to tear the glove material apart is measured.

PUNCTURE

Based on the amount of force required to puncture the material with a tip.

ISO CUT TEST

If the knife gets dull during the coup test, see point 2, this test shall be performed instead. The cut test is rated from A to F, with F being the highest level of cut resistance.

IMPACT PROTECTION

This is a new test to the EN 388:2016 standard and is optional. It should only be included for gloves that claim specific impact resistant properties. The rating will score a P(Pass), F(Fail), or X(Not Tested).



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements. It is required for products manufactured anywhere in the world that are then marketed in the EU.

Understanding Impact Resistant Levels


This type of gloves is generally used in places where the risk of having an accident in the hand is higher than normal and heavy-duty protection is required. There are 3 levels of impact resistance, the lowest level is 1 and the highest is 3, these gloves are mainly used in industrial areas such as Oil & Gas, mining, exploration, fishing, quarrying. To know what level will be the glove, these are subjected to a test in which they are thrown a mass of 2-5 or 5 kgs in the area of the TPR and is measured based on Mean Transmitted Force (MTF), the MTF is measured in kilonewtons (kN) which means that the lower the measurement in kilonewtons, the better the dispersion of the glove.

The Importance of Using Mechanics Gloves

According to different studies, the second most injured part is the hand, there are many ways to hurt the hand by punctures, but one of the most common causes according to the National Safety Council, is through some kind of blow by heavy machinery, and likewise being injuries that can cost between 400-25000\$, you should not only be aware of the work area in which you are, but you should also protect yourself as best as possible to avoid possible injuries in high-risk areas.


ANSI/ISEA 138-2019 Testing Process

The ANSI/ISEA 138-2015 is used to measure the gloves impact protection, starting from the knuckles to the fingers area. The middle and little fingers testing area is measured 5 cm from the fingertip. On the index, ring, and thumb fingers, the testing area is 2.5 cm from the fingertip.



TPR Layers

Our TPR gloves are designed to generate excellent impact protection, made of 3 layers and thick TPR that repels impact without damaging your hand, are made of 6 mm TPR, highly durable stitching, and made of 100% natural or high-quality synthetic leather.



Mechanics Gloves

GG400



Mechanics Gloves

GG401



Hi-Vis Mechanics Gloves

GG402



Pro Mechanics Gloves

GG410



- Slip on cuff
- Shirred elastic secure fit
- Breathable spandex material




- Reinforced Fingers
- Touchscreen compatible
- High Quality Synthetic Leather
- Padded palm
- Reinforced thumb crotch
- Reinforced palm
- Pull strap

Hanging Card Ref.	Size
GG410SC	S (7")
GG410MC	M (8")
GG410LC	L (9")
GG410XLC	XL (10")
GG410XXLC	XXL (11")

Pro Mechanics Gloves

GG411



- ID Name Tag
- TPR velcro cuff
- Shirred elastic secure fit
- Breathable Spandex Material




- Reinforced fingers
- Touch Screen Compatible
- High Quality Synthetic Leather
- Padded palm
- Reinforced Crotch Thumb
- Reinforced palm
- Pull strap

Hanging Card Ref.	Size
GG411SC	S (7")
GG411MC	M (8")
GG411LC	L (9")
GG411XLC	XL (10")
GG411XXLC	XXL (11")

Pro Mechanics Leather Gloves

GG419



- Slip on cuff
- Shirred elastic secure fit
- Spandex material




- Reinforced fingers
- Touch screen compatible
- 100% Genuine Goat Leather
- Reinforced palm
- Pull strap

Hanging Card Ref.	Size
GG419SC	S (7")
GG419MC	M (8")
GG419LC	L (9")
GG419XLC	XL (10")
GG419XXLC	XXL (11")

Leather Impact Resistant Work Gloves

GG415




Hanging Card Ref.	Size
GG415SC	S (7")
GG415MC	M (8")
GG415LC	L (9")
GG415XLC	XL (10")
GG415XXLC	XXL (11")



Synthetic Leather Impact Resistant Gloves

GG416



Hanging Card Ref.	Size
GG416SC	S (7")
GG416MC	M (8")
GG416LC	L (9")
GG416XLC	XL (10")
GG416XXLC	XXL (11")



Hi-Vis Synthetic Leather Impact Resistant Gloves

GG417



Hanging Card Ref.	Size
GG417SC	S (7")
GG417MC	M (8")
GG417LC	L (9")
GG417XLC	XL (10")
GG417XXLC	XXL (11")



Impact Cut Resistant Driver Gloves

GG421



2 - Abrasion
3 - Cut
3 - Tear
3 - Puncture
X - ISO Cut Test



• Impact resistant TPR



• 100% Leather



• Slip on cuff

Hanging Card Ref.	Size
GG421SC	S (7")
GG421MC	M (8")
GG421LC	L (9")
GG421XLC	XL (10")
GG421XXLC	XXL (11")

Oil & Gas Impact Resistant Gloves

GG422



3 - Abrasion
3 - Cut
2 - Tear
2 - Puncture
X - ISO Cut Test



• Slip on cuff

• Reflective material

• Impact Resistant TPR Knuckle



• Abrasion Non Slip Material Palm



• Touch screen compatible

• ID name tag

• Pull strap

Hanging Card Ref.	Size
GG422SC	S (7")
GG422MC	M (8")
GG422LC	L (9")
GG422XLC	XL (10")
GG422XXLC	XXL (11")



Reusable Gloves



Reusable Gloves Standards

EN 374 Regulatory Standards

EN 374 is the European standard used to evaluate the requirements for a glove to protect against dangerous liquids, chemicals and micro-organisms, this standard tests the degradation and permeation from different chemicals.

Standard Level

EN 374-1

Specifies the requirements for protection against chemicals and microorganisms, also, defines the terms used in the standard.



Basic protection

The "Low chemical resistance" pictogram is used for those gloves that did not meet the 30 minutes resistance time with 3 different chemicals but passed the penetration test.

EN 374-2

Describes and specifies a test method for the penetration resistance of gloves protecting against chemicals and/or microorganisms.



Specific protection

Indicates that this glove protects against certain liquid chemicals with a time exceeding 30 minutes for at least three out of a list of twelve chemicals, chemicals are identified by letters

EN 374-3

Specifies the method for determining the resistance of glove materials to the permeation of potentially hazardous, non-gaseous chemicals under recurrent contact conditions.



Microorganism protection

Specifies whether the gloves are effective against liquids and microorganisms. Performance levels are according to AQL (Acceptable Quality Levels). Samples are taken from each production batch and tested for leaks by air or water inflation.

Specific Protection - Hazardous Compounds

Code	Chemical	Code	Chemical
A	Methanol	G	Diethylamine
B	Acetone	H	Tetrahydrofuranne
C	Acetonitrile	I	Elthyl acetate
D	Dichloromethane	J	n-Heptane
E	Carbon disulphide	K	Sodium hydroxide 40%
F	Toluene	L	Sulphuric Acid 96%



ADF

A = Methanol D = Dichloromethane F = Toluene

Pictograms



Cut and tear resistant

All our gloves have cut and tear resistance, providing greater protection, safety, and less risk of damage.



Anti microbial

It is ideal for conditions that warrant greater protection against microbes it is ideal for cleaning high traffic areas, bathrooms, etc.



Good dexterity

Our gloves are designed to provide excellent dexterity and comfort, adapting to any type of hand shape.



Chlorinated

is a special process using chlorine-based water treatment in the gloves, thus providing greater resistance to certain mild chemicals.



Chemical resistance

Most of our gloves are resistant to certain liquid chemicals, always make sure you know what product and what type of use you are going to give the glove to avoid injuries.



Food stuff compliance

Ensures that gloves can be used in the food industry without putting food at risk or leaving chemical residues on the food.

Hand Protection

Reusable Gloves

Latex Gloves

GG500



General Purpose

Usa general / Bbjectif général

Ref.	Color	Size	Length	Palm Width
GG500S	Blue	S (6-6 ½)	S (12") (300±10mm)	S (3.5") (90±5mm)
GG500M	Blue	M (7-7 ½)	M (12") (300±10mm)	M (3.9") (100±5mm)
GG500L	Blue	L (8-8 ½)	L (12") (300±10mm)	L (4.3") (110±5mm)
GG500XL	Blue	XL (9-9 ½)	XL (12") (300±10mm)	XL (4.7") (120±5mm)
GG500XXL	Blue	XXL (10-10 ½)	XXL (12") (300±10mm)	XXL (5.1") (130±5mm)

16 mil thickness
Grosor / Répaisseur

• Honeycomb Palm for better grip

• Internal flock lining adds comfort fit

• 12" Long beaded cuff



Latex Gloves

GG503



2 - Abrasion
1 - Cut
2 - Tear
0 - Puncture



2120



Heavy Duty

Alta resistencia / Très résistant

Ref.	Color	Size	Length	Palm Width
GG503S	Accent Orange	S (6-6 ½)	S (13") (330±10mm)	S (3.7") (95±3mm)
GG503M	Accent Orange	M (7-7 ½)	M (13") (330±10mm)	M (4.2") (107±3mm)
GG503L	Accent Orange	L (8-8 ½)	L (13") (330±10mm)	L (4.4") (113±3mm)
GG503XL	Accent Orange	XL (9-9 ½)	XL (13") (330±10mm)	XL (4.6") (118±3mm)
GG503XXL	Accent Orange	XXL (10-10 ½)	XXL (13") (330±10mm)	XXL (4.8") (123±3mm)

20 mil thickness
Grosor / Répaisseur

• Diamond embossed Palm for better grip

• Internal flock lining adds comfort fit

• 13" Long beaded cuff



Neoprene Coated Gloves

GG501



1 - Abrasion
0 - Cut
1 - Tear
0 - Puncture

1010



Heavy Duty

Alta resistencia / Très résistant

Ref.	Color	Size	Length	Palm Width
GG501S	Indigo & Gray	S (6-6 ½)	S (13") (330±10mm)	S (3.7") (95±3mm)
GG501M	Indigo & Gray	M (7-7 ½)	M (13") (330±10mm)	M (4.2") (107±3mm)
GG501L	Indigo & Gray	L (8-8 ½)	L (13") (330±10mm)	L (4.4") (113±3mm)
GG501XL	Indigo & Gray	XL (9-9 ½)	XL (13") (330±10mm)	XL (4.6") (118±3mm)
GG501XXL	Indigo & Gray	XXL (10-10 ½)	XXL (13") (330±10mm)	XXL (4.8") (123±3mm)

20 mil thickness
Grosor / Répaisseur

• Diamond embossed Palm for better grip

• Internal flock lining adds comfort fit

• 13" Long beaded cuff

• Neoprene coated gloves




Hand Protection

Reusable Gloves

Neoprene Gloves

GG520



20 mil thickness
Grosor / Répaisseur

• **Diamond Embossed palm for better grip**

• **Internal flock lining adds comfort fit**



• **13" Long beaded cuff**




Heavy Duty

Alta resistencia / Très résistant

Ref.	Color	Size	Length	Palm Width
GG520S	Black	S (6-6 ½)	S (13") (330±10mm)	S (3.7") (95±3mm)
GG520M	Black	M (7-7 ½)	M (13") (330±10mm)	M (4.2") (107±3mm)
GG520L	Black	L (8-8 ½)	L (13") (330±10mm)	L (4.4") (113±3mm)
GG520XL	Black	XL (9-9 ½)	XL (13") (330±10mm)	XL (4.6") (118±3mm)
GG520XXL	Black	XXL (10-10 ½)	XXL (13") (330±10mm)	XXL (4.8") (123±3mm)

Nitrile Gloves

GG530



15 mil thickness
Grosor / Répaisseur

• **Diamond embossed palm for better grip**

• **Internal flock lining adds comfort fit**



• **13" Long beaded cuff**



Latex Free

Sin Látex / Sans Latex

Ref.	Color	Size	Length	Palm Width
GG530S	Indigo	S (6-6 ½)	S (13") (330±10mm)	S (3.7") (95±3mm)
GG530M	Indigo	M (7-7 ½)	M (13") (330±10mm)	M (4.2") (107±3mm)
GG530L	Indigo	L (8-8 ½)	L (13") (330±10mm)	L (4.4") (113±3mm)
GG530XL	Indigo	XL (9-9 ½)	XL (13") (330±10mm)	XL (4.6") (118±3mm)
GG530XXL	Indigo	XXL (10-10 ½)	XXL (13") (330±10mm)	XXL (4.8") (123±3mm)





Nitrile Gloves




Hand Protection

Nitrile Gloves

4 Mil Nitrile gloves

GG600 / GG601




100 Pack Ref.	Color	100 Pack Ref.	Color	Size Width	Size Length
GG600M	Blue	GG601M	Black	M (3.3")(85±5mm)	M (9.4")(240mm)
GG600L	Blue	GG601L	Black	L (3.7")(95±5mm)	L (9.4")(240mm)
GG600XL	Blue	GG601XL	Black	XL (4.1")(105±5mm)	XL (9.4")(240mm)



6 Mil Nitrile gloves

GG610 / GG611




100 Pack Ref.	Color	100 Pack Ref.	Color	Size Width	Size Length
GG610M	Blue	GG611M	Black	M (3.3")(85±5mm)	M (9.4")(240mm)
GG610L	Blue	GG611L	Black	L (3.7")(95±5mm)	L (9.4")(240mm)
GG610XL	Blue	GG611XL	Black	XL (4.1")(105±5mm)	XL (9.4")(240mm)



8 Mil Nitrile gloves

GG621 / GG622



100 Pack Ref.	Color	100 Pack Ref.	Color	Size Width	Size Length
GG621M	Black	GG622M	Orange	M (3.3")(85±5mm)	M (9.4")(240mm)
GG621L	Black	GG622L	Orange	L (3.7")(95±5mm)	L (9.4")(240mm)
GG621XL	Black	GG622XL	Orange	XL (4.1")(105±5mm)	XL (9.4")(240mm)







Protective Clothing



Safety Vest | Workwear | Industrial Coverall

ANSI 107-2020 Class & Types

This certification is provided by the American National Standards Institute (ANSI) so that certain guidelines are followed when developing high visibility clothing, when choosing them and when to use each type of high visibility garment for the desired applications.

Type 0



Provides a moderate level of visualization, designed for use in work areas where there is no heavy machinery, complex viewing environment, or that are close to any type of high-speed road.

Class 1



Intended for workers who are in a low hazard area, i.e. away from roads and work areas of very complex view.

Class 3



For workers who are in accident-prone locations, such as high-speed roads (above 50 mph), providing high visibility in 360 degrees. Provides maximum body coverage and visibility of low light and long-range conditions.

Type R



Designed to provide high visibility and is made for use in day and night environments, in workplaces that are visually complex and are ideal for use in high-speed road and machinery work nearby.

Class 2



For workers who are in accident-prone locations, such as high-speed roads (below 50 mph), providing high visibility in 360 degrees.

Class E



This type does not fit into the numbering system, instead, class E is additional garments to increase the worker's visibility, such as reflective pants, high visibility jackets, or rain pants. If a class E garment is added (for example, high visibility pants) and the worker is wearing a class 2 safety vest, because of the outfit he/she is wearing, it will be considered class 3 attire, if the worker is wearing a class 1 safety vest and class E is added, it will be considered class 2 attire.



Safety Vest

GV076



GV076G

2 Pockets

Ref.	Color	Ref.	Color	Size
GV076GS	Green	GV076OS	Orange	S
GV076GM	Green	GV076OM	Orange	M
GV076GL	Green	GV076OL	Orange	L
GV076XL	Green	GV076OXL	Orange	XL
GV076XXL	Green	GV076OXXL	Orange	XXL



GV076O



Safety Vest with Contrasting Trims

GV078



GV078G

2 Pockets

Ref.	Color	Ref.	Color	Size
GV078GS	Green	GV078OS	Orange	S
GV078GM	Green	GV078OM	Orange	M
GV078GL	Green	GV078OL	Orange	L
GV078XL	Green	GV078OXL	Orange	XL
GV078XXL	Green	GV078OXXL	Orange	XXL



GV078O



Safety Vest with Contrasting Trims

GV082



GV082G



GV082O



8 Pockets

Ref.	Color	Ref.	Color	Size
GV082GS	Green	GV082OS	Orange	S
GV082GM	Green	GV082OM	Orange	M
GV082GL	Green	GV082OL	Orange	L
GV082XL	Green	GV082OXL	Orange	XL
GV082XXL	Green	GV082OXXL	Orange	XXL

Expandable 5 Point Breakaway Vest

GV084



GV084G



GV084O



5 Pockets

Ref.	Color	Ref.	Color	Size
GV084GS	Green	GV084OS	Orange	S
GV084GM	Green	GV084OM	Orange	M
GV084GL	Green	GV084OL	Orange	L
GV084XL	Green	GV084OXL	Orange	XL
GV084XXL	Green	GV084OXXL	Orange	XXL

Heavy Duty Engineer Vest with Contrasting Trims

GV086



GV086G

8 Pockets

Ref.	Color	Ref.	Color	Size
GV086GS	Green	GV086OS	Orange	S
GV086GM	Green	GV086OM	Orange	M
GV086GL	Green	GV086OL	Orange	L
GV086XL	Green	GV086OXL	Orange	XL
GV086XXL	Green	GV086OXXL	Orange	XXL



GV086O



Heavy Duty Surveyor Vest

GV088



GV088G

10 Pockets

Ref.	Color	Ref.	Color	Size
GV088GS	Green	GV088OS	Orange	S
GV088GM	Green	GV088OM	Orange	M
GV088GL	Green	GV088OL	Orange	L
GV088XL	Green	GV088OXL	Orange	XL
GV088XXL	Green	GV088OXXL	Orange	XXL



GV088O



Class 3 Vest with Contrasting Trims

GV092



2 Pockets

Ref.	Color	Size
GV092GS	Green	S
GV092GM	Green	M
GV092GL	Green	L
GV092XL	Green	XL
GV092XXL	Green	XXL







Protective Coveralls



Coverall Certifications & Materials

Explained

Certifications

TYPE 3



EN 14605

EN 14605

Protective clothing for the whole body (trunk, arms, and legs), Protects against a pressurized or direct jet of liquid chemicals.



EN 1073-2

EN 1073-2

Protective clothing against radioactive particulate contamination.

TYPE 4



EN 14605

EN 14605

Protective clothing for the whole body (trunk, arms, and legs), Protects against saturated splash of liquid chemicals.




EN 1149-5

EN 1073-2

Protective clothing with electrostatic properties.

TYPE 5



EN ISO 13982-1

EN 14605

Protective clothing for the whole body (trunk, arms, and legs), only applies to airborne solid particles, they should not be used for liquid chemicals, certain solid products in the form of dust.



EN 14126

EN 14126

Protective clothing against infective agents.

TYPE 6




EN ISO 13034

EN 13034:2005

Protective clothing for the whole body (trunk, arms, and legs), protects against a light spray of liquid chemicals.

Materials




Microporous

Provides excellent protection against non-hazardous liquids and at the same time, it provides good breathing to the body in hot working environments providing good comfort.

SMS

(Spunbond, Meltblown, Spunbond)

This is a type of nonwoven fabric that combines spunbond and meltblown fabrics is a good liquid repellent.



Protective Coverall

SMS Protective Coverall

GW900



55 GSM-SMS Material
55 GSM - Material SMS

GW900

Ref.	Coverall Style	Color	Size
GW900M	Collar	○ White	M
GW900L	Collar	○ White	L
GW900XL	Collar	○ White	XL
GW9002XL	Collar	○ White	XXL
GW9003XL	Collar	○ White	XXXL



SMS Protective Coverall

GW901



55 GSM-SMS Material
55 GSM - Material SMS

GW901

Ref.	Coverall Style	Color	Size
GW901M	Hood	○ White	M
GW901L	Hood	○ White	L
GW901XL	Hood	○ White	XL
GW9012XL	Hood	○ White	XXL
GW9013XL	Hood	○ White	XXXL



Protective Coverall

Microporous Protective Coverall

GW902



Ref.	Coverall Style	Color	Size
GW902M	Collar	○ White	M
GW902L	Collar	○ White	L
GW902XL	Collar	○ White	XL
GW9022XL	Collar	○ White	XXL
GW9023XL	Collar	○ White	XXXL



Microporous Protective Coverall

GW903



Ref.	Coverall Style	Color	Size
GW903M	Hood & Boots	○ White	M
GW903L	Hood & Boots	○ White	L
GW903XL	Hood & Boots	○ White	XL
GW9032XL	Hood & Boots	○ White	XXL
GW9033XL	Hood & Boots	○ White	XXXL



Protective Coverall

Microporous Protective Coverall

GW904



63 GSM - Microporous Material
63 GSM - Material Microporoso


GW904

Ref.	Coverall Style	Color	Size
GW904M	Hood	○ White	M
GW904L	Hood	○ White	L
GW904XL	Hood	○ White	XL
GW9042XL	Hood	○ White	XXL
GW9043XL	Hood	○ White	XXXL



Seam Taped Protective Coverall

GW905



63 GSM - Microporous Material
63 GSM - Material Microporoso

GW905

Ref.	Coverall Style	Color	Size
GW905M	Hood	○ White	M
GW905L	Hood	○ White	L
GW905XL	Hood	○ White	XL
GW9052XL	Hood	○ White	XXL
GW9053XL	Hood	○ White	XXXL



Protective Coverall

Reflective Protective Coverall

GW906



55 GSM-SMS-
Material
55 GSM - Material SMS


GW906

Ref.	Coverall Style	Color	Size
GW906M	Hood	Orange	M
GW906L	Hood	Orange	L
GW906XL	Hood	Orange	XL
GW9062XL	Hood	Orange	XXL
GW9063XL	Hood	Orange	XXXL



Seam Taped Protective Coverall

GW907




87 GSM - Microporous-
Material
87 GSM - Material Microporo

GW907

Ref.	Coverall Style	Color	Size
GW907M	Hood	Yellow	M
GW907L	Hood	Yellow	L
GW907XL	Hood	Yellow	XL
GW9072XL	Hood	Yellow	XXL
GW9073XL	Hood	Yellow	XXXL







Protective Eyewear



Standards



The Z87.1 ANSI references the standards and guidelines for Eyewear protection, certifying that the product complies with and provides the necessary protection to the wearer from liquid splashes, small object impacts, and dust.



EN 166:2001 specifies the guidelines or basic requirements for Eyewear protection, based on the European specification standards.



EN 166:2001 specifies the guidelines or basic requirements for Eyewear protection, based on the European specification standards.

Lens Options



Clear

90% light transmission
Clear lenses offer consistent optical clarity providing the clearest and most natural vision possible.



Amber

85% light transmission
The amber tint lightens and adds contrast to shapes and shadows, giving better detail to the contours of objects, it is recommended for use in places where the sun makes it difficult to distinguish details.



I/O Mirror

46% light transmission
Mirrored glasses allow (as smoking) a significant reduction of light, thus reducing eye pain and fatigue for the wearer.



Smoke

23% light transmission
The smoke lens allows minimal light transmission, reducing eye fatigue and eye strain at high brightness.



Blue Mirror

26% light transmission
The blue mirror lens enhances the contours around objects and improves color perception. Wear them to reduce glare during snowy conditions.

Anti-Fog Clear View



WITHOUT ANTI-FOG COATING

WITH ANTI-FOG COATING

Foggy lenses are very common for people who work with personal protective equipment and are a huge inconvenience and safety risk to workers. The anti-fog lenses will stop your glasses from fogging up, providing you with clear vision.

Features



Indoor / Outdoor

Ideal middle ground lenses transmit more visible light than typical outdoor lenses, yet can still protect your eyes from sunlight and glare while outdoors. And allow more light than amber lenses, to let through enough light for effective visibility in indoor areas.



Protect your eyes for longer, with scratch-resistant glasses made of strong and resistant polycarbonate, ideal for all types of work.



Rest assured that your eyes will be protected against the sunlight's UV ray. 99.9% UV protection allows you to see easier and clearly in bright-light conditions, while protecting your eyes against the harmful effects of the sun.



Dielectric

Glasses made with a non-conducting frame and have no metal parts, insulating against electricity. Wearing non-conducting safety gear reduces the chances of an accidental electrical discharge and helps to minimize injury during an electrical accident.

Choosing the right frame

It is extremely important safety eyewear fit properly. A lens base curve is the measure of the general shape of the lens. The higher the base curve, the more curvature there is in a lens, the more curvature the lens has the more it wraps around the face, creating more coverage and increasing side protection.



Frameless

Frameless Safety Glasses are a good choice for lightweight and style. Designed to obtain a better range of vision without having to take them off



Full Frame

The design allows them to be very resistant, ideal for jobs that require a lot of movement. Allows maximum protection against the sun's rays, their wrap-around design fully protects your eyes.



Half Frame

The design allows them to be very comfortable and lightweight, allowing them to have a better range vision to front and side



Spoggle

A combination of the beneficial uses of both spectacles and goggles, the "Spoggles" offer both safety and comfort, with its adjustable headband and inner-foam gasket.



Over The Glass

OTG goggles are designed to wear with most prescription glasses, protecting your eyes from impact, liquids, and particulates.

Protective Eyewear

Frameless

03 Series



- 100% Polycarbonate lens, 9.5 base curve
- Comfortable molded in-nose bridge
- Thin & flexible temples
- Temple neck cord holes
- Wrap Around Design with side protection



GE103MAF



GE103C / CAF



Ref.	Frame	Lens	Coating	Weight (gm)
GE103C	Blue	Clear	Anti-Scratch	19.8
GE103CAF	Blue	Clear	Anti-Fog / Anti-Scratch	19.8
GE103MAF	Blue	I/O Mirror	Anti-Fog / Anti-Scratch / Indoor-Outdoor	19.8



GE203C / CAF




GE203AAF



GE203SAF

Ref.	Frame	Lens	Coating	Weight (gm)
GE203C	Gray	Clear	Anti-Scratch	19.8
GE203CAF	Gray	Clear	Anti-Fog / Anti-Scratch	19.8
GE203AAF	Gray	Amber	Anti-Fog / Anti-Scratch	19.8
GE203SAF	Gray	Smoke	Anti-Fog / Anti-Scratch	19.8



Thin & flexible temples



9.5 base curve for superior comfort



Molded in-nose bridge

05 Series



Ref.	Frame	Lens	Coating	Weight (gm)
GE205C	● Black & Blue	○ Clear	Anti-Scratch	24.5
GE205CAF	● Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	24.5
GE205C	● Black & Blue	● Smoke	Anti-Fog / Anti-Scratch	24.5
GE205CAF	● Black & Blue	● I/O Mirror	Anti-Fog / Anti-Scratch / Indoor-Outdoor	24.5



GE205SAF



GE205MAF



Soft anti-slip TPR temples



Offers users the clearest and the most panoramic view without obstruction



Adjustable soft TPR nose pads

Protective Eyewear

Frameless

02 Series



Ref.	Frame	Lens	Coating	Weight (gm)
GE202C	Blue & Gray	Clear	Anti-Scratch	26
GE202CAF	Blue & Gray	Clear	Anti-Fog / Anti-Scratch	26



04 Series



Ref.	Frame	Lens	Coating	Weight (gm)
GE104C	Black & Blue	Clear	Anti-Scratch	32.2
GE104CAF	Black & Blue	Clear	Anti-Fog / Anti-Scratch	32.2
GE104SAF	Black & Blue	Smoke	Anti-Fog / Anti-Scratch	32.2
GE104BAF	Black & Blue	Blue Mirror	Anti-Fog / Anti-Scratch	32.2



GE104SAF



GE104BAF



Full frame design with side protection



Hollowed temple tips for contoured & non-pressure fitting



Soft and flexible nylon temples

01 Series



GE101MAF




Ref.	Frame	Lens	Coating	Weight (gm)
GE101C	Blue	Clear	Anti-Scratch	25
GE101CAF	Blue	Clear	Anti-Fog / Anti-Scratch	25
GE101MAF	Blue	I/O Mirror	Anti-Fog / Anti-Scratch / Indoor-Outdoor	25



GE201SAF

Ref.	Frame	Lens	Coating	Weight (gm)
GE201CAF	Black	Clear	Anti-Scratch	25
GE201SAF	Black	Smoke	Anti-Fog / Anti-Scratch	25



3 - position legth adjustable temples



Molded in-nose bridge



Lightweight design

Protective Eyewear

Half Frame

06 Series



- 100% Polycarbonate lens, 9.5 base curve
- Soft and anti-slip TPR nose pads
- Anti-slip TPR temple tips
- Sporty style frame



Ref.	Frame	Lens	Coating	Weight (gm)
GE106C	Black & Blue	Clear	Anti-Scratch	28.1
GE106CAF	Black & Blue	Clear	Anti-Fog / Anti-Scratch	28.1
GE106SAF	Black & Blue	Smoke	Anti-Fog / Anti-Scratch	28.1
GE106BAF	Black & Blue	Blue Mirror	Anti-Fog / Anti-Scratch	28.1
GE106MAF	Black & Blue	I/O Mirror	Anti-Fog / Anti-Scratch / Indoor-Outdoor	28.1



Ref.	Frame	Lens	Coating	Weight (gm)
GE206C	Blue & Black	Clear	Anti-Scratch	28.1
GE206CAF	Blue & Black	Clear	Anti-Fog / Anti-Scratch	28.1
GE206SAF	Blue & Black	Smoke	Anti-Fog / Anti-Scratch	28.1



Anti-slip TPR temple tips




9.5 base curve for superior comfort



Adjustable soft TPR nose pads

08 Series



•100% Polycarbonate lens,
8 base curve

•3 - Position ratchet angle temples

•Slim and lightweight
temples

•Adjustable soft TPR nose pads

GE208CAF

•Optical Class 1 offers users the clearest and the
most panoramic view without obstruction



Ref.	Frame	Lens	Coating	Weight (gm)
GE208CAF	● Black	○ Clear	Anti-Scratch	23.9



GE308C / CAF

Ref.	Frame	Lens	Coating	Weight (gm)
GE308C	● Black	○ Clear	Anti-Scratch	23.9
GE308CAF	● Black	○ Smoke	Anti-Fog / Anti-Scratch	23.9



3 - position ratchet
angle temples




Offers the user the clearest and
the most panoramic view without
obstruction



Soft and anti-slip
nose pads

09 Series



Ref.	Frame	Lens	Coating	Weight (gm)
GE109CAF	Black & Blue	Clear	Anti-Fog / Anti-Scratch	31
GE109SAF	Black & Blue	Smoke	Anti-Fog / Anti-Scratch	31
GE109BAF	Black & Blue	Blue Mirror	Anti-Fog / Anti-Scratch	31
GE109MAF	Black & Blue	I/O Mirror	Anti-Fog / Anti-Scratch / Indoor-Outdoor	31



GE109SAF



GE109BAF



GE109MAF



05S Series



•100% Polycarbonate lens, 9.5 base curved lens offers tight-fitting and full eye coverage protection

•Adjustable soft TPR nose pads

•Flexible soft and anti-slip temple tips

•Adjustable headband

•Removable protective foam gasket

GE105CAF

Ref.	Frame	Lens	Coating	Weight (gm)
GE105CAF	● Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	42.7



2 in 1 Design, regular spectacle, spectacle with foam gasket and headband



Quick release buckle



Removable protective foam gasket




Adjustable soft TPR nose pads

11S Series



Dielectric
Dieléctrico
Dielectric hinge design—
no metal components in this spectacle




GE111CAF



Ref.	Frame	Lens	Coating	Weight (gm)
GE111CAF	● Indigo & Gray	○ Clear	Anti-Fog / Anti-Scratch	33.8



2 in 1 Design, regular spectacle, spectacle with foam gasket and headband



Quick release buckle



Removable protective foam gasket



Adjustable soft TPR nose pads


12 OTG Series



Ref.	Frame	Lens	Coating	Weight (gm)
GE112C	● Gray & Indigo	○ Clear	Anti-Scratch	35.2



Ref.	Frame	Lens	Coating	Weight (gm)
GE212S	● Black & Indigo	● Smoke	Anti-Scratch	35.2





Indirect Safety Goggles

GE146



- Plastic molds to be placed in the perforated vents for internal air control of the goggles
- Over the glass design fits over the most prescription eyewear
- 100% Polycarbonate Lens offers tight-fitting and full eye coverage protection
- Comfortable molded in-nose bridge
- Protect the eye from chemical splash
- Adjustable headband



GE146

Ref.	Lens Color	Ventilation System
GE146	○ Clear	Indirect



Indirect Ventilation Safety Goggles

GE147



- Plastic molds to be placed in the perforated vents for internal air control of the goggles
- Over the glass design fits over the most prescription eyewear
- 100% Polycarbonate Lens offers tight-fitting and full eye coverage protection
- Comfortable molded in-nose bridge
- Protect the eye from chemical splash
- Adjustable headband



GE147

Ref.	Lens Color	Ventilation System
GE147	○ Clear	Indirect



Anti-Fog Safety Goggles

GE148AF



- Sport style with panoramic lens for large field of vision
- Over the glass design fits over the most prescription eyewear
- 100% Polycarbonate Lens offers tight-fitting and full eye coverage protection
- Comfortable molded in-nose bridge
- Protect the eye from chemical splash
- Adjustable headband



GE148AF

Ref.	Lens Color	Coating	Ventilation System
GE148AF	○ Clear	Anti-Fog	Direct



TPR Anti-Fog Safety Goggles

GE149AF



- **Over the glass design** fits over the most prescription eyewear
- **100% Polycarbonate Lens** offers tight-fitting and full eye coverage protection
- **Unique wraparound model** provides excellent optics and superior peripheral vision



GE149AF



Dielectric
Dielectrico
Dielectric hinge design –
no metal components in this spectacle



Ref.	Lens Color	Coating	Ventilation System
GE149AF	○ Clear	Anti-Fog	Indirect



Hearing Protection



Earmuffs | Earplugs

NRR & ANSI S3.19-1974 Explained

The U.S. Environmental Protection Agency (EPA) has selected the Noise Reduction Rating (NRR) as the measure of hearing protection devices noise-reducing capabilities.

The level of noise entering a person's ear when a hearing protector is worn as directed is closely approximated by the difference between the A-weighted environmental noise level and the NRR.
Example:

1. The environmental noise level as measured at the ear is 92 dB (A).
2. The NRR is 23 decibels (dB).
3. The level of noise entering the ear is approximately equal to $[92 - 23 \text{ dB(A)}]$ 69 dB(A).

For noise environments dominated by frequencies below 500 Hz, the C-Weighted environmental noise level should be used. The NRR used in the above example was achieved under laboratory conditions.


When choosing hearing protection equipment, make sure you are choosing one with the dB you need to avoid hearing damage.

ANSI S3.10-1974 Standard

Hearing protection equipment must meet this standard to certify that it protects against different noise levels. All products must pass rigorous quality and standards tests at authorized locations before the model can be sold with the NRR label.

(dB) Meaning

The Decibel (dB) is a unit for expressing and comparing the loudness of two different sounds



Protective Earmuff

GM450



Ref.	Color
GM450	● Blue & Black

• Adjustable headband



• Durable & comfortable headband

• Compact, lightweight & portable design

• Soft padding on earcups provides maximum comfort and protection from noises



Folding Protective Earmuff

GM451



Ref.	Color
GM451	● Indigo & Black

• Strong stainless steel wires

• Adjustable headband



• Cushioned headband for maximum comfort

• Soft padding on earcups provides maximum comfort and protection from noises

• Adjustable earcup pivot points tilt for wearers comfort



Protective Earmuff

GM452



Ref.	Color
GM452	● Gray & Black

• Strong stainless steel wires

• Compact, lightweight & portable design



• Cushioned headband for maximum comfort

• Soft padding on earcups provides maximum comfort and protection from noises

• Adjustable earcup pivot points tilt for wearers comfort



High Visibility Protective Earmuff

GM452HV



Ref. GM452HV Color Hi-Vis Lime & Gray



Cap Mounted Earmuff

GM453



Ref. GM453 Color Gray



Behind-The-Neck Earmuff

GM454



Ref. GM454 Color Gray



Bullet Shaped Earplugs

ANSI
S3.19-1974

32dB
NRR

• Individually packed



GP425



GP426



GP427

Ref.	Cord Type	Pairs	Pack
GP425	Uncorded	200 Pairs	Box
GP426	Corded	100 Pairs	Box
GP427	Uncorded	5 Pairs with case	Blister

Bullet Shaped Earplugs

ANSI
S3.19-1974

32dB
NRR



GP428



GP429



GP430



GP431

Ref.	Cord Type	Pairs	Pack
GP428	Uncorded	50 Pairs	Bag
GP429	Uncorded	100 Pairs	Bag
GP430	Uncorded	250 Pairs	Bag
GP431	Uncorded	500 Pairs	Bag

Earplugs Dispenser

ANSI
S3.19-1974

32dB
NRR

• Includes 500 pairs



GP435

Ref.	Cord Type	Pairs	Pack
GP435	Uncorded	500 Pairs	Label

Reusable Earplugs

ANSI
S3.19-1974

26dB
NRR

• Individually packed



GP445



GP439



GP440

Ref.	Cord Type	Pairs	Pack
GP439	Uncorded	200 Pairs	Box
GP440	Corded	100 Pairs	Box
GP445	Corded	3 Pairs with case	Blister

Bell Shaped Earplugs

ANSI
S3.19-1974

32dB
NRR



GP444

Ref.	Cord Type	Pairs	Pack
GP444	Corded	2 pairs with case	Blister

Foam Banded Earplugs

ANSI
S3.19-1974

23dB
NRR

• Round ergonomics foam pods

A diagram of the GP448 earplugs, showing a blue loop with two yellow foam pods at the bottom. A line points from the text 'Round ergonomics foam pods' to one of the pods.

• Lightweight banded hearing protection

The image shows the retail packaging for GP448 earplugs. It is a blue blister pack with a clear window showing two pairs of yellow and blue banded earplugs. The GE logo is at the top, and the text 'Foam Banded Earplugs' and '23dB NRR' are visible.

GP448

Ref.	Color
GP448	Yellow & Blue



Ergonomics



Back Support | Knee Pads


Certifications & Materials Explained

EN 14404

This standard evaluates the performance and the type levels of knee protection, for all the occupations involving kneeling work, it is important to use knee protection when working for long periods of time in this position, as it can cause long-term discomfort, discomfort, and even some kind of injury.

Types


EN14404



Type 1

Knee protections independent of any garment and attached around the leg.


EN14404



Type 2

Plastic foam inserted into the leg reinforcements of a pair of pants.


EN14404



Type 3

Equipment that is not attached to the body, but is put in place when the user moves.

EN14404



Type 4

Accessories with additional functions to assist in getting up or kneeling down.

Protective Class

Class 0

Recommended for flat floors - no penetration resistance required

Class 1

Recommended for flat floors - required penetration resistance of at least 100 N

Class 2

Recommended for complex conditions (rocks, uneven ground, etc.) require a penetration resistance of at least 250 N.

Knee Pads Components

Protective Caps

The caps provide greater comfort, protection, and stability when working in environments with uneven floors, thanks to the thick layer covering the knee pad. GR551 (PVC) & GR553 (TPE)

Thick Foam

The GR550, GR551, and GR553 models feature thick foam to reduce the pressure exerted against the gel, thus providing less pressure on the knee and longer gel life thanks to this protective layer.

Soft Gel Core

The GR551 and GR553 models contain a protective gel high density, which means that when any kind of pressure is exerted, it is dispersed in such a way that the knee can rest comfortably, supporting long kneeling days work.

Breathable Mesh

All our kneepads are made with a breathable mesh material, dissipating heat and humidity generated by the day and working hours.



Back Support

GR540

Ref.	Color	Size
GR540S	● Black	S
GR540M	● Black	M
GR540L	● Black	L
GR540XL	● Black	XL



High Performance Back Support

GR541

Ref.	Color	Size
GR541S	● Black	S
GR541M	● Black	M
GR541L	● Black	L
GR541XL	● Black	XL



High Visibility Back Support

GR542

Ref.	Color	Size
GR542S	● Green & Black	S
GR542M	● Green & Black	M
GR542L	● Green & Black	L
GR542XL	● Green & Black	XL



Ergonomics

Knee Pads

GR550

EN14404



Type 2

Ref.
GR550

Color
● Black

- Designed to comfortably fit over or underpants

- Medium-density EVA foam for comfort and longevity



GR550

- Low profile contour for easy movement



- Flexible neoprene strap for easy adjustment



Knee Pads

GR551

EN14404



Type 2

Ref.
GR551

Color
● Black & Blue

- Flexible neoprene straps to easy adjust and fit tightly

- Heavy-duty thick PVC cap



GR551

- Quick release slide clip



- Soft gel core & durable EVA foam padding



Knee Pads

GR553

EN14404



Type 2

Ref.
GR553

Color
● Black & Blue

- Breathable and comfortable neoprene strap for easy adjustment

- TPE cap provides stable, shift-free grip and traction on most surfaces



GR553

- Heavy-duty knee pads for tasks requiring stability



- Gel padding provides comfort and stays in place under pressure







Respiratory Protection



Respiratory Protection

N95 Cup Particulate Respirator

GN650



Ref.	Description
GN650	N95 particulate respirator



Foldable N95 Particulate Respirator

GN651



Ref.	Description
GN651	Foldable N95 particulate respirator



Foldable N95 Particulate Respirator with Exhalation Valve

GN651V



Ref.	Description
GN651V	Foldable N95 particulate respirator with exhalation valve



Respiratory Protection

N95 Molded Cup Particulate Respirator

GN652



Ref.	Description
GN652	N95 Molded cup particulate respirator

• Protective against solid particulates



• Elastic head strap

GN652

N95 Molded Cup Particulate Respirator with Exhalation Valve


GN652V



Ref.	Description
GN652V	N95 Molded cup particulate respirator with exhalation valve

• Protection against solid particulates

• Exhalation Valve



• Elastic head strap

GN652V

N95 Foldable Particulate Respirator

GN656



Ref.	Description
GN656	N95 foldable particulate respirator

• Protection against solid particulates

• Adjustable nose clip

• Comfortable fit with most eyewear and hearing protection equipment



• Comfort fit elastic head strap

GN656



Head Protection



Head Protection

Hard Hats

Cap Style Hard Hat

GH327



• 100% HDPE



Non-Vented

GH327RNH



Vented

GH327RVW



Ratchet System



Ref.	Air Flow	Ref.	Air Flow	Color	Suspension
GH327RVW	Vented	GH327RNW	Non-Vented	○ White	4 Points Ratchet
GH327RVY	Vented	GH327RNY	Non-Vented	● Yellow	4 Points Ratchet
GH327RVH	Vented	GH327RNH	Non-Vented	● Hi-Vis	4 Points Ratchet
GH327RVR	Vented	GH327RNR	Non-Vented	● Red	4 Points Ratchet
GH327RVB	Vented	GH327RNB	Non-Vented	● Blue	4 Points Ratchet
GH327RVG	Vented	GH327RNG	Non-Vented	● Green	4 Points Ratchet



Full Brim Hard Hat

GH328



• 100% HDPE



Non-Vented

GH328RNH



Vented

GH328RVW



Ratchet System



Ref.	Air Flow	Ref.	Air Flow	Color	Suspension
GH328RVW	Vented	GH328RNW	Non-Vented	○ White	4 Points Ratchet
GH328RVY	Vented	GH328RNY	Non-Vented	● Yellow	4 Points Ratchet
GH328RVH	Vented	GH328RNH	Non-Vented	● Hi-Vis	4 Points Ratchet
GH328RVR	Vented	GH328RNR	Non-Vented	● Red	4 Points Ratchet
GH328RVB	Vented	GH328RNB	Non-Vented	● Blue	4 Points Ratchet
GH328RVG	Vented	GH328RNG	Non-Vented	● Green	4 Points Ratchet







SAFETY HELMET

GH400 / GH401



LESS WEIGHT

LOWER PROFILE

ARRAY OF ACCESSORIES

ADVANCED BREATHABILITY
& COOLING SYSTEM

IMPACT ABSORBING PATENTED TECHNOLOGY

PROTECTED BY
KOROID

Koroyd's KOR is 95% air.
This enables lighter, smaller,
faster protection,
causing less fatigue for life.



TUBULAR CRUMPLE ZONES
ABSORB MORE ENERGY

CROSS VENTILATION SYSTEM ADVANCE BREATHABILITY



Caco America LLC

For more information, please contact us
www.geppe.cacoamerica.com • sales@cacoabbo.com
Call toll Free +1(305)512-1150

GE is a trademark of General Electric Company. Used under trademark license by Caco Abbo Internacional, S.A.

Ensuring the most efficient cooling system,
while constant air is flowing through
the vents.

Features



Available Colors

GH400 Series *Non-Vented*
GH401 Series *Vented*



GH400W
GH401W



GH400Y
GH401Y



GH400O
GH401O



GH400GN
GH401GN



GH400R
GH401R



GH400B
GH401B



GH400G
GH401G



GH400BK
GH401BK

Accessories



Eyeshield
Clear
GH600



Full Visor Shield
Clear
GH603



Protective Brim
GH609



Eyeshield
Smoke
GH601



Full Visor Shield
Mesh
GH604



TPR Vents Covers
Air-flow Control
GH610



Eyeshield
Mirror
GH602



Sun Brim
Wide
GH606




Interior Padding
Adjustable Sizing
GH612



Cap Mounted Earmuff
25dB NRR
Dielectric Design
GM453



Chin Strap
Adjustable Sizing
GH607



Reflective Stickers
High Visibility
GH614

Retail Displays



Display

POP006 - PDQ



Display

72 Pairs Boxes Quarter Pallet



Display

POP003 - Clip Strip



Size: 630mm X 300mm
25" X 12"

Display

POP005 - Safety Eyewear Display



Size: 550mm X 360mm X 170mm
21.6" X 14.1" X 6.6"

Display

POP001 - Floor Stand



Size: 480mm X 350mm X 1850mm
19" X 14" X 73"

Display

POP002 - Iron Tube Rack



Size: 1700mm X 480mm X 350mm
67" X 19" X 14"

Display

POP009 - Gondola



Size: 1000mm X 2164mm X 444mm
39" X 85" X 17"

Display

POP010 - Gondola



Size: 1524mm X 640mm X 584mm
60" X 25" X 23"



ive Eyewear

ple tips

ds



Protective Eyewear

For Protection

Wrap around design
with side protection
Diseño envolvente con protección lateral

Temple neck cord holes
Puntos para cordones para evitar de caídas

Adjustable temples length
Ajustable de patillas longitud

Comfort
Confort

Soft touch
Tacto suave

Light weight
Peso ligero

Easy to use
Fácil de usar

Clear lens
Lente clara

Anti fog
Anti niebla

UV protection
Protección UV

Shock resistant
Resistente a golpes

Non-slip
Antideslizante

Adjustable
Ajustable

Light weight
Peso ligero

Easy to use
Fácil de usar

Clear lens
Lente clara

Anti fog
Anti niebla

UV protection
Protección UV

Shock resistant
Resistente a golpes

Non-slip
Antideslizante

Adjustable
Ajustable

Light weight
Peso ligero

Easy to use
Fácil de usar

Clear lens
Lente clara

Anti fog
Anti niebla

UV protection
Protección UV

Shock resistant
Resistente a golpes

Non-slip
Antideslizante

Adjustable
Ajustable

Light weight
Peso ligero

Easy to use
Fácil de usar

Clear lens
Lente clara

Anti fog
Anti niebla

UV protection
Protección UV

Shock resistant
Resistente a golpes

Non-slip
Antideslizante

Adjustable
Ajustable



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection



Protective Eyewear

For Protection

Index

PROTECTIVE EYEWEAR

GE101	68
GE103	64
GE104	67
GE105	72
GE106	69
GE109	71
GE111	73
GE112	80
GE201	68
GE202	66
GE203	64
GE205	69
GE206	70
GE208	74
GE212	70

GE308

HAND PROTECTION

GG201	11
GG205	10
GG206	10
GG207	10
GG208	11
GG209	12
GG211	12
GG215	13
GG216	13
GG217	13
GG221	14
GG222	14
GG223	14
GG224	15
GG225	15
GG226	15
GG230	16

HAND PROTECTION

GG240	17
GG242	17
GG244	17
GG301	21
GG303	22
GG304	21
GG305	22
GG306	21
GG320	21
GG321	23
GG322	23
GG330	24
GG331	24
GG400	30
GG401	30
GG402	30
GG410	31
GG411	31
GG415	32
GG416	32
GG417	32
GG419	31
GG421	33
GG422	33
GG500	37
GG501	37
GG503	37
GG520	38
GG530	38
GG600	42
GG601	42
GG602	42
GG603	42
GG604	42
GG605	42

HEAD PROTECTION

GH327	96
GH328	96

RESPIRATORY PROTECTION

GN650	92
GN651	92
GN651V	92
GN652	93
GN652V	93
GN656	93

HEARING PROTECTION

GM450	79
GM451	79
GM452	79
GM452HV	80
GM453	80
GM454	80

HEARING PROTECTION

GP425	81
GP426	81
GP427	81
GP428	81
GP429	81
GP430	81
GP431	81
GP435	82
GP439	82
GP440	82
GP444	83
GP445	82

HEARING PROTECTION

GP448	83
-------	----

ERGONOMICS

GR540	87
GR541	87
GR542	87
GR550	88
GR551	88
GR553	88

PROTECTIVE CLOTHING

GV076	47
GV078	47
GV082	48
GV084	48
GV086	49
GV088	49
GV092	50

PROTECTIVE COVERALLS

GW900	55
GW901	55
GW902	56
GW903	56
GW904	57
GW905	57
GW906	58
GW907	58



**SAFETY IS
OUR PRIORITY®**

Contact Us

For any inquiries or questions please
do not hesitate to contact us



Email

sales@cacoamerica.com



Website

www.geppe.cacoamerica.com



Telephone

+1 (305) 512-1150



Call Center

+1 (800) 291-1718

