

SAFETY DATA SHEET

1. Identification

Product identifier GOLDEN Acrylic Flow Release

Other means of identification

Product code 3590

Recommended use Additive for acrylic artist paint

Recommended restrictions Airbrushing.

Manufacturer / Importer / Supplier / Distributor information

Company nameGolden Artist Colors, Inc.Address188 Bell Rd., New Berlin

NY 13411

US

Telephone 607-847-6154

E-mail gavett@goldenpaints.com

Contact person Ben Gavett
Emergency phone number 607-847-6154

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes serious eye damage.

Precautionary statement

Prevention Wear eye/face protection. Do not eat, drink or smoke when using this product. Wash hands

thoroughly after handling.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center/doctor.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Polyethylene glycol	9036-19-5	20-40
mono(octyl)phenyl ether		

Composition commentsAll concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

GOLDEN Acrylic Flow Release SDS US

900291 Version #: 01 Revision date: - Issue date: 22-November-2013

4. First-aid measures

Inhalation Move injured person into fresh air and keep person calm under observation. Get medical attention

if any discomfort continues.

Skin contact Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if

irritation develops and persists.

Eye contact Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical

assistance is not immediately available, flush an additional 15 minutes. Make sure to remove any

contact lenses from the eyes before rinsing.

Ingestion Rinse mouth thoroughly with water and give large amounts of milk or water, if person is conscious.

Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Obtain medical attention and take along this material safety data sheet.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Irritating to mucous membranes. Dermatitis. Risk of corneal damage.

Treat symptomatically. Be aware that symptoms of lung edema (shortness of breath) may develop up to 24 hours after exposure.

In case of shortness of breath, give oxygen. Keep victim warm. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire-fighting equipment/instructions Use extinguishing agent suitable for type of surrounding fire.

Do not use water jet as an extinguisher, as this will spread the fire.

By heating and fire, toxic vapors/gases may be formed.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

Use water spray to cool unopened containers. Cool containers with flooding quantities of water until well after fire is out. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ventilate well. Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear appropriate protective equipment and clothing during clean-up.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Collect spillage. Absorb spillage with suitable absorbent material. For waste disposal, see Section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Read label before use. Ventilate well. Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear appropriate personal protective equipment.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep out of reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear approved safety glasses or goggles.

Skin protection

Hand protection

Chemical resistant gloves are recommended. Butyl rubber gloves are recommended, but be aware

that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be

Eye wash facilities and emergency shower must be available when handling this product.

recommended by the glove supplier.

Other Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

SDS US **GOLDEN Acrylic Flow Release**

900291 Version #: 01 Revision date: -Issue date: 22-November-2013 Respiratory protection Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with

respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134

and ANSI Z88.2) for all respirator use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material considerations and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Not available. Physical state Liquid.

Form Colorless liquid. Color Colorless. Odor Odorless. Odor threshold Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

Not available.

7.3 - 8.7

range

Ha

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability limit - upper

Not available.

Not available.

(%)

Not available. Vapor pressure Not available. Vapor density

Relative density 1.07

Solubility(ies) Completely soluble. Partition coefficient No data available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

< 200 cP (25°C/77°F) **Viscosity**

10. Stability and reactivity

Reactivity None known.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Excessive heat. Freezing. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition

products

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Harmful if swallowed. Swallowing or vomiting of the liquid may result in aspiration into the lungs. Ingestion

Inhalation Spray mist may irritate the respiratory system.

May cause skin irritation. Skin contact Eye contact Causes serious eye damage.

SDS US **GOLDEN Acrylic Flow Release**

Symptoms related to the physical, chemical and toxicological characteristics

Irritating to mucous membranes. Dermatitis. Risk of corneal damage. Be aware that symptoms of chemical pneumonia (shortness of breath) may occur several hours after exposure.

Information on toxicological effects

Acute toxicity Harmful if swallowed. Skin corrosion/irritation May cause skin irritation. Serious eye damage/eye

irritation

Causes serious eye damage.

No data available. Respiratory sensitization Skin sensitization No data available. Germ cell mutagenicity No data available. Carcinogenicity Not classified. Reproductive toxicity No data available.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious **Aspiration hazard**

chemical pneumonia.

Chronic effects Prolonged or repeated contact may dry skin and cause irritation.

12. Ecological information

Ecotoxicity Toxic to aquatic life.

Components Species **Test Results**

Polyethylene glycol mono(octyl)phenyl ether (CAS 9036-19-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 7.2 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability Expected to be readily biodegradable under aerobic conditions.

Bioaccumulative potential No data available.

Mobility in soil The product is soluble in water.

No data available. Other adverse effects

13. Disposal considerations

Disposal instructions Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and

> reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for

hazardous waste. Dispose of contents/container in accordance with

local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management

professional with manifests for industrial waste.

Hazardous waste code Not regulated.

> 1,4-DIETHYLENEDIOXIDE (CAS 123-91-1) U108

Waste from residues / unused

US RCRA Hazardous Waste U List: Reference

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

SDS US **GOLDEN Acrylic Flow Release**

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-DIETHYLENEDIOXIDE (CAS 123-91-1) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-DIETHYLENEDIOXIDE (CAS 123-91-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Inventory name

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

1,4-DIETHYLENEDIOXIDE (CAS 123-91-1)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region

Country(s) or region	inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

GOLDEN Acrylic Flow Release SDS US

On inventory (yes/no)*

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 22-November-2013

Revision date Version # 01

NFPA Ratings



References **ACGIH**

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

This SDS contains revisions in

the following section(s):

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

GOLDEN Acrylic Flow Release SDS US

Yes