Page 1 of 3

Chartpak, Inc.
One River Road
Leeds, MA 01053

Phone: 413-584-5446 or 800-628-1910

Emergency Medical Number: Poison Control 800-222-1222
Emergency Transport Number: Chemtrec 800-424-9300 (CCN4391)
General Inquiry Number: Chartpak 413-584-5446

Date: November 4, 2011

Section One: Product Information

Product Name: Grumbacher Acrylic Gesso

Product Sizes: 16 oz., 32 oz., gallon

Product Class: Mediums

Section Two:	Ingredients			
Ingredients		CAS Number	% by Weight	PEL/TLV
Ammonia		7664-41-7	<1.0% 50	ppm

Section Three: Hazards Identification

This product is considered safe under normal use conditions.

Section Four: First Aid Measures

Inhalation: None under normal use conditions.

Skin Contact: None under normal use conditions.

Eye Contact: None under normal use conditions.

Ingestion: None under normal use conditions.

This Material Safety Data Sheet is applicable to the consumer use of the following colors: 52516, 52532, 525G

Not determined

Page 2 of 3

Section Five: **Fire Fighting Measures** 

Flash Point: Not flammable

Flammability Limits (% by volume): Lower: Not applicable Upper: Not applicable

Extinguishing Media: As appropriate for surrounding area

Special Fire Fighting Measures: No special fire fighting procedures required

Unusual Fire and Explosion

Hazards:

Not combustible

**Section Six: Accidental Release Measures** 

Mop with warm water.

**Section Seven: Handling and Storage** 

Handling: No special handling requirements.

Storage: Store in a cool place.

**Section Eight: Exposure Controls and Personal Protection** 

Respiratory Protection and

Special Ventilation Requirements:

None required

Other Protective Equipment (Gloves, Goggles, Etc.):

Solubility in Water:

None

Work/Hygiene Practices: Normal studio hygiene. Wash hands immediately after use.

**Section Nine: Physical and Chemical Properties** 

Not determined

**Boiling Point:** Not determined Melting Point: Not determined

Vapor Pressure: Not determined Specific Gravity: 1.51 - 1.65

Not determined

Specific Vapor Density (AIR = 1): Evaporation Rate (Butyl Acetate = 1):

Reactivity in Water:

Non-reactive

Appearance and Odor: White paste; slight ammonia odor

**Section Ten:** Stability and Reactivity

Stability: Stable

Conditions to Avoid: Avoid excessive heat. Keep from freezing.

Chemical Incompatibility: None known Hazardous Decomposition: None known Hazardous Polymerization: Will not occur

Page 3 of 3

Section Eleven: Toxicological Information

IARC Monographs: No

National Toxicology Program: No

OSHA Regulated: No

Effects/Symptoms of

May cause irritation to skin and eyes.

Acute Exposure:

Effects/Symptoms of None expected

Chronic Exposure:

Medical Conditions Usually

Aggravated By Overexposure of This Product:

None known

Ecological Information

Not available

**Section Twelve:** 

Section Thirteen: Disposal Considerations

Dispose in accordance with Federal, State, and Local Regulations

Section Fourteen: Transport Information

Not regulated as a hazardous material by DOT, IMO, or IATA.

Section Fifteen: Regulatory Information

TSCA INVENTORY:

The product on this Material Safety Data Sheet is not listed on the United States Environmental Protection Agency Toxic Substances Control Act Inventory. However, the components of the product are included in the TSCA Inventory.

Section Sixteen: Other Information

**HMIS Code** 

Health 0

Flammability 0

Reactivity 0

Personal Protection N/A

Chartpak, Inc. is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 and is labeled with the AP Nontoxic Seal. Products bearing the AP Approved Product Seal of The Art and Creative Materials Instititue, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to review by the Institute Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans, or to cause acute or chronic health problems.

0=Minimal / 4 = Severe

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.