



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT532



CR CLASSIC WITH PU PALM CUT RESISTANT SERIES

- 13 gauge HPPE liner is rated to ANSI-ISEA 105-2016 cut level A-2 and EN388-2016 cut level B, according to the TDM 100 blade test.
- Polyurethane (PU) palm coating provides a secure grip and durability to handle most tasks.
- Secure, elasticized knit wrist cuff keeps debris out.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with light to medium levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Construction and Tool Work
- Industrial and Municipal Work
- Sheet Metal Handling
- Handling and Assembly of Small Oily Parts

TECHNICAL DATA

MATERIAL	HPPE with a Polyurethane (PU) Palm			
COLOR	Gray Liner with Gray Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT532S	764666735019	30764666735010	10764666735016
M	GRXCUT532M	764666735026	30764666735027	10764666735023
L	GRXCUT532L	764666735033	30764666735034	10764666735030
XL	GRXCUT532XL	764666735347	30764666735348	10764666735344

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT533



CR CLASSIC WITH PU PALM CUT RESISTANT SERIES

- 13 gauge HPPE liner is rated to ANSI-ISEA 105-2016 cut level A-3 and EN388-2016 cut level C, according to the TDM 100 blade test.
- Polyurethane (PU) palm coating provides a secure grip and durability to handle most tasks.
- Secure, elasticized knit wrist cuff keeps debris out.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with light to medium levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Construction and Tool Work
- Recycling and Waste Hauling
- Glass Cutting and Handling
- Sheet Metal Handling

TECHNICAL DATA

MATERIAL	HPPE with a Polyurethane (PU) Palm			
COLOR	White Liner with Gray Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT533S	764666735040	30764666735041	10764666735047
M	GRXCUT533M	764666735057	30764666735058	10764666735054
L	GRXCUT533L	764666735064	30764666735065	10764666735061
XL	GRXCUT533XL	764666735354	30764666735355	10764666735351

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT534



CR CLASSIC WITH PU PALM CUT RESISTANT SERIES

- 13 gauge HPPE liner is rated to ANSI-ISEA 105-2016 cut level A-4 and EN388-2016 cut level D, according to the TDM 100 blade test.
- Polyurethane (PU) palm coating provides a secure grip and durability to handle most tasks.
- Secure, elasticized knit wrist cuff keeps debris out.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with light to medium levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Ironwork and Sheet Metal Handling
- HVAC/R Applications and Installation
- Industrial and Municipal Work
- Glass Cutting and Handling

TECHNICAL DATA

MATERIAL	HPPE with a Polyurethane (PU) Palm			
COLOR	Black & White Liner with Gray Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT534S	764666735071	30764666735072	10764666735078
M	GRXCUT534M	764666735088	30764666735089	10764666735085
L	GRXCUT534L	764666735095	30764666735096	10764666735092
XL	GRXCUT534XL	764666735361	30764666735362	10764666735368

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT632



CR EXAGRIP™ LATEX CUT RESISTANT SERIES

- ExaGrip™ Latex Palm combines best in class durability and grip, for a work glove that can handle the toughest and abrasive tasks.
- Diamond pattern on palm enhances grip in both wet and dry situations.
- 18 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-2 and EN388-2016 cut level B, according to the TDM 100 blade test.
- Glove provides protection from lighter to medium levels of cut protection.
- Hi-visibility yellow liner provides worker safety and hand awareness.
- Available in sizes S - XXL

APPLICATIONS

- Lumber and Building Materials Handling
- Industrial and Municipal Work
- Small Parts Handling
- Construction and Tool Work

TECHNICAL DATA

MATERIAL	HPPE, Steel, and Glass with Latex Palm			
COLOR	Hi-visibility Yellow with Red Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT632S	764666735101	30764666735102	10764666735108
M	GRXCUT632M	764666735118	30764666735119	10764666735115
L	GRXCUT632L	764666735125	30764666735126	10764666735122
XL	GRXCUT632XL	764666735378	30764666735379	10764666735375

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT633



CR EXAGRIP™ LATEX CUT RESISTANT SERIES

- ExaGrip™ Latex Palm combines best in class durability & grip, for a work glove that can handle the toughest and abrasive tasks.
- Diamond pattern on palm enhances grip in both wet & dry situations.
- 15 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-3 and EN388-2016 cut level C, according to the TDM 100 blade test.
- Glove provides protection from intermediate levels of cut protection.
- Hi-visibility yellow liner provides worker safety and hang awareness.
- Available in sizes S - XXL

APPLICATIONS

- Lumber and Building Materials Handling
- Industrial and Municipal Work
- Recycling and Trash Hauling
- Construction and Installation

TECHNICAL DATA

MATERIAL	HPPE, Steel, and Glass with Latex Palm			
COLOR	Hi-visibility Yellow with Gray Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT633S	764666735132	30764666735133	10764666735139
M	GRXCUT633M	764666735149	30764666735140	10764666735146
L	GRXCUT633L	764666735156	30764666735157	10764666735153
XL	GRXCUT633XL	764666735385	30764666735386	10764666735382

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT634



CR EXAGRIP™ LATEX CUT RESISTANT SERIES

- ExaGrip™ Latex Palm combines best in class durability and grip, for a work glove that can handle the toughest and abrasive tasks.
- Diamond pattern on palm enhances grip in both wet and dry situations.
- 13 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-4 and EN388-2016 cut level D, according to the TDM 100 blade test.
- Glove provides protection from tasks associated with higher levels of cut protection.
- Hi-visibility yellow liner provides worker safety and hand awareness.
- Available in sizes S - XXL

APPLICATIONS

- Lumber and Building Materials Handling
- Loading and Delivery
- Sheet Metal and HVAC
- Roofing and Drywall Installation

TECHNICAL DATA

MATERIAL	HPPE, Steel, and Glass with Latex Palm			
COLOR	Hi-visibility Yellow with Blue Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT634S	764666735163	30764666735164	10764666735160
M	GRXCUT634M	764666735170	30764666735171	10764666735177
L	GRXCUT634L	764666735187	30764666735188	10764666735184
XL	GRXCUT634XL	764666735392	30764666735393	10764666735399

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT732



CR PALMWICK™ BREATHABLE NITRILE CUT RESISTANT SERIES

- PalmWick™ Breathable Palm Technology allows the hand to breathe on the palm side of the glove. The special nitrile coating allows sweat and moisture to wick away through the palm.
- 18 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-2 and EN388-2016 cut level B, according to the TDM 100 blade test.
- Reinforced saddle enhances durability in a major wear area.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with light to medium levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Handling and Assembly of Small Oily Parts
- Industrial and Municipal Work
- Construction and Tool Work
- Wiring and Dexterous Tasks

TECHNICAL DATA

MATERIAL	HPPE and Steel with a Nitrile Palm			
COLOR	Gray Liner with Black Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL
		18		

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT732S	764666735194	30764666735195	10764666735191
M	GRXCUT732M	764666735200	30764666735201	10764666735207
L	GRXCUT732L	764666735217	30764666735218	10764666735214
XL	GRXCUT732XL	764666735408	30764666735409	10764666735405

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT733



CR PALMWICK™ BREATHABLE NITRILE CUT RESISTANT SERIES

- PalmWick™ Breathable Palm Technology allows the hand to breathe on the palm side of the glove. The special nitrile coating allows sweat and moisture to wick away through the palm.
- 18 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-3 and EN388-2016 cut level C, according to the TDM 100 blade test.
- Reinforced saddle enhances durability in a major wear area.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with medium levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Industrial and Municipal Work
- Construction and Tool Work
- Building Material Handling
- Wiring and Dexterous Tasks

TECHNICAL DATA

MATERIAL	HPPE and Steel with a Nitrile Palm			
COLOR	Gray Liner with Black Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT733S	764666735224	30764666735225	10764666735221
M	GRXCUT733M	764666735231	30764666735232	10764666735238
L	GRXCUT733L	764666735248	30764666735249	10764666735245
XL	GRXCUT733XL	764666735415	30764666735416	10764666735412

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT734



CR PALMWICK™ BREATHABLE NITRILE CUT RESISTANT SERIES

- PalmWick™ Breathable Palm Technology allows the hand to breathe on the palm side of the glove. The special nitrile coating allows sweat and moisture to wick away through the palm.
- 15 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-4 and EN388-2016 cut level D, according to the TDM 100 blade test.
- Reinforced saddle enhances durability in a major wear area.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with light to medium to heavy levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Industrial Work
- Construction and Tool Use
- Building Material Handling
- Metal Work and Installation

TECHNICAL DATA

MATERIAL	HPPE and Steel with a Nitrile Palm			
COLOR	Gray Liner with Black Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT734S	764666735255	30764666735256	10764666735252
M	GRXCUT734M	764666735262	30764666735263	10764666735269
L	GRXCUT734L	764666735279	30764666735270	10764666735276
XL	GRXCUT734XL	764666735422	30764666735423	10764666735429

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT735



CR PALMWICK™ BREATHABLE NITRILE CUT RESISTANT SERIES

- PalmWick™ Breathable Palm Technology allows the hand to breathe on the palm side of the glove. The special nitrile coating allows sweat and moisture to wick away through the palm.
- 13 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-5 and EN388-2016 cut level E, according to the TDM 100 blade test.
- Reinforced saddle enhances durability in a major wear area.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with heavy levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Recycling and Trash Handling
- Building Material Handling
- Industrial Tasks
- Metal Work and Installation

TECHNICAL DATA

MATERIAL	HPPE and Steel with a Nitrile Palm			
COLOR	Gray Liner with Black Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT735S	764666735286	30764666735287	10764666735283
M	GRXCUT735M	764666735293	30764666735294	10764666735290
L	GRXCUT735L	764666735309	30764666735300	10764666735306
XL	GRXCUT735XL	764666735439	30764666735430	10764666735436

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



COMFORT • FIT • PERFORMANCE

SPEC SHEET

GRXCUT736



CR PALMWICK™ BREATHABLE NITRILE CUT RESISTANT SERIES

- PalmWick™ Breathable Palm Technology allows the hand to breathe on the palm side of the glove. The special nitrile coating allows sweat and moisture to wick away through the palm.
- 13 gauge liner is rated to ANSI-ISEA 105-2016 cut level A-6 and EN388-2016 cut level F, according to the TDM 100 blade test.
- Reinforced saddle enhances durability in a major wear area.
- Great grip in wet, dry, and abrasive applications.
- Glove provides protection from tasks associated with high to extreme levels of cut protection.
- Available in sizes S - XXL

APPLICATIONS

- Recycling and Trash Handling
- Building Material Handling
- Metal Fence Building
- Sheet Metal Handling

TECHNICAL DATA

MATERIAL	HPPE and Steel with a Nitrile Palm			
COLOR	Gray Liner with Black Palm			
PACKING	24 inner cartons / 6 pair per carton 144 pair per master carton			
CASE WEIGHT (lbs)	S	M	L	XL

SIZE	SKU	UPC / PAIR	UPC / DOZEN	UPC / MASTER
S	GRXCUT736S	764666735316	30764666735317	10764666735313
M	GRXCUT736M	764666735323	30764666735324	10764666735320
L	GRXCUT736L	764666735330	30764666735331	10764666735337
XL	GRXCUT736XL	764666735446	30764666735447	10764666735443

GRX GLOVES | COMFORT • FIT • PERFORMANCE

GRX Gloves Exclusively Distributed by PrimeSource Building Products, Inc. ©2018 All Rights Reserved. This document and the information contained herein is the property of GRX Gloves and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of GRX products for a particular purpose or use within a particular environment. GRX GLOVES DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.